







Mode	13																																																																																							
	Band Edge																																																																																							
	2400-2483.5_802.11g_CH02_2417MHz																																																																																							
ANT	SISO																																																																																							
Pol.	Horizontal	Fundamental																																																																																						
Peak	<table border="1"> <thead> <tr> <th>Limit</th> <th>Over</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Aux</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>Limit</th> <th>Level</th> <th>Factor</th> <th>Loss</th> <th>Factor</th> <th>Factor</th> <th></th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>2388.91</td> <td>66.51</td> <td>74.00</td> <td>-7.49</td> <td>57.87</td> <td>32.46</td> <td>7.16</td> <td>36.98</td> <td>6.00</td> <td>100</td> <td>189</td> <td>PEAK</td> </tr> </tbody> </table>	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	2388.91	66.51	74.00	-7.49	57.87	32.46	7.16	36.98	6.00	100	189	PEAK	<table border="1"> <thead> <tr> <th>Limit</th> <th>Over</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Aux</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>Limit</th> <th>Level</th> <th>Factor</th> <th>Loss</th> <th>Factor</th> <th>Factor</th> <th></th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>2417.00</td> <td>113.45</td> <td>-----</td> <td>-----</td> <td>104.57</td> <td>32.63</td> <td>7.21</td> <td>36.96</td> <td>6.00</td> <td>100</td> <td>189</td> <td>PEAK</td> </tr> </tbody> </table>	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	2417.00	113.45	-----	-----	104.57	32.63	7.21	36.96	6.00	100	189	PEAK
	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																														
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor																																																																																
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																															
1	2388.91	66.51	74.00	-7.49	57.87	32.46	7.16	36.98	6.00	100	189	PEAK																																																																												
Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																															
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor																																																																																
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																															
1	2417.00	113.45	-----	-----	104.57	32.63	7.21	36.96	6.00	100	189	PEAK																																																																												
Avg	<table border="1"> <thead> <tr> <th>Limit</th> <th>Over</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Aux</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>Limit</th> <th>Level</th> <th>Factor</th> <th>Loss</th> <th>Factor</th> <th>Factor</th> <th></th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>2389.82</td> <td>50.04</td> <td>54.00</td> <td>-3.96</td> <td>41.40</td> <td>32.46</td> <td>7.16</td> <td>36.98</td> <td>6.00</td> <td>100</td> <td>189</td> <td>AVERAGE</td> </tr> </tbody> </table>	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	2389.82	50.04	54.00	-3.96	41.40	32.46	7.16	36.98	6.00	100	189	AVERAGE	<table border="1"> <thead> <tr> <th>Limit</th> <th>Over</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Aux</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>Limit</th> <th>Level</th> <th>Factor</th> <th>Loss</th> <th>Factor</th> <th>Factor</th> <th></th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>2417.00</td> <td>104.63</td> <td>-----</td> <td>-----</td> <td>95.75</td> <td>32.63</td> <td>7.21</td> <td>36.96</td> <td>6.00</td> <td>100</td> <td>189</td> <td>AVERAGE</td> </tr> </tbody> </table>	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	2417.00	104.63	-----	-----	95.75	32.63	7.21	36.96	6.00	100	189	AVERAGE
	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																														
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor																																																																																
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																															
1	2389.82	50.04	54.00	-3.96	41.40	32.46	7.16	36.98	6.00	100	189	AVERAGE																																																																												
Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																															
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor																																																																																
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																															
1	2417.00	104.63	-----	-----	95.75	32.63	7.21	36.96	6.00	100	189	AVERAGE																																																																												







Mode	13																																																																																							
	Band Edge																																																																																							
	2400-2483.5_802.11g_CH02_2417MHz																																																																																							
ANT	SISO																																																																																							
Pol.	Vertical	Fundamental																																																																																						
Peak	 <p>Level (dBuV/m) vs Frequency (MHz) for Vertical polarization. Peak at 2417.00 MHz.</p> <table border="1"> <thead> <tr> <th>Limit</th> <th>Over</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Aux</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>Limit</th> <th>Level</th> <th>Factor</th> <th>Loss</th> <th>Factor</th> <th>Factor</th> <th></th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>2389.95</td> <td>60.53</td> <td>74.00</td> <td>-13.47</td> <td>51.89</td> <td>32.46</td> <td>7.16</td> <td>36.98</td> <td>6.00</td> <td>300</td> <td>276</td> <td>PEAK</td> </tr> </tbody> </table>	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	2389.95	60.53	74.00	-13.47	51.89	32.46	7.16	36.98	6.00	300	276	PEAK	 <p>Level (dBuV/m) vs Frequency (MHz) for Fundamental polarization. Peak at 2417.00 MHz.</p> <table border="1"> <thead> <tr> <th>Limit</th> <th>Over</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Aux</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>Limit</th> <th>Level</th> <th>Factor</th> <th>Loss</th> <th>Factor</th> <th>Factor</th> <th></th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>2417.00</td> <td>110.14</td> <td>-----</td> <td>-----</td> <td>101.25</td> <td>32.64</td> <td>7.21</td> <td>36.96</td> <td>6.00</td> <td>300</td> <td>276</td> <td>PEAK</td> </tr> </tbody> </table>	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	2417.00	110.14	-----	-----	101.25	32.64	7.21	36.96	6.00	300	276	PEAK
	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																														
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor																																																																																
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																															
1	2389.95	60.53	74.00	-13.47	51.89	32.46	7.16	36.98	6.00	300	276	PEAK																																																																												
Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																															
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor																																																																																
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																															
1	2417.00	110.14	-----	-----	101.25	32.64	7.21	36.96	6.00	300	276	PEAK																																																																												
Avg	 <p>Level (dBuV/m) vs Frequency (MHz) for Vertical polarization. Average at 2417.00 MHz.</p> <table border="1"> <thead> <tr> <th>Limit</th> <th>Over</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Aux</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>Limit</th> <th>Level</th> <th>Factor</th> <th>Loss</th> <th>Factor</th> <th>Factor</th> <th></th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>2389.69</td> <td>45.63</td> <td>54.00</td> <td>-8.37</td> <td>36.99</td> <td>32.46</td> <td>7.16</td> <td>36.98</td> <td>6.00</td> <td>300</td> <td>276</td> <td>AVERAGE</td> </tr> </tbody> </table>	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	2389.69	45.63	54.00	-8.37	36.99	32.46	7.16	36.98	6.00	300	276	AVERAGE	 <p>Level (dBuV/m) vs Frequency (MHz) for Fundamental polarization. Average at 2417.00 MHz.</p> <table border="1"> <thead> <tr> <th>Limit</th> <th>Over</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Aux</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>Limit</th> <th>Level</th> <th>Factor</th> <th>Loss</th> <th>Factor</th> <th>Factor</th> <th></th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>2417.00</td> <td>101.21</td> <td>-----</td> <td>-----</td> <td>92.32</td> <td>32.64</td> <td>7.21</td> <td>36.96</td> <td>6.00</td> <td>300</td> <td>276</td> <td>AVERAGE</td> </tr> </tbody> </table>	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	2417.00	101.21	-----	-----	92.32	32.64	7.21	36.96	6.00	300	276	AVERAGE
	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																														
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor																																																																																
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																															
1	2389.69	45.63	54.00	-8.37	36.99	32.46	7.16	36.98	6.00	300	276	AVERAGE																																																																												
Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																															
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor																																																																																
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																															
1	2417.00	101.21	-----	-----	92.32	32.64	7.21	36.96	6.00	300	276	AVERAGE																																																																												







Mode	13																																																																																																									
	Harmonic																																																																																																									
	2400-2483.5_802.11g_CH02_2417MHz																																																																																																									
ANT	SISO																																																																																																									
Pol.	Horizontal	Vertical																																																																																																								
Peak Avg	<table border="1"> <thead> <tr> <th>Peak</th> <th>Limit</th> <th>Over</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Aux</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Level</th> <th>Line</th> <th>Limit</th> <th>Level</th> <th>Factor</th> <th>Loss</th> <th>Factor</th> <th>Factor</th> <th>cm</th> <th>deg</th> <th></th> </tr> </thead> <tbody> <tr> <td>1</td> <td>4834.00</td> <td>41.85</td> <td>74.00</td> <td>-32.15</td> <td>59.25</td> <td>34.67</td> <td>10.30</td> <td>62.37</td> <td>0.00</td> <td>---</td> <td>PEAK</td> </tr> <tr> <td>2</td> <td>7251.00</td> <td>44.44</td> <td>74.00</td> <td>-29.56</td> <td>60.39</td> <td>35.80</td> <td>12.68</td> <td>64.43</td> <td>0.00</td> <td>---</td> <td>PEAK</td> </tr> <tr> <td>3</td> <td>9673.50</td> <td>47.49</td> <td>93.33</td> <td>-45.84</td> <td>60.16</td> <td>36.85</td> <td>14.82</td> <td>64.34</td> <td>0.00</td> <td>---</td> <td>Peak</td> </tr> </tbody> </table>	Peak	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Level	Line	Limit	Level	Factor	Loss	Factor	Factor	cm	deg		1	4834.00	41.85	74.00	-32.15	59.25	34.67	10.30	62.37	0.00	---	PEAK	2	7251.00	44.44	74.00	-29.56	60.39	35.80	12.68	64.43	0.00	---	PEAK	3	9673.50	47.49	93.33	-45.84	60.16	36.85	14.82	64.34	0.00	---	Peak	<table border="1"> <thead> <tr> <th>Peak</th> <th>Limit</th> <th>Over</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Aux</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Level</th> <th>Line</th> <th>Limit</th> <th>Level</th> <th>Factor</th> <th>Loss</th> <th>Factor</th> <th>Factor</th> <th>cm</th> <th>deg</th> <th></th> </tr> </thead> <tbody> <tr> <td>1</td> <td>4834.00</td> <td>41.10</td> <td>74.00</td> <td>-32.90</td> <td>58.50</td> <td>34.67</td> <td>10.30</td> <td>62.37</td> <td>0.00</td> <td>---</td> <td>PEAK</td> </tr> <tr> <td>2</td> <td>7251.00</td> <td>43.53</td> <td>74.00</td> <td>-30.47</td> <td>59.48</td> <td>35.80</td> <td>12.68</td> <td>64.43</td> <td>0.00</td> <td>---</td> <td>PEAK</td> </tr> </tbody> </table>	Peak	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Level	Line	Limit	Level	Factor	Loss	Factor	Factor	cm	deg		1	4834.00	41.10	74.00	-32.90	58.50	34.67	10.30	62.37	0.00	---	PEAK	2	7251.00	43.53	74.00	-30.47	59.48	35.80	12.68	64.43	0.00	---	PEAK
Peak	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																																
Level	Line	Limit	Level	Factor	Loss	Factor	Factor	cm	deg																																																																																																	
1	4834.00	41.85	74.00	-32.15	59.25	34.67	10.30	62.37	0.00	---	PEAK																																																																																															
2	7251.00	44.44	74.00	-29.56	60.39	35.80	12.68	64.43	0.00	---	PEAK																																																																																															
3	9673.50	47.49	93.33	-45.84	60.16	36.85	14.82	64.34	0.00	---	Peak																																																																																															
Peak	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																																
Level	Line	Limit	Level	Factor	Loss	Factor	Factor	cm	deg																																																																																																	
1	4834.00	41.10	74.00	-32.90	58.50	34.67	10.30	62.37	0.00	---	PEAK																																																																																															
2	7251.00	43.53	74.00	-30.47	59.48	35.80	12.68	64.43	0.00	---	PEAK																																																																																															

Note: The Remark #3 is non-restricted frequency which limit is 100kHz-PSD down 20dB



Mode	14																																																																																									
	Band Edge																																																																																									
	2400-2483.5_802.11g_CH10_2457MHz																																																																																									
ANT	SISO																																																																																									
Pol.	Horizontal	Fundamental																																																																																								
Peak	 <table border="1" data-bbox="263 1164 774 1299"> <thead> <tr> <th>Limit</th> <th>Over</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Aux</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>Limit</th> <th>Level</th> <th>Factor</th> <th>Loss</th> <th>Factor</th> <th>Factor</th> <th></th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>2483.74</td> <td>66.89</td> <td>74.00</td> <td>-7.11</td> <td>57.27</td> <td>33.17</td> <td>7.33</td> <td>36.88</td> <td>6.00</td> <td>138</td> <td>353</td> <td>PEAK</td> </tr> </tbody> </table>	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1	2483.74	66.89	74.00	-7.11	57.27	33.17	7.33	36.88	6.00	138	353	PEAK	 <table border="1" data-bbox="901 1164 1412 1299"> <thead> <tr> <th>Limit</th> <th>Over</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Aux</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>Limit</th> <th>Level</th> <th>Factor</th> <th>Loss</th> <th>Factor</th> <th>Factor</th> <th></th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>2457.00</td> <td>112.53</td> <td>-----</td> <td>-----</td> <td>103.17</td> <td>32.98</td> <td>7.29</td> <td>36.91</td> <td>6.00</td> <td>138</td> <td>353</td> <td>PEAK</td> </tr> </tbody> </table>	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1	2457.00	112.53	-----	-----	103.17	32.98	7.29	36.91	6.00	138	353	PEAK
	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor																																																																																		
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																																
1	2483.74	66.89	74.00	-7.11	57.27	33.17	7.33	36.88	6.00	138	353	PEAK																																																																														
Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																	
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor																																																																																		
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																																
1	2457.00	112.53	-----	-----	103.17	32.98	7.29	36.91	6.00	138	353	PEAK																																																																														
Avg	 <table border="1" data-bbox="263 1848 774 1982"> <thead> <tr> <th>Limit</th> <th>Over</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Aux</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>Limit</th> <th>Level</th> <th>Factor</th> <th>Loss</th> <th>Factor</th> <th>Factor</th> <th></th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>2483.62</td> <td>50.84</td> <td>54.00</td> <td>-3.16</td> <td>41.22</td> <td>33.17</td> <td>7.33</td> <td>36.88</td> <td>6.00</td> <td>138</td> <td>353</td> <td>AVERAGE</td> </tr> </tbody> </table>	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1	2483.62	50.84	54.00	-3.16	41.22	33.17	7.33	36.88	6.00	138	353	AVERAGE	 <table border="1" data-bbox="901 1848 1412 1982"> <thead> <tr> <th>Limit</th> <th>Over</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Aux</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>Limit</th> <th>Level</th> <th>Factor</th> <th>Loss</th> <th>Factor</th> <th>Factor</th> <th></th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>2457.00</td> <td>103.49</td> <td>-----</td> <td>-----</td> <td>94.16</td> <td>32.96</td> <td>7.28</td> <td>36.91</td> <td>6.00</td> <td>138</td> <td>353</td> <td>AVERAGE</td> </tr> </tbody> </table>	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1	2457.00	103.49	-----	-----	94.16	32.96	7.28	36.91	6.00	138	353	AVERAGE
	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor																																																																																		
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																																
1	2483.62	50.84	54.00	-3.16	41.22	33.17	7.33	36.88	6.00	138	353	AVERAGE																																																																														
Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																	
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor																																																																																		
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																																
1	2457.00	103.49	-----	-----	94.16	32.96	7.28	36.91	6.00	138	353	AVERAGE																																																																														



Mode	14																																																																																									
	Band Edge																																																																																									
	2400-2483.5_802.11g_CH10_2457MHz																																																																																									
ANT	SISO																																																																																									
Pol.	Vertical	Fundamental																																																																																								
Peak	 <table border="1"> <thead> <tr> <th>Limit</th> <th>Over</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Aux</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>Limit</th> <th>Level</th> <th>Factor</th> <th>Loss</th> <th>Factor</th> <th>Factor</th> <th></th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>2484.16</td> <td>67.00</td> <td>74.00</td> <td>-7.00</td> <td>57.38</td> <td>33.17</td> <td>7.33</td> <td>36.88</td> <td>6.00</td> <td>339</td> <td>268</td> <td>PEAK</td> </tr> </tbody> </table>	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1	2484.16	67.00	74.00	-7.00	57.38	33.17	7.33	36.88	6.00	339	268	PEAK	 <table border="1"> <thead> <tr> <th>Limit</th> <th>Over</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Aux</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>Limit</th> <th>Level</th> <th>Factor</th> <th>Loss</th> <th>Factor</th> <th>Factor</th> <th></th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>2457.00</td> <td>109.92</td> <td>-----</td> <td>-----</td> <td>100.56</td> <td>32.98</td> <td>7.29</td> <td>36.91</td> <td>6.00</td> <td>339</td> <td>268</td> <td>PEAK</td> </tr> </tbody> </table>	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1	2457.00	109.92	-----	-----	100.56	32.98	7.29	36.91	6.00	339	268	PEAK
	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor																																																																																		
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																																
1	2484.16	67.00	74.00	-7.00	57.38	33.17	7.33	36.88	6.00	339	268	PEAK																																																																														
Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																	
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor																																																																																		
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																																
1	2457.00	109.92	-----	-----	100.56	32.98	7.29	36.91	6.00	339	268	PEAK																																																																														
Avg	 <table border="1"> <thead> <tr> <th>Limit</th> <th>Over</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Aux</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>Limit</th> <th>Level</th> <th>Factor</th> <th>Loss</th> <th>Factor</th> <th>Factor</th> <th></th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>2483.74</td> <td>47.69</td> <td>54.00</td> <td>-6.31</td> <td>38.07</td> <td>33.17</td> <td>7.33</td> <td>36.88</td> <td>6.00</td> <td>339</td> <td>268</td> <td>AVERAGE</td> </tr> </tbody> </table>	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1	2483.74	47.69	54.00	-6.31	38.07	33.17	7.33	36.88	6.00	339	268	AVERAGE	 <table border="1"> <thead> <tr> <th>Limit</th> <th>Over</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Aux</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>Limit</th> <th>Level</th> <th>Factor</th> <th>Loss</th> <th>Factor</th> <th>Factor</th> <th></th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>2457.00</td> <td>100.86</td> <td>-----</td> <td>-----</td> <td>91.50</td> <td>32.98</td> <td>7.29</td> <td>36.91</td> <td>6.00</td> <td>339</td> <td>268</td> <td>AVERAGE</td> </tr> </tbody> </table>	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1	2457.00	100.86	-----	-----	91.50	32.98	7.29	36.91	6.00	339	268	AVERAGE
	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor																																																																																		
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																																
1	2483.74	47.69	54.00	-6.31	38.07	33.17	7.33	36.88	6.00	339	268	AVERAGE																																																																														
Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																	
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor																																																																																		
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																																
1	2457.00	100.86	-----	-----	91.50	32.98	7.29	36.91	6.00	339	268	AVERAGE																																																																														







Mode	14																																																																																												
	Harmonic																																																																																												
	2400-2483.5_802.11g_CH10_2457MHz																																																																																												
ANT	SISO																																																																																												
Pol.	Horizontal	Vertical																																																																																											
Peak Avg	<table border="1"> <thead> <tr> <th>Peak</th> <th>Freq</th> <th>Level</th> <th>Limit</th> <th>Over</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Aux</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>1</th> <th>4914.00</th> <th>42.78</th> <th>74.00</th> <th>-31.22</th> <th>60.16</th> <th>34.56</th> <th>10.39</th> <th>62.33</th> <th>0.00</th> <th>---</th> <th>---</th> <th>PEAK</th> </tr> <tr> <th>2</th> <th>7371.00</th> <th>43.78</th> <th>74.00</th> <th>-30.22</th> <th>59.72</th> <th>35.80</th> <th>12.86</th> <th>64.60</th> <th>0.00</th> <th>---</th> <th>---</th> <th>PEAK</th> </tr> <tr> <th>3</th> <th>9835.50</th> <th>48.31</th> <th>90.84</th> <th>-42.53</th> <th>60.77</th> <th>37.07</th> <th>14.91</th> <th>64.44</th> <th>0.00</th> <th>---</th> <th>---</th> <th>Peak</th> </tr> </thead> </table>	Peak	Freq	Level	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	1	4914.00	42.78	74.00	-31.22	60.16	34.56	10.39	62.33	0.00	---	---	PEAK	2	7371.00	43.78	74.00	-30.22	59.72	35.80	12.86	64.60	0.00	---	---	PEAK	3	9835.50	48.31	90.84	-42.53	60.77	37.07	14.91	64.44	0.00	---	---	Peak	<table border="1"> <thead> <tr> <th>Peak</th> <th>Freq</th> <th>Level</th> <th>Limit</th> <th>Over</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Aux</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>1</th> <th>4914.00</th> <th>42.01</th> <th>74.00</th> <th>-31.99</th> <th>59.39</th> <th>34.56</th> <th>10.39</th> <th>62.33</th> <th>0.00</th> <th>---</th> <th>---</th> <th>PEAK</th> </tr> <tr> <th>2</th> <th>7371.00</th> <th>43.50</th> <th>74.00</th> <th>-30.50</th> <th>59.44</th> <th>35.80</th> <th>12.86</th> <th>64.60</th> <th>0.00</th> <th>---</th> <th>---</th> <th>PEAK</th> </tr> </thead> </table>	Peak	Freq	Level	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	1	4914.00	42.01	74.00	-31.99	59.39	34.56	10.39	62.33	0.00	---	---	PEAK	2	7371.00	43.50	74.00	-30.50	59.44	35.80	12.86	64.60	0.00	---	---	PEAK
Peak	Freq	Level	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																	
1	4914.00	42.78	74.00	-31.22	60.16	34.56	10.39	62.33	0.00	---	---	PEAK																																																																																	
2	7371.00	43.78	74.00	-30.22	59.72	35.80	12.86	64.60	0.00	---	---	PEAK																																																																																	
3	9835.50	48.31	90.84	-42.53	60.77	37.07	14.91	64.44	0.00	---	---	Peak																																																																																	
Peak	Freq	Level	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																	
1	4914.00	42.01	74.00	-31.99	59.39	34.56	10.39	62.33	0.00	---	---	PEAK																																																																																	
2	7371.00	43.50	74.00	-30.50	59.44	35.80	12.86	64.60	0.00	---	---	PEAK																																																																																	

Note: The Remark #3 is non-restricted frequency which limit is 100kHz-PSD down 20dB



Mode	15																																																																																									
	Band Edge																																																																																									
	2400-2483.5_802.11n HT20_CH10_2457MHz																																																																																									
ANT	SISO																																																																																									
Pol.	Horizontal	Fundamental																																																																																								
Peak	<table border="1"> <thead> <tr> <th>Limit</th> <th>Over</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Aux</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>Limit</th> <th>Level</th> <th>Factor</th> <th>Loss</th> <th>Factor</th> <th>Factor</th> <th></th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>2483.62</td> <td>67.03</td> <td>74.00</td> <td>-6.97</td> <td>57.41</td> <td>33.17</td> <td>7.33</td> <td>36.88</td> <td>6.00</td> <td>140</td> <td>350</td> <td>PEAK</td> </tr> </tbody> </table>	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1	2483.62	67.03	74.00	-6.97	57.41	33.17	7.33	36.88	6.00	140	350	PEAK	<table border="1"> <thead> <tr> <th>Limit</th> <th>Over</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Aux</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>Limit</th> <th>Level</th> <th>Factor</th> <th>Loss</th> <th>Factor</th> <th>Factor</th> <th></th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>2457.00</td> <td>112.38</td> <td>-----</td> <td>-----</td> <td>103.02</td> <td>32.98</td> <td>7.29</td> <td>36.91</td> <td>6.00</td> <td>140</td> <td>350</td> <td>PEAK</td> </tr> </tbody> </table>	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1	2457.00	112.38	-----	-----	103.02	32.98	7.29	36.91	6.00	140	350	PEAK
	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor																																																																																		
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																																
1	2483.62	67.03	74.00	-6.97	57.41	33.17	7.33	36.88	6.00	140	350	PEAK																																																																														
Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																	
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor																																																																																		
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																																
1	2457.00	112.38	-----	-----	103.02	32.98	7.29	36.91	6.00	140	350	PEAK																																																																														
Avg	<table border="1"> <thead> <tr> <th>Limit</th> <th>Over</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Aux</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>Limit</th> <th>Level</th> <th>Factor</th> <th>Loss</th> <th>Factor</th> <th>Factor</th> <th></th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>2483.50</td> <td>50.09</td> <td>54.00</td> <td>-3.91</td> <td>40.47</td> <td>33.17</td> <td>7.33</td> <td>36.88</td> <td>6.00</td> <td>140</td> <td>350</td> <td>AVERAGE</td> </tr> </tbody> </table>	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1	2483.50	50.09	54.00	-3.91	40.47	33.17	7.33	36.88	6.00	140	350	AVERAGE	<table border="1"> <thead> <tr> <th>Limit</th> <th>Over</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Aux</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>Limit</th> <th>Level</th> <th>Factor</th> <th>Loss</th> <th>Factor</th> <th>Factor</th> <th></th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>2457.00</td> <td>103.13</td> <td>-----</td> <td>-----</td> <td>93.80</td> <td>32.96</td> <td>7.28</td> <td>36.91</td> <td>6.00</td> <td>140</td> <td>350</td> <td>AVERAGE</td> </tr> </tbody> </table>	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1	2457.00	103.13	-----	-----	93.80	32.96	7.28	36.91	6.00	140	350	AVERAGE
	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor																																																																																		
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																																
1	2483.50	50.09	54.00	-3.91	40.47	33.17	7.33	36.88	6.00	140	350	AVERAGE																																																																														
Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																	
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor																																																																																		
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																																
1	2457.00	103.13	-----	-----	93.80	32.96	7.28	36.91	6.00	140	350	AVERAGE																																																																														







Mode	15																																																																																									
	Band Edge																																																																																									
	2400-2483.5_802.11n HT20_CH10_2457MHz																																																																																									
ANT	SISO																																																																																									
Pol.	Vertical	Fundamental																																																																																								
Peak	 <table border="1"> <thead> <tr> <th>Limit</th> <th>Over</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Aux</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>Limit</th> <th>Level</th> <th>Factor</th> <th>Loss</th> <th>Factor</th> <th>Factor</th> <th></th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>2483.86</td> <td>67.13</td> <td>74.00</td> <td>-6.87</td> <td>57.51</td> <td>33.17</td> <td>7.33</td> <td>36.88</td> <td>6.00</td> <td>333</td> <td>269</td> <td>PEAK</td> </tr> </tbody> </table>	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1	2483.86	67.13	74.00	-6.87	57.51	33.17	7.33	36.88	6.00	333	269	PEAK	 <table border="1"> <thead> <tr> <th>Limit</th> <th>Over</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Aux</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>Limit</th> <th>Level</th> <th>Factor</th> <th>Loss</th> <th>Factor</th> <th>Factor</th> <th></th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>2457.00</td> <td>108.72</td> <td>-----</td> <td>-----</td> <td>99.40</td> <td>32.95</td> <td>7.28</td> <td>36.91</td> <td>6.00</td> <td>333</td> <td>269</td> <td>PEAK</td> </tr> </tbody> </table>	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1	2457.00	108.72	-----	-----	99.40	32.95	7.28	36.91	6.00	333	269	PEAK
	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor																																																																																		
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																																
1	2483.86	67.13	74.00	-6.87	57.51	33.17	7.33	36.88	6.00	333	269	PEAK																																																																														
Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																	
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor																																																																																		
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																																
1	2457.00	108.72	-----	-----	99.40	32.95	7.28	36.91	6.00	333	269	PEAK																																																																														
Avg	 <table border="1"> <thead> <tr> <th>Limit</th> <th>Over</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Aux</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>Limit</th> <th>Level</th> <th>Factor</th> <th>Loss</th> <th>Factor</th> <th>Factor</th> <th></th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>2483.50</td> <td>49.26</td> <td>54.00</td> <td>-4.74</td> <td>39.64</td> <td>33.17</td> <td>7.33</td> <td>36.88</td> <td>6.00</td> <td>333</td> <td>269</td> <td>AVERAGE</td> </tr> </tbody> </table>	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1	2483.50	49.26	54.00	-4.74	39.64	33.17	7.33	36.88	6.00	333	269	AVERAGE	 <table border="1"> <thead> <tr> <th>Limit</th> <th>Over</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Aux</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>Limit</th> <th>Level</th> <th>Factor</th> <th>Loss</th> <th>Factor</th> <th>Factor</th> <th></th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>2457.00</td> <td>99.85</td> <td>-----</td> <td>-----</td> <td>90.53</td> <td>32.95</td> <td>7.28</td> <td>36.91</td> <td>6.00</td> <td>333</td> <td>269</td> <td>AVERAGE</td> </tr> </tbody> </table>	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1	2457.00	99.85	-----	-----	90.53	32.95	7.28	36.91	6.00	333	269	AVERAGE
	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor																																																																																		
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																																
1	2483.50	49.26	54.00	-4.74	39.64	33.17	7.33	36.88	6.00	333	269	AVERAGE																																																																														
Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																	
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor																																																																																		
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																																
1	2457.00	99.85	-----	-----	90.53	32.95	7.28	36.91	6.00	333	269	AVERAGE																																																																														



Mode	15																																																																																																																																
	Harmonic																																																																																																																																
	2400-2483.5_802.11n_HT20_CH10_2457MHz																																																																																																																																
ANT	SISO																																																																																																																																
Pol.	Horizontal	Vertical																																																																																																																															
Peak Avg	<table border="1"> <thead> <tr> <th>Limit</th> <th>Over</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Aux</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>Limit</th> <th>Level</th> <th>Factor</th> <th>Loss</th> <th>Factor</th> <th>Factor</th> <th></th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>4914.00</td> <td>42.78</td> <td>74.00</td> <td>-31.22</td> <td>60.16</td> <td>34.56</td> <td>10.39</td> <td>62.33</td> <td>0.00</td> <td>---</td> <td>---</td> <td>PEAK</td> </tr> <tr> <td>2</td> <td>7371.00</td> <td>43.78</td> <td>74.00</td> <td>-30.22</td> <td>59.72</td> <td>35.80</td> <td>12.86</td> <td>64.60</td> <td>0.00</td> <td>---</td> <td>---</td> <td>PEAK</td> </tr> <tr> <td>3</td> <td>9835.50</td> <td>48.31</td> <td>90.88</td> <td>-42.57</td> <td>60.77</td> <td>37.07</td> <td>14.91</td> <td>64.44</td> <td>0.00</td> <td>---</td> <td>---</td> <td>Peak</td> </tr> </tbody> </table>	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1	4914.00	42.78	74.00	-31.22	60.16	34.56	10.39	62.33	0.00	---	---	PEAK	2	7371.00	43.78	74.00	-30.22	59.72	35.80	12.86	64.60	0.00	---	---	PEAK	3	9835.50	48.31	90.88	-42.57	60.77	37.07	14.91	64.44	0.00	---	---	Peak	<table border="1"> <thead> <tr> <th>Limit</th> <th>Over</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Aux</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>Limit</th> <th>Level</th> <th>Factor</th> <th>Loss</th> <th>Factor</th> <th>Factor</th> <th></th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>4914.00</td> <td>42.64</td> <td>74.00</td> <td>-31.36</td> <td>60.02</td> <td>34.56</td> <td>10.39</td> <td>62.33</td> <td>0.00</td> <td>---</td> <td>---</td> <td>PEAK</td> </tr> <tr> <td>2</td> <td>7371.00</td> <td>43.45</td> <td>74.00</td> <td>-30.55</td> <td>59.39</td> <td>35.80</td> <td>12.86</td> <td>64.60</td> <td>0.00</td> <td>---</td> <td>---</td> <td>PEAK</td> </tr> </tbody> </table>	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1	4914.00	42.64	74.00	-31.36	60.02	34.56	10.39	62.33	0.00	---	---	PEAK	2	7371.00	43.45	74.00	-30.55	59.39	35.80	12.86	64.60	0.00	---	---	PEAK
Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																																																								
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor																																																																																																																									
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																																																																							
1	4914.00	42.78	74.00	-31.22	60.16	34.56	10.39	62.33	0.00	---	---	PEAK																																																																																																																					
2	7371.00	43.78	74.00	-30.22	59.72	35.80	12.86	64.60	0.00	---	---	PEAK																																																																																																																					
3	9835.50	48.31	90.88	-42.57	60.77	37.07	14.91	64.44	0.00	---	---	Peak																																																																																																																					
Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																																																								
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor																																																																																																																									
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																																																																							
1	4914.00	42.64	74.00	-31.36	60.02	34.56	10.39	62.33	0.00	---	---	PEAK																																																																																																																					
2	7371.00	43.45	74.00	-30.55	59.39	35.80	12.86	64.60	0.00	---	---	PEAK																																																																																																																					

Note: The Remark #3 is non-restricted frequency which limit is 100kHz-PSD down 20dB







Mode	16																																																																																									
	Band Edge - L																																																																																									
	2400-2483.5_802.11n HT40_CH08_2447MHz																																																																																									
ANT	SISO																																																																																									
Pol.	Horizontal	Fundamental																																																																																								
Peak	 <table border="1"> <thead> <tr> <th>Limit</th> <th>Over</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Aux</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>Limit</th> <th>Level</th> <th>Factor</th> <th>Loss</th> <th>Factor</th> <th>Factor</th> <th></th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>2364.86</td> <td>51.06</td> <td>74.00</td> <td>-22.94</td> <td>42.55</td> <td>32.36</td> <td>7.12</td> <td>36.97</td> <td>6.00</td> <td>336</td> <td>341</td> <td>PEAK</td> </tr> </tbody> </table>	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1	2364.86	51.06	74.00	-22.94	42.55	32.36	7.12	36.97	6.00	336	341	PEAK	 <table border="1"> <thead> <tr> <th>Limit</th> <th>Over</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Aux</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>Limit</th> <th>Level</th> <th>Factor</th> <th>Loss</th> <th>Factor</th> <th>Factor</th> <th></th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>2447.00</td> <td>107.59</td> <td>-----</td> <td>-----</td> <td>98.32</td> <td>32.92</td> <td>7.27</td> <td>36.92</td> <td>6.00</td> <td>336</td> <td>341</td> <td>PEAK</td> </tr> </tbody> </table>	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1	2447.00	107.59	-----	-----	98.32	32.92	7.27	36.92	6.00	336	341	PEAK
	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor																																																																																		
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																																
1	2364.86	51.06	74.00	-22.94	42.55	32.36	7.12	36.97	6.00	336	341	PEAK																																																																														
Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																	
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor																																																																																		
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																																
1	2447.00	107.59	-----	-----	98.32	32.92	7.27	36.92	6.00	336	341	PEAK																																																																														
Avg	 <table border="1"> <thead> <tr> <th>Limit</th> <th>Over</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Aux</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>Limit</th> <th>Level</th> <th>Factor</th> <th>Loss</th> <th>Factor</th> <th>Factor</th> <th></th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>2364.21</td> <td>40.20</td> <td>54.00</td> <td>-13.80</td> <td>31.69</td> <td>32.36</td> <td>7.12</td> <td>36.97</td> <td>6.00</td> <td>336</td> <td>341</td> <td>AVERAGE</td> </tr> </tbody> </table>	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1	2364.21	40.20	54.00	-13.80	31.69	32.36	7.12	36.97	6.00	336	341	AVERAGE	 <table border="1"> <thead> <tr> <th>Limit</th> <th>Over</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Aux</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>Limit</th> <th>Level</th> <th>Factor</th> <th>Loss</th> <th>Factor</th> <th>Factor</th> <th></th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>2447.00</td> <td>98.45</td> <td>-----</td> <td>-----</td> <td>89.20</td> <td>32.90</td> <td>7.27</td> <td>36.92</td> <td>6.00</td> <td>336</td> <td>341</td> <td>AVERAGE</td> </tr> </tbody> </table>	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1	2447.00	98.45	-----	-----	89.20	32.90	7.27	36.92	6.00	336	341	AVERAGE
	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor																																																																																		
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																																
1	2364.21	40.20	54.00	-13.80	31.69	32.36	7.12	36.97	6.00	336	341	AVERAGE																																																																														
Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																	
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor																																																																																		
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																																
1	2447.00	98.45	-----	-----	89.20	32.90	7.27	36.92	6.00	336	341	AVERAGE																																																																														



Mode	16																																												
	Band Edge - R																																												
	2400-2483.5_802.11n HT40_CH08_2447MHz																																												
ANT	SISO																																												
Pol.	Horizontal	Fundamental																																											
Peak	<table border="1"> <thead> <tr> <th>Limit</th> <th>Over</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Aux</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>Limit</th> <th>Level</th> <th>Factor</th> <th>Loss</th> <th>Factor</th> <th>Factor</th> <th></th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>2486.96</td> <td>64.68</td> <td>74.00</td> <td>-9.32</td> <td>55.02</td> <td>33.20</td> <td>7.34</td> <td>36.88</td> <td>6.00</td> <td>336</td> <td>341 PEAK</td> </tr> </tbody> </table>	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1	2486.96	64.68	74.00	-9.32	55.02	33.20	7.34	36.88	6.00	336	341 PEAK	Blank
Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																				
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor																																					
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																			
1	2486.96	64.68	74.00	-9.32	55.02	33.20	7.34	36.88	6.00	336	341 PEAK																																		
Avg	<table border="1"> <thead> <tr> <th>Limit</th> <th>Over</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Aux</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>Limit</th> <th>Level</th> <th>Factor</th> <th>Loss</th> <th>Factor</th> <th>Factor</th> <th></th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>2483.62</td> <td>50.68</td> <td>54.00</td> <td>-3.32</td> <td>41.06</td> <td>33.17</td> <td>7.33</td> <td>36.88</td> <td>6.00</td> <td>336</td> <td>341 AVERAGE</td> </tr> </tbody> </table>	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1	2483.62	50.68	54.00	-3.32	41.06	33.17	7.33	36.88	6.00	336	341 AVERAGE	Blank
Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																				
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor																																					
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																			
1	2483.62	50.68	54.00	-3.32	41.06	33.17	7.33	36.88	6.00	336	341 AVERAGE																																		



Mode	16																																																																																							
	Band Edge - L																																																																																							
	2400-2483.5_802.11n HT40_CH08_2447MHz																																																																																							
ANT	SISO																																																																																							
Pol.	Vertical	Fundamental																																																																																						
Peak	 <p>Level (dBuV/m) vs Frequency (MHz) plot for Vertical polarization. The y-axis ranges from 0 to 130 dBuV/m, and the x-axis ranges from 2310 to 2440 MHz. A red horizontal line indicates the FCC PART 15C limit at approximately 74 dBuV/m. A sharp peak is visible at 2320.66 MHz.</p> <table border="1"> <thead> <tr> <th>Limit</th> <th>Over</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Aux</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>Limit</th> <th>Level</th> <th>Factor</th> <th>Loss</th> <th>Factor</th> <th>Factor</th> <th></th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>2320.66</td> <td>50.52</td> <td>74.00</td> <td>-23.48</td> <td>42.25</td> <td>32.18</td> <td>7.05</td> <td>36.96</td> <td>6.00</td> <td>333</td> <td>262</td> <td>PEAK</td> </tr> </tbody> </table>	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	2320.66	50.52	74.00	-23.48	42.25	32.18	7.05	36.96	6.00	333	262	PEAK	 <p>Level (dBuV/m) vs Frequency (MHz) plot for Fundamental polarization. The y-axis ranges from 0 to 130 dBuV/m, and the x-axis ranges from 1000 to 3000 MHz. A red horizontal line indicates the FCC PART 15C limit at approximately 74 dBuV/m. A sharp peak is visible at 2447.00 MHz.</p> <table border="1"> <thead> <tr> <th>Limit</th> <th>Over</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Aux</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>Limit</th> <th>Level</th> <th>Factor</th> <th>Loss</th> <th>Factor</th> <th>Factor</th> <th></th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>2447.00</td> <td>104.07</td> <td>-----</td> <td>-----</td> <td>94.87</td> <td>32.87</td> <td>7.26</td> <td>36.93</td> <td>6.00</td> <td>333</td> <td>262</td> <td>PEAK</td> </tr> </tbody> </table>	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	2447.00	104.07	-----	-----	94.87	32.87	7.26	36.93	6.00	333	262	PEAK
	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																														
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor																																																																																
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																															
1	2320.66	50.52	74.00	-23.48	42.25	32.18	7.05	36.96	6.00	333	262	PEAK																																																																												
Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																															
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor																																																																																
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																															
1	2447.00	104.07	-----	-----	94.87	32.87	7.26	36.93	6.00	333	262	PEAK																																																																												
Avg	 <p>Level (dBuV/m) vs Frequency (MHz) plot for Vertical polarization (Average). The y-axis ranges from 0 to 130 dBuV/m, and the x-axis ranges from 2310 to 2440 MHz. A red horizontal line indicates the FCC PART 15C (AVG) limit at approximately 54 dBuV/m. A peak is visible at 2387.74 MHz.</p> <table border="1"> <thead> <tr> <th>Limit</th> <th>Over</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Aux</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>Limit</th> <th>Level</th> <th>Factor</th> <th>Loss</th> <th>Factor</th> <th>Factor</th> <th></th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>2387.74</td> <td>40.12</td> <td>54.00</td> <td>-13.88</td> <td>31.49</td> <td>32.45</td> <td>7.16</td> <td>36.98</td> <td>6.00</td> <td>333</td> <td>262</td> <td>AVERAGE</td> </tr> </tbody> </table>	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	2387.74	40.12	54.00	-13.88	31.49	32.45	7.16	36.98	6.00	333	262	AVERAGE	 <p>Level (dBuV/m) vs Frequency (MHz) plot for Fundamental polarization (Average). The y-axis ranges from 0 to 130 dBuV/m, and the x-axis ranges from 1000 to 3000 MHz. A red horizontal line indicates the FCC PART 15C (AVG) limit at approximately 54 dBuV/m. A peak is visible at 2447.00 MHz.</p> <table border="1"> <thead> <tr> <th>Limit</th> <th>Over</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Aux</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>Limit</th> <th>Level</th> <th>Factor</th> <th>Loss</th> <th>Factor</th> <th>Factor</th> <th></th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>2447.00</td> <td>95.28</td> <td>-----</td> <td>-----</td> <td>86.03</td> <td>32.90</td> <td>7.27</td> <td>36.92</td> <td>6.00</td> <td>333</td> <td>262</td> <td>AVERAGE</td> </tr> </tbody> </table>	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	2447.00	95.28	-----	-----	86.03	32.90	7.27	36.92	6.00	333	262	AVERAGE
	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																														
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor																																																																																
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																															
1	2387.74	40.12	54.00	-13.88	31.49	32.45	7.16	36.98	6.00	333	262	AVERAGE																																																																												
Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																															
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor																																																																																
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																															
1	2447.00	95.28	-----	-----	86.03	32.90	7.27	36.92	6.00	333	262	AVERAGE																																																																												



Mode	16																																													
	Band Edge - R																																													
	2400-2483.5_802.11n HT40_CH08_2447MHz																																													
ANT	SISO																																													
Pol.	Vertical	Fundamental																																												
Peak	<table border="1"> <thead> <tr> <th>Limit</th> <th>Over</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Aux</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>Limit</th> <th>Level</th> <th>Factor</th> <th>Loss</th> <th>Factor</th> <th>Factor</th> <th></th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>2484.31</td> <td>62.05</td> <td>74.00</td> <td>-11.95</td> <td>52.43</td> <td>33.17</td> <td>7.33</td> <td>36.88</td> <td>6.00</td> <td>333</td> <td>262</td> <td>PEAK</td> </tr> </tbody> </table>	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1	2484.31	62.05	74.00	-11.95	52.43	33.17	7.33	36.88	6.00	333	262	PEAK	Blank
Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																					
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor																																						
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																				
1	2484.31	62.05	74.00	-11.95	52.43	33.17	7.33	36.88	6.00	333	262	PEAK																																		
Avg	<table border="1"> <thead> <tr> <th>Limit</th> <th>Over</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Aux</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>Limit</th> <th>Level</th> <th>Factor</th> <th>Loss</th> <th>Factor</th> <th>Factor</th> <th></th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>2484.05</td> <td>49.18</td> <td>54.00</td> <td>-4.82</td> <td>39.56</td> <td>33.17</td> <td>7.33</td> <td>36.88</td> <td>6.00</td> <td>333</td> <td>262</td> <td>AVERAGE</td> </tr> </tbody> </table>	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1	2484.05	49.18	54.00	-4.82	39.56	33.17	7.33	36.88	6.00	333	262	AVERAGE	Blank
Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																					
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor																																						
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																				
1	2484.05	49.18	54.00	-4.82	39.56	33.17	7.33	36.88	6.00	333	262	AVERAGE																																		



Mode	16																																																																																													
	Harmonic																																																																																													
	2400-2483.5_802.11n_HT40_CH08_2447MHz																																																																																													
ANT	SISO																																																																																													
Pol.	Horizontal	Vertical																																																																																												
Peak Avg	<table border="1"> <thead> <tr> <th>Limit</th> <th>Over</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Aux</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>Level</th> <th>Factor</th> <th>Loss</th> <th>Factor</th> <th>Factor</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>4894.00</td> <td>43.15</td> <td>74.00</td> <td>-30.85</td> <td>60.52</td> <td>34.61</td> <td>10.36</td> <td>62.34</td> <td>0.00</td> <td>---</td> <td>---</td> <td>PEAK</td> </tr> <tr> <td>2</td> <td>7341.00</td> <td>42.89</td> <td>74.00</td> <td>-31.11</td> <td>58.83</td> <td>35.00</td> <td>12.82</td> <td>64.56</td> <td>0.00</td> <td>---</td> <td>---</td> <td>PEAK</td> </tr> </tbody> </table>	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Level	Factor	Loss	Factor	Factor	cm	deg	1	4894.00	43.15	74.00	-30.85	60.52	34.61	10.36	62.34	0.00	---	---	PEAK	2	7341.00	42.89	74.00	-31.11	58.83	35.00	12.82	64.56	0.00	---	---	PEAK	<table border="1"> <thead> <tr> <th>Limit</th> <th>Over</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Aux</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>Level</th> <th>Factor</th> <th>Loss</th> <th>Factor</th> <th>Factor</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>4894.00</td> <td>42.70</td> <td>74.00</td> <td>-31.30</td> <td>60.07</td> <td>34.61</td> <td>10.36</td> <td>62.34</td> <td>0.00</td> <td>---</td> <td>---</td> <td>PEAK</td> </tr> <tr> <td>2</td> <td>7341.00</td> <td>42.67</td> <td>74.00</td> <td>-31.33</td> <td>58.61</td> <td>35.00</td> <td>12.82</td> <td>64.56</td> <td>0.00</td> <td>---</td> <td>---</td> <td>PEAK</td> </tr> </tbody> </table>	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Level	Factor	Loss	Factor	Factor	cm	deg	1	4894.00	42.70	74.00	-31.30	60.07	34.61	10.36	62.34	0.00	---	---	PEAK	2	7341.00	42.67	74.00	-31.33	58.61	35.00	12.82	64.56	0.00	---	---	PEAK
Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																					
Freq	Level	Line	Level	Factor	Loss	Factor	Factor	cm	deg																																																																																					
1	4894.00	43.15	74.00	-30.85	60.52	34.61	10.36	62.34	0.00	---	---	PEAK																																																																																		
2	7341.00	42.89	74.00	-31.11	58.83	35.00	12.82	64.56	0.00	---	---	PEAK																																																																																		
Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																					
Freq	Level	Line	Level	Factor	Loss	Factor	Factor	cm	deg																																																																																					
1	4894.00	42.70	74.00	-31.30	60.07	34.61	10.36	62.34	0.00	---	---	PEAK																																																																																		
2	7341.00	42.67	74.00	-31.33	58.61	35.00	12.82	64.56	0.00	---	---	PEAK																																																																																		



Mode	17																																																																																																																																																																																																					
	LF																																																																																																																																																																																																					
	2400-2483.5_802.11g_CH01_2412MHz																																																																																																																																																																																																					
ANT	SISO																																																																																																																																																																																																					
Pol.	Horizontal	Vertical																																																																																																																																																																																																				
Peak QP																																																																																																																																																																																																						
	<table border="1"> <thead> <tr> <th>Peak</th> <th>Freq</th> <th>Level</th> <th>Limit</th> <th>ReadAntenna</th> <th>Cable</th> <th>Preamp</th> <th>A/Pos</th> <th>T/Pos</th> <th>Remark</th> <th>Pol/Phas</th> </tr> <tr> <th></th> <th>MHz</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV/m</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr><td>1</td><td>71.71</td><td>36.95</td><td>-3.05</td><td>40.00</td><td>56.40</td><td>12.38</td><td>1.09</td><td>32.92</td><td>200</td><td>134 QP</td><td>HORIZONTAL</td></tr> <tr><td>2</td><td>195.87</td><td>40.46</td><td>-3.04</td><td>43.50</td><td>56.40</td><td>14.97</td><td>2.07</td><td>32.98</td><td>200</td><td>53 QP</td><td>HORIZONTAL</td></tr> <tr><td>3</td><td>238.55</td><td>42.66</td><td>-3.34</td><td>46.00</td><td>55.75</td><td>17.65</td><td>2.27</td><td>33.01</td><td>---</td><td>---</td><td>Peak</td><td>HORIZONTAL</td></tr> <tr><td>4</td><td>278.32</td><td>38.15</td><td>-7.85</td><td>46.00</td><td>49.79</td><td>18.90</td><td>2.46</td><td>33.00</td><td>---</td><td>---</td><td>Peak</td><td>HORIZONTAL</td></tr> <tr><td>5</td><td>361.74</td><td>34.17</td><td>-11.83</td><td>46.00</td><td>43.77</td><td>20.53</td><td>2.80</td><td>32.93</td><td>---</td><td>---</td><td>Peak</td><td>HORIZONTAL</td></tr> <tr><td>6</td><td>724.52</td><td>31.90</td><td>-14.10</td><td>46.00</td><td>34.04</td><td>27.18</td><td>3.95</td><td>33.27</td><td>---</td><td>---</td><td>Peak</td><td>HORIZONTAL</td></tr> </tbody> </table>	Peak	Freq	Level	Limit	ReadAntenna	Cable	Preamp	A/Pos	T/Pos	Remark	Pol/Phas		MHz	dBuV/m	dB	dBuV/m	dBuV	dB/m	dB	dB	cm	deg	1	71.71	36.95	-3.05	40.00	56.40	12.38	1.09	32.92	200	134 QP	HORIZONTAL	2	195.87	40.46	-3.04	43.50	56.40	14.97	2.07	32.98	200	53 QP	HORIZONTAL	3	238.55	42.66	-3.34	46.00	55.75	17.65	2.27	33.01	---	---	Peak	HORIZONTAL	4	278.32	38.15	-7.85	46.00	49.79	18.90	2.46	33.00	---	---	Peak	HORIZONTAL	5	361.74	34.17	-11.83	46.00	43.77	20.53	2.80	32.93	---	---	Peak	HORIZONTAL	6	724.52	31.90	-14.10	46.00	34.04	27.18	3.95	33.27	---	---	Peak	HORIZONTAL	<table border="1"> <thead> <tr> <th>Peak</th> <th>Freq</th> <th>Level</th> <th>Limit</th> <th>ReadAntenna</th> <th>Cable</th> <th>Preamp</th> <th>A/Pos</th> <th>T/Pos</th> <th>Remark</th> <th>Pol/Phas</th> </tr> <tr> <th></th> <th>MHz</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV/m</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr><td>1</td><td>65.89</td><td>34.20</td><td>-5.80</td><td>40.00</td><td>53.78</td><td>11.96</td><td>1.14</td><td>32.68</td><td>---</td><td>---</td><td>Peak</td><td>VERTICAL</td></tr> <tr><td>2</td><td>187.14</td><td>38.53</td><td>-4.97</td><td>43.50</td><td>54.78</td><td>14.56</td><td>2.01</td><td>32.82</td><td>100</td><td>69 QP</td><td>VERTICAL</td></tr> <tr><td>3</td><td>480.08</td><td>34.46</td><td>-11.54</td><td>46.00</td><td>41.16</td><td>23.43</td><td>3.14</td><td>33.27</td><td>---</td><td>---</td><td>Peak</td><td>VERTICAL</td></tr> <tr><td>4</td><td>646.92</td><td>25.87</td><td>-20.13</td><td>46.00</td><td>29.20</td><td>26.48</td><td>3.72</td><td>33.53</td><td>---</td><td>---</td><td>Peak</td><td>VERTICAL</td></tr> <tr><td>5</td><td>718.70</td><td>30.73</td><td>-15.27</td><td>46.00</td><td>33.17</td><td>27.02</td><td>4.00</td><td>33.46</td><td>---</td><td>---</td><td>Peak</td><td>VERTICAL</td></tr> <tr><td>6</td><td>913.67</td><td>35.45</td><td>-10.55</td><td>46.00</td><td>33.89</td><td>29.49</td><td>4.51</td><td>32.44</td><td>---</td><td>---</td><td>Peak</td><td>VERTICAL</td></tr> </tbody> </table>	Peak	Freq	Level	Limit	ReadAntenna	Cable	Preamp	A/Pos	T/Pos	Remark	Pol/Phas		MHz	dBuV/m	dB	dBuV/m	dBuV	dB/m	dB	dB	cm	deg	1	65.89	34.20	-5.80	40.00	53.78	11.96	1.14	32.68	---	---	Peak	VERTICAL	2	187.14	38.53	-4.97	43.50	54.78	14.56	2.01	32.82	100	69 QP	VERTICAL	3	480.08	34.46	-11.54	46.00	41.16	23.43	3.14	33.27	---	---	Peak	VERTICAL	4	646.92	25.87	-20.13	46.00	29.20	26.48	3.72	33.53	---	---	Peak	VERTICAL	5	718.70	30.73	-15.27	46.00	33.17	27.02	4.00	33.46	---	---	Peak	VERTICAL	6	913.67	35.45	-10.55	46.00	33.89	29.49	4.51	32.44	---	---	Peak
Peak	Freq	Level	Limit	ReadAntenna	Cable	Preamp	A/Pos	T/Pos	Remark	Pol/Phas																																																																																																																																																																																												
	MHz	dBuV/m	dB	dBuV/m	dBuV	dB/m	dB	dB	cm	deg																																																																																																																																																																																												
1	71.71	36.95	-3.05	40.00	56.40	12.38	1.09	32.92	200	134 QP	HORIZONTAL																																																																																																																																																																																											
2	195.87	40.46	-3.04	43.50	56.40	14.97	2.07	32.98	200	53 QP	HORIZONTAL																																																																																																																																																																																											
3	238.55	42.66	-3.34	46.00	55.75	17.65	2.27	33.01	---	---	Peak	HORIZONTAL																																																																																																																																																																																										
4	278.32	38.15	-7.85	46.00	49.79	18.90	2.46	33.00	---	---	Peak	HORIZONTAL																																																																																																																																																																																										
5	361.74	34.17	-11.83	46.00	43.77	20.53	2.80	32.93	---	---	Peak	HORIZONTAL																																																																																																																																																																																										
6	724.52	31.90	-14.10	46.00	34.04	27.18	3.95	33.27	---	---	Peak	HORIZONTAL																																																																																																																																																																																										
Peak	Freq	Level	Limit	ReadAntenna	Cable	Preamp	A/Pos	T/Pos	Remark	Pol/Phas																																																																																																																																																																																												
	MHz	dBuV/m	dB	dBuV/m	dBuV	dB/m	dB	dB	cm	deg																																																																																																																																																																																												
1	65.89	34.20	-5.80	40.00	53.78	11.96	1.14	32.68	---	---	Peak	VERTICAL																																																																																																																																																																																										
2	187.14	38.53	-4.97	43.50	54.78	14.56	2.01	32.82	100	69 QP	VERTICAL																																																																																																																																																																																											
3	480.08	34.46	-11.54	46.00	41.16	23.43	3.14	33.27	---	---	Peak	VERTICAL																																																																																																																																																																																										
4	646.92	25.87	-20.13	46.00	29.20	26.48	3.72	33.53	---	---	Peak	VERTICAL																																																																																																																																																																																										
5	718.70	30.73	-15.27	46.00	33.17	27.02	4.00	33.46	---	---	Peak	VERTICAL																																																																																																																																																																																										
6	913.67	35.45	-10.55	46.00	33.89	29.49	4.51	32.44	---	---	Peak	VERTICAL																																																																																																																																																																																										


Note: Only the worse cases have assessed LF mode to test.



Appendix D. Duty Cycle Plots


Band	Duty Cycle(%)	T(ms)	1/T(kHz)	VBW Setting
802.11b	96.07	8.493	0.118	0.12KHz
802.11g	89.82	1.406	0.711	0.75KHz
802.11n HT20	87.50	1.319	0.758	0.82KHz
802.11n HT40	80.36	0.652	1.533	1.6KHz

802.11b






802.11g



802.11n HT20





802.11n HT40

