





Test Graphs B4






11A_Ant1_5805



Date: 24.JUL.2023 12:07:43


11A_Ant1_5825



Date: 10.JUL.2023 15:50:34




11N20SISO_Ant1_5745





Date: 10.JUL.2023 15:59:14

11N20SISO_Ant1_5785



Date: 10.JUL.2023 16:00:19







Maximum power spectral density

Test Result

TestMode	Antenna	Freq(MHz)	Result [dBm/MHz]	Limit[dBm/MHz]	Verdict
11A	Ant1	5180	7.09	≤11.00	PASS
		5220	5.39	≤11.00	PASS
		5240	5.6	≤11.00	PASS
		5260	5.52	≤11.00	PASS
		5300	7.01	≤11.00	PASS
		5320	7.16	≤11.00	PASS
		5500	6.87	≤11.00	PASS
		5580	7.31	≤11.00	PASS
		5700	5.86	≤11.00	PASS
		5745	2.11	≤30.00	PASS
		5785	4.93	≤30.00	PASS
		5805	5.16	≤30.00	PASS
		5825	0.4	≤30.00	PASS
11N20SISO	Ant1	5180	6.86	≤11.00	PASS
		5220	6.79	≤11.00	PASS
		5240	6.09	≤11.00	PASS
		5260	5.83	≤11.00	PASS
		5300	6.59	≤11.00	PASS
		5320	6.67	≤11.00	PASS
		5500	6.5	≤11.00	PASS
		5580	6.9	≤11.00	PASS
		5700	5.9	≤11.00	PASS
		5745	4.39	≤30.00	PASS
		5785	4.45	≤30.00	PASS
		5825	2.27	≤30.00	PASS
11N40SISO	Ant1	5190	1.57	≤11.00	PASS
		5230	4.03	≤11.00	PASS
		5270	3.49	≤11.00	PASS
		5310	1.37	≤11.00	PASS
		5510	4.18	≤11.00	PASS
		5550	4.12	≤11.00	PASS
		5670	4.55	≤11.00	PASS
		5755	1.65	≤30.00	PASS




		5795	1.84	≤30.00	PASS
--	--	------	------	--------	------

Note: 1.The Result and Limit Unit is dBm/500 kHz in the band 5.725–5.85 GHz.
2.The Duty Cycle Factor and is compensated in the graph.




Test Graphs






11A_Ant1_5240



Date: 21.JUL.2023 21:11:33


11A_Ant1_5260



Date: 21.JUL.2023 21:17:26




11A_Ant1_5300



Date: 10.JUL.2023 15:45:15

11A_Ant1_5320



Date: 10.JUL.2023 15:45:56




11A_Ant1_5700



Date: 21.JUL.2023 21:13:07


11A_Ant1_5745



Date: 21.JUL.2023 21:13:55




11A_Ant1_5785



Date: 10.JUL.2023 15:50:00


11A_Ant1_5805




Date: 24.JUL.2023 12:08:01



11A_Ant1_5825




11N20SISO_Ant1_5180





11N20SISO_Ant1_5220



Date: 10.JUL.2023 15:52:43

11N20SISO_Ant1_5240



Date: 21.JUL.2023 21:20:26




11N20SISO_Ant1_5260




Date: 21.JUL.2023 21:20:58

11N20SISO_Ant1_5300




Date: 10.JUL.2023 15:55:32





11N20SISO_Ant1_5580



Date: 10.JUL.2023 15:57:53

11N20SISO_Ant1_5700



Date: 21.JUL.2023 21:21:31




11N20SISO_Ant1_5745



Date: 10.JUL.2023 15:59:33

11N20SISO_Ant1_5785



Date: 10.JUL.2023 16:00:37




11N20SISO_Ant1_5825



Date: 21.JUL.2023 21:22:05

11N40SISO_Ant1_5190



Date: 21.JUL.2023 21:26:07



11N40SISO_Ant1_5230



Date: 10.JUL.2023 16:03:34


11N40SISO_Ant1_5270




Date: 10.JUL.2023 16:04:28



11N40SISO_Ant1_5310




11N40SISO_Ant1_5510






11N40SISO_Ant1_5550




Date: 10.JUL.2023 16:06:41

11N40SISO_Ant1_5670




Date: 10.JUL.2023 16:07:21





Appendix B. AC Conducted Emission Test Results

Test Engineer :	Amos Zhang	Temperature :	25.3~26.2°C
		Relative Humidity :	38~40%
Test Voltage :	120Vac / 60Hz	Phase :	Line
Remark :	All emissions not reported here are more than 10 dB below the prescribed limit.		




Site : CO01-KS
 Condition : 15E RSS247-QP LISN-060105-L 2023 LINE

	Freq	Level	Over	Limit	Read	LISN	Cable	Remark
	MHz	dBuV	Limit	Line	Level	Factor	Loss	
			dB	dBuV	dBuV	dB	dB	
1 *	0.151	55.38	-10.58	65.96	44.90	0.05	10.43	QP
2	0.151	39.08	-16.88	55.96	28.60	0.05	10.43	Average
3	0.168	52.07	-13.01	65.08	41.60	0.04	10.43	QP
4	0.168	32.77	-22.31	55.08	22.30	0.04	10.43	Average
5	0.187	48.96	-15.19	64.15	38.51	0.03	10.42	QP
6	0.187	29.26	-24.89	54.15	18.81	0.03	10.42	Average
7	0.207	45.94	-17.38	63.32	35.50	0.03	10.41	QP
8	0.207	25.74	-27.58	53.32	15.30	0.03	10.41	Average
9	0.258	40.91	-20.60	61.51	30.49	0.04	10.38	QP
10	0.258	19.71	-31.80	51.51	9.29	0.04	10.38	Average
11	0.502	33.68	-22.32	56.00	23.50	-0.03	10.21	QP
12	0.502	28.38	-17.62	46.00	18.20	-0.03	10.21	Average



Test Engineer :	Amos Zhang	Temperature :	25.3~26.2°C
		Relative Humidity :	38~40%
Test Voltage :	120Vac / 60Hz	Phase :	Neutral
Remark :	All emissions not reported here are more than 10 dB below the prescribed limit.		



Site : CO01-KS
 Condition : 15E RSS247-QP LISN-060105-N 2023 NEUTRAL

	Freq	Level	Over	Limit	Read	LISN	Cable	Remark
	MHz	dBuV	Limit	Line	Level	Factor	Loss	
			dB	dBuV	dBuV	dB	dB	
1 *	0.154	53.97	-11.81	65.78	43.50	0.04	10.43	QP
2	0.154	35.67	-20.11	55.78	25.20	0.04	10.43	Average
3	0.165	51.37	-13.84	65.21	40.90	0.04	10.43	QP
4	0.165	30.77	-24.44	55.21	20.30	0.04	10.43	Average
5	0.179	48.67	-15.88	64.55	38.20	0.05	10.42	QP
6	0.179	27.97	-26.58	54.55	17.50	0.05	10.42	Average
7	0.200	46.07	-17.55	63.62	35.60	0.05	10.42	QP
8	0.200	27.97	-25.65	53.62	17.50	0.05	10.42	Average
9	0.220	43.93	-18.90	62.83	33.50	0.03	10.40	QP
10	0.220	24.93	-27.90	52.83	14.50	0.03	10.40	Average
11	0.237	40.90	-21.32	62.22	30.50	0.01	10.39	QP
12	0.237	22.60	-29.62	52.22	12.20	0.01	10.39	Average

Note:

- Level(dBμV) = Read Level(dBμV) + LISN Factor(dB) + Cable Loss(dB)
- Over Limit(dB) = Level(dBμV) – Limit Line(dBμV)



Appendix C. Radiated Spurious Emission Test Data

Test Engineer :	Chris Chen	Relative Humidity :	41~42%
		Temperature :	22~23°C



Radiated Spurious Emission Test Modes

Mode	Band	Band (GHz)	Antenna	Modulation	Channel	Frequency	Data Rate	RU	Remark
Mode 1	U-NII-1	5.15-5.25	1	802.11a	36	5180	6Mbps	-	-
Mode 2	U-NII-1	5.15-5.25	1	802.11a	44	5220	6Mbps	-	-
Mode 3	U-NII-1	5.15-5.25	1	802.11a	48	5240	6Mbps	-	-
Mode 4	U-NII-2A	5.25-5.35	1	802.11a	52	5280	6Mbps	-	-
Mode 5	U-NII-2A	5.25-5.35	1	802.11a	60	5300	6Mbps	-	-
Mode 6	U-NII-2A	5.25-5.35	1	802.11a	64	5320	6Mbps	-	-
Mode 7	U-NII-2C	5.47-5.725	1	802.11a	100	5500	6Mbps	-	-
Mode 8	U-NII-2C	5.47-5.725	1	802.11a	116	5580	6Mbps	-	-
Mode 9	U-NII-2C	5.47-5.725	1	802.11a	140	5700	6Mbps	-	-
Mode 10	U-NII-1	5.15-5.25	1	802.11n HT20	36	5180	MCS0	-	-
Mode 11	U-NII-1	5.15-5.25	1	802.11n HT20	44	5220	MCS0	-	-
Mode 12	U-NII-1	5.15-5.25	1	802.11n HT20	48	5240	MCS0	-	-
Mode 13	U-NII-2A	5.25-5.35	1	802.11n HT20	52	5260	MCS0	-	-
Mode 14	U-NII-2A	5.25-5.35	1	802.11n HT20	60	5300	MCS0	-	-
Mode 15	U-NII-2A	5.25-5.35	1	802.11n HT20	64	5320	MCS0	-	-
Mode 16	U-NII-2C	5.47-5.725	1	802.11n HT20	100	5500	MCS0	-	-
Mode 17	U-NII-2C	5.47-5.725	1	802.11n HT20	116	5580	MCS0	-	-
Mode 18	U-NII-2C	5.47-5.725	1	802.11n HT20	140	5700	MCS0	-	-
Mode 19	U-NII-1	5.15-5.25	1	802.11n HT40	38	5190	MCS0	-	-
Mode 20	U-NII-1	5.15-5.25	1	802.11n HT40	46	5230	MCS0	-	-



Radiated Spurious Emission Test Modes

Mode	Band	Band (GHz)	Antenna	Modulation	Channel	Frequency	Data Rate	RU	Remark
Mode 21	U-NII-2A	5.25-5.35	1	802.11n HT40	54	5270	MCS0	-	-
Mode 22	U-NII-2A	5.25-5.35	1	802.11n HT40	62	5310	MCS0	-	-
Mode 23	U-NII-2C	5.47-5.725	1	802.11n HT40	102	5510	MCS0	-	-
Mode 24	U-NII-2C	5.47-5.725	1	802.11n HT40	110	5550	MCS0	-	-
Mode 25	U-NII-2C	5.47-5.725	1	802.11n HT40	134	5670	MCS0	-	-
Mode 26	U-NII-3	5.725-5.85	1	802.11a	149	5745	6Mbps	-	-
Mode 27	U-NII-3	5.725-5.85	1	802.11a	157	5785	6Mbps	-	-
Mode 28	U-NII-3	5.725-5.85	1	802.11a	165	5825	6Mbps	-	-
Mode 29	U-NII-3	5.725-5.85	1	802.11n HT20	149	5745	MCS0	-	-
Mode 30	U-NII-3	5.725-5.85	1	802.11n HT20	157	5785	MCS0	-	-
Mode 31	U-NII-3	5.725-5.85	1	802.11n HT20	165	5825	MCS0	-	-
Mode 32	U-NII-3	5.725-5.85	1	802.11n HT40	151	5755	MCS0	-	-
Mode 33	U-NII-3	5.725-5.85	1	802.11n HT40	159	5795	MCS0	-	-
Mode 34	U-NII-3	5.725-5.85	1	802.11a	161	5805	6Mbps	-	-



Summary of each worse mode

Mode	Modulation	Ch.	Freq. (MHz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Pol.	Peak Avg.	Result	Remark
1	802.11a	36	5149.92	45.73	54.00	-8.27	H	AVERAGE	Pass	Band Edge
1	802.11a	36	15540.00	50.89	54.00	-3.11	V	AVERAGE	Pass	Harmonic
2	802.11a	44	-	-	-	-	-	-	-	Band Edge
2	802.11a	44	15660.00	50.06	54.00	-3.94	V	AVERAGE	Pass	Harmonic
3	802.11a	48	-	-	-	-	-	-	-	Band Edge
3	802.11a	48	15720.00	50.86	54.00	-3.14	V	AVERAGE	Pass	Harmonic
4	802.11a	52	-	-	-	-	-	-	-	Band Edge
4	802.11a	52	-15780.00	50.60	54.00	-3.40	V	AVERAGE	Pass	Harmonic
5	802.11a	60	-	-	-	-	-	-	-	Band Edge
5	802.11a	60	10600.01	49.94	54.00	-4.06	V	Average	Pass	Harmonic
6	802.11a	64	5351.64	49.64	54.00	-4.36	H	AVERAGE	Pass	Band Edge
6	802.11a	64	10640.00	48.12	54.00	-5.88	V	AVERAGE	Pass	Harmonic
7	802.11a	100	5465.68	60.02	68.20	-8.18	H	PEAK	Pass	Band Edge
7	802.11a	100	11000.00	48.25	54.00	-5.75	V	AVERAGE	Pass	Harmonic
8	802.11a	116	-	-	-	-	-	-	-	Band Edge
8	802.11a	116	11160.00	50.11	54.00	-3.89	V	AVERAGE	Pass	Harmonic
9	802.11a	140	5729.00	60.22	68.20	-7.98	H	PEAK	Pass	Band Edge
9	802.11a	140	11400.00	49.55	54.00	-4.45	V	AVERAGE	Pass	Harmonic
10	802.11n HT20	36	5149.40	47.90	54.00	-6.10	H	AVERAGE	Pass	Band Edge
10	802.11n HT20	36	15540.00	48.53	54.00	-5.47	V	AVERAGE	Pass	Harmonic
11	802.11n HT20	44	-	-	-	-	-	-	-	Band Edge
11	802.11n HT20	44	15660.00	50.46	54.00	-3.54	V	AVERAGE	Pass	Harmonic



Summary of each worse mode

Mode	Modulation	Ch.	Freq. (MHz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Pol.	Peak Avg.	Result	Remark
12	802.11n HT20	48	-	-	-	-	-	-	-	Band Edge
12	802.11n HT20	48	15720.00	50.44	54.00	-3.56	V	AVERAGE	Pass	Harmonic
13	802.11n HT20	52	-	-	-	-	-	-	-	Band Edge
13	802.11n HT20	52	15780.00	49.75	54.00	-4.25	V	AVERAGE	Pass	Harmonic
14	802.11n HT20	60	-	-	-	-	-	-	-	Band Edge
14	802.11n HT20	60	15900.00	50.83	54.00	-3.17	V	AVERAGE	Pass	Harmonic
15	802.11n HT20	64	5350.38	48.88	54.00	-5.12	H	AVERAGE	Pass	Band Edge
15	802.11n HT20	64	15960.00	46.13	54.00	-7.87	V	AVERAGE	Pass	Harmonic
16	802.11n HT20	100	5466.64	62.20	68.20	-6.00	V	PEAK	Pass	Band Edge
16	802.11n HT20	100	11000.00	49.23	54.00	-4.77	V	AVERAGE	Pass	Harmonic
17	802.11n HT20	116	-	-	-	-	-	-	-	Band Edge
17	802.11n HT20	116	11160.00	50.83	54.00	-3.17	V	AVERAGE	Pass	Harmonic
18	802.11n HT20	140	5728.04	68.20	68.20	-3.03	H	PEAK	Pass	Band Edge
18	802.11n HT20	140	17100.00	65.07	68.20	-3.13	V	PEAK	Pass	Harmonic
19	802.11n HT40	38	5149.92	49.70	54.00	-4.30	H	AVERAGE	Pass	Band Edge
19	802.11n HT40	38	15570.00	46.00	54.00	-8.00	V	AVERAGE	Pass	Harmonic
20	802.11n HT40	46	-	-	-	-	-	-	-	Band Edge
20	802.11n HT40	46	15690.00	48.16	54.00	-5.84	V	AVERAGE	Pass	Harmonic
21	802.11n HT40	54	-	-	-	-	-	-	-	Band Edge
21	802.11n HT40	54	15810.00	49.17	54.00	-4.83	V	AVERAGE	Pass	Harmonic
22	802.11n HT40	62	5351.20	50.81	54.00	-3.19	H	AVERAGE	Pass	Band Edge
22	802.11n HT40	62	15930.00	43.66	54.00	-10.34	V	AVERAGE	Pass	Harmonic



Summary of each worse mode





Mode	Modulation	Ch.	Freq. (MHz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Pol.	Peak Avg. Quasi-Peak	Result	Remark
23	802.11n HT40	102	5469.68	65.02	68.20	-3.18	H	PEAK	Pass	Band Edge
23	802.11n HT40	102	11020.00	46.24	54.00	-7.76	V	AVERAGE	Pass	Harmonic
24	802.11n HT40	110	-	-	-	-	-	-	-	Band Edge
24	802.11n HT40	110	11100.00	46.94	54.00	-7.06	V	AVERAGE	Pass	Harmonic
25	802.11n HT40	134	5730.68	64.46	68.20	-3.74	H	PEAK	Pass	Band Edge
25	802.11n HT40	134	17010.00	64.44	68.20	-3.76	H	PEAK	Pass	Harmonic
18	802.11n HT20	140	76.56	36.09	40.00	-3.91	H	Quasi-Peak	Pass	LF

Mode	Modulation	Ch.	Freq. (MHz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Pol.	Peak Avg. Quasi-Peak	Result	Remark
26	802.11a	149	5606.00	50.40	68.20	-17.80	H	PEAK	Pass	Band Edge
26	802.11a	149	17235.00	64.74	68.20	-3.46	V	PEAK	Pass	Harmonic
27	802.11a	157	-	-	-	-	-	-	-	Band Edge
27	802.11a	157	11570.00	50.76	54.00	-3.24	V	AVERAGE	Pass	Harmonic
28	802.11a	165	5928.80	51.10	68.20	-17.10	H	PEAK	Pass	Band Edge
28	802.11a	165	11650.00	50.65	54.00	-3.35	H	AVERAGE	Pass	Harmonic
29	802.11n HT20	149	5620.00	50.54	68.20	-17.66	H	PEAK	Pass	Band Edge
29	802.11n HT20	149	17238.80	62.50	68.20	-5.70	V	Peak	Pass	Harmonic
30	802.11n HT20	157	-	-	-	-	-	-	-	Band Edge
30	802.11n HT20	157	11570.00	50.35	54.00	-3.65	H	AVERAGE	Pass	Harmonic







31	802.11n HT20	165	5955.60	51.47	68.20	-16.73	H	PEAK	Pass	Band Edge
31	802.11n HT20	165	11650.00	50.89	54.00	-3.11	V	AVERAGE	Pass	Harmonic
32	802.11n HT40	151	5646.19	52.26	68.20	-15.94	H	PEAK	Pass	Band Edge
32	802.11n HT40	151	17265.20	58.76	68.20	-9.44	H	Peak	Pass	Harmonic
33	802.11n HT40	159	5632.40	50.41	68.20	-17.79	H	PEAK	Pass	Band Edge
33	802.11n HT40	159	11590.00	49.42	54.00	-4.58	V	AVERAGE	Pass	Harmonic
34	802.11a	161	5968.40	50.52	68.20	-17.68	H	PEAK	Pass	Band Edge
	802.11a	161	17415.00	57.94	68.20	-10.26	V	PEAK	Pass	Harmonic
31	802.11n HT20	165	168.71	30.01	43.50	-13.49	H	Quasi-Peak	Pass	LF



Mode	1																																																																																									
	Band Edge																																																																																									
	U-NII-1_5.15-5.25_802.11a_CH36_5180MHz																																																																																									
ANT	1																																																																																									
Pol.	Horizontal	Fundamental																																																																																								
Peak	 <table border="1" data-bbox="263 1131 782 1254"> <thead> <tr> <th>Limit</th> <th>Over</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Aux</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>Limit</th> <th>Level</th> <th>Factor</th> <th>Loss</th> <th>Factor</th> <th>Factor</th> <th></th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>5148.96</td> <td>55.23</td> <td>74.00</td> <td>-18.77</td> <td>43.04</td> <td>34.20</td> <td>9.79</td> <td>31.00</td> <td>0.00</td> <td>100</td> <td>359</td> <td>PEAK</td> </tr> </tbody> </table>	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1	5148.96	55.23	74.00	-18.77	43.04	34.20	9.79	31.00	0.00	100	359	PEAK	 <table border="1" data-bbox="901 1131 1420 1254"> <thead> <tr> <th>Limit</th> <th>Over</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Aux</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>Limit</th> <th>Level</th> <th>Factor</th> <th>Loss</th> <th>Factor</th> <th>Factor</th> <th></th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>5180.00</td> <td>111.05</td> <td>-----</td> <td>-----</td> <td>98.73</td> <td>34.33</td> <td>9.81</td> <td>31.82</td> <td>0.00</td> <td>100</td> <td>359</td> <td>PEAK</td> </tr> </tbody> </table>	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1	5180.00	111.05	-----	-----	98.73	34.33	9.81	31.82	0.00	100	359	PEAK
Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																	
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor																																																																																		
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																																
1	5148.96	55.23	74.00	-18.77	43.04	34.20	9.79	31.00	0.00	100	359	PEAK																																																																														
Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																	
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor																																																																																		
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																																
1	5180.00	111.05	-----	-----	98.73	34.33	9.81	31.82	0.00	100	359	PEAK																																																																														
Avg	 <table border="1" data-bbox="263 1814 782 1937"> <thead> <tr> <th>Limit</th> <th>Over</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Aux</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>Limit</th> <th>Level</th> <th>Factor</th> <th>Loss</th> <th>Factor</th> <th>Factor</th> <th></th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>5149.92</td> <td>45.73</td> <td>54.00</td> <td>-8.27</td> <td>33.54</td> <td>34.20</td> <td>9.79</td> <td>31.00</td> <td>0.00</td> <td>100</td> <td>359</td> <td>AVERAGE</td> </tr> </tbody> </table>	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1	5149.92	45.73	54.00	-8.27	33.54	34.20	9.79	31.00	0.00	100	359	AVERAGE	 <table border="1" data-bbox="901 1814 1420 1937"> <thead> <tr> <th>Limit</th> <th>Over</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Aux</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>Limit</th> <th>Level</th> <th>Factor</th> <th>Loss</th> <th>Factor</th> <th>Factor</th> <th></th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>5180.00</td> <td>102.54</td> <td>-----</td> <td>-----</td> <td>90.22</td> <td>34.33</td> <td>9.81</td> <td>31.82</td> <td>0.00</td> <td>100</td> <td>359</td> <td>AVERAGE</td> </tr> </tbody> </table>	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1	5180.00	102.54	-----	-----	90.22	34.33	9.81	31.82	0.00	100	359	AVERAGE
Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																	
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor																																																																																		
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																																
1	5149.92	45.73	54.00	-8.27	33.54	34.20	9.79	31.00	0.00	100	359	AVERAGE																																																																														
Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																	
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor																																																																																		
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																																
1	5180.00	102.54	-----	-----	90.22	34.33	9.81	31.82	0.00	100	359	AVERAGE																																																																														



Mode	1																																																																																									
	Band Edge																																																																																									
	U-NII-1_5.15-5.25_802.11a_CH36_5180MHz																																																																																									
ANT	1																																																																																									
Pol.	Vertical	Fundamental																																																																																								
Peak	 <table border="1" data-bbox="268 1131 794 1254"> <thead> <tr> <th>Limit</th> <th>Over</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Aux</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>Limit</th> <th>Level</th> <th>Factor</th> <th>Loss</th> <th>Factor</th> <th>Factor</th> <th></th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>5117.28</td> <td>54.56</td> <td>74.00</td> <td>-19.44</td> <td>42.38</td> <td>34.20</td> <td>9.76</td> <td>31.78</td> <td>0.00</td> <td>351</td> <td>86</td> <td>PEAK</td> </tr> </tbody> </table>	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1	5117.28	54.56	74.00	-19.44	42.38	34.20	9.76	31.78	0.00	351	86	PEAK	 <table border="1" data-bbox="906 1131 1433 1254"> <thead> <tr> <th>Limit</th> <th>Over</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Aux</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>Limit</th> <th>Level</th> <th>Factor</th> <th>Loss</th> <th>Factor</th> <th>Factor</th> <th></th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>5180.00</td> <td>107.66</td> <td>-----</td> <td>-----</td> <td>95.34</td> <td>34.33</td> <td>9.81</td> <td>31.82</td> <td>0.00</td> <td>351</td> <td>86</td> <td>PEAK</td> </tr> </tbody> </table>	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1	5180.00	107.66	-----	-----	95.34	34.33	9.81	31.82	0.00	351	86	PEAK
Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																	
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor																																																																																		
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																																
1	5117.28	54.56	74.00	-19.44	42.38	34.20	9.76	31.78	0.00	351	86	PEAK																																																																														
Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																	
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor																																																																																		
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																																
1	5180.00	107.66	-----	-----	95.34	34.33	9.81	31.82	0.00	351	86	PEAK																																																																														
Avg	 <table border="1" data-bbox="268 1807 794 1930"> <thead> <tr> <th>Limit</th> <th>Over</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Aux</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>Limit</th> <th>Level</th> <th>Factor</th> <th>Loss</th> <th>Factor</th> <th>Factor</th> <th></th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>5100.32</td> <td>43.49</td> <td>54.00</td> <td>-10.51</td> <td>31.32</td> <td>34.20</td> <td>9.74</td> <td>31.77</td> <td>0.00</td> <td>351</td> <td>86</td> <td>AVERAGE</td> </tr> </tbody> </table>	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1	5100.32	43.49	54.00	-10.51	31.32	34.20	9.74	31.77	0.00	351	86	AVERAGE	 <table border="1" data-bbox="906 1807 1433 1930"> <thead> <tr> <th>Limit</th> <th>Over</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Aux</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>Limit</th> <th>Level</th> <th>Factor</th> <th>Loss</th> <th>Factor</th> <th>Factor</th> <th></th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>5180.00</td> <td>99.29</td> <td>-----</td> <td>-----</td> <td>86.97</td> <td>34.33</td> <td>9.81</td> <td>31.82</td> <td>0.00</td> <td>351</td> <td>86</td> <td>AVERAGE</td> </tr> </tbody> </table>	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1	5180.00	99.29	-----	-----	86.97	34.33	9.81	31.82	0.00	351	86	AVERAGE
Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																	
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor																																																																																		
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																																
1	5100.32	43.49	54.00	-10.51	31.32	34.20	9.74	31.77	0.00	351	86	AVERAGE																																																																														
Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																	
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor																																																																																		
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																																
1	5180.00	99.29	-----	-----	86.97	34.33	9.81	31.82	0.00	351	86	AVERAGE																																																																														



Mode	1																																																																																																																			
	Harmonic																																																																																																																			
	U-NII-1_5.15-5.25_802.11a_CH36_5180MHz																																																																																																																			
ANT	1																																																																																																																			
Pol.	Horizontal	Vertical																																																																																																																		
Peak Avg	<table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Aux</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>Margin</th> <th>Level</th> <th>Factor</th> <th>Loss</th> <th>Factor</th> <th>Factor</th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>dB</th> </tr> </thead> <tbody> <tr> <td>1 10360.00</td> <td>52.58</td> <td>68.20</td> <td>-15.62</td> <td>61.89</td> <td>37.46</td> <td>14.13</td> <td>60.90</td> <td>0.00</td> <td>--- Peak</td> </tr> <tr> <td>2 15540.00</td> <td>53.80</td> <td>74.00</td> <td>-20.20</td> <td>55.56</td> <td>40.28</td> <td>17.52</td> <td>59.56</td> <td>0.00</td> <td>101 59 PEAK</td> </tr> <tr> <td>3 15540.00</td> <td>47.02</td> <td>54.00</td> <td>-6.98</td> <td>48.78</td> <td>40.28</td> <td>17.52</td> <td>59.56</td> <td>0.00</td> <td>101 59 AVERAGE</td> </tr> </tbody> </table>	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	1 10360.00	52.58	68.20	-15.62	61.89	37.46	14.13	60.90	0.00	--- Peak	2 15540.00	53.80	74.00	-20.20	55.56	40.28	17.52	59.56	0.00	101 59 PEAK	3 15540.00	47.02	54.00	-6.98	48.78	40.28	17.52	59.56	0.00	101 59 AVERAGE	<table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Aux</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>Margin</th> <th>Level</th> <th>Factor</th> <th>Loss</th> <th>Factor</th> <th>Factor</th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>dB</th> </tr> </thead> <tbody> <tr> <td>1 10360.00</td> <td>51.54</td> <td>68.20</td> <td>-16.66</td> <td>60.85</td> <td>37.46</td> <td>14.13</td> <td>60.90</td> <td>0.00</td> <td>--- PEAK</td> </tr> <tr> <td>2 15540.00</td> <td>58.35</td> <td>74.00</td> <td>-15.65</td> <td>60.11</td> <td>40.28</td> <td>17.52</td> <td>59.56</td> <td>0.00</td> <td>345 352 PEAK</td> </tr> <tr> <td>3 15540.00</td> <td>58.89</td> <td>54.00</td> <td>-3.11</td> <td>52.66</td> <td>40.28</td> <td>17.51</td> <td>59.56</td> <td>0.00</td> <td>345 352 AVERAGE</td> </tr> </tbody> </table>	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	1 10360.00	51.54	68.20	-16.66	60.85	37.46	14.13	60.90	0.00	--- PEAK	2 15540.00	58.35	74.00	-15.65	60.11	40.28	17.52	59.56	0.00	345 352 PEAK	3 15540.00	58.89	54.00	-3.11	52.66	40.28	17.51	59.56	0.00	345 352 AVERAGE
Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																																												
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																																																																																												
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB																																																																																																												
1 10360.00	52.58	68.20	-15.62	61.89	37.46	14.13	60.90	0.00	--- Peak																																																																																																											
2 15540.00	53.80	74.00	-20.20	55.56	40.28	17.52	59.56	0.00	101 59 PEAK																																																																																																											
3 15540.00	47.02	54.00	-6.98	48.78	40.28	17.52	59.56	0.00	101 59 AVERAGE																																																																																																											
Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																																												
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																																																																																												
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB																																																																																																												
1 10360.00	51.54	68.20	-16.66	60.85	37.46	14.13	60.90	0.00	--- PEAK																																																																																																											
2 15540.00	58.35	74.00	-15.65	60.11	40.28	17.52	59.56	0.00	345 352 PEAK																																																																																																											
3 15540.00	58.89	54.00	-3.11	52.66	40.28	17.51	59.56	0.00	345 352 AVERAGE																																																																																																											



Mode	2																																																																																																																			
	Harmonic																																																																																																																			
	U-NII-1_5.15-5.25_802.11a_CH44_5220MHz																																																																																																																			
ANT	1																																																																																																																			
Pol.	Horizontal	Vertical																																																																																																																		
Peak																																																																																																																				
Avg																																																																																																																				
	<table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Aux</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>Margin</th> <th>Level</th> <th>Factor</th> <th>Loss</th> <th>Factor</th> <th>Factor</th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>dB</th> </tr> </thead> <tbody> <tr> <td>1 10440.00</td> <td>53.93</td> <td>68.20</td> <td>-14.27</td> <td>63.07</td> <td>37.58</td> <td>14.18</td> <td>60.90</td> <td>0.00</td> <td>--- Peak</td> </tr> <tr> <td>2 15660.00</td> <td>52.90</td> <td>74.00</td> <td>-21.10</td> <td>54.26</td> <td>40.46</td> <td>17.58</td> <td>59.40</td> <td>0.00</td> <td>102 101 PEAK</td> </tr> <tr> <td>3 15660.00</td> <td>45.21</td> <td>54.00</td> <td>-8.79</td> <td>46.57</td> <td>40.46</td> <td>17.58</td> <td>59.40</td> <td>0.00</td> <td>102 101 AVERAGE</td> </tr> </tbody> </table>	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	1 10440.00	53.93	68.20	-14.27	63.07	37.58	14.18	60.90	0.00	--- Peak	2 15660.00	52.90	74.00	-21.10	54.26	40.46	17.58	59.40	0.00	102 101 PEAK	3 15660.00	45.21	54.00	-8.79	46.57	40.46	17.58	59.40	0.00	102 101 AVERAGE	<table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Aux</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>Margin</th> <th>Level</th> <th>Factor</th> <th>Loss</th> <th>Factor</th> <th>Factor</th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>dB</th> </tr> </thead> <tbody> <tr> <td>1 10440.00</td> <td>51.62</td> <td>68.20</td> <td>-16.58</td> <td>60.76</td> <td>37.58</td> <td>14.18</td> <td>60.90</td> <td>0.00</td> <td>--- PEAK</td> </tr> <tr> <td>2 15660.00</td> <td>56.93</td> <td>74.00</td> <td>-17.07</td> <td>58.29</td> <td>40.46</td> <td>17.58</td> <td>59.40</td> <td>0.00</td> <td>101 226 PEAK</td> </tr> <tr> <td>3 15660.00</td> <td>50.06</td> <td>54.00</td> <td>-3.94</td> <td>51.42</td> <td>40.46</td> <td>17.58</td> <td>59.40</td> <td>0.00</td> <td>101 226 AVERAGE</td> </tr> </tbody> </table>	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	1 10440.00	51.62	68.20	-16.58	60.76	37.58	14.18	60.90	0.00	--- PEAK	2 15660.00	56.93	74.00	-17.07	58.29	40.46	17.58	59.40	0.00	101 226 PEAK	3 15660.00	50.06	54.00	-3.94	51.42	40.46	17.58	59.40	0.00	101 226 AVERAGE
Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																																												
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																																																																																												
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB																																																																																																												
1 10440.00	53.93	68.20	-14.27	63.07	37.58	14.18	60.90	0.00	--- Peak																																																																																																											
2 15660.00	52.90	74.00	-21.10	54.26	40.46	17.58	59.40	0.00	102 101 PEAK																																																																																																											
3 15660.00	45.21	54.00	-8.79	46.57	40.46	17.58	59.40	0.00	102 101 AVERAGE																																																																																																											
Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																																												
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																																																																																												
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB																																																																																																												
1 10440.00	51.62	68.20	-16.58	60.76	37.58	14.18	60.90	0.00	--- PEAK																																																																																																											
2 15660.00	56.93	74.00	-17.07	58.29	40.46	17.58	59.40	0.00	101 226 PEAK																																																																																																											
3 15660.00	50.06	54.00	-3.94	51.42	40.46	17.58	59.40	0.00	101 226 AVERAGE																																																																																																											



Mode	3																																																																																																																																																	
	Harmonic																																																																																																																																																	
	U-NII-1_5.15-5.25_802.11a_CH48_5240MHz																																																																																																																																																	
ANT	1																																																																																																																																																	
Pol.	Horizontal	Vertical																																																																																																																																																
Peak Avg																																																																																																																																																		
	<table border="1"> <thead> <tr> <th></th> <th>Limit</th> <th>Over</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Aux</th> <th>APos</th> <th>TPos</th> <th></th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>Limit</th> <th>Level</th> <th>Factor</th> <th>Loss</th> <th>Factor</th> <th>Factor</th> <th></th> <th>Remark</th> </tr> <tr> <th></th> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>10480.00</td> <td>54.61</td> <td>68.20</td> <td>-13.59</td> <td>63.63</td> <td>37.66</td> <td>14.21</td> <td>60.89</td> <td>0.00</td> <td>---</td> <td>---</td> <td>Peak</td> </tr> <tr> <td>2</td> <td>15720.00</td> <td>51.38</td> <td>74.00</td> <td>-22.62</td> <td>52.53</td> <td>40.56</td> <td>17.61</td> <td>59.32</td> <td>0.00</td> <td>101</td> <td>99</td> <td>PEAK</td> </tr> <tr> <td>3</td> <td>15720.00</td> <td>44.17</td> <td>54.00</td> <td>-9.83</td> <td>45.32</td> <td>40.56</td> <td>17.61</td> <td>59.32</td> <td>0.00</td> <td>101</td> <td>99</td> <td>AVERAGE</td> </tr> </tbody> </table>		Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	10480.00	54.61	68.20	-13.59	63.63	37.66	14.21	60.89	0.00	---	---	Peak	2	15720.00	51.38	74.00	-22.62	52.53	40.56	17.61	59.32	0.00	101	99	PEAK	3	15720.00	44.17	54.00	-9.83	45.32	40.56	17.61	59.32	0.00	101	99	AVERAGE	<table border="1"> <thead> <tr> <th></th> <th>Limit</th> <th>Over</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Aux</th> <th>APos</th> <th>TPos</th> <th></th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>Limit</th> <th>Level</th> <th>Factor</th> <th>Loss</th> <th>Factor</th> <th>Factor</th> <th></th> <th>Remark</th> </tr> <tr> <th></th> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>10480.00</td> <td>57.90</td> <td>68.20</td> <td>-10.30</td> <td>66.92</td> <td>37.66</td> <td>14.21</td> <td>60.89</td> <td>0.00</td> <td>---</td> <td>---</td> <td>PEAK</td> </tr> <tr> <td>2</td> <td>15720.00</td> <td>58.72</td> <td>74.00</td> <td>-15.28</td> <td>59.87</td> <td>40.56</td> <td>17.61</td> <td>59.32</td> <td>0.00</td> <td>306</td> <td>213</td> <td>PEAK</td> </tr> <tr> <td>3</td> <td>15720.00</td> <td>58.86</td> <td>54.00</td> <td>-3.14</td> <td>52.01</td> <td>40.56</td> <td>17.61</td> <td>59.32</td> <td>0.00</td> <td>306</td> <td>213</td> <td>AVERAGE</td> </tr> </tbody> </table>		Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1	10480.00	57.90	68.20	-10.30	66.92	37.66	14.21	60.89	0.00	---	---	PEAK	2	15720.00	58.72	74.00	-15.28	59.87	40.56	17.61	59.32	0.00	306	213	PEAK	3	15720.00	58.86	54.00	-3.14	52.01	40.56	17.61	59.32	0.00	306	213
	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																																																																									
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark																																																																																																																																								
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																																																								
1	10480.00	54.61	68.20	-13.59	63.63	37.66	14.21	60.89	0.00	---	---	Peak																																																																																																																																						
2	15720.00	51.38	74.00	-22.62	52.53	40.56	17.61	59.32	0.00	101	99	PEAK																																																																																																																																						
3	15720.00	44.17	54.00	-9.83	45.32	40.56	17.61	59.32	0.00	101	99	AVERAGE																																																																																																																																						
	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																																																																									
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark																																																																																																																																								
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																																																																																							
1	10480.00	57.90	68.20	-10.30	66.92	37.66	14.21	60.89	0.00	---	---	PEAK																																																																																																																																						
2	15720.00	58.72	74.00	-15.28	59.87	40.56	17.61	59.32	0.00	306	213	PEAK																																																																																																																																						
3	15720.00	58.86	54.00	-3.14	52.01	40.56	17.61	59.32	0.00	306	213	AVERAGE																																																																																																																																						



Mode	4																																																																																																																								
	Harmonic																																																																																																																								
	U-NII-2A_5.25-5.35_802.11a_CH52_5280MHz																																																																																																																								
ANT	1																																																																																																																								
Pol.	Horizontal	Vertical																																																																																																																							
Peak Avg																																																																																																																									
	<table border="1"> <thead> <tr> <th></th> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Aux</th> <th>APos</th> <th>TPos</th> <th></th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>Margin</th> <th>Level</th> <th>Factor</th> <th>Loss</th> <th>Factor</th> <th>Factor</th> <th>Remark</th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>dB</th> <th>cm</th> </tr> </thead> <tbody> <tr> <td>1 10520.00</td> <td>54.09</td> <td>68.20</td> <td>-14.11</td> <td>63.00</td> <td>37.74</td> <td>14.24</td> <td>60.89</td> <td>0.00</td> <td>---</td> </tr> <tr> <td>2 15780.00</td> <td>51.64</td> <td>74.00</td> <td>-22.36</td> <td>52.50</td> <td>40.74</td> <td>17.64</td> <td>59.24</td> <td>0.00</td> <td>101 107 PEAK</td> </tr> <tr> <td>3 15780.00</td> <td>43.89</td> <td>54.00</td> <td>-10.11</td> <td>44.75</td> <td>40.74</td> <td>17.64</td> <td>59.24</td> <td>0.00</td> <td>101 107 AVERAGE</td> </tr> </tbody> </table>		Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	1 10520.00	54.09	68.20	-14.11	63.00	37.74	14.24	60.89	0.00	---	2 15780.00	51.64	74.00	-22.36	52.50	40.74	17.64	59.24	0.00	101 107 PEAK	3 15780.00	43.89	54.00	-10.11	44.75	40.74	17.64	59.24	0.00	101 107 AVERAGE	<table border="1"> <thead> <tr> <th></th> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Aux</th> <th>APos</th> <th>TPos</th> <th></th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>Margin</th> <th>Level</th> <th>Factor</th> <th>Loss</th> <th>Factor</th> <th>Factor</th> <th>Remark</th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>dB</th> <th>cm</th> </tr> </thead> <tbody> <tr> <td>1 10520.00</td> <td>54.72</td> <td>68.20</td> <td>-13.48</td> <td>63.63</td> <td>37.74</td> <td>14.24</td> <td>60.89</td> <td>0.00</td> <td>---</td> </tr> <tr> <td>2 15780.00</td> <td>58.03</td> <td>74.00</td> <td>-15.97</td> <td>58.89</td> <td>40.74</td> <td>17.64</td> <td>59.24</td> <td>0.00</td> <td>303 221 PEAK</td> </tr> <tr> <td>3 15780.00</td> <td>58.60</td> <td>54.00</td> <td>-3.40</td> <td>51.46</td> <td>40.74</td> <td>17.64</td> <td>59.24</td> <td>0.00</td> <td>303 221 AVERAGE</td> </tr> </tbody> </table>		Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	1 10520.00	54.72	68.20	-13.48	63.63	37.74	14.24	60.89	0.00	---	2 15780.00	58.03	74.00	-15.97	58.89	40.74	17.64	59.24	0.00	303 221 PEAK	3 15780.00	58.60	54.00	-3.40	51.46	40.74	17.64	59.24	0.00
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																																																	
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark																																																																																																																
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm																																																																																																																
1 10520.00	54.09	68.20	-14.11	63.00	37.74	14.24	60.89	0.00	---																																																																																																																
2 15780.00	51.64	74.00	-22.36	52.50	40.74	17.64	59.24	0.00	101 107 PEAK																																																																																																																
3 15780.00	43.89	54.00	-10.11	44.75	40.74	17.64	59.24	0.00	101 107 AVERAGE																																																																																																																
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																																																	
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark																																																																																																																
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm																																																																																																																
1 10520.00	54.72	68.20	-13.48	63.63	37.74	14.24	60.89	0.00	---																																																																																																																
2 15780.00	58.03	74.00	-15.97	58.89	40.74	17.64	59.24	0.00	303 221 PEAK																																																																																																																
3 15780.00	58.60	54.00	-3.40	51.46	40.74	17.64	59.24	0.00	303 221 AVERAGE																																																																																																																



Mode	5																																																																																																																																																														
	Harmonic																																																																																																																																																														
	U-NII-2A_5.25-5.35_802.11a_CH60_5300MHz																																																																																																																																																														
ANT	1																																																																																																																																																														
Pol.	Horizontal	Vertical																																																																																																																																																													
Peak Avg																																																																																																																																																															
	<table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Aux</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>Margin</th> <th>Level</th> <th>Factor</th> <th>Loss</th> <th>Factor</th> <th>Factor</th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>dB</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>10600.01</td> <td>56.15</td> <td>74.00</td> <td>-17.85</td> <td>64.85</td> <td>37.90</td> <td>14.29</td> <td>60.89</td> <td>0.00</td> <td>100</td> <td>73</td> <td>PEAK</td> </tr> <tr> <td>2</td> <td>10600.01</td> <td>46.99</td> <td>54.00</td> <td>-7.01</td> <td>55.69</td> <td>37.90</td> <td>14.29</td> <td>60.89</td> <td>0.00</td> <td>100</td> <td>73</td> <td>AVERAGE</td> </tr> <tr> <td>3</td> <td>15900.00</td> <td>51.52</td> <td>74.00</td> <td>-22.48</td> <td>52.00</td> <td>40.90</td> <td>17.70</td> <td>59.08</td> <td>0.00</td> <td>100</td> <td>103</td> <td>PEAK</td> </tr> <tr> <td>4</td> <td>15900.00</td> <td>44.99</td> <td>54.00</td> <td>-9.01</td> <td>45.48</td> <td>40.90</td> <td>17.70</td> <td>59.09</td> <td>0.00</td> <td>100</td> <td>103</td> <td>AVERAGE</td> </tr> </tbody> </table>	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	1	10600.01	56.15	74.00	-17.85	64.85	37.90	14.29	60.89	0.00	100	73	PEAK	2	10600.01	46.99	54.00	-7.01	55.69	37.90	14.29	60.89	0.00	100	73	AVERAGE	3	15900.00	51.52	74.00	-22.48	52.00	40.90	17.70	59.08	0.00	100	103	PEAK	4	15900.00	44.99	54.00	-9.01	45.48	40.90	17.70	59.09	0.00	100	103	AVERAGE	<table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Aux</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>Margin</th> <th>Level</th> <th>Factor</th> <th>Loss</th> <th>Factor</th> <th>Factor</th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>dB</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>10600.01</td> <td>58.05</td> <td>74.00</td> <td>-15.95</td> <td>66.75</td> <td>37.90</td> <td>14.29</td> <td>60.89</td> <td>0.00</td> <td>273</td> <td>191</td> <td>Peak</td> </tr> <tr> <td>2</td> <td>10600.01</td> <td>49.94</td> <td>54.00</td> <td>-4.06</td> <td>58.64</td> <td>37.90</td> <td>14.29</td> <td>60.89</td> <td>0.00</td> <td>273</td> <td>191</td> <td>Average</td> </tr> <tr> <td>3</td> <td>15900.00</td> <td>55.72</td> <td>74.00</td> <td>-18.28</td> <td>56.20</td> <td>40.90</td> <td>17.70</td> <td>59.08</td> <td>0.00</td> <td>243</td> <td>208</td> <td>PEAK</td> </tr> <tr> <td>4</td> <td>15900.00</td> <td>48.89</td> <td>54.00</td> <td>-5.11</td> <td>49.37</td> <td>40.90</td> <td>17.70</td> <td>59.08</td> <td>0.00</td> <td>243</td> <td>208</td> <td>AVERAGE</td> </tr> </tbody> </table>	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	1	10600.01	58.05	74.00	-15.95	66.75	37.90	14.29	60.89	0.00	273	191	Peak	2	10600.01	49.94	54.00	-4.06	58.64	37.90	14.29	60.89	0.00	273	191	Average	3	15900.00	55.72	74.00	-18.28	56.20	40.90	17.70	59.08	0.00	243	208	PEAK	4	15900.00	48.89	54.00	-5.11	49.37	40.90	17.70	59.08	0.00	243	208
Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																																																																																							
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																																																																																																																																							
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB																																																																																																																																																							
1	10600.01	56.15	74.00	-17.85	64.85	37.90	14.29	60.89	0.00	100	73	PEAK																																																																																																																																																			
2	10600.01	46.99	54.00	-7.01	55.69	37.90	14.29	60.89	0.00	100	73	AVERAGE																																																																																																																																																			
3	15900.00	51.52	74.00	-22.48	52.00	40.90	17.70	59.08	0.00	100	103	PEAK																																																																																																																																																			
4	15900.00	44.99	54.00	-9.01	45.48	40.90	17.70	59.09	0.00	100	103	AVERAGE																																																																																																																																																			
Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																																																																																							
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																																																																																																																																							
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB																																																																																																																																																							
1	10600.01	58.05	74.00	-15.95	66.75	37.90	14.29	60.89	0.00	273	191	Peak																																																																																																																																																			
2	10600.01	49.94	54.00	-4.06	58.64	37.90	14.29	60.89	0.00	273	191	Average																																																																																																																																																			
3	15900.00	55.72	74.00	-18.28	56.20	40.90	17.70	59.08	0.00	243	208	PEAK																																																																																																																																																			
4	15900.00	48.89	54.00	-5.11	49.37	40.90	17.70	59.08	0.00	243	208	AVERAGE																																																																																																																																																			



Mode	6																																																																																	
	Band Edge																																																																																	
	U-NII-2A_5.25-5.35_802.11a_CH64_5320MHz																																																																																	
ANT	1																																																																																	
Pol.	Horizontal	Fundamental																																																																																
Peak	<table border="1"> <thead> <tr> <th>Limit</th> <th>Over</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Aux</th> <th>APos</th> <th>TPos</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>Limit</th> <th>Level</th> <th>Factor</th> <th>Loss</th> <th>Factor</th> <th>Factor</th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>cm</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>5350.24</td> <td>61.81</td> <td>74.00</td> <td>-12.19</td> <td>49.32</td> <td>34.50</td> <td>9.91</td> <td>31.92</td> <td>0.00</td> <td>100</td> <td>124</td> <td>PEAK</td> </tr> </tbody> </table>	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos	Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	1	5350.24	61.81	74.00	-12.19	49.32	34.50	9.91	31.92	0.00	100	124	PEAK	<table border="1"> <thead> <tr> <th>Limit</th> <th>Over</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Aux</th> <th>APos</th> <th>TPos</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>Limit</th> <th>Level</th> <th>Factor</th> <th>Loss</th> <th>Factor</th> <th>Factor</th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>cm</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>5320.00</td> <td>111.28</td> <td>74.00</td> <td>37.28</td> <td>98.73</td> <td>34.56</td> <td>9.90</td> <td>31.91</td> <td>0.00</td> <td>100</td> <td>124</td> <td>PEAK</td> </tr> </tbody> </table>	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos	Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	1	5320.00	111.28	74.00	37.28	98.73	34.56	9.90	31.91	0.00	100	124	PEAK
Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																										
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor																																																																										
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm																																																																										
1	5350.24	61.81	74.00	-12.19	49.32	34.50	9.91	31.92	0.00	100	124	PEAK																																																																						
Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																										
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor																																																																										
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm																																																																										
1	5320.00	111.28	74.00	37.28	98.73	34.56	9.90	31.91	0.00	100	124	PEAK																																																																						
Avg	<table border="1"> <thead> <tr> <th>Limit</th> <th>Over</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Aux</th> <th>APos</th> <th>TPos</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>Limit</th> <th>Level</th> <th>Factor</th> <th>Loss</th> <th>Factor</th> <th>Factor</th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>cm</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>5351.64</td> <td>49.64</td> <td>54.00</td> <td>-4.36</td> <td>37.15</td> <td>34.51</td> <td>9.91</td> <td>31.93</td> <td>0.00</td> <td>100</td> <td>124</td> <td>AVERAGE</td> </tr> </tbody> </table>	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos	Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	1	5351.64	49.64	54.00	-4.36	37.15	34.51	9.91	31.93	0.00	100	124	AVERAGE	<table border="1"> <thead> <tr> <th>Limit</th> <th>Over</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Aux</th> <th>APos</th> <th>TPos</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>Limit</th> <th>Level</th> <th>Factor</th> <th>Loss</th> <th>Factor</th> <th>Factor</th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>cm</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>5320.00</td> <td>102.88</td> <td>54.00</td> <td>48.88</td> <td>90.33</td> <td>34.56</td> <td>9.90</td> <td>31.91</td> <td>0.00</td> <td>100</td> <td>124</td> <td>AVERAGE</td> </tr> </tbody> </table>	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos	Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	1	5320.00	102.88	54.00	48.88	90.33	34.56	9.90	31.91	0.00	100	124	AVERAGE
Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																										
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor																																																																										
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm																																																																										
1	5351.64	49.64	54.00	-4.36	37.15	34.51	9.91	31.93	0.00	100	124	AVERAGE																																																																						
Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																										
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor																																																																										
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm																																																																										
1	5320.00	102.88	54.00	48.88	90.33	34.56	9.90	31.91	0.00	100	124	AVERAGE																																																																						







Mode	6																																																																																							
	Band Edge																																																																																							
	U-NII-2A_5.25-5.35_802.11a_CH64_5320MHz																																																																																							
ANT	1																																																																																							
Pol.	Vertical	Fundamental																																																																																						
Peak	<table border="1"> <thead> <tr> <th>Limit</th> <th>Over</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Aux</th> <th>APos</th> <th>TPos</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>Limit</th> <th>Level</th> <th>Factor</th> <th>Loss</th> <th>Factor</th> <th>Factor</th> <th>Remark</th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>5350.38</td> <td>56.40</td> <td>74.00</td> <td>-17.60</td> <td>43.91</td> <td>34.50</td> <td>9.91</td> <td>31.92</td> <td>0.00</td> <td>339</td> <td>65</td> <td>PEAK</td> </tr> </tbody> </table>	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos	Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor	Remark	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1	5350.38	56.40	74.00	-17.60	43.91	34.50	9.91	31.92	0.00	339	65	PEAK	<table border="1"> <thead> <tr> <th>Limit</th> <th>Over</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Aux</th> <th>APos</th> <th>TPos</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>Limit</th> <th>Level</th> <th>Factor</th> <th>Loss</th> <th>Factor</th> <th>Factor</th> <th>Remark</th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>5320.00</td> <td>107.77</td> <td>-----</td> <td>-----</td> <td>95.22</td> <td>34.56</td> <td>9.90</td> <td>31.91</td> <td>0.00</td> <td>339</td> <td>65</td> <td>PEAK</td> </tr> </tbody> </table>	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos	Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor	Remark	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1	5320.00	107.77	-----	-----	95.22	34.56	9.90	31.91	0.00	339	65	PEAK
Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor	Remark																																																																															
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																														
1	5350.38	56.40	74.00	-17.60	43.91	34.50	9.91	31.92	0.00	339	65	PEAK																																																																												
Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor	Remark																																																																															
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																														
1	5320.00	107.77	-----	-----	95.22	34.56	9.90	31.91	0.00	339	65	PEAK																																																																												
Avg	<table border="1"> <thead> <tr> <th>Limit</th> <th>Over</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Aux</th> <th>APos</th> <th>TPos</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>Limit</th> <th>Level</th> <th>Factor</th> <th>Loss</th> <th>Factor</th> <th>Factor</th> <th>Remark</th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>5350.52</td> <td>45.87</td> <td>54.00</td> <td>-8.13</td> <td>33.38</td> <td>34.50</td> <td>9.91</td> <td>31.92</td> <td>0.00</td> <td>339</td> <td>65</td> <td>AVERAGE</td> </tr> </tbody> </table>	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos	Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor	Remark	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1	5350.52	45.87	54.00	-8.13	33.38	34.50	9.91	31.92	0.00	339	65	AVERAGE	<table border="1"> <thead> <tr> <th>Limit</th> <th>Over</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Aux</th> <th>APos</th> <th>TPos</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>Limit</th> <th>Level</th> <th>Factor</th> <th>Loss</th> <th>Factor</th> <th>Factor</th> <th>Remark</th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>5320.00</td> <td>99.36</td> <td>-----</td> <td>-----</td> <td>86.81</td> <td>34.56</td> <td>9.90</td> <td>31.91</td> <td>0.00</td> <td>339</td> <td>65</td> <td>AVERAGE</td> </tr> </tbody> </table>	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos	Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor	Remark	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1	5320.00	99.36	-----	-----	86.81	34.56	9.90	31.91	0.00	339	65	AVERAGE
Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor	Remark																																																																															
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																														
1	5350.52	45.87	54.00	-8.13	33.38	34.50	9.91	31.92	0.00	339	65	AVERAGE																																																																												
Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor	Remark																																																																															
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																														
1	5320.00	99.36	-----	-----	86.81	34.56	9.90	31.91	0.00	339	65	AVERAGE																																																																												







Mode	6																																																																																																																																																																							
	Harmonic																																																																																																																																																																							
	U-NII-2A_5.25-5.35_802.11a_CH64_5320MHz																																																																																																																																																																							
ANT	1																																																																																																																																																																							
Pol.	Horizontal	Vertical																																																																																																																																																																						
Peak Avg	<table border="1"> <thead> <tr> <th>Limit</th> <th>Over</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Aux</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>Limit</th> <th>Level</th> <th>Factor</th> <th>Loss</th> <th>Factor</th> <th>Factor</th> <th></th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>10640.00</td> <td>53.86</td> <td>74.00</td> <td>-20.14</td> <td>62.53</td> <td>37.90</td> <td>14.32</td> <td>60.89</td> <td>0.00</td> <td>123</td> <td>255</td> <td>PEAK</td> </tr> <tr> <td>2</td> <td>10640.00</td> <td>45.21</td> <td>54.00</td> <td>-8.79</td> <td>53.88</td> <td>37.90</td> <td>14.32</td> <td>60.89</td> <td>0.00</td> <td>123</td> <td>255</td> <td>AVERAGE</td> </tr> <tr> <td>3</td> <td>15960.00</td> <td>50.43</td> <td>74.00</td> <td>-23.57</td> <td>50.74</td> <td>40.96</td> <td>17.73</td> <td>59.00</td> <td>0.00</td> <td>101</td> <td>107</td> <td>PEAK</td> </tr> <tr> <td>4</td> <td>15960.00</td> <td>42.11</td> <td>54.00</td> <td>-11.89</td> <td>42.42</td> <td>40.96</td> <td>17.73</td> <td>59.00</td> <td>0.00</td> <td>101</td> <td>107</td> <td>AVERAGE</td> </tr> </tbody> </table>	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1	10640.00	53.86	74.00	-20.14	62.53	37.90	14.32	60.89	0.00	123	255	PEAK	2	10640.00	45.21	54.00	-8.79	53.88	37.90	14.32	60.89	0.00	123	255	AVERAGE	3	15960.00	50.43	74.00	-23.57	50.74	40.96	17.73	59.00	0.00	101	107	PEAK	4	15960.00	42.11	54.00	-11.89	42.42	40.96	17.73	59.00	0.00	101	107	AVERAGE	<table border="1"> <thead> <tr> <th>Limit</th> <th>Over</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Aux</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>Limit</th> <th>Level</th> <th>Factor</th> <th>Loss</th> <th>Factor</th> <th>Factor</th> <th></th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>10640.00</td> <td>57.72</td> <td>74.00</td> <td>-16.28</td> <td>66.39</td> <td>37.90</td> <td>14.32</td> <td>60.89</td> <td>0.00</td> <td>275</td> <td>194</td> <td>PEAK</td> </tr> <tr> <td>2</td> <td>10640.00</td> <td>48.12</td> <td>54.00</td> <td>-5.88</td> <td>56.79</td> <td>37.90</td> <td>14.32</td> <td>60.89</td> <td>0.00</td> <td>275</td> <td>194</td> <td>AVERAGE</td> </tr> <tr> <td>3</td> <td>15960.00</td> <td>53.66</td> <td>74.00</td> <td>-20.34</td> <td>53.97</td> <td>40.96</td> <td>17.73</td> <td>59.00</td> <td>0.00</td> <td>322</td> <td>220</td> <td>PEAK</td> </tr> <tr> <td>4</td> <td>15960.00</td> <td>47.57</td> <td>54.00</td> <td>-6.43</td> <td>47.88</td> <td>40.96</td> <td>17.73</td> <td>59.00</td> <td>0.00</td> <td>322</td> <td>220</td> <td>AVERAGE</td> </tr> </tbody> </table>	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1	10640.00	57.72	74.00	-16.28	66.39	37.90	14.32	60.89	0.00	275	194	PEAK	2	10640.00	48.12	54.00	-5.88	56.79	37.90	14.32	60.89	0.00	275	194	AVERAGE	3	15960.00	53.66	74.00	-20.34	53.97	40.96	17.73	59.00	0.00	322	220	PEAK	4	15960.00	47.57	54.00	-6.43	47.88	40.96	17.73	59.00	0.00	322	220	AVERAGE
Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																																																																																															
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor																																																																																																																																																																
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																																																																																																														
1	10640.00	53.86	74.00	-20.14	62.53	37.90	14.32	60.89	0.00	123	255	PEAK																																																																																																																																																												
2	10640.00	45.21	54.00	-8.79	53.88	37.90	14.32	60.89	0.00	123	255	AVERAGE																																																																																																																																																												
3	15960.00	50.43	74.00	-23.57	50.74	40.96	17.73	59.00	0.00	101	107	PEAK																																																																																																																																																												
4	15960.00	42.11	54.00	-11.89	42.42	40.96	17.73	59.00	0.00	101	107	AVERAGE																																																																																																																																																												
Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																																																																																															
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor																																																																																																																																																																
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																																																																																																														
1	10640.00	57.72	74.00	-16.28	66.39	37.90	14.32	60.89	0.00	275	194	PEAK																																																																																																																																																												
2	10640.00	48.12	54.00	-5.88	56.79	37.90	14.32	60.89	0.00	275	194	AVERAGE																																																																																																																																																												
3	15960.00	53.66	74.00	-20.34	53.97	40.96	17.73	59.00	0.00	322	220	PEAK																																																																																																																																																												
4	15960.00	47.57	54.00	-6.43	47.88	40.96	17.73	59.00	0.00	322	220	AVERAGE																																																																																																																																																												



Mode	7																																																																																																						
	Band Edge																																																																																																						
	U-NII-2C_5.47-5.725_802.11a_CH100_5500MHz																																																																																																						
ANT	1																																																																																																						
Pol.	Horizontal	Fundamental																																																																																																					
Peak	 <table border="1" data-bbox="255 1097 798 1254"> <thead> <tr> <th>Limit</th> <th>Over</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Aux</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>Limit</th> <th>Level</th> <th>Factor</th> <th>Loss</th> <th>Factor</th> <th>Factor</th> <th></th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>5459.92</td> <td>55.11</td> <td>74.00</td> <td>-18.89</td> <td>46.32</td> <td>34.88</td> <td>10.97</td> <td>37.06</td> <td>0.00</td> <td>100</td> <td>234</td> <td>PEAK</td> </tr> <tr> <td>2</td> <td>5465.68</td> <td>60.02</td> <td>68.20</td> <td>-8.18</td> <td>51.23</td> <td>34.87</td> <td>10.98</td> <td>37.06</td> <td>0.00</td> <td>100</td> <td>234</td> <td>PEAK</td> </tr> </tbody> </table>	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1	5459.92	55.11	74.00	-18.89	46.32	34.88	10.97	37.06	0.00	100	234	PEAK	2	5465.68	60.02	68.20	-8.18	51.23	34.87	10.98	37.06	0.00	100	234	PEAK	 <table border="1" data-bbox="877 1097 1436 1254"> <thead> <tr> <th>Limit</th> <th>Over</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Aux</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>Limit</th> <th>Level</th> <th>Factor</th> <th>Loss</th> <th>Factor</th> <th>Factor</th> <th></th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>5500.00</td> <td>111.60</td> <td>-----</td> <td>-----</td> <td>102.83</td> <td>34.80</td> <td>11.02</td> <td>37.05</td> <td>0.00</td> <td>100</td> <td>234</td> <td>PEAK</td> </tr> </tbody> </table>	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1	5500.00	111.60	-----	-----	102.83	34.80	11.02	37.05	0.00	100	234	PEAK
Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																														
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor																																																																																															
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																																													
1	5459.92	55.11	74.00	-18.89	46.32	34.88	10.97	37.06	0.00	100	234	PEAK																																																																																											
2	5465.68	60.02	68.20	-8.18	51.23	34.87	10.98	37.06	0.00	100	234	PEAK																																																																																											
Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																														
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor																																																																																															
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																																													
1	5500.00	111.60	-----	-----	102.83	34.80	11.02	37.05	0.00	100	234	PEAK																																																																																											
Avg	 <table border="1" data-bbox="255 1792 798 1926"> <thead> <tr> <th>Limit</th> <th>Over</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Aux</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>Limit</th> <th>Level</th> <th>Factor</th> <th>Loss</th> <th>Factor</th> <th>Factor</th> <th></th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>5459.12</td> <td>41.61</td> <td>54.00</td> <td>-12.39</td> <td>32.82</td> <td>34.88</td> <td>10.97</td> <td>37.06</td> <td>0.00</td> <td>100</td> <td>234</td> <td>AVERAGE</td> </tr> </tbody> </table>	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1	5459.12	41.61	54.00	-12.39	32.82	34.88	10.97	37.06	0.00	100	234	AVERAGE	 <table border="1" data-bbox="877 1792 1436 1926"> <thead> <tr> <th>Limit</th> <th>Over</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Aux</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>Limit</th> <th>Level</th> <th>Factor</th> <th>Loss</th> <th>Factor</th> <th>Factor</th> <th></th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>5500.00</td> <td>103.63</td> <td>-----</td> <td>-----</td> <td>94.86</td> <td>34.80</td> <td>11.02</td> <td>37.05</td> <td>0.00</td> <td>100</td> <td>234</td> <td>AVERAGE</td> </tr> </tbody> </table>	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1	5500.00	103.63	-----	-----	94.86	34.80	11.02	37.05	0.00	100	234	AVERAGE													
Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																														
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor																																																																																															
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																																													
1	5459.12	41.61	54.00	-12.39	32.82	34.88	10.97	37.06	0.00	100	234	AVERAGE																																																																																											
Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																														
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor																																																																																															
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																																													
1	5500.00	103.63	-----	-----	94.86	34.80	11.02	37.05	0.00	100	234	AVERAGE																																																																																											

Note: The higher Signals which are no mark are within frequency band can be ignored.



Mode	7																																																																																																						
	Band Edge																																																																																																						
	U-NII-2C_5.47-5.725_802.11a_CH100_5500MHz																																																																																																						
ANT	1																																																																																																						
Pol.	Vertical	Fundamental																																																																																																					
Peak	 <table border="1"> <thead> <tr> <th>Limit</th> <th>Over</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Aux</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>Limit</th> <th>Level</th> <th>Factor</th> <th>Loss</th> <th>Factor</th> <th>Factor</th> <th></th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>5402.80</td> <td>49.01</td> <td>74.00</td> <td>-24.99</td> <td>40.19</td> <td>34.99</td> <td>10.89</td> <td>37.06</td> <td>0.00</td> <td>397</td> <td>246</td> <td>PEAK</td> </tr> <tr> <td>2</td> <td>5468.56</td> <td>57.70</td> <td>68.20</td> <td>-10.50</td> <td>48.91</td> <td>34.06</td> <td>10.98</td> <td>37.05</td> <td>0.00</td> <td>397</td> <td>246</td> <td>PEAK</td> </tr> </tbody> </table>	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1	5402.80	49.01	74.00	-24.99	40.19	34.99	10.89	37.06	0.00	397	246	PEAK	2	5468.56	57.70	68.20	-10.50	48.91	34.06	10.98	37.05	0.00	397	246	PEAK	 <table border="1"> <thead> <tr> <th>Limit</th> <th>Over</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Aux</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>Limit</th> <th>Level</th> <th>Factor</th> <th>Loss</th> <th>Factor</th> <th>Factor</th> <th></th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>5500.00</td> <td>110.62</td> <td>-----</td> <td>-----</td> <td>101.85</td> <td>34.80</td> <td>11.02</td> <td>37.05</td> <td>0.00</td> <td>397</td> <td>246</td> <td>PEAK</td> </tr> </tbody> </table>	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1	5500.00	110.62	-----	-----	101.85	34.80	11.02	37.05	0.00	397	246	PEAK
	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																													
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor																																																																																															
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																																													
1	5402.80	49.01	74.00	-24.99	40.19	34.99	10.89	37.06	0.00	397	246	PEAK																																																																																											
2	5468.56	57.70	68.20	-10.50	48.91	34.06	10.98	37.05	0.00	397	246	PEAK																																																																																											
Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																														
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor																																																																																															
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																																													
1	5500.00	110.62	-----	-----	101.85	34.80	11.02	37.05	0.00	397	246	PEAK																																																																																											
Avg	 <table border="1"> <thead> <tr> <th>Limit</th> <th>Over</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Aux</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>Limit</th> <th>Level</th> <th>Factor</th> <th>Loss</th> <th>Factor</th> <th>Factor</th> <th></th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>5459.76</td> <td>40.18</td> <td>54.00</td> <td>-13.82</td> <td>31.39</td> <td>34.08</td> <td>10.97</td> <td>37.06</td> <td>0.00</td> <td>397</td> <td>246</td> <td>AVERAGE</td> </tr> </tbody> </table>	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1	5459.76	40.18	54.00	-13.82	31.39	34.08	10.97	37.06	0.00	397	246	AVERAGE	 <table border="1"> <thead> <tr> <th>Limit</th> <th>Over</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Aux</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>Limit</th> <th>Level</th> <th>Factor</th> <th>Loss</th> <th>Factor</th> <th>Factor</th> <th></th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>5500.00</td> <td>102.26</td> <td>-----</td> <td>-----</td> <td>93.49</td> <td>34.80</td> <td>11.02</td> <td>37.05</td> <td>0.00</td> <td>397</td> <td>246</td> <td>AVERAGE</td> </tr> </tbody> </table>	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1	5500.00	102.26	-----	-----	93.49	34.80	11.02	37.05	0.00	397	246	AVERAGE													
	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																													
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor																																																																																															
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																																													
1	5459.76	40.18	54.00	-13.82	31.39	34.08	10.97	37.06	0.00	397	246	AVERAGE																																																																																											
Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																														
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor																																																																																															
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																																													
1	5500.00	102.26	-----	-----	93.49	34.80	11.02	37.05	0.00	397	246	AVERAGE																																																																																											






Mode	7																																																																																																																																					
	Harmonic																																																																																																																																					
	U-NII-2C_5.47-5.725_802.11a_CH100_5500MHz																																																																																																																																					
ANT	1																																																																																																																																					
Pol.	Horizontal	Vertical																																																																																																																																				
Peak Avg	<table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Aux</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>Margin</th> <th>Level</th> <th>Factor</th> <th>Loss</th> <th>Factor</th> <th>Factor</th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>dB</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>11000.00</td> <td>58.81</td> <td>74.00</td> <td>-15.19</td> <td>67.13</td> <td>38.00</td> <td>14.56</td> <td>60.88</td> <td>0.00</td> <td>257</td> <td>127</td> <td>PEAK</td> </tr> <tr> <td>2</td> <td>11000.00</td> <td>46.68</td> <td>54.00</td> <td>-7.32</td> <td>55.00</td> <td>38.00</td> <td>14.56</td> <td>60.88</td> <td>0.00</td> <td>257</td> <td>127</td> <td>AVERAGE</td> </tr> <tr> <td>3</td> <td>16504.00</td> <td>57.14</td> <td>68.20</td> <td>-11.06</td> <td>56.65</td> <td>41.40</td> <td>17.98</td> <td>58.89</td> <td>0.00</td> <td>---</td> <td>---</td> <td>Peak</td> </tr> </tbody> </table>	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	1	11000.00	58.81	74.00	-15.19	67.13	38.00	14.56	60.88	0.00	257	127	PEAK	2	11000.00	46.68	54.00	-7.32	55.00	38.00	14.56	60.88	0.00	257	127	AVERAGE	3	16504.00	57.14	68.20	-11.06	56.65	41.40	17.98	58.89	0.00	---	---	Peak	<table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Aux</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>Margin</th> <th>Level</th> <th>Factor</th> <th>Loss</th> <th>Factor</th> <th>Factor</th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>dB</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>11000.00</td> <td>58.70</td> <td>74.00</td> <td>-15.30</td> <td>67.02</td> <td>38.00</td> <td>14.56</td> <td>60.88</td> <td>0.00</td> <td>370</td> <td>266</td> <td>PEAK</td> </tr> <tr> <td>2</td> <td>11000.00</td> <td>48.25</td> <td>54.00</td> <td>-5.75</td> <td>56.57</td> <td>38.00</td> <td>14.56</td> <td>60.88</td> <td>0.00</td> <td>370</td> <td>266</td> <td>AVERAGE</td> </tr> <tr> <td>3</td> <td>16504.00</td> <td>64.27</td> <td>68.20</td> <td>-3.93</td> <td>63.78</td> <td>41.40</td> <td>17.98</td> <td>58.89</td> <td>0.00</td> <td>---</td> <td>---</td> <td>Peak</td> </tr> </tbody> </table>	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	1	11000.00	58.70	74.00	-15.30	67.02	38.00	14.56	60.88	0.00	370	266	PEAK	2	11000.00	48.25	54.00	-5.75	56.57	38.00	14.56	60.88	0.00	370	266	AVERAGE	3	16504.00	64.27	68.20	-3.93	63.78	41.40	17.98	58.89	0.00	---	---	Peak
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																																																													
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																																																																																																														
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB																																																																																																																														
1	11000.00	58.81	74.00	-15.19	67.13	38.00	14.56	60.88	0.00	257	127	PEAK																																																																																																																										
2	11000.00	46.68	54.00	-7.32	55.00	38.00	14.56	60.88	0.00	257	127	AVERAGE																																																																																																																										
3	16504.00	57.14	68.20	-11.06	56.65	41.40	17.98	58.89	0.00	---	---	Peak																																																																																																																										
Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																																																														
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																																																																																																														
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB																																																																																																																														
1	11000.00	58.70	74.00	-15.30	67.02	38.00	14.56	60.88	0.00	370	266	PEAK																																																																																																																										
2	11000.00	48.25	54.00	-5.75	56.57	38.00	14.56	60.88	0.00	370	266	AVERAGE																																																																																																																										
3	16504.00	64.27	68.20	-3.93	63.78	41.40	17.98	58.89	0.00	---	---	Peak																																																																																																																										



Mode	8																																																																																																																																									
	Harmonic																																																																																																																																									
	U-NII-2C_5.47-5.725_802.11a_CH116_5580MHz																																																																																																																																									
ANT	1																																																																																																																																									
Pol.	Horizontal	Vertical																																																																																																																																								
Peak Avg	<table border="1"> <thead> <tr> <th>Limit</th> <th>Over</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Aux</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>Limit</th> <th>Level</th> <th>Factor</th> <th>Loss</th> <th>Factor</th> <th>Factor</th> <th></th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>11160.00</td> <td>58.97</td> <td>74.00</td> <td>-15.03</td> <td>68.47</td> <td>37.89</td> <td>15.88</td> <td>63.27</td> <td>0.00</td> <td>300</td> <td>9 PEAK</td> </tr> <tr> <td>2</td> <td>11160.00</td> <td>47.80</td> <td>54.00</td> <td>-6.20</td> <td>57.29</td> <td>37.90</td> <td>15.88</td> <td>63.27</td> <td>0.00</td> <td>300</td> <td>9 AVERAGE</td> </tr> <tr> <td>3</td> <td>16744.90</td> <td>59.76</td> <td>68.20</td> <td>-8.44</td> <td>61.69</td> <td>42.15</td> <td>19.84</td> <td>63.92</td> <td>0.00</td> <td>---</td> <td>---</td> <td>Peak</td> </tr> </tbody> </table>	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1	11160.00	58.97	74.00	-15.03	68.47	37.89	15.88	63.27	0.00	300	9 PEAK	2	11160.00	47.80	54.00	-6.20	57.29	37.90	15.88	63.27	0.00	300	9 AVERAGE	3	16744.90	59.76	68.20	-8.44	61.69	42.15	19.84	63.92	0.00	---	---	Peak	<table border="1"> <thead> <tr> <th>Limit</th> <th>Over</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Aux</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>Limit</th> <th>Level</th> <th>Factor</th> <th>Loss</th> <th>Factor</th> <th>Factor</th> <th></th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>11160.00</td> <td>59.81</td> <td>74.00</td> <td>-14.19</td> <td>69.31</td> <td>37.89</td> <td>15.88</td> <td>63.27</td> <td>0.00</td> <td>101</td> <td>29 PEAK</td> </tr> <tr> <td>2</td> <td>11160.00</td> <td>50.11</td> <td>54.00</td> <td>-3.89</td> <td>59.62</td> <td>37.89</td> <td>15.88</td> <td>63.28</td> <td>0.00</td> <td>101</td> <td>29 AVERAGE</td> </tr> <tr> <td>3</td> <td>16741.60</td> <td>57.33</td> <td>68.20</td> <td>-10.87</td> <td>59.27</td> <td>42.14</td> <td>19.84</td> <td>63.92</td> <td>0.00</td> <td>---</td> <td>---</td> <td>Peak</td> </tr> </tbody> </table>	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1	11160.00	59.81	74.00	-14.19	69.31	37.89	15.88	63.27	0.00	101	29 PEAK	2	11160.00	50.11	54.00	-3.89	59.62	37.89	15.88	63.28	0.00	101	29 AVERAGE	3	16741.60	57.33	68.20	-10.87	59.27	42.14	19.84	63.92	0.00	---	---	Peak
Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																																																																	
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor																																																																																																																																		
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																																																																																
1	11160.00	58.97	74.00	-15.03	68.47	37.89	15.88	63.27	0.00	300	9 PEAK																																																																																																																															
2	11160.00	47.80	54.00	-6.20	57.29	37.90	15.88	63.27	0.00	300	9 AVERAGE																																																																																																																															
3	16744.90	59.76	68.20	-8.44	61.69	42.15	19.84	63.92	0.00	---	---	Peak																																																																																																																														
Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																																																																	
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor																																																																																																																																		
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																																																																																
1	11160.00	59.81	74.00	-14.19	69.31	37.89	15.88	63.27	0.00	101	29 PEAK																																																																																																																															
2	11160.00	50.11	54.00	-3.89	59.62	37.89	15.88	63.28	0.00	101	29 AVERAGE																																																																																																																															
3	16741.60	57.33	68.20	-10.87	59.27	42.14	19.84	63.92	0.00	---	---	Peak																																																																																																																														



Mode	9																																																															
	Band Edge																																																															
	U-NII-2C_5.47-5.725_802.11a_CH140_5700MHz																																																															
ANT	1																																																															
Pol.	Horizontal	Fundamental																																																														
Peak	 <table border="1" data-bbox="263 1131 782 1254"> <thead> <tr> <th>Limit Freq</th> <th>Over Level</th> <th>Read Level</th> <th>Ant Factor</th> <th>Cable Loss</th> <th>Preamp Factor</th> <th>Aux Factor</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1 5729.32</td> <td>60.22</td> <td>68.20</td> <td>-7.98</td> <td>50.67</td> <td>35.36</td> <td>11.34</td> <td>37.15</td> <td>0.00</td> <td>100</td> <td>236 PEAK</td> </tr> </tbody> </table>	Limit Freq	Over Level	Read Level	Ant Factor	Cable Loss	Preamp Factor	Aux Factor	APos	TPos	Remark	MHz	dBuV/m	dBuV/m	dB	dB/m	dB	dB	dB	cm	deg	1 5729.32	60.22	68.20	-7.98	50.67	35.36	11.34	37.15	0.00	100	236 PEAK	 <table border="1" data-bbox="901 1131 1420 1254"> <thead> <tr> <th>Limit Freq</th> <th>Over Level</th> <th>Read Level</th> <th>Ant Factor</th> <th>Cable Loss</th> <th>Preamp Factor</th> <th>Aux Factor</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1 5700.00</td> <td>111.14</td> <td>-----</td> <td>-----</td> <td>101.65</td> <td>35.31</td> <td>11.30</td> <td>37.12</td> <td>0.00</td> <td>100</td> <td>236 PEAK</td> </tr> </tbody> </table>	Limit Freq	Over Level	Read Level	Ant Factor	Cable Loss	Preamp Factor	Aux Factor	APos	TPos	Remark	MHz	dBuV/m	dBuV/m	dB	dB/m	dB	dB	dB	cm	deg	1 5700.00	111.14	-----	-----	101.65	35.31	11.30	37.12	0.00	100	236 PEAK
Limit Freq	Over Level	Read Level	Ant Factor	Cable Loss	Preamp Factor	Aux Factor	APos	TPos	Remark																																																							
MHz	dBuV/m	dBuV/m	dB	dB/m	dB	dB	dB	cm	deg																																																							
1 5729.32	60.22	68.20	-7.98	50.67	35.36	11.34	37.15	0.00	100	236 PEAK																																																						
Limit Freq	Over Level	Read Level	Ant Factor	Cable Loss	Preamp Factor	Aux Factor	APos	TPos	Remark																																																							
MHz	dBuV/m	dBuV/m	dB	dB/m	dB	dB	dB	cm	deg																																																							
1 5700.00	111.14	-----	-----	101.65	35.31	11.30	37.12	0.00	100	236 PEAK																																																						
Avg	Blank	 <table border="1" data-bbox="901 1803 1420 1926"> <thead> <tr> <th>Limit Freq</th> <th>Over Level</th> <th>Read Level</th> <th>Ant Factor</th> <th>Cable Loss</th> <th>Preamp Factor</th> <th>Aux Factor</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1 5700.00</td> <td>103.31</td> <td>-----</td> <td>-----</td> <td>93.82</td> <td>35.31</td> <td>11.30</td> <td>37.12</td> <td>0.00</td> <td>100</td> <td>236 AVERAGE</td> </tr> </tbody> </table>	Limit Freq	Over Level	Read Level	Ant Factor	Cable Loss	Preamp Factor	Aux Factor	APos	TPos	Remark	MHz	dBuV/m	dBuV/m	dB	dB/m	dB	dB	dB	cm	deg	1 5700.00	103.31	-----	-----	93.82	35.31	11.30	37.12	0.00	100	236 AVERAGE																															
Limit Freq	Over Level	Read Level	Ant Factor	Cable Loss	Preamp Factor	Aux Factor	APos	TPos	Remark																																																							
MHz	dBuV/m	dBuV/m	dB	dB/m	dB	dB	dB	cm	deg																																																							
1 5700.00	103.31	-----	-----	93.82	35.31	11.30	37.12	0.00	100	236 AVERAGE																																																						







Mode	9																																																																																	
	Band Edge																																																																																	
	U-NII-2C_5.47-5.725_802.11a_CH140_5700MHz																																																																																	
ANT	1																																																																																	
Pol.	Vertical	Fundamental																																																																																
Peak	<table border="1"> <thead> <tr> <th>Limit</th> <th>Over</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Aux</th> <th>APos</th> <th>TPos</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>Limit</th> <th>Level</th> <th>Factor</th> <th>Loss</th> <th>Factor</th> <th>Factor</th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>cm</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>5725.32</td> <td>53.88</td> <td>68.20</td> <td>-14.32</td> <td>44.35</td> <td>35.35</td> <td>11.33</td> <td>37.15</td> <td>0.00</td> <td>300</td> <td>300</td> <td>PEAK</td> </tr> </tbody> </table>	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos	Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	1	5725.32	53.88	68.20	-14.32	44.35	35.35	11.33	37.15	0.00	300	300	PEAK	<table border="1"> <thead> <tr> <th>Limit</th> <th>Over</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Aux</th> <th>APos</th> <th>TPos</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>Limit</th> <th>Level</th> <th>Factor</th> <th>Loss</th> <th>Factor</th> <th>Factor</th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>cm</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>5700.00</td> <td>106.28</td> <td>-----</td> <td>-----</td> <td>96.79</td> <td>35.31</td> <td>11.30</td> <td>37.12</td> <td>0.00</td> <td>300</td> <td>300</td> <td>PEAK</td> </tr> </tbody> </table>	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos	Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	1	5700.00	106.28	-----	-----	96.79	35.31	11.30	37.12	0.00	300	300	PEAK
Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																										
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor																																																																										
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm																																																																										
1	5725.32	53.88	68.20	-14.32	44.35	35.35	11.33	37.15	0.00	300	300	PEAK																																																																						
Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																										
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor																																																																										
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm																																																																										
1	5700.00	106.28	-----	-----	96.79	35.31	11.30	37.12	0.00	300	300	PEAK																																																																						
Avg	Blank	<table border="1"> <thead> <tr> <th>Limit</th> <th>Over</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Aux</th> <th>APos</th> <th>TPos</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>Limit</th> <th>Level</th> <th>Factor</th> <th>Loss</th> <th>Factor</th> <th>Factor</th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>cm</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>5700.00</td> <td>97.17</td> <td>-----</td> <td>-----</td> <td>87.68</td> <td>35.31</td> <td>11.30</td> <td>37.12</td> <td>0.00</td> <td>300</td> <td>300</td> <td>AVERAGE</td> </tr> </tbody> </table>	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos	Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	1	5700.00	97.17	-----	-----	87.68	35.31	11.30	37.12	0.00	300	300	AVERAGE																																								
Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																										
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor																																																																										
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm																																																																										
1	5700.00	97.17	-----	-----	87.68	35.31	11.30	37.12	0.00	300	300	AVERAGE																																																																						



Mode	9																																																																																																																																													
	Harmonic																																																																																																																																													
	U-NII-2C_5.47-5.725_802.11a_CH140_5700MHz																																																																																																																																													
ANT	1																																																																																																																																													
Pol.	Horizontal	Vertical																																																																																																																																												
Peak Avg	<table border="1"> <thead> <tr> <th>Limit</th> <th>Over</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Aux</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>Limit</th> <th>Level</th> <th>Factor</th> <th>Loss</th> <th>Factor</th> <th>Factor</th> <th></th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>11400.00</td> <td>57.09</td> <td>74.00</td> <td>-16.91</td> <td>65.87</td> <td>38.18</td> <td>16.05</td> <td>63.01</td> <td>0.00</td> <td>300</td> <td>4</td> <td>PEAK</td> </tr> <tr> <td>2</td> <td>11400.00</td> <td>47.85</td> <td>54.00</td> <td>-6.15</td> <td>56.63</td> <td>38.18</td> <td>16.05</td> <td>63.01</td> <td>0.00</td> <td>300</td> <td>4</td> <td>AVERAGE</td> </tr> <tr> <td>3</td> <td>17094.70</td> <td>61.79</td> <td>68.20</td> <td>-6.41</td> <td>63.68</td> <td>42.20</td> <td>20.06</td> <td>64.15</td> <td>0.00</td> <td>---</td> <td>---</td> <td>Peak</td> </tr> </tbody> </table>	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1	11400.00	57.09	74.00	-16.91	65.87	38.18	16.05	63.01	0.00	300	4	PEAK	2	11400.00	47.85	54.00	-6.15	56.63	38.18	16.05	63.01	0.00	300	4	AVERAGE	3	17094.70	61.79	68.20	-6.41	63.68	42.20	20.06	64.15	0.00	---	---	Peak	<table border="1"> <thead> <tr> <th>Limit</th> <th>Over</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Aux</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>Limit</th> <th>Level</th> <th>Factor</th> <th>Loss</th> <th>Factor</th> <th>Factor</th> <th></th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>11400.00</td> <td>57.20</td> <td>74.00</td> <td>-16.80</td> <td>65.98</td> <td>38.18</td> <td>16.05</td> <td>63.01</td> <td>0.00</td> <td>100</td> <td>28</td> <td>PEAK</td> </tr> <tr> <td>2</td> <td>11400.00</td> <td>46.51</td> <td>54.00</td> <td>-7.49</td> <td>55.29</td> <td>38.18</td> <td>16.05</td> <td>63.01</td> <td>0.00</td> <td>100</td> <td>28</td> <td>AVERAGE</td> </tr> <tr> <td>3</td> <td>17098.00</td> <td>65.09</td> <td>68.20</td> <td>-3.11</td> <td>66.98</td> <td>42.19</td> <td>20.07</td> <td>64.15</td> <td>0.00</td> <td>---</td> <td>---</td> <td>Peak</td> </tr> </tbody> </table>	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1	11400.00	57.20	74.00	-16.80	65.98	38.18	16.05	63.01	0.00	100	28	PEAK	2	11400.00	46.51	54.00	-7.49	55.29	38.18	16.05	63.01	0.00	100	28	AVERAGE	3	17098.00	65.09	68.20	-3.11	66.98	42.19	20.07	64.15	0.00	---	---	Peak
Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																																																																					
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor																																																																																																																																						
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																																																																																				
1	11400.00	57.09	74.00	-16.91	65.87	38.18	16.05	63.01	0.00	300	4	PEAK																																																																																																																																		
2	11400.00	47.85	54.00	-6.15	56.63	38.18	16.05	63.01	0.00	300	4	AVERAGE																																																																																																																																		
3	17094.70	61.79	68.20	-6.41	63.68	42.20	20.06	64.15	0.00	---	---	Peak																																																																																																																																		
Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																																																																					
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor																																																																																																																																						
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																																																																																				
1	11400.00	57.20	74.00	-16.80	65.98	38.18	16.05	63.01	0.00	100	28	PEAK																																																																																																																																		
2	11400.00	46.51	54.00	-7.49	55.29	38.18	16.05	63.01	0.00	100	28	AVERAGE																																																																																																																																		
3	17098.00	65.09	68.20	-3.11	66.98	42.19	20.07	64.15	0.00	---	---	Peak																																																																																																																																		



Mode	10																																																																																									
	Band Edge																																																																																									
	U-NII-1_5.15-5.25_802.11n HT20_CH36_5180MHz																																																																																									
ANT	1																																																																																									
Pol.	Horizontal	Fundamental																																																																																								
Peak	 <table border="1"> <thead> <tr> <th>Limit</th> <th>Over</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Aux</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>Limit</th> <th>Level</th> <th>Factor</th> <th>Loss</th> <th>Factor</th> <th>Factor</th> <th></th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>5145.10</td> <td>62.58</td> <td>74.00</td> <td>-11.42</td> <td>54.29</td> <td>34.74</td> <td>10.65</td> <td>37.10</td> <td>0.00</td> <td>100</td> <td>184</td> <td>PEAK</td> </tr> </tbody> </table>	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1	5145.10	62.58	74.00	-11.42	54.29	34.74	10.65	37.10	0.00	100	184	PEAK	 <table border="1"> <thead> <tr> <th>Limit</th> <th>Over</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Aux</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>Limit</th> <th>Level</th> <th>Factor</th> <th>Loss</th> <th>Factor</th> <th>Factor</th> <th></th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>5180.00</td> <td>111.64</td> <td>-----</td> <td>-----</td> <td>103.20</td> <td>34.85</td> <td>10.69</td> <td>37.10</td> <td>0.00</td> <td>100</td> <td>184</td> <td>PEAK</td> </tr> </tbody> </table>	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1	5180.00	111.64	-----	-----	103.20	34.85	10.69	37.10	0.00	100	184	PEAK
	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor																																																																																		
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																																
1	5145.10	62.58	74.00	-11.42	54.29	34.74	10.65	37.10	0.00	100	184	PEAK																																																																														
Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																	
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor																																																																																		
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																																
1	5180.00	111.64	-----	-----	103.20	34.85	10.69	37.10	0.00	100	184	PEAK																																																																														
Avg	 <table border="1"> <thead> <tr> <th>Limit</th> <th>Over</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Aux</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>Limit</th> <th>Level</th> <th>Factor</th> <th>Loss</th> <th>Factor</th> <th>Factor</th> <th></th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>5149.40</td> <td>47.90</td> <td>54.00</td> <td>-6.10</td> <td>39.60</td> <td>34.75</td> <td>10.65</td> <td>37.10</td> <td>0.00</td> <td>100</td> <td>184</td> <td>AVERAGE</td> </tr> </tbody> </table>	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1	5149.40	47.90	54.00	-6.10	39.60	34.75	10.65	37.10	0.00	100	184	AVERAGE	 <table border="1"> <thead> <tr> <th>Limit</th> <th>Over</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Aux</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>Limit</th> <th>Level</th> <th>Factor</th> <th>Loss</th> <th>Factor</th> <th>Factor</th> <th></th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>5180.00</td> <td>102.96</td> <td>-----</td> <td>-----</td> <td>94.52</td> <td>34.85</td> <td>10.69</td> <td>37.10</td> <td>0.00</td> <td>100</td> <td>184</td> <td>AVERAGE</td> </tr> </tbody> </table>	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1	5180.00	102.96	-----	-----	94.52	34.85	10.69	37.10	0.00	100	184	AVERAGE
Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																	
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor																																																																																		
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																																
1	5149.40	47.90	54.00	-6.10	39.60	34.75	10.65	37.10	0.00	100	184	AVERAGE																																																																														
Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																	
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor																																																																																		
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																																
1	5180.00	102.96	-----	-----	94.52	34.85	10.69	37.10	0.00	100	184	AVERAGE																																																																														



Mode	10																																																																																									
	Band Edge																																																																																									
	U-NII-1_5.15-5.25_802.11n HT20_CH36_5180MHz																																																																																									
ANT	1																																																																																									
Pol.	Vertical	Fundamental																																																																																								
Peak	<table border="1"> <thead> <tr> <th>Limit</th> <th>Over</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Aux</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>Limit</th> <th>Level</th> <th>Factor</th> <th>Loss</th> <th>Factor</th> <th>Factor</th> <th></th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>5149.00</td> <td>57.31</td> <td>74.00</td> <td>-16.69</td> <td>49.01</td> <td>34.75</td> <td>10.65</td> <td>37.10</td> <td>0.00</td> <td>300</td> <td>279</td> <td>PEAK</td> </tr> </tbody> </table>	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1	5149.00	57.31	74.00	-16.69	49.01	34.75	10.65	37.10	0.00	300	279	PEAK	<table border="1"> <thead> <tr> <th>Limit</th> <th>Over</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Aux</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>Limit</th> <th>Level</th> <th>Factor</th> <th>Loss</th> <th>Factor</th> <th>Factor</th> <th></th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>5180.00</td> <td>106.19</td> <td>-----</td> <td>-----</td> <td>97.75</td> <td>34.85</td> <td>10.69</td> <td>37.10</td> <td>0.00</td> <td>300</td> <td>279</td> <td>PEAK</td> </tr> </tbody> </table>	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1	5180.00	106.19	-----	-----	97.75	34.85	10.69	37.10	0.00	300	279	PEAK
	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor																																																																																		
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																																
1	5149.00	57.31	74.00	-16.69	49.01	34.75	10.65	37.10	0.00	300	279	PEAK																																																																														
Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																	
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor																																																																																		
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																																
1	5180.00	106.19	-----	-----	97.75	34.85	10.69	37.10	0.00	300	279	PEAK																																																																														
Avg	<table border="1"> <thead> <tr> <th>Limit</th> <th>Over</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Aux</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>Limit</th> <th>Level</th> <th>Factor</th> <th>Loss</th> <th>Factor</th> <th>Factor</th> <th></th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>5150.00</td> <td>42.83</td> <td>54.00</td> <td>-11.17</td> <td>34.53</td> <td>34.75</td> <td>10.65</td> <td>37.10</td> <td>0.00</td> <td>300</td> <td>279</td> <td>AVERAGE</td> </tr> </tbody> </table>	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1	5150.00	42.83	54.00	-11.17	34.53	34.75	10.65	37.10	0.00	300	279	AVERAGE	<table border="1"> <thead> <tr> <th>Limit</th> <th>Over</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Aux</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>Limit</th> <th>Level</th> <th>Factor</th> <th>Loss</th> <th>Factor</th> <th>Factor</th> <th></th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>5180.00</td> <td>98.00</td> <td>-----</td> <td>-----</td> <td>89.64</td> <td>34.85</td> <td>10.69</td> <td>37.10</td> <td>0.00</td> <td>300</td> <td>279</td> <td>AVERAGE</td> </tr> </tbody> </table>	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1	5180.00	98.00	-----	-----	89.64	34.85	10.69	37.10	0.00	300	279	AVERAGE
Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																	
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor																																																																																		
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																																
1	5150.00	42.83	54.00	-11.17	34.53	34.75	10.65	37.10	0.00	300	279	AVERAGE																																																																														
Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																	
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor																																																																																		
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																																
1	5180.00	98.00	-----	-----	89.64	34.85	10.69	37.10	0.00	300	279	AVERAGE																																																																														



Mode	10																																																																																																																																													
	Harmonic																																																																																																																																													
	U-NII-1_5.15-5.25_802.11n HT20_CH36_5180MHz																																																																																																																																													
ANT	1																																																																																																																																													
Pol.	Horizontal	Vertical																																																																																																																																												
Peak Avg	<table border="1"> <thead> <tr> <th>Limit</th> <th>Over</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Aux</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>Limit</th> <th>Level</th> <th>Factor</th> <th>Loss</th> <th>Factor</th> <th>Factor</th> <th></th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>10360.00</td> <td>46.29</td> <td>68.20</td> <td>-21.91</td> <td>57.76</td> <td>37.38</td> <td>15.30</td> <td>64.15</td> <td>0.00</td> <td>---</td> <td>---</td> <td>PEAK</td> </tr> <tr> <td>2</td> <td>15540.00</td> <td>57.24</td> <td>74.00</td> <td>-16.76</td> <td>60.09</td> <td>40.83</td> <td>19.00</td> <td>62.76</td> <td>0.00</td> <td>119</td> <td>14</td> <td>PEAK</td> </tr> <tr> <td>3</td> <td>15540.00</td> <td>45.95</td> <td>54.00</td> <td>-8.05</td> <td>48.81</td> <td>40.83</td> <td>19.00</td> <td>62.77</td> <td>0.00</td> <td>119</td> <td>14</td> <td>AVERAGE</td> </tr> </tbody> </table>	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1	10360.00	46.29	68.20	-21.91	57.76	37.38	15.30	64.15	0.00	---	---	PEAK	2	15540.00	57.24	74.00	-16.76	60.09	40.83	19.00	62.76	0.00	119	14	PEAK	3	15540.00	45.95	54.00	-8.05	48.81	40.83	19.00	62.77	0.00	119	14	AVERAGE	<table border="1"> <thead> <tr> <th>Limit</th> <th>Over</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Aux</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>Limit</th> <th>Level</th> <th>Factor</th> <th>Loss</th> <th>Factor</th> <th>Factor</th> <th></th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>10360.00</td> <td>51.06</td> <td>68.20</td> <td>-17.14</td> <td>62.53</td> <td>37.38</td> <td>15.30</td> <td>64.15</td> <td>0.00</td> <td>---</td> <td>---</td> <td>PEAK</td> </tr> <tr> <td>2</td> <td>15540.00</td> <td>59.32</td> <td>74.00</td> <td>-14.68</td> <td>62.17</td> <td>40.83</td> <td>19.00</td> <td>62.76</td> <td>0.00</td> <td>300</td> <td>328</td> <td>PEAK</td> </tr> <tr> <td>3</td> <td>15540.00</td> <td>48.53</td> <td>54.00</td> <td>-5.47</td> <td>51.40</td> <td>40.82</td> <td>19.07</td> <td>62.76</td> <td>0.00</td> <td>300</td> <td>328</td> <td>AVERAGE</td> </tr> </tbody> </table>	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1	10360.00	51.06	68.20	-17.14	62.53	37.38	15.30	64.15	0.00	---	---	PEAK	2	15540.00	59.32	74.00	-14.68	62.17	40.83	19.00	62.76	0.00	300	328	PEAK	3	15540.00	48.53	54.00	-5.47	51.40	40.82	19.07	62.76	0.00	300	328	AVERAGE
	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																																																																				
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor																																																																																																																																						
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																																																																																				
1	10360.00	46.29	68.20	-21.91	57.76	37.38	15.30	64.15	0.00	---	---	PEAK																																																																																																																																		
2	15540.00	57.24	74.00	-16.76	60.09	40.83	19.00	62.76	0.00	119	14	PEAK																																																																																																																																		
3	15540.00	45.95	54.00	-8.05	48.81	40.83	19.00	62.77	0.00	119	14	AVERAGE																																																																																																																																		
Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																																																																					
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor																																																																																																																																						
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																																																																																				
1	10360.00	51.06	68.20	-17.14	62.53	37.38	15.30	64.15	0.00	---	---	PEAK																																																																																																																																		
2	15540.00	59.32	74.00	-14.68	62.17	40.83	19.00	62.76	0.00	300	328	PEAK																																																																																																																																		
3	15540.00	48.53	54.00	-5.47	51.40	40.82	19.07	62.76	0.00	300	328	AVERAGE																																																																																																																																		



Mode	11																																																																																																																																										
	Harmonic																																																																																																																																										
	U-NII-1_5.15-5.25_802.11n HT20_CH44_5220MHz																																																																																																																																										
ANT	1																																																																																																																																										
Pol.	Horizontal	Vertical																																																																																																																																									
Peak Avg																																																																																																																																											
	<table border="1"> <thead> <tr> <th></th> <th>Limit</th> <th>Over</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Aux</th> <th>APos</th> <th>TPos</th> <th></th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>Limit</th> <th>Level</th> <th>Factor</th> <th>Loss</th> <th>Factor</th> <th>Factor</th> <th></th> <th>Remark</th> </tr> <tr> <th></th> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>10440.00</td> <td>48.46</td> <td>68.20</td> <td>-19.74</td> <td>59.75</td> <td>37.42</td> <td>15.36</td> <td>64.07</td> <td>0.00</td> <td>---</td> <td>PEAK</td> </tr> <tr> <td>2</td> <td>15660.00</td> <td>58.50</td> <td>74.00</td> <td>-15.50</td> <td>61.19</td> <td>41.05</td> <td>19.17</td> <td>62.91</td> <td>0.00</td> <td>100</td> <td>PEAK</td> </tr> <tr> <td>3</td> <td>15660.00</td> <td>47.02</td> <td>54.00</td> <td>-6.98</td> <td>49.71</td> <td>41.05</td> <td>19.16</td> <td>62.90</td> <td>0.00</td> <td>100</td> <td>AVERAGE</td> </tr> </tbody> </table>		Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	10440.00	48.46	68.20	-19.74	59.75	37.42	15.36	64.07	0.00	---	PEAK	2	15660.00	58.50	74.00	-15.50	61.19	41.05	19.17	62.91	0.00	100	PEAK	3	15660.00	47.02	54.00	-6.98	49.71	41.05	19.16	62.90	0.00	100	AVERAGE	<table border="1"> <thead> <tr> <th></th> <th>Limit</th> <th>Over</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Aux</th> <th>APos</th> <th>TPos</th> <th></th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>Limit</th> <th>Level</th> <th>Factor</th> <th>Loss</th> <th>Factor</th> <th>Factor</th> <th></th> <th>Remark</th> </tr> <tr> <th></th> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>10440.00</td> <td>47.36</td> <td>68.20</td> <td>-20.84</td> <td>58.65</td> <td>37.42</td> <td>15.36</td> <td>64.07</td> <td>0.00</td> <td>---</td> <td>PEAK</td> </tr> <tr> <td>2</td> <td>15660.00</td> <td>61.90</td> <td>74.00</td> <td>-12.10</td> <td>64.59</td> <td>41.05</td> <td>19.17</td> <td>62.91</td> <td>0.00</td> <td>100</td> <td>45 PEAK</td> </tr> <tr> <td>3</td> <td>15660.00</td> <td>50.46</td> <td>54.00</td> <td>-3.54</td> <td>53.15</td> <td>41.05</td> <td>19.16</td> <td>62.90</td> <td>0.00</td> <td>100</td> <td>45 AVERAGE</td> </tr> </tbody> </table>		Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	10440.00	47.36	68.20	-20.84	58.65	37.42	15.36	64.07	0.00	---	PEAK	2	15660.00	61.90	74.00	-12.10	64.59	41.05	19.17	62.91	0.00	100	45 PEAK	3	15660.00	50.46	54.00	-3.54	53.15	41.05	19.16	62.90	0.00	100
	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																																																																		
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark																																																																																																																																	
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																																																	
1	10440.00	48.46	68.20	-19.74	59.75	37.42	15.36	64.07	0.00	---	PEAK																																																																																																																																
2	15660.00	58.50	74.00	-15.50	61.19	41.05	19.17	62.91	0.00	100	PEAK																																																																																																																																
3	15660.00	47.02	54.00	-6.98	49.71	41.05	19.16	62.90	0.00	100	AVERAGE																																																																																																																																
	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																																																																		
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark																																																																																																																																	
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																																																	
1	10440.00	47.36	68.20	-20.84	58.65	37.42	15.36	64.07	0.00	---	PEAK																																																																																																																																
2	15660.00	61.90	74.00	-12.10	64.59	41.05	19.17	62.91	0.00	100	45 PEAK																																																																																																																																
3	15660.00	50.46	54.00	-3.54	53.15	41.05	19.16	62.90	0.00	100	45 AVERAGE																																																																																																																																



Mode	12																																																																																																																																																
	Harmonic																																																																																																																																																
	U-NII-1_5.15-5.25_802.11n HT20_CH48_5240MHz																																																																																																																																																
ANT	1																																																																																																																																																
Pol.	Horizontal	Vertical																																																																																																																																															
Peak Avg																																																																																																																																																	
	<table border="1"> <thead> <tr> <th></th> <th>Limit</th> <th>Over</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Aux</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>Limit</th> <th>Level</th> <th>Factor</th> <th>Loss</th> <th>Factor</th> <th>Factor</th> <th></th> <th></th> </tr> <tr> <th></th> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>10480.00</td> <td>49.43</td> <td>68.20</td> <td>-18.77</td> <td>60.62</td> <td>37.44</td> <td>15.39</td> <td>64.02</td> <td>0.00</td> <td>---</td> <td>---</td> <td>PEAK</td> </tr> <tr> <td>2</td> <td>15720.00</td> <td>53.41</td> <td>74.00</td> <td>-20.59</td> <td>56.01</td> <td>41.17</td> <td>19.21</td> <td>62.98</td> <td>0.00</td> <td>100</td> <td>312</td> <td>PEAK</td> </tr> <tr> <td>3</td> <td>15720.00</td> <td>43.40</td> <td>54.00</td> <td>-10.60</td> <td>46.01</td> <td>41.16</td> <td>19.21</td> <td>62.98</td> <td>0.00</td> <td>100</td> <td>312</td> <td>AVERAGE</td> </tr> </tbody> </table>		Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor				MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	10480.00	49.43	68.20	-18.77	60.62	37.44	15.39	64.02	0.00	---	---	PEAK	2	15720.00	53.41	74.00	-20.59	56.01	41.17	19.21	62.98	0.00	100	312	PEAK	3	15720.00	43.40	54.00	-10.60	46.01	41.16	19.21	62.98	0.00	100	312	AVERAGE	<table border="1"> <thead> <tr> <th></th> <th>Limit</th> <th>Over</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Aux</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>Limit</th> <th>Level</th> <th>Factor</th> <th>Loss</th> <th>Factor</th> <th>Factor</th> <th></th> <th></th> </tr> <tr> <th></th> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>10480.00</td> <td>53.02</td> <td>68.20</td> <td>-15.18</td> <td>64.21</td> <td>37.44</td> <td>15.39</td> <td>64.02</td> <td>0.00</td> <td>---</td> <td>---</td> <td>PEAK</td> </tr> <tr> <td>2</td> <td>15720.00</td> <td>61.99</td> <td>74.00</td> <td>-12.01</td> <td>64.59</td> <td>41.17</td> <td>19.21</td> <td>62.98</td> <td>0.00</td> <td>100</td> <td>43</td> <td>PEAK</td> </tr> <tr> <td>3</td> <td>15720.00</td> <td>50.44</td> <td>54.00</td> <td>-3.56</td> <td>53.04</td> <td>41.17</td> <td>19.21</td> <td>62.98</td> <td>0.00</td> <td>100</td> <td>43</td> <td>AVERAGE</td> </tr> </tbody> </table>		Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor				MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	10480.00	53.02	68.20	-15.18	64.21	37.44	15.39	64.02	0.00	---	---	PEAK	2	15720.00	61.99	74.00	-12.01	64.59	41.17	19.21	62.98	0.00	100	43	PEAK	3	15720.00	50.44	54.00	-3.56	53.04	41.17	19.21	62.98	0.00	100	43
	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																																																																							
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor																																																																																																																																									
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																																																							
1	10480.00	49.43	68.20	-18.77	60.62	37.44	15.39	64.02	0.00	---	---	PEAK																																																																																																																																					
2	15720.00	53.41	74.00	-20.59	56.01	41.17	19.21	62.98	0.00	100	312	PEAK																																																																																																																																					
3	15720.00	43.40	54.00	-10.60	46.01	41.16	19.21	62.98	0.00	100	312	AVERAGE																																																																																																																																					
	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																																																																							
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor																																																																																																																																									
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																																																							
1	10480.00	53.02	68.20	-15.18	64.21	37.44	15.39	64.02	0.00	---	---	PEAK																																																																																																																																					
2	15720.00	61.99	74.00	-12.01	64.59	41.17	19.21	62.98	0.00	100	43	PEAK																																																																																																																																					
3	15720.00	50.44	54.00	-3.56	53.04	41.17	19.21	62.98	0.00	100	43	AVERAGE																																																																																																																																					



Mode	13																																																																																																																																												
	Harmonic																																																																																																																																												
	U-NII-2A_5.25-5.35_802.11n HT20_CH52_5260MHz																																																																																																																																												
ANT	1																																																																																																																																												
Pol.	Horizontal	Vertical																																																																																																																																											
Peak Avg																																																																																																																																													
	<table border="1"> <thead> <tr> <th>Limit</th> <th>Over</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Aux</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>Limit</th> <th>Level</th> <th>Factor</th> <th>Loss</th> <th>Factor</th> <th>Factor</th> <th></th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>10520.00</td> <td>47.69</td> <td>68.20</td> <td>-20.51</td> <td>58.80</td> <td>37.46</td> <td>15.41</td> <td>63.98</td> <td>0.00</td> <td>---</td> <td>---</td> <td>PEAK</td> </tr> <tr> <td>2</td> <td>15780.00</td> <td>59.45</td> <td>74.00</td> <td>-14.55</td> <td>61.97</td> <td>41.28</td> <td>19.25</td> <td>63.05</td> <td>0.00</td> <td>360</td> <td>328</td> <td>PEAK</td> </tr> <tr> <td>3</td> <td>15780.00</td> <td>47.66</td> <td>54.00</td> <td>-6.34</td> <td>50.18</td> <td>41.28</td> <td>19.25</td> <td>63.05</td> <td>0.00</td> <td>360</td> <td>328</td> <td>AVERAGE</td> </tr> </tbody> </table>	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1	10520.00	47.69	68.20	-20.51	58.80	37.46	15.41	63.98	0.00	---	---	PEAK	2	15780.00	59.45	74.00	-14.55	61.97	41.28	19.25	63.05	0.00	360	328	PEAK	3	15780.00	47.66	54.00	-6.34	50.18	41.28	19.25	63.05	0.00	360	328	AVERAGE	<table border="1"> <thead> <tr> <th>Limit</th> <th>Over</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Aux</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>Limit</th> <th>Level</th> <th>Factor</th> <th>Loss</th> <th>Factor</th> <th>Factor</th> <th></th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>10520.00</td> <td>52.92</td> <td>68.20</td> <td>-15.28</td> <td>64.03</td> <td>37.46</td> <td>15.41</td> <td>63.98</td> <td>0.00</td> <td>300</td> <td>37</td> <td>PEAK</td> </tr> <tr> <td>2</td> <td>15780.00</td> <td>61.54</td> <td>74.00</td> <td>-12.46</td> <td>64.06</td> <td>41.28</td> <td>19.25</td> <td>63.05</td> <td>0.00</td> <td>300</td> <td>47</td> <td>PEAK</td> </tr> <tr> <td>3</td> <td>15780.00</td> <td>49.75</td> <td>54.00</td> <td>-4.25</td> <td>52.27</td> <td>41.28</td> <td>19.25</td> <td>63.05</td> <td>0.00</td> <td>300</td> <td>47</td> <td>AVERAGE</td> </tr> </tbody> </table>	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1	10520.00	52.92	68.20	-15.28	64.03	37.46	15.41	63.98	0.00	300	37	PEAK	2	15780.00	61.54	74.00	-12.46	64.06	41.28	19.25	63.05	0.00	300	47	PEAK	3	15780.00	49.75	54.00	-4.25	52.27	41.28	19.25	63.05	0.00	300	47
Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																																																																				
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor																																																																																																																																					
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																																																																																			
1	10520.00	47.69	68.20	-20.51	58.80	37.46	15.41	63.98	0.00	---	---	PEAK																																																																																																																																	
2	15780.00	59.45	74.00	-14.55	61.97	41.28	19.25	63.05	0.00	360	328	PEAK																																																																																																																																	
3	15780.00	47.66	54.00	-6.34	50.18	41.28	19.25	63.05	0.00	360	328	AVERAGE																																																																																																																																	
Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																																																																				
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor																																																																																																																																					
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																																																																																			
1	10520.00	52.92	68.20	-15.28	64.03	37.46	15.41	63.98	0.00	300	37	PEAK																																																																																																																																	
2	15780.00	61.54	74.00	-12.46	64.06	41.28	19.25	63.05	0.00	300	47	PEAK																																																																																																																																	
3	15780.00	49.75	54.00	-4.25	52.27	41.28	19.25	63.05	0.00	300	47	AVERAGE																																																																																																																																	



Mode	14																																																																																																																																																																						
	Harmonic																																																																																																																																																																						
	U-NII-2A_5.25-5.35_802.11n HT20_CH60_5300MHz																																																																																																																																																																						
ANT	1																																																																																																																																																																						
Pol.	Horizontal	Vertical																																																																																																																																																																					
Peak Avg																																																																																																																																																																							
	<table border="1"> <thead> <tr> <th>Limit</th> <th>Over</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Aux</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>Limit</th> <th>Level</th> <th>Factor</th> <th>Loss</th> <th>Factor</th> <th>Factor</th> <th></th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>10600.00</td> <td>59.17</td> <td>68.20</td> <td>-9.03</td> <td>70.09</td> <td>37.50</td> <td>15.47</td> <td>63.89</td> <td>0.00</td> <td>105</td> <td>293</td> <td>PEAK</td> </tr> <tr> <td>2</td> <td>10600.00</td> <td>49.07</td> <td>54.00</td> <td>-4.93</td> <td>59.99</td> <td>37.50</td> <td>15.47</td> <td>63.89</td> <td>0.00</td> <td>105</td> <td>293</td> <td>AVERAGE</td> </tr> <tr> <td>3</td> <td>15900.00</td> <td>59.94</td> <td>74.00</td> <td>-14.06</td> <td>62.29</td> <td>41.51</td> <td>19.34</td> <td>63.20</td> <td>0.00</td> <td>100</td> <td>308</td> <td>PEAK</td> </tr> <tr> <td>4</td> <td>15900.00</td> <td>48.05</td> <td>54.00</td> <td>-5.95</td> <td>50.39</td> <td>41.51</td> <td>19.35</td> <td>63.20</td> <td>0.00</td> <td>100</td> <td>308</td> <td>AVERAGE</td> </tr> </tbody> </table>	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1	10600.00	59.17	68.20	-9.03	70.09	37.50	15.47	63.89	0.00	105	293	PEAK	2	10600.00	49.07	54.00	-4.93	59.99	37.50	15.47	63.89	0.00	105	293	AVERAGE	3	15900.00	59.94	74.00	-14.06	62.29	41.51	19.34	63.20	0.00	100	308	PEAK	4	15900.00	48.05	54.00	-5.95	50.39	41.51	19.35	63.20	0.00	100	308	AVERAGE	<table border="1"> <thead> <tr> <th>Limit</th> <th>Over</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Aux</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>Limit</th> <th>Level</th> <th>Factor</th> <th>Loss</th> <th>Factor</th> <th>Factor</th> <th></th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>10600.00</td> <td>55.06</td> <td>68.20</td> <td>-13.14</td> <td>65.98</td> <td>37.50</td> <td>15.47</td> <td>63.89</td> <td>0.00</td> <td>391</td> <td>35</td> <td>PEAK</td> </tr> <tr> <td>2</td> <td>10600.00</td> <td>45.71</td> <td>54.00</td> <td>-8.29</td> <td>56.63</td> <td>37.50</td> <td>15.47</td> <td>63.89</td> <td>0.00</td> <td>391</td> <td>35</td> <td>AVERAGE</td> </tr> <tr> <td>3</td> <td>15900.00</td> <td>61.97</td> <td>74.00</td> <td>-12.03</td> <td>64.32</td> <td>41.51</td> <td>19.34</td> <td>63.20</td> <td>0.00</td> <td>304</td> <td>44</td> <td>PEAK</td> </tr> <tr> <td>4</td> <td>15900.00</td> <td>50.83</td> <td>54.00</td> <td>-3.17</td> <td>53.18</td> <td>41.51</td> <td>19.34</td> <td>63.20</td> <td>0.00</td> <td>304</td> <td>44</td> <td>AVERAGE</td> </tr> </tbody> </table>	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1	10600.00	55.06	68.20	-13.14	65.98	37.50	15.47	63.89	0.00	391	35	PEAK	2	10600.00	45.71	54.00	-8.29	56.63	37.50	15.47	63.89	0.00	391	35	AVERAGE	3	15900.00	61.97	74.00	-12.03	64.32	41.51	19.34	63.20	0.00	304	44	PEAK	4	15900.00	50.83	54.00	-3.17	53.18	41.51	19.34	63.20	0.00	304	44
Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																																																																																														
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor																																																																																																																																																															
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																																																																																																													
1	10600.00	59.17	68.20	-9.03	70.09	37.50	15.47	63.89	0.00	105	293	PEAK																																																																																																																																																											
2	10600.00	49.07	54.00	-4.93	59.99	37.50	15.47	63.89	0.00	105	293	AVERAGE																																																																																																																																																											
3	15900.00	59.94	74.00	-14.06	62.29	41.51	19.34	63.20	0.00	100	308	PEAK																																																																																																																																																											
4	15900.00	48.05	54.00	-5.95	50.39	41.51	19.35	63.20	0.00	100	308	AVERAGE																																																																																																																																																											
Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																																																																																														
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor																																																																																																																																																															
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																																																																																																													
1	10600.00	55.06	68.20	-13.14	65.98	37.50	15.47	63.89	0.00	391	35	PEAK																																																																																																																																																											
2	10600.00	45.71	54.00	-8.29	56.63	37.50	15.47	63.89	0.00	391	35	AVERAGE																																																																																																																																																											
3	15900.00	61.97	74.00	-12.03	64.32	41.51	19.34	63.20	0.00	304	44	PEAK																																																																																																																																																											
4	15900.00	50.83	54.00	-3.17	53.18	41.51	19.34	63.20	0.00	304	44	AVERAGE																																																																																																																																																											



Mode	15																																																																																	
	Band Edge																																																																																	
	U-NII-2A_5.25-5.35_802.11n HT20_CH64_5320MHz																																																																																	
ANT	1																																																																																	
Pol.	Horizontal	Fundamental																																																																																
Peak	<table border="1"> <thead> <tr> <th>Limit</th> <th>Over</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Aux</th> <th>APos</th> <th>TPos</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>Limit</th> <th>Level</th> <th>Factor</th> <th>Loss</th> <th>Factor</th> <th>Factor</th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>cm</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>5350.24</td> <td>60.73</td> <td>74.00</td> <td>-13.27</td> <td>52.01</td> <td>34.95</td> <td>10.84</td> <td>37.07</td> <td>0.00</td> <td>100</td> <td>180</td> <td>PEAK</td> </tr> </tbody> </table>	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos	Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	1	5350.24	60.73	74.00	-13.27	52.01	34.95	10.84	37.07	0.00	100	180	PEAK	<table border="1"> <thead> <tr> <th>Limit</th> <th>Over</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Aux</th> <th>APos</th> <th>TPos</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>Limit</th> <th>Level</th> <th>Factor</th> <th>Loss</th> <th>Factor</th> <th>Factor</th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>cm</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>5320.00</td> <td>110.02</td> <td>-----</td> <td>-----</td> <td>101.37</td> <td>34.92</td> <td>10.81</td> <td>37.08</td> <td>0.00</td> <td>100</td> <td>180</td> <td>PEAK</td> </tr> </tbody> </table>	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos	Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	1	5320.00	110.02	-----	-----	101.37	34.92	10.81	37.08	0.00	100	180	PEAK
	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																									
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor																																																																										
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm																																																																										
1	5350.24	60.73	74.00	-13.27	52.01	34.95	10.84	37.07	0.00	100	180	PEAK																																																																						
Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																										
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor																																																																										
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm																																																																										
1	5320.00	110.02	-----	-----	101.37	34.92	10.81	37.08	0.00	100	180	PEAK																																																																						
Avg	<table border="1"> <thead> <tr> <th>Limit</th> <th>Over</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Aux</th> <th>APos</th> <th>TPos</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>Limit</th> <th>Level</th> <th>Factor</th> <th>Loss</th> <th>Factor</th> <th>Factor</th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>cm</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>5350.38</td> <td>48.88</td> <td>54.00</td> <td>-5.12</td> <td>40.16</td> <td>34.95</td> <td>10.84</td> <td>37.07</td> <td>0.00</td> <td>100</td> <td>180</td> <td>AVERAGE</td> </tr> </tbody> </table>	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos	Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	1	5350.38	48.88	54.00	-5.12	40.16	34.95	10.84	37.07	0.00	100	180	AVERAGE	<table border="1"> <thead> <tr> <th>Limit</th> <th>Over</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Aux</th> <th>APos</th> <th>TPos</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>Limit</th> <th>Level</th> <th>Factor</th> <th>Loss</th> <th>Factor</th> <th>Factor</th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>cm</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>5320.00</td> <td>102.01</td> <td>-----</td> <td>-----</td> <td>93.34</td> <td>34.93</td> <td>10.82</td> <td>37.08</td> <td>0.00</td> <td>100</td> <td>180</td> <td>AVERAGE</td> </tr> </tbody> </table>	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos	Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	1	5320.00	102.01	-----	-----	93.34	34.93	10.82	37.08	0.00	100	180	AVERAGE
Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																										
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor																																																																										
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm																																																																										
1	5350.38	48.88	54.00	-5.12	40.16	34.95	10.84	37.07	0.00	100	180	AVERAGE																																																																						
Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																										
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor																																																																										
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm																																																																										
1	5320.00	102.01	-----	-----	93.34	34.93	10.82	37.08	0.00	100	180	AVERAGE																																																																						



Mode	15																																																																																							
	Band Edge																																																																																							
	U-NII-2A_5.25-5.35_802.11n HT20_CH64_5320MHz																																																																																							
ANT	1																																																																																							
Pol.	Vertical	Fundamental																																																																																						
Peak	<table border="1"> <thead> <tr> <th>Limit</th> <th>Over</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Aux</th> <th>APos</th> <th>TPos</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>Limit</th> <th>Level</th> <th>Factor</th> <th>Loss</th> <th>Factor</th> <th>Factor</th> <th>Remark</th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>5352.62</td> <td>61.85</td> <td>74.00</td> <td>-12.15</td> <td>53.13</td> <td>34.95</td> <td>10.84</td> <td>37.07</td> <td>0.00</td> <td>400</td> <td>268</td> <td>PEAK</td> </tr> </tbody> </table>	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos	Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor	Remark	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1	5352.62	61.85	74.00	-12.15	53.13	34.95	10.84	37.07	0.00	400	268	PEAK	<table border="1"> <thead> <tr> <th>Limit</th> <th>Over</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Aux</th> <th>APos</th> <th>TPos</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>Limit</th> <th>Level</th> <th>Factor</th> <th>Loss</th> <th>Factor</th> <th>Factor</th> <th>Remark</th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>5320.00</td> <td>109.48</td> <td>-----</td> <td>-----</td> <td>100.81</td> <td>34.93</td> <td>10.82</td> <td>37.08</td> <td>0.00</td> <td>400</td> <td>268</td> <td>PEAK</td> </tr> </tbody> </table>	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos	Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor	Remark	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1	5320.00	109.48	-----	-----	100.81	34.93	10.82	37.08	0.00	400	268	PEAK
	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																															
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor	Remark																																																																															
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																														
1	5352.62	61.85	74.00	-12.15	53.13	34.95	10.84	37.07	0.00	400	268	PEAK																																																																												
Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor	Remark																																																																															
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																														
1	5320.00	109.48	-----	-----	100.81	34.93	10.82	37.08	0.00	400	268	PEAK																																																																												
Avg	<table border="1"> <thead> <tr> <th>Limit</th> <th>Over</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Aux</th> <th>APos</th> <th>TPos</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>Limit</th> <th>Level</th> <th>Factor</th> <th>Loss</th> <th>Factor</th> <th>Factor</th> <th>Remark</th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>5350.24</td> <td>46.40</td> <td>54.00</td> <td>-7.60</td> <td>37.68</td> <td>34.95</td> <td>10.84</td> <td>37.07</td> <td>0.00</td> <td>400</td> <td>268</td> <td>AVERAGE</td> </tr> </tbody> </table>	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos	Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor	Remark	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1	5350.24	46.40	54.00	-7.60	37.68	34.95	10.84	37.07	0.00	400	268	AVERAGE	<table border="1"> <thead> <tr> <th>Limit</th> <th>Over</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Aux</th> <th>APos</th> <th>TPos</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>Limit</th> <th>Level</th> <th>Factor</th> <th>Loss</th> <th>Factor</th> <th>Factor</th> <th>Remark</th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>5320.00</td> <td>101.14</td> <td>-----</td> <td>-----</td> <td>92.47</td> <td>34.93</td> <td>10.82</td> <td>37.08</td> <td>0.00</td> <td>400</td> <td>268</td> <td>AVERAGE</td> </tr> </tbody> </table>	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos	Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor	Remark	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1	5320.00	101.14	-----	-----	92.47	34.93	10.82	37.08	0.00	400	268	AVERAGE
Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor	Remark																																																																															
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																														
1	5350.24	46.40	54.00	-7.60	37.68	34.95	10.84	37.07	0.00	400	268	AVERAGE																																																																												
Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor	Remark																																																																															
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																														
1	5320.00	101.14	-----	-----	92.47	34.93	10.82	37.08	0.00	400	268	AVERAGE																																																																												



Mode	15																																																																																																																																																																					
	Harmonic																																																																																																																																																																					
	U-NII-2A_5.25-5.35_802.11n HT20_CH64_5320MHz																																																																																																																																																																					
ANT	1																																																																																																																																																																					
Pol.	Horizontal	Vertical																																																																																																																																																																				
Peak Avg																																																																																																																																																																						
	<table border="1"> <thead> <tr> <th>Limit</th> <th>Over</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Aux</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>Limit</th> <th>Level</th> <th>Factor</th> <th>Loss</th> <th>Factor</th> <th>Factor</th> <th></th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>10641.00</td> <td>53.71</td> <td>74.00</td> <td>-20.29</td> <td>64.53</td> <td>37.52</td> <td>15.50</td> <td>63.84</td> <td>0.00</td> <td>300</td> <td>8</td> <td>Peak</td> </tr> <tr> <td>2</td> <td>10641.00</td> <td>44.07</td> <td>54.00</td> <td>-9.93</td> <td>54.89</td> <td>37.52</td> <td>15.50</td> <td>63.84</td> <td>0.00</td> <td>300</td> <td>8</td> <td>Average</td> </tr> <tr> <td>3</td> <td>15960.00</td> <td>56.74</td> <td>74.00</td> <td>-17.26</td> <td>59.00</td> <td>41.62</td> <td>19.39</td> <td>63.27</td> <td>0.00</td> <td>103</td> <td>59</td> <td>PEAK</td> </tr> <tr> <td>4</td> <td>15960.00</td> <td>45.22</td> <td>54.00</td> <td>-8.78</td> <td>47.48</td> <td>41.62</td> <td>19.39</td> <td>63.27</td> <td>0.00</td> <td>103</td> <td>59</td> <td>AVERAGE</td> </tr> </tbody> </table>	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	10641.00	53.71	74.00	-20.29	64.53	37.52	15.50	63.84	0.00	300	8	Peak	2	10641.00	44.07	54.00	-9.93	54.89	37.52	15.50	63.84	0.00	300	8	Average	3	15960.00	56.74	74.00	-17.26	59.00	41.62	19.39	63.27	0.00	103	59	PEAK	4	15960.00	45.22	54.00	-8.78	47.48	41.62	19.39	63.27	0.00	103	59	AVERAGE	<table border="1"> <thead> <tr> <th>Limit</th> <th>Over</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Aux</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>Limit</th> <th>Level</th> <th>Factor</th> <th>Loss</th> <th>Factor</th> <th>Factor</th> <th></th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>10640.00</td> <td>51.92</td> <td>74.00</td> <td>-22.08</td> <td>62.75</td> <td>37.52</td> <td>15.50</td> <td>63.85</td> <td>0.00</td> <td>300</td> <td>0</td> <td>PEAK</td> </tr> <tr> <td>2</td> <td>10640.00</td> <td>42.88</td> <td>54.00</td> <td>-11.12</td> <td>53.71</td> <td>37.52</td> <td>15.50</td> <td>63.85</td> <td>0.00</td> <td>300</td> <td>0</td> <td>AVERAGE</td> </tr> <tr> <td>3</td> <td>15960.00</td> <td>57.75</td> <td>74.00</td> <td>-16.25</td> <td>60.01</td> <td>41.62</td> <td>19.39</td> <td>63.27</td> <td>0.00</td> <td>239</td> <td>162</td> <td>PEAK</td> </tr> <tr> <td>4</td> <td>15960.00</td> <td>46.13</td> <td>54.00</td> <td>-7.87</td> <td>48.38</td> <td>41.62</td> <td>19.39</td> <td>63.27</td> <td>0.00</td> <td>239</td> <td>162</td> <td>AVERAGE</td> </tr> </tbody> </table>	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1	10640.00	51.92	74.00	-22.08	62.75	37.52	15.50	63.85	0.00	300	0	PEAK	2	10640.00	42.88	54.00	-11.12	53.71	37.52	15.50	63.85	0.00	300	0	AVERAGE	3	15960.00	57.75	74.00	-16.25	60.01	41.62	19.39	63.27	0.00	239	162	PEAK	4	15960.00	46.13	54.00	-7.87	48.38	41.62	19.39	63.27	0.00	239	162
Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																																																																																													
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor																																																																																																																																																														
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																																																																													
1	10641.00	53.71	74.00	-20.29	64.53	37.52	15.50	63.84	0.00	300	8	Peak																																																																																																																																																										
2	10641.00	44.07	54.00	-9.93	54.89	37.52	15.50	63.84	0.00	300	8	Average																																																																																																																																																										
3	15960.00	56.74	74.00	-17.26	59.00	41.62	19.39	63.27	0.00	103	59	PEAK																																																																																																																																																										
4	15960.00	45.22	54.00	-8.78	47.48	41.62	19.39	63.27	0.00	103	59	AVERAGE																																																																																																																																																										
Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																																																																																													
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor																																																																																																																																																														
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																																																																																																												
1	10640.00	51.92	74.00	-22.08	62.75	37.52	15.50	63.85	0.00	300	0	PEAK																																																																																																																																																										
2	10640.00	42.88	54.00	-11.12	53.71	37.52	15.50	63.85	0.00	300	0	AVERAGE																																																																																																																																																										
3	15960.00	57.75	74.00	-16.25	60.01	41.62	19.39	63.27	0.00	239	162	PEAK																																																																																																																																																										
4	15960.00	46.13	54.00	-7.87	48.38	41.62	19.39	63.27	0.00	239	162	AVERAGE																																																																																																																																																										



Mode	16																																																																																																						
	Band Edge																																																																																																						
	U-NII-2C_5.47-5.725_802.11n HT20_CH100_5500MHz																																																																																																						
ANT	1																																																																																																						
Pol.	Horizontal	Fundamental																																																																																																					
Peak	<table border="1"> <thead> <tr> <th>Limit</th> <th>Over</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Aux</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>Limit</th> <th>Level</th> <th>Factor</th> <th>Loss</th> <th>Factor</th> <th>Factor</th> <th></th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>5459.44</td> <td>52.75</td> <td>74.00</td> <td>-21.25</td> <td>43.96</td> <td>34.88</td> <td>10.97</td> <td>37.06</td> <td>0.00</td> <td>100</td> <td>233</td> <td>PEAK</td> </tr> <tr> <td>2</td> <td>5468.56</td> <td>60.31</td> <td>68.20</td> <td>-7.89</td> <td>51.52</td> <td>34.86</td> <td>10.98</td> <td>37.05</td> <td>0.00</td> <td>100</td> <td>233</td> <td>PEAK</td> </tr> </tbody> </table>	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1	5459.44	52.75	74.00	-21.25	43.96	34.88	10.97	37.06	0.00	100	233	PEAK	2	5468.56	60.31	68.20	-7.89	51.52	34.86	10.98	37.05	0.00	100	233	PEAK	<table border="1"> <thead> <tr> <th>Limit</th> <th>Over</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Aux</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>Limit</th> <th>Level</th> <th>Factor</th> <th>Loss</th> <th>Factor</th> <th>Factor</th> <th></th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>5500.00</td> <td>112.39</td> <td>-----</td> <td>-----</td> <td>103.62</td> <td>34.80</td> <td>11.02</td> <td>37.05</td> <td>0.00</td> <td>100</td> <td>233</td> <td>PEAK</td> </tr> </tbody> </table>	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1	5500.00	112.39	-----	-----	103.62	34.80	11.02	37.05	0.00	100	233	PEAK
Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																														
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor																																																																																															
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																																													
1	5459.44	52.75	74.00	-21.25	43.96	34.88	10.97	37.06	0.00	100	233	PEAK																																																																																											
2	5468.56	60.31	68.20	-7.89	51.52	34.86	10.98	37.05	0.00	100	233	PEAK																																																																																											
Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																														
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor																																																																																															
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																																													
1	5500.00	112.39	-----	-----	103.62	34.80	11.02	37.05	0.00	100	233	PEAK																																																																																											
Avg	<table border="1"> <thead> <tr> <th>Limit</th> <th>Over</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Aux</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>Limit</th> <th>Level</th> <th>Factor</th> <th>Loss</th> <th>Factor</th> <th>Factor</th> <th></th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>5458.48</td> <td>42.16</td> <td>54.00</td> <td>-11.84</td> <td>33.37</td> <td>34.88</td> <td>10.97</td> <td>37.06</td> <td>0.00</td> <td>100</td> <td>233</td> <td>AVERAGE</td> </tr> </tbody> </table>	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1	5458.48	42.16	54.00	-11.84	33.37	34.88	10.97	37.06	0.00	100	233	AVERAGE	<table border="1"> <thead> <tr> <th>Limit</th> <th>Over</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Aux</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>Limit</th> <th>Level</th> <th>Factor</th> <th>Loss</th> <th>Factor</th> <th>Factor</th> <th></th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>5500.00</td> <td>103.50</td> <td>-----</td> <td>-----</td> <td>94.70</td> <td>34.82</td> <td>11.03</td> <td>37.05</td> <td>0.00</td> <td>100</td> <td>233</td> <td>AVERAGE</td> </tr> </tbody> </table>	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1	5500.00	103.50	-----	-----	94.70	34.82	11.03	37.05	0.00	100	233	AVERAGE													
Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																														
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor																																																																																															
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																																													
1	5458.48	42.16	54.00	-11.84	33.37	34.88	10.97	37.06	0.00	100	233	AVERAGE																																																																																											
Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																														
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor																																																																																															
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																																													
1	5500.00	103.50	-----	-----	94.70	34.82	11.03	37.05	0.00	100	233	AVERAGE																																																																																											

Note: The higher Signals which are no mark are within frequency band can be ignored.



Mode	16																																																																																																			
	Band Edge																																																																																																			
	U-NII-2C_5.47-5.725_802.11n HT20_CH100_5500MHz																																																																																																			
ANT	1																																																																																																			
Pol.	Vertical	Fundamental																																																																																																		
Peak	<table border="1"> <thead> <tr> <th>Limit</th> <th>Over</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Aux</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>Limit</th> <th>Level</th> <th>Factor</th> <th>Loss</th> <th>Factor</th> <th>Factor</th> <th></th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1 5458.32</td> <td>53.09</td> <td>74.00</td> <td>-20.91</td> <td>44.30</td> <td>34.88</td> <td>10.97</td> <td>37.06</td> <td>0.00</td> <td>375</td> <td>244</td> <td>PEAK</td> </tr> <tr> <td>2 5466.64</td> <td>62.20</td> <td>68.20</td> <td>-6.00</td> <td>53.41</td> <td>34.87</td> <td>10.98</td> <td>37.06</td> <td>0.00</td> <td>375</td> <td>244</td> <td>PEAK</td> </tr> </tbody> </table>	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1 5458.32	53.09	74.00	-20.91	44.30	34.88	10.97	37.06	0.00	375	244	PEAK	2 5466.64	62.20	68.20	-6.00	53.41	34.87	10.98	37.06	0.00	375	244	PEAK	<table border="1"> <thead> <tr> <th>Limit</th> <th>Over</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Aux</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>Limit</th> <th>Level</th> <th>Factor</th> <th>Loss</th> <th>Factor</th> <th>Factor</th> <th></th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1 5500.00</td> <td>110.26</td> <td>-----</td> <td>-----</td> <td>101.46</td> <td>34.82</td> <td>11.03</td> <td>37.05</td> <td>0.00</td> <td>375</td> <td>244</td> <td>PEAK</td> </tr> </tbody> </table>	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1 5500.00	110.26	-----	-----	101.46	34.82	11.03	37.05	0.00	375	244	PEAK
Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																											
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor																																																																																												
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																																										
1 5458.32	53.09	74.00	-20.91	44.30	34.88	10.97	37.06	0.00	375	244	PEAK																																																																																									
2 5466.64	62.20	68.20	-6.00	53.41	34.87	10.98	37.06	0.00	375	244	PEAK																																																																																									
Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																											
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor																																																																																												
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																																										
1 5500.00	110.26	-----	-----	101.46	34.82	11.03	37.05	0.00	375	244	PEAK																																																																																									
Avg	<table border="1"> <thead> <tr> <th>Limit</th> <th>Over</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Aux</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>Limit</th> <th>Level</th> <th>Factor</th> <th>Loss</th> <th>Factor</th> <th>Factor</th> <th></th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1 5459.92</td> <td>40.23</td> <td>54.00</td> <td>-13.77</td> <td>31.44</td> <td>34.88</td> <td>10.97</td> <td>37.06</td> <td>0.00</td> <td>375</td> <td>244</td> <td>AVERAGE</td> </tr> </tbody> </table>	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1 5459.92	40.23	54.00	-13.77	31.44	34.88	10.97	37.06	0.00	375	244	AVERAGE	<table border="1"> <thead> <tr> <th>Limit</th> <th>Over</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Aux</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>Limit</th> <th>Level</th> <th>Factor</th> <th>Loss</th> <th>Factor</th> <th>Factor</th> <th></th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1 5500.00</td> <td>101.50</td> <td>-----</td> <td>-----</td> <td>92.70</td> <td>34.82</td> <td>11.03</td> <td>37.05</td> <td>0.00</td> <td>375</td> <td>244</td> <td>AVERAGE</td> </tr> </tbody> </table>	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1 5500.00	101.50	-----	-----	92.70	34.82	11.03	37.05	0.00	375	244	AVERAGE												
Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																											
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor																																																																																												
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																																										
1 5459.92	40.23	54.00	-13.77	31.44	34.88	10.97	37.06	0.00	375	244	AVERAGE																																																																																									
Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																											
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor																																																																																												
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																																										
1 5500.00	101.50	-----	-----	92.70	34.82	11.03	37.05	0.00	375	244	AVERAGE																																																																																									

Note: The higher Signals which are no mark are within frequency band can be ignored.



Mode	16																																																																																																																																										
	Harmonic																																																																																																																																										
	U-NII-2C_5.47-5.725_802.11n HT20_CH100_5500MHz																																																																																																																																										
ANT	1																																																																																																																																										
Pol.	Horizontal	Vertical																																																																																																																																									
Peak Avg																																																																																																																																											
	<table border="1"> <thead> <tr> <th></th> <th>Limit</th> <th>Over</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Aux</th> <th>APos</th> <th>TPos</th> <th></th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>Limit</th> <th>Level</th> <th>Factor</th> <th>Loss</th> <th>Factor</th> <th>Factor</th> <th></th> <th>Remark</th> </tr> <tr> <th></th> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>11000.70</td> <td>55.99</td> <td>74.00</td> <td>-18.01</td> <td>65.98</td> <td>37.70</td> <td>15.76</td> <td>63.45</td> <td>0.00</td> <td>100</td> <td>75 Peak</td> </tr> <tr> <td>2</td> <td>11000.70</td> <td>45.88</td> <td>54.00</td> <td>-8.12</td> <td>55.87</td> <td>37.70</td> <td>15.76</td> <td>63.45</td> <td>0.00</td> <td>100</td> <td>75 Average</td> </tr> <tr> <td>3</td> <td>16500.00</td> <td>56.55</td> <td>68.20</td> <td>-11.65</td> <td>58.59</td> <td>41.99</td> <td>19.69</td> <td>63.72</td> <td>0.00</td> <td>100</td> <td>28 PEAK</td> </tr> </tbody> </table>		Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	11000.70	55.99	74.00	-18.01	65.98	37.70	15.76	63.45	0.00	100	75 Peak	2	11000.70	45.88	54.00	-8.12	55.87	37.70	15.76	63.45	0.00	100	75 Average	3	16500.00	56.55	68.20	-11.65	58.59	41.99	19.69	63.72	0.00	100	28 PEAK	<table border="1"> <thead> <tr> <th></th> <th>Limit</th> <th>Over</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Aux</th> <th>APos</th> <th>TPos</th> <th></th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>Limit</th> <th>Level</th> <th>Factor</th> <th>Loss</th> <th>Factor</th> <th>Factor</th> <th></th> <th>Remark</th> </tr> <tr> <th></th> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>11000.00</td> <td>60.59</td> <td>74.00</td> <td>-13.41</td> <td>70.58</td> <td>37.70</td> <td>15.76</td> <td>63.45</td> <td>0.00</td> <td>284</td> <td>352 PEAK</td> </tr> <tr> <td>2</td> <td>11000.00</td> <td>49.23</td> <td>54.00</td> <td>-4.77</td> <td>59.22</td> <td>37.70</td> <td>15.76</td> <td>63.45</td> <td>0.00</td> <td>284</td> <td>352 AVERAGE</td> </tr> <tr> <td>3</td> <td>16500.00</td> <td>59.56</td> <td>68.20</td> <td>-8.64</td> <td>61.59</td> <td>42.00</td> <td>19.70</td> <td>63.73</td> <td>0.00</td> <td>300</td> <td>200 PEAK</td> </tr> </tbody> </table>		Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	11000.00	60.59	74.00	-13.41	70.58	37.70	15.76	63.45	0.00	284	352 PEAK	2	11000.00	49.23	54.00	-4.77	59.22	37.70	15.76	63.45	0.00	284	352 AVERAGE	3	16500.00	59.56	68.20	-8.64	61.59	42.00	19.70	63.73	0.00	300
	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																																																																		
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark																																																																																																																																	
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																																																	
1	11000.70	55.99	74.00	-18.01	65.98	37.70	15.76	63.45	0.00	100	75 Peak																																																																																																																																
2	11000.70	45.88	54.00	-8.12	55.87	37.70	15.76	63.45	0.00	100	75 Average																																																																																																																																
3	16500.00	56.55	68.20	-11.65	58.59	41.99	19.69	63.72	0.00	100	28 PEAK																																																																																																																																
	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																																																																		
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark																																																																																																																																	
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																																																	
1	11000.00	60.59	74.00	-13.41	70.58	37.70	15.76	63.45	0.00	284	352 PEAK																																																																																																																																
2	11000.00	49.23	54.00	-4.77	59.22	37.70	15.76	63.45	0.00	284	352 AVERAGE																																																																																																																																
3	16500.00	59.56	68.20	-8.64	61.59	42.00	19.70	63.73	0.00	300	200 PEAK																																																																																																																																



Mode	17																																																																																																													
	Harmonic																																																																																																													
	U-NII-2C_5.47-5.725_802.11n HT20_CH116_5580MHz																																																																																																													
ANT	1																																																																																																													
Pol.	Horizontal	Vertical																																																																																																												
Peak Avg	<table border="1"> <thead> <tr> <th>Freq</th> <th>Level</th> <th>Limit</th> <th>Over</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Aux</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> <th></th> </tr> </thead> <tbody> <tr> <td>1 11160.00</td> <td>57.01</td> <td>74.00</td> <td>-16.99</td> <td>66.51</td> <td>37.89</td> <td>15.88</td> <td>63.27</td> <td>0.00</td> <td>388</td> <td>352</td> <td>PEAK</td> </tr> <tr> <td>2 11160.00</td> <td>46.81</td> <td>54.00</td> <td>-7.19</td> <td>56.31</td> <td>37.89</td> <td>15.88</td> <td>63.27</td> <td>0.00</td> <td>388</td> <td>352</td> <td>AVERAGE</td> </tr> </tbody> </table>	Freq	Level	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg		1 11160.00	57.01	74.00	-16.99	66.51	37.89	15.88	63.27	0.00	388	352	PEAK	2 11160.00	46.81	54.00	-7.19	56.31	37.89	15.88	63.27	0.00	388	352	AVERAGE	<table border="1"> <thead> <tr> <th>Freq</th> <th>Level</th> <th>Limit</th> <th>Over</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Aux</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> <th></th> </tr> </thead> <tbody> <tr> <td>1 11160.00</td> <td>61.75</td> <td>74.00</td> <td>-12.25</td> <td>71.25</td> <td>37.89</td> <td>15.88</td> <td>63.27</td> <td>0.00</td> <td>388</td> <td>219</td> <td>PEAK</td> </tr> <tr> <td>2 11160.00</td> <td>50.83</td> <td>54.00</td> <td>-3.17</td> <td>60.33</td> <td>37.89</td> <td>15.88</td> <td>63.27</td> <td>0.00</td> <td>388</td> <td>219</td> <td>AVERAGE</td> </tr> <tr> <td>3 16740.00</td> <td>59.00</td> <td>68.20</td> <td>-9.20</td> <td>60.93</td> <td>42.15</td> <td>19.84</td> <td>63.92</td> <td>0.00</td> <td>388</td> <td>219</td> <td>PEAK</td> </tr> </tbody> </table>	Freq	Level	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg		1 11160.00	61.75	74.00	-12.25	71.25	37.89	15.88	63.27	0.00	388	219	PEAK	2 11160.00	50.83	54.00	-3.17	60.33	37.89	15.88	63.27	0.00	388	219	AVERAGE	3 16740.00	59.00	68.20	-9.20	60.93	42.15	19.84	63.92	0.00	388	219	PEAK
	Freq	Level	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																																		
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																																																				
1 11160.00	57.01	74.00	-16.99	66.51	37.89	15.88	63.27	0.00	388	352	PEAK																																																																																																			
2 11160.00	46.81	54.00	-7.19	56.31	37.89	15.88	63.27	0.00	388	352	AVERAGE																																																																																																			
Freq	Level	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																																			
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																																																				
1 11160.00	61.75	74.00	-12.25	71.25	37.89	15.88	63.27	0.00	388	219	PEAK																																																																																																			
2 11160.00	50.83	54.00	-3.17	60.33	37.89	15.88	63.27	0.00	388	219	AVERAGE																																																																																																			
3 16740.00	59.00	68.20	-9.20	60.93	42.15	19.84	63.92	0.00	388	219	PEAK																																																																																																			



Mode	18																																																																																	
	Band Edge																																																																																	
	U-NII-2C_5.47-5.725_802.11n HT20_CH140_5700MHz																																																																																	
ANT	1																																																																																	
Pol.	Horizontal	Fundamental																																																																																
Peak	<table border="1"> <thead> <tr> <th>Limit</th> <th>Over</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Aux</th> <th>APos</th> <th>TPos</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>Limit</th> <th>Level</th> <th>Factor</th> <th>Loss</th> <th>Factor</th> <th>Factor</th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>dB</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>5728.04</td> <td>65.17</td> <td>68.20</td> <td>-3.03</td> <td>55.63</td> <td>35.36</td> <td>11.33</td> <td>37.15</td> <td>0.00</td> <td>100</td> <td>239</td> <td>PEAK</td> </tr> </tbody> </table>	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos	Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	1	5728.04	65.17	68.20	-3.03	55.63	35.36	11.33	37.15	0.00	100	239	PEAK	<table border="1"> <thead> <tr> <th>Limit</th> <th>Over</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Aux</th> <th>APos</th> <th>TPos</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>Limit</th> <th>Level</th> <th>Factor</th> <th>Loss</th> <th>Factor</th> <th>Factor</th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>dB</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>5700.00</td> <td>111.18</td> <td>-----</td> <td>-----</td> <td>101.69</td> <td>35.31</td> <td>11.30</td> <td>37.12</td> <td>0.00</td> <td>100</td> <td>239</td> <td>PEAK</td> </tr> </tbody> </table>	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos	Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	1	5700.00	111.18	-----	-----	101.69	35.31	11.30	37.12	0.00	100	239	PEAK
Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																										
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor																																																																										
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB																																																																										
1	5728.04	65.17	68.20	-3.03	55.63	35.36	11.33	37.15	0.00	100	239	PEAK																																																																						
Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																										
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor																																																																										
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB																																																																										
1	5700.00	111.18	-----	-----	101.69	35.31	11.30	37.12	0.00	100	239	PEAK																																																																						
Avg	Blank	<table border="1"> <thead> <tr> <th>Limit</th> <th>Over</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Aux</th> <th>APos</th> <th>TPos</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>Limit</th> <th>Level</th> <th>Factor</th> <th>Loss</th> <th>Factor</th> <th>Factor</th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>dB</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>5700.00</td> <td>103.00</td> <td>-----</td> <td>-----</td> <td>93.51</td> <td>35.31</td> <td>11.30</td> <td>37.12</td> <td>0.00</td> <td>100</td> <td>239</td> <td>AVERAGE</td> </tr> </tbody> </table>	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos	Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	1	5700.00	103.00	-----	-----	93.51	35.31	11.30	37.12	0.00	100	239	AVERAGE																																								
Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																										
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor																																																																										
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB																																																																										
1	5700.00	103.00	-----	-----	93.51	35.31	11.30	37.12	0.00	100	239	AVERAGE																																																																						



Mode	18																																																																																							
	Band Edge																																																																																							
	U-NII-2C_5.47-5.725_802.11n HT20_CH140_5700MHz																																																																																							
ANT	1																																																																																							
Pol.	Vertical	Fundamental																																																																																						
Peak	<table border="1"> <thead> <tr> <th>Limit</th> <th>Over</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Aux</th> <th>APos</th> <th>TPos</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>Limit</th> <th>Level</th> <th>Factor</th> <th>Loss</th> <th>Factor</th> <th>Factor</th> <th>Remark</th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>5725.40</td> <td>61.73</td> <td>68.20</td> <td>-6.47</td> <td>52.20</td> <td>35.35</td> <td>11.33</td> <td>37.15</td> <td>0.00</td> <td>300</td> <td>300</td> <td>PEAK</td> </tr> </tbody> </table>	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos	Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor	Remark	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1	5725.40	61.73	68.20	-6.47	52.20	35.35	11.33	37.15	0.00	300	300	PEAK	<table border="1"> <thead> <tr> <th>Limit</th> <th>Over</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Aux</th> <th>APos</th> <th>TPos</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>Limit</th> <th>Level</th> <th>Factor</th> <th>Loss</th> <th>Factor</th> <th>Factor</th> <th>Remark</th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>5700.00</td> <td>107.79</td> <td>-----</td> <td>-----</td> <td>98.30</td> <td>35.31</td> <td>11.30</td> <td>37.12</td> <td>0.00</td> <td>300</td> <td>300</td> <td>PEAK</td> </tr> </tbody> </table>	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos	Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor	Remark	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1	5700.00	107.79	-----	-----	98.30	35.31	11.30	37.12	0.00	300	300	PEAK
Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor	Remark																																																																															
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																														
1	5725.40	61.73	68.20	-6.47	52.20	35.35	11.33	37.15	0.00	300	300	PEAK																																																																												
Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor	Remark																																																																															
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																														
1	5700.00	107.79	-----	-----	98.30	35.31	11.30	37.12	0.00	300	300	PEAK																																																																												
Avg	Blank	<table border="1"> <thead> <tr> <th>Limit</th> <th>Over</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Aux</th> <th>APos</th> <th>TPos</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>Limit</th> <th>Level</th> <th>Factor</th> <th>Loss</th> <th>Factor</th> <th>Factor</th> <th>Remark</th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>5700.00</td> <td>99.62</td> <td>-----</td> <td>-----</td> <td>90.13</td> <td>35.31</td> <td>11.30</td> <td>37.12</td> <td>0.00</td> <td>300</td> <td>300</td> <td>AVERAGE</td> </tr> </tbody> </table>	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos	Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor	Remark	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1	5700.00	99.62	-----	-----	90.13	35.31	11.30	37.12	0.00	300	300	AVERAGE																																											
Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor	Remark																																																																															
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																														
1	5700.00	99.62	-----	-----	90.13	35.31	11.30	37.12	0.00	300	300	AVERAGE																																																																												







Mode	18																																																																																																																																										
	Harmonic																																																																																																																																										
	U-NII-2C_5.47-5.725_802.11n HT20_CH140_5700MHz																																																																																																																																										
ANT	1																																																																																																																																										
Pol.	Horizontal	Vertical																																																																																																																																									
Peak Avg	<table border="1"> <thead> <tr> <th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr> <tr> <th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th></tr> <tr> <th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr> </thead> <tbody> <tr> <td>1</td><td>11400.00</td><td>58.14</td><td>74.00</td><td>-15.86</td><td>66.92</td><td>38.18</td><td>16.05</td><td>63.01</td><td>0.00</td><td>100</td><td>288</td><td>PEAK</td></tr> <tr> <td>2</td><td>11400.00</td><td>48.59</td><td>54.00</td><td>-5.41</td><td>57.37</td><td>38.18</td><td>16.05</td><td>63.01</td><td>0.00</td><td>100</td><td>288</td><td>AVERAGE</td></tr> <tr> <td>3</td><td>17100.00</td><td>64.60</td><td>68.20</td><td>-3.60</td><td>66.49</td><td>42.19</td><td>20.07</td><td>64.15</td><td>0.00</td><td>100</td><td>258</td><td>PEAK</td></tr> </tbody> </table>	Limit	Over	Read	Ant	Cable	Aux	APos	TPos	Remark	Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	11400.00	58.14	74.00	-15.86	66.92	38.18	16.05	63.01	0.00	100	288	PEAK	2	11400.00	48.59	54.00	-5.41	57.37	38.18	16.05	63.01	0.00	100	288	AVERAGE	3	17100.00	64.60	68.20	-3.60	66.49	42.19	20.07	64.15	0.00	100	258	PEAK	<table border="1"> <thead> <tr> <th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr> <tr> <th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th></tr> <tr> <th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr> </thead> <tbody> <tr> <td>1</td><td>11400.00</td><td>59.05</td><td>74.00</td><td>-14.95</td><td>67.83</td><td>38.18</td><td>16.05</td><td>63.01</td><td>0.00</td><td>100</td><td>268</td><td>214</td><td>PEAK</td></tr> <tr> <td>2</td><td>11400.00</td><td>49.46</td><td>54.00</td><td>-4.54</td><td>58.24</td><td>38.18</td><td>16.05</td><td>63.01</td><td>0.00</td><td>100</td><td>268</td><td>214</td><td>AVERAGE</td></tr> <tr> <td>3</td><td>17100.00</td><td>65.07</td><td>68.20</td><td>-3.13</td><td>66.96</td><td>42.19</td><td>20.07</td><td>64.15</td><td>0.00</td><td>100</td><td>---</td><td>---</td><td>PEAK</td></tr> </tbody> </table>	Limit	Over	Read	Ant	Cable	Aux	APos	TPos	Remark	Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	11400.00	59.05	74.00	-14.95	67.83	38.18	16.05	63.01	0.00	100	268	214	PEAK	2	11400.00	49.46	54.00	-4.54	58.24	38.18	16.05	63.01	0.00	100	268	214	AVERAGE	3	17100.00	65.07	68.20	-3.13	66.96	42.19	20.07	64.15	0.00	100	---	---	PEAK
	Limit	Over	Read	Ant	Cable	Aux	APos	TPos	Remark																																																																																																																																		
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor																																																																																																																																			
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																																																		
1	11400.00	58.14	74.00	-15.86	66.92	38.18	16.05	63.01	0.00	100	288	PEAK																																																																																																																															
2	11400.00	48.59	54.00	-5.41	57.37	38.18	16.05	63.01	0.00	100	288	AVERAGE																																																																																																																															
3	17100.00	64.60	68.20	-3.60	66.49	42.19	20.07	64.15	0.00	100	258	PEAK																																																																																																																															
Limit	Over	Read	Ant	Cable	Aux	APos	TPos	Remark																																																																																																																																			
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor																																																																																																																																			
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																																																		
1	11400.00	59.05	74.00	-14.95	67.83	38.18	16.05	63.01	0.00	100	268	214	PEAK																																																																																																																														
2	11400.00	49.46	54.00	-4.54	58.24	38.18	16.05	63.01	0.00	100	268	214	AVERAGE																																																																																																																														
3	17100.00	65.07	68.20	-3.13	66.96	42.19	20.07	64.15	0.00	100	---	---	PEAK																																																																																																																														
Peak																																																																																																																																											

Note: Only the worst case has assessed 18G ~40GHz to test.



Mode	18																																																																																																																																																																						
	LF																																																																																																																																																																						
	U-NII-2C_5.47-5.725_802.11n HT20_CH140_5700MHz																																																																																																																																																																						
ANT	1																																																																																																																																																																						
Pol.	Horizontal	Vertical																																																																																																																																																																					
Peak Avg	<table border="1"> <thead> <tr> <th>Peak</th> <th>Freq (MHz)</th> <th>Level (dBuV/m)</th> <th>Over Limit (dB)</th> <th>Limit Line (dBuV/m)</th> <th>ReadAntenna Level (dBuV)</th> <th>Cable Loss (dB)</th> <th>Preamp Loss (dB)</th> <th>A/Pos (cm)</th> <th>T/Pos (deg)</th> <th>Remark</th> </tr> </thead> <tbody> <tr><td>1 p</td><td>77.53</td><td>36.99</td><td>-3.01</td><td>40.00</td><td>55.25</td><td>13.14</td><td>1.25</td><td>32.65</td><td>150</td><td>251 Peak</td></tr> <tr><td>2 q</td><td>170.65</td><td>39.05</td><td>-4.45</td><td>43.50</td><td>54.50</td><td>15.38</td><td>1.90</td><td>32.73</td><td>121</td><td>102 Peak</td></tr> <tr><td>3</td><td>250.19</td><td>36.66</td><td>-9.34</td><td>46.00</td><td>49.27</td><td>18.37</td><td>2.10</td><td>33.08</td><td>---</td><td>Peak</td></tr> <tr><td>4</td><td>480.08</td><td>37.54</td><td>-8.46</td><td>46.00</td><td>44.24</td><td>23.43</td><td>3.14</td><td>33.27</td><td>---</td><td>Peak</td></tr> <tr><td>5</td><td>721.61</td><td>31.37</td><td>-14.63</td><td>46.00</td><td>33.62</td><td>27.19</td><td>4.00</td><td>33.44</td><td>---</td><td>Peak</td></tr> <tr><td>6</td><td>985.45</td><td>32.55</td><td>-21.45</td><td>54.00</td><td>28.92</td><td>30.44</td><td>4.66</td><td>31.47</td><td>---</td><td>Peak</td></tr> </tbody> </table>	Peak	Freq (MHz)	Level (dBuV/m)	Over Limit (dB)	Limit Line (dBuV/m)	ReadAntenna Level (dBuV)	Cable Loss (dB)	Preamp Loss (dB)	A/Pos (cm)	T/Pos (deg)	Remark	1 p	77.53	36.99	-3.01	40.00	55.25	13.14	1.25	32.65	150	251 Peak	2 q	170.65	39.05	-4.45	43.50	54.50	15.38	1.90	32.73	121	102 Peak	3	250.19	36.66	-9.34	46.00	49.27	18.37	2.10	33.08	---	Peak	4	480.08	37.54	-8.46	46.00	44.24	23.43	3.14	33.27	---	Peak	5	721.61	31.37	-14.63	46.00	33.62	27.19	4.00	33.44	---	Peak	6	985.45	32.55	-21.45	54.00	28.92	30.44	4.66	31.47	---	Peak	<table border="1"> <thead> <tr> <th>Peak</th> <th>Freq (MHz)</th> <th>Level (dBuV/m)</th> <th>Over Limit (dB)</th> <th>Limit Line (dBuV/m)</th> <th>ReadAntenna Level (dBuV)</th> <th>Cable Loss (dB)</th> <th>Preamp Loss (dB)</th> <th>A/Pos (cm)</th> <th>T/Pos (deg)</th> <th>Remark</th> </tr> </thead> <tbody> <tr><td>1 p</td><td>76.56</td><td>37.20</td><td>-2.80</td><td>40.00</td><td>55.59</td><td>13.03</td><td>1.23</td><td>32.65</td><td>200</td><td>260 Peak</td></tr> <tr><td>2 q</td><td>76.56</td><td>36.09</td><td>-3.91</td><td>40.00</td><td>54.48</td><td>13.03</td><td>1.23</td><td>32.65</td><td>200</td><td>260 QP</td></tr> <tr><td>3</td><td>170.65</td><td>39.32</td><td>-4.18</td><td>43.50</td><td>54.77</td><td>15.38</td><td>1.90</td><td>32.73</td><td>100</td><td>223 Peak</td></tr> <tr><td>4</td><td>249.22</td><td>38.10</td><td>-7.90</td><td>46.00</td><td>50.85</td><td>18.24</td><td>2.09</td><td>33.08</td><td>---</td><td>Peak</td></tr> <tr><td>5</td><td>480.08</td><td>38.40</td><td>-7.60</td><td>46.00</td><td>45.10</td><td>23.43</td><td>3.14</td><td>33.27</td><td>---</td><td>Peak</td></tr> <tr><td>6</td><td>719.67</td><td>32.18</td><td>-13.82</td><td>46.00</td><td>34.57</td><td>27.07</td><td>4.00</td><td>33.46</td><td>---</td><td>Peak</td></tr> <tr><td>7</td><td>962.17</td><td>33.38</td><td>-20.62</td><td>54.00</td><td>29.63</td><td>30.92</td><td>4.61</td><td>31.78</td><td>---</td><td>Peak</td></tr> </tbody> </table>	Peak	Freq (MHz)	Level (dBuV/m)	Over Limit (dB)	Limit Line (dBuV/m)	ReadAntenna Level (dBuV)	Cable Loss (dB)	Preamp Loss (dB)	A/Pos (cm)	T/Pos (deg)	Remark	1 p	76.56	37.20	-2.80	40.00	55.59	13.03	1.23	32.65	200	260 Peak	2 q	76.56	36.09	-3.91	40.00	54.48	13.03	1.23	32.65	200	260 QP	3	170.65	39.32	-4.18	43.50	54.77	15.38	1.90	32.73	100	223 Peak	4	249.22	38.10	-7.90	46.00	50.85	18.24	2.09	33.08	---	Peak	5	480.08	38.40	-7.60	46.00	45.10	23.43	3.14	33.27	---	Peak	6	719.67	32.18	-13.82	46.00	34.57	27.07	4.00	33.46	---	Peak	7	962.17	33.38	-20.62	54.00	29.63	30.92	4.61	31.78	---	Peak
Peak	Freq (MHz)	Level (dBuV/m)	Over Limit (dB)	Limit Line (dBuV/m)	ReadAntenna Level (dBuV)	Cable Loss (dB)	Preamp Loss (dB)	A/Pos (cm)	T/Pos (deg)	Remark																																																																																																																																																													
1 p	77.53	36.99	-3.01	40.00	55.25	13.14	1.25	32.65	150	251 Peak																																																																																																																																																													
2 q	170.65	39.05	-4.45	43.50	54.50	15.38	1.90	32.73	121	102 Peak																																																																																																																																																													
3	250.19	36.66	-9.34	46.00	49.27	18.37	2.10	33.08	---	Peak																																																																																																																																																													
4	480.08	37.54	-8.46	46.00	44.24	23.43	3.14	33.27	---	Peak																																																																																																																																																													
5	721.61	31.37	-14.63	46.00	33.62	27.19	4.00	33.44	---	Peak																																																																																																																																																													
6	985.45	32.55	-21.45	54.00	28.92	30.44	4.66	31.47	---	Peak																																																																																																																																																													
Peak	Freq (MHz)	Level (dBuV/m)	Over Limit (dB)	Limit Line (dBuV/m)	ReadAntenna Level (dBuV)	Cable Loss (dB)	Preamp Loss (dB)	A/Pos (cm)	T/Pos (deg)	Remark																																																																																																																																																													
1 p	76.56	37.20	-2.80	40.00	55.59	13.03	1.23	32.65	200	260 Peak																																																																																																																																																													
2 q	76.56	36.09	-3.91	40.00	54.48	13.03	1.23	32.65	200	260 QP																																																																																																																																																													
3	170.65	39.32	-4.18	43.50	54.77	15.38	1.90	32.73	100	223 Peak																																																																																																																																																													
4	249.22	38.10	-7.90	46.00	50.85	18.24	2.09	33.08	---	Peak																																																																																																																																																													
5	480.08	38.40	-7.60	46.00	45.10	23.43	3.14	33.27	---	Peak																																																																																																																																																													
6	719.67	32.18	-13.82	46.00	34.57	27.07	4.00	33.46	---	Peak																																																																																																																																																													
7	962.17	33.38	-20.62	54.00	29.63	30.92	4.61	31.78	---	Peak																																																																																																																																																													



Mode	19																																																																																	
	Band Edge - L																																																																																	
	U-NII-1_5.15-5.25_802.11n HT40_CH38_5190MHz																																																																																	
ANT	1																																																																																	
Pol.	Horizontal	Fundamental																																																																																
Peak	 <table border="1"> <thead> <tr> <th>Limit</th> <th>Over</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Aux</th> <th>APos</th> <th>TPos</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>Limit</th> <th>Level</th> <th>Factor</th> <th>Loss</th> <th>Factor</th> <th>Factor</th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>dB</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>5149.76</td> <td>60.68</td> <td>74.00</td> <td>-13.32</td> <td>52.38</td> <td>34.75</td> <td>10.65</td> <td>37.10</td> <td>0.00</td> <td>107</td> <td>181</td> <td>PEAK</td> </tr> </tbody> </table>	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos	Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	1	5149.76	60.68	74.00	-13.32	52.38	34.75	10.65	37.10	0.00	107	181	PEAK	 <table border="1"> <thead> <tr> <th>Limit</th> <th>Over</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Aux</th> <th>APos</th> <th>TPos</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>Limit</th> <th>Level</th> <th>Factor</th> <th>Loss</th> <th>Factor</th> <th>Factor</th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>dB</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>5190.00</td> <td>107.14</td> <td>-----</td> <td>-----</td> <td>98.65</td> <td>34.88</td> <td>10.70</td> <td>37.09</td> <td>0.00</td> <td>107</td> <td>181</td> <td>PEAK</td> </tr> </tbody> </table>	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos	Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	1	5190.00	107.14	-----	-----	98.65	34.88	10.70	37.09	0.00	107	181	PEAK
Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																										
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor																																																																										
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB																																																																										
1	5149.76	60.68	74.00	-13.32	52.38	34.75	10.65	37.10	0.00	107	181	PEAK																																																																						
Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																										
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor																																																																										
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB																																																																										
1	5190.00	107.14	-----	-----	98.65	34.88	10.70	37.09	0.00	107	181	PEAK																																																																						
Avg	 <table border="1"> <thead> <tr> <th>Limit</th> <th>Over</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Aux</th> <th>APos</th> <th>TPos</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>Limit</th> <th>Level</th> <th>Factor</th> <th>Loss</th> <th>Factor</th> <th>Factor</th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>dB</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>5149.92</td> <td>49.70</td> <td>54.00</td> <td>-4.30</td> <td>41.40</td> <td>34.75</td> <td>10.65</td> <td>37.10</td> <td>0.00</td> <td>107</td> <td>181</td> <td>AVERAGE</td> </tr> </tbody> </table>	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos	Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	1	5149.92	49.70	54.00	-4.30	41.40	34.75	10.65	37.10	0.00	107	181	AVERAGE	 <table border="1"> <thead> <tr> <th>Limit</th> <th>Over</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Aux</th> <th>APos</th> <th>TPos</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>Limit</th> <th>Level</th> <th>Factor</th> <th>Loss</th> <th>Factor</th> <th>Factor</th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>dB</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>5190.00</td> <td>99.32</td> <td>-----</td> <td>-----</td> <td>90.83</td> <td>34.88</td> <td>10.70</td> <td>37.09</td> <td>0.00</td> <td>107</td> <td>181</td> <td>AVERAGE</td> </tr> </tbody> </table>	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos	Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	1	5190.00	99.32	-----	-----	90.83	34.88	10.70	37.09	0.00	107	181	AVERAGE
Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																										
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor																																																																										
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB																																																																										
1	5149.92	49.70	54.00	-4.30	41.40	34.75	10.65	37.10	0.00	107	181	AVERAGE																																																																						
Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																										
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor																																																																										
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB																																																																										
1	5190.00	99.32	-----	-----	90.83	34.88	10.70	37.09	0.00	107	181	AVERAGE																																																																						

Note: The higher Signals which are no mark are within frequency band can be ignored.



Mode	19																																													
	Band Edge - R																																													
	U-NII-1_5.15-5.25_802.11n HT40_CH38_5190MHz																																													
ANT	1																																													
Pol.	Horizontal	Fundamental																																												
Peak	<table border="1"> <thead> <tr> <th>Limit</th> <th>Over</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Aux</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>Limit</th> <th>Level</th> <th>Factor</th> <th>Loss</th> <th>Factor</th> <th>Factor</th> <th></th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>5458.11</td> <td>49.12</td> <td>74.00</td> <td>-24.88</td> <td>40.33</td> <td>34.88</td> <td>10.97</td> <td>37.06</td> <td>0.00</td> <td>107</td> <td>181</td> <td>PEAK</td> </tr> </tbody> </table>	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1	5458.11	49.12	74.00	-24.88	40.33	34.88	10.97	37.06	0.00	107	181	PEAK	Blank
Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																					
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor																																						
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																				
1	5458.11	49.12	74.00	-24.88	40.33	34.88	10.97	37.06	0.00	107	181	PEAK																																		
Avg	<table border="1"> <thead> <tr> <th>Limit</th> <th>Over</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Aux</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>Limit</th> <th>Level</th> <th>Factor</th> <th>Loss</th> <th>Factor</th> <th>Factor</th> <th></th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>5423.82</td> <td>39.62</td> <td>54.00</td> <td>-14.38</td> <td>30.81</td> <td>34.95</td> <td>10.92</td> <td>37.06</td> <td>0.00</td> <td>107</td> <td>181</td> <td>AVERAGE</td> </tr> </tbody> </table>	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1	5423.82	39.62	54.00	-14.38	30.81	34.95	10.92	37.06	0.00	107	181	AVERAGE	Blank
Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																					
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor																																						
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																				
1	5423.82	39.62	54.00	-14.38	30.81	34.95	10.92	37.06	0.00	107	181	AVERAGE																																		



Mode	19																																																																																									
	Band Edge - L																																																																																									
	U-NII-1_5.15-5.25_802.11n HT40_CH38_5190MHz																																																																																									
ANT	1																																																																																									
Pol.	Vertical	Fundamental																																																																																								
Peak	<table border="1"> <thead> <tr> <th>Limit</th> <th>Over</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Aux</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>Limit</th> <th>Level</th> <th>Factor</th> <th>Loss</th> <th>Factor</th> <th>Factor</th> <th></th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>5145.92</td> <td>54.73</td> <td>74.00</td> <td>-19.27</td> <td>46.44</td> <td>34.74</td> <td>10.65</td> <td>37.10</td> <td>0.00</td> <td>357</td> <td>257</td> <td>PEAK</td> </tr> </tbody> </table>	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1	5145.92	54.73	74.00	-19.27	46.44	34.74	10.65	37.10	0.00	357	257	PEAK	<table border="1"> <thead> <tr> <th>Limit</th> <th>Over</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Aux</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>Limit</th> <th>Level</th> <th>Factor</th> <th>Loss</th> <th>Factor</th> <th>Factor</th> <th></th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>5190.00</td> <td>101.17</td> <td>-----</td> <td>-----</td> <td>92.68</td> <td>34.88</td> <td>10.70</td> <td>37.09</td> <td>0.00</td> <td>357</td> <td>257</td> <td>PEAK</td> </tr> </tbody> </table>	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1	5190.00	101.17	-----	-----	92.68	34.88	10.70	37.09	0.00	357	257	PEAK
Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																	
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor																																																																																		
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																																
1	5145.92	54.73	74.00	-19.27	46.44	34.74	10.65	37.10	0.00	357	257	PEAK																																																																														
Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																	
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor																																																																																		
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																																
1	5190.00	101.17	-----	-----	92.68	34.88	10.70	37.09	0.00	357	257	PEAK																																																																														
Avg	<table border="1"> <thead> <tr> <th>Limit</th> <th>Over</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Aux</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>Limit</th> <th>Level</th> <th>Factor</th> <th>Loss</th> <th>Factor</th> <th>Factor</th> <th></th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>5149.92</td> <td>43.88</td> <td>54.00</td> <td>-10.12</td> <td>35.58</td> <td>34.75</td> <td>10.65</td> <td>37.10</td> <td>0.00</td> <td>357</td> <td>257</td> <td>AVERAGE</td> </tr> </tbody> </table>	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1	5149.92	43.88	54.00	-10.12	35.58	34.75	10.65	37.10	0.00	357	257	AVERAGE	<table border="1"> <thead> <tr> <th>Limit</th> <th>Over</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Aux</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>Limit</th> <th>Level</th> <th>Factor</th> <th>Loss</th> <th>Factor</th> <th>Factor</th> <th></th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>5190.00</td> <td>94.39</td> <td>-----</td> <td>-----</td> <td>85.93</td> <td>34.86</td> <td>10.70</td> <td>37.10</td> <td>0.00</td> <td>357</td> <td>257</td> <td>AVERAGE</td> </tr> </tbody> </table>	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1	5190.00	94.39	-----	-----	85.93	34.86	10.70	37.10	0.00	357	257	AVERAGE
Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																	
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor																																																																																		
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																																
1	5149.92	43.88	54.00	-10.12	35.58	34.75	10.65	37.10	0.00	357	257	AVERAGE																																																																														
Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																	
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor																																																																																		
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																																
1	5190.00	94.39	-----	-----	85.93	34.86	10.70	37.10	0.00	357	257	AVERAGE																																																																														

Note: The higher Signals which are no mark are within frequency band can be ignored.



Mode	19																																											
	Band Edge - R																																											
	U-NII-1_5.15-5.25_802.11n HT40_CH38_5190MHz																																											
ANT	1																																											
Pol.	Vertical	Fundamental																																										
Peak	<table border="1"> <thead> <tr> <th>Limit</th> <th>Over</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Aux</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>Limit</th> <th>Level</th> <th>Factor</th> <th>Loss</th> <th>Factor</th> <th>Factor</th> <th></th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1 5423.01</td> <td>48.79</td> <td>74.00</td> <td>-25.21</td> <td>39.98</td> <td>34.95</td> <td>10.92</td> <td>37.06</td> <td>0.00</td> <td>357</td> <td>257 PEAK</td> </tr> </tbody> </table>	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1 5423.01	48.79	74.00	-25.21	39.98	34.95	10.92	37.06	0.00	357	257 PEAK	Blank
Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																			
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor																																				
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																		
1 5423.01	48.79	74.00	-25.21	39.98	34.95	10.92	37.06	0.00	357	257 PEAK																																		
Avg	<table border="1"> <thead> <tr> <th>Limit</th> <th>Over</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Aux</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>Limit</th> <th>Level</th> <th>Factor</th> <th>Loss</th> <th>Factor</th> <th>Factor</th> <th></th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1 5432.73</td> <td>39.02</td> <td>54.00</td> <td>-14.98</td> <td>30.22</td> <td>34.93</td> <td>10.93</td> <td>37.06</td> <td>0.00</td> <td>357</td> <td>257 AVERAGE</td> </tr> </tbody> </table>	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1 5432.73	39.02	54.00	-14.98	30.22	34.93	10.93	37.06	0.00	357	257 AVERAGE	Blank
Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																			
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor																																				
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																		
1 5432.73	39.02	54.00	-14.98	30.22	34.93	10.93	37.06	0.00	357	257 AVERAGE																																		



Mode	19																																																																																																																																										
	Harmonic																																																																																																																																										
	U-NII-1_5.15-5.25_802.11n HT40_CH38_5190MHz																																																																																																																																										
ANT	1																																																																																																																																										
Pol.	Horizontal	Vertical																																																																																																																																									
Peak Avg																																																																																																																																											
	<table border="1"> <thead> <tr> <th></th> <th>Limit</th> <th>Over</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Aux</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>Limit</th> <th>Level</th> <th>Factor</th> <th>Loss</th> <th>Factor</th> <th>Factor</th> <th></th> <th></th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1 10380.00</td> <td>46.88</td> <td>68.20</td> <td>-21.32</td> <td>58.31</td> <td>37.39</td> <td>15.31</td> <td>64.13</td> <td>0.00</td> <td>---</td> <td>---</td> <td>PEAK</td> </tr> <tr> <td>2 15570.00</td> <td>54.73</td> <td>74.00</td> <td>-19.27</td> <td>57.55</td> <td>40.88</td> <td>19.10</td> <td>62.80</td> <td>0.00</td> <td>363</td> <td>333</td> <td>PEAK</td> </tr> <tr> <td>3 15570.00</td> <td>45.81</td> <td>54.00</td> <td>-8.19</td> <td>48.63</td> <td>40.88</td> <td>19.10</td> <td>62.80</td> <td>0.00</td> <td>363</td> <td>333</td> <td>AVERAGE</td> </tr> </tbody> </table>		Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor			MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1 10380.00	46.88	68.20	-21.32	58.31	37.39	15.31	64.13	0.00	---	---	PEAK	2 15570.00	54.73	74.00	-19.27	57.55	40.88	19.10	62.80	0.00	363	333	PEAK	3 15570.00	45.81	54.00	-8.19	48.63	40.88	19.10	62.80	0.00	363	333	AVERAGE	<table border="1"> <thead> <tr> <th></th> <th>Limit</th> <th>Over</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Aux</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>Limit</th> <th>Level</th> <th>Factor</th> <th>Loss</th> <th>Factor</th> <th>Factor</th> <th></th> <th></th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1 10380.00</td> <td>44.62</td> <td>68.20</td> <td>-23.58</td> <td>56.05</td> <td>37.39</td> <td>15.31</td> <td>64.13</td> <td>0.00</td> <td>---</td> <td>---</td> <td>PEAK</td> </tr> <tr> <td>2 15570.00</td> <td>54.63</td> <td>74.00</td> <td>-19.37</td> <td>57.45</td> <td>40.88</td> <td>19.10</td> <td>62.80</td> <td>0.00</td> <td>100</td> <td>54</td> <td>PEAK</td> </tr> <tr> <td>3 15570.00</td> <td>46.00</td> <td>54.00</td> <td>-8.00</td> <td>48.82</td> <td>40.88</td> <td>19.10</td> <td>62.80</td> <td>0.00</td> <td>100</td> <td>54</td> <td>AVERAGE</td> </tr> </tbody> </table>		Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor			MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1 10380.00	44.62	68.20	-23.58	56.05	37.39	15.31	64.13	0.00	---	---	PEAK	2 15570.00	54.63	74.00	-19.37	57.45	40.88	19.10	62.80	0.00	100	54	PEAK	3 15570.00	46.00	54.00	-8.00	48.82	40.88	19.10	62.80	0.00	100	54
	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																																																																	
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor																																																																																																																																			
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																																																																																	
1 10380.00	46.88	68.20	-21.32	58.31	37.39	15.31	64.13	0.00	---	---	PEAK																																																																																																																																
2 15570.00	54.73	74.00	-19.27	57.55	40.88	19.10	62.80	0.00	363	333	PEAK																																																																																																																																
3 15570.00	45.81	54.00	-8.19	48.63	40.88	19.10	62.80	0.00	363	333	AVERAGE																																																																																																																																
	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																																																																	
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor																																																																																																																																			
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																																																																																	
1 10380.00	44.62	68.20	-23.58	56.05	37.39	15.31	64.13	0.00	---	---	PEAK																																																																																																																																
2 15570.00	54.63	74.00	-19.37	57.45	40.88	19.10	62.80	0.00	100	54	PEAK																																																																																																																																
3 15570.00	46.00	54.00	-8.00	48.82	40.88	19.10	62.80	0.00	100	54	AVERAGE																																																																																																																																



Mode	20																																																																																																																																																
	Harmonic																																																																																																																																																
	U-NII-1_5.15-5.25_802.11n HT40_CH46_5230MHz																																																																																																																																																
ANT	1																																																																																																																																																
Pol.	Horizontal	Vertical																																																																																																																																															
Peak Avg																																																																																																																																																	
	<table border="1"> <thead> <tr> <th></th> <th>Limit</th> <th>Over</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Aux</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>Limit</th> <th>Level</th> <th>Factor</th> <th>Loss</th> <th>Factor</th> <th>Factor</th> <th></th> <th></th> </tr> <tr> <th></th> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>10460.00</td> <td>47.06</td> <td>68.20</td> <td>-21.14</td> <td>58.30</td> <td>37.43</td> <td>15.37</td> <td>64.04</td> <td>0.00</td> <td>---</td> <td>---</td> <td>PEAK</td> </tr> <tr> <td>2</td> <td>15690.00</td> <td>54.47</td> <td>74.00</td> <td>-19.53</td> <td>57.11</td> <td>41.11</td> <td>19.19</td> <td>62.94</td> <td>0.00</td> <td>100</td> <td>302</td> <td>PEAK</td> </tr> <tr> <td>3</td> <td>15690.00</td> <td>44.50</td> <td>54.00</td> <td>-9.50</td> <td>47.14</td> <td>41.11</td> <td>19.19</td> <td>62.94</td> <td>0.00</td> <td>100</td> <td>302</td> <td>AVERAGE</td> </tr> </tbody> </table>		Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor				MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	10460.00	47.06	68.20	-21.14	58.30	37.43	15.37	64.04	0.00	---	---	PEAK	2	15690.00	54.47	74.00	-19.53	57.11	41.11	19.19	62.94	0.00	100	302	PEAK	3	15690.00	44.50	54.00	-9.50	47.14	41.11	19.19	62.94	0.00	100	302	AVERAGE	<table border="1"> <thead> <tr> <th></th> <th>Limit</th> <th>Over</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Aux</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>Limit</th> <th>Level</th> <th>Factor</th> <th>Loss</th> <th>Factor</th> <th>Factor</th> <th></th> <th></th> </tr> <tr> <th></th> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>10460.00</td> <td>45.27</td> <td>68.20</td> <td>-22.93</td> <td>56.51</td> <td>37.43</td> <td>15.37</td> <td>64.04</td> <td>0.00</td> <td>---</td> <td>---</td> <td>PEAK</td> </tr> <tr> <td>2</td> <td>15690.00</td> <td>58.54</td> <td>74.00</td> <td>-15.46</td> <td>61.18</td> <td>41.11</td> <td>19.19</td> <td>62.94</td> <td>0.00</td> <td>316</td> <td>47</td> <td>PEAK</td> </tr> <tr> <td>3</td> <td>15690.00</td> <td>48.16</td> <td>54.00</td> <td>-5.84</td> <td>50.80</td> <td>41.12</td> <td>19.19</td> <td>62.95</td> <td>0.00</td> <td>316</td> <td>47</td> <td>AVERAGE</td> </tr> </tbody> </table>		Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor				MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	10460.00	45.27	68.20	-22.93	56.51	37.43	15.37	64.04	0.00	---	---	PEAK	2	15690.00	58.54	74.00	-15.46	61.18	41.11	19.19	62.94	0.00	316	47	PEAK	3	15690.00	48.16	54.00	-5.84	50.80	41.12	19.19	62.95	0.00	316	47
	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																																																																							
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor																																																																																																																																									
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																																																							
1	10460.00	47.06	68.20	-21.14	58.30	37.43	15.37	64.04	0.00	---	---	PEAK																																																																																																																																					
2	15690.00	54.47	74.00	-19.53	57.11	41.11	19.19	62.94	0.00	100	302	PEAK																																																																																																																																					
3	15690.00	44.50	54.00	-9.50	47.14	41.11	19.19	62.94	0.00	100	302	AVERAGE																																																																																																																																					
	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																																																																							
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor																																																																																																																																									
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																																																							
1	10460.00	45.27	68.20	-22.93	56.51	37.43	15.37	64.04	0.00	---	---	PEAK																																																																																																																																					
2	15690.00	58.54	74.00	-15.46	61.18	41.11	19.19	62.94	0.00	316	47	PEAK																																																																																																																																					
3	15690.00	48.16	54.00	-5.84	50.80	41.12	19.19	62.95	0.00	316	47	AVERAGE																																																																																																																																					



Mode	21																																																																																																																																																
	Harmonic																																																																																																																																																
	U-NII-2A_5.25-5.35_802.11n HT40_CH54_5270MHz																																																																																																																																																
ANT	1																																																																																																																																																
Pol.	Horizontal	Vertical																																																																																																																																															
Peak Avg																																																																																																																																																	
	<table border="1"> <thead> <tr> <th></th> <th>Limit</th> <th>Over</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Aux</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>Limit</th> <th>Level</th> <th>Factor</th> <th>Loss</th> <th>Factor</th> <th>Factor</th> <th></th> <th></th> </tr> <tr> <th></th> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>10540.00</td> <td>45.76</td> <td>68.20</td> <td>-22.44</td> <td>56.82</td> <td>37.47</td> <td>15.43</td> <td>63.96</td> <td>0.00</td> <td>---</td> <td>---</td> <td>PEAK</td> </tr> <tr> <td>2</td> <td>15810.00</td> <td>55.60</td> <td>74.00</td> <td>-18.40</td> <td>58.07</td> <td>41.34</td> <td>19.28</td> <td>63.09</td> <td>0.00</td> <td>396</td> <td>332</td> <td>PEAK</td> </tr> <tr> <td>3</td> <td>15810.00</td> <td>45.34</td> <td>54.00</td> <td>-8.66</td> <td>47.81</td> <td>41.34</td> <td>19.28</td> <td>63.09</td> <td>0.00</td> <td>396</td> <td>332</td> <td>AVERAGE</td> </tr> </tbody> </table>		Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor				MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	10540.00	45.76	68.20	-22.44	56.82	37.47	15.43	63.96	0.00	---	---	PEAK	2	15810.00	55.60	74.00	-18.40	58.07	41.34	19.28	63.09	0.00	396	332	PEAK	3	15810.00	45.34	54.00	-8.66	47.81	41.34	19.28	63.09	0.00	396	332	AVERAGE	<table border="1"> <thead> <tr> <th></th> <th>Limit</th> <th>Over</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Aux</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>Limit</th> <th>Level</th> <th>Factor</th> <th>Loss</th> <th>Factor</th> <th>Factor</th> <th></th> <th></th> </tr> <tr> <th></th> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>10540.00</td> <td>44.68</td> <td>68.20</td> <td>-23.52</td> <td>55.74</td> <td>37.47</td> <td>15.43</td> <td>63.96</td> <td>0.00</td> <td>---</td> <td>---</td> <td>PEAK</td> </tr> <tr> <td>2</td> <td>15810.00</td> <td>59.48</td> <td>74.00</td> <td>-14.52</td> <td>61.95</td> <td>41.34</td> <td>19.28</td> <td>63.09</td> <td>0.00</td> <td>354</td> <td>37</td> <td>PEAK</td> </tr> <tr> <td>3</td> <td>15810.00</td> <td>49.17</td> <td>54.00</td> <td>-4.83</td> <td>51.64</td> <td>41.34</td> <td>19.28</td> <td>63.09</td> <td>0.00</td> <td>354</td> <td>37</td> <td>AVERAGE</td> </tr> </tbody> </table>		Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor				MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	10540.00	44.68	68.20	-23.52	55.74	37.47	15.43	63.96	0.00	---	---	PEAK	2	15810.00	59.48	74.00	-14.52	61.95	41.34	19.28	63.09	0.00	354	37	PEAK	3	15810.00	49.17	54.00	-4.83	51.64	41.34	19.28	63.09	0.00	354	37
	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																																																																							
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor																																																																																																																																									
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																																																							
1	10540.00	45.76	68.20	-22.44	56.82	37.47	15.43	63.96	0.00	---	---	PEAK																																																																																																																																					
2	15810.00	55.60	74.00	-18.40	58.07	41.34	19.28	63.09	0.00	396	332	PEAK																																																																																																																																					
3	15810.00	45.34	54.00	-8.66	47.81	41.34	19.28	63.09	0.00	396	332	AVERAGE																																																																																																																																					
	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																																																																							
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor																																																																																																																																									
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																																																							
1	10540.00	44.68	68.20	-23.52	55.74	37.47	15.43	63.96	0.00	---	---	PEAK																																																																																																																																					
2	15810.00	59.48	74.00	-14.52	61.95	41.34	19.28	63.09	0.00	354	37	PEAK																																																																																																																																					
3	15810.00	49.17	54.00	-4.83	51.64	41.34	19.28	63.09	0.00	354	37	AVERAGE																																																																																																																																					



Mode	22																																																																																					
	Band Edge - L																																																																																					
	U-NII-2A_5.25-5.35_802.11n HT40_CH62_5310MHz																																																																																					
ANT	1																																																																																					
Pol.	Horizontal	Fundamental																																																																																				
Peak	<table border="1"> <thead> <tr> <th>Limit</th> <th>Over</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Aux</th> <th>APos</th> <th>TPos</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>Limit</th> <th>Level</th> <th>Factor</th> <th>Loss</th> <th>Factor</th> <th>Factor</th> <th>Remark</th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>5107.20</td> <td>50.89</td> <td>74.00</td> <td>-23.11</td> <td>42.77</td> <td>34.62</td> <td>10.61</td> <td>37.11</td> <td>0.00</td> <td>112</td> <td>178</td> <td>PEAK</td> </tr> </tbody> </table>	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos	Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor	Remark	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5107.20	50.89	74.00	-23.11	42.77	34.62	10.61	37.11	0.00	112	178	PEAK	<table border="1"> <thead> <tr> <th>Limit</th> <th>Over</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Aux</th> <th>APos</th> <th>TPos</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>Limit</th> <th>Level</th> <th>Factor</th> <th>Loss</th> <th>Factor</th> <th>Factor</th> <th>Remark</th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>5310.00</td> <td>107.02</td> <td>-----</td> <td>-----</td> <td>98.39</td> <td>34.91</td> <td>10.80</td> <td>37.08</td> <td>0.00</td> <td>112</td> <td>178</td> <td>PEAK</td> </tr> </tbody> </table>	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos	Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor	Remark	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5310.00	107.02	-----	-----	98.39	34.91	10.80	37.08	0.00	112	178	PEAK
Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																														
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor	Remark																																																																													
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																													
1	5107.20	50.89	74.00	-23.11	42.77	34.62	10.61	37.11	0.00	112	178	PEAK																																																																										
Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																														
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor	Remark																																																																													
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																													
1	5310.00	107.02	-----	-----	98.39	34.91	10.80	37.08	0.00	112	178	PEAK																																																																										
Avg	<table border="1"> <thead> <tr> <th>Limit</th> <th>Over</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Aux</th> <th>APos</th> <th>TPos</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>Limit</th> <th>Level</th> <th>Factor</th> <th>Loss</th> <th>Factor</th> <th>Factor</th> <th>Remark</th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>5141.92</td> <td>40.67</td> <td>54.00</td> <td>-13.33</td> <td>32.39</td> <td>34.73</td> <td>10.65</td> <td>37.10</td> <td>0.00</td> <td>112</td> <td>178</td> <td>AVERAGE</td> </tr> </tbody> </table>	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos	Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor	Remark	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5141.92	40.67	54.00	-13.33	32.39	34.73	10.65	37.10	0.00	112	178	AVERAGE	<table border="1"> <thead> <tr> <th>Limit</th> <th>Over</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Aux</th> <th>APos</th> <th>TPos</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>Limit</th> <th>Level</th> <th>Factor</th> <th>Loss</th> <th>Factor</th> <th>Factor</th> <th>Remark</th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>5310.00</td> <td>98.93</td> <td>-----</td> <td>-----</td> <td>90.30</td> <td>34.91</td> <td>10.80</td> <td>37.08</td> <td>0.00</td> <td>112</td> <td>178</td> <td>AVERAGE</td> </tr> </tbody> </table>	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos	Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor	Remark	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5310.00	98.93	-----	-----	90.30	34.91	10.80	37.08	0.00	112	178	AVERAGE
Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																														
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor	Remark																																																																													
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																													
1	5141.92	40.67	54.00	-13.33	32.39	34.73	10.65	37.10	0.00	112	178	AVERAGE																																																																										
Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																														
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor	Remark																																																																													
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																													
1	5310.00	98.93	-----	-----	90.30	34.91	10.80	37.08	0.00	112	178	AVERAGE																																																																										



Mode	22																																												
	Band Edge - R																																												
	U-NII-2A_5.25-5.35_802.11n HT40_CH62_5310MHz																																												
ANT	1																																												
Pol.	Horizontal	Fundamental																																											
Peak	<table border="1"> <thead> <tr> <th>Limit</th> <th>Over</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Aux</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>Limit</th> <th>Level</th> <th>Factor</th> <th>Loss</th> <th>Factor</th> <th>Factor</th> <th></th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1 5350.00</td> <td>69.70</td> <td>74.00</td> <td>-4.30</td> <td>60.98</td> <td>34.95</td> <td>10.84</td> <td>37.07</td> <td>0.00</td> <td>112</td> <td>178</td> <td>PEAK</td> </tr> </tbody> </table>	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1 5350.00	69.70	74.00	-4.30	60.98	34.95	10.84	37.07	0.00	112	178	PEAK	Blank
Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																				
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor																																					
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																			
1 5350.00	69.70	74.00	-4.30	60.98	34.95	10.84	37.07	0.00	112	178	PEAK																																		
Avg	<table border="1"> <thead> <tr> <th>Limit</th> <th>Over</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Aux</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>Limit</th> <th>Level</th> <th>Factor</th> <th>Loss</th> <th>Factor</th> <th>Factor</th> <th></th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1 5351.20</td> <td>50.81</td> <td>54.00</td> <td>-3.19</td> <td>42.09</td> <td>34.95</td> <td>10.84</td> <td>37.07</td> <td>0.00</td> <td>112</td> <td>178</td> <td>AVERAGE</td> </tr> </tbody> </table>	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1 5351.20	50.81	54.00	-3.19	42.09	34.95	10.84	37.07	0.00	112	178	AVERAGE	Blank
Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																				
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor																																					
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																			
1 5351.20	50.81	54.00	-3.19	42.09	34.95	10.84	37.07	0.00	112	178	AVERAGE																																		



Mode	22																																																																																									
	Band Edge - L																																																																																									
	U-NII-2A_5.25-5.35_802.11n HT40_CH62_5310MHz																																																																																									
ANT	1																																																																																									
Pol.	Vertical	Fundamental																																																																																								
Peak	<table border="1"> <thead> <tr> <th>Limit</th> <th>Over</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Aux</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>Limit</th> <th>Level</th> <th>Factor</th> <th>Loss</th> <th>Factor</th> <th>Factor</th> <th></th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>5116.80</td> <td>49.52</td> <td>74.00</td> <td>-24.48</td> <td>41.36</td> <td>34.65</td> <td>10.62</td> <td>37.11</td> <td>0.00</td> <td>380</td> <td>253</td> <td>PEAK</td> </tr> </tbody> </table>	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1	5116.80	49.52	74.00	-24.48	41.36	34.65	10.62	37.11	0.00	380	253	PEAK	<table border="1"> <thead> <tr> <th>Limit</th> <th>Over</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Aux</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>Limit</th> <th>Level</th> <th>Factor</th> <th>Loss</th> <th>Factor</th> <th>Factor</th> <th></th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>5310.00</td> <td>103.93</td> <td>-----</td> <td>-----</td> <td>95.30</td> <td>34.91</td> <td>10.80</td> <td>37.08</td> <td>0.00</td> <td>380</td> <td>253</td> <td>PEAK</td> </tr> </tbody> </table>	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1	5310.00	103.93	-----	-----	95.30	34.91	10.80	37.08	0.00	380	253	PEAK
Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																	
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor																																																																																		
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																																
1	5116.80	49.52	74.00	-24.48	41.36	34.65	10.62	37.11	0.00	380	253	PEAK																																																																														
Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																	
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor																																																																																		
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																																
1	5310.00	103.93	-----	-----	95.30	34.91	10.80	37.08	0.00	380	253	PEAK																																																																														
Avg	<table border="1"> <thead> <tr> <th>Limit</th> <th>Over</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Aux</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>Limit</th> <th>Level</th> <th>Factor</th> <th>Loss</th> <th>Factor</th> <th>Factor</th> <th></th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>5148.16</td> <td>39.90</td> <td>54.00</td> <td>-14.10</td> <td>31.61</td> <td>34.74</td> <td>10.65</td> <td>37.10</td> <td>0.00</td> <td>380</td> <td>253</td> <td>AVERAGE</td> </tr> </tbody> </table>	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1	5148.16	39.90	54.00	-14.10	31.61	34.74	10.65	37.10	0.00	380	253	AVERAGE	<table border="1"> <thead> <tr> <th>Limit</th> <th>Over</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Aux</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>Limit</th> <th>Level</th> <th>Factor</th> <th>Loss</th> <th>Factor</th> <th>Factor</th> <th></th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>5310.00</td> <td>96.19</td> <td>-----</td> <td>-----</td> <td>87.56</td> <td>34.91</td> <td>10.80</td> <td>37.08</td> <td>0.00</td> <td>380</td> <td>253</td> <td>AVERAGE</td> </tr> </tbody> </table>	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1	5310.00	96.19	-----	-----	87.56	34.91	10.80	37.08	0.00	380	253	AVERAGE
Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																	
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor																																																																																		
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																																
1	5148.16	39.90	54.00	-14.10	31.61	34.74	10.65	37.10	0.00	380	253	AVERAGE																																																																														
Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																	
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor																																																																																		
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																																
1	5310.00	96.19	-----	-----	87.56	34.91	10.80	37.08	0.00	380	253	AVERAGE																																																																														