



Mode	41																																																																																																				
	Band Edge - L																																																																																																				
	U-NII-2C_5.47-5.725_802.11ax HE40_CH102_Full_5510MHz																																																																																																				
ANT	1																																																																																																				
Pol.	Vertical	Fundamental																																																																																																			
Peak	<table border="1"> <thead> <tr> <th>Limit</th> <th>Over</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Aux</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>Limit</th> <th>Level</th> <th>Factor</th> <th>Loss</th> <th>Factor</th> <th>Factor</th> <th></th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>5456.65</td> <td>59.12</td> <td>74.00</td> <td>-14.88</td> <td>40.29</td> <td>34.56</td> <td>14.34</td> <td>30.07</td> <td>0.00</td> <td>317</td> <td>296</td> <td>PEAK</td> </tr> <tr> <td>2</td> <td>5468.65</td> <td>58.15</td> <td>68.20</td> <td>-10.05</td> <td>39.28</td> <td>34.57</td> <td>14.38</td> <td>30.08</td> <td>0.00</td> <td>317</td> <td>296</td> <td>PEAK</td> </tr> </tbody> </table>	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5456.65	59.12	74.00	-14.88	40.29	34.56	14.34	30.07	0.00	317	296	PEAK	2	5468.65	58.15	68.20	-10.05	39.28	34.57	14.38	30.08	0.00	317	296	PEAK	<table border="1"> <thead> <tr> <th>Limit</th> <th>Over</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Aux</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>Limit</th> <th>Level</th> <th>Factor</th> <th>Loss</th> <th>Factor</th> <th>Factor</th> <th></th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>5510.00</td> <td>98.62</td> <td>-----</td> <td>-----</td> <td>79.61</td> <td>34.60</td> <td>14.50</td> <td>30.09</td> <td>0.00</td> <td>317</td> <td>296</td> <td>PEAK</td> </tr> </tbody> </table>	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5510.00	98.62	-----	-----	79.61	34.60	14.50	30.09	0.00	317	296	PEAK
	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																											
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor																																																																																													
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																												
1	5456.65	59.12	74.00	-14.88	40.29	34.56	14.34	30.07	0.00	317	296	PEAK																																																																																									
2	5468.65	58.15	68.20	-10.05	39.28	34.57	14.38	30.08	0.00	317	296	PEAK																																																																																									
Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																												
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor																																																																																													
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																												
1	5510.00	98.62	-----	-----	79.61	34.60	14.50	30.09	0.00	317	296	PEAK																																																																																									
Avg	<table border="1"> <thead> <tr> <th>Limit</th> <th>Over</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Aux</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>Limit</th> <th>Level</th> <th>Factor</th> <th>Loss</th> <th>Factor</th> <th>Factor</th> <th></th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>5458.57</td> <td>48.36</td> <td>54.00</td> <td>-5.64</td> <td>29.52</td> <td>34.56</td> <td>14.35</td> <td>30.07</td> <td>0.00</td> <td>317</td> <td>296</td> <td>AVERAGE</td> </tr> </tbody> </table>	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5458.57	48.36	54.00	-5.64	29.52	34.56	14.35	30.07	0.00	317	296	AVERAGE	<table border="1"> <thead> <tr> <th>Limit</th> <th>Over</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Aux</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>Limit</th> <th>Level</th> <th>Factor</th> <th>Loss</th> <th>Factor</th> <th>Factor</th> <th></th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>5510.00</td> <td>88.79</td> <td>-----</td> <td>-----</td> <td>69.78</td> <td>34.60</td> <td>14.49</td> <td>30.08</td> <td>0.00</td> <td>317</td> <td>296</td> <td>AVERAGE</td> </tr> </tbody> </table>	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5510.00	88.79	-----	-----	69.78	34.60	14.49	30.08	0.00	317	296	AVERAGE													
Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																												
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor																																																																																													
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																												
1	5458.57	48.36	54.00	-5.64	29.52	34.56	14.35	30.07	0.00	317	296	AVERAGE																																																																																									
Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																												
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor																																																																																													
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																												
1	5510.00	88.79	-----	-----	69.78	34.60	14.49	30.08	0.00	317	296	AVERAGE																																																																																									



Mode	41																																													
	Band Edge - R																																													
	U-NII-2C_5.47-5.725_802.11ax HE40_CH102_Full_5510MHz																																													
ANT	1																																													
Pol.	Vertical	Fundamental																																												
Peak	<p>Level (dBuV/m)</p> <p>Frequency (MHz)</p> <p>U-NII-1-U-NII-2A-U-NII-2C</p> <table border="1"> <thead> <tr> <th>Limit</th> <th>Over</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Aux</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>Limit</th> <th>Level</th> <th>Factor</th> <th>Loss</th> <th>Factor</th> <th>Factor</th> <th></th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>5732.24</td> <td>59.94</td> <td>68.20</td> <td>-8.26</td> <td>40.48</td> <td>34.70</td> <td>14.84</td> <td>30.08</td> <td>0.00</td> <td>317</td> <td>296</td> <td>PEAK</td> </tr> </tbody> </table>	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1	5732.24	59.94	68.20	-8.26	40.48	34.70	14.84	30.08	0.00	317	296	PEAK	Blank
Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																					
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor																																						
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																				
1	5732.24	59.94	68.20	-8.26	40.48	34.70	14.84	30.08	0.00	317	296	PEAK																																		



Mode	41																																																																																																																																											
	Harmonic																																																																																																																																											
	U-NII-2C_5.47-5.725_802.11ax HE40_CH102_Full_5510MHz																																																																																																																																											
ANT	1																																																																																																																																											
Pol.	Horizontal	Vertical																																																																																																																																										
Peak Avg	<table border="1"> <thead> <tr> <th>Limit</th> <th>Over</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Aux</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>Limit</th> <th>Level</th> <th>Factor</th> <th>Loss Factor</th> <th>Factor</th> <th></th> <th></th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>11020.00</td> <td>46.16</td> <td>74.00</td> <td>-27.84</td> <td>53.98</td> <td>37.92</td> <td>18.69</td> <td>64.43</td> <td>0.00</td> <td>---</td> <td>---</td> <td>PEAK</td> </tr> </tbody> </table>	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Limit	Level	Factor	Loss Factor	Factor			MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	11020.00	46.16	74.00	-27.84	53.98	37.92	18.69	64.43	0.00	---	---	PEAK	<table border="1"> <thead> <tr> <th>Limit</th> <th>Over</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Aux</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>Limit</th> <th>Level</th> <th>Factor</th> <th>Loss Factor</th> <th>Factor</th> <th></th> <th></th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>11020.00</td> <td>45.66</td> <td>74.00</td> <td>-28.34</td> <td>53.48</td> <td>37.92</td> <td>18.69</td> <td>64.43</td> <td>0.00</td> <td>---</td> <td>---</td> <td>PEAK</td> </tr> <tr> <td>2</td> <td>12187.60</td> <td>53.32</td> <td>74.00</td> <td>-20.68</td> <td>60.00</td> <td>38.78</td> <td>19.59</td> <td>65.05</td> <td>0.00</td> <td>300</td> <td>312</td> <td>Peak</td> </tr> <tr> <td>3</td> <td>12187.60</td> <td>48.43</td> <td>54.00</td> <td>-5.57</td> <td>55.11</td> <td>38.78</td> <td>19.59</td> <td>65.05</td> <td>0.00</td> <td>300</td> <td>312</td> <td>Average</td> </tr> <tr> <td>4</td> <td>12498.53</td> <td>54.78</td> <td>74.00</td> <td>-19.22</td> <td>60.73</td> <td>38.90</td> <td>20.00</td> <td>64.85</td> <td>0.00</td> <td>301</td> <td>312</td> <td>Peak</td> </tr> <tr> <td>5</td> <td>12498.53</td> <td>50.54</td> <td>54.00</td> <td>-3.46</td> <td>56.49</td> <td>38.90</td> <td>20.00</td> <td>64.85</td> <td>0.00</td> <td>301</td> <td>312</td> <td>Average</td> </tr> </tbody> </table>	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Limit	Level	Factor	Loss Factor	Factor			MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	11020.00	45.66	74.00	-28.34	53.48	37.92	18.69	64.43	0.00	---	---	PEAK	2	12187.60	53.32	74.00	-20.68	60.00	38.78	19.59	65.05	0.00	300	312	Peak	3	12187.60	48.43	54.00	-5.57	55.11	38.78	19.59	65.05	0.00	300	312	Average	4	12498.53	54.78	74.00	-19.22	60.73	38.90	20.00	64.85	0.00	301	312	Peak	5	12498.53	50.54	54.00	-3.46	56.49	38.90	20.00	64.85	0.00	301	312	Average
Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																																																																			
Freq	Level	Line	Limit	Level	Factor	Loss Factor	Factor																																																																																																																																					
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																																																			
1	11020.00	46.16	74.00	-27.84	53.98	37.92	18.69	64.43	0.00	---	---	PEAK																																																																																																																																
Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																																																																			
Freq	Level	Line	Limit	Level	Factor	Loss Factor	Factor																																																																																																																																					
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																																																			
1	11020.00	45.66	74.00	-28.34	53.48	37.92	18.69	64.43	0.00	---	---	PEAK																																																																																																																																
2	12187.60	53.32	74.00	-20.68	60.00	38.78	19.59	65.05	0.00	300	312	Peak																																																																																																																																
3	12187.60	48.43	54.00	-5.57	55.11	38.78	19.59	65.05	0.00	300	312	Average																																																																																																																																
4	12498.53	54.78	74.00	-19.22	60.73	38.90	20.00	64.85	0.00	301	312	Peak																																																																																																																																
5	12498.53	50.54	54.00	-3.46	56.49	38.90	20.00	64.85	0.00	301	312	Average																																																																																																																																







Mode	42																																																																																																						
	Band Edge - L																																																																																																						
	U-NII-2C_5.47-5.725_802.11ax HE40_CH110_Full_5550MHz																																																																																																						
ANT	1																																																																																																						
Pol.	Horizontal	Fundamental																																																																																																					
Peak	<table border="1"> <thead> <tr> <th>Limit</th> <th>Over</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Aux</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>Limit</th> <th>Level</th> <th>Factor</th> <th>Loss</th> <th>Factor</th> <th>Factor</th> <th></th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>5450.31</td> <td>58.62</td> <td>74.00</td> <td>-15.38</td> <td>39.82</td> <td>34.55</td> <td>14.32</td> <td>30.07</td> <td>0.00</td> <td>100</td> <td>307</td> <td>PEAK</td> </tr> <tr> <td>2</td> <td>5468.91</td> <td>60.29</td> <td>68.20</td> <td>-7.91</td> <td>41.42</td> <td>34.57</td> <td>14.38</td> <td>30.08</td> <td>0.00</td> <td>100</td> <td>307</td> <td>PEAK</td> </tr> </tbody> </table>	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1	5450.31	58.62	74.00	-15.38	39.82	34.55	14.32	30.07	0.00	100	307	PEAK	2	5468.91	60.29	68.20	-7.91	41.42	34.57	14.38	30.08	0.00	100	307	PEAK	<table border="1"> <thead> <tr> <th>Limit</th> <th>Over</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Aux</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>Limit</th> <th>Level</th> <th>Factor</th> <th>Loss</th> <th>Factor</th> <th>Factor</th> <th></th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>5550.00</td> <td>108.88</td> <td>-----</td> <td>-----</td> <td>89.87</td> <td>34.60</td> <td>14.51</td> <td>30.10</td> <td>0.00</td> <td>100</td> <td>307</td> <td>PEAK</td> </tr> </tbody> </table>	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1	5550.00	108.88	-----	-----	89.87	34.60	14.51	30.10	0.00	100	307	PEAK
	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																													
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor																																																																																															
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																																													
1	5450.31	58.62	74.00	-15.38	39.82	34.55	14.32	30.07	0.00	100	307	PEAK																																																																																											
2	5468.91	60.29	68.20	-7.91	41.42	34.57	14.38	30.08	0.00	100	307	PEAK																																																																																											
Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																														
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor																																																																																															
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																																													
1	5550.00	108.88	-----	-----	89.87	34.60	14.51	30.10	0.00	100	307	PEAK																																																																																											
Avg	<table border="1"> <thead> <tr> <th>Limit</th> <th>Over</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Aux</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>Limit</th> <th>Level</th> <th>Factor</th> <th>Loss</th> <th>Factor</th> <th>Factor</th> <th></th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>5456.11</td> <td>48.69</td> <td>54.00</td> <td>-5.31</td> <td>29.86</td> <td>34.56</td> <td>14.34</td> <td>30.07</td> <td>0.00</td> <td>100</td> <td>307</td> <td>AVERAGE</td> </tr> </tbody> </table>	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1	5456.11	48.69	54.00	-5.31	29.86	34.56	14.34	30.07	0.00	100	307	AVERAGE	<table border="1"> <thead> <tr> <th>Limit</th> <th>Over</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Aux</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>Limit</th> <th>Level</th> <th>Factor</th> <th>Loss</th> <th>Factor</th> <th>Factor</th> <th></th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>5550.00</td> <td>96.13</td> <td>-----</td> <td>-----</td> <td>77.11</td> <td>34.60</td> <td>14.51</td> <td>30.09</td> <td>0.00</td> <td>100</td> <td>307</td> <td>AVERAGE</td> </tr> </tbody> </table>	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1	5550.00	96.13	-----	-----	77.11	34.60	14.51	30.09	0.00	100	307	AVERAGE													
Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																														
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor																																																																																															
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																																													
1	5456.11	48.69	54.00	-5.31	29.86	34.56	14.34	30.07	0.00	100	307	AVERAGE																																																																																											
Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																														
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor																																																																																															
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																																													
1	5550.00	96.13	-----	-----	77.11	34.60	14.51	30.09	0.00	100	307	AVERAGE																																																																																											



Mode	42																																																							
	Band Edge - R																																																							
	U-NII-2C_5.47-5.725_802.11ax HE40_CH110_Full_5550MHz																																																							
ANT	1																																																							
Pol.	Horizontal	Fundamental																																																						
Peak	<table border="1"> <thead> <tr> <th>Limit</th> <th>Over</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Aux</th> <th>APos</th> <th>TPos</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>Limit</th> <th>Level</th> <th>Factor</th> <th>Loss</th> <th>Factor</th> <th>Factor</th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>dB</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>5750.28</td> <td>58.78</td> <td>68.20</td> <td>-9.42</td> <td>39.17</td> <td>34.75</td> <td>14.93</td> <td>30.07</td> </tr> <tr> <td></td> <td></td> <td></td> <td></td> <td></td> <td></td> <td></td> <td>0.00</td> <td>100</td> </tr> <tr> <td></td> <td></td> <td></td> <td></td> <td></td> <td></td> <td></td> <td></td> <td>307 PEAK</td> </tr> </tbody> </table>	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos	Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	1	5750.28	58.78	68.20	-9.42	39.17	34.75	14.93	30.07								0.00	100									307 PEAK	Blank
Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor																																																
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB																																																
1	5750.28	58.78	68.20	-9.42	39.17	34.75	14.93	30.07																																																
							0.00	100																																																
								307 PEAK																																																



Mode	42																																																																																																			
	Band Edge - L																																																																																																			
	U-NII-2C_5.47-5.725_802.11ax HE40_CH110_Full_5550MHz																																																																																																			
ANT	1																																																																																																			
Pol.	Vertical	Fundamental																																																																																																		
Peak	 <table border="1"> <thead> <tr> <th>Limit</th> <th>Over</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Aux</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>Limit</th> <th>Level</th> <th>Factor</th> <th>Loss</th> <th>Factor</th> <th>Factor</th> <th></th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>5450.91</td> <td>58.69</td> <td>74.00</td> <td>-15.31</td> <td>39.89</td> <td>34.55</td> <td>14.32</td> <td>30.07</td> <td>0.00</td> <td>300</td> <td>295 PEAK</td> </tr> <tr> <td>2</td> <td>5467.11</td> <td>58.01</td> <td>68.20</td> <td>-10.19</td> <td>39.14</td> <td>34.57</td> <td>14.38</td> <td>30.08</td> <td>0.00</td> <td>300</td> <td>295 PEAK</td> </tr> </tbody> </table>	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1	5450.91	58.69	74.00	-15.31	39.89	34.55	14.32	30.07	0.00	300	295 PEAK	2	5467.11	58.01	68.20	-10.19	39.14	34.57	14.38	30.08	0.00	300	295 PEAK	 <table border="1"> <thead> <tr> <th>Limit</th> <th>Over</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Aux</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>Limit</th> <th>Level</th> <th>Factor</th> <th>Loss</th> <th>Factor</th> <th>Factor</th> <th></th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>5550.00</td> <td>102.09</td> <td>-----</td> <td>-----</td> <td>83.07</td> <td>34.60</td> <td>14.51</td> <td>30.09</td> <td>0.00</td> <td>300</td> <td>295 PEAK</td> </tr> </tbody> </table>	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1	5550.00	102.09	-----	-----	83.07	34.60	14.51	30.09	0.00	300	295 PEAK
	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																										
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor																																																																																												
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																																										
1	5450.91	58.69	74.00	-15.31	39.89	34.55	14.32	30.07	0.00	300	295 PEAK																																																																																									
2	5467.11	58.01	68.20	-10.19	39.14	34.57	14.38	30.08	0.00	300	295 PEAK																																																																																									
Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																											
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor																																																																																												
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																																										
1	5550.00	102.09	-----	-----	83.07	34.60	14.51	30.09	0.00	300	295 PEAK																																																																																									
Avg	 <table border="1"> <thead> <tr> <th>Limit</th> <th>Over</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Aux</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>Limit</th> <th>Level</th> <th>Factor</th> <th>Loss</th> <th>Factor</th> <th>Factor</th> <th></th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>5456.51</td> <td>48.29</td> <td>54.00</td> <td>-5.71</td> <td>29.46</td> <td>34.56</td> <td>14.34</td> <td>30.07</td> <td>0.00</td> <td>300</td> <td>295 AVERAGE</td> </tr> </tbody> </table>	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1	5456.51	48.29	54.00	-5.71	29.46	34.56	14.34	30.07	0.00	300	295 AVERAGE	 <table border="1"> <thead> <tr> <th>Limit</th> <th>Over</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Aux</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>Limit</th> <th>Level</th> <th>Factor</th> <th>Loss</th> <th>Factor</th> <th>Factor</th> <th></th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>5550.00</td> <td>92.40</td> <td>-----</td> <td>-----</td> <td>73.38</td> <td>34.60</td> <td>14.51</td> <td>30.09</td> <td>0.00</td> <td>300</td> <td>295 AVERAGE</td> </tr> </tbody> </table>	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1	5550.00	92.40	-----	-----	73.38	34.60	14.51	30.09	0.00	300	295 AVERAGE												
	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																										
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor																																																																																												
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																																										
1	5456.51	48.29	54.00	-5.71	29.46	34.56	14.34	30.07	0.00	300	295 AVERAGE																																																																																									
Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																											
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor																																																																																												
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																																										
1	5550.00	92.40	-----	-----	73.38	34.60	14.51	30.09	0.00	300	295 AVERAGE																																																																																									



Mode	42																																													
	Band Edge - R																																													
	U-NII-2C_5.47-5.725_802.11ax HE40_CH110_Full_5550MHz																																													
ANT	1																																													
Pol.	Vertical	Fundamental																																												
Peak	<p>Level (dBuV/m)</p> <p>Frequency (MHz)</p> <p>U-NII-1-U-NII-2A-U-NII-2C</p> <table border="1"> <thead> <tr> <th>Limit</th> <th>Over</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Aux</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>Limit</th> <th>Level</th> <th>Factor</th> <th>Loss</th> <th>Factor</th> <th>Factor</th> <th></th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>5750.71</td> <td>59.13</td> <td>68.20</td> <td>-9.07</td> <td>39.52</td> <td>34.75</td> <td>14.93</td> <td>30.07</td> <td>0.00</td> <td>300</td> <td>295</td> <td>PEAK</td> </tr> </tbody> </table>	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1	5750.71	59.13	68.20	-9.07	39.52	34.75	14.93	30.07	0.00	300	295	PEAK	Blank
Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																					
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor																																						
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																				
1	5750.71	59.13	68.20	-9.07	39.52	34.75	14.93	30.07	0.00	300	295	PEAK																																		



Mode	42																																																																																																																																																									
	Harmonic																																																																																																																																																									
	U-NII-2C_5.47-5.725_802.11ax HE40_CH110_Full_5550MHz																																																																																																																																																									
ANT	0																																																																																																																																																									
Pol.	Horizontal	Vertical																																																																																																																																																								
Peak Avg																																																																																																																																																										
	<table border="1"> <thead> <tr> <th>Limit</th> <th>Over</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Aux</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>Limit</th> <th>Level</th> <th>Factor</th> <th>Loss</th> <th>Factor</th> <th>Factor</th> <th></th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>11097.13</td> <td>49.72</td> <td>74.00</td> <td>-24.28</td> <td>57.23</td> <td>37.98</td> <td>18.85</td> <td>64.34</td> <td>0.00</td> <td>251</td> <td>162</td> <td>Peak</td> </tr> <tr> <td>2</td> <td>11097.13</td> <td>41.12</td> <td>54.00</td> <td>-12.88</td> <td>48.63</td> <td>37.98</td> <td>18.85</td> <td>64.34</td> <td>0.00</td> <td>251</td> <td>162</td> <td>Average</td> </tr> </tbody> </table>	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1	11097.13	49.72	74.00	-24.28	57.23	37.98	18.85	64.34	0.00	251	162	Peak	2	11097.13	41.12	54.00	-12.88	48.63	37.98	18.85	64.34	0.00	251	162	Average	<table border="1"> <thead> <tr> <th>Limit</th> <th>Over</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Aux</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>Limit</th> <th>Level</th> <th>Factor</th> <th>Loss</th> <th>Factor</th> <th>Factor</th> <th></th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>11100.00</td> <td>46.99</td> <td>74.00</td> <td>-27.01</td> <td>54.49</td> <td>37.98</td> <td>18.86</td> <td>64.34</td> <td>0.00</td> <td>---</td> <td>---</td> <td>PEAK</td> </tr> <tr> <td>2</td> <td>12187.60</td> <td>53.18</td> <td>74.00</td> <td>-20.82</td> <td>59.86</td> <td>38.78</td> <td>19.59</td> <td>65.05</td> <td>0.00</td> <td>294</td> <td>312</td> <td>Peak</td> </tr> <tr> <td>3</td> <td>12187.60</td> <td>48.67</td> <td>54.00</td> <td>-5.33</td> <td>55.35</td> <td>38.78</td> <td>19.59</td> <td>65.05</td> <td>0.00</td> <td>294</td> <td>312</td> <td>Average</td> </tr> <tr> <td>4</td> <td>12500.00</td> <td>54.56</td> <td>74.00</td> <td>-19.44</td> <td>60.51</td> <td>38.90</td> <td>20.00</td> <td>64.85</td> <td>0.00</td> <td>302</td> <td>312</td> <td>Peak</td> </tr> <tr> <td>5</td> <td>12500.00</td> <td>50.53</td> <td>54.00</td> <td>-3.47</td> <td>56.48</td> <td>38.90</td> <td>20.00</td> <td>64.85</td> <td>0.00</td> <td>302</td> <td>312</td> <td>Average</td> </tr> </tbody> </table>	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1	11100.00	46.99	74.00	-27.01	54.49	37.98	18.86	64.34	0.00	---	---	PEAK	2	12187.60	53.18	74.00	-20.82	59.86	38.78	19.59	65.05	0.00	294	312	Peak	3	12187.60	48.67	54.00	-5.33	55.35	38.78	19.59	65.05	0.00	294	312	Average	4	12500.00	54.56	74.00	-19.44	60.51	38.90	20.00	64.85	0.00	302	312	Peak	5	12500.00	50.53	54.00	-3.47	56.48	38.90	20.00	64.85	0.00	302	312
Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																																																																																	
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor																																																																																																																																																		
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																																																																																																
1	11097.13	49.72	74.00	-24.28	57.23	37.98	18.85	64.34	0.00	251	162	Peak																																																																																																																																														
2	11097.13	41.12	54.00	-12.88	48.63	37.98	18.85	64.34	0.00	251	162	Average																																																																																																																																														
Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																																																																																	
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor																																																																																																																																																		
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																																																																																																
1	11100.00	46.99	74.00	-27.01	54.49	37.98	18.86	64.34	0.00	---	---	PEAK																																																																																																																																														
2	12187.60	53.18	74.00	-20.82	59.86	38.78	19.59	65.05	0.00	294	312	Peak																																																																																																																																														
3	12187.60	48.67	54.00	-5.33	55.35	38.78	19.59	65.05	0.00	294	312	Average																																																																																																																																														
4	12500.00	54.56	74.00	-19.44	60.51	38.90	20.00	64.85	0.00	302	312	Peak																																																																																																																																														
5	12500.00	50.53	54.00	-3.47	56.48	38.90	20.00	64.85	0.00	302	312	Average																																																																																																																																														









Mode	43																																																																																														
	Band Edge - L																																																																																														
	U-NII-2C_5.47-5.725_802.11ax HE40_CH134_Full_5670MHz																																																																																														
ANT	1																																																																																														
Pol.	Horizontal	Fundamental																																																																																													
Peak	<table border="1"> <thead> <tr> <th>Limit</th> <th>Over</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Aux</th> <th>APos</th> <th>TPos</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>Limit</th> <th>Level</th> <th>Factor</th> <th>Loss</th> <th>Factor</th> <th>Factor</th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>cm</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>5396.17</td> <td>58.88</td> <td>74.00</td> <td>-15.12</td> <td>40.29</td> <td>34.50</td> <td>14.15</td> <td>30.06</td> <td>0.00</td> <td>100</td> <td>311</td> <td>PEAK</td> </tr> <tr> <td>2</td> <td>5463.69</td> <td>59.07</td> <td>68.20</td> <td>-9.13</td> <td>40.22</td> <td>34.56</td> <td>14.37</td> <td>30.08</td> <td>0.00</td> <td>100</td> <td>311</td> <td>PEAK</td> </tr> </tbody> </table>	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos	Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	1	5396.17	58.88	74.00	-15.12	40.29	34.50	14.15	30.06	0.00	100	311	PEAK	2	5463.69	59.07	68.20	-9.13	40.22	34.56	14.37	30.08	0.00	100	311	PEAK	<table border="1"> <thead> <tr> <th>Limit</th> <th>Over</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Aux</th> <th>APos</th> <th>TPos</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>Limit</th> <th>Level</th> <th>Factor</th> <th>Loss</th> <th>Factor</th> <th>Factor</th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>cm</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>5670.00</td> <td>105.73</td> <td>-----</td> <td>-----</td> <td>86.62</td> <td>34.60</td> <td>14.61</td> <td>30.10</td> <td>0.00</td> <td>100</td> <td>311</td> <td>PEAK</td> </tr> </tbody> </table>	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos	Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	1	5670.00	105.73	-----	-----	86.62	34.60	14.61	30.10	0.00	100	311	PEAK
	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																						
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor																																																																																							
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm																																																																																							
1	5396.17	58.88	74.00	-15.12	40.29	34.50	14.15	30.06	0.00	100	311	PEAK																																																																																			
2	5463.69	59.07	68.20	-9.13	40.22	34.56	14.37	30.08	0.00	100	311	PEAK																																																																																			
Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																							
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor																																																																																							
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm																																																																																							
1	5670.00	105.73	-----	-----	86.62	34.60	14.61	30.10	0.00	100	311	PEAK																																																																																			
Avg	<table border="1"> <thead> <tr> <th>Limit</th> <th>Over</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Aux</th> <th>APos</th> <th>TPos</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>Limit</th> <th>Level</th> <th>Factor</th> <th>Loss</th> <th>Factor</th> <th>Factor</th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>cm</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>5459.37</td> <td>48.19</td> <td>54.00</td> <td>-5.81</td> <td>29.36</td> <td>34.56</td> <td>14.35</td> <td>30.08</td> <td>0.00</td> <td>100</td> <td>311</td> <td>AVERAGE</td> </tr> </tbody> </table>	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos	Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	1	5459.37	48.19	54.00	-5.81	29.36	34.56	14.35	30.08	0.00	100	311	AVERAGE	<table border="1"> <thead> <tr> <th>Limit</th> <th>Over</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Aux</th> <th>APos</th> <th>TPos</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>Limit</th> <th>Level</th> <th>Factor</th> <th>Loss</th> <th>Factor</th> <th>Factor</th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>cm</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>5670.00</td> <td>94.27</td> <td>-----</td> <td>-----</td> <td>75.11</td> <td>34.60</td> <td>14.65</td> <td>30.09</td> <td>0.00</td> <td>100</td> <td>311</td> <td>AVERAGE</td> </tr> </tbody> </table>	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos	Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	1	5670.00	94.27	-----	-----	75.11	34.60	14.65	30.09	0.00	100	311	AVERAGE													
Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																							
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor																																																																																							
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm																																																																																							
1	5459.37	48.19	54.00	-5.81	29.36	34.56	14.35	30.08	0.00	100	311	AVERAGE																																																																																			
Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																							
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor																																																																																							
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm																																																																																							
1	5670.00	94.27	-----	-----	75.11	34.60	14.65	30.09	0.00	100	311	AVERAGE																																																																																			



Mode	43																																												
	Band Edge - R																																												
	U-NII-2C_5.47-5.725_802.11ax HE40_CH134_Full_5670MHz																																												
ANT	1																																												
Pol.	Horizontal	Fundamental																																											
Peak	<p>Level (dBuV/m)</p> <p>Frequency (MHz)</p> <p>U-NII-1-U-NII-2A-U-NII-2C</p> <table border="1"> <thead> <tr> <th>Limit</th> <th>Over</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Aux</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>Limit</th> <th>Level</th> <th>Factor</th> <th>Loss</th> <th>Factor</th> <th>Factor</th> <th></th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>5727.44</td> <td>65.00</td> <td>68.20</td> <td>-3.20</td> <td>45.58</td> <td>34.68</td> <td>14.82</td> <td>30.08</td> <td>0.00</td> <td>100</td> <td>311 PEAK</td> </tr> </tbody> </table>	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1	5727.44	65.00	68.20	-3.20	45.58	34.68	14.82	30.08	0.00	100	311 PEAK	Blank
Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																				
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor																																					
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																			
1	5727.44	65.00	68.20	-3.20	45.58	34.68	14.82	30.08	0.00	100	311 PEAK																																		



		43																																																																																																						
Mode		Band Edge - L																																																																																																						
		U-NII-2C_5.47-5.725_802.11ax HE40_CH134_Full_5670MHz																																																																																																						
ANT		1																																																																																																						
Pol.		Vertical					Fundamental																																																																																																	
Peak	 <p>Level (dBuV/m)</p> <p>Frequency (MHz)</p> <p>U-NII-1-U-NII-2A-U-NII-2C</p> <table border="1"> <thead> <tr> <th>Limit</th> <th>Over</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Aux</th> <th>APos</th> <th>TPos</th> <th colspan="2"></th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>Limit</th> <th>Level</th> <th>Factor</th> <th>Loss</th> <th>Factor</th> <th>Factor</th> <th>cm</th> <th>deg</th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>5450.89</td> <td>58.88</td> <td>74.00</td> <td>-15.12</td> <td>40.08</td> <td>34.55</td> <td>14.32</td> <td>30.07</td> <td>0.00</td> <td>300</td> <td>302 PEAK</td> </tr> <tr> <td>2</td> <td>5465.77</td> <td>60.68</td> <td>68.20</td> <td>-7.52</td> <td>41.82</td> <td>34.57</td> <td>14.37</td> <td>30.08</td> <td>0.00</td> <td>300</td> <td>302 PEAK</td> </tr> </tbody> </table>	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos			Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor	cm	deg	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1	5450.89	58.88	74.00	-15.12	40.08	34.55	14.32	30.07	0.00	300	302 PEAK	2	5465.77	60.68	68.20	-7.52	41.82	34.57	14.37	30.08	0.00	300	302 PEAK	 <p>Level (dBuV/m)</p> <p>Frequency (MHz)</p> <p>U-NII-1-U-NII-2A-U-NII-2C</p> <table border="1"> <thead> <tr> <th>Limit</th> <th>Over</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Aux</th> <th>APos</th> <th>TPos</th> <th colspan="2"></th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>Limit</th> <th>Level</th> <th>Factor</th> <th>Loss</th> <th>Factor</th> <th>Factor</th> <th>cm</th> <th>deg</th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>5670.00</td> <td>99.94</td> <td>-----</td> <td>-----</td> <td>80.78</td> <td>34.60</td> <td>14.65</td> <td>30.09</td> <td>0.00</td> <td>300</td> <td>302 PEAK</td> </tr> </tbody> </table>	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos			Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor	cm	deg	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1	5670.00	99.94	-----	-----	80.78	34.60	14.65	30.09	0.00	300	302 PEAK
	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																															
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor	cm	deg																																																																																														
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																																														
1	5450.89	58.88	74.00	-15.12	40.08	34.55	14.32	30.07	0.00	300	302 PEAK																																																																																													
2	5465.77	60.68	68.20	-7.52	41.82	34.57	14.37	30.08	0.00	300	302 PEAK																																																																																													
Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																																
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor	cm	deg																																																																																														
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																																														
1	5670.00	99.94	-----	-----	80.78	34.60	14.65	30.09	0.00	300	302 PEAK																																																																																													
Avg	 <p>Level (dBuV/m)</p> <p>Frequency (MHz)</p> <p>U-NII-1-U-NII-2A-U-NII-2C(AVG)</p> <table border="1"> <thead> <tr> <th>Limit</th> <th>Over</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Aux</th> <th>APos</th> <th>TPos</th> <th colspan="2"></th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>Limit</th> <th>Level</th> <th>Factor</th> <th>Loss</th> <th>Factor</th> <th>Factor</th> <th>cm</th> <th>deg</th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>5457.61</td> <td>48.27</td> <td>54.00</td> <td>-5.73</td> <td>29.43</td> <td>34.56</td> <td>14.35</td> <td>30.07</td> <td>0.00</td> <td>300</td> <td>302 AVERAGE</td> </tr> </tbody> </table>	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos			Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor	cm	deg	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1	5457.61	48.27	54.00	-5.73	29.43	34.56	14.35	30.07	0.00	300	302 AVERAGE	 <p>Level (dBuV/m)</p> <p>Frequency (MHz)</p> <p>U-NII-1-U-NII-2A-U-NII-2C(AVG)</p> <table border="1"> <thead> <tr> <th>Limit</th> <th>Over</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Aux</th> <th>APos</th> <th>TPos</th> <th colspan="2"></th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>Limit</th> <th>Level</th> <th>Factor</th> <th>Loss</th> <th>Factor</th> <th>Factor</th> <th>cm</th> <th>deg</th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>5670.00</td> <td>89.71</td> <td>-----</td> <td>-----</td> <td>70.55</td> <td>34.60</td> <td>14.65</td> <td>30.09</td> <td>0.00</td> <td>300</td> <td>302 AVERAGE</td> </tr> </tbody> </table>	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos			Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor	cm	deg	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1	5670.00	89.71	-----	-----	70.55	34.60	14.65	30.09	0.00	300	302 AVERAGE												
	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																															
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor	cm	deg																																																																																														
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																																														
1	5457.61	48.27	54.00	-5.73	29.43	34.56	14.35	30.07	0.00	300	302 AVERAGE																																																																																													
Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																																
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor	cm	deg																																																																																														
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																																														
1	5670.00	89.71	-----	-----	70.55	34.60	14.65	30.09	0.00	300	302 AVERAGE																																																																																													







Mode	43																																												
	Band Edge - R																																												
	U-NII-2C_5.47-5.725_802.11ax HE40_CH134_Full_5670MHz																																												
ANT	1																																												
Pol.	Vertical	Fundamental																																											
Peak	<table border="1"> <thead> <tr> <th>Limit</th> <th>Over</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Aux</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>Limit</th> <th>Level</th> <th>Factor</th> <th>Loss</th> <th>Factor</th> <th>Factor</th> <th></th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>5728.80</td> <td>61.24</td> <td>68.20</td> <td>-6.96</td> <td>41.81</td> <td>34.69</td> <td>14.82</td> <td>30.08</td> <td>0.00</td> <td>300</td> <td>302 PEAK</td> </tr> </tbody> </table>	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1	5728.80	61.24	68.20	-6.96	41.81	34.69	14.82	30.08	0.00	300	302 PEAK	Blank
Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																				
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor																																					
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																			
1	5728.80	61.24	68.20	-6.96	41.81	34.69	14.82	30.08	0.00	300	302 PEAK																																		



Mode	43																																																																																																																																												
	Harmonic																																																																																																																																												
	U-NII-2C_5.47-5.725_802.11ax HE40_CH134_Full_5670MHz																																																																																																																																												
ANT	1																																																																																																																																												
Pol.	Horizontal	Vertical																																																																																																																																											
Peak Avg																																																																																																																																													
	<table border="1"> <thead> <tr> <th>Limit</th> <th>Over</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Aux</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>Limit</th> <th>Level</th> <th>Factor</th> <th>Loss</th> <th>Factor</th> <th>Factor</th> <th></th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>11340.00</td> <td>45.12</td> <td>74.00</td> <td>-28.88</td> <td>52.13</td> <td>38.17</td> <td>18.88</td> <td>64.06</td> <td>0.00</td> <td>---</td> <td>---</td> <td>PEAK</td> </tr> </tbody> </table>	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1	11340.00	45.12	74.00	-28.88	52.13	38.17	18.88	64.06	0.00	---	---	PEAK	<table border="1"> <thead> <tr> <th>Limit</th> <th>Over</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Aux</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>Limit</th> <th>Level</th> <th>Factor</th> <th>Loss</th> <th>Factor</th> <th>Factor</th> <th></th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>11341.33</td> <td>48.56</td> <td>74.00</td> <td>-25.44</td> <td>55.57</td> <td>38.17</td> <td>18.88</td> <td>64.06</td> <td>0.00</td> <td>---</td> <td>---</td> <td>Peak</td> </tr> <tr> <td>2</td> <td>12187.60</td> <td>53.19</td> <td>74.00</td> <td>-20.81</td> <td>59.67</td> <td>38.78</td> <td>19.59</td> <td>65.05</td> <td>0.00</td> <td>285</td> <td>313</td> <td>Peak</td> </tr> <tr> <td>3</td> <td>12187.60</td> <td>48.33</td> <td>54.00</td> <td>-5.67</td> <td>55.01</td> <td>38.78</td> <td>19.59</td> <td>65.05</td> <td>0.00</td> <td>285</td> <td>313</td> <td>Average</td> </tr> <tr> <td>4</td> <td>12500.00</td> <td>54.46</td> <td>74.00</td> <td>-19.54</td> <td>60.41</td> <td>38.90</td> <td>20.00</td> <td>64.85</td> <td>0.00</td> <td>300</td> <td>313</td> <td>Peak</td> </tr> <tr> <td>5</td> <td>12500.00</td> <td>50.58</td> <td>54.00</td> <td>-3.42</td> <td>56.53</td> <td>38.90</td> <td>20.00</td> <td>64.85</td> <td>0.00</td> <td>300</td> <td>313</td> <td>Average</td> </tr> </tbody> </table>	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1	11341.33	48.56	74.00	-25.44	55.57	38.17	18.88	64.06	0.00	---	---	Peak	2	12187.60	53.19	74.00	-20.81	59.67	38.78	19.59	65.05	0.00	285	313	Peak	3	12187.60	48.33	54.00	-5.67	55.01	38.78	19.59	65.05	0.00	285	313	Average	4	12500.00	54.46	74.00	-19.54	60.41	38.90	20.00	64.85	0.00	300	313	Peak	5	12500.00	50.58	54.00	-3.42	56.53	38.90	20.00	64.85	0.00	300	313
Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																																																																				
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor																																																																																																																																					
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																																																																																			
1	11340.00	45.12	74.00	-28.88	52.13	38.17	18.88	64.06	0.00	---	---	PEAK																																																																																																																																	
Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																																																																				
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor																																																																																																																																					
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																																																																																			
1	11341.33	48.56	74.00	-25.44	55.57	38.17	18.88	64.06	0.00	---	---	Peak																																																																																																																																	
2	12187.60	53.19	74.00	-20.81	59.67	38.78	19.59	65.05	0.00	285	313	Peak																																																																																																																																	
3	12187.60	48.33	54.00	-5.67	55.01	38.78	19.59	65.05	0.00	285	313	Average																																																																																																																																	
4	12500.00	54.46	74.00	-19.54	60.41	38.90	20.00	64.85	0.00	300	313	Peak																																																																																																																																	
5	12500.00	50.58	54.00	-3.42	56.53	38.90	20.00	64.85	0.00	300	313	Average																																																																																																																																	



Mode	44																																																																																									
	Band Edge - L																																																																																									
	U-NII-1_5.15-5.25_802.11ax HE80_CH42_Full_5210MHz																																																																																									
ANT	1																																																																																									
Pol.	Horizontal	Fundamental																																																																																								
Peak	 <table border="1"> <thead> <tr> <th>Limit</th> <th>Over</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Aux</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>Limit</th> <th>Level</th> <th>Factor</th> <th>Loss</th> <th>Factor</th> <th>Factor</th> <th></th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>5147.93</td> <td>62.72</td> <td>74.00</td> <td>-11.28</td> <td>44.74</td> <td>34.14</td> <td>13.86</td> <td>30.02</td> <td>0.00</td> <td>100</td> <td>184</td> <td>PEAK</td> </tr> </tbody> </table>	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1	5147.93	62.72	74.00	-11.28	44.74	34.14	13.86	30.02	0.00	100	184	PEAK	 <table border="1"> <thead> <tr> <th>Limit</th> <th>Over</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Aux</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>Limit</th> <th>Level</th> <th>Factor</th> <th>Loss</th> <th>Factor</th> <th>Factor</th> <th></th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>5210.00</td> <td>97.91</td> <td>-----</td> <td>-----</td> <td>79.69</td> <td>34.35</td> <td>13.90</td> <td>30.03</td> <td>0.00</td> <td>100</td> <td>184</td> <td>PEAK</td> </tr> </tbody> </table>	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1	5210.00	97.91	-----	-----	79.69	34.35	13.90	30.03	0.00	100	184	PEAK
	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor																																																																																		
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																																
1	5147.93	62.72	74.00	-11.28	44.74	34.14	13.86	30.02	0.00	100	184	PEAK																																																																														
Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																	
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor																																																																																		
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																																
1	5210.00	97.91	-----	-----	79.69	34.35	13.90	30.03	0.00	100	184	PEAK																																																																														
Avg	 <table border="1"> <thead> <tr> <th>Limit</th> <th>Over</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Aux</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>Limit</th> <th>Level</th> <th>Factor</th> <th>Loss</th> <th>Factor</th> <th>Factor</th> <th></th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>5148.09</td> <td>49.50</td> <td>54.00</td> <td>-4.50</td> <td>31.52</td> <td>34.14</td> <td>13.86</td> <td>30.02</td> <td>0.00</td> <td>100</td> <td>184</td> <td>AVERAGE</td> </tr> </tbody> </table>	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1	5148.09	49.50	54.00	-4.50	31.52	34.14	13.86	30.02	0.00	100	184	AVERAGE	 <table border="1"> <thead> <tr> <th>Limit</th> <th>Over</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Aux</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>Limit</th> <th>Level</th> <th>Factor</th> <th>Loss</th> <th>Factor</th> <th>Factor</th> <th></th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>5210.00</td> <td>87.15</td> <td>-----</td> <td>-----</td> <td>69.02</td> <td>34.32</td> <td>13.84</td> <td>30.03</td> <td>0.00</td> <td>100</td> <td>184</td> <td>AVERAGE</td> </tr> </tbody> </table>	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1	5210.00	87.15	-----	-----	69.02	34.32	13.84	30.03	0.00	100	184	AVERAGE
Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																	
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor																																																																																		
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																																
1	5148.09	49.50	54.00	-4.50	31.52	34.14	13.86	30.02	0.00	100	184	AVERAGE																																																																														
Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																	
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor																																																																																		
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																																
1	5210.00	87.15	-----	-----	69.02	34.32	13.84	30.03	0.00	100	184	AVERAGE																																																																														



Mode	44																																													
	Band Edge - R																																													
	U-NII-1_5.15-5.25_802.11ax HE80_CH42_Full_5210MHz																																													
ANT	1																																													
Pol.	Horizontal	Fundamental																																												
Peak	<table border="1"> <thead> <tr> <th>Limit</th> <th>Over</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Aux</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>Limit</th> <th>Level</th> <th>Factor</th> <th>Loss</th> <th>Factor</th> <th>Factor</th> <th></th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>5396.14</td> <td>58.68</td> <td>74.00</td> <td>-15.32</td> <td>40.09</td> <td>34.50</td> <td>14.15</td> <td>30.06</td> <td>0.00</td> <td>100</td> <td>184</td> <td>PEAK</td> </tr> </tbody> </table>	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1	5396.14	58.68	74.00	-15.32	40.09	34.50	14.15	30.06	0.00	100	184	PEAK	Blank
Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																					
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor																																						
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																				
1	5396.14	58.68	74.00	-15.32	40.09	34.50	14.15	30.06	0.00	100	184	PEAK																																		
Avg	<table border="1"> <thead> <tr> <th>Limit</th> <th>Over</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Aux</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>Limit</th> <th>Level</th> <th>Factor</th> <th>Loss</th> <th>Factor</th> <th>Factor</th> <th></th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>5399.53</td> <td>47.51</td> <td>54.00</td> <td>-6.49</td> <td>28.92</td> <td>34.50</td> <td>14.15</td> <td>30.06</td> <td>0.00</td> <td>100</td> <td>184</td> <td>AVERAGE</td> </tr> </tbody> </table>	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1	5399.53	47.51	54.00	-6.49	28.92	34.50	14.15	30.06	0.00	100	184	AVERAGE	Blank
Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																					
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor																																						
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																				
1	5399.53	47.51	54.00	-6.49	28.92	34.50	14.15	30.06	0.00	100	184	AVERAGE																																		



Mode	44																																																																																									
	Band Edge - L																																																																																									
	U-NII-1_5.15-5.25_802.11ax HE80_CH42_Full_5210MHz																																																																																									
ANT	1																																																																																									
Pol.	Vertical	Fundamental																																																																																								
Peak	<table border="1"> <thead> <tr> <th>Limit</th> <th>Over</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Aux</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>Limit</th> <th>Level</th> <th>Factor</th> <th>Loss</th> <th>Factor</th> <th>Factor</th> <th></th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>5117.85</td> <td>58.56</td> <td>74.00</td> <td>-15.44</td> <td>40.63</td> <td>34.05</td> <td>13.89</td> <td>30.01</td> <td>0.00</td> <td>384</td> <td>275</td> <td>PEAK</td> </tr> </tbody> </table>	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1	5117.85	58.56	74.00	-15.44	40.63	34.05	13.89	30.01	0.00	384	275	PEAK	<table border="1"> <thead> <tr> <th>Limit</th> <th>Over</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Aux</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>Limit</th> <th>Level</th> <th>Factor</th> <th>Loss</th> <th>Factor</th> <th>Factor</th> <th></th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>5210.00</td> <td>95.24</td> <td>-----</td> <td>-----</td> <td>77.08</td> <td>34.33</td> <td>13.86</td> <td>30.03</td> <td>0.00</td> <td>384</td> <td>275</td> <td>PEAK</td> </tr> </tbody> </table>	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1	5210.00	95.24	-----	-----	77.08	34.33	13.86	30.03	0.00	384	275	PEAK
	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor																																																																																		
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																																
1	5117.85	58.56	74.00	-15.44	40.63	34.05	13.89	30.01	0.00	384	275	PEAK																																																																														
Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																	
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor																																																																																		
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																																
1	5210.00	95.24	-----	-----	77.08	34.33	13.86	30.03	0.00	384	275	PEAK																																																																														
Avg	<table border="1"> <thead> <tr> <th>Limit</th> <th>Over</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Aux</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>Limit</th> <th>Level</th> <th>Factor</th> <th>Loss</th> <th>Factor</th> <th>Factor</th> <th></th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>5104.57</td> <td>48.45</td> <td>54.00</td> <td>-5.55</td> <td>30.54</td> <td>34.01</td> <td>13.91</td> <td>30.01</td> <td>0.00</td> <td>384</td> <td>275</td> <td>AVERAGE</td> </tr> </tbody> </table>	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1	5104.57	48.45	54.00	-5.55	30.54	34.01	13.91	30.01	0.00	384	275	AVERAGE	<table border="1"> <thead> <tr> <th>Limit</th> <th>Over</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Aux</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>Limit</th> <th>Level</th> <th>Factor</th> <th>Loss</th> <th>Factor</th> <th>Factor</th> <th></th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>5210.00</td> <td>84.78</td> <td>-----</td> <td>-----</td> <td>66.68</td> <td>34.31</td> <td>13.82</td> <td>30.03</td> <td>0.00</td> <td>384</td> <td>275</td> <td>AVERAGE</td> </tr> </tbody> </table>	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1	5210.00	84.78	-----	-----	66.68	34.31	13.82	30.03	0.00	384	275	AVERAGE
Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																	
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor																																																																																		
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																																
1	5104.57	48.45	54.00	-5.55	30.54	34.01	13.91	30.01	0.00	384	275	AVERAGE																																																																														
Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																	
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor																																																																																		
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																																
1	5210.00	84.78	-----	-----	66.68	34.31	13.82	30.03	0.00	384	275	AVERAGE																																																																														





Mode	44																																													
	Band Edge - R																																													
	U-NII-1_5.15-5.25_802.11ax HE80_CH42_Full_5210MHz																																													
ANT	1																																													
Pol.	Vertical	Fundamental																																												
Peak	<table border="1"> <thead> <tr> <th>Limit</th> <th>Over</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Aux</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>Limit</th> <th>Level</th> <th>Factor</th> <th>Loss</th> <th>Factor</th> <th>Factor</th> <th></th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>5308.76</td> <td>57.25</td> <td>74.00</td> <td>-16.75</td> <td>38.66</td> <td>34.50</td> <td>14.15</td> <td>30.06</td> <td>0.00</td> <td>384</td> <td>275</td> <td>PEAK</td> </tr> </tbody> </table>	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1	5308.76	57.25	74.00	-16.75	38.66	34.50	14.15	30.06	0.00	384	275	PEAK	Blank
Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																					
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor																																						
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																				
1	5308.76	57.25	74.00	-16.75	38.66	34.50	14.15	30.06	0.00	384	275	PEAK																																		
Avg	<table border="1"> <thead> <tr> <th>Limit</th> <th>Over</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Aux</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>Limit</th> <th>Level</th> <th>Factor</th> <th>Loss</th> <th>Factor</th> <th>Factor</th> <th></th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>5399.34</td> <td>47.55</td> <td>54.00</td> <td>-6.45</td> <td>28.96</td> <td>34.50</td> <td>14.15</td> <td>30.06</td> <td>0.00</td> <td>384</td> <td>275</td> <td>AVERAGE</td> </tr> </tbody> </table>	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1	5399.34	47.55	54.00	-6.45	28.96	34.50	14.15	30.06	0.00	384	275	AVERAGE	Blank
Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																					
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor																																						
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																				
1	5399.34	47.55	54.00	-6.45	28.96	34.50	14.15	30.06	0.00	384	275	AVERAGE																																		



Mode	44																																																																																																																																												
	Harmonic																																																																																																																																												
	U-NII-1_5.15-5.25_802.11ax HE80_CH42_Full_5210MHz																																																																																																																																												
ANT	1																																																																																																																																												
Pol.	Horizontal	Vertical																																																																																																																																											
Peak Avg																																																																																																																																													
	<table border="1"> <thead> <tr> <th>Limit</th> <th>Over</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Aux</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>Limit</th> <th>Level</th> <th>Factor</th> <th>Loss</th> <th>Factor</th> <th>Factor</th> <th></th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>10420.00</td> <td>44.30</td> <td>68.20</td> <td>-23.90</td> <td>53.61</td> <td>37.50</td> <td>18.31</td> <td>65.12</td> <td>0.00</td> <td>---</td> <td>---</td> <td>PEAK</td> </tr> </tbody> </table>	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1	10420.00	44.30	68.20	-23.90	53.61	37.50	18.31	65.12	0.00	---	---	PEAK	<table border="1"> <thead> <tr> <th>Limit</th> <th>Over</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Aux</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>Limit</th> <th>Level</th> <th>Factor</th> <th>Loss</th> <th>Factor</th> <th>Factor</th> <th></th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>10420.00</td> <td>45.15</td> <td>68.20</td> <td>-23.05</td> <td>54.57</td> <td>37.47</td> <td>18.28</td> <td>65.17</td> <td>0.00</td> <td>---</td> <td>---</td> <td>PEAK</td> </tr> <tr> <td>2</td> <td>12187.60</td> <td>53.00</td> <td>74.00</td> <td>-20.92</td> <td>59.76</td> <td>38.78</td> <td>19.59</td> <td>65.05</td> <td>0.00</td> <td>297</td> <td>312</td> <td>Peak</td> </tr> <tr> <td>3</td> <td>12187.60</td> <td>48.99</td> <td>54.00</td> <td>-5.01</td> <td>55.67</td> <td>38.78</td> <td>19.59</td> <td>65.05</td> <td>0.00</td> <td>297</td> <td>312</td> <td>Average</td> </tr> <tr> <td>4</td> <td>12500.00</td> <td>54.36</td> <td>74.00</td> <td>-19.64</td> <td>60.31</td> <td>38.90</td> <td>20.00</td> <td>64.85</td> <td>0.00</td> <td>292</td> <td>312</td> <td>Peak</td> </tr> <tr> <td>5</td> <td>12500.00</td> <td>50.50</td> <td>54.00</td> <td>-3.50</td> <td>56.45</td> <td>38.90</td> <td>20.00</td> <td>64.85</td> <td>0.00</td> <td>292</td> <td>312</td> <td>Average</td> </tr> </tbody> </table>	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1	10420.00	45.15	68.20	-23.05	54.57	37.47	18.28	65.17	0.00	---	---	PEAK	2	12187.60	53.00	74.00	-20.92	59.76	38.78	19.59	65.05	0.00	297	312	Peak	3	12187.60	48.99	54.00	-5.01	55.67	38.78	19.59	65.05	0.00	297	312	Average	4	12500.00	54.36	74.00	-19.64	60.31	38.90	20.00	64.85	0.00	292	312	Peak	5	12500.00	50.50	54.00	-3.50	56.45	38.90	20.00	64.85	0.00	292	312
Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																																																																				
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor																																																																																																																																					
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																																																																																			
1	10420.00	44.30	68.20	-23.90	53.61	37.50	18.31	65.12	0.00	---	---	PEAK																																																																																																																																	
Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																																																																				
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor																																																																																																																																					
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																																																																																			
1	10420.00	45.15	68.20	-23.05	54.57	37.47	18.28	65.17	0.00	---	---	PEAK																																																																																																																																	
2	12187.60	53.00	74.00	-20.92	59.76	38.78	19.59	65.05	0.00	297	312	Peak																																																																																																																																	
3	12187.60	48.99	54.00	-5.01	55.67	38.78	19.59	65.05	0.00	297	312	Average																																																																																																																																	
4	12500.00	54.36	74.00	-19.64	60.31	38.90	20.00	64.85	0.00	292	312	Peak																																																																																																																																	
5	12500.00	50.50	54.00	-3.50	56.45	38.90	20.00	64.85	0.00	292	312	Average																																																																																																																																	



Mode	45																																																																																									
	Band Edge - L																																																																																									
	U-NII-2A_5.25-5.35_802.11ax HE80_CH58_Full_5290MHz																																																																																									
ANT	1																																																																																									
Pol.	Horizontal	Fundamental																																																																																								
Peak	<table border="1"> <thead> <tr> <th>Limit</th> <th>Over</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Aux</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>Limit</th> <th>Level</th> <th>Factor</th> <th>Loss</th> <th>Factor</th> <th>Factor</th> <th></th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>5112.73</td> <td>59.07</td> <td>74.00</td> <td>-14.93</td> <td>41.14</td> <td>34.04</td> <td>13.90</td> <td>30.01</td> <td>0.00</td> <td>142</td> <td>182</td> <td>PEAK</td> </tr> </tbody> </table>	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1	5112.73	59.07	74.00	-14.93	41.14	34.04	13.90	30.01	0.00	142	182	PEAK	<table border="1"> <thead> <tr> <th>Limit</th> <th>Over</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Aux</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>Limit</th> <th>Level</th> <th>Factor</th> <th>Loss</th> <th>Factor</th> <th>Factor</th> <th></th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>5290.00</td> <td>99.85</td> <td>-----</td> <td>-----</td> <td>81.26</td> <td>34.50</td> <td>14.13</td> <td>30.04</td> <td>0.00</td> <td>142</td> <td>182</td> <td>PEAK</td> </tr> </tbody> </table>	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1	5290.00	99.85	-----	-----	81.26	34.50	14.13	30.04	0.00	142	182	PEAK
	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor																																																																																		
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																																
1	5112.73	59.07	74.00	-14.93	41.14	34.04	13.90	30.01	0.00	142	182	PEAK																																																																														
Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																	
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor																																																																																		
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																																
1	5290.00	99.85	-----	-----	81.26	34.50	14.13	30.04	0.00	142	182	PEAK																																																																														
Avg	<table border="1"> <thead> <tr> <th>Limit</th> <th>Over</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Aux</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>Limit</th> <th>Level</th> <th>Factor</th> <th>Loss</th> <th>Factor</th> <th>Factor</th> <th></th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>5100.38</td> <td>48.38</td> <td>54.00</td> <td>-5.62</td> <td>30.48</td> <td>34.00</td> <td>13.91</td> <td>30.01</td> <td>0.00</td> <td>142</td> <td>182</td> <td>AVERAGE</td> </tr> </tbody> </table>	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1	5100.38	48.38	54.00	-5.62	30.48	34.00	13.91	30.01	0.00	142	182	AVERAGE	<table border="1"> <thead> <tr> <th>Limit</th> <th>Over</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Aux</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>Limit</th> <th>Level</th> <th>Factor</th> <th>Loss</th> <th>Factor</th> <th>Factor</th> <th></th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>5290.00</td> <td>89.46</td> <td>-----</td> <td>-----</td> <td>70.94</td> <td>34.47</td> <td>14.09</td> <td>30.04</td> <td>0.00</td> <td>142</td> <td>182</td> <td>AVERAGE</td> </tr> </tbody> </table>	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1	5290.00	89.46	-----	-----	70.94	34.47	14.09	30.04	0.00	142	182	AVERAGE
Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																	
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor																																																																																		
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																																
1	5100.38	48.38	54.00	-5.62	30.48	34.00	13.91	30.01	0.00	142	182	AVERAGE																																																																														
Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																	
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor																																																																																		
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																																
1	5290.00	89.46	-----	-----	70.94	34.47	14.09	30.04	0.00	142	182	AVERAGE																																																																														




Mode	45																																											
	Band Edge - R																																											
	U-NII-2A_5.25-5.35_802.11ax HE80_CH58_Full_5290MHz																																											
ANT	1																																											
Pol.	Horizontal	Fundamental																																										
Peak	<table border="1"> <thead> <tr> <th>Limit</th> <th>Over</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Aux</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>Level</th> <th>Factor</th> <th>Loss</th> <th>Factor</th> <th>Factor</th> <th>cm</th> <th>deg</th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1 5378.95</td> <td>64.20</td> <td>74.00</td> <td>-9.80</td> <td>45.61</td> <td>34.50</td> <td>14.15</td> <td>30.06</td> <td>0.00</td> <td>142</td> <td>182 PEAK</td> </tr> </tbody> </table>	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Level	Factor	Loss	Factor	Factor	cm	deg	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1 5378.95	64.20	74.00	-9.80	45.61	34.50	14.15	30.06	0.00	142	182 PEAK	Blank
Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																			
Freq	Level	Line	Level	Factor	Loss	Factor	Factor	cm	deg																																			
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																		
1 5378.95	64.20	74.00	-9.80	45.61	34.50	14.15	30.06	0.00	142	182 PEAK																																		
Avg	<table border="1"> <thead> <tr> <th>Limit</th> <th>Over</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Aux</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>Level</th> <th>Factor</th> <th>Loss</th> <th>Factor</th> <th>Factor</th> <th>cm</th> <th>deg</th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1 5378.15</td> <td>49.51</td> <td>54.00</td> <td>-4.49</td> <td>30.93</td> <td>34.50</td> <td>14.14</td> <td>30.06</td> <td>0.00</td> <td>142</td> <td>182 AVERAGE</td> </tr> </tbody> </table>	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Level	Factor	Loss	Factor	Factor	cm	deg	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1 5378.15	49.51	54.00	-4.49	30.93	34.50	14.14	30.06	0.00	142	182 AVERAGE	Blank
Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																			
Freq	Level	Line	Level	Factor	Loss	Factor	Factor	cm	deg																																			
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																		
1 5378.15	49.51	54.00	-4.49	30.93	34.50	14.14	30.06	0.00	142	182 AVERAGE																																		







Mode	45																																																																																									
	Band Edge - L																																																																																									
	U-NII-2A_5.25-5.35_802.11ax HE80_CH58_Full_5290MHz																																																																																									
ANT	1																																																																																									
Pol.	Vertical	Fundamental																																																																																								
Peak	<table border="1"> <thead> <tr> <th>Limit</th> <th>Over</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Aux</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>Limit</th> <th>Level</th> <th>Factor</th> <th>Loss</th> <th>Factor</th> <th>Factor</th> <th></th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>5123.29</td> <td>59.39</td> <td>74.00</td> <td>-14.61</td> <td>41.44</td> <td>34.07</td> <td>13.89</td> <td>30.01</td> <td>0.00</td> <td>315</td> <td>275</td> <td>PEAK</td> </tr> </tbody> </table>	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1	5123.29	59.39	74.00	-14.61	41.44	34.07	13.89	30.01	0.00	315	275	PEAK	<table border="1"> <thead> <tr> <th>Limit</th> <th>Over</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Aux</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>Limit</th> <th>Level</th> <th>Factor</th> <th>Loss</th> <th>Factor</th> <th>Factor</th> <th></th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>5290.00</td> <td>95.88</td> <td>-----</td> <td>-----</td> <td>77.36</td> <td>34.47</td> <td>14.09</td> <td>30.04</td> <td>0.00</td> <td>315</td> <td>275</td> <td>PEAK</td> </tr> </tbody> </table>	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1	5290.00	95.88	-----	-----	77.36	34.47	14.09	30.04	0.00	315	275	PEAK
	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor																																																																																		
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																																
1	5123.29	59.39	74.00	-14.61	41.44	34.07	13.89	30.01	0.00	315	275	PEAK																																																																														
Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																	
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor																																																																																		
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																																
1	5290.00	95.88	-----	-----	77.36	34.47	14.09	30.04	0.00	315	275	PEAK																																																																														
Avg	<table border="1"> <thead> <tr> <th>Limit</th> <th>Over</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Aux</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>Limit</th> <th>Level</th> <th>Factor</th> <th>Loss</th> <th>Factor</th> <th>Factor</th> <th></th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>5101.05</td> <td>48.50</td> <td>54.00</td> <td>-5.50</td> <td>30.60</td> <td>34.00</td> <td>13.91</td> <td>30.01</td> <td>0.00</td> <td>315</td> <td>275</td> <td>AVERAGE</td> </tr> </tbody> </table>	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1	5101.05	48.50	54.00	-5.50	30.60	34.00	13.91	30.01	0.00	315	275	AVERAGE	<table border="1"> <thead> <tr> <th>Limit</th> <th>Over</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Aux</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>Limit</th> <th>Level</th> <th>Factor</th> <th>Loss</th> <th>Factor</th> <th>Factor</th> <th></th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>5290.00</td> <td>86.27</td> <td>-----</td> <td>-----</td> <td>67.71</td> <td>34.49</td> <td>14.11</td> <td>30.04</td> <td>0.00</td> <td>315</td> <td>275</td> <td>AVERAGE</td> </tr> </tbody> </table>	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1	5290.00	86.27	-----	-----	67.71	34.49	14.11	30.04	0.00	315	275	AVERAGE
Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																	
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor																																																																																		
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																																
1	5101.05	48.50	54.00	-5.50	30.60	34.00	13.91	30.01	0.00	315	275	AVERAGE																																																																														
Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																	
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor																																																																																		
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																																
1	5290.00	86.27	-----	-----	67.71	34.49	14.11	30.04	0.00	315	275	AVERAGE																																																																														



Mode	45																																													
	Band Edge - R																																													
	U-NII-2A_5.25-5.35_802.11ax HE80_CH58_Full_5290MHz																																													
ANT	1																																													
Pol.	Vertical	Fundamental																																												
Peak	<table border="1"> <thead> <tr> <th>Limit</th> <th>Over</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Aux</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>Level</th> <th>Factor</th> <th>Loss</th> <th>Factor</th> <th>Factor</th> <th>cm</th> <th>deg</th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>5374.45</td> <td>63.00</td> <td>74.00</td> <td>-11.00</td> <td>44.42</td> <td>34.50</td> <td>14.14</td> <td>30.06</td> <td>0.00</td> <td>315</td> <td>275</td> <td>PEAK</td> </tr> </tbody> </table>	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Level	Factor	Loss	Factor	Factor	cm	deg	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1	5374.45	63.00	74.00	-11.00	44.42	34.50	14.14	30.06	0.00	315	275	PEAK	Blank
Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																					
Freq	Level	Line	Level	Factor	Loss	Factor	Factor	cm	deg																																					
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																				
1	5374.45	63.00	74.00	-11.00	44.42	34.50	14.14	30.06	0.00	315	275	PEAK																																		
Avg	<table border="1"> <thead> <tr> <th>Limit</th> <th>Over</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Aux</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>Level</th> <th>Factor</th> <th>Loss</th> <th>Factor</th> <th>Factor</th> <th>cm</th> <th>deg</th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>5374.45</td> <td>54.00</td> <td>49.75</td> <td>-4.25</td> <td>31.17</td> <td>34.50</td> <td>14.14</td> <td>30.06</td> <td>0.00</td> <td>315</td> <td>275</td> <td>AVERAGE</td> </tr> </tbody> </table>	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Level	Factor	Loss	Factor	Factor	cm	deg	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1	5374.45	54.00	49.75	-4.25	31.17	34.50	14.14	30.06	0.00	315	275	AVERAGE	Blank
Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																					
Freq	Level	Line	Level	Factor	Loss	Factor	Factor	cm	deg																																					
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																				
1	5374.45	54.00	49.75	-4.25	31.17	34.50	14.14	30.06	0.00	315	275	AVERAGE																																		









Mode	46																																																																												
	Band Edge - L																																																																												
	U-NII-2C_5.47-5.725_802.11ax HE80_CH106_Full_5530MHz																																																																												
ANT	1																																																																												
Pol.	Horizontal	Fundamental																																																																											
Peak	 <table border="1" data-bbox="263 1097 774 1243"> <thead> <tr> <th>Limit Freq</th> <th>Over Level</th> <th>Read Line</th> <th>Limit Level</th> <th>Ant Factor</th> <th>Cable Loss</th> <th>Preamp Loss</th> <th>Aux Factor</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> <th></th> </tr> </thead> <tbody> <tr> <td>1 5454.02</td> <td>62.16</td> <td>74.00</td> <td>-11.84</td> <td>43.35</td> <td>34.55</td> <td>14.33</td> <td>30.07</td> <td>0.00</td> <td>100</td> <td>306 PEAK</td> </tr> <tr> <td>2 5462.73</td> <td>64.06</td> <td>68.20</td> <td>-4.14</td> <td>45.22</td> <td>34.56</td> <td>14.36</td> <td>30.00</td> <td>0.00</td> <td>100</td> <td>306 PEAK</td> </tr> </tbody> </table>	Limit Freq	Over Level	Read Line	Limit Level	Ant Factor	Cable Loss	Preamp Loss	Aux Factor	APos	TPos	Remark	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg		1 5454.02	62.16	74.00	-11.84	43.35	34.55	14.33	30.07	0.00	100	306 PEAK	2 5462.73	64.06	68.20	-4.14	45.22	34.56	14.36	30.00	0.00	100	306 PEAK	 <table border="1" data-bbox="901 1097 1412 1243"> <thead> <tr> <th>Limit Freq</th> <th>Over Level</th> <th>Read Level</th> <th>Ant Factor</th> <th>Cable Loss</th> <th>Preamp Loss</th> <th>Aux Factor</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1 5530.00</td> <td>101.41</td> <td>-----</td> <td>-----</td> <td>82.40</td> <td>34.60</td> <td>14.49</td> <td>30.00</td> <td>0.00</td> <td>100</td> <td>306 PEAK</td> </tr> </tbody> </table>	Limit Freq	Over Level	Read Level	Ant Factor	Cable Loss	Preamp Loss	Aux Factor	APos	TPos	Remark	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1 5530.00	101.41	-----	-----	82.40	34.60	14.49	30.00	0.00	100	306 PEAK
	Limit Freq	Over Level	Read Line	Limit Level	Ant Factor	Cable Loss	Preamp Loss	Aux Factor	APos	TPos	Remark																																																																		
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																				
1 5454.02	62.16	74.00	-11.84	43.35	34.55	14.33	30.07	0.00	100	306 PEAK																																																																			
2 5462.73	64.06	68.20	-4.14	45.22	34.56	14.36	30.00	0.00	100	306 PEAK																																																																			
Limit Freq	Over Level	Read Level	Ant Factor	Cable Loss	Preamp Loss	Aux Factor	APos	TPos	Remark																																																																				
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																				
1 5530.00	101.41	-----	-----	82.40	34.60	14.49	30.00	0.00	100	306 PEAK																																																																			
Avg	 <table border="1" data-bbox="263 1769 774 1915"> <thead> <tr> <th>Limit Freq</th> <th>Over Level</th> <th>Read Level</th> <th>Limit Level</th> <th>Ant Factor</th> <th>Cable Loss</th> <th>Preamp Loss</th> <th>Aux Factor</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> <th></th> </tr> </thead> <tbody> <tr> <td>1 5446.25</td> <td>50.67</td> <td>54.00</td> <td>-3.33</td> <td>31.88</td> <td>34.55</td> <td>14.31</td> <td>30.07</td> <td>0.00</td> <td>100</td> <td>306 AVERAGE</td> </tr> </tbody> </table>	Limit Freq	Over Level	Read Level	Limit Level	Ant Factor	Cable Loss	Preamp Loss	Aux Factor	APos	TPos	Remark	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg		1 5446.25	50.67	54.00	-3.33	31.88	34.55	14.31	30.07	0.00	100	306 AVERAGE	 <table border="1" data-bbox="901 1769 1412 1915"> <thead> <tr> <th>Limit Freq</th> <th>Over Level</th> <th>Read Level</th> <th>Ant Factor</th> <th>Cable Loss</th> <th>Preamp Loss</th> <th>Aux Factor</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1 5530.00</td> <td>90.35</td> <td>-----</td> <td>-----</td> <td>71.33</td> <td>34.60</td> <td>14.51</td> <td>30.09</td> <td>0.00</td> <td>100</td> <td>306 AVERAGE</td> </tr> </tbody> </table>	Limit Freq	Over Level	Read Level	Ant Factor	Cable Loss	Preamp Loss	Aux Factor	APos	TPos	Remark	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1 5530.00	90.35	-----	-----	71.33	34.60	14.51	30.09	0.00	100	306 AVERAGE											
	Limit Freq	Over Level	Read Level	Limit Level	Ant Factor	Cable Loss	Preamp Loss	Aux Factor	APos	TPos	Remark																																																																		
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																				
1 5446.25	50.67	54.00	-3.33	31.88	34.55	14.31	30.07	0.00	100	306 AVERAGE																																																																			
Limit Freq	Over Level	Read Level	Ant Factor	Cable Loss	Preamp Loss	Aux Factor	APos	TPos	Remark																																																																				
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																				
1 5530.00	90.35	-----	-----	71.33	34.60	14.51	30.09	0.00	100	306 AVERAGE																																																																			





Mode	46																																												
	Band Edge - R																																												
	U-NII-2C_5.47-5.725_802.11ax HE80_CH106_Full_5530MHz																																												
ANT	1																																												
Pol.	Horizontal	Fundamental																																											
Peak	<p>Level (dBuV/m)</p> <p>Frequency (MHz)</p> <p>U-NII-1-U-NII-2A-U-NII-2C</p> <table border="1"> <thead> <tr> <th>Limit</th> <th>Over</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Aux</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>Limit</th> <th>Level</th> <th>Factor</th> <th>Loss</th> <th>Factor</th> <th>Factor</th> <th></th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1 5730.24</td> <td>59.12</td> <td>68.20</td> <td>-9.08</td> <td>39.68</td> <td>34.69</td> <td>14.83</td> <td>30.08</td> <td>0.00</td> <td>100</td> <td>306</td> <td>PEAK</td> </tr> </tbody> </table>	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1 5730.24	59.12	68.20	-9.08	39.68	34.69	14.83	30.08	0.00	100	306	PEAK	Blank
Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																				
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor																																					
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																			
1 5730.24	59.12	68.20	-9.08	39.68	34.69	14.83	30.08	0.00	100	306	PEAK																																		



		46																																																																																					
Mode		Band Edge - L																																																																																					
		U-NII-2C_5.47-5.725_802.11ax HE80_CH106_Full_5530MHz																																																																																					
ANT		1																																																																																					
Pol.		Vertical					Fundamental																																																																																
Peak	 <table border="1"> <thead> <tr> <th>Limit</th> <th>Over</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Aux</th> <th>APos</th> <th>TPos</th> <th colspan="2"></th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>Limit</th> <th>Level</th> <th>Factor</th> <th>Loss</th> <th>Factor</th> <th>Factor</th> <th>cm</th> <th>deg</th> <th>Remark</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>5438.25</td> <td>59.52</td> <td>74.00</td> <td>-14.48</td> <td>40.77</td> <td>34.54</td> <td>14.28</td> <td>30.07</td> <td>0.00</td> <td>348</td> <td>293</td> <td>PEAK</td> </tr> <tr> <td>2</td> <td>5466.89</td> <td>58.98</td> <td>68.20</td> <td>-9.22</td> <td>40.11</td> <td>34.57</td> <td>14.38</td> <td>30.08</td> <td>0.00</td> <td>348</td> <td>293</td> <td>PEAK</td> </tr> </tbody> </table>	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos			Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor	cm	deg	Remark	1	5438.25	59.52	74.00	-14.48	40.77	34.54	14.28	30.07	0.00	348	293	PEAK	2	5466.89	58.98	68.20	-9.22	40.11	34.57	14.38	30.08	0.00	348	293	PEAK	 <table border="1"> <thead> <tr> <th>Limit</th> <th>Over</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Aux</th> <th>APos</th> <th>TPos</th> <th colspan="2"></th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>Limit</th> <th>Level</th> <th>Factor</th> <th>Loss</th> <th>Factor</th> <th>Factor</th> <th>cm</th> <th>deg</th> <th>Remark</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>5530.00</td> <td>98.69</td> <td>-----</td> <td>-----</td> <td>79.68</td> <td>34.60</td> <td>14.51</td> <td>30.10</td> <td>0.00</td> <td>348</td> <td>293</td> <td>PEAK</td> </tr> </tbody> </table>	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos			Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor	cm	deg	Remark	1	5530.00	98.69	-----	-----	79.68	34.60	14.51	30.10	0.00	348	293	PEAK
	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																														
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor	cm	deg	Remark																																																																												
1	5438.25	59.52	74.00	-14.48	40.77	34.54	14.28	30.07	0.00	348	293	PEAK																																																																											
2	5466.89	58.98	68.20	-9.22	40.11	34.57	14.38	30.08	0.00	348	293	PEAK																																																																											
Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																															
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor	cm	deg	Remark																																																																												
1	5530.00	98.69	-----	-----	79.68	34.60	14.51	30.10	0.00	348	293	PEAK																																																																											
Avg	 <table border="1"> <thead> <tr> <th>Limit</th> <th>Over</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Aux</th> <th>APos</th> <th>TPos</th> <th colspan="2"></th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>Limit</th> <th>Level</th> <th>Factor</th> <th>Loss</th> <th>Factor</th> <th>Factor</th> <th>cm</th> <th>deg</th> <th>Remark</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>5445.29</td> <td>49.38</td> <td>54.00</td> <td>-4.62</td> <td>30.60</td> <td>34.55</td> <td>14.30</td> <td>30.07</td> <td>0.00</td> <td>348</td> <td>293</td> <td>AVERAGE</td> </tr> </tbody> </table>	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos			Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor	cm	deg	Remark	1	5445.29	49.38	54.00	-4.62	30.60	34.55	14.30	30.07	0.00	348	293	AVERAGE	 <table border="1"> <thead> <tr> <th>Limit</th> <th>Over</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Aux</th> <th>APos</th> <th>TPos</th> <th colspan="2"></th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>Limit</th> <th>Level</th> <th>Factor</th> <th>Loss</th> <th>Factor</th> <th>Factor</th> <th>cm</th> <th>deg</th> <th>Remark</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>5530.00</td> <td>86.89</td> <td>-----</td> <td>-----</td> <td>67.87</td> <td>34.60</td> <td>14.51</td> <td>30.09</td> <td>0.00</td> <td>348</td> <td>293</td> <td>AVERAGE</td> </tr> </tbody> </table>	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos			Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor	cm	deg	Remark	1	5530.00	86.89	-----	-----	67.87	34.60	14.51	30.09	0.00	348	293	AVERAGE													
	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																														
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor	cm	deg	Remark																																																																												
1	5445.29	49.38	54.00	-4.62	30.60	34.55	14.30	30.07	0.00	348	293	AVERAGE																																																																											
Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																															
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor	cm	deg	Remark																																																																												
1	5530.00	86.89	-----	-----	67.87	34.60	14.51	30.09	0.00	348	293	AVERAGE																																																																											




Mode	46																																													
	Band Edge - R																																													
	U-NII-2C_5.47-5.725_802.11ax HE80_CH106_Full_5530MHz																																													
ANT	1																																													
Pol.	Vertical	Fundamental																																												
Peak	<p>Level (dBuV/m)</p> <p>Frequency (MHz)</p> <p>U-NII-1-U-NII-2A-U-NII-2C</p> <table border="1"> <thead> <tr> <th>Limit</th> <th>Over</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Aux</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>Limit</th> <th>Level</th> <th>Factor</th> <th>Loss</th> <th>Factor</th> <th>Factor</th> <th></th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>5739.20</td> <td>59.10</td> <td>68.20</td> <td>-9.10</td> <td>39.57</td> <td>34.72</td> <td>14.88</td> <td>30.07</td> <td>0.00</td> <td>348</td> <td>293</td> <td>PEAK</td> </tr> </tbody> </table>	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1	5739.20	59.10	68.20	-9.10	39.57	34.72	14.88	30.07	0.00	348	293	PEAK	Blank
Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																					
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor																																						
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																				
1	5739.20	59.10	68.20	-9.10	39.57	34.72	14.88	30.07	0.00	348	293	PEAK																																		



Mode	46																																																																																																																																												
	Harmonic																																																																																																																																												
	U-NII-2C_5.47-5.725_802.11ax HE80_CH106_Full_5530MHz																																																																																																																																												
ANT	1																																																																																																																																												
Pol.	Horizontal	Vertical																																																																																																																																											
Peak Avg																																																																																																																																													
	<table border="1"> <thead> <tr> <th>Limit</th> <th>Over</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Aux</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>Limit</th> <th>Level</th> <th>Factor</th> <th>Loss</th> <th>Factor</th> <th>Factor</th> <th></th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>11060.00</td> <td>45.87</td> <td>74.00</td> <td>-28.13</td> <td>53.53</td> <td>37.95</td> <td>18.78</td> <td>64.39</td> <td>0.00</td> <td>---</td> <td>---</td> <td>PEAK</td> </tr> </tbody> </table>	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1	11060.00	45.87	74.00	-28.13	53.53	37.95	18.78	64.39	0.00	---	---	PEAK	<table border="1"> <thead> <tr> <th>Limit</th> <th>Over</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Aux</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>Limit</th> <th>Level</th> <th>Factor</th> <th>Loss</th> <th>Factor</th> <th>Factor</th> <th></th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>11060.00</td> <td>45.18</td> <td>74.00</td> <td>-28.82</td> <td>52.84</td> <td>37.95</td> <td>18.78</td> <td>64.39</td> <td>0.00</td> <td>---</td> <td>---</td> <td>PEAK</td> </tr> <tr> <td>2</td> <td>12187.60</td> <td>53.25</td> <td>74.00</td> <td>-20.75</td> <td>59.93</td> <td>38.78</td> <td>19.59</td> <td>65.05</td> <td>0.00</td> <td>272</td> <td>312</td> <td>Peak</td> </tr> <tr> <td>3</td> <td>12187.60</td> <td>48.40</td> <td>54.00</td> <td>-5.60</td> <td>55.08</td> <td>38.78</td> <td>19.59</td> <td>65.05</td> <td>0.00</td> <td>272</td> <td>312</td> <td>Average</td> </tr> <tr> <td>4</td> <td>12500.00</td> <td>54.19</td> <td>74.00</td> <td>-19.81</td> <td>60.14</td> <td>38.90</td> <td>20.00</td> <td>64.85</td> <td>0.00</td> <td>302</td> <td>312</td> <td>Peak</td> </tr> <tr> <td>5</td> <td>12500.00</td> <td>50.56</td> <td>54.00</td> <td>-3.44</td> <td>56.51</td> <td>38.90</td> <td>20.00</td> <td>64.85</td> <td>0.00</td> <td>302</td> <td>312</td> <td>Average</td> </tr> </tbody> </table>	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1	11060.00	45.18	74.00	-28.82	52.84	37.95	18.78	64.39	0.00	---	---	PEAK	2	12187.60	53.25	74.00	-20.75	59.93	38.78	19.59	65.05	0.00	272	312	Peak	3	12187.60	48.40	54.00	-5.60	55.08	38.78	19.59	65.05	0.00	272	312	Average	4	12500.00	54.19	74.00	-19.81	60.14	38.90	20.00	64.85	0.00	302	312	Peak	5	12500.00	50.56	54.00	-3.44	56.51	38.90	20.00	64.85	0.00	302	312
Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																																																																				
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor																																																																																																																																					
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																																																																																			
1	11060.00	45.87	74.00	-28.13	53.53	37.95	18.78	64.39	0.00	---	---	PEAK																																																																																																																																	
Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																																																																				
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor																																																																																																																																					
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																																																																																			
1	11060.00	45.18	74.00	-28.82	52.84	37.95	18.78	64.39	0.00	---	---	PEAK																																																																																																																																	
2	12187.60	53.25	74.00	-20.75	59.93	38.78	19.59	65.05	0.00	272	312	Peak																																																																																																																																	
3	12187.60	48.40	54.00	-5.60	55.08	38.78	19.59	65.05	0.00	272	312	Average																																																																																																																																	
4	12500.00	54.19	74.00	-19.81	60.14	38.90	20.00	64.85	0.00	302	312	Peak																																																																																																																																	
5	12500.00	50.56	54.00	-3.44	56.51	38.90	20.00	64.85	0.00	302	312	Average																																																																																																																																	



Mode	1																																																																																																																																																											
	30M-1G																																																																																																																																																											
	U-NII-1_5.15-5.25_802.11ax HE40_CH38_Full_5190MHz																																																																																																																																																											
ANT	1																																																																																																																																																											
Pol.	Horizontal	Vertical																																																																																																																																																										
Peak QP	<p>Data: 1</p> <table border="1"> <thead> <tr> <th>Peak</th> <th>Freq (MHz)</th> <th>Level (dBuV/m)</th> <th>Over Limit (dB)</th> <th>Limit Line (dBuV/m)</th> <th>ReadAntenna Level (dBuV)</th> <th>Cable Loss Factor (dB/m)</th> <th>Preamp Loss Factor (dB)</th> <th>A/Pos (cm)</th> <th>T/Pos (deg)</th> <th>Remark</th> </tr> </thead> <tbody> <tr><td>1</td><td>177.44</td><td>25.90</td><td>-17.60</td><td>43.50</td><td>42.02</td><td>14.90</td><td>1.93</td><td>32.95</td><td>---</td><td>Peak</td></tr> <tr><td>2</td><td>212.36</td><td>29.16</td><td>-14.34</td><td>43.50</td><td>45.05</td><td>14.98</td><td>2.13</td><td>33.00</td><td>---</td><td>Peak</td></tr> <tr><td>3</td><td>299.66</td><td>24.98</td><td>-21.02</td><td>46.00</td><td>36.24</td><td>19.20</td><td>2.54</td><td>33.00</td><td>---</td><td>Peak</td></tr> <tr><td>4</td><td>577.08</td><td>27.61</td><td>-18.39</td><td>46.00</td><td>31.76</td><td>25.66</td><td>3.50</td><td>33.31</td><td>---</td><td>Peak</td></tr> <tr><td>5</td><td>838.98</td><td>31.30</td><td>-14.70</td><td>46.00</td><td>31.20</td><td>28.66</td><td>4.21</td><td>32.77</td><td>---</td><td>Peak</td></tr> <tr><td>6</td><td>981.57</td><td>32.98</td><td>-21.02</td><td>54.00</td><td>29.26</td><td>30.70</td><td>4.56</td><td>31.54</td><td>---</td><td>Peak</td></tr> </tbody> </table>	Peak	Freq (MHz)	Level (dBuV/m)	Over Limit (dB)	Limit Line (dBuV/m)	ReadAntenna Level (dBuV)	Cable Loss Factor (dB/m)	Preamp Loss Factor (dB)	A/Pos (cm)	T/Pos (deg)	Remark	1	177.44	25.90	-17.60	43.50	42.02	14.90	1.93	32.95	---	Peak	2	212.36	29.16	-14.34	43.50	45.05	14.98	2.13	33.00	---	Peak	3	299.66	24.98	-21.02	46.00	36.24	19.20	2.54	33.00	---	Peak	4	577.08	27.61	-18.39	46.00	31.76	25.66	3.50	33.31	---	Peak	5	838.98	31.30	-14.70	46.00	31.20	28.66	4.21	32.77	---	Peak	6	981.57	32.98	-21.02	54.00	29.26	30.70	4.56	31.54	---	Peak	<p>Data: 2</p> <table border="1"> <thead> <tr> <th>Peak</th> <th>Freq (MHz)</th> <th>Level (dBuV/m)</th> <th>Over Limit (dB)</th> <th>Limit Line (dBuV/m)</th> <th>ReadAntenna Level (dBuV)</th> <th>Cable Loss Factor (dB/m)</th> <th>Preamp Loss Factor (dB)</th> <th>A/Pos (cm)</th> <th>T/Pos (deg)</th> <th>Remark</th> </tr> </thead> <tbody> <tr><td>1</td><td>40.67</td><td>33.38</td><td>-6.62</td><td>40.00</td><td>46.85</td><td>18.80</td><td>0.64</td><td>32.91</td><td>---</td><td>Peak</td></tr> <tr><td>2</td><td>96.93</td><td>22.40</td><td>-21.10</td><td>43.50</td><td>38.50</td><td>15.40</td><td>1.42</td><td>32.92</td><td>---</td><td>Peak</td></tr> <tr><td>3</td><td>150.28</td><td>24.23</td><td>-19.27</td><td>43.50</td><td>38.36</td><td>17.00</td><td>1.77</td><td>32.90</td><td>---</td><td>Peak</td></tr> <tr><td>4</td><td>199.75</td><td>30.62</td><td>-12.88</td><td>43.50</td><td>46.74</td><td>14.80</td><td>2.07</td><td>32.99</td><td>---</td><td>Peak</td></tr> <tr><td>5</td><td>543.13</td><td>25.32</td><td>-20.68</td><td>46.00</td><td>30.94</td><td>24.34</td><td>3.39</td><td>33.35</td><td>---</td><td>Peak</td></tr> <tr><td>6</td><td>850.62</td><td>30.73</td><td>-15.27</td><td>46.00</td><td>30.38</td><td>28.82</td><td>4.24</td><td>32.71</td><td>---</td><td>Peak</td></tr> </tbody> </table>	Peak	Freq (MHz)	Level (dBuV/m)	Over Limit (dB)	Limit Line (dBuV/m)	ReadAntenna Level (dBuV)	Cable Loss Factor (dB/m)	Preamp Loss Factor (dB)	A/Pos (cm)	T/Pos (deg)	Remark	1	40.67	33.38	-6.62	40.00	46.85	18.80	0.64	32.91	---	Peak	2	96.93	22.40	-21.10	43.50	38.50	15.40	1.42	32.92	---	Peak	3	150.28	24.23	-19.27	43.50	38.36	17.00	1.77	32.90	---	Peak	4	199.75	30.62	-12.88	43.50	46.74	14.80	2.07	32.99	---	Peak	5	543.13	25.32	-20.68	46.00	30.94	24.34	3.39	33.35	---	Peak	6	850.62	30.73	-15.27	46.00	30.38	28.82	4.24	32.71	---	Peak
	Peak	Freq (MHz)	Level (dBuV/m)	Over Limit (dB)	Limit Line (dBuV/m)	ReadAntenna Level (dBuV)	Cable Loss Factor (dB/m)	Preamp Loss Factor (dB)	A/Pos (cm)	T/Pos (deg)	Remark																																																																																																																																																	
1	177.44	25.90	-17.60	43.50	42.02	14.90	1.93	32.95	---	Peak																																																																																																																																																		
2	212.36	29.16	-14.34	43.50	45.05	14.98	2.13	33.00	---	Peak																																																																																																																																																		
3	299.66	24.98	-21.02	46.00	36.24	19.20	2.54	33.00	---	Peak																																																																																																																																																		
4	577.08	27.61	-18.39	46.00	31.76	25.66	3.50	33.31	---	Peak																																																																																																																																																		
5	838.98	31.30	-14.70	46.00	31.20	28.66	4.21	32.77	---	Peak																																																																																																																																																		
6	981.57	32.98	-21.02	54.00	29.26	30.70	4.56	31.54	---	Peak																																																																																																																																																		
Peak	Freq (MHz)	Level (dBuV/m)	Over Limit (dB)	Limit Line (dBuV/m)	ReadAntenna Level (dBuV)	Cable Loss Factor (dB/m)	Preamp Loss Factor (dB)	A/Pos (cm)	T/Pos (deg)	Remark																																																																																																																																																		
1	40.67	33.38	-6.62	40.00	46.85	18.80	0.64	32.91	---	Peak																																																																																																																																																		
2	96.93	22.40	-21.10	43.50	38.50	15.40	1.42	32.92	---	Peak																																																																																																																																																		
3	150.28	24.23	-19.27	43.50	38.36	17.00	1.77	32.90	---	Peak																																																																																																																																																		
4	199.75	30.62	-12.88	43.50	46.74	14.80	2.07	32.99	---	Peak																																																																																																																																																		
5	543.13	25.32	-20.68	46.00	30.94	24.34	3.39	33.35	---	Peak																																																																																																																																																		
6	850.62	30.73	-15.27	46.00	30.38	28.82	4.24	32.71	---	Peak																																																																																																																																																		





### Radiated Spurious Emission Test Modes

Mode	Band	Band (GHz)	Antenna	Modulation	Channel	Frequency	Data Rate	RU	Remark
Mode 47	U-NII-3	5.725-5.85	1	802.11a	149	5745	6Mbps	-	-
Mode 48	U-NII-3	5.725-5.85	1	802.11a	157	5785	6Mbps	-	-
Mode 49	U-NII-3	5.725-5.85	1	802.11a	165	5825	6Mbps	-	-
Mode 50	U-NII-3	5.725-5.85	1	802.11ax HE20	149	5745	MCS0	-	-
Mode 51	U-NII-3	5.725-5.85	1	802.11ax HE20	157	5785	MCS0	-	-
Mode 52	U-NII-3	5.725-5.85	1	802.11ax HE20	165	5825	MCS0	-	-
Mode 53	U-NII-3	5.725-5.85	1	802.11ax HE40	151	5755	MCS0	Full	-
Mode 54	U-NII-3	5.725-5.85	1	802.11ax HE40	159	5795	MCS0	Full	-
Mode 55	U-NII-3	5.725-5.85	1	802.11ax HE80	155	5775	MCS0	Full	-
Mode 56	U-NII-3	5.725-5.85	1	802.11ax HE20	149	5745	MCS0	RU26/0	-
Mode 57	U-NII-3	5.725-5.85	1	802.11ax HE20	165	5825	MCS0	RU26/8	-
Mode 58	U-NII-3	5.725-5.85	1	802.11ax HE20	149	5745	MCS0	RU52/37	-
Mode 59	U-NII-3	5.725-5.85	1	802.11ax HE20	165	5825	MCS0	RU52/40	-
Mode 60	U-NII-3	5.725-5.85	1	802.11ax HE20	149	5745	MCS0	RU106/53	-
Mode 61	U-NII-3	5.725-5.85	1	802.11ax HE20	165	5825	MCS0	RU106/54	-



### Summary of each worse mode

Mode	Modulation	Ch.	Freq. (MHz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Pol.	Peak Avg.	Result	Remark
47	802.11a	149	5642.80	58.95	68.20	-9.25	H	PEAK	Pass	Band Edge
	802.11a	149	12498.53	49.00	54.00	-5.00	V	Average	Pass	Harmonic
48	802.11a	157	-	-	-	-	-	-	-	Band Edge
	802.11a	157	12500.00	48.85	54.00	-5.15	V	AVERAGE	Pass	Harmonic
49	802.11a	165	5948.80	59.65	68.20	-8.55	V	PEAK	Pass	Band Edge
	802.11a	165	12500.00	47.86	54.00	-6.14	V	Average	Pass	Harmonic
50	802.11ax HE20	149	5649.60	59.26	68.20	-8.94	V	PEAK	Pass	Band Edge
	802.11ax HE20	149	12500.00	47.98	54.00	-6.02	V	Average	Pass	Harmonic
51	802.11ax HE20	157	-	-	-	-	-	-	-	Band Edge
	802.11ax HE20	157	12186.13	47.99	54.00	-6.01	V	Average	Pass	Harmonic
52	802.11ax HE20	165	5980.00	60.50	68.20	-7.70	V	PEAK	Pass	Band Edge
	802.11ax HE20	165	12498.53	47.73	54.00	-6.27	V	Average	Pass	Harmonic
53	802.11ax HE40	151	5618.76	59.89	68.20	-8.31	H	PEAK	Pass	Band Edge
	802.11ax HE40	151	12500.00	47.62	54.00	-6.38	V	Average	Pass	Harmonic
54	802.11ax HE40	159	5966.80	59.86	68.20	-8.34	H	PEAK	Pass	Band Edge
	802.11ax HE40	159	12500.00	47.72	54.00	-6.28	V	Average	Pass	Harmonic
55	802.11ax HE80	155	5940.40	59.90	68.20	-8.30	H	PEAK	Pass	Band Edge
	802.11ax HE80	155	12498.53	49.75	54.00	-4.25	V	Average	Pass	Harmonic
56	802.11ax HE20	149	5600.40	57.83	68.20	-10.37	V	PEAK	Pass	Band Edge
	802.11ax HE20	149	-	-	-	-	-	-	-	Harmonic
57	802.11ax HE20	165	5993.60	58.16	68.20	-10.04	V	PEAK	Pass	Band Edge
	802.11ax HE20	165	-	-	-	-	-	-	-	Harmonic





Mode	Modulation	Ch.	Freq. (MHz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Pol.	Peak Avg.	Result	Remark
58	802.11ax HE20	149	5613.20	57.25	68.20	-10.95	V	PEAK	Pass	Band Edge
	802.11ax HE20	149	-	-	-	-	-	-	-	Harmonic
59	802.11ax HE20	165	5923.60	59.51	69.23	-9.72	H	PEAK	Pass	Band Edge
	802.11ax HE20	165	-	-	-	-	-	-	-	Harmonic
60	802.11ax HE20	149	5608.00	58.31	68.20	-9.89	V	PEAK	Pass	Band Edge
	802.11ax HE20	149	-	-	-	-	-	-	-	Harmonic
61	802.11ax HE20	165	5934.80	57.73	68.20	-10.47	V	PEAK	Pass	Band Edge
	802.11ax HE20	165	-	-	-	-	-	-	-	Harmonic



	47																																																																																																																											
Mode	Band Edge																																																																																																																											
	U-NII-3_5.725-5.85_802.11a_CH149_5745MHZ																																																																																																																											
ANT	1																																																																																																																											
Pol.	Horizontal	Fundamental																																																																																																																										
Peak	<table border="1"> <thead> <tr> <th>Limit</th> <th>Over</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Aux</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>Limit</th> <th>Level</th> <th>Factor</th> <th>Loss</th> <th>Factor</th> <th>Factor</th> <th></th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>5642.80</td> <td>58.95</td> <td>68.20</td> <td>-9.25</td> <td>39.87</td> <td>34.60</td> <td>14.59</td> <td>30.11</td> <td>0.00</td> <td>100</td> <td>235 PEAK</td> </tr> <tr> <td>2</td> <td>5651.60</td> <td>58.10</td> <td>69.39</td> <td>-11.29</td> <td>39.01</td> <td>34.60</td> <td>14.60</td> <td>30.11</td> <td>0.00</td> <td>100</td> <td>235 PEAK</td> </tr> <tr> <td>3</td> <td>5708.80</td> <td>67.90</td> <td>107.77</td> <td>-39.87</td> <td>48.63</td> <td>34.63</td> <td>14.72</td> <td>30.08</td> <td>0.00</td> <td>100</td> <td>235 PEAK</td> </tr> <tr> <td>4</td> <td>5720.40</td> <td>66.76</td> <td>111.81</td> <td>-45.05</td> <td>47.40</td> <td>34.66</td> <td>14.78</td> <td>30.08</td> <td>0.00</td> <td>100</td> <td>235 PEAK</td> </tr> </tbody> </table>	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1	5642.80	58.95	68.20	-9.25	39.87	34.60	14.59	30.11	0.00	100	235 PEAK	2	5651.60	58.10	69.39	-11.29	39.01	34.60	14.60	30.11	0.00	100	235 PEAK	3	5708.80	67.90	107.77	-39.87	48.63	34.63	14.72	30.08	0.00	100	235 PEAK	4	5720.40	66.76	111.81	-45.05	47.40	34.66	14.78	30.08	0.00	100	235 PEAK	<table border="1"> <thead> <tr> <th>Limit</th> <th>Over</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Aux</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>Limit</th> <th>Level</th> <th>Factor</th> <th>Loss</th> <th>Factor</th> <th>Factor</th> <th></th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>5745.00</td> <td>108.54</td> <td>-----</td> <td>-----</td> <td>88.96</td> <td>34.74</td> <td>14.91</td> <td>30.07</td> <td>0.00</td> <td>100</td> <td>235 PEAK</td> </tr> </tbody> </table>	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1	5745.00	108.54	-----	-----	88.96	34.74	14.91	30.07	0.00	100	235 PEAK
	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																																																		
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor																																																																																																																				
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																																																																		
1	5642.80	58.95	68.20	-9.25	39.87	34.60	14.59	30.11	0.00	100	235 PEAK																																																																																																																	
2	5651.60	58.10	69.39	-11.29	39.01	34.60	14.60	30.11	0.00	100	235 PEAK																																																																																																																	
3	5708.80	67.90	107.77	-39.87	48.63	34.63	14.72	30.08	0.00	100	235 PEAK																																																																																																																	
4	5720.40	66.76	111.81	-45.05	47.40	34.66	14.78	30.08	0.00	100	235 PEAK																																																																																																																	
Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																																																			
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor																																																																																																																				
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																																																																		
1	5745.00	108.54	-----	-----	88.96	34.74	14.91	30.07	0.00	100	235 PEAK																																																																																																																	
Avg	Blank	<table border="1"> <thead> <tr> <th>Limit</th> <th>Over</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Aux</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>Limit</th> <th>Level</th> <th>Factor</th> <th>Loss</th> <th>Factor</th> <th>Factor</th> <th></th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>5745.00</td> <td>98.94</td> <td>-----</td> <td>-----</td> <td>79.41</td> <td>34.72</td> <td>14.88</td> <td>30.07</td> <td>0.00</td> <td>100</td> <td>235 AVERAGE</td> </tr> </tbody> </table>	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1	5745.00	98.94	-----	-----	79.41	34.72	14.88	30.07	0.00	100	235 AVERAGE																																																																															
Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																																																			
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor																																																																																																																				
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																																																																		
1	5745.00	98.94	-----	-----	79.41	34.72	14.88	30.07	0.00	100	235 AVERAGE																																																																																																																	



	47																																																																																																																																
Mode	Band Edge																																																																																																																																
	U-NII-3_5.725-5.85_802.11a_CH149_5745MHZ																																																																																																																																
ANT	1																																																																																																																																
Pol.	Vertical	Fundamental																																																																																																																															
Peak	<table border="1"> <thead> <tr> <th>Limit</th> <th>Over</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Aux</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>Limit</th> <th>Level</th> <th>Factor</th> <th>Loss</th> <th>Factor</th> <th>Factor</th> <th></th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>5610.00</td> <td>58.91</td> <td>68.20</td> <td>-9.29</td> <td>39.87</td> <td>34.60</td> <td>14.54</td> <td>30.10</td> <td>0.00</td> <td>345</td> <td>297</td> <td>PEAK</td> </tr> <tr> <td>2</td> <td>5650.40</td> <td>57.89</td> <td>68.50</td> <td>-10.61</td> <td>38.80</td> <td>34.60</td> <td>14.60</td> <td>30.11</td> <td>0.00</td> <td>345</td> <td>297</td> <td>PEAK</td> </tr> <tr> <td>3</td> <td>5718.80</td> <td>66.54</td> <td>110.56</td> <td>-44.02</td> <td>47.19</td> <td>34.66</td> <td>14.77</td> <td>30.08</td> <td>0.00</td> <td>345</td> <td>297</td> <td>PEAK</td> </tr> <tr> <td>4</td> <td>5720.00</td> <td>61.33</td> <td>110.90</td> <td>-49.57</td> <td>41.97</td> <td>34.66</td> <td>14.78</td> <td>30.08</td> <td>0.00</td> <td>345</td> <td>297</td> <td>PEAK</td> </tr> </tbody> </table>	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1	5610.00	58.91	68.20	-9.29	39.87	34.60	14.54	30.10	0.00	345	297	PEAK	2	5650.40	57.89	68.50	-10.61	38.80	34.60	14.60	30.11	0.00	345	297	PEAK	3	5718.80	66.54	110.56	-44.02	47.19	34.66	14.77	30.08	0.00	345	297	PEAK	4	5720.00	61.33	110.90	-49.57	41.97	34.66	14.78	30.08	0.00	345	297	PEAK	<table border="1"> <thead> <tr> <th>Limit</th> <th>Over</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Aux</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>Limit</th> <th>Level</th> <th>Factor</th> <th>Loss</th> <th>Factor</th> <th>Factor</th> <th></th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>5745.00</td> <td>106.14</td> <td>-----</td> <td>-----</td> <td>86.61</td> <td>34.72</td> <td>14.88</td> <td>30.07</td> <td>0.00</td> <td>345</td> <td>297</td> <td>PEAK</td> </tr> </tbody> </table>	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1	5745.00	106.14	-----	-----	86.61	34.72	14.88	30.07	0.00	345	297	PEAK
	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																																																							
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor																																																																																																																									
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																																																																							
1	5610.00	58.91	68.20	-9.29	39.87	34.60	14.54	30.10	0.00	345	297	PEAK																																																																																																																					
2	5650.40	57.89	68.50	-10.61	38.80	34.60	14.60	30.11	0.00	345	297	PEAK																																																																																																																					
3	5718.80	66.54	110.56	-44.02	47.19	34.66	14.77	30.08	0.00	345	297	PEAK																																																																																																																					
4	5720.00	61.33	110.90	-49.57	41.97	34.66	14.78	30.08	0.00	345	297	PEAK																																																																																																																					
Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																																																								
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor																																																																																																																									
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																																																																							
1	5745.00	106.14	-----	-----	86.61	34.72	14.88	30.07	0.00	345	297	PEAK																																																																																																																					
Avg	Blank	<table border="1"> <thead> <tr> <th>Limit</th> <th>Over</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Aux</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>Limit</th> <th>Level</th> <th>Factor</th> <th>Loss</th> <th>Factor</th> <th>Factor</th> <th></th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>5745.00</td> <td>96.66</td> <td>-----</td> <td>-----</td> <td>77.13</td> <td>34.72</td> <td>14.88</td> <td>30.07</td> <td>0.00</td> <td>345</td> <td>297</td> <td>AVERAGE</td> </tr> </tbody> </table>	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1	5745.00	96.66	-----	-----	77.13	34.72	14.88	30.07	0.00	345	297	AVERAGE																																																																																			
Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																																																								
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor																																																																																																																									
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																																																																							
1	5745.00	96.66	-----	-----	77.13	34.72	14.88	30.07	0.00	345	297	AVERAGE																																																																																																																					



Mode	47																																																																																																																																																										
	Harmonic																																																																																																																																																										
	U-NII-3_5.725-5.85_802.11a_CH149_5745MHz																																																																																																																																																										
ANT	1																																																																																																																																																										
Pol.	Horizontal	Vertical																																																																																																																																																									
Peak Avg	<table border="1"> <thead> <tr> <th>Limit</th> <th>Over</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Aux</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>Limit</th> <th>Level</th> <th>Factor</th> <th>Loss</th> <th>Factor</th> <th>Factor</th> <th></th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>11490.00</td> <td>53.31</td> <td>74.00</td> <td>-20.69</td> <td>59.75</td> <td>38.29</td> <td>19.16</td> <td>63.89</td> <td>0.00</td> <td>100</td> <td>222</td> <td>PEAK</td> </tr> <tr> <td>2</td> <td>11490.00</td> <td>43.55</td> <td>54.00</td> <td>-10.45</td> <td>49.99</td> <td>38.29</td> <td>19.16</td> <td>63.89</td> <td>0.00</td> <td>100</td> <td>222</td> <td>AVERAGE</td> </tr> </tbody> </table>	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1	11490.00	53.31	74.00	-20.69	59.75	38.29	19.16	63.89	0.00	100	222	PEAK	2	11490.00	43.55	54.00	-10.45	49.99	38.29	19.16	63.89	0.00	100	222	AVERAGE	<table border="1"> <thead> <tr> <th>Limit</th> <th>Over</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Aux</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>Limit</th> <th>Level</th> <th>Factor</th> <th>Loss</th> <th>Factor</th> <th>Factor</th> <th></th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>11490.00</td> <td>54.51</td> <td>74.00</td> <td>-19.49</td> <td>60.95</td> <td>38.29</td> <td>19.16</td> <td>63.89</td> <td>0.00</td> <td>233</td> <td>170</td> <td>Peak</td> </tr> <tr> <td>2</td> <td>11490.00</td> <td>44.74</td> <td>54.00</td> <td>-9.26</td> <td>51.18</td> <td>38.29</td> <td>19.16</td> <td>63.89</td> <td>0.00</td> <td>233</td> <td>170</td> <td>Average</td> </tr> <tr> <td>3</td> <td>12187.60</td> <td>49.53</td> <td>74.00</td> <td>-24.47</td> <td>56.21</td> <td>38.78</td> <td>19.59</td> <td>65.05</td> <td>0.00</td> <td>---</td> <td>---</td> <td>Peak</td> </tr> <tr> <td>4</td> <td>12498.53</td> <td>53.27</td> <td>74.00</td> <td>-20.73</td> <td>59.22</td> <td>38.90</td> <td>20.00</td> <td>64.85</td> <td>0.00</td> <td>316</td> <td>240</td> <td>Peak</td> </tr> <tr> <td>5</td> <td>12498.53</td> <td>49.00</td> <td>54.00</td> <td>-5.00</td> <td>54.95</td> <td>38.90</td> <td>20.00</td> <td>64.85</td> <td>0.00</td> <td>316</td> <td>240</td> <td>Average</td> </tr> </tbody> </table>	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1	11490.00	54.51	74.00	-19.49	60.95	38.29	19.16	63.89	0.00	233	170	Peak	2	11490.00	44.74	54.00	-9.26	51.18	38.29	19.16	63.89	0.00	233	170	Average	3	12187.60	49.53	74.00	-24.47	56.21	38.78	19.59	65.05	0.00	---	---	Peak	4	12498.53	53.27	74.00	-20.73	59.22	38.90	20.00	64.85	0.00	316	240	Peak	5	12498.53	49.00	54.00	-5.00	54.95	38.90	20.00	64.85	0.00	316	240	Average
	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																																																																																	
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor																																																																																																																																																			
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																																																																																																	
1	11490.00	53.31	74.00	-20.69	59.75	38.29	19.16	63.89	0.00	100	222	PEAK																																																																																																																																															
2	11490.00	43.55	54.00	-10.45	49.99	38.29	19.16	63.89	0.00	100	222	AVERAGE																																																																																																																																															
Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																																																																																		
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor																																																																																																																																																			
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																																																																																																	
1	11490.00	54.51	74.00	-19.49	60.95	38.29	19.16	63.89	0.00	233	170	Peak																																																																																																																																															
2	11490.00	44.74	54.00	-9.26	51.18	38.29	19.16	63.89	0.00	233	170	Average																																																																																																																																															
3	12187.60	49.53	74.00	-24.47	56.21	38.78	19.59	65.05	0.00	---	---	Peak																																																																																																																																															
4	12498.53	53.27	74.00	-20.73	59.22	38.90	20.00	64.85	0.00	316	240	Peak																																																																																																																																															
5	12498.53	49.00	54.00	-5.00	54.95	38.90	20.00	64.85	0.00	316	240	Average																																																																																																																																															






Mode	48																																																																																																																																																								
	Harmonic																																																																																																																																																								
	U-NII-3_5.725-5.85_802.11a_CH157_5785MHz																																																																																																																																																								
ANT	1																																																																																																																																																								
Pol.	Horizontal	Vertical																																																																																																																																																							
Peak Avg																																																																																																																																																									
<table border="1"> <thead> <tr> <th>Limit</th> <th>Over</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Aux</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>Limit</th> <th>Level</th> <th>Factor</th> <th>Loss</th> <th>Factor</th> <th>Factor</th> <th></th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>dB</th> <th>cm</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>11570.00</td> <td>53.09</td> <td>74.00</td> <td>-20.91</td> <td>59.59</td> <td>38.36</td> <td>19.20</td> <td>64.06</td> <td>0.00</td> <td>100</td> <td>212</td> <td>PEAK</td> </tr> <tr> <td>2</td> <td>11570.00</td> <td>42.35</td> <td>54.00</td> <td>-11.65</td> <td>48.85</td> <td>38.36</td> <td>19.20</td> <td>64.06</td> <td>0.00</td> <td>100</td> <td>212</td> <td>AVERAGE</td> </tr> </tbody> </table> <table border="1"> <thead> <tr> <th>Limit</th> <th>Over</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Aux</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>Limit</th> <th>Level</th> <th>Factor</th> <th>Loss</th> <th>Factor</th> <th>Factor</th> <th></th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>dB</th> <th>cm</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>11570.00</td> <td>55.45</td> <td>74.00</td> <td>-18.55</td> <td>61.95</td> <td>38.36</td> <td>19.20</td> <td>64.06</td> <td>0.00</td> <td>101</td> <td>170</td> <td>PEAK</td> </tr> <tr> <td>2</td> <td>11570.00</td> <td>44.99</td> <td>54.00</td> <td>-9.01</td> <td>51.49</td> <td>38.36</td> <td>19.20</td> <td>64.06</td> <td>0.00</td> <td>101</td> <td>170</td> <td>AVERAGE</td> </tr> <tr> <td>3</td> <td>12186.13</td> <td>48.75</td> <td>74.00</td> <td>-25.25</td> <td>55.44</td> <td>38.77</td> <td>19.59</td> <td>65.05</td> <td>0.00</td> <td>---</td> <td>---</td> <td>Peak</td> </tr> <tr> <td>4</td> <td>12500.00</td> <td>53.39</td> <td>74.00</td> <td>-20.61</td> <td>59.34</td> <td>38.90</td> <td>20.00</td> <td>64.85</td> <td>0.00</td> <td>321</td> <td>238</td> <td>Peak</td> </tr> <tr> <td>5</td> <td>12500.00</td> <td>48.85</td> <td>54.00</td> <td>-5.15</td> <td>54.80</td> <td>38.90</td> <td>20.00</td> <td>64.85</td> <td>0.00</td> <td>321</td> <td>238</td> <td>Average</td> </tr> </tbody> </table>			Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	1	11570.00	53.09	74.00	-20.91	59.59	38.36	19.20	64.06	0.00	100	212	PEAK	2	11570.00	42.35	54.00	-11.65	48.85	38.36	19.20	64.06	0.00	100	212	AVERAGE	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	1	11570.00	55.45	74.00	-18.55	61.95	38.36	19.20	64.06	0.00	101	170	PEAK	2	11570.00	44.99	54.00	-9.01	51.49	38.36	19.20	64.06	0.00	101	170	AVERAGE	3	12186.13	48.75	74.00	-25.25	55.44	38.77	19.59	65.05	0.00	---	---	Peak	4	12500.00	53.39	74.00	-20.61	59.34	38.90	20.00	64.85	0.00	321	238	Peak	5	12500.00	48.85	54.00	-5.15	54.80	38.90	20.00	64.85	0.00	321	238	Average
Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																																																																																
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor																																																																																																																																																	
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm																																																																																																																																																
1	11570.00	53.09	74.00	-20.91	59.59	38.36	19.20	64.06	0.00	100	212	PEAK																																																																																																																																													
2	11570.00	42.35	54.00	-11.65	48.85	38.36	19.20	64.06	0.00	100	212	AVERAGE																																																																																																																																													
Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																																																																																
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor																																																																																																																																																	
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm																																																																																																																																																
1	11570.00	55.45	74.00	-18.55	61.95	38.36	19.20	64.06	0.00	101	170	PEAK																																																																																																																																													
2	11570.00	44.99	54.00	-9.01	51.49	38.36	19.20	64.06	0.00	101	170	AVERAGE																																																																																																																																													
3	12186.13	48.75	74.00	-25.25	55.44	38.77	19.59	65.05	0.00	---	---	Peak																																																																																																																																													
4	12500.00	53.39	74.00	-20.61	59.34	38.90	20.00	64.85	0.00	321	238	Peak																																																																																																																																													
5	12500.00	48.85	54.00	-5.15	54.80	38.90	20.00	64.85	0.00	321	238	Average																																																																																																																																													



	49																																																																																																										
Mode	Band Edge																																																																																																										
	U-NII-3_5.725-5.85_802.11a_CH165_5825MHz																																																																																																										
ANT	1																																																																																																										
Pol.	Horizontal	Fundamental																																																																																																									
Peak	<table border="1"> <thead> <tr> <th>Limit</th> <th>Over</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Aux</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>Level</th> <th>Factor</th> <th>Loss</th> <th>Factor</th> <th>Factor</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>5854.00</td> <td>65.02</td> <td>111.36</td> <td>-46.34</td> <td>45.18</td> <td>35.01</td> <td>14.86</td> <td>30.03</td> <td>0.00</td> <td>100</td> <td>230</td> <td>PEAK</td> </tr> <tr> <td>2</td> <td>5864.00</td> <td>61.04</td> <td>108.38</td> <td>-46.54</td> <td>42.04</td> <td>35.03</td> <td>14.81</td> <td>30.04</td> <td>0.00</td> <td>100</td> <td>230</td> <td>PEAK</td> </tr> <tr> <td>3</td> <td>5924.00</td> <td>56.04</td> <td>68.94</td> <td>-12.10</td> <td>37.26</td> <td>35.12</td> <td>14.53</td> <td>30.07</td> <td>0.00</td> <td>100</td> <td>230</td> <td>PEAK</td> </tr> <tr> <td>4</td> <td>5958.00</td> <td>58.70</td> <td>68.20</td> <td>-9.50</td> <td>39.21</td> <td>35.16</td> <td>14.43</td> <td>30.10</td> <td>0.00</td> <td>100</td> <td>230</td> <td>PEAK</td> </tr> </tbody> </table>	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Level	Factor	Loss	Factor	Factor	cm	deg	1	5854.00	65.02	111.36	-46.34	45.18	35.01	14.86	30.03	0.00	100	230	PEAK	2	5864.00	61.04	108.38	-46.54	42.04	35.03	14.81	30.04	0.00	100	230	PEAK	3	5924.00	56.04	68.94	-12.10	37.26	35.12	14.53	30.07	0.00	100	230	PEAK	4	5958.00	58.70	68.20	-9.50	39.21	35.16	14.43	30.10	0.00	100	230	PEAK	<table border="1"> <thead> <tr> <th>Limit</th> <th>Over</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Aux</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>Level</th> <th>Factor</th> <th>Loss</th> <th>Factor</th> <th>Factor</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>5825.00</td> <td>106.76</td> <td>-----</td> <td>-----</td> <td>86.78</td> <td>34.94</td> <td>15.08</td> <td>30.04</td> <td>0.00</td> <td>100</td> <td>230</td> <td>PEAK</td> </tr> </tbody> </table>	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Level	Factor	Loss	Factor	Factor	cm	deg	1	5825.00	106.76	-----	-----	86.78	34.94	15.08	30.04	0.00	100	230	PEAK
	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																																	
Freq	Level	Line	Level	Factor	Loss	Factor	Factor	cm	deg																																																																																																		
1	5854.00	65.02	111.36	-46.34	45.18	35.01	14.86	30.03	0.00	100	230	PEAK																																																																																															
2	5864.00	61.04	108.38	-46.54	42.04	35.03	14.81	30.04	0.00	100	230	PEAK																																																																																															
3	5924.00	56.04	68.94	-12.10	37.26	35.12	14.53	30.07	0.00	100	230	PEAK																																																																																															
4	5958.00	58.70	68.20	-9.50	39.21	35.16	14.43	30.10	0.00	100	230	PEAK																																																																																															
Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																																		
Freq	Level	Line	Level	Factor	Loss	Factor	Factor	cm	deg																																																																																																		
1	5825.00	106.76	-----	-----	86.78	34.94	15.08	30.04	0.00	100	230	PEAK																																																																																															
Avg	Blank	<table border="1"> <thead> <tr> <th>Limit</th> <th>Over</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Aux</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>Level</th> <th>Factor</th> <th>Loss</th> <th>Factor</th> <th>Factor</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>5825.00</td> <td>97.43</td> <td>-----</td> <td>-----</td> <td>77.48</td> <td>34.95</td> <td>15.04</td> <td>30.04</td> <td>0.00</td> <td>100</td> <td>230</td> <td>AVERAGE</td> </tr> </tbody> </table>	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Level	Factor	Loss	Factor	Factor	cm	deg	1	5825.00	97.43	-----	-----	77.48	34.95	15.04	30.04	0.00	100	230	AVERAGE																																																																								
Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																																		
Freq	Level	Line	Level	Factor	Loss	Factor	Factor	cm	deg																																																																																																		
1	5825.00	97.43	-----	-----	77.48	34.95	15.04	30.04	0.00	100	230	AVERAGE																																																																																															



	49																																																																																																														
Mode	Band Edge																																																																																																														
	U-NII-3_5.725-5.85_802.11a_CH165_5825MHz																																																																																																														
ANT	1																																																																																																														
Pol.	Vertical	Fundamental																																																																																																													
Peak	 <table border="1" data-bbox="263 1064 774 1243"> <thead> <tr> <th></th> <th>Limit Freq</th> <th>Over Level</th> <th>Read Line</th> <th>Ant Limit</th> <th>Cable Level</th> <th>Preamp Factor</th> <th>Aux Loss</th> <th>APos Factor</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th></th> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>5854.00</td> <td>63.91</td> <td>113.18</td> <td>-49.27</td> <td>44.06</td> <td>35.01</td> <td>14.87</td> <td>30.03</td> <td>0.00</td> <td>389</td> <td>269</td> <td>PEAK</td> </tr> <tr> <td>2</td> <td>5874.40</td> <td>58.45</td> <td>105.47</td> <td>-47.02</td> <td>38.69</td> <td>35.05</td> <td>14.75</td> <td>30.04</td> <td>0.00</td> <td>389</td> <td>269</td> <td>PEAK</td> </tr> <tr> <td>3</td> <td>5921.20</td> <td>58.54</td> <td>71.01</td> <td>-12.47</td> <td>38.95</td> <td>35.12</td> <td>14.54</td> <td>30.07</td> <td>0.00</td> <td>389</td> <td>269</td> <td>PEAK</td> </tr> <tr> <td>4</td> <td>5948.80</td> <td>59.65</td> <td>68.20</td> <td>-8.55</td> <td>40.14</td> <td>35.15</td> <td>14.45</td> <td>30.09</td> <td>0.00</td> <td>389</td> <td>269</td> <td>PEAK</td> </tr> </tbody> </table>		Limit Freq	Over Level	Read Line	Ant Limit	Cable Level	Preamp Factor	Aux Loss	APos Factor	TPos	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5854.00	63.91	113.18	-49.27	44.06	35.01	14.87	30.03	0.00	389	269	PEAK	2	5874.40	58.45	105.47	-47.02	38.69	35.05	14.75	30.04	0.00	389	269	PEAK	3	5921.20	58.54	71.01	-12.47	38.95	35.12	14.54	30.07	0.00	389	269	PEAK	4	5948.80	59.65	68.20	-8.55	40.14	35.15	14.45	30.09	0.00	389	269	PEAK	 <table border="1" data-bbox="901 1120 1412 1243"> <thead> <tr> <th></th> <th>Limit Freq</th> <th>Over Level</th> <th>Read Level</th> <th>Ant Level</th> <th>Cable Loss</th> <th>Preamp Factor</th> <th>Aux Factor</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th></th> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>5825.00</td> <td>103.90</td> <td>-----</td> <td>-----</td> <td>83.95</td> <td>34.95</td> <td>15.04</td> <td>30.04</td> <td>0.00</td> <td>389</td> <td>269</td> <td>PEAK</td> </tr> </tbody> </table>		Limit Freq	Over Level	Read Level	Ant Level	Cable Loss	Preamp Factor	Aux Factor	APos	TPos	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5825.00	103.90	-----	-----	83.95	34.95	15.04	30.04	0.00	389	269	PEAK
		Limit Freq	Over Level	Read Line	Ant Limit	Cable Level	Preamp Factor	Aux Loss	APos Factor	TPos	Remark																																																																																																				
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																					
1	5854.00	63.91	113.18	-49.27	44.06	35.01	14.87	30.03	0.00	389	269	PEAK																																																																																																			
2	5874.40	58.45	105.47	-47.02	38.69	35.05	14.75	30.04	0.00	389	269	PEAK																																																																																																			
3	5921.20	58.54	71.01	-12.47	38.95	35.12	14.54	30.07	0.00	389	269	PEAK																																																																																																			
4	5948.80	59.65	68.20	-8.55	40.14	35.15	14.45	30.09	0.00	389	269	PEAK																																																																																																			
	Limit Freq	Over Level	Read Level	Ant Level	Cable Loss	Preamp Factor	Aux Factor	APos	TPos	Remark																																																																																																					
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																					
1	5825.00	103.90	-----	-----	83.95	34.95	15.04	30.04	0.00	389	269	PEAK																																																																																																			
Avg	Blank	 <table border="1" data-bbox="901 1792 1412 1915"> <thead> <tr> <th></th> <th>Limit Freq</th> <th>Over Level</th> <th>Read Level</th> <th>Ant Level</th> <th>Cable Loss</th> <th>Preamp Factor</th> <th>Aux Factor</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th></th> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>5825.00</td> <td>93.96</td> <td>-----</td> <td>-----</td> <td>74.01</td> <td>34.95</td> <td>15.04</td> <td>30.04</td> <td>0.00</td> <td>389</td> <td>269</td> <td>AVERAGE</td> </tr> </tbody> </table>		Limit Freq	Over Level	Read Level	Ant Level	Cable Loss	Preamp Factor	Aux Factor	APos	TPos	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5825.00	93.96	-----	-----	74.01	34.95	15.04	30.04	0.00	389	269	AVERAGE																																																																										
	Limit Freq	Over Level	Read Level	Ant Level	Cable Loss	Preamp Factor	Aux Factor	APos	TPos	Remark																																																																																																					
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																					
1	5825.00	93.96	-----	-----	74.01	34.95	15.04	30.04	0.00	389	269	AVERAGE																																																																																																			



Mode	49																																																																																																																																																									
	Harmonic																																																																																																																																																									
	U-NII-3_5.725-5.85_802.11a_CH165_5825MHz																																																																																																																																																									
ANT	1																																																																																																																																																									
Pol.	Horizontal	Vertical																																																																																																																																																								
Peak Avg																																																																																																																																																										
	<table border="1"> <thead> <tr> <th>Limit</th> <th>Over</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Aux</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>Limit</th> <th>Level</th> <th>Factor</th> <th>Loss</th> <th>Factor</th> <th>Factor</th> <th></th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>11650.00</td> <td>52.34</td> <td>74.00</td> <td>-21.66</td> <td>59.02</td> <td>38.42</td> <td>19.17</td> <td>64.27</td> <td>0.00</td> <td>300</td> <td>212</td> <td>PEAK</td> </tr> <tr> <td>2</td> <td>11650.00</td> <td>41.79</td> <td>54.00</td> <td>-12.21</td> <td>48.47</td> <td>38.42</td> <td>19.17</td> <td>64.27</td> <td>0.00</td> <td>300</td> <td>212</td> <td>AVERAGE</td> </tr> </tbody> </table>	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1	11650.00	52.34	74.00	-21.66	59.02	38.42	19.17	64.27	0.00	300	212	PEAK	2	11650.00	41.79	54.00	-12.21	48.47	38.42	19.17	64.27	0.00	300	212	AVERAGE	<table border="1"> <thead> <tr> <th>Limit</th> <th>Over</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Aux</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>Limit</th> <th>Level</th> <th>Factor</th> <th>Loss</th> <th>Factor</th> <th>Factor</th> <th></th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>11650.00</td> <td>52.27</td> <td>74.00</td> <td>-21.73</td> <td>58.95</td> <td>38.42</td> <td>19.17</td> <td>64.27</td> <td>0.00</td> <td>100</td> <td>161</td> <td>Peak</td> </tr> <tr> <td>2</td> <td>11650.00</td> <td>42.31</td> <td>54.00</td> <td>-11.69</td> <td>48.99</td> <td>38.42</td> <td>19.17</td> <td>64.27</td> <td>0.00</td> <td>100</td> <td>161</td> <td>Average</td> </tr> <tr> <td>3</td> <td>12186.13</td> <td>48.63</td> <td>74.00</td> <td>-25.37</td> <td>55.32</td> <td>38.77</td> <td>19.59</td> <td>65.05</td> <td>0.00</td> <td>---</td> <td>---</td> <td>Peak</td> </tr> <tr> <td>4</td> <td>12500.00</td> <td>53.73</td> <td>74.00</td> <td>-20.27</td> <td>59.68</td> <td>38.90</td> <td>20.00</td> <td>64.85</td> <td>0.00</td> <td>331</td> <td>196</td> <td>Peak</td> </tr> <tr> <td>5</td> <td>12500.00</td> <td>47.86</td> <td>54.00</td> <td>-6.14</td> <td>53.81</td> <td>38.90</td> <td>20.00</td> <td>64.85</td> <td>0.00</td> <td>331</td> <td>196</td> <td>Average</td> </tr> </tbody> </table>	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1	11650.00	52.27	74.00	-21.73	58.95	38.42	19.17	64.27	0.00	100	161	Peak	2	11650.00	42.31	54.00	-11.69	48.99	38.42	19.17	64.27	0.00	100	161	Average	3	12186.13	48.63	74.00	-25.37	55.32	38.77	19.59	65.05	0.00	---	---	Peak	4	12500.00	53.73	74.00	-20.27	59.68	38.90	20.00	64.85	0.00	331	196	Peak	5	12500.00	47.86	54.00	-6.14	53.81	38.90	20.00	64.85	0.00	331	196
Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																																																																																	
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor																																																																																																																																																		
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																																																																																																
1	11650.00	52.34	74.00	-21.66	59.02	38.42	19.17	64.27	0.00	300	212	PEAK																																																																																																																																														
2	11650.00	41.79	54.00	-12.21	48.47	38.42	19.17	64.27	0.00	300	212	AVERAGE																																																																																																																																														
Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																																																																																	
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor																																																																																																																																																		
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																																																																																																
1	11650.00	52.27	74.00	-21.73	58.95	38.42	19.17	64.27	0.00	100	161	Peak																																																																																																																																														
2	11650.00	42.31	54.00	-11.69	48.99	38.42	19.17	64.27	0.00	100	161	Average																																																																																																																																														
3	12186.13	48.63	74.00	-25.37	55.32	38.77	19.59	65.05	0.00	---	---	Peak																																																																																																																																														
4	12500.00	53.73	74.00	-20.27	59.68	38.90	20.00	64.85	0.00	331	196	Peak																																																																																																																																														
5	12500.00	47.86	54.00	-6.14	53.81	38.90	20.00	64.85	0.00	331	196	Average																																																																																																																																														







Mode	50																																																																																																																											
	Band Edge																																																																																																																											
	U-NII-3_5.725-5.85_802.11ax HE20_CH149_5745MHz																																																																																																																											
ANT	1																																																																																																																											
Pol.	Horizontal	Fundamental																																																																																																																										
Peak	<table border="1"> <thead> <tr> <th>Limit</th> <th>Over</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Aux</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>Limit</th> <th>Level</th> <th>Factor</th> <th>Loss</th> <th>Factor</th> <th>Factor</th> <th></th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>5600.40</td> <td>59.06</td> <td>68.20</td> <td>-9.14</td> <td>40.04</td> <td>34.60</td> <td>14.52</td> <td>30.10</td> <td>0.00</td> <td>100</td> <td>234 PEAK</td> </tr> <tr> <td>2</td> <td>5652.40</td> <td>57.74</td> <td>69.99</td> <td>-12.25</td> <td>38.65</td> <td>34.60</td> <td>14.60</td> <td>30.11</td> <td>0.00</td> <td>100</td> <td>234 PEAK</td> </tr> <tr> <td>3</td> <td>5718.80</td> <td>70.18</td> <td>110.56</td> <td>-40.38</td> <td>50.83</td> <td>34.66</td> <td>14.77</td> <td>30.08</td> <td>0.00</td> <td>100</td> <td>234 PEAK</td> </tr> <tr> <td>4</td> <td>5721.60</td> <td>72.38</td> <td>114.55</td> <td>-42.17</td> <td>53.01</td> <td>34.66</td> <td>14.79</td> <td>30.08</td> <td>0.00</td> <td>100</td> <td>234 PEAK</td> </tr> </tbody> </table>	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1	5600.40	59.06	68.20	-9.14	40.04	34.60	14.52	30.10	0.00	100	234 PEAK	2	5652.40	57.74	69.99	-12.25	38.65	34.60	14.60	30.11	0.00	100	234 PEAK	3	5718.80	70.18	110.56	-40.38	50.83	34.66	14.77	30.08	0.00	100	234 PEAK	4	5721.60	72.38	114.55	-42.17	53.01	34.66	14.79	30.08	0.00	100	234 PEAK	<table border="1"> <thead> <tr> <th>Limit</th> <th>Over</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Aux</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>Limit</th> <th>Level</th> <th>Factor</th> <th>Loss</th> <th>Factor</th> <th>Factor</th> <th></th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>5745.00</td> <td>107.20</td> <td>-----</td> <td>-----</td> <td>87.62</td> <td>34.74</td> <td>14.91</td> <td>30.07</td> <td>0.00</td> <td>100</td> <td>234 PEAK</td> </tr> </tbody> </table>	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1	5745.00	107.20	-----	-----	87.62	34.74	14.91	30.07	0.00	100	234 PEAK
	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																																																		
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor																																																																																																																				
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																																																																		
1	5600.40	59.06	68.20	-9.14	40.04	34.60	14.52	30.10	0.00	100	234 PEAK																																																																																																																	
2	5652.40	57.74	69.99	-12.25	38.65	34.60	14.60	30.11	0.00	100	234 PEAK																																																																																																																	
3	5718.80	70.18	110.56	-40.38	50.83	34.66	14.77	30.08	0.00	100	234 PEAK																																																																																																																	
4	5721.60	72.38	114.55	-42.17	53.01	34.66	14.79	30.08	0.00	100	234 PEAK																																																																																																																	
Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																																																			
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor																																																																																																																				
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																																																																		
1	5745.00	107.20	-----	-----	87.62	34.74	14.91	30.07	0.00	100	234 PEAK																																																																																																																	
Avg	Blank	<table border="1"> <thead> <tr> <th>Limit</th> <th>Over</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Aux</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>Limit</th> <th>Level</th> <th>Factor</th> <th>Loss</th> <th>Factor</th> <th>Factor</th> <th></th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>5745.00</td> <td>97.37</td> <td>-----</td> <td>-----</td> <td>77.84</td> <td>34.72</td> <td>14.88</td> <td>30.07</td> <td>0.00</td> <td>100</td> <td>234 AVERAGE</td> </tr> </tbody> </table>	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1	5745.00	97.37	-----	-----	77.84	34.72	14.88	30.07	0.00	100	234 AVERAGE																																																																															
Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																																																			
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor																																																																																																																				
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																																																																		
1	5745.00	97.37	-----	-----	77.84	34.72	14.88	30.07	0.00	100	234 AVERAGE																																																																																																																	



Mode	50																																																																																																										
	Band Edge																																																																																																										
	U-NII-3_5.725-5.85_802.11ax HE20_CH149_5745MHz																																																																																																										
ANT	1																																																																																																										
Pol.	Vertical	Fundamental																																																																																																									
Peak	<table border="1"> <thead> <tr> <th>Limit</th> <th>Over</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Aux</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>Level</th> <th>Factor</th> <th>Loss</th> <th>Factor</th> <th>Factor</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>5649.60</td> <td>59.26</td> <td>68.20</td> <td>-8.94</td> <td>40.17</td> <td>34.60</td> <td>14.60</td> <td>30.11</td> <td>0.00</td> <td>389</td> <td>269</td> <td>PEAK</td> </tr> <tr> <td>2</td> <td>5650.40</td> <td>58.51</td> <td>68.50</td> <td>-9.99</td> <td>39.42</td> <td>34.60</td> <td>14.60</td> <td>30.11</td> <td>0.00</td> <td>389</td> <td>269</td> <td>PEAK</td> </tr> <tr> <td>3</td> <td>5719.60</td> <td>68.34</td> <td>110.79</td> <td>-42.45</td> <td>48.98</td> <td>34.66</td> <td>14.78</td> <td>30.08</td> <td>0.00</td> <td>389</td> <td>269</td> <td>PEAK</td> </tr> <tr> <td>4</td> <td>5720.00</td> <td>68.11</td> <td>110.90</td> <td>-42.79</td> <td>48.75</td> <td>34.66</td> <td>14.78</td> <td>30.08</td> <td>0.00</td> <td>389</td> <td>269</td> <td>PEAK</td> </tr> </tbody> </table>	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Level	Factor	Loss	Factor	Factor	cm	deg	1	5649.60	59.26	68.20	-8.94	40.17	34.60	14.60	30.11	0.00	389	269	PEAK	2	5650.40	58.51	68.50	-9.99	39.42	34.60	14.60	30.11	0.00	389	269	PEAK	3	5719.60	68.34	110.79	-42.45	48.98	34.66	14.78	30.08	0.00	389	269	PEAK	4	5720.00	68.11	110.90	-42.79	48.75	34.66	14.78	30.08	0.00	389	269	PEAK	<table border="1"> <thead> <tr> <th>Limit</th> <th>Over</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Aux</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>Level</th> <th>Factor</th> <th>Loss</th> <th>Factor</th> <th>Factor</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>5745.00</td> <td>105.46</td> <td>-----</td> <td>-----</td> <td>85.93</td> <td>34.72</td> <td>14.88</td> <td>30.07</td> <td>0.00</td> <td>389</td> <td>269</td> <td>PEAK</td> </tr> </tbody> </table>	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Level	Factor	Loss	Factor	Factor	cm	deg	1	5745.00	105.46	-----	-----	85.93	34.72	14.88	30.07	0.00	389	269	PEAK
Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																																		
Freq	Level	Line	Level	Factor	Loss	Factor	Factor	cm	deg																																																																																																		
1	5649.60	59.26	68.20	-8.94	40.17	34.60	14.60	30.11	0.00	389	269	PEAK																																																																																															
2	5650.40	58.51	68.50	-9.99	39.42	34.60	14.60	30.11	0.00	389	269	PEAK																																																																																															
3	5719.60	68.34	110.79	-42.45	48.98	34.66	14.78	30.08	0.00	389	269	PEAK																																																																																															
4	5720.00	68.11	110.90	-42.79	48.75	34.66	14.78	30.08	0.00	389	269	PEAK																																																																																															
Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																																		
Freq	Level	Line	Level	Factor	Loss	Factor	Factor	cm	deg																																																																																																		
1	5745.00	105.46	-----	-----	85.93	34.72	14.88	30.07	0.00	389	269	PEAK																																																																																															
Avg	Blank	<table border="1"> <thead> <tr> <th>Limit</th> <th>Over</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Aux</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>Level</th> <th>Factor</th> <th>Loss</th> <th>Factor</th> <th>Factor</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>5745.00</td> <td>94.86</td> <td>-----</td> <td>-----</td> <td>75.38</td> <td>34.70</td> <td>14.85</td> <td>30.07</td> <td>0.00</td> <td>389</td> <td>269</td> <td>AVERAGE</td> </tr> </tbody> </table>	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Level	Factor	Loss	Factor	Factor	cm	deg	1	5745.00	94.86	-----	-----	75.38	34.70	14.85	30.07	0.00	389	269	AVERAGE																																																																								
Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																																		
Freq	Level	Line	Level	Factor	Loss	Factor	Factor	cm	deg																																																																																																		
1	5745.00	94.86	-----	-----	75.38	34.70	14.85	30.07	0.00	389	269	AVERAGE																																																																																															







	<b>52</b>																																																																																																										
<b>Mode</b>	<b>Band Edge</b>																																																																																																										
	<b>U-NII-3_5.725-5.85_802.11ax HE20_CH165_5825MHz</b>																																																																																																										
<b>ANT</b>	<b>1</b>																																																																																																										
<b>Pol.</b>	<b>Horizontal</b>	<b>Fundamental</b>																																																																																																									
<b>Peak</b>	<table border="1"> <thead> <tr> <th>Limit</th> <th>Over</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Aux</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>Level</th> <th>Factor</th> <th>Loss</th> <th>Factor</th> <th>Factor</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>5854.00</td> <td>58.00</td> <td>111.36</td> <td>-53.36</td> <td>38.16</td> <td>35.01</td> <td>14.86</td> <td>30.03</td> <td>0.00</td> <td>100</td> <td>227</td> <td>PEAK</td> </tr> <tr> <td>2</td> <td>5856.40</td> <td>65.76</td> <td>110.51</td> <td>-44.75</td> <td>45.93</td> <td>35.01</td> <td>14.85</td> <td>30.03</td> <td>0.00</td> <td>100</td> <td>227</td> <td>PEAK</td> </tr> <tr> <td>3</td> <td>5924.00</td> <td>57.66</td> <td>68.94</td> <td>-11.28</td> <td>38.08</td> <td>35.12</td> <td>14.53</td> <td>30.07</td> <td>0.00</td> <td>100</td> <td>227</td> <td>PEAK</td> </tr> <tr> <td>4</td> <td>5943.60</td> <td>59.63</td> <td>68.20</td> <td>-8.57</td> <td>40.11</td> <td>35.14</td> <td>14.47</td> <td>30.09</td> <td>0.00</td> <td>100</td> <td>227</td> <td>PEAK</td> </tr> </tbody> </table>	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Level	Factor	Loss	Factor	Factor	cm	deg	1	5854.00	58.00	111.36	-53.36	38.16	35.01	14.86	30.03	0.00	100	227	PEAK	2	5856.40	65.76	110.51	-44.75	45.93	35.01	14.85	30.03	0.00	100	227	PEAK	3	5924.00	57.66	68.94	-11.28	38.08	35.12	14.53	30.07	0.00	100	227	PEAK	4	5943.60	59.63	68.20	-8.57	40.11	35.14	14.47	30.09	0.00	100	227	PEAK	<table border="1"> <thead> <tr> <th>Limit</th> <th>Over</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Aux</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>Level</th> <th>Factor</th> <th>Loss</th> <th>Factor</th> <th>Factor</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>5825.00</td> <td>106.62</td> <td>-----</td> <td>-----</td> <td>86.64</td> <td>34.94</td> <td>15.08</td> <td>30.04</td> <td>0.00</td> <td>100</td> <td>227</td> <td>PEAK</td> </tr> </tbody> </table>	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Level	Factor	Loss	Factor	Factor	cm	deg	1	5825.00	106.62	-----	-----	86.64	34.94	15.08	30.04	0.00	100	227	PEAK
	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																																	
Freq	Level	Line	Level	Factor	Loss	Factor	Factor	cm	deg																																																																																																		
1	5854.00	58.00	111.36	-53.36	38.16	35.01	14.86	30.03	0.00	100	227	PEAK																																																																																															
2	5856.40	65.76	110.51	-44.75	45.93	35.01	14.85	30.03	0.00	100	227	PEAK																																																																																															
3	5924.00	57.66	68.94	-11.28	38.08	35.12	14.53	30.07	0.00	100	227	PEAK																																																																																															
4	5943.60	59.63	68.20	-8.57	40.11	35.14	14.47	30.09	0.00	100	227	PEAK																																																																																															
Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																																		
Freq	Level	Line	Level	Factor	Loss	Factor	Factor	cm	deg																																																																																																		
1	5825.00	106.62	-----	-----	86.64	34.94	15.08	30.04	0.00	100	227	PEAK																																																																																															
<b>Avg</b>	<b>Blank</b>	<table border="1"> <thead> <tr> <th>Limit</th> <th>Over</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Aux</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>Level</th> <th>Factor</th> <th>Loss</th> <th>Factor</th> <th>Factor</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>5825.00</td> <td>95.88</td> <td>-----</td> <td>-----</td> <td>75.95</td> <td>34.96</td> <td>15.01</td> <td>30.04</td> <td>0.00</td> <td>100</td> <td>227</td> <td>AVERAGE</td> </tr> </tbody> </table>	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Level	Factor	Loss	Factor	Factor	cm	deg	1	5825.00	95.88	-----	-----	75.95	34.96	15.01	30.04	0.00	100	227	AVERAGE																																																																								
Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																																		
Freq	Level	Line	Level	Factor	Loss	Factor	Factor	cm	deg																																																																																																		
1	5825.00	95.88	-----	-----	75.95	34.96	15.01	30.04	0.00	100	227	AVERAGE																																																																																															



Mode	52																																																																																											
	Band Edge																																																																																											
	U-NII-3_5.725-5.85_802.11ax HE20_CH165_5825MHz																																																																																											
ANT	0																																																																																											
Pol.	Vertical	Fundamental																																																																																										
Peak	<table border="1"> <thead> <tr> <th>Limit</th> <th>Over</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Aux</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>Level</th> <th>Factor</th> <th>Loss</th> <th>Factor</th> <th>Factor</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1 5854.80</td> <td>57.03</td> <td>111.36</td> <td>-54.33</td> <td>37.19</td> <td>35.01</td> <td>14.86</td> <td>30.03</td> <td>0.00</td> <td>391 268 PEAK</td> </tr> <tr> <td>2 5869.20</td> <td>58.42</td> <td>106.92</td> <td>-48.50</td> <td>38.64</td> <td>35.04</td> <td>14.78</td> <td>30.04</td> <td>0.00</td> <td>391 268 PEAK</td> </tr> <tr> <td>3 5924.40</td> <td>57.29</td> <td>68.64</td> <td>-11.35</td> <td>37.71</td> <td>35.12</td> <td>14.53</td> <td>30.07</td> <td>0.00</td> <td>391 268 PEAK</td> </tr> <tr> <td>4 5980.00</td> <td>60.50</td> <td>68.20</td> <td>-7.70</td> <td>41.07</td> <td>35.18</td> <td>14.36</td> <td>30.11</td> <td>0.00</td> <td>391 268 PEAK</td> </tr> </tbody> </table>	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Level	Factor	Loss	Factor	Factor	cm	deg	1 5854.80	57.03	111.36	-54.33	37.19	35.01	14.86	30.03	0.00	391 268 PEAK	2 5869.20	58.42	106.92	-48.50	38.64	35.04	14.78	30.04	0.00	391 268 PEAK	3 5924.40	57.29	68.64	-11.35	37.71	35.12	14.53	30.07	0.00	391 268 PEAK	4 5980.00	60.50	68.20	-7.70	41.07	35.18	14.36	30.11	0.00	391 268 PEAK	<table border="1"> <thead> <tr> <th>Limit</th> <th>Over</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Aux</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>Level</th> <th>Factor</th> <th>Loss</th> <th>Factor</th> <th>Factor</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1 5825.00</td> <td>102.28</td> <td>-----</td> <td>-----</td> <td>82.33</td> <td>34.95</td> <td>15.04</td> <td>30.04</td> <td>0.00</td> <td>391 268 PEAK</td> </tr> </tbody> </table>	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Level	Factor	Loss	Factor	Factor	cm	deg	1 5825.00	102.28	-----	-----	82.33	34.95	15.04	30.04	0.00	391 268 PEAK
Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																			
Freq	Level	Line	Level	Factor	Loss	Factor	Factor	cm	deg																																																																																			
1 5854.80	57.03	111.36	-54.33	37.19	35.01	14.86	30.03	0.00	391 268 PEAK																																																																																			
2 5869.20	58.42	106.92	-48.50	38.64	35.04	14.78	30.04	0.00	391 268 PEAK																																																																																			
3 5924.40	57.29	68.64	-11.35	37.71	35.12	14.53	30.07	0.00	391 268 PEAK																																																																																			
4 5980.00	60.50	68.20	-7.70	41.07	35.18	14.36	30.11	0.00	391 268 PEAK																																																																																			
Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																			
Freq	Level	Line	Level	Factor	Loss	Factor	Factor	cm	deg																																																																																			
1 5825.00	102.28	-----	-----	82.33	34.95	15.04	30.04	0.00	391 268 PEAK																																																																																			
Avg	Blank	<table border="1"> <thead> <tr> <th>Limit</th> <th>Over</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Aux</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>Level</th> <th>Factor</th> <th>Loss</th> <th>Factor</th> <th>Factor</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1 5825.00</td> <td>91.40</td> <td>-----</td> <td>-----</td> <td>71.42</td> <td>34.94</td> <td>15.08</td> <td>30.04</td> <td>0.00</td> <td>391 268 AVERAGE</td> </tr> </tbody> </table>	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Level	Factor	Loss	Factor	Factor	cm	deg	1 5825.00	91.40	-----	-----	71.42	34.94	15.08	30.04	0.00	391 268 AVERAGE																																																												
Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																			
Freq	Level	Line	Level	Factor	Loss	Factor	Factor	cm	deg																																																																																			
1 5825.00	91.40	-----	-----	71.42	34.94	15.08	30.04	0.00	391 268 AVERAGE																																																																																			



Mode	52																																																																																																																																																										
	Harmonic																																																																																																																																																										
	U-NII-3_5.725-5.85_802.11ax HE20_CH165_5825MHz																																																																																																																																																										
ANT	1																																																																																																																																																										
Pol.	Horizontal	Vertical																																																																																																																																																									
Peak Avg	<table border="1"> <thead> <tr> <th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr> <tr> <th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th></tr> <tr> <th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr> </thead> <tbody> <tr> <td>1</td><td>11650.00</td><td>51.12</td><td>74.00</td><td>-22.88</td><td>57.72</td><td>38.50</td><td>19.17</td><td>64.27</td><td>0.00</td><td>100</td><td>163</td><td>PEAK</td></tr> <tr> <td>2</td><td>11650.00</td><td>40.70</td><td>54.00</td><td>-13.30</td><td>47.30</td><td>38.50</td><td>19.17</td><td>64.27</td><td>0.00</td><td>100</td><td>163</td><td>AVERAGE</td></tr> </tbody> </table>	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1	11650.00	51.12	74.00	-22.88	57.72	38.50	19.17	64.27	0.00	100	163	PEAK	2	11650.00	40.70	54.00	-13.30	47.30	38.50	19.17	64.27	0.00	100	163	AVERAGE	<table border="1"> <thead> <tr> <th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr> <tr> <th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th></tr> <tr> <th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr> </thead> <tbody> <tr> <td>1</td><td>11650.00</td><td>52.28</td><td>74.00</td><td>-21.72</td><td>58.88</td><td>38.50</td><td>19.17</td><td>64.27</td><td>0.00</td><td>102</td><td>89</td><td>Peak</td></tr> <tr> <td>2</td><td>11650.00</td><td>40.94</td><td>54.00</td><td>-13.06</td><td>47.54</td><td>38.50</td><td>19.17</td><td>64.27</td><td>0.00</td><td>102</td><td>89</td><td>Average</td></tr> <tr> <td>3</td><td>12187.60</td><td>50.15</td><td>74.00</td><td>-23.85</td><td>56.61</td><td>39.00</td><td>19.59</td><td>65.05</td><td>0.00</td><td>---</td><td>---</td><td>Peak</td></tr> <tr> <td>4</td><td>12498.53</td><td>52.44</td><td>74.00</td><td>-21.56</td><td>59.08</td><td>38.21</td><td>20.00</td><td>64.85</td><td>0.00</td><td>369</td><td>197</td><td>Peak</td></tr> <tr> <td>5</td><td>12498.53</td><td>47.73</td><td>54.00</td><td>-6.27</td><td>54.37</td><td>38.21</td><td>20.00</td><td>64.85</td><td>0.00</td><td>369</td><td>197</td><td>Average</td></tr> </tbody> </table>	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1	11650.00	52.28	74.00	-21.72	58.88	38.50	19.17	64.27	0.00	102	89	Peak	2	11650.00	40.94	54.00	-13.06	47.54	38.50	19.17	64.27	0.00	102	89	Average	3	12187.60	50.15	74.00	-23.85	56.61	39.00	19.59	65.05	0.00	---	---	Peak	4	12498.53	52.44	74.00	-21.56	59.08	38.21	20.00	64.85	0.00	369	197	Peak	5	12498.53	47.73	54.00	-6.27	54.37	38.21	20.00	64.85	0.00	369	197	Average
	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																																																																																	
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor																																																																																																																																																			
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																																																																																																	
1	11650.00	51.12	74.00	-22.88	57.72	38.50	19.17	64.27	0.00	100	163	PEAK																																																																																																																																															
2	11650.00	40.70	54.00	-13.30	47.30	38.50	19.17	64.27	0.00	100	163	AVERAGE																																																																																																																																															
Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																																																																																		
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor																																																																																																																																																			
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																																																																																																	
1	11650.00	52.28	74.00	-21.72	58.88	38.50	19.17	64.27	0.00	102	89	Peak																																																																																																																																															
2	11650.00	40.94	54.00	-13.06	47.54	38.50	19.17	64.27	0.00	102	89	Average																																																																																																																																															
3	12187.60	50.15	74.00	-23.85	56.61	39.00	19.59	65.05	0.00	---	---	Peak																																																																																																																																															
4	12498.53	52.44	74.00	-21.56	59.08	38.21	20.00	64.85	0.00	369	197	Peak																																																																																																																																															
5	12498.53	47.73	54.00	-6.27	54.37	38.21	20.00	64.85	0.00	369	197	Average																																																																																																																																															



<b>53</b>																																																																									
<b>Mode</b>	<b>Band Edge - L</b>																																																																								
<b>U-NII-3_5.725-5.85_802.11ax HE40_CH151_Full_5755MHz</b>																																																																									
<b>ANT</b>	<b>1</b>																																																																								
<b>Pol.</b>	<b>Horizontal</b>																																																																								
<b>Peak</b>	<table border="1"> <thead> <tr> <th>Limit</th> <th>Over</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Aux</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>Level</th> <th>Factor</th> <th>Loss</th> <th>Factor</th> <th>Factor</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>5618.76</td> <td>59.89</td> <td>68.20</td> <td>-8.31</td> <td>40.85</td> <td>34.60</td> <td>14.55</td> <td>30.11</td> <td>0.00</td> <td>100</td> <td>235</td> <td>PEAK</td> </tr> <tr> <td>2</td> <td>5650.38</td> <td>57.20</td> <td>68.48</td> <td>-11.28</td> <td>38.11</td> <td>34.60</td> <td>14.60</td> <td>30.11</td> <td>0.00</td> <td>100</td> <td>235</td> <td>PEAK</td> </tr> <tr> <td>3</td> <td>5707.42</td> <td>66.14</td> <td>107.38</td> <td>-41.24</td> <td>46.88</td> <td>34.62</td> <td>14.72</td> <td>30.08</td> <td>0.00</td> <td>100</td> <td>235</td> <td>PEAK</td> </tr> <tr> <td>4</td> <td>5720.13</td> <td>62.94</td> <td>111.19</td> <td>-48.25</td> <td>43.58</td> <td>34.66</td> <td>14.78</td> <td>30.08</td> <td>0.00</td> <td>100</td> <td>235</td> <td>PEAK</td> </tr> </tbody> </table>	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Level	Factor	Loss	Factor	Factor	cm	deg	1	5618.76	59.89	68.20	-8.31	40.85	34.60	14.55	30.11	0.00	100	235	PEAK	2	5650.38	57.20	68.48	-11.28	38.11	34.60	14.60	30.11	0.00	100	235	PEAK	3	5707.42	66.14	107.38	-41.24	46.88	34.62	14.72	30.08	0.00	100	235	PEAK	4	5720.13	62.94	111.19	-48.25	43.58	34.66	14.78	30.08	0.00	100	235	PEAK
Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																
Freq	Level	Line	Level	Factor	Loss	Factor	Factor	cm	deg																																																																
1	5618.76	59.89	68.20	-8.31	40.85	34.60	14.55	30.11	0.00	100	235	PEAK																																																													
2	5650.38	57.20	68.48	-11.28	38.11	34.60	14.60	30.11	0.00	100	235	PEAK																																																													
3	5707.42	66.14	107.38	-41.24	46.88	34.62	14.72	30.08	0.00	100	235	PEAK																																																													
4	5720.13	62.94	111.19	-48.25	43.58	34.66	14.78	30.08	0.00	100	235	PEAK																																																													
<b>Avg</b>	<p style="text-align: center;"><b>Blank</b></p> <table border="1"> <thead> <tr> <th>Limit</th> <th>Over</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Aux</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>Level</th> <th>Factor</th> <th>Loss</th> <th>Factor</th> <th>Factor</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>5755.00</td> <td>104.30</td> <td>-----</td> <td>-----</td> <td>84.72</td> <td>34.74</td> <td>14.91</td> <td>30.07</td> <td>0.00</td> <td>100</td> <td>235</td> <td>PEAK</td> </tr> </tbody> </table>	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Level	Factor	Loss	Factor	Factor	cm	deg	1	5755.00	104.30	-----	-----	84.72	34.74	14.91	30.07	0.00	100	235	PEAK																																							
Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																
Freq	Level	Line	Level	Factor	Loss	Factor	Factor	cm	deg																																																																
1	5755.00	104.30	-----	-----	84.72	34.74	14.91	30.07	0.00	100	235	PEAK																																																													
<b>Peak</b>	<table border="1"> <thead> <tr> <th>Limit</th> <th>Over</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Aux</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>Level</th> <th>Factor</th> <th>Loss</th> <th>Factor</th> <th>Factor</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>5755.00</td> <td>104.30</td> <td>-----</td> <td>-----</td> <td>84.72</td> <td>34.74</td> <td>14.91</td> <td>30.07</td> <td>0.00</td> <td>100</td> <td>235</td> <td>PEAK</td> </tr> </tbody> </table>	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Level	Factor	Loss	Factor	Factor	cm	deg	1	5755.00	104.30	-----	-----	84.72	34.74	14.91	30.07	0.00	100	235	PEAK																																							
Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																
Freq	Level	Line	Level	Factor	Loss	Factor	Factor	cm	deg																																																																
1	5755.00	104.30	-----	-----	84.72	34.74	14.91	30.07	0.00	100	235	PEAK																																																													
<b>Avg</b>	<table border="1"> <thead> <tr> <th>Limit</th> <th>Over</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Aux</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>Level</th> <th>Factor</th> <th>Loss</th> <th>Factor</th> <th>Factor</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>5755.00</td> <td>93.57</td> <td>-----</td> <td>-----</td> <td>74.04</td> <td>34.72</td> <td>14.88</td> <td>30.07</td> <td>0.00</td> <td>100</td> <td>235</td> <td>AVERAGE</td> </tr> </tbody> </table>	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Level	Factor	Loss	Factor	Factor	cm	deg	1	5755.00	93.57	-----	-----	74.04	34.72	14.88	30.07	0.00	100	235	AVERAGE																																							
Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																
Freq	Level	Line	Level	Factor	Loss	Factor	Factor	cm	deg																																																																
1	5755.00	93.57	-----	-----	74.04	34.72	14.88	30.07	0.00	100	235	AVERAGE																																																													





Mode	53																																																																																				
	Band Edge - R																																																																																				
	U-NII-3_5.725-5.85_802.11ax HE40_CH151_Full_5755MHz																																																																																				
ANT	1																																																																																				
Pol.	Horizontal	Fundamental																																																																																			
Peak	<table border="1"> <thead> <tr> <th>Limit</th> <th>Over</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Aux</th> <th>Apos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>Level</th> <th>Factor</th> <th>Loss</th> <th>Factor</th> <th>Factor</th> <th>cm</th> <th>deg</th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>5854.84</td> <td>56.00</td> <td>111.26</td> <td>-55.26</td> <td>36.16</td> <td>35.01</td> <td>14.86</td> <td>30.03</td> <td>0.00</td> <td>100</td> <td>235</td> <td>PEAK</td> </tr> <tr> <td>2</td> <td>5867.91</td> <td>59.19</td> <td>107.28</td> <td>-48.09</td> <td>39.40</td> <td>35.04</td> <td>14.79</td> <td>30.04</td> <td>0.00</td> <td>100</td> <td>235</td> <td>PEAK</td> </tr> <tr> <td>3</td> <td>5924.26</td> <td>57.87</td> <td>68.75</td> <td>-10.88</td> <td>38.29</td> <td>35.12</td> <td>14.53</td> <td>30.07</td> <td>0.00</td> <td>100</td> <td>235</td> <td>PEAK</td> </tr> <tr> <td>4</td> <td>5928.16</td> <td>59.21</td> <td>68.20</td> <td>-8.99</td> <td>39.64</td> <td>35.13</td> <td>14.52</td> <td>30.08</td> <td>0.00</td> <td>100</td> <td>235</td> <td>PEAK</td> </tr> </tbody> </table>	Limit	Over	Read	Ant	Cable	Preamp	Aux	Apos	TPos	Remark	Freq	Level	Line	Level	Factor	Loss	Factor	Factor	cm	deg	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1	5854.84	56.00	111.26	-55.26	36.16	35.01	14.86	30.03	0.00	100	235	PEAK	2	5867.91	59.19	107.28	-48.09	39.40	35.04	14.79	30.04	0.00	100	235	PEAK	3	5924.26	57.87	68.75	-10.88	38.29	35.12	14.53	30.07	0.00	100	235	PEAK	4	5928.16	59.21	68.20	-8.99	39.64	35.13	14.52	30.08	0.00	100	235	PEAK	Blank
Limit	Over	Read	Ant	Cable	Preamp	Aux	Apos	TPos	Remark																																																																												
Freq	Level	Line	Level	Factor	Loss	Factor	Factor	cm	deg																																																																												
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																											
1	5854.84	56.00	111.26	-55.26	36.16	35.01	14.86	30.03	0.00	100	235	PEAK																																																																									
2	5867.91	59.19	107.28	-48.09	39.40	35.04	14.79	30.04	0.00	100	235	PEAK																																																																									
3	5924.26	57.87	68.75	-10.88	38.29	35.12	14.53	30.07	0.00	100	235	PEAK																																																																									
4	5928.16	59.21	68.20	-8.99	39.64	35.13	14.52	30.08	0.00	100	235	PEAK																																																																									



Mode	53																																																																																																																																
	Band Edge - L																																																																																																																																
	U-NII-3_5.725-5.85_802.11ax HE40_CH151_Full_5755MHz																																																																																																																																
ANT	1																																																																																																																																
Pol.	Vertical	Fundamental																																																																																																																															
Peak	<table border="1"> <thead> <tr> <th>Limit</th> <th>Over</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Aux</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>Limit</th> <th>Level</th> <th>Factor</th> <th>Loss</th> <th>Factor</th> <th>Factor</th> <th></th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>5643.25</td> <td>58.90</td> <td>68.20</td> <td>-9.30</td> <td>39.82</td> <td>34.60</td> <td>14.59</td> <td>30.11</td> <td>0.00</td> <td>309</td> <td>303</td> <td>PEAK</td> </tr> <tr> <td>2</td> <td>5650.84</td> <td>57.49</td> <td>68.83</td> <td>-11.34</td> <td>38.40</td> <td>34.60</td> <td>14.60</td> <td>30.11</td> <td>0.00</td> <td>309</td> <td>303</td> <td>PEAK</td> </tr> <tr> <td>3</td> <td>5708.35</td> <td>63.53</td> <td>107.64</td> <td>-44.11</td> <td>44.26</td> <td>34.63</td> <td>14.72</td> <td>30.08</td> <td>0.00</td> <td>309</td> <td>303</td> <td>PEAK</td> </tr> <tr> <td>4</td> <td>5720.59</td> <td>66.73</td> <td>112.25</td> <td>-45.52</td> <td>47.37</td> <td>34.66</td> <td>14.78</td> <td>30.08</td> <td>0.00</td> <td>309</td> <td>303</td> <td>PEAK</td> </tr> </tbody> </table>	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1	5643.25	58.90	68.20	-9.30	39.82	34.60	14.59	30.11	0.00	309	303	PEAK	2	5650.84	57.49	68.83	-11.34	38.40	34.60	14.60	30.11	0.00	309	303	PEAK	3	5708.35	63.53	107.64	-44.11	44.26	34.63	14.72	30.08	0.00	309	303	PEAK	4	5720.59	66.73	112.25	-45.52	47.37	34.66	14.78	30.08	0.00	309	303	PEAK	<table border="1"> <thead> <tr> <th>Limit</th> <th>Over</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Aux</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>Limit</th> <th>Level</th> <th>Factor</th> <th>Loss</th> <th>Factor</th> <th>Factor</th> <th></th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>5755.00</td> <td>101.39</td> <td>-----</td> <td>-----</td> <td>81.81</td> <td>34.74</td> <td>14.91</td> <td>30.07</td> <td>0.00</td> <td>309</td> <td>303</td> <td>PEAK</td> </tr> </tbody> </table>	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1	5755.00	101.39	-----	-----	81.81	34.74	14.91	30.07	0.00	309	303	PEAK
	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																																																							
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor																																																																																																																									
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																																																																							
1	5643.25	58.90	68.20	-9.30	39.82	34.60	14.59	30.11	0.00	309	303	PEAK																																																																																																																					
2	5650.84	57.49	68.83	-11.34	38.40	34.60	14.60	30.11	0.00	309	303	PEAK																																																																																																																					
3	5708.35	63.53	107.64	-44.11	44.26	34.63	14.72	30.08	0.00	309	303	PEAK																																																																																																																					
4	5720.59	66.73	112.25	-45.52	47.37	34.66	14.78	30.08	0.00	309	303	PEAK																																																																																																																					
Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																																																								
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor																																																																																																																									
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																																																																							
1	5755.00	101.39	-----	-----	81.81	34.74	14.91	30.07	0.00	309	303	PEAK																																																																																																																					
Avg	Blank	<table border="1"> <thead> <tr> <th>Limit</th> <th>Over</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Aux</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>Limit</th> <th>Level</th> <th>Factor</th> <th>Loss</th> <th>Factor</th> <th>Factor</th> <th></th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>5755.00</td> <td>89.26</td> <td>-----</td> <td>-----</td> <td>69.53</td> <td>34.79</td> <td>15.00</td> <td>30.06</td> <td>0.00</td> <td>309</td> <td>303</td> <td>AVERAGE</td> </tr> </tbody> </table>	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1	5755.00	89.26	-----	-----	69.53	34.79	15.00	30.06	0.00	309	303	AVERAGE																																																																																			
Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																																																								
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor																																																																																																																									
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																																																																							
1	5755.00	89.26	-----	-----	69.53	34.79	15.00	30.06	0.00	309	303	AVERAGE																																																																																																																					



Mode	53																																																																																			
	Band Edge - R																																																																																			
	U-NII-3_5.725-5.85_802.11ax HE40_CH151_Full_5755MHz																																																																																			
ANT	1																																																																																			
Pol.	Vertical	Fundamental																																																																																		
Peak	<table border="1"> <thead> <tr> <th>Limit</th> <th>Over</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Aux</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>Level</th> <th>Factor</th> <th>Loss</th> <th>Factor</th> <th>Factor</th> <th>cm</th> <th>deg</th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>5854.84</td> <td>56.68</td> <td>111.26</td> <td>-54.58</td> <td>36.84</td> <td>35.01</td> <td>14.86</td> <td>30.03</td> <td>0.00</td> <td>309</td> <td>303</td> <td>PEAK</td> </tr> <tr> <td>2</td> <td>5874.34</td> <td>58.40</td> <td>105.48</td> <td>-47.08</td> <td>38.64</td> <td>35.05</td> <td>14.75</td> <td>30.04</td> <td>0.00</td> <td>309</td> <td>303</td> <td>PEAK</td> </tr> <tr> <td>3</td> <td>5923.87</td> <td>57.10</td> <td>69.03</td> <td>-11.93</td> <td>37.52</td> <td>35.12</td> <td>14.53</td> <td>30.07</td> <td>0.00</td> <td>309</td> <td>303</td> <td>PEAK</td> </tr> <tr> <td>4</td> <td>5941.62</td> <td>58.41</td> <td>68.20</td> <td>-9.79</td> <td>38.88</td> <td>35.14</td> <td>14.48</td> <td>30.09</td> <td>0.00</td> <td>309</td> <td>303</td> <td>PEAK</td> </tr> </tbody> </table>	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Level	Factor	Loss	Factor	Factor	cm	deg	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5854.84	56.68	111.26	-54.58	36.84	35.01	14.86	30.03	0.00	309	303	PEAK	2	5874.34	58.40	105.48	-47.08	38.64	35.05	14.75	30.04	0.00	309	303	PEAK	3	5923.87	57.10	69.03	-11.93	37.52	35.12	14.53	30.07	0.00	309	303	PEAK	4	5941.62	58.41	68.20	-9.79	38.88	35.14	14.48	30.09	0.00	309	303	PEAK	Blank
Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																											
Freq	Level	Line	Level	Factor	Loss	Factor	Factor	cm	deg																																																																											
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																											
1	5854.84	56.68	111.26	-54.58	36.84	35.01	14.86	30.03	0.00	309	303	PEAK																																																																								
2	5874.34	58.40	105.48	-47.08	38.64	35.05	14.75	30.04	0.00	309	303	PEAK																																																																								
3	5923.87	57.10	69.03	-11.93	37.52	35.12	14.53	30.07	0.00	309	303	PEAK																																																																								
4	5941.62	58.41	68.20	-9.79	38.88	35.14	14.48	30.09	0.00	309	303	PEAK																																																																								



Mode	53																																																																																																																															
	Harmonic																																																																																																																															
	U-NII-3_5.725-5.85_802.11ax HE40_CH151_Full_5755MHz																																																																																																																															
ANT	1																																																																																																																															
Pol.	Horizontal	Vertical																																																																																																																														
Peak Avg																																																																																																																																
	<table border="1"> <thead> <tr> <th>Limit</th> <th>Over</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Aux</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>Limit</th> <th>Level</th> <th>Factor</th> <th>Loss</th> <th>Factor</th> <th>Factor</th> <th></th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>11510.00</td> <td>49.37</td> <td>74.00</td> <td>-24.63</td> <td>55.77</td> <td>38.32</td> <td>19.19</td> <td>63.91</td> <td>0.00</td> <td>---</td> <td>---</td> <td>PEAK</td> </tr> </tbody> </table>	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1	11510.00	49.37	74.00	-24.63	55.77	38.32	19.19	63.91	0.00	---	---	PEAK	<table border="1"> <thead> <tr> <th>Limit</th> <th>Over</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Aux</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>Limit</th> <th>Level</th> <th>Factor</th> <th>Loss</th> <th>Factor</th> <th>Factor</th> <th></th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>11510.00</td> <td>49.23</td> <td>74.00</td> <td>-24.77</td> <td>55.63</td> <td>38.32</td> <td>19.19</td> <td>63.91</td> <td>0.00</td> <td>---</td> <td>---</td> <td>Peak</td> </tr> <tr> <td>2</td> <td>12187.60</td> <td>50.22</td> <td>74.00</td> <td>-23.78</td> <td>56.68</td> <td>39.00</td> <td>19.59</td> <td>65.05</td> <td>0.00</td> <td>---</td> <td>---</td> <td>Peak</td> </tr> <tr> <td>3</td> <td>12500.00</td> <td>52.46</td> <td>74.00</td> <td>-21.54</td> <td>59.11</td> <td>38.20</td> <td>20.00</td> <td>64.85</td> <td>0.00</td> <td>322</td> <td>198</td> <td>Peak</td> </tr> <tr> <td>4</td> <td>12500.00</td> <td>47.62</td> <td>54.00</td> <td>-6.38</td> <td>54.27</td> <td>38.20</td> <td>20.00</td> <td>64.85</td> <td>0.00</td> <td>322</td> <td>198</td> <td>Average</td> </tr> </tbody> </table>	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1	11510.00	49.23	74.00	-24.77	55.63	38.32	19.19	63.91	0.00	---	---	Peak	2	12187.60	50.22	74.00	-23.78	56.68	39.00	19.59	65.05	0.00	---	---	Peak	3	12500.00	52.46	74.00	-21.54	59.11	38.20	20.00	64.85	0.00	322	198	Peak	4	12500.00	47.62	54.00	-6.38	54.27	38.20	20.00	64.85	0.00	322	198
Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																																																							
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor																																																																																																																								
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																																																																						
1	11510.00	49.37	74.00	-24.63	55.77	38.32	19.19	63.91	0.00	---	---	PEAK																																																																																																																				
Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																																																							
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor																																																																																																																								
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																																																																						
1	11510.00	49.23	74.00	-24.77	55.63	38.32	19.19	63.91	0.00	---	---	Peak																																																																																																																				
2	12187.60	50.22	74.00	-23.78	56.68	39.00	19.59	65.05	0.00	---	---	Peak																																																																																																																				
3	12500.00	52.46	74.00	-21.54	59.11	38.20	20.00	64.85	0.00	322	198	Peak																																																																																																																				
4	12500.00	47.62	54.00	-6.38	54.27	38.20	20.00	64.85	0.00	322	198	Average																																																																																																																				



	<b>54</b>																																																																																																																																
<b>Mode</b>	<b>Band Edge - L</b>																																																																																																																																
	<b>U-NII-3_5.725-5.85_802.11ax HE40_CH159_Full_5795MHz</b>																																																																																																																																
<b>ANT</b>	<b>1</b>																																																																																																																																
<b>Pol.</b>	<b>Horizontal</b>	<b>Fundamental</b>																																																																																																																															
<b>Peak</b>	<table border="1"> <thead> <tr> <th>Limit</th> <th>Over</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Aux</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>Limit</th> <th>Level</th> <th>Factor</th> <th>Loss</th> <th>Factor</th> <th>Factor</th> <th></th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>5611.20</td> <td>59.11</td> <td>68.20</td> <td>-9.09</td> <td>40.07</td> <td>34.60</td> <td>14.54</td> <td>30.10</td> <td>0.00</td> <td>100</td> <td>231</td> <td>PEAK</td> </tr> <tr> <td>2</td> <td>5650.00</td> <td>58.27</td> <td>68.20</td> <td>-9.93</td> <td>39.18</td> <td>34.60</td> <td>14.60</td> <td>30.11</td> <td>0.00</td> <td>100</td> <td>231</td> <td>PEAK</td> </tr> <tr> <td>3</td> <td>5702.00</td> <td>56.46</td> <td>105.86</td> <td>-49.40</td> <td>37.25</td> <td>34.61</td> <td>14.69</td> <td>30.09</td> <td>0.00</td> <td>100</td> <td>231</td> <td>PEAK</td> </tr> <tr> <td>4</td> <td>5720.00</td> <td>55.56</td> <td>110.90</td> <td>-55.34</td> <td>36.20</td> <td>34.66</td> <td>14.78</td> <td>30.08</td> <td>0.00</td> <td>100</td> <td>231</td> <td>PEAK</td> </tr> </tbody> </table>	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1	5611.20	59.11	68.20	-9.09	40.07	34.60	14.54	30.10	0.00	100	231	PEAK	2	5650.00	58.27	68.20	-9.93	39.18	34.60	14.60	30.11	0.00	100	231	PEAK	3	5702.00	56.46	105.86	-49.40	37.25	34.61	14.69	30.09	0.00	100	231	PEAK	4	5720.00	55.56	110.90	-55.34	36.20	34.66	14.78	30.08	0.00	100	231	PEAK	<table border="1"> <thead> <tr> <th>Limit</th> <th>Over</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Aux</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>Limit</th> <th>Level</th> <th>Factor</th> <th>Loss</th> <th>Factor</th> <th>Factor</th> <th></th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>5795.00</td> <td>104.75</td> <td>-----</td> <td>-----</td> <td>84.82</td> <td>34.86</td> <td>15.12</td> <td>30.05</td> <td>0.00</td> <td>100</td> <td>231</td> <td>PEAK</td> </tr> </tbody> </table>	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1	5795.00	104.75	-----	-----	84.82	34.86	15.12	30.05	0.00	100	231	PEAK
	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																																																							
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor																																																																																																																									
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																																																																							
1	5611.20	59.11	68.20	-9.09	40.07	34.60	14.54	30.10	0.00	100	231	PEAK																																																																																																																					
2	5650.00	58.27	68.20	-9.93	39.18	34.60	14.60	30.11	0.00	100	231	PEAK																																																																																																																					
3	5702.00	56.46	105.86	-49.40	37.25	34.61	14.69	30.09	0.00	100	231	PEAK																																																																																																																					
4	5720.00	55.56	110.90	-55.34	36.20	34.66	14.78	30.08	0.00	100	231	PEAK																																																																																																																					
Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																																																								
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor																																																																																																																									
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																																																																							
1	5795.00	104.75	-----	-----	84.82	34.86	15.12	30.05	0.00	100	231	PEAK																																																																																																																					
<b>Avg</b>	<b>Blank</b>	<table border="1"> <thead> <tr> <th>Limit</th> <th>Over</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Aux</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>Limit</th> <th>Level</th> <th>Factor</th> <th>Loss</th> <th>Factor</th> <th>Factor</th> <th></th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>5795.00</td> <td>92.59</td> <td>-----</td> <td>-----</td> <td>72.56</td> <td>34.90</td> <td>15.18</td> <td>30.05</td> <td>0.00</td> <td>100</td> <td>231</td> <td>AVERAGE</td> </tr> </tbody> </table>	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1	5795.00	92.59	-----	-----	72.56	34.90	15.18	30.05	0.00	100	231	AVERAGE																																																																																			
Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																																																								
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor																																																																																																																									
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																																																																							
1	5795.00	92.59	-----	-----	72.56	34.90	15.18	30.05	0.00	100	231	AVERAGE																																																																																																																					



Mode	54																																																																																				
	Band Edge - R																																																																																				
	U-NII-3_5.725-5.85_802.11ax HE40_CH159_Full_5795MHz																																																																																				
ANT	1																																																																																				
Pol.	Horizontal	Fundamental																																																																																			
Peak	<table border="1"> <thead> <tr> <th>Limit</th> <th>Over</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Aux</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>Limit</th> <th>Level</th> <th>Factor</th> <th>Loss</th> <th>Factor</th> <th>Factor</th> <th></th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>5854.40</td> <td>58.35</td> <td>112.27</td> <td>-53.92</td> <td>38.51</td> <td>35.01</td> <td>14.86</td> <td>30.03</td> <td>0.00</td> <td>100</td> <td>231</td> <td>PEAK</td> </tr> <tr> <td>2</td> <td>5874.00</td> <td>57.42</td> <td>105.58</td> <td>-48.16</td> <td>37.66</td> <td>35.05</td> <td>14.75</td> <td>30.04</td> <td>0.00</td> <td>100</td> <td>231</td> <td>PEAK</td> </tr> <tr> <td>3</td> <td>5924.00</td> <td>57.11</td> <td>68.94</td> <td>-11.83</td> <td>37.53</td> <td>35.12</td> <td>14.53</td> <td>30.07</td> <td>0.00</td> <td>100</td> <td>231</td> <td>PEAK</td> </tr> <tr> <td>4</td> <td>5966.80</td> <td>59.86</td> <td>68.20</td> <td>-8.34</td> <td>40.39</td> <td>35.17</td> <td>14.40</td> <td>30.10</td> <td>0.00</td> <td>100</td> <td>231</td> <td>PEAK</td> </tr> </tbody> </table>	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1	5854.40	58.35	112.27	-53.92	38.51	35.01	14.86	30.03	0.00	100	231	PEAK	2	5874.00	57.42	105.58	-48.16	37.66	35.05	14.75	30.04	0.00	100	231	PEAK	3	5924.00	57.11	68.94	-11.83	37.53	35.12	14.53	30.07	0.00	100	231	PEAK	4	5966.80	59.86	68.20	-8.34	40.39	35.17	14.40	30.10	0.00	100	231	PEAK	Blank
Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																												
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor																																																																													
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																											
1	5854.40	58.35	112.27	-53.92	38.51	35.01	14.86	30.03	0.00	100	231	PEAK																																																																									
2	5874.00	57.42	105.58	-48.16	37.66	35.05	14.75	30.04	0.00	100	231	PEAK																																																																									
3	5924.00	57.11	68.94	-11.83	37.53	35.12	14.53	30.07	0.00	100	231	PEAK																																																																									
4	5966.80	59.86	68.20	-8.34	40.39	35.17	14.40	30.10	0.00	100	231	PEAK																																																																									




Mode	54																																																																																																																																
	Band Edge - L																																																																																																																																
	U-NII-3_5.725-5.85_802.11ax HE40_CH159_Full_5795MHz																																																																																																																																
ANT	1																																																																																																																																
Pol.	Vertical	Fundamental																																																																																																																															
Peak	<table border="1"> <thead> <tr> <th>Limit</th> <th>Over</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Aux</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>Limit</th> <th>Level</th> <th>Factor</th> <th>Loss</th> <th>Factor</th> <th>Factor</th> <th></th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>5611.60</td> <td>59.03</td> <td>68.20</td> <td>-9.17</td> <td>39.99</td> <td>34.60</td> <td>14.54</td> <td>30.10</td> <td>0.00</td> <td>400</td> <td>268</td> <td>PEAK</td> </tr> <tr> <td>2</td> <td>5650.00</td> <td>55.97</td> <td>68.00</td> <td>-12.83</td> <td>36.88</td> <td>34.60</td> <td>14.60</td> <td>30.11</td> <td>0.00</td> <td>400</td> <td>268</td> <td>PEAK</td> </tr> <tr> <td>3</td> <td>5700.00</td> <td>56.31</td> <td>105.30</td> <td>-48.99</td> <td>37.12</td> <td>34.60</td> <td>14.68</td> <td>30.09</td> <td>0.00</td> <td>400</td> <td>268</td> <td>PEAK</td> </tr> <tr> <td>4</td> <td>5720.40</td> <td>56.72</td> <td>111.81</td> <td>-55.09</td> <td>37.36</td> <td>34.66</td> <td>14.78</td> <td>30.08</td> <td>0.00</td> <td>400</td> <td>268</td> <td>PEAK</td> </tr> </tbody> </table>	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1	5611.60	59.03	68.20	-9.17	39.99	34.60	14.54	30.10	0.00	400	268	PEAK	2	5650.00	55.97	68.00	-12.83	36.88	34.60	14.60	30.11	0.00	400	268	PEAK	3	5700.00	56.31	105.30	-48.99	37.12	34.60	14.68	30.09	0.00	400	268	PEAK	4	5720.40	56.72	111.81	-55.09	37.36	34.66	14.78	30.08	0.00	400	268	PEAK	<table border="1"> <thead> <tr> <th>Limit</th> <th>Over</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Aux</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>Limit</th> <th>Level</th> <th>Factor</th> <th>Loss</th> <th>Factor</th> <th>Factor</th> <th></th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>5795.00</td> <td>100.00</td> <td>-----</td> <td>-----</td> <td>80.17</td> <td>34.83</td> <td>15.06</td> <td>30.06</td> <td>0.00</td> <td>400</td> <td>268</td> <td>PEAK</td> </tr> </tbody> </table>	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1	5795.00	100.00	-----	-----	80.17	34.83	15.06	30.06	0.00	400	268	PEAK
	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																																																							
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor																																																																																																																									
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																																																																							
1	5611.60	59.03	68.20	-9.17	39.99	34.60	14.54	30.10	0.00	400	268	PEAK																																																																																																																					
2	5650.00	55.97	68.00	-12.83	36.88	34.60	14.60	30.11	0.00	400	268	PEAK																																																																																																																					
3	5700.00	56.31	105.30	-48.99	37.12	34.60	14.68	30.09	0.00	400	268	PEAK																																																																																																																					
4	5720.40	56.72	111.81	-55.09	37.36	34.66	14.78	30.08	0.00	400	268	PEAK																																																																																																																					
Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																																																								
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor																																																																																																																									
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																																																																							
1	5795.00	100.00	-----	-----	80.17	34.83	15.06	30.06	0.00	400	268	PEAK																																																																																																																					
Avg	Blank	<table border="1"> <thead> <tr> <th>Limit</th> <th>Over</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Aux</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>Limit</th> <th>Level</th> <th>Factor</th> <th>Loss</th> <th>Factor</th> <th>Factor</th> <th></th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>5795.00</td> <td>90.52</td> <td>-----</td> <td>-----</td> <td>70.69</td> <td>34.83</td> <td>15.06</td> <td>30.06</td> <td>0.00</td> <td>400</td> <td>268</td> <td>AVERAGE</td> </tr> </tbody> </table>	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1	5795.00	90.52	-----	-----	70.69	34.83	15.06	30.06	0.00	400	268	AVERAGE																																																																																			
Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																																																								
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor																																																																																																																									
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																																																																							
1	5795.00	90.52	-----	-----	70.69	34.83	15.06	30.06	0.00	400	268	AVERAGE																																																																																																																					



Mode	54																																																																											
	Band Edge - R																																																																											
	U-NII-3_5.725-5.85_802.11ax HE40_CH159_Full_5795MHz																																																																											
ANT	1																																																																											
Pol.	Vertical	Fundamental																																																																										
Peak	<table border="1"> <thead> <tr> <th>Peak</th> <th>Limit</th> <th>Over</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Aux</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>5854.00</td> <td>56.57</td> <td>111.36</td> <td>-54.79</td> <td>36.73</td> <td>35.01</td> <td>14.86</td> <td>30.03</td> <td>0.00</td> <td>400</td> <td>268</td> <td>PEAK</td> </tr> <tr> <td>2</td> <td>5874.00</td> <td>58.24</td> <td>105.58</td> <td>-47.34</td> <td>38.48</td> <td>35.05</td> <td>14.75</td> <td>30.04</td> <td>0.00</td> <td>400</td> <td>268</td> <td>PEAK</td> </tr> <tr> <td>3</td> <td>5924.00</td> <td>57.15</td> <td>68.94</td> <td>-11.79</td> <td>37.57</td> <td>35.12</td> <td>14.53</td> <td>30.07</td> <td>0.00</td> <td>400</td> <td>268</td> <td>PEAK</td> </tr> <tr> <td>4</td> <td>5972.40</td> <td>59.22</td> <td>68.20</td> <td>-8.98</td> <td>39.77</td> <td>35.17</td> <td>14.38</td> <td>30.10</td> <td>0.00</td> <td>400</td> <td>268</td> <td>PEAK</td> </tr> </tbody> </table>	Peak	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1	5854.00	56.57	111.36	-54.79	36.73	35.01	14.86	30.03	0.00	400	268	PEAK	2	5874.00	58.24	105.58	-47.34	38.48	35.05	14.75	30.04	0.00	400	268	PEAK	3	5924.00	57.15	68.94	-11.79	37.57	35.12	14.53	30.07	0.00	400	268	PEAK	4	5972.40	59.22	68.20	-8.98	39.77	35.17	14.38	30.10	0.00	400	268	PEAK	Blank
Peak	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																		
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																		
1	5854.00	56.57	111.36	-54.79	36.73	35.01	14.86	30.03	0.00	400	268	PEAK																																																																
2	5874.00	58.24	105.58	-47.34	38.48	35.05	14.75	30.04	0.00	400	268	PEAK																																																																
3	5924.00	57.15	68.94	-11.79	37.57	35.12	14.53	30.07	0.00	400	268	PEAK																																																																
4	5972.40	59.22	68.20	-8.98	39.77	35.17	14.38	30.10	0.00	400	268	PEAK																																																																







Mode	55																																																																																																										
	Band Edge - L																																																																																																										
	U-NII-3_5.725-5.85_802.11ax HE80_CH155_Full_5775MHz																																																																																																										
ANT	1																																																																																																										
Pol.	Horizontal	Fundamental																																																																																																									
Peak	<table border="1"> <thead> <tr> <th>Limit</th> <th>Over</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Aux</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>Level</th> <th>Factor</th> <th>Loss</th> <th>Factor</th> <th>Factor</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>5643.20</td> <td>58.87</td> <td>68.20</td> <td>-9.33</td> <td>39.79</td> <td>34.60</td> <td>14.59</td> <td>30.11</td> <td>0.00</td> <td>100</td> <td>235</td> <td>PEAK</td> </tr> <tr> <td>2</td> <td>5650.00</td> <td>57.92</td> <td>68.20</td> <td>-10.28</td> <td>38.83</td> <td>34.60</td> <td>14.60</td> <td>30.11</td> <td>0.00</td> <td>100</td> <td>235</td> <td>PEAK</td> </tr> <tr> <td>3</td> <td>5712.80</td> <td>71.76</td> <td>108.89</td> <td>-37.13</td> <td>52.46</td> <td>34.64</td> <td>14.74</td> <td>30.08</td> <td>0.00</td> <td>100</td> <td>235</td> <td>PEAK</td> </tr> <tr> <td>4</td> <td>5720.00</td> <td>67.71</td> <td>110.90</td> <td>-43.19</td> <td>48.35</td> <td>34.66</td> <td>14.78</td> <td>30.08</td> <td>0.00</td> <td>100</td> <td>235</td> <td>PEAK</td> </tr> </tbody> </table>	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Level	Factor	Loss	Factor	Factor	cm	deg	1	5643.20	58.87	68.20	-9.33	39.79	34.60	14.59	30.11	0.00	100	235	PEAK	2	5650.00	57.92	68.20	-10.28	38.83	34.60	14.60	30.11	0.00	100	235	PEAK	3	5712.80	71.76	108.89	-37.13	52.46	34.64	14.74	30.08	0.00	100	235	PEAK	4	5720.00	67.71	110.90	-43.19	48.35	34.66	14.78	30.08	0.00	100	235	PEAK	<table border="1"> <thead> <tr> <th>Limit</th> <th>Over</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Aux</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>Level</th> <th>Factor</th> <th>Loss</th> <th>Factor</th> <th>Factor</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>5775.00</td> <td>103.42</td> <td>-----</td> <td>-----</td> <td>83.89</td> <td>34.72</td> <td>14.88</td> <td>30.07</td> <td>0.00</td> <td>100</td> <td>235</td> <td>PEAK</td> </tr> </tbody> </table>	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Level	Factor	Loss	Factor	Factor	cm	deg	1	5775.00	103.42	-----	-----	83.89	34.72	14.88	30.07	0.00	100	235	PEAK
	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																																	
Freq	Level	Line	Level	Factor	Loss	Factor	Factor	cm	deg																																																																																																		
1	5643.20	58.87	68.20	-9.33	39.79	34.60	14.59	30.11	0.00	100	235	PEAK																																																																																															
2	5650.00	57.92	68.20	-10.28	38.83	34.60	14.60	30.11	0.00	100	235	PEAK																																																																																															
3	5712.80	71.76	108.89	-37.13	52.46	34.64	14.74	30.08	0.00	100	235	PEAK																																																																																															
4	5720.00	67.71	110.90	-43.19	48.35	34.66	14.78	30.08	0.00	100	235	PEAK																																																																																															
Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																																		
Freq	Level	Line	Level	Factor	Loss	Factor	Factor	cm	deg																																																																																																		
1	5775.00	103.42	-----	-----	83.89	34.72	14.88	30.07	0.00	100	235	PEAK																																																																																															
Avg	Blank	<table border="1"> <thead> <tr> <th>Limit</th> <th>Over</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Aux</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>Level</th> <th>Factor</th> <th>Loss</th> <th>Factor</th> <th>Factor</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>5775.00</td> <td>92.51</td> <td>-----</td> <td>-----</td> <td>72.93</td> <td>34.74</td> <td>14.91</td> <td>30.07</td> <td>0.00</td> <td>100</td> <td>235</td> <td>AVERAGE</td> </tr> </tbody> </table>	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Level	Factor	Loss	Factor	Factor	cm	deg	1	5775.00	92.51	-----	-----	72.93	34.74	14.91	30.07	0.00	100	235	AVERAGE																																																																								
Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																																		
Freq	Level	Line	Level	Factor	Loss	Factor	Factor	cm	deg																																																																																																		
1	5775.00	92.51	-----	-----	72.93	34.74	14.91	30.07	0.00	100	235	AVERAGE																																																																																															



Mode	55																																																																																				
	Band Edge - R																																																																																				
	U-NII-3_5.725-5.85_802.11ax HE80_CH155_Full_5775MHz																																																																																				
ANT	1																																																																																				
Pol.	Horizontal	Fundamental																																																																																			
Peak	<table border="1"> <thead> <tr> <th>Limit</th> <th>Over</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Aux</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>Limit</th> <th>Level</th> <th>Factor</th> <th>Loss</th> <th>Factor</th> <th>Factor</th> <th></th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>5854.40</td> <td>61.38</td> <td>112.27</td> <td>-50.89</td> <td>41.54</td> <td>35.01</td> <td>14.86</td> <td>30.03</td> <td>0.00</td> <td>100</td> <td>235</td> <td>PEAK</td> </tr> <tr> <td>2</td> <td>5871.20</td> <td>60.39</td> <td>106.36</td> <td>-45.97</td> <td>40.62</td> <td>35.04</td> <td>14.77</td> <td>30.04</td> <td>0.00</td> <td>100</td> <td>235</td> <td>PEAK</td> </tr> <tr> <td>3</td> <td>5924.80</td> <td>56.68</td> <td>68.35</td> <td>-11.67</td> <td>37.10</td> <td>35.12</td> <td>14.53</td> <td>30.07</td> <td>0.00</td> <td>100</td> <td>235</td> <td>PEAK</td> </tr> <tr> <td>4</td> <td>5940.40</td> <td>59.90</td> <td>68.20</td> <td>-8.30</td> <td>40.36</td> <td>35.14</td> <td>14.48</td> <td>30.08</td> <td>0.00</td> <td>100</td> <td>235</td> <td>PEAK</td> </tr> </tbody> </table>	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1	5854.40	61.38	112.27	-50.89	41.54	35.01	14.86	30.03	0.00	100	235	PEAK	2	5871.20	60.39	106.36	-45.97	40.62	35.04	14.77	30.04	0.00	100	235	PEAK	3	5924.80	56.68	68.35	-11.67	37.10	35.12	14.53	30.07	0.00	100	235	PEAK	4	5940.40	59.90	68.20	-8.30	40.36	35.14	14.48	30.08	0.00	100	235	PEAK	Blank
Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																												
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor																																																																													
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																											
1	5854.40	61.38	112.27	-50.89	41.54	35.01	14.86	30.03	0.00	100	235	PEAK																																																																									
2	5871.20	60.39	106.36	-45.97	40.62	35.04	14.77	30.04	0.00	100	235	PEAK																																																																									
3	5924.80	56.68	68.35	-11.67	37.10	35.12	14.53	30.07	0.00	100	235	PEAK																																																																									
4	5940.40	59.90	68.20	-8.30	40.36	35.14	14.48	30.08	0.00	100	235	PEAK																																																																									



Mode	55																																																																																																																		
	Band Edge - L																																																																																																																		
	U-NII-3_5.725-5.85_802.11ax HE80_CH155_Full_5775MHz																																																																																																																		
ANT	1																																																																																																																		
Pol.	Vertical	Fundamental																																																																																																																	
Peak	<table border="1"> <thead> <tr> <th>Peak</th> <th>Freq</th> <th>Limit</th> <th>Over</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Aux</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th></th> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>5632.00</td> <td>59.19</td> <td>68.20</td> <td>-9.01</td> <td>40.13</td> <td>34.60</td> <td>14.57</td> <td>30.11</td> <td>0.00</td> <td>310</td> <td>302</td> <td>PEAK</td> </tr> <tr> <td>2</td> <td>5651.60</td> <td>58.57</td> <td>69.39</td> <td>-10.82</td> <td>39.48</td> <td>34.60</td> <td>14.60</td> <td>30.11</td> <td>0.00</td> <td>310</td> <td>302</td> <td>PEAK</td> </tr> <tr> <td>3</td> <td>5705.20</td> <td>62.23</td> <td>106.76</td> <td>-44.53</td> <td>42.99</td> <td>34.62</td> <td>14.71</td> <td>30.09</td> <td>0.00</td> <td>310</td> <td>302</td> <td>PEAK</td> </tr> <tr> <td>4</td> <td>5720.00</td> <td>64.18</td> <td>112.72</td> <td>-48.54</td> <td>44.82</td> <td>34.66</td> <td>14.78</td> <td>30.08</td> <td>0.00</td> <td>310</td> <td>302</td> <td>PEAK</td> </tr> </tbody> </table>	Peak	Freq	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1	5632.00	59.19	68.20	-9.01	40.13	34.60	14.57	30.11	0.00	310	302	PEAK	2	5651.60	58.57	69.39	-10.82	39.48	34.60	14.60	30.11	0.00	310	302	PEAK	3	5705.20	62.23	106.76	-44.53	42.99	34.62	14.71	30.09	0.00	310	302	PEAK	4	5720.00	64.18	112.72	-48.54	44.82	34.66	14.78	30.08	0.00	310	302	PEAK	<table border="1"> <thead> <tr> <th>Peak</th> <th>Freq</th> <th>Limit</th> <th>Over</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Aux</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th></th> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>5775.00</td> <td>98.39</td> <td>-----</td> <td>-----</td> <td>78.72</td> <td>34.77</td> <td>14.97</td> <td>30.07</td> <td>0.00</td> <td>310</td> <td>302</td> <td>PEAK</td> </tr> </tbody> </table>	Peak	Freq	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1	5775.00	98.39	-----	-----	78.72	34.77	14.97	30.07	0.00	310	302	PEAK
	Peak	Freq	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																																							
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																																																								
1	5632.00	59.19	68.20	-9.01	40.13	34.60	14.57	30.11	0.00	310	302	PEAK																																																																																																							
2	5651.60	58.57	69.39	-10.82	39.48	34.60	14.60	30.11	0.00	310	302	PEAK																																																																																																							
3	5705.20	62.23	106.76	-44.53	42.99	34.62	14.71	30.09	0.00	310	302	PEAK																																																																																																							
4	5720.00	64.18	112.72	-48.54	44.82	34.66	14.78	30.08	0.00	310	302	PEAK																																																																																																							
Peak	Freq	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																																								
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																																																								
1	5775.00	98.39	-----	-----	78.72	34.77	14.97	30.07	0.00	310	302	PEAK																																																																																																							
Avg	Blank	<table border="1"> <thead> <tr> <th>Peak</th> <th>Freq</th> <th>Limit</th> <th>Over</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Aux</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th></th> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>5775.00</td> <td>88.00</td> <td>-----</td> <td>-----</td> <td>68.42</td> <td>34.74</td> <td>14.91</td> <td>30.07</td> <td>0.00</td> <td>310</td> <td>302</td> <td>AVERAGE</td> </tr> </tbody> </table>	Peak	Freq	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1	5775.00	88.00	-----	-----	68.42	34.74	14.91	30.07	0.00	310	302	AVERAGE																																																																												
Peak	Freq	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																																								
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																																																								
1	5775.00	88.00	-----	-----	68.42	34.74	14.91	30.07	0.00	310	302	AVERAGE																																																																																																							



Mode	55																																																													
	Band Edge - R																																																													
	U-NII-3_5.725-5.85_802.11ax HE80_CH155_Full_5775MHz																																																													
ANT	1																																																													
Pol.	Vertical	Fundamental																																																												
Peak	<table border="1"> <thead> <tr> <th>Peak</th> <th>Freq (MHz)</th> <th>Limit (dBuV/m)</th> <th>Over (dB)</th> <th>Read (dBuV)</th> <th>Ant Factor (dB/m)</th> <th>Cable Loss (dB)</th> <th>Preamp Factor (dB)</th> <th>Aux Factor (dB)</th> <th>APos (cm)</th> <th>TPos (deg)</th> <th>Remark</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>5854.40</td> <td>57.21</td> <td>112.27</td> <td>-55.06</td> <td>37.37</td> <td>35.01</td> <td>14.86</td> <td>30.03</td> <td>0.00</td> <td>310</td> <td>302 PEAK</td> </tr> <tr> <td>2</td> <td>5874.00</td> <td>57.26</td> <td>105.58</td> <td>-48.32</td> <td>37.50</td> <td>35.05</td> <td>14.75</td> <td>30.04</td> <td>0.00</td> <td>310</td> <td>302 PEAK</td> </tr> <tr> <td>3</td> <td>5924.80</td> <td>57.82</td> <td>68.35</td> <td>-10.53</td> <td>38.24</td> <td>35.12</td> <td>14.53</td> <td>30.07</td> <td>0.00</td> <td>310</td> <td>302 PEAK</td> </tr> <tr> <td>4</td> <td>5925.60</td> <td>59.12</td> <td>68.20</td> <td>-9.08</td> <td>39.54</td> <td>35.13</td> <td>14.52</td> <td>30.07</td> <td>0.00</td> <td>310</td> <td>302 PEAK</td> </tr> </tbody> </table>	Peak	Freq (MHz)	Limit (dBuV/m)	Over (dB)	Read (dBuV)	Ant Factor (dB/m)	Cable Loss (dB)	Preamp Factor (dB)	Aux Factor (dB)	APos (cm)	TPos (deg)	Remark	1	5854.40	57.21	112.27	-55.06	37.37	35.01	14.86	30.03	0.00	310	302 PEAK	2	5874.00	57.26	105.58	-48.32	37.50	35.05	14.75	30.04	0.00	310	302 PEAK	3	5924.80	57.82	68.35	-10.53	38.24	35.12	14.53	30.07	0.00	310	302 PEAK	4	5925.60	59.12	68.20	-9.08	39.54	35.13	14.52	30.07	0.00	310	302 PEAK	Blank
Peak	Freq (MHz)	Limit (dBuV/m)	Over (dB)	Read (dBuV)	Ant Factor (dB/m)	Cable Loss (dB)	Preamp Factor (dB)	Aux Factor (dB)	APos (cm)	TPos (deg)	Remark																																																			
1	5854.40	57.21	112.27	-55.06	37.37	35.01	14.86	30.03	0.00	310	302 PEAK																																																			
2	5874.00	57.26	105.58	-48.32	37.50	35.05	14.75	30.04	0.00	310	302 PEAK																																																			
3	5924.80	57.82	68.35	-10.53	38.24	35.12	14.53	30.07	0.00	310	302 PEAK																																																			
4	5925.60	59.12	68.20	-9.08	39.54	35.13	14.52	30.07	0.00	310	302 PEAK																																																			



Mode	55																																																																																																																																												
	Harmonic																																																																																																																																												
	U-NII-3_5.725-5.85_802.11ax HE80_CH155_Full_5775MHz																																																																																																																																												
ANT	1																																																																																																																																												
Pol.	Horizontal	Vertical																																																																																																																																											
Peak Avg																																																																																																																																													
	<table border="1"> <thead> <tr> <th>Limit</th> <th>Over</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Aux</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>Limit</th> <th>Level</th> <th>Factor</th> <th>Loss</th> <th>Factor</th> <th>Factor</th> <th></th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>11550.00</td> <td>45.04</td> <td>74.00</td> <td>-28.96</td> <td>51.52</td> <td>38.34</td> <td>19.19</td> <td>64.01</td> <td>0.00</td> <td>---</td> <td>---</td> <td>PEAK</td> </tr> </tbody> </table>	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1	11550.00	45.04	74.00	-28.96	51.52	38.34	19.19	64.01	0.00	---	---	PEAK	<table border="1"> <thead> <tr> <th>Limit</th> <th>Over</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Aux</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>Limit</th> <th>Level</th> <th>Factor</th> <th>Loss</th> <th>Factor</th> <th>Factor</th> <th></th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>11550.00</td> <td>45.26</td> <td>74.00</td> <td>-28.74</td> <td>51.74</td> <td>38.34</td> <td>19.19</td> <td>64.01</td> <td>0.00</td> <td>---</td> <td>---</td> <td>PEAK</td> </tr> <tr> <td>2</td> <td>12186.13</td> <td>53.00</td> <td>74.00</td> <td>-21.00</td> <td>59.69</td> <td>38.77</td> <td>19.59</td> <td>65.05</td> <td>0.00</td> <td>325</td> <td>223</td> <td>Peak</td> </tr> <tr> <td>3</td> <td>12186.13</td> <td>47.77</td> <td>54.00</td> <td>-6.23</td> <td>54.46</td> <td>38.77</td> <td>19.59</td> <td>65.05</td> <td>0.00</td> <td>325</td> <td>223</td> <td>Average</td> </tr> <tr> <td>4</td> <td>12498.53</td> <td>53.94</td> <td>74.00</td> <td>-20.06</td> <td>59.89</td> <td>38.90</td> <td>20.00</td> <td>64.85</td> <td>0.00</td> <td>338</td> <td>222</td> <td>Peak</td> </tr> <tr> <td>5</td> <td>12498.53</td> <td>49.75</td> <td>54.00</td> <td>-4.25</td> <td>55.70</td> <td>38.90</td> <td>20.00</td> <td>64.85</td> <td>0.00</td> <td>338</td> <td>222</td> <td>Average</td> </tr> </tbody> </table>	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1	11550.00	45.26	74.00	-28.74	51.74	38.34	19.19	64.01	0.00	---	---	PEAK	2	12186.13	53.00	74.00	-21.00	59.69	38.77	19.59	65.05	0.00	325	223	Peak	3	12186.13	47.77	54.00	-6.23	54.46	38.77	19.59	65.05	0.00	325	223	Average	4	12498.53	53.94	74.00	-20.06	59.89	38.90	20.00	64.85	0.00	338	222	Peak	5	12498.53	49.75	54.00	-4.25	55.70	38.90	20.00	64.85	0.00	338	222
Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																																																																				
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor																																																																																																																																					
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																																																																																			
1	11550.00	45.04	74.00	-28.96	51.52	38.34	19.19	64.01	0.00	---	---	PEAK																																																																																																																																	
Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																																																																				
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor																																																																																																																																					
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																																																																																			
1	11550.00	45.26	74.00	-28.74	51.74	38.34	19.19	64.01	0.00	---	---	PEAK																																																																																																																																	
2	12186.13	53.00	74.00	-21.00	59.69	38.77	19.59	65.05	0.00	325	223	Peak																																																																																																																																	
3	12186.13	47.77	54.00	-6.23	54.46	38.77	19.59	65.05	0.00	325	223	Average																																																																																																																																	
4	12498.53	53.94	74.00	-20.06	59.89	38.90	20.00	64.85	0.00	338	222	Peak																																																																																																																																	
5	12498.53	49.75	54.00	-4.25	55.70	38.90	20.00	64.85	0.00	338	222	Average																																																																																																																																	



Mode	56																																																																																																																											
	Band Edge																																																																																																																											
	U-NII-3_5.725-5.85_802.11ax HE20_CH149_RU26/0_5745MHz																																																																																																																											
ANT	1																																																																																																																											
Pol.	Horizontal	Fundamental																																																																																																																										
Peak	<table border="1"> <thead> <tr> <th>Limit</th> <th>Over</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Aux</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>Limit</th> <th>Level</th> <th>Factor</th> <th>Loss</th> <th>Factor</th> <th>Factor</th> <th></th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>5608.00</td> <td>56.50</td> <td>68.20</td> <td>-11.70</td> <td>39.13</td> <td>34.50</td> <td>12.97</td> <td>30.10</td> <td>0.00</td> <td>106</td> <td>4 PEAK</td> </tr> <tr> <td>2</td> <td>5651.20</td> <td>55.06</td> <td>69.09</td> <td>-14.03</td> <td>37.66</td> <td>34.50</td> <td>13.01</td> <td>30.11</td> <td>0.00</td> <td>106</td> <td>4 PEAK</td> </tr> <tr> <td>3</td> <td>5701.60</td> <td>55.29</td> <td>105.75</td> <td>-50.46</td> <td>37.68</td> <td>34.60</td> <td>13.10</td> <td>30.09</td> <td>0.00</td> <td>106</td> <td>4 PEAK</td> </tr> <tr> <td>4</td> <td>5720.00</td> <td>54.07</td> <td>110.90</td> <td>-56.83</td> <td>36.25</td> <td>34.64</td> <td>13.26</td> <td>30.08</td> <td>0.00</td> <td>106</td> <td>4 PEAK</td> </tr> </tbody> </table>	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1	5608.00	56.50	68.20	-11.70	39.13	34.50	12.97	30.10	0.00	106	4 PEAK	2	5651.20	55.06	69.09	-14.03	37.66	34.50	13.01	30.11	0.00	106	4 PEAK	3	5701.60	55.29	105.75	-50.46	37.68	34.60	13.10	30.09	0.00	106	4 PEAK	4	5720.00	54.07	110.90	-56.83	36.25	34.64	13.26	30.08	0.00	106	4 PEAK	<table border="1"> <thead> <tr> <th>Limit</th> <th>Over</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Aux</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>Limit</th> <th>Level</th> <th>Factor</th> <th>Loss</th> <th>Factor</th> <th>Factor</th> <th></th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>5745.00</td> <td>95.30</td> <td>-----</td> <td>-----</td> <td>77.32</td> <td>34.67</td> <td>13.38</td> <td>30.07</td> <td>0.00</td> <td>106</td> <td>4 PEAK</td> </tr> </tbody> </table>	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1	5745.00	95.30	-----	-----	77.32	34.67	13.38	30.07	0.00	106	4 PEAK
Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																																																			
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor																																																																																																																				
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																																																																		
1	5608.00	56.50	68.20	-11.70	39.13	34.50	12.97	30.10	0.00	106	4 PEAK																																																																																																																	
2	5651.20	55.06	69.09	-14.03	37.66	34.50	13.01	30.11	0.00	106	4 PEAK																																																																																																																	
3	5701.60	55.29	105.75	-50.46	37.68	34.60	13.10	30.09	0.00	106	4 PEAK																																																																																																																	
4	5720.00	54.07	110.90	-56.83	36.25	34.64	13.26	30.08	0.00	106	4 PEAK																																																																																																																	
Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																																																			
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor																																																																																																																				
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																																																																		
1	5745.00	95.30	-----	-----	77.32	34.67	13.38	30.07	0.00	106	4 PEAK																																																																																																																	
Avg	Blank	<table border="1"> <thead> <tr> <th>Limit</th> <th>Over</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Aux</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>Limit</th> <th>Level</th> <th>Factor</th> <th>Loss</th> <th>Factor</th> <th>Factor</th> <th></th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>5745.00</td> <td>81.55</td> <td>-----</td> <td>-----</td> <td>63.51</td> <td>34.68</td> <td>13.43</td> <td>30.07</td> <td>0.00</td> <td>106</td> <td>4 AVERAGE</td> </tr> </tbody> </table>	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1	5745.00	81.55	-----	-----	63.51	34.68	13.43	30.07	0.00	106	4 AVERAGE																																																																															
Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																																																			
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor																																																																																																																				
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																																																																		
1	5745.00	81.55	-----	-----	63.51	34.68	13.43	30.07	0.00	106	4 AVERAGE																																																																																																																	



Mode	56																																																																																																									
	Band Edge																																																																																																									
	U-NII-3_5.725-5.85_802.11ax HE20_CH149_RU26/0_5745MHz																																																																																																									
ANT	1																																																																																																									
Pol.	Vertical	Fundamental																																																																																																								
Peak	<table border="1"> <thead> <tr> <th></th> <th>Limit</th> <th>Over</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Aux</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>Limit</th> <th>Level</th> <th>Factor</th> <th>Loss</th> <th>Factor</th> <th>Factor</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>5600.40</td> <td>57.83</td> <td>68.20</td> <td>-10.37</td> <td>40.47</td> <td>34.50</td> <td>12.96</td> <td>30.10</td> <td>0.00</td> <td>300</td> <td>237 PEAK</td> </tr> <tr> <td>2</td> <td>5651.60</td> <td>55.67</td> <td>69.39</td> <td>-13.72</td> <td>38.27</td> <td>34.50</td> <td>13.01</td> <td>30.11</td> <td>0.00</td> <td>300</td> <td>237 PEAK</td> </tr> <tr> <td>3</td> <td>5700.00</td> <td>54.95</td> <td>105.30</td> <td>-50.35</td> <td>37.35</td> <td>34.60</td> <td>13.09</td> <td>30.09</td> <td>0.00</td> <td>300</td> <td>237 PEAK</td> </tr> <tr> <td>4</td> <td>5720.40</td> <td>54.24</td> <td>111.81</td> <td>-57.57</td> <td>36.41</td> <td>34.64</td> <td>13.27</td> <td>30.08</td> <td>0.00</td> <td>300</td> <td>237 PEAK</td> </tr> </tbody> </table>		Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor	cm	deg	1	5600.40	57.83	68.20	-10.37	40.47	34.50	12.96	30.10	0.00	300	237 PEAK	2	5651.60	55.67	69.39	-13.72	38.27	34.50	13.01	30.11	0.00	300	237 PEAK	3	5700.00	54.95	105.30	-50.35	37.35	34.60	13.09	30.09	0.00	300	237 PEAK	4	5720.40	54.24	111.81	-57.57	36.41	34.64	13.27	30.08	0.00	300	237 PEAK	<table border="1"> <thead> <tr> <th></th> <th>Limit</th> <th>Over</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Aux</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>Limit</th> <th>Level</th> <th>Factor</th> <th>Loss</th> <th>Factor</th> <th>Factor</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>5745.00</td> <td>88.52</td> <td>-----</td> <td>-----</td> <td>70.54</td> <td>34.67</td> <td>13.38</td> <td>30.07</td> <td>0.00</td> <td>300</td> <td>237 PEAK</td> </tr> </tbody> </table>		Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor	cm	deg	1	5745.00	88.52	-----	-----	70.54	34.67	13.38	30.07	0.00	300	237 PEAK
		Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																															
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor	cm	deg																																																																																																
1	5600.40	57.83	68.20	-10.37	40.47	34.50	12.96	30.10	0.00	300	237 PEAK																																																																																															
2	5651.60	55.67	69.39	-13.72	38.27	34.50	13.01	30.11	0.00	300	237 PEAK																																																																																															
3	5700.00	54.95	105.30	-50.35	37.35	34.60	13.09	30.09	0.00	300	237 PEAK																																																																																															
4	5720.40	54.24	111.81	-57.57	36.41	34.64	13.27	30.08	0.00	300	237 PEAK																																																																																															
	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																																
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor	cm	deg																																																																																																
1	5745.00	88.52	-----	-----	70.54	34.67	13.38	30.07	0.00	300	237 PEAK																																																																																															
Avg	Blank	<table border="1"> <thead> <tr> <th></th> <th>Limit</th> <th>Over</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Aux</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>Limit</th> <th>Level</th> <th>Factor</th> <th>Loss</th> <th>Factor</th> <th>Factor</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>5745.00</td> <td>84.26</td> <td>-----</td> <td>-----</td> <td>66.28</td> <td>34.67</td> <td>13.38</td> <td>30.07</td> <td>0.00</td> <td>300</td> <td>237 AVERAGE</td> </tr> </tbody> </table>		Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor	cm	deg	1	5745.00	84.26	-----	-----	66.28	34.67	13.38	30.07	0.00	300	237 AVERAGE																																																																						
	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																																
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor	cm	deg																																																																																																
1	5745.00	84.26	-----	-----	66.28	34.67	13.38	30.07	0.00	300	237 AVERAGE																																																																																															





<b>57</b>																																																																									
<b>Mode</b>	<b>Band Edge</b>																																																																								
	<b>U-NII-3_5.725-5.85_802.11ax HE20_CH165_RU26/8_5825MHz</b>																																																																								
<b>ANT</b>	<b>1</b>																																																																								
<b>Pol.</b>	<b>Horizontal</b>																																																																								
<b>Peak</b>	<table border="1"> <thead> <tr> <th>Limit</th> <th>Over</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Aux</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>Level</th> <th>Factor</th> <th>Loss</th> <th>Factor</th> <th>Factor</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>5854.00</td> <td>55.18</td> <td>111.36</td> <td>-56.18</td> <td>36.41</td> <td>34.92</td> <td>13.88</td> <td>30.03</td> <td>0.00</td> <td>100</td> <td>15</td> <td>PEAK</td> </tr> <tr> <td>2</td> <td>5872.40</td> <td>56.34</td> <td>106.03</td> <td>-49.69</td> <td>37.54</td> <td>34.99</td> <td>13.85</td> <td>30.04</td> <td>0.00</td> <td>100</td> <td>15</td> <td>PEAK</td> </tr> <tr> <td>3</td> <td>5924.00</td> <td>56.82</td> <td>68.94</td> <td>-12.12</td> <td>38.01</td> <td>35.15</td> <td>13.73</td> <td>30.07</td> <td>0.00</td> <td>100</td> <td>15</td> <td>PEAK</td> </tr> <tr> <td>4</td> <td>5961.60</td> <td>57.46</td> <td>68.20</td> <td>-10.74</td> <td>38.72</td> <td>35.22</td> <td>13.62</td> <td>30.10</td> <td>0.00</td> <td>100</td> <td>15</td> <td>PEAK</td> </tr> </tbody> </table>	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Level	Factor	Loss	Factor	Factor	cm	deg	1	5854.00	55.18	111.36	-56.18	36.41	34.92	13.88	30.03	0.00	100	15	PEAK	2	5872.40	56.34	106.03	-49.69	37.54	34.99	13.85	30.04	0.00	100	15	PEAK	3	5924.00	56.82	68.94	-12.12	38.01	35.15	13.73	30.07	0.00	100	15	PEAK	4	5961.60	57.46	68.20	-10.74	38.72	35.22	13.62	30.10	0.00	100	15	PEAK
	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																															
Freq	Level	Line	Level	Factor	Loss	Factor	Factor	cm	deg																																																																
1	5854.00	55.18	111.36	-56.18	36.41	34.92	13.88	30.03	0.00	100	15	PEAK																																																													
2	5872.40	56.34	106.03	-49.69	37.54	34.99	13.85	30.04	0.00	100	15	PEAK																																																													
3	5924.00	56.82	68.94	-12.12	38.01	35.15	13.73	30.07	0.00	100	15	PEAK																																																													
4	5961.60	57.46	68.20	-10.74	38.72	35.22	13.62	30.10	0.00	100	15	PEAK																																																													
<b>Fundamental</b>	<table border="1"> <thead> <tr> <th>Limit</th> <th>Over</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Aux</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>Level</th> <th>Factor</th> <th>Loss</th> <th>Factor</th> <th>Factor</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>5825.00</td> <td>97.73</td> <td>-----</td> <td>-----</td> <td>78.98</td> <td>34.87</td> <td>13.92</td> <td>30.04</td> <td>0.00</td> <td>100</td> <td>15</td> <td>PEAK</td> </tr> </tbody> </table>	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Level	Factor	Loss	Factor	Factor	cm	deg	1	5825.00	97.73	-----	-----	78.98	34.87	13.92	30.04	0.00	100	15	PEAK																																							
Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																
Freq	Level	Line	Level	Factor	Loss	Factor	Factor	cm	deg																																																																
1	5825.00	97.73	-----	-----	78.98	34.87	13.92	30.04	0.00	100	15	PEAK																																																													
<b>Avg</b>	<b>Blank</b>																																																																								
	<table border="1"> <thead> <tr> <th>Limit</th> <th>Over</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Aux</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>Level</th> <th>Factor</th> <th>Loss</th> <th>Factor</th> <th>Factor</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>5825.00</td> <td>89.97</td> <td>-----</td> <td>-----</td> <td>71.22</td> <td>34.87</td> <td>13.92</td> <td>30.04</td> <td>0.00</td> <td>100</td> <td>15</td> <td>AVERAGE</td> </tr> </tbody> </table>	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Level	Factor	Loss	Factor	Factor	cm	deg	1	5825.00	89.97	-----	-----	71.22	34.87	13.92	30.04	0.00	100	15	AVERAGE																																							
Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																
Freq	Level	Line	Level	Factor	Loss	Factor	Factor	cm	deg																																																																
1	5825.00	89.97	-----	-----	71.22	34.87	13.92	30.04	0.00	100	15	AVERAGE																																																													



<b>57</b>																																																																																
<b>Band Edge</b>																																																																																
<b>U-NII-3_5.725-5.85_802.11ax HE20_CH165_RU26/8_5825MHz</b>																																																																																
<b>ANT 1</b>																																																																																
<b>Pol.</b>	<b>Vertical</b>																																																																															
<b>Peak</b>	<table border="1"> <thead> <tr> <th>Limit</th> <th>Over</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Aux</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>Limit</th> <th>Level</th> <th>Factor</th> <th>Loss</th> <th>Factor</th> <th>Factor</th> <th></th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>5854.80</td> <td>55.25</td> <td>111.36</td> <td>-56.11</td> <td>36.48</td> <td>34.92</td> <td>13.88</td> <td>30.03</td> <td>0.00</td> <td>400</td> <td>54 PEAK</td> </tr> <tr> <td>2</td> <td>5871.60</td> <td>55.72</td> <td>106.25</td> <td>-50.53</td> <td>36.92</td> <td>34.99</td> <td>13.85</td> <td>30.04</td> <td>0.00</td> <td>400</td> <td>54 PEAK</td> </tr> <tr> <td>3</td> <td>5924.40</td> <td>54.67</td> <td>68.64</td> <td>-13.97</td> <td>35.86</td> <td>35.15</td> <td>13.73</td> <td>30.07</td> <td>0.00</td> <td>400</td> <td>54 PEAK</td> </tr> <tr> <td>4</td> <td>5993.60</td> <td>58.16</td> <td>68.20</td> <td>-10.04</td> <td>39.46</td> <td>35.29</td> <td>13.53</td> <td>30.12</td> <td>0.00</td> <td>400</td> <td>54 PEAK</td> </tr> </tbody> </table>	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1	5854.80	55.25	111.36	-56.11	36.48	34.92	13.88	30.03	0.00	400	54 PEAK	2	5871.60	55.72	106.25	-50.53	36.92	34.99	13.85	30.04	0.00	400	54 PEAK	3	5924.40	54.67	68.64	-13.97	35.86	35.15	13.73	30.07	0.00	400	54 PEAK	4	5993.60	58.16	68.20	-10.04	39.46	35.29	13.53	30.12	0.00	400	54 PEAK
	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																						
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor																																																																								
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																						
1	5854.80	55.25	111.36	-56.11	36.48	34.92	13.88	30.03	0.00	400	54 PEAK																																																																					
2	5871.60	55.72	106.25	-50.53	36.92	34.99	13.85	30.04	0.00	400	54 PEAK																																																																					
3	5924.40	54.67	68.64	-13.97	35.86	35.15	13.73	30.07	0.00	400	54 PEAK																																																																					
4	5993.60	58.16	68.20	-10.04	39.46	35.29	13.53	30.12	0.00	400	54 PEAK																																																																					
<b>Fundamental</b>																																																																																
<b>Peak</b>	<table border="1"> <thead> <tr> <th>Limit</th> <th>Over</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Aux</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>Limit</th> <th>Level</th> <th>Factor</th> <th>Loss</th> <th>Factor</th> <th>Factor</th> <th></th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>5825.00</td> <td>92.77</td> <td>-----</td> <td>-----</td> <td>74.02</td> <td>34.86</td> <td>13.93</td> <td>30.04</td> <td>0.00</td> <td>400</td> <td>54 PEAK</td> </tr> </tbody> </table>	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1	5825.00	92.77	-----	-----	74.02	34.86	13.93	30.04	0.00	400	54 PEAK																																				
	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																						
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor																																																																								
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																						
1	5825.00	92.77	-----	-----	74.02	34.86	13.93	30.04	0.00	400	54 PEAK																																																																					
<b>Avg</b>	<b>Blank</b>																																																																															
<b>Avg</b>	<table border="1"> <thead> <tr> <th>Limit</th> <th>Over</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Aux</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>Limit</th> <th>Level</th> <th>Factor</th> <th>Loss</th> <th>Factor</th> <th>Factor</th> <th></th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>5825.00</td> <td>84.09</td> <td>-----</td> <td>-----</td> <td>65.34</td> <td>34.86</td> <td>13.93</td> <td>30.04</td> <td>0.00</td> <td>400</td> <td>54 AVERAGE</td> </tr> </tbody> </table>	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1	5825.00	84.09	-----	-----	65.34	34.86	13.93	30.04	0.00	400	54 AVERAGE																																				
	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																						
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor																																																																								
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																						
1	5825.00	84.09	-----	-----	65.34	34.86	13.93	30.04	0.00	400	54 AVERAGE																																																																					



	<b>58</b>																																																																																																									
<b>Mode</b>	<b>Band Edge</b>																																																																																																									
	<b>U-NII-3_5.725-5.85_802.11ax HE20_CH149_RU52/37_5745MHz</b>																																																																																																									
<b>ANT</b>	<b>1</b>																																																																																																									
<b>Pol.</b>	<b>Horizontal</b>	<b>Fundamental</b>																																																																																																								
<b>Peak</b>	<table border="1"> <thead> <tr> <th></th> <th>Limit</th> <th>Over</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Aux</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>Limit</th> <th>Level</th> <th>Factor</th> <th>Loss</th> <th>Factor</th> <th>Factor</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>5614.00</td> <td>56.99</td> <td>68.20</td> <td>-11.21</td> <td>39.63</td> <td>34.50</td> <td>12.97</td> <td>30.11</td> <td>0.00</td> <td>100</td> <td>0 PEAK</td> </tr> <tr> <td>2</td> <td>5651.20</td> <td>56.34</td> <td>69.09</td> <td>-12.75</td> <td>38.94</td> <td>34.50</td> <td>13.01</td> <td>30.11</td> <td>0.00</td> <td>100</td> <td>0 PEAK</td> </tr> <tr> <td>3</td> <td>5703.20</td> <td>55.12</td> <td>106.20</td> <td>-51.08</td> <td>37.48</td> <td>34.61</td> <td>13.12</td> <td>30.09</td> <td>0.00</td> <td>100</td> <td>0 PEAK</td> </tr> <tr> <td>4</td> <td>5720.00</td> <td>53.94</td> <td>110.90</td> <td>-56.96</td> <td>36.12</td> <td>34.64</td> <td>13.26</td> <td>30.08</td> <td>0.00</td> <td>100</td> <td>0 PEAK</td> </tr> </tbody> </table>		Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor	cm	deg	1	5614.00	56.99	68.20	-11.21	39.63	34.50	12.97	30.11	0.00	100	0 PEAK	2	5651.20	56.34	69.09	-12.75	38.94	34.50	13.01	30.11	0.00	100	0 PEAK	3	5703.20	55.12	106.20	-51.08	37.48	34.61	13.12	30.09	0.00	100	0 PEAK	4	5720.00	53.94	110.90	-56.96	36.12	34.64	13.26	30.08	0.00	100	0 PEAK	<table border="1"> <thead> <tr> <th></th> <th>Limit</th> <th>Over</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Aux</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>Limit</th> <th>Level</th> <th>Factor</th> <th>Loss</th> <th>Factor</th> <th>Factor</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>5745.00</td> <td>99.00</td> <td>-----</td> <td>-----</td> <td>81.04</td> <td>34.68</td> <td>13.43</td> <td>30.07</td> <td>0.00</td> <td>100</td> <td>0 PEAK</td> </tr> </tbody> </table>		Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor	cm	deg	1	5745.00	99.00	-----	-----	81.04	34.68	13.43	30.07	0.00	100	0 PEAK
		Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																															
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor	cm	deg																																																																																																
1	5614.00	56.99	68.20	-11.21	39.63	34.50	12.97	30.11	0.00	100	0 PEAK																																																																																															
2	5651.20	56.34	69.09	-12.75	38.94	34.50	13.01	30.11	0.00	100	0 PEAK																																																																																															
3	5703.20	55.12	106.20	-51.08	37.48	34.61	13.12	30.09	0.00	100	0 PEAK																																																																																															
4	5720.00	53.94	110.90	-56.96	36.12	34.64	13.26	30.08	0.00	100	0 PEAK																																																																																															
	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																																
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor	cm	deg																																																																																																
1	5745.00	99.00	-----	-----	81.04	34.68	13.43	30.07	0.00	100	0 PEAK																																																																																															
<b>Avg</b>	<b>Blank</b>	<table border="1"> <thead> <tr> <th></th> <th>Limit</th> <th>Over</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Aux</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>Limit</th> <th>Level</th> <th>Factor</th> <th>Loss</th> <th>Factor</th> <th>Factor</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>5745.00</td> <td>90.41</td> <td>-----</td> <td>-----</td> <td>72.37</td> <td>34.68</td> <td>13.43</td> <td>30.07</td> <td>0.00</td> <td>100</td> <td>0 AVERAGE</td> </tr> </tbody> </table>		Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor	cm	deg	1	5745.00	90.41	-----	-----	72.37	34.68	13.43	30.07	0.00	100	0 AVERAGE																																																																						
	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																																
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor	cm	deg																																																																																																
1	5745.00	90.41	-----	-----	72.37	34.68	13.43	30.07	0.00	100	0 AVERAGE																																																																																															



<b>58</b>																																																																																				
<b>Mode</b>	<b>Band Edge</b>																																																																																			
<b>U-NII-3_5.725-5.85_802.11ax HE20_CH149_RU52/37_5745MHz</b>																																																																																				
<b>ANT</b>	<b>1</b>																																																																																			
<b>Pol.</b>	<b>Vertical</b>																																																																																			
<b>Peak</b>	<table border="1"> <thead> <tr> <th>Limit</th> <th>Over</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Aux</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>Limit</th> <th>Level</th> <th>Factor</th> <th>Loss</th> <th>Factor</th> <th>Factor</th> <th></th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>5613.20</td> <td>57.25</td> <td>68.20</td> <td>-10.95</td> <td>39.88</td> <td>34.50</td> <td>12.97</td> <td>30.10</td> <td>0.00</td> <td>347</td> <td>242</td> <td>PEAK</td> </tr> <tr> <td>2</td> <td>5651.60</td> <td>55.52</td> <td>69.39</td> <td>-13.87</td> <td>38.12</td> <td>34.50</td> <td>13.01</td> <td>30.11</td> <td>0.00</td> <td>347</td> <td>242</td> <td>PEAK</td> </tr> <tr> <td>3</td> <td>5700.80</td> <td>54.66</td> <td>105.52</td> <td>-50.86</td> <td>37.05</td> <td>34.60</td> <td>13.10</td> <td>30.09</td> <td>0.00</td> <td>347</td> <td>242</td> <td>PEAK</td> </tr> <tr> <td>4</td> <td>5720.00</td> <td>55.38</td> <td>110.90</td> <td>-55.52</td> <td>37.56</td> <td>34.64</td> <td>13.26</td> <td>30.08</td> <td>0.00</td> <td>347</td> <td>242</td> <td>PEAK</td> </tr> </tbody> </table>	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1	5613.20	57.25	68.20	-10.95	39.88	34.50	12.97	30.10	0.00	347	242	PEAK	2	5651.60	55.52	69.39	-13.87	38.12	34.50	13.01	30.11	0.00	347	242	PEAK	3	5700.80	54.66	105.52	-50.86	37.05	34.60	13.10	30.09	0.00	347	242	PEAK	4	5720.00	55.38	110.90	-55.52	37.56	34.64	13.26	30.08	0.00	347	242	PEAK
Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																											
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor																																																																												
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																										
1	5613.20	57.25	68.20	-10.95	39.88	34.50	12.97	30.10	0.00	347	242	PEAK																																																																								
2	5651.60	55.52	69.39	-13.87	38.12	34.50	13.01	30.11	0.00	347	242	PEAK																																																																								
3	5700.80	54.66	105.52	-50.86	37.05	34.60	13.10	30.09	0.00	347	242	PEAK																																																																								
4	5720.00	55.38	110.90	-55.52	37.56	34.64	13.26	30.08	0.00	347	242	PEAK																																																																								
<b>Fundamental</b>	<table border="1"> <thead> <tr> <th>Limit</th> <th>Over</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Aux</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>Limit</th> <th>Level</th> <th>Factor</th> <th>Loss</th> <th>Factor</th> <th>Factor</th> <th></th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>5745.00</td> <td>95.62</td> <td>-----</td> <td>-----</td> <td>77.58</td> <td>34.68</td> <td>13.43</td> <td>30.07</td> <td>0.00</td> <td>347</td> <td>242</td> <td>PEAK</td> </tr> </tbody> </table>	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1	5745.00	95.62	-----	-----	77.58	34.68	13.43	30.07	0.00	347	242	PEAK																																							
Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																											
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor																																																																												
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																										
1	5745.00	95.62	-----	-----	77.58	34.68	13.43	30.07	0.00	347	242	PEAK																																																																								
<b>Avg</b>	<b>Blank</b>																																																																																			
	<table border="1"> <thead> <tr> <th>Limit</th> <th>Over</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Aux</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>Limit</th> <th>Level</th> <th>Factor</th> <th>Loss</th> <th>Factor</th> <th>Factor</th> <th></th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>5745.00</td> <td>88.01</td> <td>-----</td> <td>-----</td> <td>69.97</td> <td>34.68</td> <td>13.43</td> <td>30.07</td> <td>0.00</td> <td>347</td> <td>242</td> <td>AVERAGE</td> </tr> </tbody> </table>	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1	5745.00	88.01	-----	-----	69.97	34.68	13.43	30.07	0.00	347	242	AVERAGE																																							
Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																											
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor																																																																												
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																										
1	5745.00	88.01	-----	-----	69.97	34.68	13.43	30.07	0.00	347	242	AVERAGE																																																																								



Mode	59																																																																																																										
	Band Edge																																																																																																										
	U-NII-3_5.725-5.85_802.11ax HE20_CH165_RU52/40_5825MHz																																																																																																										
ANT	1																																																																																																										
Pol.	Horizontal	Fundamental																																																																																																									
Peak	<table border="1"> <thead> <tr> <th>Limit</th> <th>Over</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Aux</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>Level</th> <th>Factor</th> <th>Loss</th> <th>Factor</th> <th>Factor</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>5854.40</td> <td>56.50</td> <td>112.27</td> <td>-55.77</td> <td>37.73</td> <td>34.92</td> <td>13.88</td> <td>30.03</td> <td>0.00</td> <td>101</td> <td>8</td> <td>PEAK</td> </tr> <tr> <td>2</td> <td>5869.20</td> <td>58.30</td> <td>106.92</td> <td>-48.62</td> <td>39.50</td> <td>34.98</td> <td>13.86</td> <td>30.04</td> <td>0.00</td> <td>101</td> <td>8</td> <td>PEAK</td> </tr> <tr> <td>3</td> <td>5923.60</td> <td>59.51</td> <td>69.23</td> <td>-9.72</td> <td>40.70</td> <td>35.15</td> <td>13.73</td> <td>30.07</td> <td>0.00</td> <td>101</td> <td>8</td> <td>PEAK</td> </tr> <tr> <td>4</td> <td>5936.80</td> <td>57.55</td> <td>68.20</td> <td>-10.65</td> <td>38.77</td> <td>35.17</td> <td>13.69</td> <td>30.08</td> <td>0.00</td> <td>101</td> <td>8</td> <td>PEAK</td> </tr> </tbody> </table>	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Level	Factor	Loss	Factor	Factor	cm	deg	1	5854.40	56.50	112.27	-55.77	37.73	34.92	13.88	30.03	0.00	101	8	PEAK	2	5869.20	58.30	106.92	-48.62	39.50	34.98	13.86	30.04	0.00	101	8	PEAK	3	5923.60	59.51	69.23	-9.72	40.70	35.15	13.73	30.07	0.00	101	8	PEAK	4	5936.80	57.55	68.20	-10.65	38.77	35.17	13.69	30.08	0.00	101	8	PEAK	<table border="1"> <thead> <tr> <th>Limit</th> <th>Over</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Aux</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>Level</th> <th>Factor</th> <th>Loss</th> <th>Factor</th> <th>Factor</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>5825.00</td> <td>100.78</td> <td>-----</td> <td>-----</td> <td>82.03</td> <td>34.86</td> <td>13.93</td> <td>30.04</td> <td>0.00</td> <td>101</td> <td>8</td> <td>PEAK</td> </tr> </tbody> </table>	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Level	Factor	Loss	Factor	Factor	cm	deg	1	5825.00	100.78	-----	-----	82.03	34.86	13.93	30.04	0.00	101	8	PEAK
Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																																		
Freq	Level	Line	Level	Factor	Loss	Factor	Factor	cm	deg																																																																																																		
1	5854.40	56.50	112.27	-55.77	37.73	34.92	13.88	30.03	0.00	101	8	PEAK																																																																																															
2	5869.20	58.30	106.92	-48.62	39.50	34.98	13.86	30.04	0.00	101	8	PEAK																																																																																															
3	5923.60	59.51	69.23	-9.72	40.70	35.15	13.73	30.07	0.00	101	8	PEAK																																																																																															
4	5936.80	57.55	68.20	-10.65	38.77	35.17	13.69	30.08	0.00	101	8	PEAK																																																																																															
Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																																		
Freq	Level	Line	Level	Factor	Loss	Factor	Factor	cm	deg																																																																																																		
1	5825.00	100.78	-----	-----	82.03	34.86	13.93	30.04	0.00	101	8	PEAK																																																																																															
Avg	Blank	<table border="1"> <thead> <tr> <th>Limit</th> <th>Over</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Aux</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>Level</th> <th>Factor</th> <th>Loss</th> <th>Factor</th> <th>Factor</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>5825.00</td> <td>92.80</td> <td>-----</td> <td>-----</td> <td>74.05</td> <td>34.87</td> <td>13.92</td> <td>30.04</td> <td>0.00</td> <td>101</td> <td>8</td> <td>AVERAGE</td> </tr> </tbody> </table>	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Level	Factor	Loss	Factor	Factor	cm	deg	1	5825.00	92.80	-----	-----	74.05	34.87	13.92	30.04	0.00	101	8	AVERAGE																																																																								
Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																																		
Freq	Level	Line	Level	Factor	Loss	Factor	Factor	cm	deg																																																																																																		
1	5825.00	92.80	-----	-----	74.05	34.87	13.92	30.04	0.00	101	8	AVERAGE																																																																																															



Mode	59																																																																																																																											
	Band Edge																																																																																																																											
	U-NII-3_5.725-5.85_802.11ax HE20_CH165_RU52/40_5825MHz																																																																																																																											
ANT	1																																																																																																																											
Pol.	Vertical	Fundamental																																																																																																																										
Peak	<table border="1"> <thead> <tr> <th>Limit</th> <th>Over</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Aux</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>Limit</th> <th>Level</th> <th>Factor</th> <th>Loss</th> <th>Factor</th> <th>Factor</th> <th></th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>5854.00</td> <td>54.76</td> <td>111.36</td> <td>-56.60</td> <td>35.99</td> <td>34.92</td> <td>13.88</td> <td>30.03</td> <td>0.00</td> <td>400</td> <td>55 PEAK</td> </tr> <tr> <td>2</td> <td>5874.00</td> <td>56.35</td> <td>105.58</td> <td>-49.23</td> <td>37.54</td> <td>35.00</td> <td>13.85</td> <td>30.04</td> <td>0.00</td> <td>400</td> <td>55 PEAK</td> </tr> <tr> <td>3</td> <td>5923.60</td> <td>56.57</td> <td>69.23</td> <td>-12.66</td> <td>37.76</td> <td>35.15</td> <td>13.73</td> <td>30.07</td> <td>0.00</td> <td>400</td> <td>55 PEAK</td> </tr> <tr> <td>4</td> <td>5931.60</td> <td>57.65</td> <td>68.20</td> <td>-10.55</td> <td>38.86</td> <td>35.16</td> <td>13.71</td> <td>30.08</td> <td>0.00</td> <td>400</td> <td>55 PEAK</td> </tr> </tbody> </table>	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1	5854.00	54.76	111.36	-56.60	35.99	34.92	13.88	30.03	0.00	400	55 PEAK	2	5874.00	56.35	105.58	-49.23	37.54	35.00	13.85	30.04	0.00	400	55 PEAK	3	5923.60	56.57	69.23	-12.66	37.76	35.15	13.73	30.07	0.00	400	55 PEAK	4	5931.60	57.65	68.20	-10.55	38.86	35.16	13.71	30.08	0.00	400	55 PEAK	<table border="1"> <thead> <tr> <th>Limit</th> <th>Over</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Aux</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>Limit</th> <th>Level</th> <th>Factor</th> <th>Loss</th> <th>Factor</th> <th>Factor</th> <th></th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>5825.00</td> <td>93.88</td> <td>-----</td> <td>-----</td> <td>75.13</td> <td>34.86</td> <td>13.93</td> <td>30.04</td> <td>0.00</td> <td>400</td> <td>55 PEAK</td> </tr> </tbody> </table>	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1	5825.00	93.88	-----	-----	75.13	34.86	13.93	30.04	0.00	400	55 PEAK
Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																																																			
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor																																																																																																																				
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																																																																		
1	5854.00	54.76	111.36	-56.60	35.99	34.92	13.88	30.03	0.00	400	55 PEAK																																																																																																																	
2	5874.00	56.35	105.58	-49.23	37.54	35.00	13.85	30.04	0.00	400	55 PEAK																																																																																																																	
3	5923.60	56.57	69.23	-12.66	37.76	35.15	13.73	30.07	0.00	400	55 PEAK																																																																																																																	
4	5931.60	57.65	68.20	-10.55	38.86	35.16	13.71	30.08	0.00	400	55 PEAK																																																																																																																	
Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																																																			
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor																																																																																																																				
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																																																																		
1	5825.00	93.88	-----	-----	75.13	34.86	13.93	30.04	0.00	400	55 PEAK																																																																																																																	
Avg	Blank	<table border="1"> <thead> <tr> <th>Limit</th> <th>Over</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Aux</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>Limit</th> <th>Level</th> <th>Factor</th> <th>Loss</th> <th>Factor</th> <th>Factor</th> <th></th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>5825.00</td> <td>77.81</td> <td>-----</td> <td>-----</td> <td>59.06</td> <td>34.87</td> <td>13.92</td> <td>30.04</td> <td>0.00</td> <td>400</td> <td>55 AVERAGE</td> </tr> </tbody> </table>	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1	5825.00	77.81	-----	-----	59.06	34.87	13.92	30.04	0.00	400	55 AVERAGE																																																																															
Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																																																			
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor																																																																																																																				
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																																																																		
1	5825.00	77.81	-----	-----	59.06	34.87	13.92	30.04	0.00	400	55 AVERAGE																																																																																																																	



Mode	60																																																																																																																											
	Band Edge																																																																																																																											
	U-NII-3_5.725-5.85_802.11ax HE20_CH149_RU106/53_5745MHz																																																																																																																											
ANT	1																																																																																																																											
Pol.	Horizontal	Fundamental																																																																																																																										
Peak	<table border="1"> <thead> <tr> <th>Limit</th> <th>Over</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Aux</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>Limit</th> <th>Level</th> <th>Factor</th> <th>Loss</th> <th>Factor</th> <th>Factor</th> <th></th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>5602.00</td> <td>57.49</td> <td>68.20</td> <td>-10.71</td> <td>40.13</td> <td>34.50</td> <td>12.96</td> <td>30.10</td> <td>0.00</td> <td>100</td> <td>1 PEAK</td> </tr> <tr> <td>2</td> <td>5651.20</td> <td>55.14</td> <td>69.09</td> <td>-13.95</td> <td>37.74</td> <td>34.50</td> <td>13.01</td> <td>30.11</td> <td>0.00</td> <td>100</td> <td>1 PEAK</td> </tr> <tr> <td>3</td> <td>5700.00</td> <td>54.53</td> <td>105.30</td> <td>-50.77</td> <td>36.93</td> <td>34.60</td> <td>13.09</td> <td>30.09</td> <td>0.00</td> <td>100</td> <td>1 PEAK</td> </tr> <tr> <td>4</td> <td>5720.00</td> <td>55.22</td> <td>110.90</td> <td>-55.68</td> <td>37.40</td> <td>34.64</td> <td>13.26</td> <td>30.08</td> <td>0.00</td> <td>100</td> <td>1 PEAK</td> </tr> </tbody> </table>	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1	5602.00	57.49	68.20	-10.71	40.13	34.50	12.96	30.10	0.00	100	1 PEAK	2	5651.20	55.14	69.09	-13.95	37.74	34.50	13.01	30.11	0.00	100	1 PEAK	3	5700.00	54.53	105.30	-50.77	36.93	34.60	13.09	30.09	0.00	100	1 PEAK	4	5720.00	55.22	110.90	-55.68	37.40	34.64	13.26	30.08	0.00	100	1 PEAK	<table border="1"> <thead> <tr> <th>Limit</th> <th>Over</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Aux</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>Limit</th> <th>Level</th> <th>Factor</th> <th>Loss</th> <th>Factor</th> <th>Factor</th> <th></th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>5745.00</td> <td>98.28</td> <td>-----</td> <td>-----</td> <td>80.24</td> <td>34.68</td> <td>13.43</td> <td>30.07</td> <td>0.00</td> <td>100</td> <td>1 PEAK</td> </tr> </tbody> </table>	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1	5745.00	98.28	-----	-----	80.24	34.68	13.43	30.07	0.00	100	1 PEAK
	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																																																		
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor																																																																																																																				
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																																																																		
1	5602.00	57.49	68.20	-10.71	40.13	34.50	12.96	30.10	0.00	100	1 PEAK																																																																																																																	
2	5651.20	55.14	69.09	-13.95	37.74	34.50	13.01	30.11	0.00	100	1 PEAK																																																																																																																	
3	5700.00	54.53	105.30	-50.77	36.93	34.60	13.09	30.09	0.00	100	1 PEAK																																																																																																																	
4	5720.00	55.22	110.90	-55.68	37.40	34.64	13.26	30.08	0.00	100	1 PEAK																																																																																																																	
Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																																																			
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor																																																																																																																				
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																																																																		
1	5745.00	98.28	-----	-----	80.24	34.68	13.43	30.07	0.00	100	1 PEAK																																																																																																																	
Avg	Blank	<table border="1"> <thead> <tr> <th>Limit</th> <th>Over</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Aux</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>Limit</th> <th>Level</th> <th>Factor</th> <th>Loss</th> <th>Factor</th> <th>Factor</th> <th></th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>5745.00</td> <td>90.41</td> <td>-----</td> <td>-----</td> <td>72.37</td> <td>34.68</td> <td>13.43</td> <td>30.07</td> <td>0.00</td> <td>100</td> <td>1 AVERAGE</td> </tr> </tbody> </table>	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1	5745.00	90.41	-----	-----	72.37	34.68	13.43	30.07	0.00	100	1 AVERAGE																																																																															
Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																																																			
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor																																																																																																																				
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																																																																		
1	5745.00	90.41	-----	-----	72.37	34.68	13.43	30.07	0.00	100	1 AVERAGE																																																																																																																	



Mode	60																																																																																																																											
	Band Edge																																																																																																																											
	U-NII-3_5.725-5.85_802.11ax HE20_CH149_RU106/53_5745MHz																																																																																																																											
ANT	1																																																																																																																											
Pol.	Vertical	Fundamental																																																																																																																										
Peak	<table border="1"> <thead> <tr> <th>Limit</th> <th>Over</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Aux</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>Limit</th> <th>Level</th> <th>Factor</th> <th>Loss</th> <th>Factor</th> <th>Factor</th> <th></th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>5608.00</td> <td>58.31</td> <td>68.20</td> <td>-9.89</td> <td>40.94</td> <td>34.50</td> <td>12.97</td> <td>30.10</td> <td>0.00</td> <td>300</td> <td>237 PEAK</td> </tr> <tr> <td>2</td> <td>5651.20</td> <td>54.99</td> <td>69.09</td> <td>-14.10</td> <td>37.59</td> <td>34.50</td> <td>13.01</td> <td>30.11</td> <td>0.00</td> <td>300</td> <td>237 PEAK</td> </tr> <tr> <td>3</td> <td>5703.20</td> <td>55.29</td> <td>106.20</td> <td>-50.91</td> <td>37.65</td> <td>34.61</td> <td>13.12</td> <td>30.09</td> <td>0.00</td> <td>300</td> <td>237 PEAK</td> </tr> <tr> <td>4</td> <td>5720.40</td> <td>56.21</td> <td>111.81</td> <td>-55.60</td> <td>38.38</td> <td>34.64</td> <td>13.27</td> <td>30.08</td> <td>0.00</td> <td>300</td> <td>237 PEAK</td> </tr> </tbody> </table>	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1	5608.00	58.31	68.20	-9.89	40.94	34.50	12.97	30.10	0.00	300	237 PEAK	2	5651.20	54.99	69.09	-14.10	37.59	34.50	13.01	30.11	0.00	300	237 PEAK	3	5703.20	55.29	106.20	-50.91	37.65	34.61	13.12	30.09	0.00	300	237 PEAK	4	5720.40	56.21	111.81	-55.60	38.38	34.64	13.27	30.08	0.00	300	237 PEAK	<table border="1"> <thead> <tr> <th>Limit</th> <th>Over</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Aux</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>Limit</th> <th>Level</th> <th>Factor</th> <th>Loss</th> <th>Factor</th> <th>Factor</th> <th></th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>5745.00</td> <td>93.58</td> <td>-----</td> <td>-----</td> <td>75.54</td> <td>34.68</td> <td>13.43</td> <td>30.07</td> <td>0.00</td> <td>300</td> <td>237 PEAK</td> </tr> </tbody> </table>	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1	5745.00	93.58	-----	-----	75.54	34.68	13.43	30.07	0.00	300	237 PEAK
	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																																																		
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor																																																																																																																				
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																																																																		
1	5608.00	58.31	68.20	-9.89	40.94	34.50	12.97	30.10	0.00	300	237 PEAK																																																																																																																	
2	5651.20	54.99	69.09	-14.10	37.59	34.50	13.01	30.11	0.00	300	237 PEAK																																																																																																																	
3	5703.20	55.29	106.20	-50.91	37.65	34.61	13.12	30.09	0.00	300	237 PEAK																																																																																																																	
4	5720.40	56.21	111.81	-55.60	38.38	34.64	13.27	30.08	0.00	300	237 PEAK																																																																																																																	
Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																																																			
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor																																																																																																																				
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																																																																		
1	5745.00	93.58	-----	-----	75.54	34.68	13.43	30.07	0.00	300	237 PEAK																																																																																																																	
Avg	Blank	<table border="1"> <thead> <tr> <th>Limit</th> <th>Over</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Aux</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>Limit</th> <th>Level</th> <th>Factor</th> <th>Loss</th> <th>Factor</th> <th>Factor</th> <th></th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>5745.00</td> <td>84.67</td> <td>-----</td> <td>-----</td> <td>66.63</td> <td>34.68</td> <td>13.43</td> <td>30.07</td> <td>0.00</td> <td>300</td> <td>237 AVERAGE</td> </tr> </tbody> </table>	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1	5745.00	84.67	-----	-----	66.63	34.68	13.43	30.07	0.00	300	237 AVERAGE																																																																															
Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																																																			
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor																																																																																																																				
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																																																																		
1	5745.00	84.67	-----	-----	66.63	34.68	13.43	30.07	0.00	300	237 AVERAGE																																																																																																																	






Mode	61																																																																																																																						
	Band Edge																																																																																																																						
	U-NII-3_5.725-5.85_802.11ax HE20_CH165_RU106/54_5825MHz																																																																																																																						
ANT	1																																																																																																																						
Pol.	Horizontal	Fundamental																																																																																																																					
Peak	<table border="1"> <thead> <tr> <th>Peak</th> <th>Freq</th> <th>Level</th> <th>Limit</th> <th>Over</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Aux</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th></th> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> <th></th> </tr> </thead> <tbody> <tr> <td>1</td> <td>5854.40</td> <td>55.84</td> <td>112.27</td> <td>-56.43</td> <td>37.07</td> <td>34.92</td> <td>13.88</td> <td>30.03</td> <td>0.00</td> <td>100</td> <td></td> <td>9 PEAK</td> </tr> <tr> <td>2</td> <td>5872.80</td> <td>55.37</td> <td>105.92</td> <td>-50.55</td> <td>36.57</td> <td>34.99</td> <td>13.85</td> <td>30.04</td> <td>0.00</td> <td>100</td> <td></td> <td>9 PEAK</td> </tr> <tr> <td>3</td> <td>5924.00</td> <td>54.79</td> <td>68.94</td> <td>-14.15</td> <td>35.98</td> <td>35.15</td> <td>13.73</td> <td>30.07</td> <td>0.00</td> <td>100</td> <td></td> <td>9 PEAK</td> </tr> <tr> <td>4</td> <td>5994.00</td> <td>56.94</td> <td>68.20</td> <td>-11.26</td> <td>38.24</td> <td>35.29</td> <td>13.53</td> <td>30.12</td> <td>0.00</td> <td>100</td> <td></td> <td>9 PEAK</td> </tr> </tbody> </table>	Peak	Freq	Level	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg		1	5854.40	55.84	112.27	-56.43	37.07	34.92	13.88	30.03	0.00	100		9 PEAK	2	5872.80	55.37	105.92	-50.55	36.57	34.99	13.85	30.04	0.00	100		9 PEAK	3	5924.00	54.79	68.94	-14.15	35.98	35.15	13.73	30.07	0.00	100		9 PEAK	4	5994.00	56.94	68.20	-11.26	38.24	35.29	13.53	30.12	0.00	100		9 PEAK	<table border="1"> <thead> <tr> <th>Peak</th> <th>Freq</th> <th>Level</th> <th>Limit</th> <th>Over</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Aux</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th></th> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> <th></th> </tr> </thead> <tbody> <tr> <td>1</td> <td>5825.00</td> <td>100.76</td> <td>-----</td> <td>-----</td> <td>82.01</td> <td>34.86</td> <td>13.93</td> <td>30.04</td> <td>0.00</td> <td>100</td> <td></td> <td>9 PEAK</td> </tr> </tbody> </table>	Peak	Freq	Level	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg		1	5825.00	100.76	-----	-----	82.01	34.86	13.93	30.04	0.00	100		9 PEAK
Peak	Freq	Level	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																																											
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																																																												
1	5854.40	55.84	112.27	-56.43	37.07	34.92	13.88	30.03	0.00	100		9 PEAK																																																																																																											
2	5872.80	55.37	105.92	-50.55	36.57	34.99	13.85	30.04	0.00	100		9 PEAK																																																																																																											
3	5924.00	54.79	68.94	-14.15	35.98	35.15	13.73	30.07	0.00	100		9 PEAK																																																																																																											
4	5994.00	56.94	68.20	-11.26	38.24	35.29	13.53	30.12	0.00	100		9 PEAK																																																																																																											
Peak	Freq	Level	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																																											
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																																																												
1	5825.00	100.76	-----	-----	82.01	34.86	13.93	30.04	0.00	100		9 PEAK																																																																																																											
Avg	Blank																																																																																																																						
		<table border="1"> <thead> <tr> <th>Peak</th> <th>Freq</th> <th>Level</th> <th>Limit</th> <th>Over</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Aux</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th></th> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> <th></th> </tr> </thead> <tbody> <tr> <td>1</td> <td>5825.00</td> <td>92.22</td> <td>-----</td> <td>-----</td> <td>73.47</td> <td>34.86</td> <td>13.93</td> <td>30.04</td> <td>0.00</td> <td>100</td> <td></td> <td>9 AVERAGE</td> </tr> </tbody> </table>	Peak	Freq	Level	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg		1	5825.00	92.22	-----	-----	73.47	34.86	13.93	30.04	0.00	100		9 AVERAGE																																																																														
Peak	Freq	Level	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																																											
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																																																												
1	5825.00	92.22	-----	-----	73.47	34.86	13.93	30.04	0.00	100		9 AVERAGE																																																																																																											



	<b>61</b>																																																																																																																											
<b>Mode</b>	<b>Band Edge</b>																																																																																																																											
	<b>U-NII-3_5.725-5.85_802.11ax HE20_CH165_RU106/54_5825MHz</b>																																																																																																																											
<b>ANT</b>	<b>1</b>																																																																																																																											
<b>Pol.</b>	<b>Vertical</b>	<b>Fundamental</b>																																																																																																																										
<b>Peak</b>	<table border="1"> <thead> <tr> <th>Limit</th> <th>Over</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Aux</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>Limit</th> <th>Level</th> <th>Factor</th> <th>Loss</th> <th>Factor</th> <th>Factor</th> <th></th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>5854.00</td> <td>55.66</td> <td>111.36</td> <td>-55.70</td> <td>36.89</td> <td>34.92</td> <td>13.88</td> <td>30.03</td> <td>0.00</td> <td>350</td> <td>53 PEAK</td> </tr> <tr> <td>2</td> <td>5872.00</td> <td>58.03</td> <td>106.14</td> <td>-48.11</td> <td>39.23</td> <td>34.99</td> <td>13.85</td> <td>30.04</td> <td>0.00</td> <td>350</td> <td>53 PEAK</td> </tr> <tr> <td>3</td> <td>5924.00</td> <td>55.47</td> <td>68.94</td> <td>-13.47</td> <td>36.66</td> <td>35.15</td> <td>13.73</td> <td>30.07</td> <td>0.00</td> <td>350</td> <td>53 PEAK</td> </tr> <tr> <td>4</td> <td>5934.00</td> <td>57.73</td> <td>68.20</td> <td>-10.47</td> <td>38.94</td> <td>35.17</td> <td>13.70</td> <td>30.08</td> <td>0.00</td> <td>350</td> <td>53 PEAK</td> </tr> </tbody> </table>	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1	5854.00	55.66	111.36	-55.70	36.89	34.92	13.88	30.03	0.00	350	53 PEAK	2	5872.00	58.03	106.14	-48.11	39.23	34.99	13.85	30.04	0.00	350	53 PEAK	3	5924.00	55.47	68.94	-13.47	36.66	35.15	13.73	30.07	0.00	350	53 PEAK	4	5934.00	57.73	68.20	-10.47	38.94	35.17	13.70	30.08	0.00	350	53 PEAK	<table border="1"> <thead> <tr> <th>Limit</th> <th>Over</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Aux</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>Limit</th> <th>Level</th> <th>Factor</th> <th>Loss</th> <th>Factor</th> <th>Factor</th> <th></th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>5825.00</td> <td>95.14</td> <td>-----</td> <td>-----</td> <td>76.39</td> <td>34.86</td> <td>13.93</td> <td>30.04</td> <td>0.00</td> <td>350</td> <td>53 PEAK</td> </tr> </tbody> </table>	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1	5825.00	95.14	-----	-----	76.39	34.86	13.93	30.04	0.00	350	53 PEAK
	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																																																		
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor																																																																																																																				
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																																																																		
1	5854.00	55.66	111.36	-55.70	36.89	34.92	13.88	30.03	0.00	350	53 PEAK																																																																																																																	
2	5872.00	58.03	106.14	-48.11	39.23	34.99	13.85	30.04	0.00	350	53 PEAK																																																																																																																	
3	5924.00	55.47	68.94	-13.47	36.66	35.15	13.73	30.07	0.00	350	53 PEAK																																																																																																																	
4	5934.00	57.73	68.20	-10.47	38.94	35.17	13.70	30.08	0.00	350	53 PEAK																																																																																																																	
Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																																																			
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor																																																																																																																				
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																																																																		
1	5825.00	95.14	-----	-----	76.39	34.86	13.93	30.04	0.00	350	53 PEAK																																																																																																																	
<b>Avg</b>	<b>Blank</b>	<table border="1"> <thead> <tr> <th>Limit</th> <th>Over</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Aux</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>Limit</th> <th>Level</th> <th>Factor</th> <th>Loss</th> <th>Factor</th> <th>Factor</th> <th></th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>5825.00</td> <td>86.58</td> <td>-----</td> <td>-----</td> <td>67.83</td> <td>34.86</td> <td>13.93</td> <td>30.04</td> <td>0.00</td> <td>350</td> <td>53 AVERAGE</td> </tr> </tbody> </table>	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1	5825.00	86.58	-----	-----	67.83	34.86	13.93	30.04	0.00	350	53 AVERAGE																																																																															
Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																																																			
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor																																																																																																																				
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																																																																		
1	5825.00	86.58	-----	-----	67.83	34.86	13.93	30.04	0.00	350	53 AVERAGE																																																																																																																	



Mode	1																																																																																																																																																																									
	30M-1G																																																																																																																																																																									
	U-NII-3_5.725-5.85_802.11ax HE80_CH155_Full_5775MHz																																																																																																																																																																									
ANT	1																																																																																																																																																																									
Pol.	Horizontal	Vertical																																																																																																																																																																								
Peak QP	<p>Data: 3</p> <table border="1"> <thead> <tr> <th>Peak</th> <th>Freq (MHz)</th> <th>Level (dBuV/m)</th> <th>Over Limit (dB)</th> <th>Limit Line (dBuV/m)</th> <th>ReadAntenna Level (dBuV)</th> <th>Antenna Factor (dB/m)</th> <th>Cable Loss (dB)</th> <th>Preamp Loss (dB)</th> <th>A/Pos (cm)</th> <th>T/Pos (deg)</th> <th>Remark</th> </tr> </thead> <tbody> <tr><td>1</td><td>177.44</td><td>25.90</td><td>-17.60</td><td>43.50</td><td>42.02</td><td>14.90</td><td>1.93</td><td>32.95</td><td>---</td><td>---</td><td>Peak</td></tr> <tr><td>2</td><td>199.75</td><td>32.17</td><td>-11.33</td><td>43.50</td><td>48.29</td><td>14.80</td><td>2.07</td><td>32.99</td><td>---</td><td>---</td><td>Peak</td></tr> <tr><td>3</td><td>283.17</td><td>26.70</td><td>-19.30</td><td>46.00</td><td>38.42</td><td>18.82</td><td>2.46</td><td>33.00</td><td>---</td><td>---</td><td>Peak</td></tr> <tr><td>4</td><td>484.93</td><td>23.94</td><td>-22.06</td><td>46.00</td><td>30.55</td><td>23.50</td><td>3.21</td><td>33.32</td><td>---</td><td>---</td><td>Peak</td></tr> <tr><td>5</td><td>562.53</td><td>24.98</td><td>-21.02</td><td>46.00</td><td>28.81</td><td>26.05</td><td>3.45</td><td>33.33</td><td>---</td><td>---</td><td>Peak</td></tr> <tr><td>6</td><td>850.62</td><td>30.26</td><td>-15.74</td><td>46.00</td><td>29.91</td><td>28.82</td><td>4.24</td><td>32.71</td><td>---</td><td>---</td><td>Peak</td></tr> </tbody> </table>	Peak	Freq (MHz)	Level (dBuV/m)	Over Limit (dB)	Limit Line (dBuV/m)	ReadAntenna Level (dBuV)	Antenna Factor (dB/m)	Cable Loss (dB)	Preamp Loss (dB)	A/Pos (cm)	T/Pos (deg)	Remark	1	177.44	25.90	-17.60	43.50	42.02	14.90	1.93	32.95	---	---	Peak	2	199.75	32.17	-11.33	43.50	48.29	14.80	2.07	32.99	---	---	Peak	3	283.17	26.70	-19.30	46.00	38.42	18.82	2.46	33.00	---	---	Peak	4	484.93	23.94	-22.06	46.00	30.55	23.50	3.21	33.32	---	---	Peak	5	562.53	24.98	-21.02	46.00	28.81	26.05	3.45	33.33	---	---	Peak	6	850.62	30.26	-15.74	46.00	29.91	28.82	4.24	32.71	---	---	Peak	<p>Data: 4</p> <table border="1"> <thead> <tr> <th>Peak</th> <th>Freq (MHz)</th> <th>Level (dBuV/m)</th> <th>Over Limit (dB)</th> <th>Limit Line (dBuV/m)</th> <th>ReadAntenna Level (dBuV)</th> <th>Antenna Factor (dB/m)</th> <th>Cable Loss (dB)</th> <th>Preamp Loss (dB)</th> <th>A/Pos (cm)</th> <th>T/Pos (deg)</th> <th>Remark</th> </tr> </thead> <tbody> <tr><td>1</td><td>67.83</td><td>31.07</td><td>-8.93</td><td>40.00</td><td>50.78</td><td>12.20</td><td>1.02</td><td>32.93</td><td>---</td><td>---</td><td>Peak</td></tr> <tr><td>2</td><td>125.06</td><td>27.33</td><td>-16.17</td><td>43.50</td><td>41.13</td><td>17.50</td><td>1.62</td><td>32.92</td><td>---</td><td>---</td><td>Peak</td></tr> <tr><td>3</td><td>199.75</td><td>29.62</td><td>-13.68</td><td>43.50</td><td>45.74</td><td>14.80</td><td>2.07</td><td>32.99</td><td>---</td><td>---</td><td>Peak</td></tr> <tr><td>4</td><td>443.22</td><td>23.19</td><td>-22.81</td><td>46.00</td><td>30.51</td><td>22.78</td><td>3.07</td><td>33.17</td><td>---</td><td>---</td><td>Peak</td></tr> <tr><td>5</td><td>625.58</td><td>27.26</td><td>-18.74</td><td>46.00</td><td>30.78</td><td>26.12</td><td>3.65</td><td>33.29</td><td>---</td><td>---</td><td>Peak</td></tr> <tr><td>6</td><td>850.62</td><td>29.73</td><td>-16.27</td><td>46.00</td><td>29.38</td><td>28.82</td><td>4.24</td><td>32.71</td><td>---</td><td>---</td><td>Peak</td></tr> </tbody> </table>	Peak	Freq (MHz)	Level (dBuV/m)	Over Limit (dB)	Limit Line (dBuV/m)	ReadAntenna Level (dBuV)	Antenna Factor (dB/m)	Cable Loss (dB)	Preamp Loss (dB)	A/Pos (cm)	T/Pos (deg)	Remark	1	67.83	31.07	-8.93	40.00	50.78	12.20	1.02	32.93	---	---	Peak	2	125.06	27.33	-16.17	43.50	41.13	17.50	1.62	32.92	---	---	Peak	3	199.75	29.62	-13.68	43.50	45.74	14.80	2.07	32.99	---	---	Peak	4	443.22	23.19	-22.81	46.00	30.51	22.78	3.07	33.17	---	---	Peak	5	625.58	27.26	-18.74	46.00	30.78	26.12	3.65	33.29	---	---	Peak	6	850.62	29.73	-16.27	46.00	29.38	28.82	4.24	32.71	---	---	Peak
	Peak	Freq (MHz)	Level (dBuV/m)	Over Limit (dB)	Limit Line (dBuV/m)	ReadAntenna Level (dBuV)	Antenna Factor (dB/m)	Cable Loss (dB)	Preamp Loss (dB)	A/Pos (cm)	T/Pos (deg)	Remark																																																																																																																																																														
1	177.44	25.90	-17.60	43.50	42.02	14.90	1.93	32.95	---	---	Peak																																																																																																																																																															
2	199.75	32.17	-11.33	43.50	48.29	14.80	2.07	32.99	---	---	Peak																																																																																																																																																															
3	283.17	26.70	-19.30	46.00	38.42	18.82	2.46	33.00	---	---	Peak																																																																																																																																																															
4	484.93	23.94	-22.06	46.00	30.55	23.50	3.21	33.32	---	---	Peak																																																																																																																																																															
5	562.53	24.98	-21.02	46.00	28.81	26.05	3.45	33.33	---	---	Peak																																																																																																																																																															
6	850.62	30.26	-15.74	46.00	29.91	28.82	4.24	32.71	---	---	Peak																																																																																																																																																															
Peak	Freq (MHz)	Level (dBuV/m)	Over Limit (dB)	Limit Line (dBuV/m)	ReadAntenna Level (dBuV)	Antenna Factor (dB/m)	Cable Loss (dB)	Preamp Loss (dB)	A/Pos (cm)	T/Pos (deg)	Remark																																																																																																																																																															
1	67.83	31.07	-8.93	40.00	50.78	12.20	1.02	32.93	---	---	Peak																																																																																																																																																															
2	125.06	27.33	-16.17	43.50	41.13	17.50	1.62	32.92	---	---	Peak																																																																																																																																																															
3	199.75	29.62	-13.68	43.50	45.74	14.80	2.07	32.99	---	---	Peak																																																																																																																																																															
4	443.22	23.19	-22.81	46.00	30.51	22.78	3.07	33.17	---	---	Peak																																																																																																																																																															
5	625.58	27.26	-18.74	46.00	30.78	26.12	3.65	33.29	---	---	Peak																																																																																																																																																															
6	850.62	29.73	-16.27	46.00	29.38	28.82	4.24	32.71	---	---	Peak																																																																																																																																																															






## Appendix D. Duty Cycle Plots


Band	Duty Cycle(%)	T(ms)	1/T(kHz)	VBW Setting
802.11a	57.48	1.391	0.719	0.75KHZ
802.11ax HE20	79.53	3.884	0.257	0.27KHZ
802.11ax HE20	78.70	3.855	0.259	0.27KHZ
802.11ax HE20	78.64	3.681	0.272	0.3KHZ
802.11ax HE20-26RU	15.07	1.507	0.663	0.75KHZ
802.11ax HE20-52RU	15.0	1.507	0.663	0.75KHZ
802.11ax HE20-106RU	15.07	1.507	0.663	0.75KHZ

### 802.11a






802.11 ax HE20




802.11 ax HE40






802.11 ax HE80






802.11 ax HE20-26RU



802.11 ax HE20-52RU







802.11 ax HE20-106RU

