





LTE Band 66C / 20MHz+15MHz

256QAM

Lowest Band Edge / 1RB0 and 1RB74

Highest Band Edge / 1RB0 and 1RB74





Date: 12.FEB.2023 03:32:18

Date: 12.FEB.2023 03:48:29

Lowest Band Edge / 1RB99 and 1RB0

Highest Band Edge / 1RB99 and 1RB0





Date: 12.FEB.2023 03:36:06

Date: 12.FEB.2023 03:52:17

Lowest Band Edge / Full RB

Highest Band Edge / Full RB



Date: 12.FEB.2023 03:28:29


Date: 12.FEB.2023 03:44:41



LTE Band 66C / 20MHz+20MHz


QPSK

Lowest Band Edge / 1RB0 and 1RB9




Date: 12.FEB.2023 04:39:23

Highest Band Edge / 1RB0 and 1RB9




Date: 12.FEB.2023 04:55:31

Lowest Band Edge / 1RB99 and 1RB0




Date: 12.FEB.2023 04:43:11

Highest Band Edge / 1RB99 and 1RB0




Date: 12.FEB.2023 04:59:20

Lowest Band Edge / Full RB



Date: 12.FEB.2023 04:35:35

Highest Band Edge / Full RB




Date: 12.FEB.2023 04:51:43



LTE Band 66C / 20MHz+20MHz


16QAM

Lowest Band Edge / 1RB0 and 1RB9




Date: 12.FEB.2023 04:40:20

Highest Band Edge / 1RB0 and 1RB9




Date: 12.FEB.2023 04:56:28

Lowest Band Edge / 1RB99 and 1RB0




Date: 12.FEB.2023 04:44:08

Highest Band Edge / 1RB99 and 1RB0




Date: 12.FEB.2023 05:00:16

Lowest Band Edge / Full RB



Date: 12.FEB.2023 04:36:52

Highest Band Edge / Full RB




Date: 12.FEB.2023 04:52:40



LTE Band 66C / 20MHz+20MHz


64QAM

Lowest Band Edge / 1RB0 and 1RB9




Date: 12.FEB.2023 04:41:17

Highest Band Edge / 1RB0 and 1RB9




Date: 12.FEB.2023 04:57:25

Lowest Band Edge / 1RB99 and 1RB0




Date: 12.FEB.2023 04:45:05

Highest Band Edge / 1RB99 and 1RB0




Date: 12.FEB.2023 05:01:13

Lowest Band Edge / Full RB



Date: 12.FEB.2023 04:37:29

Highest Band Edge / Full RB



Date: 12.FEB.2023 04:53:37





LTE Band 66C / 20MHz+20MHz

256QAM

Lowest Band Edge / 1RB0 and 1RB99

Highest Band Edge / 1RB0 and 1RB99





Date: 12.FEB.2023 04:42:13

Date: 12.FEB.2023 04:59:22

Lowest Band Edge / 1RB99 and 1RB0

Highest Band Edge / 1RB99 and 1RB0





Date: 12.FEB.2023 04:46:01

Date: 12.FEB.2023 05:02:10

Lowest Band Edge / Full RB

Highest Band Edge / Full RB



Date: 12.FEB.2023 04:38:25



Date: 12.FEB.2023 04:54:34



# Conducted Spurious Emission

LTE Band 66C / 5MHz+20MHz QPSK Lowest Channel / 1RBmax and 1RB0


LTE Band 66C / 5MHz+20MHz QPSK Middle Channel / 1RBmax and 1RB0






Date: 11.FEB.2023 23:22:43

Date: 11.FEB.2023 23:26:07

LTE Band 66C / 5MHz+20MHz QPSK Highest Channel / 1RBmax and 1RB0




Date: 11.FEB.2023 23:39:01






LTE Band 66C / 10MHz+20MHz QPSK Lowest Channel / 1RBmax and 1RB0

LTE Band 66C / 10MHz+20MHz QPSK Middle Channel / 1RBmax and 1RB0




Date: 12.FEB.2023 01:24:45



Date: 12.FEB.2023 01:28:08

LTE Band 66C / 10MHz+20MHz QPSK Highest Channel / 1RBmax and 1RB0





Date: 12.FEB.2023 01:41:00





LTE Band 66C / 15MHz+10MHz QPSK Lowest Channel / 1RBmax and 1RB0


LTE Band 66C / 15MHz+10MHz QPSK Middle Channel / 1RBmax and 1RB0






Date: 12.FEB.2023 00:45:02

Date: 12.FEB.2023 00:30:12

LTE Band 66C / 15MHz+10MHz QPSK Highest Channel / 1RBmax and 1RB0





Date: 12.FEB.2023 00:28:39





LTE Band 66C / 15MHz+20MHz QPSK Lowest Channel / 1RBmax and 1RB0


LTE Band 66C / 15MHz+20MHz QPSK Middle Channel / 1RBmax and 1RB0



Date: 12.FEB.2023 03:06:55

Date: 12.FEB.2023 03:10:14

LTE Band 66C / 15MHz+20MHz QPSK Highest Channel / 1RBmax and 1RB0





Date: 12.FEB.2023 03:23:07



LTE Band 66C / 20MHz+5MHz QPSK Lowest Channel / 1RBmax and 1RB0


LTE Band 66C / 20MHz+5MHz QPSK Middle Channel / 1RBmax and 1RB0



Date: 12.FEB.2023 04:09:23

Date: 12.FEB.2023 04:12:47

LTE Band 66C / 20MHz+5MHz QPSK Highest Channel / 1RBmax and 1RB0




Date: 12.FEB.2023 04:25:38




LTE Band 66C / 20MHz+10MHz QPSK Lowest Channel / 1RBmax and 1RB0

LTE Band 66C / 20MHz+10MHz QPSK Middle Channel / 1RBmax and 1RB0




Date: 12.FEB.2023 02:05:34






Date: 12.FEB.2023 02:07:07

LTE Band 66C / 20MHz+10MHz QPSK Highest Channel / 1RBmax and 1RB0





Date: 12.FEB.2023 02:21:51





LTE Band 66C / 20MHz+20MHz QPSK Lowest Channel / 1RBmax and 1RB0


LTE Band 66C / 20MHz+20MHz QPSK Middle Channel / 1RBmax and 1RB0



Date: 12.FEB.2023 04:47:28

Date: 12.FEB.2023 04:48:55

LTE Band 66C / 20MHz+20MHz QPSK Highest Channel / 1RBmax and 1RB0



Date: 12.FEB.2023 05:03:37



Frequency Stability

Test Conditions		LTE Band 66C (QPSK) / Middle Channel	Limit
Temperature (°C)	Voltage (Volt)	BW 20+20MHz	Note 2.
		Deviation (ppm)	Result
50	Normal Voltage	0.0021	PASS
40	Normal Voltage	0.0016	
30	Normal Voltage	0.0007	
20(Ref.)	Normal Voltage	0.0000	
10	Normal Voltage	0.0012	
0	Normal Voltage	0.0025	
-10	Normal Voltage	0.0019	
-20	Normal Voltage	0.0012	
-30	Normal Voltage	0.0023	
20	Maximum Voltage	0.0015	
20	Normal Voltage	0.0021	
20	Battery End Point	0.0032	

Note:

1. Normal Voltage =3.8 V. ; Battery End Point (BEP) =3.3 V. ; Maximum Voltage =4.3 V.
2. Note: The frequency fundamental emissions stay within the authorized frequency block.





# Appendix B. Test Results of Radiated Test

## Radiated Spurious Emission

Test Engineer :	Carry Xu	Temperature :	22~23°C
		Relative Humidity :	40~42%

LTE Band 25 / 20MHz / QPSK / Ant.7								
Channel	Frequency ( MHz )	EIRP ( dBm )	Limit ( dBm )	Over Limit ( dB )	S.G. Power ( dBm )	TX Cable loss ( dB )	TX Antenna Gain (dBi)	Polarization (H/V)
Lowest	3702	-51.44	-13	-38.44	-63.70	2.64	14.90	H
	5553	-43.99	-13	-30.99	-55.85	2.94	14.80	H
	7404	-52.41	-13	-39.41	-62.18	3.39	13.16	H
	3702	-55.14	-13	-42.14	-67.40	2.64	14.90	V
	5553	-54.65	-13	-41.65	-66.51	2.94	14.80	V
	7404	-55.01	-13	-42.01	-64.78	3.39	13.16	V
Middle	3747	-50.52	-13	-37.52	-62.78	2.64	14.90	H
	5622	-43.36	-13	-30.36	-55.22	2.94	14.80	H
	7488	-47.27	-13	-34.27	-57.04	3.39	13.16	H
	3747	-55.60	-13	-42.60	-67.86	2.64	14.90	V
	5622	-52.92	-13	-39.92	-64.78	2.94	14.80	V
	7488	-54.03	-13	-41.03	-63.80	3.39	13.16	V
Highest	3792	-51.97	-13	-38.97	-64.23	2.64	14.90	H
	5688	-42.22	-13	-29.22	-54.08	2.94	14.80	H
	7584	-43.80	-13	-30.80	-53.57	3.39	13.16	H
	3792	-57.20	-13	-44.20	-69.46	2.64	14.90	V
	5688	-51.12	-13	-38.12	-62.98	2.94	14.80	V
	7584	-53.47	-13	-40.47	-63.24	3.39	13.16	V

Remark: Spurious emissions within 30-1000MHz were found more than 20dB below limit line.



DC_2A_n12A / 20MHz / QPSK for Other PA / Ant.1								
Channel	Frequency ( MHz )	EIRP ( dBm )	Limit ( dBm )	Over Limit ( dB )	S.G. Power ( dBm )	TX Cable loss ( dB )	TX Antenna Gain (dBi)	Polarization (H/V)
Lowest	3705	-50.79	-13	-37.79	-63.05	2.64	14.90	H
	5550	-54.78	-13	-41.78	-66.64	2.94	14.80	H
	7410	-54.55	-13	-41.55	-64.32	3.39	13.16	H
	3705	-51.26	-13	-38.26	-63.52	2.64	14.90	V
	5550	-52.05	-13	-39.05	-63.91	2.94	14.80	V
	7410	-54.81	-13	-41.81	-64.58	3.39	13.16	V
Middle	3735	-48.87	-13	-35.87	-61.13	2.64	14.90	H
	5610	-54.44	-13	-41.44	-66.30	2.94	14.80	H
	7485	-54.27	-13	-41.27	-64.04	3.39	13.16	H
	3735	-50.35	-13	-37.35	-62.61	2.64	14.90	V
	5610	-54.65	-13	-41.65	-66.51	2.94	14.80	V
	7485	-54.10	-13	-41.10	-63.87	3.39	13.16	V
Highest	3780	-47.91	-13	-34.91	-60.17	2.64	14.90	H
	5670	-53.26	-13	-40.26	-65.12	2.94	14.80	H
	7560	-53.79	-13	-40.79	-63.56	3.39	13.16	H
	3780	-51.70	-13	-38.70	-63.96	2.64	14.90	V
	5670	-55.85	-13	-42.85	-67.71	2.94	14.80	V
	7560	-53.88	-13	-40.88	-63.65	3.39	13.16	V

LTE Band 26 / 15MHz / QPSK / Ant.7								
Channel	Frequency ( MHz )	ERP ( dBm )	Limit ( dBm )	Over Limit ( dB )	S.G. Power ( dBm )	TX Cable loss ( dB )	TX Antenna Gain (dBi)	Polarization (H/V)
Lowest	1648	-59.04	-13	-46.04	-66.01	1.58	10.70	H
	2472	-60.47	-13	-47.47	-68.72	2.102	12.50	H
	3296	-61.82	-13	-48.82	-70.71	2.856	13.90	H
	1648	-53.61	-13	-40.61	-60.58	1.58	10.70	V
	2472	-57.78	-13	-44.78	-66.03	2.10	12.50	V
	3296	-61.91	-13	-48.91	-70.80	2.86	13.90	V
Middle	1660	-63.55	-13	-50.55	-70.52	1.58	10.70	H
	2490	-60.91	-13	-47.91	-69.16	2.102	12.50	H
	3318	-62.23	-13	-49.23	-71.12	2.856	13.90	H
	1660	-58.39	-13	-45.39	-65.36	1.58	10.70	V
	2490	-57.64	-13	-44.64	-65.89	2.10	12.50	V
	3318	-62.17	-13	-49.17	-71.06	2.86	13.90	V
Highest	1672	-63.27	-13	-50.27	-70.24	1.58	10.70	H
	2504	-56.58	-13	-43.58	-64.83	2.102	12.50	H
	3336	-62.35	-13	-49.35	-71.24	2.856	13.90	H
	1672	-55.73	-13	-42.73	-62.70	1.58	10.70	V
	2504	-55.05	-13	-42.05	-63.30	2.10	12.50	V
	3336	-62.16	-13	-49.16	-71.05	2.86	13.90	V

Remark: Spurious emissions within 30-1000MHz were found more than 20dB below limit line.



LTE Band 66 / 20MHz / QPSK / Ant.7								
Channel	Frequency ( MHz )	EIRP ( dBm )	Limit ( dBm )	Over Limit ( dB )	S.G. Power ( dBm )	TX Cable loss ( dB )	TX Antenna Gain (dBi)	Polarization (H/V)
Lowest	3423	-51.19	-13	-38.19	-61.93	2.604	13.34	H
	5133	-48.00	-13	-35.00	-58.51	3.011	13.52	H
	6840	-56.55	-13	-43.55	-66.75	3.271	13.47	H
	3423	-57.40	-13	-44.40	-68.14	2.604	13.34	V
	5133	-55.82	-13	-42.82	-66.33	3.011	13.52	V
	6840	-56.62	-13	-43.62	-66.82	3.271	13.47	V
Middle	3471	-53.56	-13	-40.56	-64.30	2.604	13.34	H
	5208	-47.35	-13	-34.35	-57.86	3.011	13.52	H
	6948	-55.23	-13	-42.23	-65.43	3.271	13.47	H
	8676	-47.72	-13	-34.72	-54.69	5.527	12.5	H
	3471	-59.02	-13	-46.02	-69.76	2.604	13.34	V
	5208	-55.18	-13	-42.18	-65.69	3.011	13.52	V
	6948	-56.39	-13	-43.39	-66.59	3.271	13.47	V
	8676	-51.81	-13	-38.81	-58.78	5.527	12.50	V
Highest	3522	-55.15	-13	-42.15	-65.89	2.604	13.34	H
	5283	-45.73	-13	-32.73	-56.24	3.011	13.52	H
	7044	-55.14	-13	-42.14	-65.34	3.271	13.47	H
	8808	-45.51	-13	-32.51	-52.48	5.527	12.5	H
	3522	-59.28	-13	-46.28	-70.02	2.604	13.34	V
	5283	-55.56	-13	-42.56	-66.07	3.011	13.52	V
	7044	-55.82	-13	-42.82	-66.02	3.271	13.47	V
	8808	-51.68	-13	-38.68	-58.65	5.527	12.50	V

Remark: Spurious emissions within 30-1000MHz were found more than 20dB below limit line.



DC_66A_n77A / 20MHz / QPSK for Other PA / Ant.1								
Channel	Frequency ( MHz )	EIRP ( dBm )	Limit ( dBm )	Over Limit ( dB )	S.G. Power ( dBm )	TX Cable loss ( dB )	TX Antenna Gain (dBi)	Polarization (H/V)
Lowest	3420	-57.37	-13	-44.37	-68.11	2.604	13.34	H
	5130	-54.05	-13	-41.05	-64.56	3.011	13.52	H
	6840	-54.90	-13	-41.90	-65.10	3.271	13.47	H
	3420	-54.51	-13	-41.51	-65.25	2.604	13.34	V
	5130	-53.62	-13	-40.62	-64.13	3.011	13.52	V
	6840	-54.42	-13	-41.42	-64.62	3.271	13.47	V
Middle	3465	-58.25	-13	-45.25	-68.99	2.604	13.34	H
	5205	-55.58	-13	-42.58	-66.09	3.011	13.52	H
	6945	-55.29	-13	-42.29	-65.49	3.271	13.47	H
	3465	-57.59	-13	-44.59	-68.33	2.604	13.34	V
	5205	-53.54	-13	-40.54	-64.05	3.011	13.52	V
	6945	-55.17	-13	-42.17	-65.37	3.271	13.47	V
Highest	3525	-56.93	-13	-43.93	-67.67	2.604	13.34	H
	5280	-55.00	-13	-42.00	-65.51	3.011	13.52	H
	7050	-55.11	-13	-42.11	-65.31	3.271	13.47	H
	3525	-58.32	-13	-45.32	-69.06	2.604	13.34	V
	5280	-52.83	-13	-39.83	-63.34	3.011	13.52	V
	7050	-54.74	-13	-41.74	-64.94	3.271	13.47	V

Remark: Spurious emissions within 30-1000MHz were found more than 20dB below limit line.



LTE Band 66B / 10MHz + 10MHz / QPSK/ Ant.7								
Channel	Frequency ( MHz )	EIRP ( dBm )	Limit ( dBm )	Over Limit ( dB )	S.G. Power ( dBm )	TX Cable loss ( dB )	TX Antenna Gain (dBi)	Polarization (H/V)
Lowest PCC_1RB0	3405	-57.67	-13	-44.67	-68.41	2.604	13.34	H
	5115	-56.14	-13	-43.14	-66.65	3.011	13.52	H
	6825	-54.79	-13	-41.79	-64.99	3.271	13.47	H
	3405	-57.84	-13	-44.84	-68.58	2.604	13.34	V
	5115	-56.33	-13	-43.33	-66.84	3.011	13.52	V
	6825	-54.06	-13	-41.06	-64.26	3.271	13.47	V
Lowest SCC_1RBM AX	3450	-56.72	-13	-43.72	-67.46	2.604	13.34	H
	5175	-55.15	-13	-42.15	-65.66	3.011	13.52	H
	6900	-54.87	-13	-41.87	-65.07	3.271	13.47	H
	3450	-56.76	-13	-43.76	-67.50	2.604	13.34	V
	5175	-55.5	-13	-42.50	-66.01	3.011	13.52	V
	6900	-55.01	-13	-42.01	-65.21	3.271	13.47	V
Middle PCC_1RB0	3480	-56.32	-13	-43.32	-67.06	2.604	13.34	H
	5220	-54.59	-13	-41.59	-65.10	3.011	13.52	H
	6960	-54.36	-13	-41.36	-64.56	3.271	13.47	H
	3480	-57.22	-13	-44.22	-67.96	2.604	13.34	V
	5220	-54.35	-13	-41.35	-64.86	3.011	13.52	V
	6960	-54.68	-13	-41.68	-64.88	3.271	13.47	V
Middle SCC_1RBM AX	3525	-56.51	-13	-43.51	-67.25	2.604	13.34	H
	5280	-56.49	-13	-43.49	-67.00	3.011	13.52	H
	7035	-54.48	-13	-41.48	-64.68	3.271	13.47	H
	3525	-56.76	-13	-43.76	-67.50	2.604	13.34	V
	5280	-56.66	-13	-43.66	-67.17	3.011	13.52	V
	7035	-54.56	-13	-41.56	-64.76	3.271	13.47	V
Highest PCC_1RB0	3510	-56.91	-13	-43.91	-67.65	2.604	13.34	H
	5265	-56.55	-13	-43.55	-67.06	3.011	13.52	H
	7020	-54.6	-13	-41.60	-64.80	3.271	13.47	H
	3510	-56.86	-13	-43.86	-67.60	2.604	13.34	V
	5265	-56.69	-13	-43.69	-67.20	3.011	13.52	V
	7020	-54.48	-13	-41.48	-64.68	3.271	13.47	V
Highest SCC_1RBM AX	3555	-56.43	-13	-43.43	-67.17	2.604	13.34	H
	5325	-56.3	-13	-43.30	-66.81	3.011	13.52	H
	7095	-54.3	-13	-41.30	-64.50	3.271	13.47	H
	3555	-56.84	-13	-43.84	-67.58	2.604	13.34	V
	5325	-56.14	-13	-43.14	-66.65	3.011	13.52	V
	7095	-54.33	-13	-41.33	-64.53	3.271	13.47	V



LTE Band 66C / 20MHz + 20MHz / QPSK/ Ant.7								
Channel	Frequency ( MHz )	EIRP ( dBm )	Limit ( dBm )	Over Limit ( dB )	S.G. Power ( dBm )	TX Cable loss ( dB )	TX Antenna Gain (dBi)	Polarization (H/V)
Lowest PCC_1RB0	3420	-57.26	-13	-44.26	-68.00	2.604	13.34	H
	5130	-56.01	-13	-43.01	-66.52	3.011	13.52	H
	6840	-54.96	-13	-41.96	-65.16	3.271	13.47	H
	3420	-57.36	-13	-44.36	-68.10	2.604	13.34	V
	5130	-56.29	-13	-43.29	-66.80	3.011	13.52	V
	6840	-54.47	-13	-41.47	-64.67	3.271	13.47	V
Lowest SCC_1RBM AX	3465	-56.52	-13	-43.52	-67.26	2.604	13.34	H
	5190	-54.53	-13	-41.53	-65.04	3.011	13.52	H
	6915	-54.78	-13	-41.78	-64.98	3.271	13.47	H
	3465	-57.05	-13	-44.05	-67.79	2.604	13.34	V
	5190	-54.37	-13	-41.37	-64.88	3.011	13.52	V
	6915	-54.56	-13	-41.56	-64.76	3.271	13.47	V
Middle PCC_1RB0	3465	-56.78	-13	-43.78	-67.52	2.604	13.34	H
	5205	-54.74	-13	-41.74	-65.25	3.011	13.52	H
	6945	-54.56	-13	-41.56	-64.76	3.271	13.47	H
	3465	-57.33	-13	-44.33	-68.07	2.604	13.34	V
	5205	-54.8	-13	-41.80	-65.31	3.011	13.52	V
	6945	-54.72	-13	-41.72	-64.92	3.271	13.47	V
Middle SCC_1RBM AX	3510	-56.55	-13	-43.55	-67.29	2.604	13.34	H
	5265	-56.71	-13	-43.71	-67.22	3.011	13.52	H
	7020	-54.4	-13	-41.40	-64.60	3.271	13.47	H
	3510	-57.19	-13	-44.19	-67.93	2.604	13.34	V
	5265	-56.97	-13	-43.97	-67.48	3.011	13.52	V
	7020	-54.32	-13	-41.32	-64.52	3.271	13.47	V
Highest PCC_1RB0	3525	-56.54	-13	-43.54	-67.28	2.604	13.34	H
	5280	-56.75	-13	-43.75	-67.26	3.011	13.52	H
	7050	-54.25	-13	-41.25	-64.45	3.271	13.47	H
	3525	-56.65	-13	-43.65	-67.39	2.604	13.34	V
	5280	-56.75	-13	-43.75	-67.26	3.011	13.52	V
	7050	-54.18	-13	-41.18	-64.38	3.271	13.47	V
Highest SCC_1RBM AX	3555	-56.37	-13	-43.37	-67.11	2.604	13.34	H
	5340	-56.16	-13	-43.16	-66.67	3.011	13.52	H
	7110	-54.33	-13	-41.33	-64.53	3.271	13.47	H
	3555	-56.54	-13	-43.54	-67.28	2.604	13.34	V
	5340	-56.13	-13	-43.13	-66.64	3.011	13.52	V
	7110	-54.09	-13	-41.09	-64.29	3.271	13.47	V



LTE Band 71 / 20MHz / QPSK/ Ant.7								
Channel	Frequency ( MHz )	ERP ( dBm )	Limit ( dBm )	Over Limit ( dB )	S.G. Power ( dBm )	TX Cable loss ( dB )	TX Antenna Gain (dBi)	Polarization (H/V)
Lowest	1328	-63.79	-13	-50.79	-65.54	1.02	4.92	H
	1992	-62.46	-13	-49.46	-64.43	1.27	5.39	H
	2656	-57.15	-13	-44.15	-60.08	1.49	6.57	H
	1328	-63.40	-13	-50.40	-65.15	1.02	4.92	V
	1992	-62.54	-13	-49.54	-64.51	1.27	5.39	V
	2656	-60.34	-13	-47.34	-63.27	1.49	6.57	V
Middle	1344	-66.02	-13	-53.02	-67.77	1.02	4.92	H
	2024	-63.78	-13	-50.78	-65.75	1.27	5.39	H
	2696	-61.65	-13	-48.65	-64.58	1.49	6.57	H
	1344	-65.31	-13	-52.31	-67.06	1.02	4.92	V
	2024	-63.13	-13	-50.13	-65.10	1.27	5.39	V
	2696	-61.63	-13	-48.63	-64.56	1.49	6.57	V
Highest	1360	-66.65	-13	-53.65	-68.40	1.02	4.92	H
	2040	-63.61	-13	-50.61	-65.58	1.27	5.39	H
	2712	-61.49	-13	-48.49	-64.42	1.49	6.57	H
	1360	-64.54	-13	-51.54	-66.29	1.02	4.92	V
	2040	-62.57	-13	-49.57	-64.54	1.27	5.39	V
	2712	-60.88	-13	-47.88	-63.81	1.49	6.57	V

Remark: Spurious emissions within 30-1000MHz were found more than 20dB below limit line.