

### Radiated Spurious Emission

Test Mode & Test Freq.[MHz]	Frequency [MHz]	PK+Level [dBm]	PK+Limit [dBm]	PK+Margin [dB]	Polarization	Azimuth [deg]
DC_2A_n5_5M_CH165300_Low	37.250	-53.63	-13.00	40.63	H	35.5
	61.500	-52.90	-13.00	39.90	V	3.8
	96.350	-56.16	-13.00	43.16	V	184.7
	259.200	-53.24	-13.00	40.24	H	0
	541.758	-47.49	-13.00	34.49	H	201.4
	970.713	-39.56	-13.00	26.56	H	360
DC_2A_n5_5M_CH165300_High	1,653.000	-46.37	-13.00	33.37	V	360
	2,478.000	-39.51	-13.00	26.51	V	338.9
	3,307.000	-34.94	-13.00	21.94	H	294.2
	4,133.000	-32.48	-13.00	19.48	V	0
	4,958.000	-31.73	-13.00	18.73	H	225.3
	5,783.500	-28.15	-13.00	15.15	V	0
	6,613.000	-35.85	-13.00	22.85	H	360
	7,437.500	-32.67	-13.00	19.67	V	61.3
DC_2A_n66_40M_CH346000_Low	8,264.000	-39.84	-13.00	26.84	H	231.4
	43.600	-51.96	-13.00	38.96	V	323.9
	103.800	-53.74	-13.00	40.74	V	139.3
	197.550	-52.78	-13.00	39.78	V	101.8
	313.850	-50.10	-13.00	37.10	H	360
	741.088	-43.11	-13.00	30.11	H	82.9
DC_2A_n66_40M_CH346000_High	951.783	-39.34	-13.00	26.34	H	228.1
	3,421.500	-34.94	-13.00	21.94	V	334.7
	5,134.500	-30.84	-13.00	17.84	V	334.7
	6,842.000	-35.20	-13.00	22.20	V	9.1
	8,553.000	-37.65	-13.00	24.65	H	358.6
	10,265.500	-37.98	-13.00	24.98	H	170.5
	11,978.500	-36.02	-13.00	23.02	V	0
	13,688.000	-35.82	-13.00	22.82	V	79
DC_4A_n2_10M_CH375000_Low	15,397.000	-32.82	-13.00	19.82	V	280.1
	17,111.000	-30.49	-13.00	17.49	H	0
	47.550	-52.43	-13.00	39.43	V	360
	120.000	-52.72	-13.00	39.72	V	0
	290.750	-50.75	-13.00	37.75	H	37.9
	425.400	-47.49	-13.00	34.49	V	324.6
DC_4A_n2_10M_CH375000_High	702.908	-45.06	-13.00	32.06	H	148.7
	938.354	-39.97	-13.00	26.97	H	298.5
DC_4A_n2_10M_CH375000_High	3,751.500	-33.84	-13.00	20.84	H	265.8
	5,622.500	-29.15	-13.00	16.15	H	327.4

	7,498.500	-32.23	-13.00	19.23	H	310.1
	9,384.500	-38.26	-13.00	25.26	V	359
	11,249.000	-37.42	-13.00	24.42	V	209.6
	13,123.500	-35.99	-13.00	22.99	V	81.4
	14,999.500	-34.27	-13.00	21.27	H	217.1
	16,874.500	-28.88	-13.00	15.88	V	179
DC_5A_n7_20M_CH502000_Low	38.900	-52.81	-25.00	27.81	H	3.1
	59.600	-51.99	-25.00	26.99	V	4.5
	114.700	-54.35	-25.00	29.35	V	0
	278.250	-50.71	-25.00	25.71	H	126
	579.342	-46.44	-25.00	21.44	V	344.1
	951.600	-39.30	-25.00	14.30	H	341.5
DC_5A_n7_20M_CH502000_High	5,002.000	-44.46	-25.00	19.46	H	227
	7,503.500	-42.83	-25.00	17.83	H	183
	10,002.000	-45.56	-25.00	20.56	V	0
	12,506.500	-49.79	-25.00	24.79	H	313.7
	15,015.500	-46.95	-25.00	21.95	V	360
	17,518.000	-44.96	-25.00	19.96	H	171
DC_5A_n40_10M_CH470000_Low	54.900	-50.56	-13.00	37.56	V	325.7
	105.300	-53.61	-13.00	40.61	V	134.7
	196.550	-53.27	-13.00	40.27	V	128.5
	474.383	-49.01	-13.00	36.01	H	1
	661.521	-44.76	-13.00	31.76	V	359.3
	934.367	-39.98	-13.00	26.98	H	360
DC_5A_n40_10M_CH470000_High	4,695.000	-32.19	-13.00	19.19	V	67.1
	7,037.000	-36.79	-13.00	23.79	H	298.8
	9,383.000	-38.28	-13.00	25.28	V	360
	11,730.000	-37.62	-13.00	24.62	V	360
	14,075.000	-35.61	-13.00	22.61	H	360
	16,423.000	-29.61	-13.00	16.61	V	0.9
DC_8A_n78_100M_CH633333_Low	35.750	-54.09	-13.00	41.09	H	360
	90.350	-55.51	-13.00	42.51	V	356.8
	197.150	-53.92	-13.00	40.92	V	4.5
	318.750	-49.66	-13.00	36.66	H	175.1
	544.646	-46.80	-13.00	33.80	H	359.2
	788.113	-42.48	-13.00	29.48	V	202.6
DC_8A_n78_100M_CH633333_High	3,448.500	-20.08	-13.00	7.08	H	14.1
	3,761.500	-28.09	-13.00	15.09	H	14.1
	7,100.000	-35.44	-13.00	22.44	H	0
	10,650.000	-36.88	-13.00	23.88	V	111.5
	14,200.000	-35.95	-13.00	22.95	V	360
	17,750.000	-27.32	-13.00	14.32	V	187

DC_28A_n40_10M_CH461000_Low	52.350	-50.76	-13.00	37.76	V	323.4
	104.000	-54.20	-13.00	41.20	V	356
	191.250	-54.48	-13.00	41.48	V	0
	284.400	-50.68	-13.00	37.68	H	226.5
	608.492	-47.15	-13.00	34.15	V	63
	944.633	-39.77	-13.00	26.77	H	201.4
DC_28A_n40_10M_CH461000_High	4,604.500	-32.72	-13.00	19.72	V	96.3
	6,902.500	-36.01	-13.00	23.01	V	9.8
	9,203.500	-39.12	-13.00	26.12	V	0
	11,506.500	-37.08	-13.00	24.08	H	0
	13,805.500	-36.01	-13.00	23.01	V	0
	16,106.500	-29.00	-13.00	16.00	H	360

**Remark:** 'Low' indicates a frequency range below 1GHz, and 'High' indicates a frequency range above 1GHz.