

Channel Bandwidth (MHz)	Frequency (MHz)	RB Size	RB Offset	Output Power (dBm)		Total Power (dBm)	EIRP (dBm)	Limit (dBm)
				Port 0	Port 3			
DFT-s-OFDM 256QAM								
10	3705.00	12	6	20.24	19.52	22.91	23.49	< 30.00
		1	1	20.15	19.43	22.82	23.40	< 30.00
		1	22	20.13	19.51	22.84	23.42	< 30.00
		24	0	20.19	19.49	22.86	23.44	< 30.00
		1	0	19.26	18.57	21.94	22.52	< 30.00
		1	23	19.29	18.60	21.97	22.55	< 30.00
10	3840.00	12	6	20.01	19.56	22.80	23.38	< 30.00
		1	1	19.98	19.47	22.74	23.32	< 30.00
		1	22	19.94	19.45	22.71	23.29	< 30.00
		24	0	19.95	19.45	22.72	23.30	< 30.00
		1	0	19.02	18.55	21.80	22.38	< 30.00
		1	23	18.90	18.45	21.69	22.27	< 30.00
10	3975.00	12	6	20.24	19.46	22.88	23.46	< 30.00
		1	1	20.03	19.23	22.66	23.24	< 30.00
		1	22	20.19	19.46	22.85	23.43	< 30.00
		24	0	20.18	19.47	22.85	23.43	< 30.00
		1	0	19.02	18.41	21.74	22.32	< 30.00
		1	23	19.09	18.49	21.81	22.39	< 30.00
15	3707.52	18	9	20.12	19.28	22.73	23.31	< 30.00
		1	1	20.01	19.05	22.57	23.15	< 30.00
		1	36	20.09	19.40	22.77	23.35	< 30.00
		36	0	20.03	19.21	22.65	23.23	< 30.00
		1	0	19.02	18.13	21.61	22.19	< 30.00
		1	37	19.02	18.34	21.70	22.28	< 30.00
Note 1: Total Power (dBm) = $10 \cdot \log\{10^{(\text{Port 0 Output Power} / 10)} + 10^{(\text{Port 1 Output Power} / 10)}\}$ Note 2: The EIRP (dBm) = Total Power (dBm) + Antenna Gain (dBi)								

Channel Bandwidth (MHz)	Frequency (MHz)	RB Size	RB Offset	Output Power (dBm)		Total Power (dBm)	EIRP (dBm)	Limit (dBm)
				Port 0	Port 3			
DFT-s-OFDM 256QAM								
15	3840.00	18	9	20.24	19.76	23.02	23.60	< 30.00
		1	1	20.14	19.77	22.97	23.55	< 30.00
		1	36	20.24	19.71	22.99	23.57	< 30.00
		36	0	20.18	19.68	22.95	23.53	< 30.00
		1	0	19.17	18.74	21.97	22.55	< 30.00
		1	37	19.15	18.59	21.89	22.47	< 30.00
15	3972.48	18	9	20.42	19.60	23.04	23.62	< 30.00
		1	1	20.45	19.53	23.02	23.60	< 30.00
		1	36	20.36	19.47	22.95	23.53	< 30.00
		36	0	20.39	19.54	23.00	23.58	< 30.00
		1	0	19.30	18.54	21.95	22.53	< 30.00
		1	37	19.33	18.61	22.00	22.58	< 30.00
20	3710.01	25	12	20.19	19.31	22.78	23.36	< 30.00
		1	1	20.11	19.26	22.72	23.30	< 30.00
		1	49	20.17	19.48	22.85	23.43	< 30.00
		50	0	20.21	19.32	22.80	23.38	< 30.00
		1	0	18.98	18.21	21.62	22.20	< 30.00
		1	50	19.11	18.46	21.81	22.39	< 30.00
20	3840.00	25	12	20.29	19.84	23.08	23.66	< 30.00
		1	1	20.07	19.63	22.87	23.45	< 30.00
		1	49	20.18	19.69	22.95	23.53	< 30.00
		50	0	20.25	19.78	23.03	23.61	< 30.00
		1	0	19.28	18.83	22.07	22.65	< 30.00
		1	50	19.17	18.77	21.98	22.56	< 30.00

Note 1: Total Power (dBm) =  $10 \cdot \log\{10^{(\text{Port 0 Output Power} / 10)} + 10^{(\text{Port 1 Output Power} / 10)}\}$

Note 2: The EIRP (dBm) = Total Power (dBm) + Antenna Gain (dBi)

Channel Bandwidth (MHz)	Frequency (MHz)	RB Size	RB Offset	Output Power (dBm)		Total Power (dBm)	EIRP (dBm)	Limit (dBm)
				Port 0	Port 3			
DFT-s-OFDM 256QAM								
20	3969.99	25	12	20.52	19.65	23.12	23.70	< 30.00
		1	1	20.43	19.72	23.10	23.68	< 30.00
		1	49	20.45	19.74	23.12	23.70	< 30.00
		50	0	20.50	19.69	23.12	23.70	< 30.00
		1	0	19.49	18.63	22.09	22.67	< 30.00
		1	50	19.56	18.80	22.21	22.79	< 30.00
25	3712.50	32	16	20.21	19.67	22.96	23.54	< 30.00
		1	1	19.95	19.55	22.76	23.34	< 30.00
		1	63	20.25	19.95	23.11	23.69	< 30.00
		64	0	20.14	19.74	22.95	23.53	< 30.00
		1	0	19.11	18.51	21.83	22.41	< 30.00
		1	64	18.97	18.69	21.84	22.42	< 30.00
25	3840.00	32	16	20.37	20.13	23.26	23.84	< 30.00
		1	1	20.22	20.15	23.20	23.78	< 30.00
		1	63	20.39	20.10	23.26	23.84	< 30.00
		64	0	20.41	19.13	22.83	23.41	< 30.00
		1	0	19.34	19.29	22.33	22.91	< 30.00
		1	64	19.40	19.34	22.38	22.96	< 30.00
25	3967.50	32	16	20.59	20.07	23.35	23.93	< 30.00
		1	1	20.39	19.78	23.11	23.69	< 30.00
		1	63	20.35	19.91	23.15	23.73	< 30.00
		64	0	20.68	20.06	23.39	23.97	< 30.00
		1	0	19.46	18.86	22.18	22.76	< 30.00
		1	64	19.32	18.86	22.11	22.69	< 30.00
Note 1: Total Power (dBm) = $10 \cdot \log\{10^{(\text{Port 0 Output Power} / 10)} + 10^{(\text{Port 1 Output Power} / 10)}\}$ Note 2: The EIRP (dBm) = Total Power (dBm) + Antenna Gain (dBi)								

Channel Bandwidth (MHz)	Frequency (MHz)	RB Size	RB Offset	Output Power (dBm)		Total Power (dBm)	EIRP (dBm)	Limit (dBm)
				Port 0	Port 3			
DFT-s-OFDM 256QAM								
30	3715.02	36	18	20.19	19.39	22.82	23.40	< 30.00
		1	1	20.15	19.42	22.81	23.39	< 30.00
		1	76	20.39	19.70	23.07	23.65	< 30.00
		75	0	20.28	19.45	22.90	23.48	< 30.00
		1	0	19.16	18.33	21.78	22.36	< 30.00
		1	77	19.23	18.54	21.91	22.49	< 30.00
30	3840.00	36	18	20.22	19.81	23.03	23.61	< 30.00
		1	1	20.29	19.88	23.10	23.68	< 30.00
		1	76	20.13	19.65	22.91	23.49	< 30.00
		75	0	20.31	19.84	23.09	23.67	< 30.00
		1	0	19.34	18.88	22.13	22.71	< 30.00
		1	77	19.27	18.72	22.01	22.59	< 30.00
30	3964.98	36	18	20.46	19.65	23.08	23.66	< 30.00
		1	1	20.52	19.64	23.11	23.69	< 30.00
		1	76	20.36	19.64	23.03	23.61	< 30.00
		75	0	20.52	19.69	23.14	23.72	< 30.00
		1	0	19.62	18.69	22.19	22.77	< 30.00
		1	77	19.55	18.77	22.19	22.77	< 30.00
Note 1: Total Power (dBm) = $10 \cdot \log\{10^{\text{Port 0 Output Power} / 10} + 10^{\text{Port 1 Output Power} / 10}\}$ Note 2: The EIRP (dBm) = Total Power (dBm) + Antenna Gain (dBi)								

Channel Bandwidth (MHz)	Frequency (MHz)	RB Size	RB Offset	Output Power (dBm)		Total Power (dBm)	EIRP (dBm)	Limit (dBm)
				Port 0	Port 3			
DFT-s-OFDM 256QAM								
40	3720.00	50	25	20.04	19.28	22.69	23.27	< 30.00
		1	1	20.12	19.21	22.70	23.28	< 30.00
		1	104	20.06	19.31	22.71	23.29	< 30.00
		100	0	20.03	19.34	22.71	23.29	< 30.00
		1	0	19.23	18.32	21.81	22.39	< 30.00
		1	105	19.08	18.40	21.76	22.34	< 30.00
40	3840.00	50	25	20.14	19.58	22.88	23.46	< 30.00
		1	1	20.13	19.78	22.97	23.55	< 30.00
		1	104	20.02	19.58	22.82	23.40	< 30.00
		100	0	20.10	19.64	22.89	23.47	< 30.00
		1	0	19.28	18.85	22.08	22.66	< 30.00
		1	105	19.13	18.72	21.94	22.52	< 30.00
40	3960.00	50	25	20.34	19.64	23.01	23.59	< 30.00
		1	1	20.31	19.47	22.92	23.50	< 30.00
		1	104	20.40	19.68	23.07	23.65	< 30.00
		100	0	20.50	19.68	23.12	23.70	< 30.00
		1	0	19.51	18.70	22.13	22.71	< 30.00
		1	105	19.46	18.81	22.16	22.74	< 30.00
50	3720.00	64	32	19.94	19.15	22.57	23.15	< 30.00
		1	1	19.67	19.06	22.39	22.97	< 30.00
		1	131	19.74	19.11	22.45	23.03	< 30.00
		128	0	19.95	19.20	22.60	23.18	< 30.00
		1	0	18.83	18.05	21.47	22.05	< 30.00
		1	132	18.89	18.30	21.62	22.20	< 30.00
Note 1: Total Power (dBm) = $10 \cdot \log\{10^{(\text{Port 0 Output Power} / 10)} + 10^{(\text{Port 1 Output Power} / 10)}\}$ Note 2: The EIRP (dBm) = Total Power (dBm) + Antenna Gain (dBi)								

Channel Bandwidth (MHz)	Frequency (MHz)	RB Size	RB Offset	Output Power (dBm)		Total Power (dBm)	EIRP (dBm)	Limit (dBm)
				Port 0	Port 3			
DFT-s-OFDM 256QAM								
50	3840.00	64	32	20.11	19.69	22.92	23.50	< 30.00
		1	1	20.19	19.84	23.03	23.61	< 30.00
		1	131	19.97	19.59	22.79	23.37	< 30.00
		128	0	20.14	19.72	22.95	23.53	< 30.00
		1	0	19.01	18.78	21.91	22.49	< 30.00
		1	132	18.94	18.63	21.80	22.38	< 30.00
50	3954.99	64	32	20.30	19.51	22.93	23.51	< 30.00
		1	1	20.49	19.62	23.09	23.67	< 30.00
		1	131	20.20	19.62	22.93	23.51	< 30.00
		128	0	20.36	19.52	22.97	23.55	< 30.00
		1	0	19.32	18.44	21.91	22.49	< 30.00
		1	132	19.12	18.55	21.85	22.43	< 30.00
60	3730.02	81	40	19.94	19.25	22.62	23.20	< 30.00
		1	1	19.69	19.00	22.37	22.95	< 30.00
		1	160	19.90	19.25	22.60	23.18	< 30.00
		162	0	19.96	19.27	22.64	23.22	< 30.00
		1	0	19.98	18.21	22.19	22.77	< 30.00
		1	161	18.92	18.11	21.54	22.12	< 30.00
60	3840.00	81	40	20.16	19.70	22.95	23.53	< 30.00
		1	1	19.97	19.73	22.86	23.44	< 30.00
		1	160	19.98	19.55	22.78	23.36	< 30.00
		162	0	20.13	19.62	22.89	23.47	< 30.00
		1	0	18.94	18.64	21.80	22.38	< 30.00
		1	161	18.73	18.35	21.55	22.13	< 30.00
Note 1: Total Power (dBm) = $10 \cdot \log\{10^{(\text{Port 0 Output Power} / 10)} + 10^{(\text{Port 1 Output Power} / 10)}\}$ Note 2: The EIRP (dBm) = Total Power (dBm) + Antenna Gain (dBi)								

Channel Bandwidth (MHz)	Frequency (MHz)	RB Size	RB Offset	Output Power (dBm)		Total Power (dBm)	EIRP (dBm)	Limit (dBm)
				Port 0	Port 3			
DFT-s-OFDM 256QAM								
60	3949.98	81	40	20.11	19.56	22.85	23.43	< 30.00
		1	1	20.16	19.62	22.91	23.49	< 30.00
		1	160	20.17	19.55	22.88	23.46	< 30.00
		162	0	20.12	19.56	22.86	23.44	< 30.00
		1	0	19.09	18.41	21.77	22.35	< 30.00
		1	161	18.89	18.48	21.70	22.28	< 30.00
70	3735.00	90	45	20.03	19.32	22.70	23.28	< 30.00
		1	1	19.92	19.17	22.57	23.15	< 30.00
		1	187	20.00	19.31	22.68	23.26	< 30.00
		180	0	20.04	19.27	22.68	23.26	< 30.00
		1	0	19.05	18.17	21.64	22.22	< 30.00
		1	188	19.02	18.32	21.69	22.27	< 30.00
70	3840.00	90	45	20.07	19.64	22.87	23.45	< 30.00
		1	1	20.01	19.71	22.87	23.45	< 30.00
		1	187	19.87	19.44	22.67	23.25	< 30.00
		180	0	20.03	19.62	22.84	23.42	< 30.00
		1	0	19.10	18.69	21.91	22.49	< 30.00
		1	188	19.05	18.53	21.81	22.39	< 30.00
70	3945.00	90	45	20.17	19.61	22.91	23.49	< 30.00
		1	1	20.27	19.65	22.98	23.56	< 30.00
		1	187	19.89	19.52	22.72	23.30	< 30.00
		180	0	20.13	19.61	22.89	23.47	< 30.00
		1	0	19.38	18.58	22.01	22.59	< 30.00
		1	188	18.79	18.38	21.60	22.18	< 30.00
Note 1: Total Power (dBm) = $10 \cdot \log\{10^{(\text{Port 0 Output Power} / 10)} + 10^{(\text{Port 1 Output Power} / 10)}\}$ Note 2: The EIRP (dBm) = Total Power (dBm) + Antenna Gain (dBi)								

Channel Bandwidth (MHz)	Frequency (MHz)	RB Size	RB Offset	Output Power (dBm)		Total Power (dBm)	EIRP (dBm)	Limit (dBm)
				Port 0	Port 3			
DFT-s-OFDM 256QAM								
80	3740.01	108	54	20.02	19.27	22.67	23.25	< 30.00
		1	1	19.85	19.06	22.48	23.06	< 30.00
		1	215	20.07	19.27	22.70	23.28	< 30.00
		216	0	20.01	19.25	22.66	23.24	< 30.00
		1	0	18.94	18.32	21.65	22.23	< 30.00
		1	216	18.96	18.18	21.60	22.18	< 30.00
80	3840.00	108	54	20.01	19.60	22.82	23.40	< 30.00
		1	1	19.89	19.59	22.75	23.33	< 30.00
		1	215	19.94	19.50	22.74	23.32	< 30.00
		216	0	20.03	19.62	22.84	23.42	< 30.00
		1	0	18.93	18.60	21.78	22.36	< 30.00
		1	216	18.92	18.52	21.73	22.31	< 30.00
80	3939.99	108	54	20.15	19.59	22.89	23.47	< 30.00
		1	1	20.37	19.58	23.00	23.58	< 30.00
		1	215	19.83	19.57	22.71	23.29	< 30.00
		216	0	20.17	19.63	22.92	23.50	< 30.00
		1	0	19.30	18.58	21.97	22.55	< 30.00
		1	216	18.80	18.54	21.68	22.26	< 30.00
90	3745.02	120	60	20.05	19.44	22.77	23.35	< 30.00
		1	1	19.93	19.08	22.54	23.12	< 30.00
		1	243	20.20	19.43	22.84	23.42	< 30.00
		243	0	20.05	19.29	22.70	23.28	< 30.00
		1	0	19.07	18.32	21.72	22.30	< 30.00
		1	244	19.01	18.35	21.70	22.28	< 30.00
Note 1: Total Power (dBm) = $10 \cdot \log\{10^{(\text{Port 0 Output Power} / 10)} + 10^{(\text{Port 1 Output Power} / 10)}\}$ Note 2: The EIRP (dBm) = Total Power (dBm) + Antenna Gain (dBi)								



Channel Bandwidth (MHz)	Frequency (MHz)	RB Size	RB Offset	Output Power (dBm)		Total Power (dBm)	EIRP (dBm)	Limit (dBm)
				Port 0	Port 3			
DFT-s-OFDM 256QAM								
90	3840.00	120	60	20.06	19.64	22.87	23.45	< 30.00
		1	1	19.84	19.55	22.71	23.29	< 30.00
		1	243	19.96	19.36	22.68	23.26	< 30.00
		243	0	20.02	19.62	22.83	23.41	< 30.00
		1	0	18.93	18.70	21.83	22.41	< 30.00
		1	244	18.98	18.55	21.78	22.36	< 30.00
90	3934.98	120	60	20.10	19.55	22.84	23.42	< 30.00
		1	1	20.24	19.49	22.89	23.47	< 30.00
		1	243	19.83	19.49	22.67	23.25	< 30.00
		243	0	20.12	19.57	22.86	23.44	< 30.00
		1	0	19.25	18.60	21.95	22.53	< 30.00
		1	244	18.89	18.61	21.76	22.34	< 30.00
100	3750.00	135	67	20.09	19.48	22.81	23.39	< 30.00
		1	1	19.88	19.10	22.52	23.10	< 30.00
		1	271	20.15	19.39	22.80	23.38	< 30.00
		270	0	20.06	19.30	22.71	23.29	< 30.00
		1	0	19.10	18.26	21.71	22.29	< 30.00
		1	272	19.12	18.35	21.76	22.34	< 30.00
100	3840.00	135	67	20.09	19.67	22.90	23.48	< 30.00
		1	1	19.77	19.54	22.67	23.25	< 30.00
		1	271	19.93	19.45	22.71	23.29	< 30.00
		270	0	20.04	19.59	22.83	23.41	< 30.00
		1	0	18.91	18.60	21.77	22.35	< 30.00
		1	272	19.01	18.46	21.75	22.33	< 30.00
100	3930.00	135	67	20.19	19.67	22.95	23.53	< 30.00
		1	1	20.21	19.49	22.88	23.46	< 30.00
		1	271	19.82	19.62	22.73	23.31	< 30.00
		270	0	20.14	19.62	22.90	23.48	< 30.00
		1	0	19.20	18.56	21.90	22.48	< 30.00
		1	272	18.79	18.53	21.67	22.25	< 30.00
Note 1: Total Power (dBm) = $10 \cdot \log\{10^{\text{Port 0 Output Power} / 10} + 10^{\text{Port 1 Output Power} / 10}\}$ Note 2: The EIRP (dBm) = Total Power (dBm) + Antenna Gain (dBi)								

Channel Bandwidth (MHz)	Frequency (MHz)	RB Size	RB Offset	Output Power (dBm)		Total Power (dBm)	EIRP (dBm)	Limit (dBm)
				Port 0	Port 3			
CP OFDM QPSK								
10	3705.00	12	6	24.21	23.43	26.85	27.43	< 30.00
		1	1	24.15	23.30	26.76	27.34	< 30.00
		1	22	24.23	23.49	26.89	27.47	< 30.00
		24	0	21.73	20.90	24.35	24.93	< 30.00
		1	0	19.22	18.46	21.87	22.45	< 30.00
		1	23	19.21	18.57	21.91	22.49	< 30.00
10	3840.00	12	6	24.23	23.76	27.01	27.59	< 30.00
		1	1	24.05	23.70	26.89	27.47	< 30.00
		1	22	24.14	23.73	26.95	27.53	< 30.00
		24	0	21.64	21.19	24.43	25.01	< 30.00
		1	0	19.19	18.78	22.00	22.58	< 30.00
		1	23	19.21	18.84	22.04	22.62	< 30.00
10	3975.00	12	6	24.55	23.83	27.22	27.80	< 30.00
		1	1	24.46	23.77	27.14	27.72	< 30.00
		1	22	24.49	23.85	27.19	27.77	< 30.00
		24	0	21.93	21.23	24.60	25.18	< 30.00
		1	0	19.51	18.90	22.23	22.81	< 30.00
		1	23	19.52	18.76	22.17	22.75	< 30.00
15	3707.52	19	9	24.27	23.42	26.88	27.46	< 30.00
		1	1	24.39	23.55	27.00	27.58	< 30.00
		1	36	24.41	23.70	27.08	27.66	< 30.00
		38	0	21.79	20.94	24.40	24.98	< 30.00
		1	0	19.34	18.61	22.00	22.58	< 30.00
		1	37	19.37	18.68	22.05	22.63	< 30.00
Note 1: Total Power (dBm) = $10 \cdot \log\{10^{(\text{Port 0 Output Power} / 10)} + 10^{(\text{Port 1 Output Power} / 10)}\}$ Note 2: The EIRP (dBm) = Total Power (dBm) + Antenna Gain (dBi)								

Channel Bandwidth (MHz)	Frequency (MHz)	RB Size	RB Offset	Output Power (dBm)		Total Power (dBm)	EIRP (dBm)	Limit (dBm)
				Port 0	Port 3			
CP OFDM QPSK								
15	3840.00	19	9	24.39	23.95	27.19	27.77	< 30.00
		1	1	24.42	24.08	27.26	27.84	< 30.00
		1	36	24.44	23.94	27.21	27.79	< 30.00
		38	0	21.89	21.42	24.67	25.25	< 30.00
		1	0	19.47	19.09	22.29	22.87	< 30.00
		1	37	19.40	19.02	22.22	22.80	< 30.00
15	3972.48	19	9	24.60	23.81	27.23	27.81	< 30.00
		1	1	24.72	24.02	27.39	27.97	< 30.00
		1	36	24.71	24.14	27.44	28.02	< 30.00
		38	0	22.12	21.26	24.72	25.30	< 30.00
		1	0	19.76	18.87	22.35	22.93	< 30.00
		1	37	19.77	18.95	22.39	22.97	< 30.00
20	3710.01	25	12	24.35	23.51	26.96	27.54	< 30.00
		1	1	24.28	23.51	26.92	27.50	< 30.00
		1	49	24.29	23.69	27.01	27.59	< 30.00
		51	0	21.80	21.06	24.46	25.04	< 30.00
		1	0	19.40	18.56	22.01	22.59	< 30.00
		1	50	19.43	18.75	22.11	22.69	< 30.00
20	3840.00	25	12	24.43	24.01	27.24	27.82	< 30.00
		1	1	24.41	24.11	27.28	27.86	< 30.00
		1	49	24.48	23.99	27.25	27.83	< 30.00
		51	0	21.91	21.49	24.72	25.30	< 30.00
		1	0	19.45	19.09	22.28	22.86	< 30.00
		1	50	19.48	19.01	22.26	22.84	< 30.00

Note 1: Total Power (dBm) =  $10 \cdot \log\{10^{(\text{Port 0 Output Power} / 10)} + 10^{(\text{Port 1 Output Power} / 10)}\}$

Note 2: The EIRP (dBm) = Total Power (dBm) + Antenna Gain (dBi)

Channel Bandwidth (MHz)	Frequency (MHz)	RB Size	RB Offset	Output Power (dBm)		Total Power (dBm)	EIRP (dBm)	Limit (dBm)
				Port 0	Port 3			
CP OFDM QPSK								
20	3969.99	25	12	24.54	23.93	27.26	27.84	< 30.00
		1	1	24.64	23.89	27.29	27.87	< 30.00
		1	49	24.67	23.95	27.34	27.92	< 30.00
		51	0	22.16	21.38	24.80	25.38	< 30.00
		1	0	19.70	18.91	22.33	22.91	< 30.00
		1	50	19.88	19.10	22.52	23.10	< 30.00
25	3712.50	33	16	24.07	23.58	26.84	27.42	< 30.00
		1	1	24.21	23.67	26.96	27.54	< 30.00
		1	63	24.09	23.80	26.96	27.54	< 30.00
		65	0	21.62	21.15	24.40	24.98	< 30.00
		1	0	19.30	18.75	22.04	22.62	< 30.00
		1	64	19.13	18.87	22.01	22.59	< 30.00
25	3840.00	33	16	24.24	24.06	27.16	27.74	< 30.00
		1	1	24.32	24.25	27.30	27.88	< 30.00
		1	63	24.26	23.95	27.12	27.70	< 30.00
		65	0	21.77	21.54	24.67	25.25	< 30.00
		1	0	19.39	19.24	22.33	22.91	< 30.00
		1	64	19.40	18.94	22.19	22.77	< 30.00
25	3967.50	33	16	24.46	24.05	27.27	27.85	< 30.00
		1	1	24.71	24.12	27.44	28.02	< 30.00
		1	63	24.60	24.06	27.35	27.93	< 30.00
		65	0	22.03	21.54	24.80	25.38	< 30.00
		1	0	19.67	18.95	22.34	22.92	< 30.00
		1	64	19.46	19.16	22.32	22.90	< 30.00
Note 1: Total Power (dBm) = $10 \cdot \log\{10^{(\text{Port 0 Output Power} / 10)} + 10^{(\text{Port 1 Output Power} / 10)}\}$ Note 2: The EIRP (dBm) = Total Power (dBm) + Antenna Gain (dBi)								

Channel Bandwidth (MHz)	Frequency (MHz)	RB Size	RB Offset	Output Power (dBm)		Total Power (dBm)	EIRP (dBm)	Limit (dBm)
				Port 0	Port 3			
CP OFDM QPSK								
30	3715.02	39	19	24.35	23.53	26.97	27.55	< 30.00
		1	1	24.34	23.58	26.99	27.57	< 30.00
		1	76	24.34	23.65	27.02	27.60	< 30.00
		78	0	21.96	21.11	24.57	25.15	< 30.00
		1	0	19.52	18.70	22.14	22.72	< 30.00
		1	77	19.54	18.77	22.18	22.76	< 30.00
30	3840.00	39	19	24.38	23.94	27.18	27.76	< 30.00
		1	1	24.61	24.15	27.40	27.98	< 30.00
		1	76	24.73	24.92	27.84	28.42	< 30.00
		78	0	21.97	21.50	24.75	25.33	< 30.00
		1	0	19.69	19.20	22.46	23.04	< 30.00
		1	77	19.58	19.05	22.33	22.91	< 30.00
30	3964.98	39	19	24.59	23.87	27.26	27.84	< 30.00
		1	1	24.79	23.94	27.40	27.98	< 30.00
		1	76	24.66	23.97	27.34	27.92	< 30.00
		78	0	22.08	21.39	24.76	25.34	< 30.00
		1	0	19.77	18.95	22.39	22.97	< 30.00
		1	77	19.67	18.94	22.33	22.91	< 30.00
Note 1: Total Power (dBm) = $10 \cdot \log\{10^{\text{Port 0 Output Power} / 10} + 10^{\text{Port 1 Output Power} / 10}\}$ Note 2: The EIRP (dBm) = Total Power (dBm) + Antenna Gain (dBi)								

Channel Bandwidth (MHz)	Frequency (MHz)	RB Size	RB Offset	Output Power (dBm)		Total Power (dBm)	EIRP (dBm)	Limit (dBm)
				Port 0	Port 3			
CP OFDM QPSK								
40	3720.00	53	26	24.39	23.62	27.03	27.61	< 30.00
		1	1	24.50	23.73	27.14	27.72	< 30.00
		1	104	24.63	23.86	27.27	27.85	< 30.00
		106	0	21.93	21.21	24.60	25.18	< 30.00
		1	0	19.70	18.96	22.36	22.94	< 30.00
		1	105	19.62	18.91	22.29	22.87	< 30.00
40	3840.00	53	26	24.42	23.98	27.22	27.80	< 30.00
		1	1	24.50	24.13	27.33	27.91	< 30.00
		1	104	24.45	24.11	27.29	27.87	< 30.00
		106	0	21.94	21.49	24.73	25.31	< 30.00
		1	0	19.72	19.33	22.54	23.12	< 30.00
		1	105	19.55	19.05	22.32	22.90	< 30.00
40	3960.00	53	26	24.62	23.87	27.27	27.85	< 30.00
		1	1	24.97	24.11	27.57	28.15	< 30.00
		1	104	24.77	24.21	27.51	28.09	< 30.00
		106	0	22.17	21.37	24.80	25.38	< 30.00
		1	0	19.99	19.08	22.57	23.15	< 30.00
		1	105	19.88	19.14	22.54	23.12	< 30.00
50	3720.00	67	33	24.21	23.45	26.86	27.44	< 30.00
		1	1	24.12	23.24	26.71	27.29	< 30.00
		1	131	24.10	23.45	26.80	27.38	< 30.00
		133	0	21.67	20.99	24.35	24.93	< 30.00
		1	0	19.45	18.49	22.01	22.59	< 30.00
		1	132	19.33	18.59	21.99	22.57	< 30.00
Note 1: Total Power (dBm) = $10 \cdot \log\{10^{(\text{Port 0 Output Power} / 10)} + 10^{(\text{Port 1 Output Power} / 10)}\}$ Note 2: The EIRP (dBm) = Total Power (dBm) + Antenna Gain (dBi)								

Channel Bandwidth (MHz)	Frequency (MHz)	RB Size	RB Offset	Output Power (dBm)		Total Power (dBm)	EIRP (dBm)	Limit (dBm)
				Port 0	Port 3			
CP OFDM QPSK								
50	3840.00	67	33	24.25	23.80	27.04	27.62	< 30.00
		1	1	24.31	23.92	27.13	27.71	< 30.00
		1	131	24.28	23.76	27.04	27.62	< 30.00
		133	0	21.74	21.32	24.55	25.13	< 30.00
		1	0	19.36	19.06	22.22	22.80	< 30.00
		1	132	19.29	18.95	22.13	22.71	< 30.00
50	3954.99	67	33	24.42	23.74	27.10	27.68	< 30.00
		1	1	24.61	23.81	27.24	27.82	< 30.00
		1	131	24.35	23.68	27.04	27.62	< 30.00
		133	0	21.98	21.23	24.63	25.21	< 30.00
		1	0	19.72	18.87	22.33	22.91	< 30.00
		1	132	19.54	18.83	22.21	22.79	< 30.00
60	3730.02	81	40	24.09	23.40	26.77	27.35	< 30.00
		1	1	24.04	23.27	26.68	27.26	< 30.00
		1	160	24.10	23.42	26.78	27.36	< 30.00
		162	0	21.61	20.91	24.28	24.86	< 30.00
		1	0	19.25	18.45	21.88	22.46	< 30.00
		1	161	19.20	18.48	21.87	22.45	< 30.00
60	3840.00	81	40	24.26	23.80	27.05	27.63	< 30.00
		1	1	24.38	23.92	27.17	27.75	< 30.00
		1	160	24.19	23.76	26.99	27.57	< 30.00
		162	0	21.74	21.28	24.53	25.11	< 30.00
		1	0	19.33	18.99	22.17	22.75	< 30.00
		1	161	19.42	18.80	22.13	22.71	< 30.00
Note 1: Total Power (dBm) = $10 \cdot \log\{10^{(\text{Port 0 Output Power} / 10)} + 10^{(\text{Port 1 Output Power} / 10)}\}$ Note 2: The EIRP (dBm) = Total Power (dBm) + Antenna Gain (dBi)								

Channel Bandwidth (MHz)	Frequency (MHz)	RB Size	RB Offset	Output Power (dBm)		Total Power (dBm)	EIRP (dBm)	Limit (dBm)
				Port 0	Port 3			
CP OFDM QPSK								
60	3949.98	81	40	24.14	23.71	26.94	27.52	< 30.00
		1	1	24.35	23.73	27.06	27.64	< 30.00
		1	160	24.08	23.64	26.88	27.46	< 30.00
		162	0	21.73	21.15	24.46	25.04	< 30.00
		1	0	19.42	18.79	22.13	22.71	< 30.00
		1	161	19.29	18.77	22.05	22.63	< 30.00
70	3735.00	95	47	23.65	22.95	26.32	26.90	< 30.00
		1	1	23.50	22.84	26.19	26.77	< 30.00
		1	187	23.76	23.08	26.44	27.02	< 30.00
		189	0	21.14	20.44	23.81	24.39	< 30.00
		1	0	18.90	18.12	21.54	22.12	< 30.00
		1	188	18.70	18.10	21.42	22.00	< 30.00
70	3840.00	95	47	23.68	23.15	26.43	27.01	< 30.00
		1	1	23.60	23.24	26.43	27.01	< 30.00
		1	187	23.55	23.41	26.49	27.07	< 30.00
		189	0	21.10	20.74	23.93	24.51	< 30.00
		1	0	18.91	18.42	21.68	22.26	< 30.00
		1	188	18.56	18.21	21.40	21.98	< 30.00
70	3945.00	95	47	23.68	23.24	26.48	27.06	< 30.00
		1	1	24.03	23.44	26.76	27.34	< 30.00
		1	187	23.83	23.40	26.63	27.21	< 30.00
		189	0	21.24	20.70	23.99	24.57	< 30.00
		1	0	19.22	18.44	21.86	22.44	< 30.00
		1	188	18.57	18.38	21.49	22.07	< 30.00
Note 1: Total Power (dBm) = $10 \cdot \log\{10^{(\text{Port 0 Output Power} / 10)} + 10^{(\text{Port 1 Output Power} / 10)}\}$ Note 2: The EIRP (dBm) = Total Power (dBm) + Antenna Gain (dBi)								




Channel Bandwidth (MHz)	Frequency (MHz)	RB Size	RB Offset	Output Power (dBm)		Total Power (dBm)	EIRP (dBm)	Limit (dBm)
				Port 0	Port 3			
CP OFDM QPSK								
80	3740.01	109	54	23.58	22.84	26.24	26.82	< 30.00
		1	1	23.62	22.82	26.25	26.83	< 30.00
		1	215	23.68	23.03	26.38	26.96	< 30.00
		217	0	21.12	20.42	23.79	24.37	< 30.00
		1	0	18.78	18.10	21.46	22.04	< 30.00
		1	216	18.73	17.98	21.38	21.96	< 30.00
80	3840.00	109	54	23.64	23.25	26.46	27.04	< 30.00
		1	1	23.53	23.24	26.40	26.98	< 30.00
		1	215	23.62	23.29	26.47	27.05	< 30.00
		217	0	21.10	20.72	23.92	24.50	< 30.00
		1	0	18.70	18.43	21.58	22.16	< 30.00
		1	216	18.62	18.31	21.48	22.06	< 30.00
80	3939.99	109	54	23.72	23.22	26.49	27.07	< 30.00
		1	1	24.01	23.25	26.66	27.24	< 30.00
		1	215	23.56	23.28	26.43	27.01	< 30.00
		217	0	21.21	20.77	24.01	24.59	< 30.00
		1	0	18.94	18.34	21.66	22.24	< 30.00
		1	216	18.61	18.24	21.44	22.02	< 30.00
90	3745.02	123	61	23.65	23.13	26.41	26.99	< 30.00
		1	1	23.52	22.70	26.14	26.72	< 30.00
		1	243	23.69	23.06	26.40	26.98	< 30.00
		245	0	21.17	20.46	23.84	24.42	< 30.00
		1	0	18.65	18.06	21.38	21.96	< 30.00
		1	244	18.88	18.19	21.56	22.14	< 30.00
Note 1: Total Power (dBm) = $10 \cdot \log\{10^{(\text{Port 0 Output Power} / 10)} + 10^{(\text{Port 1 Output Power} / 10)}\}$ Note 2: The EIRP (dBm) = Total Power (dBm) + Antenna Gain (dBi)								

Channel Bandwidth (MHz)	Frequency (MHz)	RB Size	RB Offset	Output Power (dBm)		Total Power (dBm)	EIRP (dBm)	Limit (dBm)
				Port 0	Port 3			
CP OFDM QPSK								
90	3840.00	123	61	23.63	23.29	26.47	27.05	< 30.00
		1	1	23.59	23.29	26.45	27.03	< 30.00
		1	243	23.77	23.32	26.56	27.14	< 30.00
		245	0	21.17	20.80	24.00	24.58	< 30.00
		1	0	18.79	18.44	21.63	22.21	< 30.00
		1	244	18.70	18.24	21.49	22.07	< 30.00
90	3934.98	123	61	23.74	23.25	26.51	27.09	< 30.00
		1	1	23.95	23.28	26.64	27.22	< 30.00
		1	243	23.45	23.27	26.37	26.95	< 30.00
		245	0	21.28	20.76	24.04	24.62	< 30.00
		1	0	19.13	18.34	21.76	22.34	< 30.00
		1	244	18.71	18.53	21.63	22.21	< 30.00
100	3750.00	137	68	23.65	23.11	26.40	26.98	< 30.00
		1	1	23.67	22.91	26.32	26.90	< 30.00
		1	271	23.88	23.23	26.58	27.16	< 30.00
		273	0	21.22	20.49	23.88	24.46	< 30.00
		1	0	18.91	18.11	21.54	22.12	< 30.00
		1	272	18.92	18.22	21.59	22.17	< 30.00
100	3840.00	137	68	23.62	23.28	26.46	27.04	< 30.00
		1	1	23.55	23.45	26.51	27.09	< 30.00
		1	271	23.69	23.22	26.47	27.05	< 30.00
		273	0	21.16	20.80	23.99	24.57	< 30.00
		1	0	18.70	18.48	21.60	22.18	< 30.00
		1	272	18.78	18.28	21.55	22.13	< 30.00
100	3930.00	137	68	23.75	23.31	26.55	27.13	< 30.00
		1	1	23.96	23.33	26.67	27.25	< 30.00
		1	271	23.57	23.50	26.55	27.13	< 30.00
		273	0	21.20	20.82	24.02	24.60	< 30.00
		1	0	18.94	18.39	21.68	22.26	< 30.00
		1	272	18.56	18.35	21.47	22.05	< 30.00
Note 1: Total Power (dBm) = $10 \cdot \log\{10^{\text{Port 0 Output Power} / 10} + 10^{\text{Port 1 Output Power} / 10}\}$ Note 2: The EIRP (dBm) = Total Power (dBm) + Antenna Gain (dBi)								

**A.4 Peak to Average Ratio Test Result**

Test Site	WZ-SR6	Test Engineer	Cloud Guo
Test Date	2023-04-12	Test Band	n41_UL MIMO_Port 3

Frequency (MHz)	Channel Bandwidth (MHz)	Peak to Average Ratio (dB)	Limit (dB)	Result
<b>QPSK</b>				
2592.99	100	7.07	≤ 13.00	Pass
<b>16QAM</b>				
2592.99	100	7.09	≤ 13.00	Pass
<b>64QAM</b>				
2592.99	100	7.71	≤ 13.00	Pass
<b>256QAM</b>				
2592.99	100	8.76	≤ 13.00	Pass




Test Site	WZ-SR6	Test Engineer	Cloud Guo
Test Date	2023-04-12	Test Band	n77/n78_UL MIMO (3450~3550MHz) Port 0

Frequency (MHz)	Channel Bandwidth (MHz)	Peak to Average Ratio (dB)	Limit (dB)	Result
<b>QPSK</b>				
3500.01	100	7.07	≤ 13.00	Pass
<b>16QAM</b>				
3500.01	100	7.07	≤ 13.00	Pass
<b>64QAM</b>				
3500.01	100	7.64	≤ 13.00	Pass
<b>256QAM</b>				
3500.01	100	8.68	≤ 13.00	Pass



Test Site	WZ-SR6	Test Engineer	Cloud Guo
Test Date	2023-04-14	Test Band	n77/n78_UL MIMO (3700~3980MHz) Port 0

Frequency (MHz)	Channel Bandwidth (MHz)	Peak to Average Ratio (dB)	Limit (dB)	Result
<b>QPSK</b>				
3840.00	100	6.71	≤ 13.00	Pass
<b>16QAM</b>				
3840.00	100	6.64	≤ 13.00	Pass
<b>64QAM</b>				
3840.00	100	7.27	≤ 13.00	Pass
<b>256QAM</b>				
3840.00	100	8.57	≤ 13.00	Pass




### A.5 Band Edge Test Result


Test Site	WZ-SR6	Test Engineer	Cloud Guo
Test Date	2023/03/24 2023/05/10	Test Band	n41_MIMO (Port 3)

#### 10MHz Channel Bandwidth - 1RB

##### Lower Band Edge




##### Upper Band Edge




#### 15MHz Channel Bandwidth - 1RB

##### Lower Band Edge




##### Upper Band Edge




#### 20MHz Channel Bandwidth - 1RB

##### Lower Band Edge




##### Upper Band Edge




## 30MHz Channel Bandwidth - 1RB

## Lower Band Edge




## Upper Band Edge




## 40MHz Channel Bandwidth - 1RB

## Lower Band Edge




## Upper Band Edge




## 50MHz Channel Bandwidth - 1RB

## Lower Band Edge




## Upper Band Edge




### 60MHz Channel Bandwidth - 1RB

#### Lower Band Edge




#### Upper Band Edge




### 70MHz Channel Bandwidth - 1RB

#### Lower Band Edge




#### Upper Band Edge




### 80MHz Channel Bandwidth - 1RB

#### Lower Band Edge




#### Upper Band Edge






**90MHz Channel Bandwidth - 1RB**

**Lower Band Edge**




**Upper Band Edge**




**100MHz Channel Bandwidth - 1RB**

**Lower Band Edge**




**Upper Band Edge**




### 10MHz Channel Bandwidth - Full RB

#### Lower Band Edge




#### Upper Band Edge




### 15MHz Channel Bandwidth - Full RB

#### Lower Band Edge




#### Upper Band Edge




### 20MHz Channel Bandwidth - Full RB

#### Lower Band Edge




#### Upper Band Edge




## 30MHz Channel Bandwidth - Full RB

## Lower Band Edge




## Upper Band Edge




## 40MHz Channel Bandwidth - Full RB

## Lower Band Edge




## Upper Band Edge



## 50MHz Channel Bandwidth - Full RB

## Lower Band Edge




## Upper Band Edge




## 60MHz Channel Bandwidth - Full RB

## Lower Band Edge




## Upper Band Edge




## 70MHz Channel Bandwidth - Full RB

## Lower Band Edge




## Upper Band Edge



## 80MHz Channel Bandwidth - Full RB

## Lower Band Edge




## Upper Band Edge




### 90MHz Channel Bandwidth - Full RB

#### Lower Band Edge




#### Upper Band Edge




### 100MHz Channel Bandwidth - Full RB

#### Lower Band Edge




#### Upper Band Edge




Test Site	WZ-SR6	Test Engineer	Cloud Guo
Test Date	2023/04/10 2023/05/10	Test Band	n77/n78_MIMO (Port 0) (3450 ~ 3550MHz)


### 10MHz Channel Bandwidth - 1RB



### 15MHz Channel Bandwidth - 1RB




### 20MHz Channel Bandwidth - 1RB




25MHz Channel Bandwidth - 1RB

Lower Band Edge




Upper Band Edge




30MHz Channel Bandwidth - 1RB

Lower Band Edge




Upper Band Edge



40MHz Channel Bandwidth - 1RB

Lower Band Edge



Upper Band Edge

