

Test Band = NR UL CA n7A-n78A 3450M-3550M_ TM1

Test Channel = Low Channel

Final Data List									
NO.	Frequency [MHz]	Reading [dBμV]	Factor [dB]	Level [dBm]	Limit [dBm]	Margin [dB]	Height [cm]	Angle [°]	Polarity
1	5002.18	49.84	-105.84	-56.00	-13.00	43.00	175	12	Horizontal
2	6810.18	48.96	-101.85	-52.89	-13.00	39.89	152	63	Horizontal
3	7503.27	48.67	-100.33	-51.66	-13.00	38.66	265	167	Horizontal
4	10004.36	45.27	-93.80	-48.53	-13.00	35.53	241	255	Horizontal
5	10215.27	44.30	-93.16	-48.86	-13.00	35.86	263	226	Horizontal
6	13620.36	45.85	-89.80	-43.95	-13.00	30.95	241	21	Horizontal

Final Data List									
NO.	Frequency [MHz]	Reading [dBμV]	Factor [dB]	Level [dBm]	Limit [dBm]	Margin [dB]	Height [cm]	Angle [°]	Polarity
1	5002.18	50.76	-105.84	-55.08	-13.00	42.08	241	357	Vertical
2	6810.18	49.48	-101.85	-52.37	-13.00	39.37	175	46	Vertical
3	7503.27	48.98	-100.33	-51.35	-13.00	38.35	263	77	Vertical
4	10004.36	45.15	-93.80	-48.65	-13.00	35.65	284	118	Vertical
5	10215.27	43.85	-93.16	-49.31	-13.00	36.31	265	4	Vertical
6	13620.36	45.18	-89.80	-44.62	-13.00	31.62	241	0	Vertical



Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com/en/Terms-and-Conditions.aspx> and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com/en/Terms-and-Conditions/Terms-e-Documents.aspx>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 30 days only.

Attention: To check the authenticity of testing/inspection report & certificate, please contact us at telephone: (86-755) 8307 1443, or email: CN.Doccheck@sgs.com

South of No. 6 Plant, No. 1, Pansheng Road, Suzhou Industrial Park, Suzhou Area, China (Jiangsu) Pilot Free Trade Zone 215000
 中国·苏州·中国(江苏)自由贸易试验区苏州片区苏州工业园区海胜路1号的6号厂房南楼 邮编: 215000

t (86-512) 62992980 www.sgs.com.cn
 t (86-512) 62992980 sgs.china@sgs.com

Test Band = NR UL CA n7A-n78A 3450M-3550M_ TM1
Test Channel = Mid Channel

Final Data List									
NO.	Frequency [MHz]	Reading [dBμV]	Factor [dB]	Level [dBm]	Limit [dBm]	Margin [dB]	Height [cm]	Angle [°]	Polarity
1	5052.18	50.97	-105.71	-54.74	-13.00	41.74	251	64	Horizontal
2	6910.18	48.20	-101.41	-53.21	-13.00	40.21	284	328	Horizontal
3	7578.27	49.60	-99.91	-50.31	-13.00	37.31	142	328	Horizontal
4	10104.36	45.11	-93.50	-48.39	-13.00	35.39	263	328	Horizontal
5	10365.27	43.21	-92.99	-49.78	-13.00	36.78	162	155	Horizontal
6	13820.36	42.99	-90.30	-47.31	-13.00	34.31	241	236	Horizontal

Final Data List									
NO.	Frequency [MHz]	Reading [dBμV]	Factor [dB]	Level [dBm]	Limit [dBm]	Margin [dB]	Height [cm]	Angle [°]	Polarity
1	5052.18	50.53	-105.71	-55.18	-13.00	42.18	263	134	Vertical
2	6910.18	49.55	-101.41	-51.86	-13.00	38.86	251	185	Vertical
3	7578.27	48.31	-99.91	-51.60	-13.00	38.60	142	1	Vertical
4	10104.36	45.35	-93.50	-48.15	-13.00	35.15	284	298	Vertical
5	10365.27	42.82	-92.99	-50.17	-13.00	37.17	262	275	Vertical
6	13820.36	43.14	-90.30	-47.16	-13.00	34.16	241	0	Vertical



Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com/en/Terms-and-Conditions.aspx> and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com/en/Terms-and-Conditions/Terms-e-Documents.aspx>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 30 days only.
 Attention: To check the authenticity of testing/inspection report & certificate, please contact us at telephone: (86-755) 8307 1443, or email: CN.Doccheck@sgs.com

South of No. 6 Plant, No. 1, Pansheng Road, Suzhou Industrial Park, Suzhou Area, China (Jiangsu) Pilot Free Trade Zone 215000 t (86-512) 62992980 www.sgs.com.cn
 中国·苏州·中国(江苏)自由贸易试验区苏州片区苏州工业园区海胜路1号的6号厂房南楼 邮编: 215000 t (86-512) 62992980 sgs.china@sgs.com

Test Band = NR UL CA n7A-n78A 3450M-3550M_ TM1
Test Channel = High Channel

Final Data List									
NO.	Frequency [MHz]	Reading [dBμV]	Factor [dB]	Level [dBm]	Limit [dBm]	Margin [dB]	Height [cm]	Angle [°]	Polarity
1	5102.18	48.82	-105.59	-56.77	-13.00	43.77	263	94	Horizontal
2	7010.18	48.57	-101.46	-52.89	-13.00	39.89	251	6	Horizontal
3	7653.27	49.45	-99.71	-50.26	-13.00	37.26	142	62	Horizontal
4	10204.36	44.58	-93.15	-48.57	-13.00	35.57	263	0	Horizontal
5	10515.27	43.44	-92.59	-49.15	-13.00	36.15	254	276	Horizontal
6	14020.36	41.66	-90.28	-48.62	-13.00	35.62	185	62	Horizontal

Final Data List									
NO.	Frequency [MHz]	Reading [dBμV]	Factor [dB]	Level [dBm]	Limit [dBm]	Margin [dB]	Height [cm]	Angle [°]	Polarity
1	5102.18	49.09	-105.59	-56.50	-13.00	43.50	142	94	Vertical
2	7010.18	49.60	-101.46	-51.86	-13.00	38.86	263	276	Vertical
3	7653.27	49.16	-99.71	-50.55	-13.00	37.55	251	0	Vertical
4	10204.36	44.08	-93.15	-49.07	-13.00	36.07	174	125	Vertical
5	10515.27	43.55	-92.59	-49.04	-13.00	36.04	263	94	Vertical
6	14020.36	42.42	-90.28	-47.86	-13.00	34.86	254	135	Vertical



Report No.: SEWM2304000122RG02

Rev.: 01

Page: 290 of 302

Test Band = NR UL CA n66A-n78A 3450M-3550M_ TM1
Test Channel = Low Channel

Final Data List									
NO.	Frequency [MHz]	Reading [dBμV]	Factor [dB]	Level [dBm]	Limit [dBm]	Margin [dB]	Height [cm]	Angle [°]	Polarity
1	3404.18	35.75	-88.36	-52.61	-13.00	39.61	263	54	Horizontal
2	5106.27	49.30	-105.60	-56.30	-13.00	43.30	214	317	Horizontal
3	6808.36	49.25	-101.85	-52.60	-13.00	39.60	153	136	Horizontal
4	6810.18	49.69	-101.85	-52.16	-13.00	39.16	263	55	Horizontal
5	10215.27	43.61	-93.16	-49.55	-13.00	36.55	241	306	Horizontal
6	13620.36	44.13	-89.80	-45.67	-13.00	32.67	175	205	Horizontal

Final Data List									
NO.	Frequency [MHz]	Reading [dBμV]	Factor [dB]	Level [dBm]	Limit [dBm]	Margin [dB]	Height [cm]	Angle [°]	Polarity
1	3404.18	36.17	-88.36	-52.19	-13.00	39.19	142	148	Vertical
2	5106.27	49.52	-105.60	-56.08	-13.00	43.08	263	0	Vertical
3	6808.36	50.73	-101.85	-51.12	-13.00	38.12	241	185	Vertical
4	6810.18	49.23	-101.85	-52.62	-13.00	39.62	142	288	Vertical
5	10215.27	44.07	-93.16	-49.09	-13.00	36.09	263	206	Vertical
6	13620.36	43.09	-89.80	-46.71	-13.00	33.71	251	357	Vertical



Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com/en/Terms-and-Conditions.aspx> and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com/en/Terms-and-Conditions/Terms-e-Documents.aspx>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 30 days only.

Attention: To check the authenticity of testing/inspection report & certificate, please contact us at telephone: (86-755) 8307 1443, or email: CN.Doccheck@sgs.com

South of No. 6 Plant, No. 1, Pansheng Road, Suzhou Industrial Park, Suzhou Area, China (Jiangsu) Pilot Free Trade Zone 215000
 中国·苏州·中国(江苏)自由贸易试验区苏州片区苏州工业园区海胜路1号的6号厂房南楼 邮编: 215000

t (86-512) 62992980 www.sgs.com.cn
 t (86-512) 62992980 sgs.china@sgs.com

Test Band = NR UL CA n66A-n78A 3450M-3550M_ TM1

Test Channel = Mid Channel

Final Data List									
NO.	Frequency [MHz]	Reading [dBμV]	Factor [dB]	Level [dBm]	Limit [dBm]	Margin [dB]	Height [cm]	Angle [°]	Polarity
1	3454.18	48.88	-88.16	-39.28	-13.00	26.28	263	210	Horizontal
2	5181.27	50.91	-105.75	-54.84	-13.00	41.84	251	206	Horizontal
3	6908.36	48.60	-101.41	-52.81	-13.00	39.81	175	1	Horizontal
4	6910.18	48.59	-101.41	-52.82	-13.00	39.82	263	116	Horizontal
5	10365.27	42.98	-92.99	-50.01	-13.00	37.01	254	17	Horizontal
6	13820.36	42.83	-90.30	-47.47	-13.00	34.47	114	349	Horizontal

Final Data List									
NO.	Frequency [MHz]	Reading [dBμV]	Factor [dB]	Level [dBm]	Limit [dBm]	Margin [dB]	Height [cm]	Angle [°]	Polarity
1	3454.18	46.57	-88.16	-41.59	-13.00	28.59	142	353	Vertical
2	5181.27	50.90	-105.75	-54.85	-13.00	41.85	263	108	Vertical
3	6908.36	48.21	-101.41	-53.20	-13.00	40.20	251	1	Vertical
4	6910.18	47.92	-101.41	-53.49	-13.00	40.49	142	168	Vertical
5	10365.27	43.28	-92.99	-49.71	-13.00	36.71	263	1	Vertical
6	13820.36	42.81	-90.30	-47.49	-13.00	34.49	241	0	Vertical



Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com/en/Terms-and-Conditions.aspx> and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com/en/Terms-and-Conditions/Terms-e-Documents.aspx>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 30 days only.

Attention: To check the authenticity of testing/inspection report & certificate, please contact us at telephone: (86-755) 8307 1443, or email: CN.Doccheck@sgs.com

South of No. 6 Plant, No. 1, Pansheng Road, Suzhou Industrial Park, Suzhou Area, China (Jiangsu) Pilot Free Trade Zone 215000
 中国·苏州·中国(江苏)自由贸易试验区苏州片区苏州工业园区海胜路1号的6号厂房南楼 邮编: 215000

t (86-512) 62992980 www.sgs.com.cn
 t (86-512) 62992980 sgs.china@sgs.com

Test Band = NR UL CA n66A-n78A 3450M-3550M_ TM1

Test Channel = High Channel

Final Data List									
NO.	Frequency [MHz]	Reading [dBμV]	Factor [dB]	Level [dBm]	Limit [dBm]	Margin [dB]	Height [cm]	Angle [°]	Polarity
1	3504.18	46.74	-87.95	-41.21	-13.00	28.21	284	206	Horizontal
2	5256.27	51.06	-105.74	-54.68	-13.00	41.68	263	165	Horizontal
3	7008.36	48.53	-101.47	-52.94	-13.00	39.94	251	357	Horizontal
4	7010.18	48.59	-101.46	-52.87	-13.00	39.87	263	15	Horizontal
5	10515.27	41.95	-92.59	-50.64	-13.00	37.64	251	264	Horizontal
6	14020.36	42.09	-90.28	-48.19	-13.00	35.19	142	0	Horizontal

Final Data List									
NO.	Frequency [MHz]	Reading [dBμV]	Factor [dB]	Level [dBm]	Limit [dBm]	Margin [dB]	Height [cm]	Angle [°]	Polarity
1	3504.18	45.28	-87.95	-42.67	-13.00	29.67	112	353	Vertical
2	5256.27	51.96	-105.74	-53.78	-13.00	40.78	263	330	Vertical
3	7008.36	48.58	-101.47	-52.89	-13.00	39.89	251	117	Vertical
4	7010.18	48.88	-101.46	-52.58	-13.00	39.58	144	357	Vertical
5	10515.27	43.00	-92.59	-49.59	-13.00	36.59	155	280	Vertical
6	14020.36	42.49	-90.28	-47.79	-13.00	34.79	268	189	Vertical



Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com/en/Terms-and-Conditions.aspx> and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com/en/Terms-and-Conditions/Terms-e-Documents.aspx>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 30 days only.

Attention: To check the authenticity of testing/inspection report & certificate, please contact us at telephone: (86-755) 8307 1443, or email: CN.Doccheck@sgs.com

South of No. 6 Plant, No. 1, Pansheng Road, Suzhou Industrial Park, Suzhou Area, China (Jiangsu) Pilot Free Trade Zone 215000
 中国·苏州·中国(江苏)自由贸易试验区苏州片区苏州工业园区海胜路1号的6号厂房南楼 邮编: 215000

t (86-512) 62992980 www.sgs.com.cn
 t (86-512) 62992980 sgs.china@sgs.com

Test Band = NR UL CA 71A-n78A 3450M-3550M_ TM1
Test Channel = Low Channel

Final Data List									
NO.	Frequency [MHz]	Reading [dBμV]	Factor [dB]	Level [dBm]	Limit [dBm]	Margin [dB]	Height [cm]	Angle [°]	Polarity
1	1328.18	40.86	-95.91	-55.05	-13.00	42.05	186	11	Horizontal
2	1992.27	39.11	-93.45	-54.34	-13.00	41.34	265	360	Horizontal
3	2656.36	38.82	-90.77	-51.95	-13.00	38.95	241	145	Horizontal
4	6810.18	49.36	-101.85	-52.49	-13.00	39.49	163	23	Horizontal
5	10215.27	44.90	-93.16	-48.26	-13.00	35.26	254	23	Horizontal
6	13620.36	43.97	-89.80	-45.83	-13.00	32.83	174	277	Horizontal

Final Data List									
NO.	Frequency [MHz]	Reading [dBμV]	Factor [dB]	Level [dBm]	Limit [dBm]	Margin [dB]	Height [cm]	Angle [°]	Polarity
1	1328.18	39.82	-95.91	-56.09	-13.00	43.09	142	177	Vertical
2	1992.27	39.88	-93.45	-53.57	-13.00	40.57	263	332	Vertical
3	2656.36	38.17	-90.77	-52.60	-13.00	39.60	251	346	Vertical
4	6810.18	49.29	-101.85	-52.56	-13.00	39.56	175	154	Vertical
5	10215.27	45.44	-93.16	-47.72	-13.00	34.72	263	204	Vertical
6	13620.36	43.80	-89.80	-46.00	-13.00	33.00	254	318	Vertical



Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com/en/Terms-and-Conditions.aspx> and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com/en/Terms-and-Conditions/Terms-e-Documents.aspx>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 30 days only.
Attention: To check the authenticity of testing/inspection report & certificate, please contact us at telephone: (86-755) 8307 1443, or email: CN.Doccheck@sgs.com
 South of No. 6 Plant, No. 1, Pansheng Road, Suzhou Industrial Park, Suzhou Area, China (Jiangsu) Pilot Free Trade Zone 215000 t (86-512) 62992980 www.sgs.com.cn
 中国·苏州·中国(江苏)自由贸易试验区苏州片区苏州工业园区海胜路1号的6号厂房南楼 邮编: 215000 t (86-512) 62992980 sgs.china@sgs.com

Test Band = NR UL CA 71A-n78A 3450M-3550M_ TM1

Test Channel = Mid Channel

Final Data List									
NO.	Frequency [MHz]	Reading [dBμV]	Factor [dB]	Level [dBm]	Limit [dBm]	Margin [dB]	Height [cm]	Angle [°]	Polarity
1	1343.18	39.34	-95.86	-56.52	-13.00	43.52	163	160	Horizontal
2	2014.77	38.15	-93.34	-55.19	-13.00	42.19	254	240	Horizontal
3	2686.36	38.66	-90.61	-51.95	-13.00	38.95	174	130	Horizontal
4	6910.18	48.83	-101.41	-52.58	-13.00	39.58	145	170	Horizontal
5	10365.27	42.52	-92.99	-50.47	-13.00	37.47	321	50	Horizontal
6	13820.36	43.57	-90.30	-46.73	-13.00	33.73	142	180	Horizontal

Final Data List									
NO.	Frequency [MHz]	Reading [dBμV]	Factor [dB]	Level [dBm]	Limit [dBm]	Margin [dB]	Height [cm]	Angle [°]	Polarity
1	1343.18	40.72	-95.86	-55.14	-13.00	42.14	142	120	Vertical
2	2014.77	38.56	-93.34	-54.78	-13.00	41.78	263	180	Vertical
3	2686.36	37.57	-90.61	-53.04	-13.00	40.04	251	170	Vertical
4	6910.18	47.46	-101.41	-53.95	-13.00	40.95	185	320	Vertical
5	10365.27	44.01	-92.99	-48.98	-13.00	35.98	263	250	Vertical
6	13820.36	42.53	-90.30	-47.77	-13.00	34.77	241	10	Vertical



Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com/en/Terms-and-Conditions.aspx> and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com/en/Terms-and-Conditions/Terms-e-Documents.aspx>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 30 days only.

Attention: To check the authenticity of testing/inspection report & certificate, please contact us at telephone: (86-755) 8307 1443, or email: CN.Doccheck@sgs.com

South of No. 6 Plant, No. 1, Pansheng Road, Suzhou Industrial Park, Suzhou Area, China (Jiangsu) Pilot Free Trade Zone 215000
 中国·苏州·中国(江苏)自由贸易试验区苏州片区苏州工业园区海胜路1号的6号厂房南楼 邮编: 215000

t (86-512) 62992980 www.sgs.com.cn
 t (86-512) 62992980 sgs.china@sgs.com

Test Band = NR UL CA 71A-n78A 3450M-3550M_ TM1
Test Channel = High Channel

Final Data List									
NO.	Frequency [MHz]	Reading [dBμV]	Factor [dB]	Level [dBm]	Limit [dBm]	Margin [dB]	Height [cm]	Angle [°]	Polarity
1	1358.18	41.03	-95.81	-54.78	-13.00	41.78	176	204	Horizontal
2	2037.27	38.99	-93.27	-54.28	-13.00	41.28	254	262	Horizontal
3	2716.36	38.51	-90.45	-51.94	-13.00	38.94	118	9	Horizontal
4	7010.18	49.42	-101.46	-52.04	-13.00	39.04	142	327	Horizontal
5	10515.27	43.81	-92.59	-48.78	-13.00	35.78	263	31	Horizontal
6	14020.36	41.52	-90.28	-48.76	-13.00	35.76	284	0	Horizontal

Final Data List									
NO.	Frequency [MHz]	Reading [dBμV]	Factor [dB]	Level [dBm]	Limit [dBm]	Margin [dB]	Height [cm]	Angle [°]	Polarity
1	1358.18	40.64	-95.81	-55.17	-13.00	42.17	146	324	Vertical
2	2037.27	39.76	-93.27	-53.51	-13.00	40.51	284	19	Vertical
3	2716.36	37.87	-90.45	-52.58	-13.00	39.58	175	360	Vertical
4	7010.18	49.44	-101.46	-52.02	-13.00	39.02	265	0	Vertical
5	10515.27	43.49	-92.59	-49.10	-13.00	36.10	142	22	Vertical
6	14020.36	42.05	-90.28	-48.23	-13.00	35.23	268	287	Vertical



Test Band = NR UL CA n25A-n78A 3450M-3550M_ TM1

Test Channel = Low Channel

Final Data List									
NO.	Frequency [MHz]	Reading [dBμV]	Factor [dB]	Level [dBm]	Limit [dBm]	Margin [dB]	Height [cm]	Angle [°]	Polarity
1	3704.18	34.36	-87.25	-52.89	-13.00	39.89	186	274	Horizontal
2	5556.27	50.09	-105.32	-55.23	-13.00	42.23	265	0	Horizontal
3	6810.18	49.41	-101.85	-52.44	-13.00	39.44	163	64	Horizontal
4	7408.36	47.78	-100.77	-52.99	-13.00	39.99	241	247	Horizontal
5	10215.27	44.03	-93.16	-49.13	-13.00	36.13	251	1	Horizontal
6	13620.36	46.04	-89.80	-43.76	-13.00	30.76	174	149	Horizontal

Final Data List									
NO.	Frequency [MHz]	Reading [dBμV]	Factor [dB]	Level [dBm]	Limit [dBm]	Margin [dB]	Height [cm]	Angle [°]	Polarity
1	3704.18	33.58	-87.25	-53.67	-13.00	40.67	142	22	Vertical
2	5556.27	50.75	-105.32	-54.57	-13.00	41.57	263	166	Vertical
3	6810.18	49.05	-101.85	-52.80	-13.00	39.80	284	338	Vertical
4	7408.36	47.63	-100.77	-53.14	-13.00	40.14	175	247	Vertical
5	10215.27	44.22	-93.16	-48.94	-13.00	35.94	263	44	Vertical
6	13620.36	44.40	-89.80	-45.40	-13.00	32.40	254	357	Vertical



Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com/en/Terms-and-Conditions.aspx> and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com/en/Terms-and-Conditions/Terms-e-Documents.aspx>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 30 days only.

Attention: To check the authenticity of testing/inspection report & certificate, please contact us at telephone: (86-755) 8307 1443, or email: CN.Doccheck@sgs.com

South of No. 6 Plant, No. 1, Pansheng Road, Suzhou Industrial Park, Suzhou Area, China (Jiangsu) Pilot Free Trade Zone 215000
 中国·苏州·中国(江苏)自由贸易试验区苏州片区苏州工业园区海胜路1号的6号厂房南楼 邮编: 215000

t (86-512) 62992980 www.sgs.com.cn
 t (86-512) 62992980 sgs.china@sgs.com

Test Band = NR UL CA n25A-n78A 3450M-3550M_ TM1

Test Channel = Mid Channel

Final Data List									
NO.	Frequency [MHz]	Reading [dBμV]	Factor [dB]	Level [dBm]	Limit [dBm]	Margin [dB]	Height [cm]	Angle [°]	Polarity
1	3729.18	34.35	-87.02	-52.67	-13.00	39.67	163	129	Horizontal
2	5593.77	50.39	-105.40	-55.01	-13.00	42.01	251	226	Horizontal
3	6910.18	47.93	-101.41	-53.48	-13.00	40.48	186	146	Horizontal
4	7458.36	49.44	-100.54	-51.10	-13.00	38.10	174	236	Horizontal
5	10365.27	43.82	-92.99	-49.17	-13.00	36.17	254	206	Horizontal
6	13820.36	43.57	-90.30	-46.73	-13.00	33.73	188	318	Horizontal

Final Data List									
NO.	Frequency [MHz]	Reading [dBμV]	Factor [dB]	Level [dBm]	Limit [dBm]	Margin [dB]	Height [cm]	Angle [°]	Polarity
1	3729.18	33.99	-87.02	-53.03	-13.00	40.03	142	51	Vertical
2	5593.77	50.96	-105.40	-54.44	-13.00	41.44	263	1	Vertical
3	6910.18	48.11	-101.41	-53.30	-13.00	40.30	284	35	Vertical
4	7458.36	47.38	-100.54	-53.16	-13.00	40.16	176	136	Vertical
5	10365.27	43.56	-92.99	-49.43	-13.00	36.43	254	197	Vertical
6	13820.36	43.22	-90.30	-47.08	-13.00	34.08	144	35	Vertical



Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com/en/Terms-and-Conditions.aspx> and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com/en/Terms-and-Conditions/Terms-e-Documents.aspx>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 30 days only.

Attention: To check the authenticity of testing/inspection report & certificate, please contact us at telephone: (86-755) 8307 1443, or email: CN.Doccheck@sgs.com

South of No. 6 Plant, No. 1, Pansheng Road, Suzhou Industrial Park, Suzhou Area, China (Jiangsu) Pilot Free Trade Zone 215000
 中国·苏州·中国(江苏)自由贸易试验区苏州片区苏州工业园区海胜路1号的6号厂房南楼 邮编: 215000

t (86-512) 62992980 www.sgs.com.cn
 t (86-512) 62992980 sgs.china@sgs.com

Test Band = NR UL CA n25A-n78A 3450M-3550M_ TM1

Test Channel = High Channel

Final Data List									
NO.	Frequency [MHz]	Reading [dBμV]	Factor [dB]	Level [dBm]	Limit [dBm]	Margin [dB]	Height [cm]	Angle [°]	Polarity
1	3754.18	33.86	-86.80	-52.94	-13.00	39.94	241	3	Horizontal
2	5631.27	49.82	-105.28	-55.46	-13.00	42.46	175	338	Horizontal
3	7010.18	48.68	-101.46	-52.78	-13.00	39.78	142	187	Horizontal
4	7508.36	48.03	-100.30	-52.27	-13.00	39.27	263	134	Horizontal
5	10515.27	42.77	-92.59	-49.82	-13.00	36.82	263	308	Horizontal
6	14020.36	41.51	-90.28	-48.77	-13.00	35.77	285	207	Horizontal

Final Data List									
NO.	Frequency [MHz]	Reading [dBμV]	Factor [dB]	Level [dBm]	Limit [dBm]	Margin [dB]	Height [cm]	Angle [°]	Polarity
1	3754.18	33.34	-86.80	-53.46	-13.00	40.46	142	70	Vertical
2	5631.27	49.96	-105.28	-55.32	-13.00	42.32	263	126	Vertical
3	7010.18	48.63	-101.46	-52.83	-13.00	39.83	251	205	Vertical
4	7508.36	48.52	-100.30	-51.78	-13.00	38.78	174	17	Vertical
5	10515.27	44.98	-92.59	-47.61	-13.00	34.61	186	277	Vertical
6	14020.36	42.06	-90.28	-48.22	-13.00	35.22	254	35	Vertical



Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com/en/Terms-and-Conditions.aspx> and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com/en/Terms-and-Conditions/Terms-e-Documents.aspx>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 30 days only.

Attention: To check the authenticity of testing/inspection report & certificate, please contact us at telephone: (86-755) 8307 1443, or email: CN.Doccheck@sgs.com

South of No. 6 Plant, No. 1, Runsheng Road, Suzhou Industrial Park, Suzhou Area, China (Jiangsu) Pilot Free Trade Zone 215000
 中国·苏州·中国(江苏)自由贸易试验区苏州片区苏州工业园区海胜路1号的6号厂房南楼 邮编: 215000

t (86-512) 62992980 www.sgs.com.cn
 t (86-512) 62992980 sgs.china@sgs.com

Test on the worst case:
Test Band = NR UL CA n5A-n78A 3450M-3550M_ TM1
Test Channel = Mid Channel

Final Data List										
NO.	Frequency [MHz]	Reading [dBμV]	Factor [dB]	AF[dB/m]	Level [dBm]	Limit [dBm]	Margin [dB]	Height [cm]	Angle [°]	Polarity
1	9155.0625	35.84	-38.44	38.58	-59.27	-13.00	46.27	296	331	Horizontal
2	12459.875	33.77	-35.28	39.06	-57.71	-13.00	44.71	265	221	Horizontal
3	6982.18	39.52	-42.38	36.17	-61.95	-13.00	48.95	284	202	Horizontal
4	10473.27	33.44	-36.47	39.02	-59.27	-13.00	46.27	142	360	Horizontal
5	13964.36	32.44	-34.95	40.18	-57.59	-13.00	44.59	263	57	Horizontal
6	17455.45	30.93	-31.84	40.42	-55.74	-13.00	42.74	228	295	Horizontal

Final Data List										
NO.	Frequency [MHz]	Reading [dBμV]	Factor [dB]	AF[dB/m]	Level [dBm]	Limit [dBm]	Margin [dB]	Height [cm]	Angle [°]	Polarity
1	8965.3125	37.77	-38.75	38.56	-57.68	-13.00	44.68	150	315	Vertical
2	12102.4167	34.66	-35.09	38.70	-56.99	-13.00	43.99	150	360	Vertical
3	6982.18	39.57	-42.38	36.17	-61.90	-13.00	48.90	150	360	Vertical
4	10473.27	33.17	-36.47	39.02	-59.54	-13.00	46.54	150	360	Vertical
5	13964.36	32.09	-34.95	40.18	-57.94	-13.00	44.94	150	3	Vertical
6	17455.45	30.41	-31.84	40.42	-56.26	-13.00	43.26	150	260	Vertical

Remark:

1) The field strength is calculated by adding the Antenna Factor, Cable Factor & AMP. The basic equation with a sample calculation is as follows:

AF = Antenna Factor(dB/m)

Factor = Cable Factor(dB) - Preamplifier (dB)

Level = Reading Level + AF + Factor -95.26

Margin = Limit – Level



Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com/en/Terms-and-Conditions.aspx> and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com/en/Terms-and-Conditions/Terms-e-Documents.aspx>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 30 days only.
Attention: To check the authenticity of testing/inspection report & certificate, please contact us at telephone: (86-755) 8307 1443, or email: CN.Doccheck@sgs.com

South of No. 6 Plant, No. 1, Pansheng Road, Suzhou Industrial Park, Suzhou Area, China (Jiangsu) Pilot Free Trade Zone 215000
 中国·苏州·中国(江苏)自由贸易试验区苏州片区苏州工业园区海胜路1号的6号厂房南楼 邮编: 215000

t (86-512) 62992980 www.sgsgroup.com.cn
 t (86-512) 62992980 sgs.china@sgs.com

Frequency Stability for SA

Test Result

Frequency Error VS. Voltage

Voltage										
Band	SCS	Bandwidth	Modulation	Channel	RB Config	Voltage	Temperature	Deviation(Hz)	Deviation (ppm)	Verdict
N78-3450-3550	30	100	DFT-PI2BPSK	M	Outer_Full	VH	NT	9.700000	0.002771	PASS
N78-3450-3550	30	100	DFT-PI2BPSK	M	Outer_Full	VN	NT	8.700000	0.002486	PASS
N78-3450-3550	30	100	DFT-PI2BPSK	M	Outer_Full	VL	NT	8.100000	0.002314	PASS
N78-3450-3550	30	100	CP-QPSK	M	Outer_Full	VH	NT	17.000000	0.004857	PASS
N78-3450-3550	30	100	CP-QPSK	M	Outer_Full	VN	NT	10.500000	0.003000	PASS
N78-3450-3550	30	100	CP-QPSK	M	Outer_Full	VL	NT	9.800000	0.002800	PASS



Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com/en/Terms-and-Conditions.aspx> and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com/en/Terms-and-Conditions/Terms-e-Documents.aspx>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 30 days only.

Attention: To check the authenticity of testing/inspection report & certificate, please contact us at telephone: (86-755) 8307 1443, or email: CN.Doccheck@sgs.com

South of No. 6 Plant, No. 1, Runsheng Road, Suzhou Industrial Park, Suzhou Area, China (Jiangsu) Pilot Free Trade Zone 215000
 中国·苏州·中国(江苏)自由贸易试验区苏州片区苏州工业园区润胜路1号的6号厂房南楼 邮编: 215000

t (86-512) 62992980 www.sgs.com.cn
 t (86-512) 62992980 sgs.china@sgs.com



Frequency Error VS. Temperature

Voltage										
Band	SCS	Bandwidth	Modulation	Channel	RB Config	Voltage	Temperature	Deviation(Hz)	Deviation (ppm)	Verdict
N78-3450-3550	30	100	DFT-PI2BPSK	M	Outer_Full	NV	-30	8.600000	0.002457	PASS
N78-3450-3550	30	100	DFT-PI2BPSK	M	Outer_Full	NV	-20	10.900000	0.003114	PASS
N78-3450-3550	30	100	DFT-PI2BPSK	M	Outer_Full	NV	-10	6.400000	0.001829	PASS
N78-3450-3550	30	100	DFT-PI2BPSK	M	Outer_Full	NV	0	7.600000	0.002171	PASS
N78-3450-3550	30	100	DFT-PI2BPSK	M	Outer_Full	NV	10	4.300000	0.001229	PASS
N78-3450-3550	30	100	DFT-PI2BPSK	M	Outer_Full	NV	20	13.500000	0.003857	PASS
N78-3450-3550	30	100	DFT-PI2BPSK	M	Outer_Full	NV	30	12.800000	0.003657	PASS
N78-3450-3550	30	100	DFT-PI2BPSK	M	Outer_Full	NV	40	3.400000	0.000971	PASS
N78-3450-3550	30	100	DFT-PI2BPSK	M	Outer_Full	NV	50	9.100000	0.002600	PASS
N78-3450-3550	30	100	CP-QPSK	M	Outer_Full	NV	-30	7.400000	0.002114	PASS
N78-3450-3550	30	100	CP-QPSK	M	Outer_Full	NV	-20	4.100000	0.001171	PASS
N78-3450-3550	30	100	CP-QPSK	M	Outer_Full	NV	-10	7.300000	0.002086	PASS
N78-3450-3550	30	100	CP-QPSK	M	Outer_Full	NV	0	2.200000	0.000629	PASS
N78-3450-3550	30	100	CP-QPSK	M	Outer_Full	NV	10	8.300000	0.002371	PASS
N78-3450-3550	30	100	CP-QPSK	M	Outer_Full	NV	20	4.700000	0.001343	PASS
N78-3450-3550	30	100	CP-QPSK	M	Outer_Full	NV	30	3.400000	0.000971	PASS
N78-3450-3550	30	100	CP-QPSK	M	Outer_Full	NV	40	6.500000	0.001857	PASS
N78-3450-3550	30	100	CP-QPSK	M	Outer_Full	NV	50	6.700000	0.001914	PASS



Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com/en/Terms-and-Conditions.aspx> and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com/en/Terms-and-Conditions/Terms-e-Documents.aspx>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 30 days only.

Attention: To check the authenticity of testing/inspection report & certificate, please contact us at telephone: (86-755) 8307 1443, or email: CN.Doccheck@sgs.com

South of No. 6 Plant, No. 1, Runsheng Road, Suzhou Industrial Park, Suzhou Area, China (Jiangsu) Pilot Free Trade Zone 215000 t (86-512) 62992980 www.sgs.com.cn
 中国·苏州·中国(江苏)自由贸易试验区苏州片区苏州工业园区海胜路1号的6号厂房南楼 邮编: 215000 t (86-512) 62992980 sgs.china@sgs.com

Test Result for MIMO

Frequency Error VS. Voltage

Voltage										
Band	SCS	Band width	Modulation	Channel	RB Config	Voltage	Temperature	Deviation (Hz)	Deviation (ppm)	Verdict
N78-3450-3550	30	100	DFT-PI2BPSK	M	Outer_Full	VH	NT	-1.200000	-0.000343	PASS
N78-3450-3550	30	100	DFT-PI2BPSK	M	Outer_Full	VN	NT	2.800000	0.000800	PASS
N78-3450-3550	30	100	DFT-PI2BPSK	M	Outer_Full	VL	NT	1.600000	0.000457	PASS
N78-3450-3550	30	100	CP-QPSK	M	Outer_Full	VH	NT	6.500000	0.001857	PASS
N78-3450-3550	30	100	CP-QPSK	M	Outer_Full	VN	NT	3.300000	0.000943	PASS
N78-3450-3550	30	100	CP-QPSK	M	Outer_Full	VL	NT	4.600000	0.001314	PASS

Frequency Error VS. Temperature

Voltage										
Band	SCS	Band width	Modulation	Channel	RB Config	Voltage	Temperature	Deviation (Hz)	Deviation (ppm)	Verdict
N78-3450-3550	30	100	DFT-PI2BPSK	M	Outer_Full	NV	-30	-3.000000	-0.000857	PASS
N78-3450-3550	30	100	DFT-PI2BPSK	M	Outer_Full	NV	-20	-6.100000	-0.001743	PASS
N78-3450-3550	30	100	DFT-PI2BPSK	M	Outer_Full	NV	-10	5.900000	0.001686	PASS
N78-3450-3550	30	100	DFT-PI2BPSK	M	Outer_Full	NV	0	6.700000	0.001914	PASS
N78-3450-3550	30	100	DFT-PI2BPSK	M	Outer_Full	NV	10	-1.600000	-0.000457	PASS
N78-3450-3550	30	100	DFT-PI2BPSK	M	Outer_Full	NV	20	0.600000	0.000171	PASS
N78-3450-3550	30	100	DFT-PI2BPSK	M	Outer_Full	NV	30	10.000000	0.002857	PASS
N78-3450-3550	30	100	DFT-PI2BPSK	M	Outer_Full	NV	40	2.800000	0.000800	PASS
N78-3450-3550	30	100	DFT-PI2BPSK	M	Outer_Full	NV	50	-1.900000	-0.000543	PASS
N78-3450-3550	30	100	CP-QPSK	M	Outer_Full	NV	-30	2.500000	0.000714	PASS
N78-3450-3550	30	100	CP-QPSK	M	Outer_Full	NV	-20	1.300000	0.000371	PASS
N78-3450-3550	30	100	CP-QPSK	M	Outer_Full	NV	-10	-6.200000	-0.001771	PASS
N78-3450-3550	30	100	CP-QPSK	M	Outer_Full	NV	0	2.100000	0.000600	PASS
N78-3450-3550	30	100	CP-QPSK	M	Outer_Full	NV	10	5.500000	0.001571	PASS
N78-3450-3550	30	100	CP-QPSK	M	Outer_Full	NV	20	-1.100000	-0.000314	PASS
N78-3450-3550	30	100	CP-QPSK	M	Outer_Full	NV	30	-4.300000	-0.001229	PASS
N78-3450-3550	30	100	CP-QPSK	M	Outer_Full	NV	40	3.600000	0.001029	PASS
N78-3450-3550	30	100	CP-QPSK	M	Outer_Full	NV	50	3.000000	0.000857	PASS

---End of Attachment---



Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com/en/Terms-and-Conditions.aspx> and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com/en/Terms-and-Conditions/Terms-e-Documents.aspx>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 30 days only.
Attention: To check the authenticity of testing/inspection report & certificate, please contact us at telephone: (86-755) 8307 1443, or email: CN.Doccheck@sgs.com
 South of No. 6 Plant, No. 1, Pansheng Road, Suzhou Industrial Park, Suzhou Area, China (Jiangsu) Pilot Free Trade Zone 215000 t (86-512) 62992980 www.sgsgroup.com.cn
 中国·苏州·中国(江苏)自由贸易试验区苏州片区苏州工业园区海胜路1号的6号厂房南楼 邮编: 215000 t (86-512) 62992980 sgs.china@sgs.com