

### Field Strength of Spurious Radiation

Test Band = NR SA Band 41\_ TM1

Test Channel = Low Channel

Final Data List								
NO.	Frequency [MHz]	Reading [dBμV]	Factor [dB]	AF[dB/m]	Level [dBm]	Limit [dBm]	Margin [dB]	Polarity
1	5002.2000	42.20	-45.63	31.41	-67.29	-25.00	42.29	Horizontal
2	7503.3000	38.80	-43.13	36.60	-62.99	-25.00	37.99	Horizontal
3	10004.4000	32.82	-39.23	38.20	-63.47	-25.00	38.47	Horizontal
4	12505.5000	26.51	-36.99	38.95	-66.79	-25.00	41.79	Horizontal
5	15006.6000	24.73	-34.65	41.29	-63.90	-25.00	38.90	Horizontal
6	17507.7000	27.68	-34.95	44.59	-57.94	-25.00	32.94	Horizontal

Final Data List								
NO.	Frequency [MHz]	Reading [dBμV]	Factor [dB]	AF[dB/m]	Level [dBm]	Limit [dBm]	Margin [dB]	Polarity
1	5002.2000	41.83	-45.63	31.41	-67.66	-25.00	42.66	Vertical
2	7503.3000	38.90	-43.13	36.60	-62.89	-25.00	37.89	Vertical
3	10004.4000	32.49	-39.23	38.20	-63.80	-25.00	38.80	Vertical
4	12505.5000	27.12	-36.99	38.95	-66.18	-25.00	41.18	Vertical
5	15006.6000	24.18	-34.65	41.29	-64.45	-25.00	39.45	Vertical
6	17507.7000	27.76	-34.95	44.59	-57.86	-25.00	32.86	Vertical



Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com/en/Terms-and-Conditions.aspx> and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com/en/Terms-and-Conditions/Terms-e-Documents.aspx>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 30 days only.

Attention: To check the authenticity of testing/inspection report & certificate, please contact us at telephone: (86-755) 8307 1443, or email: [CN.Doccheck@sgs.com](mailto:CN.Doccheck@sgs.com)

South of No. 6 Plant, No. 1, Runsheng Road, Suzhou Industrial Park, Suzhou Area, China (Jiangsu) Pilot Free Trade Zone 215000  
 中国·苏州·中国(江苏)自由贸易试验区苏州片区苏州工业园区润胜路1号的6号厂房南楼 邮编: 215000

t (86-512) 62992980 www.sgs.com.cn  
 t (86-512) 62992980 sgs.china@sgs.com

Test Band = NR SA Band 41\_ TM1

Test Channel = Mid Channel

Final Data List								
NO.	Frequency [MHz]	Reading [dBμV]	Factor [dB]	AF[dB/m]	Level [dBm]	Limit [dBm]	Margin [dB]	Polarity
1	5096.1600	40.54	-45.38	31.63	-68.47	-25.00	43.47	Horizontal
2	7644.2400	39.42	-43.01	36.66	-62.20	-25.00	37.20	Horizontal
3	10192.3200	31.50	-39.47	38.30	-64.94	-25.00	39.94	Horizontal
4	12740.4000	28.09	-36.74	39.02	-64.89	-25.00	39.89	Horizontal
5	15288.4800	25.33	-34.36	40.69	-63.60	-25.00	38.60	Horizontal
6	17836.5600	30.89	-34.59	46.07	-52.89	-25.00	27.89	Horizontal

Final Data List								
NO.	Frequency [MHz]	Reading [dBμV]	Factor [dB]	AF[dB/m]	Level [dBm]	Limit [dBm]	Margin [dB]	Polarity
1	5096.1600	40.87	-45.38	31.63	-68.14	-25.00	43.14	Vertical
2	7644.2400	38.17	-43.01	36.66	-63.45	-25.00	38.45	Vertical
3	10192.3200	31.02	-39.47	38.30	-65.42	-25.00	40.42	Vertical
4	12740.4000	27.13	-36.74	39.02	-65.85	-25.00	40.85	Vertical
5	15288.4800	25.01	-34.36	40.69	-63.92	-25.00	38.92	Vertical
6	17836.5600	29.62	-34.59	46.07	-54.16	-25.00	29.16	Vertical



Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com/en/Terms-and-Conditions.aspx> and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com/en/Terms-and-Conditions/Terms-e-Documents.aspx>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 30 days only.

Attention: To check the authenticity of testing/inspection report & certificate, please contact us at telephone: (86-755) 8307 1443, or email: [CN.Doccheck@sgs.com](mailto:CN.Doccheck@sgs.com)

South of No. 6 Plant, No. 1, Pansheng Road, Suzhou Industrial Park, Suzhou Area, China (Jiangsu) Pilot Free Trade Zone 215000  
 中国·苏州·中国(江苏)自由贸易试验区苏州片区苏州工业园区海胜路1号的6号厂房南楼 邮编: 215000

t (86-512) 62992980 www.sgs.com.cn  
 t (86-512) 62992980 sgs.china@sgs.com

Test Band = NR SA Band 41\_ TM1

Test Channel = High Channel

Final Data List								
NO.	Frequency [MHz]	Reading [dBμV]	Factor [dB]	AF[dB/m]	Level [dBm]	Limit [dBm]	Margin [dB]	Polarity
1	5190.1800	40.43	-45.29	31.86	-68.26	-25.00	43.26	Horizontal
2	7785.2700	38.35	-42.43	36.71	-62.62	-25.00	37.62	Horizontal
3	10380.3600	32.26	-39.03	38.39	-63.64	-25.00	38.64	Horizontal
4	12975.4500	26.84	-37.28	39.09	-66.60	-25.00	41.60	Horizontal
5	15570.5400	25.13	-35.08	40.10	-65.11	-25.00	40.11	Horizontal
6	17680	30.09	-33.87	45.36	-53.68	-25.00	28.68	Horizontal

Final Data List								
NO.	Frequency [MHz]	Reading [dBμV]	Factor [dB]	AF[dB/m]	Level [dBm]	Limit [dBm]	Margin [dB]	Polarity
1	5190.1800	40.56	-45.29	31.86	-68.13	-25.00	43.13	Vertical
2	7785.2700	38.50	-42.43	36.71	-62.47	-25.00	37.47	Vertical
3	10380.3600	31.33	-39.03	38.39	-64.57	-25.00	39.57	Vertical
4	12975.4500	27.28	-37.28	39.09	-66.16	-25.00	41.16	Vertical
5	15570.5400	23.86	-35.08	40.10	-66.38	-25.00	41.38	Vertical
6	17587.5	28.83	-33.46	44.94	-54.95	-25.00	29.95	Vertical



Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com/en/Terms-and-Conditions.aspx> and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com/en/Terms-and-Conditions/Terms-e-Documents.aspx>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 30 days only.

Attention: To check the authenticity of testing/inspection report & certificate, please contact us at telephone: (86-755) 8307 1443, or email: [CN.Doccheck@sgs.com](mailto:CN.Doccheck@sgs.com)

South of No. 6 Plant, No. 1, Runsheng Road, Suzhou Industrial Park, Suzhou Area, China (Jiangsu) Pilot Free Trade Zone 215000  
 中国·苏州·中国(江苏)自由贸易试验区苏州片区苏州工业园区润胜路1号的6号厂房南楼 邮编: 215000

t (86-512) 62992980 www.sgs.com.cn  
 t (86-512) 62992980 sgs.china@sgs.com

**Test Band = NR SA UL MIMO Band 41\_ TM1**  
**Test Channel = Low Channel**

Final Data List								
NO.	Frequency [MHz]	Reading [dBμV]	Factor [dB]	AF[dB/m]	Level [dBm]	Limit [dBm]	Margin [dB]	Polarity
1	5002.2000	41.15	-45.63	31.41	-68.34	-25.00	43.34	Horizontal
2	7503.3000	39.12	-43.13	36.60	-62.67	-25.00	37.67	Horizontal
3	10004.4000	32.39	-39.23	38.20	-63.90	-25.00	38.90	Horizontal
4	12505.5000	27.55	-36.99	38.95	-65.75	-25.00	40.75	Horizontal
5	15006.6000	25.00	-34.65	41.29	-63.63	-25.00	38.63	Horizontal
6	17507.7000	27.07	-34.95	44.59	-58.55	-25.00	33.55	Horizontal

Final Data List								
NO.	Frequency [MHz]	Reading [dBμV]	Factor [dB]	AF[dB/m]	Level [dBm]	Limit [dBm]	Margin [dB]	Polarity
1	5002.2000	40.73	-45.63	31.41	-68.76	-25.00	43.76	Vertical
2	7503.3000	38.77	-43.13	36.60	-63.02	-25.00	38.02	Vertical
3	10004.4000	32.60	-39.23	38.20	-63.69	-25.00	38.69	Vertical
4	12505.5000	26.26	-36.99	38.95	-67.04	-25.00	42.04	Vertical
5	15006.6000	24.33	-34.65	41.29	-64.30	-25.00	39.30	Vertical
6	17507.7000	26.60	-34.95	44.59	-59.02	-25.00	34.02	Vertical



Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com/en/Terms-and-Conditions.aspx> and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com/en/Terms-and-Conditions/Terms-e-Documents.aspx>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 30 days only.  
**Attention: To check the authenticity of testing/inspection report & certificate, please contact us at telephone: (86-755) 8307 1443, or email: CN.Doccheck@sgs.com**

South of No. 6 Plant, No. 1, Pansheng Road, Suzhou Industrial Park, Suzhou Area, China (Jiangsu) Pilot Free Trade Zone 215000  
 中国·苏州·中国(江苏)自由贸易试验区苏州片区苏州工业园区海胜路1号的6号厂房南楼 邮编: 215000

t (86-512) 62992980 www.sgs.com.cn  
 t (86-512) 62992980 sgs.china@sgs.com

**Test Band = NR SA UL MIMO Band 41 \_ TM1**

**Test Channel = Mid Channel**

Final Data List								
NO.	Frequency [MHz]	Reading [dBμV]	Factor [dB]	AF[dB/m]	Level [dBm]	Limit [dBm]	Margin [dB]	Polarity
1	5096.1600	39.92	-45.38	31.63	-69.09	-25.00	44.09	Horizontal
2	7644.2400	38.08	-43.01	36.66	-63.54	-25.00	38.54	Horizontal
3	10192.3200	31.18	-39.47	38.30	-65.26	-25.00	40.26	Horizontal
4	12740.4000	26.98	-36.74	39.02	-66.00	-25.00	41.00	Horizontal
5	15288.4800	25.12	-34.36	40.69	-63.81	-25.00	38.81	Horizontal
6	17836.5600	29.44	-34.59	46.07	-54.34	-25.00	29.34	Horizontal

Final Data List								
NO.	Frequency [MHz]	Reading [dBμV]	Factor [dB]	AF[dB/m]	Level [dBm]	Limit [dBm]	Margin [dB]	Polarity
1	5096.1600	40.05	-45.38	31.63	-68.96	-25.00	43.96	Vertical
2	7644.2400	39.00	-43.01	36.66	-62.62	-25.00	37.62	Vertical
3	10192.3200	30.94	-39.47	38.30	-65.50	-25.00	40.50	Vertical
4	12740.4000	26.55	-36.74	39.02	-66.43	-25.00	41.43	Vertical
5	15288.4800	24.99	-34.36	40.69	-63.94	-25.00	38.94	Vertical
6	17836.5600	28.48	-34.59	46.07	-55.30	-25.00	30.30	Vertical



Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com/en/Terms-and-Conditions.aspx> and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com/en/Terms-and-Conditions/Terms-e-Documents.aspx>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 30 days only.

Attention: To check the authenticity of testing/inspection report & certificate, please contact us at telephone: (86-755) 8307 1443, or email: [CN.Doccheck@sgs.com](mailto:CN.Doccheck@sgs.com)

South of No. 6 Plant, No. 1, Pansheng Road, Suzhou Industrial Park, Suzhou Area, China (Jiangsu) Pilot Free Trade Zone 215000  
 中国·苏州·中国(江苏)自由贸易试验区苏州片区苏州工业园区海胜路1号的6号厂房南楼 邮编: 215000

t (86-512) 62992980 www.sgs.com.cn  
 t (86-512) 62992980 sgs.china@sgs.com



**Test Band = NR SA UL MIMO Band 41 \_ TM1**

**Test Channel = High Channel**

Final Data List								
NO.	Frequency [MHz]	Reading [dBμV]	Factor [dB]	AF[dB/m]	Level [dBm]	Limit [dBm]	Margin [dB]	Polarity
1	5190.1800	40.86	-45.29	31.86	-67.83	-25.00	42.83	Horizontal
2	7785.2700	37.74	-42.43	36.71	-63.23	-25.00	38.23	Horizontal
3	10380.3600	30.61	-39.03	38.39	-65.29	-25.00	40.29	Horizontal
4	12975.4500	26.10	-37.28	39.09	-67.34	-25.00	42.34	Horizontal
5	15570.5400	23.89	-35.08	40.10	-66.35	-25.00	41.35	Horizontal
6	17744.5	29.64	-34.30	45.65	-54.27	-25.00	29.27	Horizontal

Final Data List								
NO.	Frequency [MHz]	Reading [dBμV]	Factor [dB]	AF[dB/m]	Level [dBm]	Limit [dBm]	Margin [dB]	Polarity
1	5190.1800	40.57	-45.29	31.86	-68.12	-25.00	43.12	Vertical
2	7785.2700	37.85	-42.43	36.71	-63.12	-25.00	38.12	Vertical
3	10380.3600	30.41	-39.03	38.39	-65.49	-25.00	40.49	Vertical
4	12975.4500	26.19	-37.28	39.09	-67.25	-25.00	42.25	Vertical
5	15570.5400	23.48	-35.08	40.10	-66.76	-25.00	41.76	Vertical
6	17588.5	27.38	-33.45	44.95	-56.38	-25.00	31.38	Vertical



Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com/en/Terms-and-Conditions.aspx> and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com/en/Terms-and-Conditions/Terms-e-Documents.aspx>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 30 days only.

Attention: To check the authenticity of testing/inspection report & certificate, please contact us at telephone: (86-755) 8307 1443, or email: [CN.Doccheck@sgs.com](mailto:CN.Doccheck@sgs.com)

South of No. 6 Plant, No. 1, Pansheng Road, Suzhou Industrial Park, Suzhou Area, China (Jiangsu) Pilot Free Trade Zone 215000 t (86-512) 62992980 www.sgs.com.cn  
 中国·苏州·中国(江苏)自由贸易试验区苏州片区苏州工业园区海胜路1号的6号厂房南楼 邮编: 215000 t (86-512) 62992980 sgs.china@sgs.com

Test Band = DC\_5A-n41A\_TM1

Test Channel = Low Channel

Final Data List									
NO.	Frequency [MHz]	Reading [dBμV]	Factor [dB]	Level [dBm]	Limit [dBm]	Margin [dB]	Height [cm]	Angle [°]	Polarity
1	5002.2	49.88	-107.58	-57.70	-25.00	32.70	263	11	Horizontal
2	7503.3	48.65	-100.34	-51.69	-25.00	26.69	241	322	Horizontal
3	10004.4	45.27	-93.89	-48.62	-25.00	23.62	178	0	Horizontal
4	12505.5	43.81	-91.38	-47.57	-25.00	22.57	263	296	Horizontal
5	15006.6	43.44	-90.07	-46.63	-25.00	21.63	254	331	Horizontal
6	17507.7	39.88	-86.50	-46.62	-25.00	21.62	188	26	Horizontal

Final Data List									
NO.	Frequency [MHz]	Reading [dBμV]	Factor [dB]	Level [dBm]	Limit [dBm]	Margin [dB]	Height [cm]	Angle [°]	Polarity
1	5002.2	50.71	-107.58	-56.87	-25.00	31.87	263	331	Vertical
2	7503.3	48.33	-100.34	-52.01	-25.00	27.01	284	357	Vertical
3	10004.4	45.08	-93.89	-48.81	-25.00	23.81	176	315	Vertical
4	12505.5	43.40	-91.38	-47.98	-25.00	22.98	251	176	Vertical
5	15006.6	42.65	-90.07	-47.42	-25.00	22.42	144	324	Vertical
6	17507.7	39.83	-86.50	-46.67	-25.00	21.67	196	219	Vertical



Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com/en/Terms-and-Conditions.aspx> and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com/en/Terms-and-Conditions/Terms-e-Documents.aspx>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 30 days only.

Attention: To check the authenticity of testing/inspection report & certificate, please contact us at telephone: (86-755) 8307 1443, or email: [CN.Doccheck@sgs.com](mailto:CN.Doccheck@sgs.com)

South of No. 6 Plant, No. 1, Pansheng Road, Suzhou Industrial Park, Suzhou Area, China (Jiangsu) Pilot Free Trade Zone 215000  
 中国·苏州·中国(江苏)自由贸易试验区苏州片区苏州工业园区海胜路1号的6号厂房南楼 邮编: 215000

t (86-512) 62992980 www.sgs.com.cn  
 t (86-512) 62992980 sgs.china@sgs.com

Test Band = DC\_5A-n41A\_TM1  
 Test Channel = Mid Channel

Final Data List									
NO.	Frequency [MHz]	Reading [dBμV]	Factor [dB]	Level [dBm]	Limit [dBm]	Margin [dB]	Height [cm]	Angle [°]	Polarity
1	5096.16	49.69	-106.96	-57.27	-25.00	32.27	263	324	Horizontal
2	7644.24	48.93	-99.76	-50.83	-25.00	25.83	254	349	Horizontal
3	10192.32	44.16	-93.11	-48.95	-25.00	23.95	186	332	Horizontal
4	12740.4	44.89	-91.03	-46.14	-25.00	21.14	284	106	Horizontal
5	15288.48	42.35	-90.16	-47.81	-25.00	22.81	175	228	Horizontal
6	17836.56	40.26	-84.21	-43.95	-25.00	18.95	266	158	Horizontal

Final Data List									
NO.	Frequency [MHz]	Reading [dBμV]	Factor [dB]	Level [dBm]	Limit [dBm]	Margin [dB]	Height [cm]	Angle [°]	Polarity
1	5096.16	49.31	-106.96	-57.65	-25.00	32.65	142	202	Vertical
2	7644.24	49.88	-99.76	-49.88	-25.00	24.88	263	218	Vertical
3	10192.32	44.69	-93.11	-48.42	-25.00	23.42	287	253	Vertical
4	12740.4	43.41	-91.03	-47.62	-25.00	22.62	174	229	Vertical
5	15288.48	43.43	-90.16	-46.73	-25.00	21.73	265	333	Vertical
6	17836.56	41.67	-84.21	-42.54	-25.00	17.54	241	288	Vertical





Test Band = DC\_5A-n41A\_TM1

Test Channel = High Channel

Final Data List									
NO.	Frequency [MHz]	Reading [dBμV]	Factor [dB]	Level [dBm]	Limit [dBm]	Margin [dB]	Height [cm]	Angle [°]	Polarity
1	5190.18	50.11	-106.82	-56.71	-25.00	31.71	400	11	Horizontal
2	7785.27	49.17	-98.90	-49.73	-25.00	24.73	284	315	Horizontal
3	10380.36	43.44	-92.87	-49.43	-25.00	24.43	176	105	Horizontal
4	12975.45	43.12	-90.59	-47.47	-25.00	22.47	241	253	Horizontal
5	15570.54	43.19	-90.76	-47.57	-25.00	22.57	144	122	Horizontal
6	17695.7143	46.05	-84.88	-38.83	-25.00	13.83	266	217	Horizontal

Final Data List									
NO.	Frequency [MHz]	Reading [dBμV]	Factor [dB]	Level [dBm]	Limit [dBm]	Margin [dB]	Height [cm]	Angle [°]	Polarity
1	5190.18	49.60	-106.82	-57.22	-25.00	32.22	142	58	Vertical
2	7785.27	49.08	-98.90	-49.82	-25.00	24.82	263	31	Vertical
3	10380.36	43.18	-92.87	-49.69	-25.00	24.69	285	356	Vertical
4	12975.45	43.51	-90.59	-47.08	-25.00	22.08	155	340	Vertical
5	15570.54	41.76	-90.76	-49.00	-25.00	24.00	265	24	Vertical
6	17832.8571	41.95	-84.22	-42.27	-25.00	17.27	241	304	Vertical



Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com/en/Terms-and-Conditions.aspx> and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com/en/Terms-and-Conditions/Terms-e-Documents.aspx>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 30 days only.

Attention: To check the authenticity of testing/inspection report & certificate, please contact us at telephone: (86-755) 8307 1443, or email: [CN.Doccheck@sgs.com](mailto:CN.Doccheck@sgs.com)

South of No. 6 Plant, No. 1, Pansheng Road, Suzhou Industrial Park, Suzhou Area, China (Jiangsu) Pilot Free Trade Zone 215000  
 中国·苏州·中国(江苏)自由贸易试验区苏州片区苏州工业园区海胜路1号的6号厂房南楼 邮编: 215000

t (86-512) 62992980 www.sgs.com.cn  
 t (86-512) 62992980 sgs.china@sgs.com

**Test Band = NR UL CA n25A-n41A\_ TM1**
**Test Channel = Low Channel**

Final Data List									
NO.	Frequency [MHz]	Reading [dBμV]	Factor [dB]	Level [dBm]	Limit [dBm]	Margin [dB]	Height [cm]	Angle [°]	Polarity
1	3702.18	48.91	-111.07	-62.16	-25.00	37.16	163	11	Horizontal
2	5002.2	49.97	-107.58	-57.61	-25.00	32.61	251	82	Horizontal
3	5553.27	50.27	-106.36	-56.09	-25.00	31.09	174	273	Horizontal
4	7404.36	49.94	-100.77	-50.83	-25.00	25.83	156	143	Horizontal
5	7503.3	49.53	-100.34	-50.81	-25.00	25.81	265	82	Horizontal
6	10004.4	46.44	-93.89	-47.45	-25.00	22.45	241	221	Horizontal

Final Data List									
NO.	Frequency [MHz]	Reading [dBμV]	Factor [dB]	Level [dBm]	Limit [dBm]	Margin [dB]	Height [cm]	Angle [°]	Polarity
1	3702.18	49.31	-111.07	-61.76	-25.00	36.76	263	80	Vertical
2	5002.2	50.26	-107.58	-57.32	-25.00	32.32	254	88	Vertical
3	5553.27	50.47	-106.36	-55.89	-25.00	30.89	174	37	Vertical
4	7404.36	48.16	-100.77	-52.61	-25.00	27.61	185	211	Vertical
5	7503.3	49.09	-100.34	-51.25	-25.00	26.25	265	334	Vertical
6	10004.4	45.04	-93.89	-48.85	-25.00	23.85	235	114	Vertical



Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com/en/Terms-and-Conditions.aspx> and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com/en/Terms-and-Conditions/Terms-e-Documents.aspx>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 30 days only.

Attention: To check the authenticity of testing/inspection report & certificate, please contact us at telephone: (86-755) 8307 1443, or email: [CN.Doccheck@sgs.com](mailto:CN.Doccheck@sgs.com)

South of No. 6 Plant, No. 1, Pansheng Road, Suzhou Industrial Park, Suzhou Area, China (Jiangsu) Pilot Free Trade Zone 215000  
 中国·苏州·中国(江苏)自由贸易试验区苏州片区苏州工业园区海胜路1号的6号厂房南楼 邮编: 215000

t (86-512) 62992980 www.sgs.com.cn  
 t (86-512) 62992980 sgs.china@sgs.com

Test Band = NR UL CA n25A-n41A\_ TM1  
 Test Channel = Mid Channel

Final Data List									
NO.	Frequency [MHz]	Reading [dBμV]	Factor [dB]	Level [dBm]	Limit [dBm]	Margin [dB]	Height [cm]	Angle [°]	Polarity
1	3742.18	49.29	-110.86	-61.57	-25.00	36.57	163	359	Horizontal
2	5096.16	50.69	-106.96	-56.27	-25.00	31.27	251	133	Horizontal
3	5613.27	50.72	-106.14	-55.42	-25.00	30.42	142	281	Horizontal
4	7484.36	48.22	-100.43	-52.21	-25.00	27.21	263	211	Horizontal
5	7644.24	50.77	-99.76	-48.99	-25.00	23.99	254	256	Horizontal
6	10192.32	43.64	-93.11	-49.47	-25.00	24.47	188	359	Horizontal

Final Data List									
NO.	Frequency [MHz]	Reading [dBμV]	Factor [dB]	Level [dBm]	Limit [dBm]	Margin [dB]	Height [cm]	Angle [°]	Polarity
1	3742.18	48.86	-110.86	-62.00	-25.00	37.00	142	162	Vertical
2	5096.16	49.31	-106.96	-57.65	-25.00	32.65	263	360	Vertical
3	5613.27	50.19	-106.14	-55.95	-25.00	30.95	254	110	Vertical
4	7484.36	48.56	-100.43	-51.87	-25.00	26.87	184	180	Vertical
5	7644.24	49.32	-99.76	-50.44	-25.00	25.44	163	329	Vertical
6	10192.32	43.39	-93.11	-49.72	-25.00	24.72	244	359	Vertical



Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com/en/Terms-and-Conditions.aspx> and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com/en/Terms-and-Conditions/Terms-e-Documents.aspx>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 30 days only.  
 Attention: To check the authenticity of testing/inspection report & certificate, please contact us at telephone: (86-755) 8307 1443, or email: [CN.Doccheck@sgs.com](mailto:CN.Doccheck@sgs.com)  
 South of No. 6 Plant, No. 1, Runsheng Road, Suzhou Industrial Park, Suzhou Area, China (Jiangsu) Pilot Free Trade Zone 215000 t (86-512) 62992980 www.sgs.com.cn  
 中国·苏州·中国(江苏)自由贸易试验区苏州片区苏州工业园区海胜路1号的6号厂房南楼 邮编: 215000 t (86-512) 62992980 sgs.china@sgs.com

Test Band = NR UL CA n25A-n41A\_ TM1  
 Test Channel = High Channel

Final Data List									
NO.	Frequency [MHz]	Reading [dBμV]	Factor [dB]	Level [dBm]	Limit [dBm]	Margin [dB]	Height [cm]	Angle [°]	Polarity
1	3792.18	49.71	-110.61	-60.90	-25.00	35.90	263	154	Horizontal
2	5190.18	50.36	-106.82	-56.46	-25.00	31.46	241	343	Horizontal
3	5688.27	49.83	-105.81	-55.98	-25.00	30.98	175	11	Horizontal
4	7584.36	49.43	-99.90	-50.47	-25.00	25.47	263	54	Horizontal
5	7785.27	48.23	-98.90	-50.67	-25.00	25.67	284	360	Horizontal
6	10380.36	42.78	-92.87	-50.09	-25.00	25.09	144	154	Horizontal

Final Data List									
NO.	Frequency [MHz]	Reading [dBμV]	Factor [dB]	Level [dBm]	Limit [dBm]	Margin [dB]	Height [cm]	Angle [°]	Polarity
1	3792.18	49.39	-110.61	-61.22	-25.00	36.22	263	11	Vertical
2	5190.18	49.85	-106.82	-56.97	-25.00	31.97	241	169	Vertical
3	5688.27	49.44	-105.81	-56.37	-25.00	31.37	175	358	Vertical
4	7584.36	49.01	-99.90	-50.89	-25.00	25.89	263	135	Vertical
5	7785.27	49.01	-98.90	-49.89	-25.00	24.89	241	256	Vertical
6	10380.36	43.56	-92.87	-49.31	-25.00	24.31	196	350	Vertical

Remark:

1) The field strength is calculated by adding the Antenna Factor, Cable Factor & AMP. The basic equation with a sample calculation is as follows:

AF = Antenna Factor(dB/m)

Factor = Cable Factor(dB) - Preamplifier (dB)

Level = Reading Level + AF + Factor -95.26

Margin = Limit – Level



## Frequency Stability for SA

### Test Result

### Frequency Error VS. Voltage

Voltage										
Band	SCS	Bandwidth	Modulation	Channel	RB Config	Voltage	Temperature	Deviation(Hz)	Deviation (ppm)	Verdict
N41	30	100	DFT-PI2BPSK	M	Outer_Full	VH	NT	0.200000	0.000077	PASS
N41	30	100	DFT-PI2BPSK	M	Outer_Full	VN	NT	-4.400000	-0.001697	PASS
N41	30	100	DFT-PI2BPSK	M	Outer_Full	VL	NT	-0.800000	-0.000309	PASS
N41	30	100	CP-QPSK	M	Outer_Full	VH	NT	0.200000	0.000077	PASS
N41	30	100	CP-QPSK	M	Outer_Full	VN	NT	4.400000	0.001697	PASS
N41	30	100	CP-QPSK	M	Outer_Full	VL	NT	-4.600000	-0.001774	PASS



Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com/en/Terms-and-Conditions.aspx> and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com/en/Terms-and-Conditions/Terms-e-Documents.aspx>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 30 days only.

Attention: To check the authenticity of testing/inspection report & certificate, please contact us at telephone: (86-755) 8307 1443, or email: [CN.Doccheck@sgs.com](mailto:CN.Doccheck@sgs.com)

South of No. 6 Plant, No. 1, Pansheng Road, Suzhou Industrial Park, Suzhou Area, China (Jiangsu) Pilot Free Trade Zone 215000 t (86-512) 62992980 www.sgsgroup.com.cn  
 中国·苏州·中国(江苏)自由贸易试验区苏州片区苏州工业园区海胜路1号的6号厂房南楼 邮编: 215000 t (86-512) 62992980 sgs.china@sgs.com



Frequency Error VS. Temperature

Temperature										
Band	SCS	Bandwidth	Modulation	Channel	RB Config	Voltage	Temperature	Deviation(Hz)	Deviation (ppm)	Verdict
N41	30	100	DFT-PI2BPSK	M	Outer_Full	NV	-30	-3.200000	-0.001234	PASS
N41	30	100	DFT-PI2BPSK	M	Outer_Full	NV	-20	-1.000000	-0.000386	PASS
N41	30	100	DFT-PI2BPSK	M	Outer_Full	NV	-10	-3.900000	-0.001504	PASS
N41	30	100	DFT-PI2BPSK	M	Outer_Full	NV	0	-2.700000	-0.001041	PASS
N41	30	100	DFT-PI2BPSK	M	Outer_Full	NV	10	-3.000000	-0.001157	PASS
N41	30	100	DFT-PI2BPSK	M	Outer_Full	NV	20	-2.100000	-0.000810	PASS
N41	30	100	DFT-PI2BPSK	M	Outer_Full	NV	30	-2.500000	-0.000964	PASS
N41	30	100	DFT-PI2BPSK	M	Outer_Full	NV	40	-1.600000	-0.000617	PASS
N41	30	100	DFT-PI2BPSK	M	Outer_Full	NV	50	-1.800000	-0.000694	PASS
N41	30	100	CP-QPSK	M	Outer_Full	NV	-30	2.400000	0.000926	PASS
N41	30	100	CP-QPSK	M	Outer_Full	NV	-20	-5.400000	-0.002083	PASS
N41	30	100	CP-QPSK	M	Outer_Full	NV	-10	-1.300000	-0.000501	PASS
N41	30	100	CP-QPSK	M	Outer_Full	NV	0	-1.600000	-0.000617	PASS
N41	30	100	CP-QPSK	M	Outer_Full	NV	10	-2.400000	-0.000926	PASS
N41	30	100	CP-QPSK	M	Outer_Full	NV	20	-2.100000	-0.000810	PASS
N41	30	100	CP-QPSK	M	Outer_Full	NV	30	1.600000	0.000617	PASS
N41	30	100	CP-QPSK	M	Outer_Full	NV	40	0.300000	0.000116	PASS
N41	30	100	CP-QPSK	M	Outer_Full	NV	50	-1.800000	-0.000694	PASS



Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com/en/Terms-and-Conditions.aspx> and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com/en/Terms-and-Conditions/Terms-e-Documents.aspx>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 30 days only.

Attention: To check the authenticity of testing/inspection report & certificate, please contact us at telephone: (86-755) 8307 1443, or email: [CN.Doccheck@sgs.com](mailto:CN.Doccheck@sgs.com)

South of No. 6 Plant, No. 1, Pansheng Road, Suzhou Industrial Park, Suzhou Area, China (Jiangsu) Pilot Free Trade Zone 215000 t (86-512) 62992980 www.sgs.com.cn  
 中国·苏州·中国(江苏)自由贸易试验区苏州片区苏州工业园区海胜路1号的6号厂房南楼 邮编: 215000 t (86-512) 62992980 sgs.china@sgs.com

**Test Result for MIMO**

**Frequency Error VS. Voltage**

Voltage										
Band	SCS	Bandwidth	Modulation	Channel	RB Config	Voltage	Temperature	Deviation (Hz)	Deviation (ppm)	Verdict
N41	30	100	DFT-PI2BPSK	M	Outer_Full	VH	NT	-0.200000	-0.000077	PASS
N41	30	100	DFT-PI2BPSK	M	Outer_Full	VN	NT	2.300000	0.000887	PASS
N41	30	100	DFT-PI2BPSK	M	Outer_Full	VL	NT	-3.200000	-0.001234	PASS
N41	30	100	CP-QPSK	M	Outer_Full	VH	NT	-5.500000	-0.002121	PASS
N41	30	100	CP-QPSK	M	Outer_Full	VN	NT	0.700000	0.000270	PASS
N41	30	100	CP-QPSK	M	Outer_Full	VL	NT	-2.800000	-0.001080	PASS

**Frequency Error VS. Temperature**

Temperature										
Band	SCS	Bandwidth	Modulation	Channel	RB Config	Voltage	Temperature	Deviation (Hz)	Deviation (ppm)	Verdict
N41	30	100	DFT-PI2BPSK	M	Outer_Full	NV	-30	-4.300000	-0.001658	PASS
N41	30	100	DFT-PI2BPSK	M	Outer_Full	NV	-20	-3.500000	-0.001350	PASS
N41	30	100	DFT-PI2BPSK	M	Outer_Full	NV	-10	-2.300000	-0.000887	PASS
N41	30	100	DFT-PI2BPSK	M	Outer_Full	NV	0	-3.700000	-0.001427	PASS
N41	30	100	DFT-PI2BPSK	M	Outer_Full	NV	10	-4.300000	-0.001658	PASS
N41	30	100	DFT-PI2BPSK	M	Outer_Full	NV	20	-2.800000	-0.001080	PASS
N41	30	100	DFT-PI2BPSK	M	Outer_Full	NV	30	-12.400000	-0.004782	PASS
N41	30	100	DFT-PI2BPSK	M	Outer_Full	NV	40	1.200000	0.000463	PASS
N41	30	100	DFT-PI2BPSK	M	Outer_Full	NV	50	-0.900000	-0.000347	PASS
N41	30	100	CP-QPSK	M	Outer_Full	NV	-30	7.000000	0.002700	PASS
N41	30	100	CP-QPSK	M	Outer_Full	NV	-20	-5.500000	-0.002121	PASS
N41	30	100	CP-QPSK	M	Outer_Full	NV	-10	3.300000	0.001273	PASS
N41	30	100	CP-QPSK	M	Outer_Full	NV	0	-1.100000	-0.000424	PASS
N41	30	100	CP-QPSK	M	Outer_Full	NV	10	-1.800000	-0.000694	PASS
N41	30	100	CP-QPSK	M	Outer_Full	NV	20	1.400000	0.000540	PASS
N41	30	100	CP-QPSK	M	Outer_Full	NV	30	-5.100000	-0.001967	PASS
N41	30	100	CP-QPSK	M	Outer_Full	NV	40	-3.600000	-0.001388	PASS
N41	30	100	CP-QPSK	M	Outer_Full	NV	50	-2.400000	-0.000926	PASS

---End of Attachment---



Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com/en/Terms-and-Conditions.aspx> and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com/en/Terms-and-Conditions/Terms-e-Documents.aspx>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 30 days only.

Attention: To check the authenticity of testing/inspection report & certificate, please contact us at telephone: (86-755) 8307 1443, or email: [CN.Doccheck@sgs.com](mailto:CN.Doccheck@sgs.com)

South of No. 6 Plant, No. 1, Pansheng Road, Suzhou Industrial Park, Suzhou Area, China (Jiangsu) Pilot Free Trade Zone 215000  
 中国·苏州·中国(江苏)自由贸易试验区苏州片区苏州工业园区海胜路1号的6号厂房南楼 邮编: 215000

t (86-512) 62992980 www.sgs.com.cn  
 t (86-512) 62992980 sgs.china@sgs.com