Section 8. Host PC labeling

The description of the regulatory information is secured and the users cannot modify it. **<E-label screen>**

To access the E-label screen, do one of the following:

- Restart the computer. When the logo screen is displayed, press F9. The E-label screen is displayed.
- Restart the computer. When the logo screen is displayed, press Enter or tap the prompt to enter the Startup Interrupt menu. Then press F9 or tap the Regulatory Information option. The E-label screen is displayed.


M/N: TP00151A

Contains FCC ID: XMR2023RM520NGLM, IC: 10224A-022RM520NGL

Contains FCC ID: PD9AX211D2, IC: 1000M-AX211D2

For RM520N-GL and AX211D2W

Contains FCC ID: MCLT77H747, IC: 2878D-T77H747





Contains FCC ID: XMR2023RM520NGLM, IC: 10224A-022RM520NGL

Contains FCC ID: PD9BE200D2, IC: 1000M-BE200D2

Contains FCC ID: MCLT77H747, IC: 2878D-T77H747

For RM520N-GL and BE200D2W

Lenovo. Regula	tory Information	1	
	R-NZ	M/N: TR00554-* Comercy RC 0: KMR2023MMR20MGUM, IC: 102244-8228MS20MGL Comercy RC 0: P504520001, IC: 1000M-8E30003-* Comercy RC 0: M207797040, IC: 18786-17794147-	
ご使用のコンピュータにIEEE802.11a準要の無線 の規定により5.15-5.35GHz周波数帯での使用は第	機が搭載されている場合は、電波法 【内に限られます・	R.R.4.VK-TP100000X	
This product contains a lithium-ion battery and a li to local, state, or federal laws.	thium battery; dispose of according	MSIP-CRM-XXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXX	
Copyrighted code and parts contained herein. © Copyright Lenovo 2005, 2018.		TA-2016/2502 TA-2016/2773 TA-2016/2877 APPROVED 意思の、2000000 定配の、170244 回用の15050003 MICKS 和参考指定 第A-2016/79	