Report No.: SEWM2306000206RG01 Rev.: 01 1 of 8 Page:

TEST REPORT

Application No.:	SEWM2306000206RG			
Applicant:	Quectel Wireless Solutions Co., Ltd.			
Address of Applicant:	Building 5, Shanghai Business Park Phase III (Area B), No.1016 Tianlin Road, Minhang District, Shanghai 200233, China			
Manufacturer:	Quectel Wireless Solutions Co., Ltd.			
Address of Manufacturer:	Building 5, Shanghai Business Park Phase III (Area B), No.1016 Tianlin Road, Minhang District, Shanghai 200233, China			
EUT Description:	Smart Module			
Model No.:	SG368Z-WF			
Trade Mark:	Quectel			
FCC ID:	XMR2023SG368ZWF			
Standards:	47 CFR Part 2.1091			
	FCC KDB 447498 D01 v06			
Date of Receipt:	2023/06/20			
Date of Issue:	2023/07/07			
Test Result:	PASS*			

* In the configuration tested, the EUT complied with the standards specified above.

Authorized Signature:

Nell

Well Wei Wireless Laboratory Manager



a, this document is issued by the Company subject to its General Conditions of Service cessible at <u>http://www.sgs.com/en/en/Errms-and-Conditions.aspx</u> and, for electronic formatdocur or Electronic Documents at <u>http://www.sgs.com/en/Errms-and-Conditions/Ferrms-bocuments</u> of ilability, indemnification and jurisdiction issues defined therein. Any holder of this docu hereon reflects the Company's findings at the time of its intervention only and within the iompany's sole responsibility is to its Client and this document does not exonerate part if rights and obligations under the transaction documents. This document cannot be repu Unless otherwise overleaf, available subject to Terms agreed in writing, this and n to is draw limitation Attenti and within the lir exonerate partie cannot be repro orma cept in A unauthorized ration, forgery or falsificat st extent of the law. Unless of the 30 days e: (86-755) 8307 1443, South of No. 6 Plant, No. 1, Runsheng Road, Suzhou Industrial Park, Suzhou Area, China (Jiangsu) Pilot Free Trade Zone 215000

中国・苏州・中国(江苏)自由贸易试验区苏州片区苏州工业园区润胜路1号的6号厂房南部 邮编: 215000

t (86-512) 62992980 www.sgsgroup.com.cn sgs.china@sgs.com t (86-512) 62992980

 Report No.:
 SEWM2306000206RG01

 Rev.:
 01

 Page:
 2 of 8

1 Version

Revision Record							
Version	Remark						
01		2023/07/07		Original			

Prepared By	Nýck Hu (Nick Hu) / Test Engineer
Checked By	Stone Ju (Stone Gu) / Reviewer



Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at http://www.sgs.com/en/Terms-and-Conditions.aspx and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at http://www.sgs.com/en/Terms-and-Conditions.aspx and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at http://www.sgs.com/en/Terms-and-Conditions.aspx and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at http://www.sgs.com/en/Terms-and-Conditions/Terms-e-Document.aspx. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document cannot be reproduced except in full, without prior written approval of the Company, any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 30 days only. Attention: To check the authenticity of testing /inspection report & certificate, please contact us at telephone: (86-755) 8307 1443, or email: CN_Doccheck@sgs.com

Grunn Hin Chr. Denter Read, Sachau Industria Park, Suchou Area, China (Jiangsu) Pilot Free Trade Zone 215000 中国・苏州 - 中国(江苏)自由贸易试验区苏州片区苏州工业园区润胜路1号的6号厂房南部 邮编: 215000 t (86–512) 62992980 www.sgsgroup.com.cn t (86–512) 62992980 sgs.china@sgs.com



 Report No.:
 SEWM2306000206RG01

 Rev.:
 01

 Page:
 3 of 8

Contents

1	Vers	sion	2
2	Gen	eral Information	4
2	2.1	Client Information	4
		Test Facility General Description of EUT	
3	RF E	Exposure Evaluation	6
		RF Exposure Compliance Requirement	
		1 Limits	
		2 Test Procedure	
		3 EUT RF Exposure Evaluation	
	3.1.4	Exposure calculations for multiple sources	8



S

Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at http://www.sgs.com/en/Terms-and-Conditions.aspx and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at http://www.sgs.com/en/Terms-and-Conditions.aspx and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at http://www.sgs.com/en/Terms-and-Conditions.aspx and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at http://www.sgs.com/en/Terms-and-Conditions/Terms-eDocument.aspx. Attention is drawn to the limitation of liability, indemnification and Juriddiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document cannot be reproduced except in full, without prior written approval of the Company, any unauthorized alteration, forgery or falisfication of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 30 days only. Attention: To check the authenticity of testing /inspection report & certificate, please contact us at telephone: (86-755) 8307 1443, or email: CN_Doccheck@sgs.com

Grunn Hin Chr. Denter Read, Sachau Industria Park, Suchou Area, China (Jiangsu) Pilot Free Trade Zone 215000 中国・苏州 - 中国(江苏)自由贸易试验区苏州片区苏州工业园区润胜路1号的6号厂房南部 邮编: 215000

 Report No.:
 SEWM2306000206RG01

 Rev.:
 01

 Page:
 4 of 8

2 General Information

2.1 Client Information

Applicant:	Quectel Wireless Solutions Co., Ltd.		
Address of Applicant:Building 5, Shanghai Business Park Phase III (Area B), No.1016 Tianlin Road, Minhang District, Shanghai 200233, China			
Manufacturer: Quectel Wireless Solutions Co., Ltd.			
Address of Manufacturer:	Building 5, Shanghai Business Park Phase III (Area B), No.1016 Tianlin Road, Minhang District, Shanghai 200233, China		

2.2 Test Facility

The test facility is recognized, certified, or accredited by the following organizations:

• A2LA (Certificate No. 6336.01)

SGS-CSTC STANDARDS TECHNICAL SERVICES (SUZHOU) CO., LTD. is accredited by the American Association for Laboratory Accreditation(A2LA). Certificate No. 6336.01.

Innovation, Science and Economic Development Canada

SGS-CSTC STANDARDS TECHNICAL SERVICES (SUZHOU) CO., LTD. has been recognized by ISED as an accredited testing laboratory.

CAB identifier: CN0120.

IC#: 27594.

• FCC – Designation Number: CN1312

SGS-CSTC STANDARDS TECHNICAL SERVICES (SUZHOU) CO., LTD. has been recognized as an accredited testing laboratory.

Designation Number: CN1312.

Test Firm Registration Number: 717327



Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at http://www.sgs.com/en/Terms-and-Conditions.aspx and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at http://www.sgs.com/en/Terms-and-Conditions, argrets-therwise and conditions for the Electronic Documents at http://www.sgs.com/en/Terms-and-Conditions, argrets-therwise and conditions for the Electronic Documents at http://www.sgs.com/en/Terms-and-Conditions, argrets-therwise and conditions for the Electronic Document as the titry/tww.sgs.com/en/Terms-and-Conditions for this document as divised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction document. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawill and offenders may be prosecuted to the fullest extent of the law Unless otherwise stated the results shown in theises appearing of testing finespection report & certificate, please contact us at telephone: (86-75) 8307 1443, termstrive Honders for the document is unlawing of testing integration report & certificate, please contact us at telephone: (86-75) 8307 1443, termstrive Honders for the document is unlawing the section of the section is the document is unlawing the section of the content or appearance is the document and the section of the sections of the section of the

South of No. 6 Plant, No. 1, Runsheng Road, Suchou Industrial Park, Suchou Area, China (Jiangsu) Pitol Free Trade Zone 215000 中国・苏州・中国(江苏)自由贸易试验区苏州片区苏州工业园区湖胜路1号的6号厂房南部 邮编: 215000

 Report No.:
 SEWM2306000206RG01

 Rev.:
 01

 Page:
 5 of 8

2.3 General Description of EUT

EUT Description:	Smart Module				
Model No.:	SG368Z-WF				
Trade Mark:	Quectel				
Hardware Version:	R1.0				
Software Version:	SG368ZWFNAR60A04				
Antenna Type:	🛛 External, 🗌 Integrated				
	BT/BLE:	-0.5dBi (Ant0)			
	2.4GWIFI:	-0.5dBi (Ant0)			
	5150MHz to 5250MHz:	2dBi (Ant0);			
	5250MHz to 5350MHz:	2dBi (Ant0);			
Antenna Gain:	5470MHz to 5725MHz:	3.2dBi (Ant0);			
	5725MHz to 5850MHz:	3.3dBi (Ant0);			
	Note:				
	The antenna gain are derived from the gain information report provided by the manufacturer.				
Remark:					
As above information is p	rovided and confirmed by the ap	oplicant. SGS is not liable to the accuracy,			

suitability, reliability or/and integrity of the information.



Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <u>http://www.sgs.com/en/Terms-and-Conditions.aspx</u> and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at <u>http://www.sgs.com/en/Terms-and-Conditions/Terms-and-Conditions/Terms-and-Conditions</u>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction document. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alleration, forgery or falsification of the content or results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 30 days only. Attention: To check the authenticity of testing /inspection report & certificate, please contact us at telephone: (86-75) 8307 1443, or email: CN_Doccheck@ss.com

Gound Wite OF Brank, No.1, Runsheng Road, Suzhou Indudará Park, Suzhou Area, China (Jiangsu) Pilot Free Trade Zone 215000 中国・苏州 - 中国(江苏)自由贸易试验区苏州片区苏州工业园区湖胜路1号的6号厂房南部 邮编: 215000

 Report No.:
 SEWM2306000206RG01

 Rev.:
 01

 Page:
 6 of 8

3 RF Exposure Evaluation

3.1 RF Exposure Compliance Requirement

3.1.1 Limits

Frequency range (MHz)	Electric field strength (V/m)	Magnetic field strength (A/m)	Power density (mW/cm2)	Averaging time (minutes)						
	(A) Limits for Occupational/Controlled Exposures									
0.3-3.0	614	1.63	*(100)	6						
3.0-30	1842/f	4.89/f	*(900/f2)	6						
30-300	61.4	0.163	1.0	6						
300-1500	/	/	f/300	6						
1500-100,000	/	1	5	6						
	B) Limits for General P	opulation/Uncontrolled	Exposure							
0.3-1.34	614	1.63	*(100)	30						
1.34-30	824/f	2.19/f	*(180/f2)	30						
30-300	27.5	0.073	0.2	30						
300-1500	/	/	f/1500	30						
1500-100,000	/	1	1.0	30						

F=frequency in MHz

*=Plane-wave equivalent power density

RF exposure compliance will need to be determined with respect to 1.1307(c) and (d) of the FCC rules. The emissions should be within the limits at 300kHz in Table 1 of 1.1310(use the 300kHz limits for 150kHz:614V/m,1.63A/m).

Friis Formula

Friis transmission formula: Pd = (Pout*G)/(4* Pi * R²)

Where

Pd = power density in mW/cm2

Pout = output power to antenna in mW

G = gain of antenna in linear scale

Pi = 3.1416

R = distance between observation point and center of the radiator in cm

Pd id the limit of MPE, 1 mW/cm2. If we know the maximum gain of the antenna and the total power input to the antenna, through the calculation, we will know the distance r where the MPE limit is reached.

格验检测专用章 Starsection & Testing Services 子 ScS-CSTU Networks Technical Services (10, 11, 11)	Jnless otherwise agreed in writing, this document is issued by th overleaf, available on request or accessible at http://www.sgs.com/e subject to Terms and Conditions for Electronic Documents at <u>http:</u> , thention is drawn to the limitation of liability, indemnification and j advised that information contained hereon reflects the Company's Iclent's instructions, if any. The Company's sole responsibility is ransaction from exercising all their rights and obligations under th sccept in full, without prior written approval of the Company. Any appearance of this document is unlawful and offenders may be pros- seults shown in this test report refer only to the sample(s) tested and Attention: To check the authenticity of testing /inspection report or email: CM_Doccheck@gs.com Southths.6Part, No.1, Ausheng Read, Subou IndustaiPark, Subou Aea, Chia (Liangau) Piki Free Tade Zone 中国。苏州、中国 (江苏) 自由贸易就量应苏州长区苏州工业履行	n/Terms-and-Condition: //www.sgs.com/en/Term urisdiction issues defin findings at the time of i to its Client and this of he transaction docume unauthorized alteration ecuted to the fullest ex such sample(s) are rett & certificate, please of 215000 t	<u>s.aspx</u> and, for electron is-and-Conditions/Term red therein. Any holder its intervention only an document does not ex- nts. This document ce n, forgery or falsificati tent of the law. Unless ained for 30 days only. contact us at telephon- t (86–512) 62992980	ic format documents, is-e-Document.aspx. r of this document is id within the limits of ionerate parties to a annot be reproduced ion of the content or otherwise stated the

 Report No.:
 SEWM2306000206RG01

 Rev.:
 01

 Page:
 7 of 8

3.1.2 Test Procedure

Software provided by client enabled the EUT to transmit data at lowest, middle and highest channel

individually

3.1.3 EUT RF Exposure Evaluation

Output Power Into Antenna & RF Exposure Evaluation Distance: This confirmed that the device comply with MPE limit.

Operating Band	Frequency (MHz)	Antenna Gain (dBi)	Max Conducted Power (dBm)	EIRP(ERP) (dBm)	EIRP(ERP) Limit (dBm)	Power Density at R = 20 cm (mW/cm2)	Limit (mW/cm2)	Gain according to EIRP(ERP) (dBi)	Gain according to Pd (dBi)	Max Gain Allowed (dBi)	conclusion
BT	2402.0	-0.50	9.00	8.50	30.00	0.0014	1.0000	NA	NA	NA	Pass
2.4GWIFI	2412.0	-0.50	20.00	19.50	30.00	0.0177	1.0000	NA	NA	NA	Pass
5GWIFI	5180.0	3.30	18.50	21.80	30.00	0.0301	1.0000	NA	NA	NA	Pass



Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <u>http://www.sgs.com/en/Terms-and-Conditions.aspx</u> and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at <u>http://www.sgs.com/en/Terms-and-Conditions/Terms-and-Conditions</u>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained herein reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction document. This document is unawfully and offenders may be prosecuted to the fullest extend of the isolation of the content or appearance of this document is unawfull and offenders may be prosecuted to the fullest extend of the authenticity of testing finespection report a certificate, please contact us at telephone: (86-75) 8307 1443, or email: Ch Doccheck@ss.com

South of No. 6 Plant, No. 1, Runsheng Road, Suzhou Industrial Park, Suzhou Area, China (Jiangsu) Pikol Free Trade Zone 215000 中国•苏州•中国(江苏)自由贸易试验区苏州片区苏州工业园区湖胜路1号的6号厂房南部 邮编: 215000 t (86–512) 62992980 www.sgsgroup.com.cn t (86–512) 62992980 sgs.china@sgs.com

 Report No.:
 SEWM2306000206RG01

 Rev.:
 01

 Page:
 8 of 8

3.1.4 Exposure calculations for multiple sources

When a number of sources at different frequencies, and/or broadband sources, contribute to the total exposure, it becomes necessary to weigh each contribution relative to the MPE in accordance with the provisions of Table(A) and Table(B). To comply with the MPE, the fraction of the MPE in terms of E2, H2 (or power density) incurred within each frequency interval should be determined and the sum of all such fractions should not exceed unity.

In order to ensure compliance with the MPE for a controlled environment, the sum of the ratios of the power density to the corresponding MPE should not exceed unity. That is

$$\sum_{i=1}^{n} \frac{S_i}{MPE_i} \leq 1$$

The product also has multiple transmitters The Simultaneous Transmission Possibilities are as below:

Simultaneous Tx Combination	Configuration
1	2.4GHz WiFi + Bluetooth
2	5GHz WiFi + Bluetooth

No.	Mode	Power Density (mW/cm ²)	MPE Limit (mW/cm²)	Result Ratio	Total Ratio	Limit	Result
1	Bluetooth	0.0014	1.0000	0.0014	0.0191	1.0000	Pass
	2.4GHz WiFi	0.0177	1.0000	0.0177	0.0191		
2	Bluetooth	0.0014	1.0000	0.0014	0.0245	1 0000	Pass
2	5GHz WiFi	0.0301	1.0000	0.0301	0.0315	1.0000	

---End of Report---



Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at http://www.sgs.com/en/Terms-and-Conditions.aspx and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at http://www.sgs.com/en/Terms-and-Conditions, for electronic Documents, attribution is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained herein reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is understing and their index may be produced and such sample(s) are retained for 30 deys only.

South of No. 6 Plant, No. 1, Runsheng Road, Suchou Industrial Park, Suchou Area, China (Jiangsu) Pitot Free Trade Zone 215000 中国・苏州・中国(江苏)自由贸易试验区苏州片区苏州工业园区润胜路1号的6号厂房南部 彰编: 215000 t (86–512) 62992980 www.sgsgroup.com.cn t (86–512) 62992980 sgs.china@sgs.com