






Date: 20.DEC.2023 19:45:54



Date: 20.DEC.2023 19:47:44







Maximum power spectral density

Test Result

TestMode	Antenna	Freq(MHz)	Result [dBm/MHz]	Limit [dBm/MHz]	Gain [dBi]	EIRP [dBm/MHz]	Limit [dBm/MHz]	Verdict
11A-CDD	Ant1	5955	-5.87	≤1.24	3.76	-2.11	≤5.00	PASS
	Ant2	5955	-5.11	≤1.24	3.76	-1.35	≤5.00	PASS
	total	5955	-2.46	≤-1.77	6.77	4.31	≤5.00	PASS
	Ant1	6175	-5.06	≤1.24	3.76	-1.30	≤5.00	PASS
	Ant2	6175	-5.22	≤1.24	3.76	-1.46	≤5.00	PASS
	total	6175	-2.13	≤-1.77	6.77	4.64	≤5.00	PASS
	Ant1	6415	-5.47	≤1.24	3.76	-1.71	≤5.00	PASS
	Ant2	6415	-5.41	≤1.24	3.76	-1.65	≤5.00	PASS
	total	6415	-2.43	≤-1.77	6.77	4.34	≤5.00	PASS
	Ant1	6435	-5.22	≤1.38	3.62	-1.60	≤5.00	PASS
	Ant2	6435	-5.44	≤1.38	3.62	-1.82	≤5.00	PASS
	total	6435	-2.32	≤-1.63	6.63	4.31	≤5.00	PASS
	Ant1	6475	-5.09	≤1.38	3.62	-1.47	≤5.00	PASS
	Ant2	6475	-5.29	≤1.38	3.62	-1.67	≤5.00	PASS
	total	6475	-2.18	≤-1.63	6.63	4.45	≤5.00	PASS
	Ant1	6515	-4.64	≤1.38	3.62	-1.02	≤5.00	PASS
	Ant2	6515	-5.01	≤1.38	3.62	-1.39	≤5.00	PASS
	total	6515	-1.81	≤-1.63	6.63	4.82	≤5.00	PASS
	Ant1	6535	-4.13	≤2.34	2.66	-1.47	≤5.00	PASS
	Ant2	6535	-4.44	≤2.34	2.66	-1.78	≤5.00	PASS
	total	6535	-1.27	≤-0.67	5.67	4.40	≤5.00	PASS
	Ant1	6695	-3.97	≤2.34	2.66	-1.31	≤5.00	PASS
	Ant2	6695	-3.91	≤2.34	2.66	-1.25	≤5.00	PASS
	total	6695	-0.93	≤-0.67	5.67	4.74	≤5.00	PASS
	Ant1	6855	-4.27	≤2.34	2.66	-1.61	≤5.00	PASS
	Ant2	6855	-4.45	≤2.34	2.66	-1.79	≤5.00	PASS
	total	6855	-1.35	≤-0.67	5.67	4.32	≤5.00	PASS
	Ant1	6875	-4.03	≤2.34	2.66	-1.37	≤5.00	PASS
	Ant2	6875	-4.47	≤2.34	2.66	-1.81	≤5.00	PASS
	total	6875	-1.23	≤-0.67	5.67	4.44	≤5.00	PASS
	Ant1	6895	-3.47	≤2.80	2.20	-1.27	≤5.00	PASS
	Ant2	6895	-3.97	≤2.80	2.20	-1.77	≤5.00	PASS
	total	6895	-0.70	≤-0.21	5.21	4.51	≤5.00	PASS
	Ant1	6995	-3.90	≤2.80	2.20	-1.70	≤5.00	PASS
	Ant2	6995	-3.45	≤2.80	2.20	-1.25	≤5.00	PASS
	total	6995	-0.66	≤-0.21	5.21	4.55	≤5.00	PASS
	Ant1	7095	-3.94	≤2.80	2.20	-1.74	≤5.00	PASS
	Ant2	7095	-3.87	≤2.80	2.20	-1.67	≤5.00	PASS
	total	7095	-0.89	≤-0.21	5.21	4.32	≤5.00	PASS
	Ant1	7115	-3.44	≤2.80	2.20	-1.24	≤5.00	PASS
	Ant2	7115	-3.44	≤2.80	2.20	-1.24	≤5.00	PASS
	total	7115	-0.43	≤-0.21	5.21	4.78	≤5.00	PASS
11AX20MIMO	Ant1	5955	-5.71	≤1.24	3.76	-1.95	≤5.00	PASS
	Ant2	5955	-5.06	≤1.24	3.76	-1.30	≤5.00	PASS



	total	5955	-2.36	≤-1.77	6.77	4.41	≤5.00	PASS
	Ant1	6175	-5.31	≤1.24	3.76	-1.55	≤5.00	PASS
	Ant2	6175	-5.22	≤1.24	3.76	-1.46	≤5.00	PASS
	total	6175	-2.25	≤-1.77	6.77	4.52	≤5.00	PASS
	Ant1	6415	-5.52	≤1.24	3.76	-1.76	≤5.00	PASS
	Ant2	6415	-5.29	≤1.24	3.76	-1.53	≤5.00	PASS
	total	6415	-2.39	≤-1.77	6.77	4.38	≤5.00	PASS
	Ant1	6435	-4.73	≤1.38	3.62	-1.11	≤5.00	PASS
	Ant2	6435	-5.12	≤1.38	3.62	-1.50	≤5.00	PASS
	total	6435	-1.91	≤-1.63	6.63	4.72	≤5.00	PASS
	Ant1	6475	-5.13	≤1.38	3.62	-1.51	≤5.00	PASS
	Ant2	6475	-5.32	≤1.38	3.62	-1.70	≤5.00	PASS
	total	6475	-2.21	≤-1.63	6.63	4.42	≤5.00	PASS
	Ant1	6515	-4.83	≤1.38	3.62	-1.21	≤5.00	PASS
	Ant2	6515	-5.07	≤1.38	3.62	-1.45	≤5.00	PASS
	total	6515	-1.94	≤-1.63	6.63	4.69	≤5.00	PASS
	Ant1	6535	-3.89	≤2.34	2.66	-1.23	≤5.00	PASS
	Ant2	6535	-3.87	≤2.34	2.66	-1.21	≤5.00	PASS
	total	6535	-0.87	≤-0.67	5.67	4.80	≤5.00	PASS
	Ant1	6695	-4.21	≤2.34	2.66	-1.55	≤5.00	PASS
	Ant2	6695	-3.81	≤2.34	2.66	-1.15	≤5.00	PASS
	total	6695	-1.00	≤-0.67	5.67	4.67	≤5.00	PASS
	Ant1	6855	-3.78	≤2.34	2.66	-1.12	≤5.00	PASS
	Ant2	6855	-3.93	≤2.34	2.66	-1.27	≤5.00	PASS
	total	6855	-0.84	≤-0.67	5.67	4.83	≤5.00	PASS
	Ant1	6875	-3.94	≤2.34	2.66	-1.28	≤5.00	PASS
	Ant2	6875	-4.59	≤2.34	2.66	-1.93	≤5.00	PASS
	total	6875	-1.24	≤-0.67	5.67	4.43	≤5.00	PASS
	Ant1	6895	-3.39	≤2.80	2.20	-1.19	≤5.00	PASS
	Ant2	6895	-3.87	≤2.80	2.20	-1.67	≤5.00	PASS
	total	6895	-0.61	≤-0.21	5.21	4.60	≤5.00	PASS
	Ant1	6995	-4.00	≤2.80	2.20	-1.80	≤5.00	PASS
	Ant2	6995	-3.62	≤2.80	2.20	-1.42	≤5.00	PASS
	total	6995	-0.80	≤-0.21	5.21	4.41	≤5.00	PASS
	Ant1	7095	-3.86	≤2.80	2.20	-1.66	≤5.00	PASS
	Ant2	7095	-3.88	≤2.80	2.20	-1.68	≤5.00	PASS
	total	7095	-0.86	≤-0.21	5.21	4.35	≤5.00	PASS
	Ant1	7115	-3.50	≤2.80	2.20	-1.30	≤5.00	PASS
	Ant2	7115	-3.53	≤2.80	2.20	-1.33	≤5.00	PASS
	total	7115	-0.50	≤-0.21	5.21	4.71	≤5.00	PASS
11AX40MIMO	Ant1	5965	-5.53	≤1.24	3.76	-1.77	≤5.00	PASS
	Ant2	5965	-4.63	≤1.24	3.76	-0.87	≤5.00	PASS
	total	5965	-2.05	≤-1.77	6.77	4.72	≤5.00	PASS
	Ant1	6165	-5.48	≤1.24	3.76	-1.72	≤5.00	PASS
	Ant2	6165	-5.35	≤1.24	3.76	-1.59	≤5.00	PASS
	total	6165	-2.40	≤-1.77	6.77	4.37	≤5.00	PASS
	Ant1	6405	-5.39	≤1.24	3.76	-1.63	≤5.00	PASS
	Ant2	6405	-5.46	≤1.24	3.76	-1.70	≤5.00	PASS
	total	6405	-2.41	≤-1.77	6.77	4.36	≤5.00	PASS
	Ant1	6445	-4.76	≤1.38	3.62	-1.14	≤5.00	PASS
	Ant2	6445	-4.92	≤1.38	3.62	-1.30	≤5.00	PASS



	total	6445	-1.83	≤-1.63	6.63	4.80	≤5.00	PASS
	Ant1	6485	-5.04	≤1.38	3.62	-1.42	≤5.00	PASS
	Ant2	6485	-5.25	≤1.38	3.62	-1.63	≤5.00	PASS
	total	6485	-2.13	≤-1.63	6.63	4.50	≤5.00	PASS
	Ant1	6525	-4.81	≤1.38	3.62	-1.19	≤5.00	PASS
	Ant2	6525	-5.28	≤1.38	3.62	-1.66	≤5.00	PASS
	total	6525	-2.03	≤-1.63	6.63	4.60	≤5.00	PASS
	Ant1	6565	-4.15	≤2.34	2.66	-1.49	≤5.00	PASS
	Ant2	6565	-4.68	≤2.34	2.66	-2.02	≤5.00	PASS
	total	6565	-1.40	≤-0.67	5.67	4.27	≤5.00	PASS
	Ant1	6685	-4.23	≤2.34	2.66	-1.57	≤5.00	PASS
	Ant2	6685	-4.01	≤2.34	2.66	-1.35	≤5.00	PASS
	total	6685	-1.11	≤-0.67	5.67	4.56	≤5.00	PASS
	Ant1	6845	-4.27	≤2.34	2.66	-1.61	≤5.00	PASS
	Ant2	6845	-4.49	≤2.34	2.66	-1.83	≤5.00	PASS
	total	6845	-1.37	≤-0.67	5.67	4.30	≤5.00	PASS
	Ant1	6885	-4.25	≤2.34	2.66	-1.59	≤5.00	PASS
	Ant2	6885	-4.64	≤2.34	2.66	-1.98	≤5.00	PASS
	total	6885	-1.43	≤-0.67	5.67	4.24	≤5.00	PASS
	Ant1	6925	-3.93	≤2.80	2.20	-1.73	≤5.00	PASS
	Ant2	6925	-3.92	≤2.80	2.20	-1.72	≤5.00	PASS
	total	6925	-0.91	≤-0.21	5.21	4.30	≤5.00	PASS
	Ant1	6965	-3.70	≤2.80	2.20	-1.50	≤5.00	PASS
	Ant2	6965	-3.17	≤2.80	2.20	-0.97	≤5.00	PASS
	total	6965	-0.42	≤-0.21	5.21	4.79	≤5.00	PASS
	Ant1	7085	-3.45	≤2.80	2.20	-1.25	≤5.00	PASS
	Ant2	7085	-3.39	≤2.80	2.20	-1.19	≤5.00	PASS
	total	7085	-0.41	≤-0.21	5.21	4.80	≤5.00	PASS
11AX80MIMO	Ant1	5985	-5.88	≤1.24	3.76	-2.12	≤5.00	PASS
	Ant2	5985	-4.73	≤1.24	3.76	-0.97	≤5.00	PASS
	total	5985	-2.26	≤-1.77	6.77	4.51	≤5.00	PASS
	Ant1	6145	-5.39	≤1.24	3.76	-1.63	≤5.00	PASS
	Ant2	6145	-5.36	≤1.24	3.76	-1.60	≤5.00	PASS
	total	6145	-2.36	≤-1.77	6.77	4.41	≤5.00	PASS
	Ant1	6385	-4.83	≤1.24	3.76	-1.07	≤5.00	PASS
	Ant2	6385	-5.06	≤1.24	3.76	-1.30	≤5.00	PASS
	total	6385	-1.93	≤-1.77	6.77	4.84	≤5.00	PASS
	Ant1	6465	-5.01	≤1.38	3.62	-1.39	≤5.00	PASS
	Ant2	6465	-5.49	≤1.38	3.62	-1.87	≤5.00	PASS
	total	6465	-2.23	≤-1.63	6.63	4.40	≤5.00	PASS
	Ant1	6545	-4.83	≤1.38	3.62	-1.21	≤5.00	PASS
	Ant2	6545	-5.31	≤1.38	3.62	-1.69	≤5.00	PASS
	total	6545	-2.05	≤-1.63	6.63	4.58	≤5.00	PASS
	Ant1	6625	-4.94	≤2.34	2.66	-2.28	≤5.00	PASS
	Ant2	6625	-5.27	≤2.34	2.66	-2.61	≤5.00	PASS
	total	6625	-2.09	≤-0.67	5.67	3.58	≤5.00	PASS
	Ant1	6705	-4.65	≤2.34	2.66	-1.99	≤5.00	PASS
	Ant2	6705	-5.16	≤2.34	2.66	-2.50	≤5.00	PASS
	total	6705	-1.89	≤-0.67	5.67	3.78	≤5.00	PASS
	Ant1	6785	-4.83	≤2.34	2.66	-2.17	≤5.00	PASS
	Ant2	6785	-4.82	≤2.34	2.66	-2.16	≤5.00	PASS



	total	6785	-1.81	≤-0.67	5.67	3.86	≤5.00	PASS
	Ant1	6865	-4.89	≤2.34	2.66	-2.23	≤5.00	PASS
	Ant2	6865	-5.18	≤2.34	2.66	-2.52	≤5.00	PASS
	total	6865	-2.02	≤-0.67	5.67	3.65	≤5.00	PASS
	Ant1	6945	-4.95	≤2.80	2.20	-2.75	≤5.00	PASS
	Ant2	6945	-5.06	≤2.80	2.20	-2.86	≤5.00	PASS
	total	6945	-1.99	≤-0.21	5.21	3.22	≤5.00	PASS
	Ant1	7025	-5.65	≤2.80	2.20	-3.45	≤5.00	PASS
	Ant2	7025	-5.78	≤2.80	2.20	-3.58	≤5.00	PASS
11AX160MIMO	total	7025	-2.70	≤-0.21	5.21	2.51	≤5.00	PASS
	Ant1	6025	-6.92	≤1.24	3.76	-3.16	≤5.00	PASS
	Ant2	6025	-6.18	≤1.24	3.76	-2.42	≤5.00	PASS
	total	6025	-3.52	≤-1.77	6.77	3.25	≤5.00	PASS
	Ant1	6185	-6.56	≤1.24	3.76	-2.80	≤5.00	PASS
	Ant2	6185	-6.20	≤1.24	3.76	-2.44	≤5.00	PASS
	total	6185	-3.37	≤-1.77	6.77	3.40	≤5.00	PASS
	Ant1	6345	-6.56	≤1.24	3.76	-2.80	≤5.00	PASS
	Ant2	6345	-6.93	≤1.24	3.76	-3.17	≤5.00	PASS
	total	6345	-3.73	≤-1.77	6.77	3.04	≤5.00	PASS
	Ant1	6505	-6.37	≤1.38	3.62	-2.75	≤5.00	PASS
	Ant2	6505	-6.51	≤1.38	3.62	-2.89	≤5.00	PASS
	total	6505	-3.43	≤-1.63	6.63	3.20	≤5.00	PASS
	Ant1	6665	-6.67	≤2.34	2.66	-4.01	≤5.00	PASS
	Ant2	6665	-7.11	≤2.34	2.66	-4.45	≤5.00	PASS
	total	6665	-3.87	≤-0.67	5.67	1.80	≤5.00	PASS
	Ant1	6825	-7.14	≤2.34	2.66	-4.48	≤5.00	PASS
	Ant2	6825	-7.41	≤2.34	2.66	-4.75	≤5.00	PASS
	total	6825	-4.26	≤-0.67	5.67	1.41	≤5.00	PASS
	Ant1	6985	-7.25	≤2.80	2.20	-5.05	≤5.00	PASS
	Ant2	6985	-7.13	≤2.80	2.20	-4.93	≤5.00	PASS
total	6985	-4.18	≤-0.21	5.21	1.03	≤5.00	PASS	
11BE20MIMO	Ant1	5955	-5.72	≤1.24	3.76	-1.96	≤5.00	PASS
	Ant2	5955	-5.06	≤1.24	3.76	-1.30	≤5.00	PASS
	total	5955	-2.37	≤-1.77	6.77	4.40	≤5.00	PASS
	Ant1	6175	-5.30	≤1.24	3.76	-1.54	≤5.00	PASS
	Ant2	6175	-5.21	≤1.24	3.76	-1.45	≤5.00	PASS
	total	6175	-2.24	≤-1.77	6.77	4.53	≤5.00	PASS
	Ant1	6415	-5.49	≤1.24	3.76	-1.73	≤5.00	PASS
	Ant2	6415	-5.27	≤1.24	3.76	-1.51	≤5.00	PASS
	total	6415	-2.37	≤-1.77	6.77	4.40	≤5.00	PASS
	Ant1	6435	-4.75	≤1.38	3.62	-1.13	≤5.00	PASS
	Ant2	6435	-5.11	≤1.38	3.62	-1.49	≤5.00	PASS
	total	6435	-1.92	≤-1.63	6.63	4.71	≤5.00	PASS
	Ant1	6475	-5.15	≤1.38	3.62	-1.53	≤5.00	PASS
	Ant2	6475	-5.36	≤1.38	3.62	-1.74	≤5.00	PASS
	total	6475	-2.24	≤-1.63	6.63	4.39	≤5.00	PASS
	Ant1	6515	-4.88	≤1.38	3.62	-1.26	≤5.00	PASS
	Ant2	6515	-5.08	≤1.38	3.62	-1.46	≤5.00	PASS
	total	6515	-1.97	≤-1.63	6.63	4.66	≤5.00	PASS
	Ant1	6535	-4.42	≤2.34	2.66	-1.76	≤5.00	PASS
	Ant2	6535	-4.37	≤2.34	2.66	-1.71	≤5.00	PASS



	total	6535	-1.38	≤-0.67	5.67	4.29	≤5.00	PASS
	Ant1	6695	-4.23	≤2.34	2.66	-1.57	≤5.00	PASS
	Ant2	6695	-3.77	≤2.34	2.66	-1.11	≤5.00	PASS
	total	6695	-0.98	≤-0.67	5.67	4.69	≤5.00	PASS
	Ant1	6855	-3.79	≤2.34	2.66	-1.13	≤5.00	PASS
	Ant2	6855	-3.95	≤2.34	2.66	-1.29	≤5.00	PASS
	total	6855	-0.86	≤-0.67	5.67	4.81	≤5.00	PASS
	Ant1	6875	-3.93	≤2.34	2.66	-1.27	≤5.00	PASS
	Ant2	6875	-4.55	≤2.34	2.66	-1.89	≤5.00	PASS
	total	6875	-1.22	≤-0.67	5.67	4.45	≤5.00	PASS
	Ant1	6895	-3.35	≤2.80	2.20	-1.15	≤5.00	PASS
	Ant2	6895	-3.89	≤2.80	2.20	-1.69	≤5.00	PASS
	total	6895	-0.60	≤-0.21	5.21	4.61	≤5.00	PASS
	Ant1	6995	-4.02	≤2.80	2.20	-1.82	≤5.00	PASS
	Ant2	6995	-3.59	≤2.80	2.20	-1.39	≤5.00	PASS
	total	6995	-0.79	≤-0.21	5.21	4.42	≤5.00	PASS
	Ant1	7095	-3.96	≤2.80	2.20	-1.76	≤5.00	PASS
	Ant2	7095	-3.85	≤2.80	2.20	-1.65	≤5.00	PASS
	total	7095	-0.89	≤-0.21	5.21	4.32	≤5.00	PASS
	Ant1	7115	-3.41	≤2.80	2.20	-1.21	≤5.00	PASS
	Ant2	7115	-3.49	≤2.80	2.20	-1.29	≤5.00	PASS
	total	7115	-0.44	≤-0.21	5.21	4.77	≤5.00	PASS
11BE40MIMO	Ant1	5965	-5.70	≤1.24	3.76	-1.94	≤5.00	PASS
	Ant2	5965	-4.92	≤1.24	3.76	-1.16	≤5.00	PASS
	total	5965	-2.28	≤-1.77	6.77	4.49	≤5.00	PASS
	Ant1	6165	-5.12	≤1.24	3.76	-1.36	≤5.00	PASS
	Ant2	6165	-5.05	≤1.24	3.76	-1.29	≤5.00	PASS
	total	6165	-2.07	≤-1.77	6.77	4.70	≤5.00	PASS
	Ant1	6405	-5.05	≤1.24	3.76	-1.29	≤5.00	PASS
	Ant2	6405	-5.12	≤1.24	3.76	-1.36	≤5.00	PASS
	total	6405	-2.07	≤-1.77	6.77	4.70	≤5.00	PASS
	Ant1	6445	-5.02	≤1.38	3.62	-1.40	≤5.00	PASS
	Ant2	6445	-5.08	≤1.38	3.62	-1.46	≤5.00	PASS
	total	6445	-2.04	≤-1.63	6.63	4.59	≤5.00	PASS
	Ant1	6485	-4.79	≤1.38	3.62	-1.17	≤5.00	PASS
	Ant2	6485	-4.97	≤1.38	3.62	-1.35	≤5.00	PASS
	total	6485	-1.87	≤-1.63	6.63	4.76	≤5.00	PASS
	Ant1	6525	-4.96	≤1.38	3.62	-1.34	≤5.00	PASS
	Ant2	6525	-5.41	≤1.38	3.62	-1.79	≤5.00	PASS
	total	6525	-2.17	≤-1.63	6.63	4.46	≤5.00	PASS
	Ant1	6565	-3.95	≤2.34	2.66	-1.29	≤5.00	PASS
	Ant2	6565	-4.26	≤2.34	2.66	-1.60	≤5.00	PASS
	total	6565	-1.09	≤-0.67	5.67	4.58	≤5.00	PASS
	Ant1	6685	-3.98	≤2.34	2.66	-1.32	≤5.00	PASS
	Ant2	6685	-3.66	≤2.34	2.66	-1.00	≤5.00	PASS
	total	6685	-0.81	≤-0.67	5.67	4.86	≤5.00	PASS
	Ant1	6845	-3.88	≤2.34	2.66	-1.22	≤5.00	PASS
	Ant2	6845	-4.03	≤2.34	2.66	-1.37	≤5.00	PASS
	total	6845	-0.94	≤-0.67	5.67	4.73	≤5.00	PASS
	Ant1	6885	-3.86	≤2.34	2.66	-1.20	≤5.00	PASS
	Ant2	6885	-4.25	≤2.34	2.66	-1.59	≤5.00	PASS



	total	6885	-1.04	≤-0.67	5.67	4.63	≤5.00	PASS
	Ant1	6925	-3.51	≤2.80	2.20	-1.31	≤5.00	PASS
	Ant2	6925	-3.55	≤2.80	2.20	-1.35	≤5.00	PASS
	total	6925	-0.52	≤-0.21	5.21	4.69	≤5.00	PASS
	Ant1	6965	-3.98	≤2.80	2.20	-1.78	≤5.00	PASS
	Ant2	6965	-3.27	≤2.80	2.20	-1.07	≤5.00	PASS
	total	6965	-0.60	≤-0.21	5.21	4.61	≤5.00	PASS
	Ant1	7085	-3.47	≤2.80	2.20	-1.27	≤5.00	PASS
	Ant2	7085	-3.39	≤2.80	2.20	-1.19	≤5.00	PASS
11BE80MIMO	total	7085	-0.42	≤-0.21	5.21	4.79	≤5.00	PASS
	Ant1	5985	-5.56	≤1.24	3.76	-1.80	≤5.00	PASS
	Ant2	5985	-4.21	≤1.24	3.76	-0.45	≤5.00	PASS
	total	5985	-1.82	≤-1.77	6.77	4.95	≤5.00	PASS
	Ant1	6145	-5.26	≤1.24	3.76	-1.50	≤5.00	PASS
	Ant2	6145	-5.30	≤1.24	3.76	-1.54	≤5.00	PASS
	total	6145	-2.27	≤-1.77	6.77	4.50	≤5.00	PASS
	Ant1	6385	-5.79	≤1.24	3.76	-2.03	≤5.00	PASS
	Ant2	6385	-5.69	≤1.24	3.76	-1.93	≤5.00	PASS
	total	6385	-2.73	≤-1.77	6.77	4.04	≤5.00	PASS
	Ant1	6465	-5.15	≤1.38	3.62	-1.53	≤5.00	PASS
	Ant2	6465	-5.75	≤1.38	3.62	-2.13	≤5.00	PASS
	total	6465	-2.43	≤-1.63	6.63	4.20	≤5.00	PASS
	Ant1	6545	-5.41	≤1.38	3.62	-1.79	≤5.00	PASS
	Ant2	6545	-5.99	≤1.38	3.62	-2.37	≤5.00	PASS
	total	6545	-2.68	≤-1.63	6.63	3.95	≤5.00	PASS
	Ant1	6625	-5.41	≤2.34	2.66	-2.75	≤5.00	PASS
	Ant2	6625	-5.66	≤2.34	2.66	-3.00	≤5.00	PASS
	total	6625	-2.52	≤-0.67	5.67	3.15	≤5.00	PASS
	Ant1	6705	-5.49	≤2.34	2.66	-2.83	≤5.00	PASS
	Ant2	6705	-5.07	≤2.34	2.66	-2.41	≤5.00	PASS
	total	6705	-2.26	≤-0.67	5.67	3.41	≤5.00	PASS
	Ant1	6785	-5.43	≤2.34	2.66	-2.77	≤5.00	PASS
	Ant2	6785	-5.58	≤2.34	2.66	-2.92	≤5.00	PASS
	total	6785	-2.49	≤-0.67	5.67	3.18	≤5.00	PASS
	Ant1	6865	-5.73	≤2.34	2.66	-3.07	≤5.00	PASS
	Ant2	6865	-6.27	≤2.34	2.66	-3.61	≤5.00	PASS
	total	6865	-2.98	≤-0.67	5.67	2.69	≤5.00	PASS
	Ant1	6945	-5.82	≤2.80	2.20	-3.62	≤5.00	PASS
	Ant2	6945	-5.37	≤2.80	2.20	-3.17	≤5.00	PASS
	total	6945	-2.58	≤-0.21	5.21	2.63	≤5.00	PASS
	Ant1	7025	-6.55	≤2.80	2.20	-4.35	≤5.00	PASS
	Ant2	7025	-5.97	≤2.80	2.20	-3.77	≤5.00	PASS
total	7025	-3.24	≤-0.21	5.21	1.97	≤5.00	PASS	
11BE160MIMO	Ant1	6025	-9.05	≤1.24	3.76	-5.29	≤5.00	PASS
	Ant2	6025	-7.33	≤1.24	3.76	-3.57	≤5.00	PASS
	total	6025	-5.10	≤-1.77	6.77	1.67	≤5.00	PASS
	Ant1	6185	-8.30	≤1.24	3.76	-4.54	≤5.00	PASS
	Ant2	6185	-8.14	≤1.24	3.76	-4.38	≤5.00	PASS
	total	6185	-5.21	≤-1.77	6.77	1.56	≤5.00	PASS
	Ant1	6345	-8.78	≤1.24	3.76	-5.02	≤5.00	PASS
	Ant2	6345	-8.54	≤1.24	3.76	-4.78	≤5.00	PASS





	total	6345	-5.65	≤-1.77	6.77	1.12	≤5.00	PASS
	Ant1	6505	-8.00	≤1.38	3.62	-4.38	≤5.00	PASS
	Ant2	6505	-8.49	≤1.38	3.62	-4.87	≤5.00	PASS
	total	6505	-5.23	≤-1.63	6.63	1.40	≤5.00	PASS
	Ant1	6665	-8.55	≤2.34	2.66	-5.89	≤5.00	PASS
	Ant2	6665	-8.29	≤2.34	2.66	-5.63	≤5.00	PASS
	total	6665	-5.41	≤-0.67	5.67	0.26	≤5.00	PASS
	Ant1	6825	-8.93	≤2.34	2.66	-6.27	≤5.00	PASS
	Ant2	6825	-9.17	≤2.34	2.66	-6.51	≤5.00	PASS
	total	6825	-6.04	≤-0.67	5.67	-0.37	≤5.00	PASS
	Ant1	6985	-9.44	≤2.80	2.20	-7.24	≤5.00	PASS
	Ant2	6985	-8.88	≤2.80	2.20	-6.68	≤5.00	PASS
total	6985	-6.14	≤-0.21	5.21	-0.93	≤5.00	PASS	
11BE320MIMO	Ant1	6105	-11.33	≤1.24	3.76	-7.57	≤5.00	PASS
	Ant2	6105	-10.74	≤1.24	3.76	-6.98	≤5.00	PASS
	total	6105	-8.01	≤-1.77	6.77	-1.24	≤5.00	PASS
	Ant1	6265	-11.07	≤1.24	3.76	-7.31	≤5.00	PASS
	Ant2	6265	-10.78	≤1.24	3.76	-7.02	≤5.00	PASS
	total	6265	-7.91	≤-1.77	6.77	-1.14	≤5.00	PASS
	Ant1	6425	-10.77	≤1.24	3.76	-7.01	≤5.00	PASS
	Ant2	6425	-10.74	≤1.24	3.76	-6.98	≤5.00	PASS
	total	6425	-7.74	≤-1.77	6.77	-0.97	≤5.00	PASS
	Ant1	6585	-11.07	≤1.38	3.62	-7.45	≤5.00	PASS
	Ant2	6585	-10.73	≤1.38	3.62	-7.11	≤5.00	PASS
	total	6585	-7.89	≤-1.63	6.63	-1.26	≤5.00	PASS
	Ant1	6745	-11.15	≤2.34	2.66	-8.49	≤5.00	PASS
	Ant2	6745	-9.78	≤2.34	2.66	-7.12	≤5.00	PASS
	total	6745	-7.40	≤-0.67	5.67	-1.73	≤5.00	PASS
	Ant1	6905	-10.98	≤2.34	2.66	-8.32	≤5.00	PASS
	Ant2	6905	-11.35	≤2.34	2.66	-8.69	≤5.00	PASS
	total	6905	-8.15	≤-0.67	5.67	-2.48	≤5.00	PASS

Note: 1.The Duty Cycle Factor is compensated in the graph.




Test Graphs








Date: 19.DEC.2023 18:15:30




Date: 19.DEC.2023 18:15:42







Date: 19.DEC.2023 18:29:47





Date: 19.DEC.2023 18:30:00






Date: 19.DEC.2023 18:30:24




Date: 19.DEC.2023 18:30:36









Date: 19.DEC.2023 18:33:17





Date: 19.DEC.2023 18:33:29




Date: 19.DEC.2023 18:34:39




Date: 19.DEC.2023 18:34:51







Date: 19.DEC.2023 18:36:09





Date: 19.DEC.2023 18:36:21




Date: 19.DEC.2023 18:36:43




Date: 19.DEC.2023 18:36:55










Date: 19.DEC.2023 18:39:03




Date: 19.DEC.2023 18:39:15









Date: 19.DEC.2023 18:50:11



Date: 19.DEC.2023 18:50:23



Date: 19.DEC.2023 18:57:21



Date: 19.DEC.2023 18:57:34

