







Date: 15.JAN.2024 23:27:22




Date: 15.JAN.2024 23:41:07







Date: 15.JAN.2024 23:49:51



Date: 15.JAN.2024 23:53:14



### Maximum power spectral density

#### Test Result

Test Mode	Antenna	Freq(MHz)	Ru Size	Ru Index	Result [dBm/MHz]	Limit [dBm/MHz]	Gain	EIRP [dBm/MHz]	Limit [dBm/MHz]	Verdict
11AX20MIMO	Ant1	5955	26Tone	RU0	-5.54	≤1.24	3.76	-1.78	≤5.00	PASS
			52Tone	RU37	-5.56	≤1.24	3.76	-1.80	≤5.00	PASS
			106Tone	RU53	-5.65	≤1.24	3.76	-1.89	≤5.00	PASS
	Ant2	5955	26Tone	RU0	-5.49	≤1.24	3.76	-1.73	≤5.00	PASS
			52Tone	RU37	-5.41	≤1.24	3.76	-1.65	≤5.00	PASS
			106Tone	RU53	-5.49	≤1.24	3.76	-1.73	≤5.00	PASS
	total	5955	26Tone	RU0	-2.50	≤-1.77	6.77	4.27	≤5.00	PASS
			52Tone	RU37	-2.47	≤-1.77	6.77	4.30	≤5.00	PASS
			106Tone	RU53	-2.56	≤-1.77	6.77	4.21	≤5.00	PASS
	Ant1	6435	26Tone	RU0	-4.77	≤1.38	3.62	-1.15	≤5.00	PASS
			52Tone	RU37	-4.68	≤1.38	3.62	-1.06	≤5.00	PASS
			106Tone	RU53	-4.84	≤1.38	3.62	-1.22	≤5.00	PASS
	Ant2	6435	26Tone	RU0	-5.50	≤1.38	3.62	-1.88	≤5.00	PASS
			52Tone	RU37	-5.53	≤1.38	3.62	-1.91	≤5.00	PASS
			106Tone	RU53	-5.59	≤1.38	3.62	-1.97	≤5.00	PASS
	total	6435	26Tone	RU0	-2.11	≤-1.63	6.63	4.52	≤5.00	PASS
			52Tone	RU37	-2.07	≤-1.63	6.63	4.56	≤5.00	PASS
			106Tone	RU53	-2.19	≤-1.63	6.63	4.44	≤5.00	PASS
	Ant1	6535	26Tone	RU0	-4.47	≤2.34	2.66	-1.81	≤5.00	PASS
			52Tone	RU37	-4.50	≤2.34	2.66	-1.84	≤5.00	PASS
			106Tone	RU53	-4.58	≤2.34	2.66	-1.92	≤5.00	PASS
	Ant2	6535	26Tone	RU0	-4.16	≤2.34	2.66	-1.50	≤5.00	PASS
			52Tone	RU37	-4.08	≤2.34	2.66	-1.42	≤5.00	PASS
			106Tone	RU53	-4.18	≤2.34	2.66	-1.52	≤5.00	PASS
	total	6535	26Tone	RU0	-1.30	≤-0.67	5.67	4.37	≤5.00	PASS
			52Tone	RU37	-1.27	≤-0.67	5.67	4.40	≤5.00	PASS
			106Tone	RU53	-1.37	≤-0.67	5.67	4.30	≤5.00	PASS
	Ant1	7095	26Tone	RU8	-4.44	≤2.80	2.20	-2.24	≤5.00	PASS
			52Tone	RU40	-4.36	≤2.80	2.20	-2.16	≤5.00	PASS
			106Tone	RU54	-4.39	≤2.80	2.20	-2.19	≤5.00	PASS
	Ant2	7095	26Tone	RU8	-3.95	≤2.80	2.20	-1.75	≤5.00	PASS
			52Tone	RU40	-3.87	≤2.80	2.20	-1.67	≤5.00	PASS
			106Tone	RU54	-4.00	≤2.80	2.20	-1.80	≤5.00	PASS
	total	7095	26Tone	RU8	-1.18	≤-0.21	5.21	4.03	≤5.00	PASS
			52Tone	RU40	-1.10	≤-0.21	5.21	4.11	≤5.00	PASS
			106Tone	RU54	-1.18	≤-0.21	5.21	4.03	≤5.00	PASS
	Ant1	7115	26Tone	RU8	-4.01	≤2.80	2.20	-1.81	≤5.00	PASS
			52Tone	RU40	-3.89	≤2.80	2.20	-1.69	≤5.00	PASS
			106Tone	RU54	-4.16	≤2.80	2.20	-1.96	≤5.00	PASS
	Ant2	7115	26Tone	RU8	-3.60	≤2.80	2.20	-1.40	≤5.00	PASS
			52Tone	RU40	-3.64	≤2.80	2.20	-1.44	≤5.00	PASS
			106Tone	RU54	-3.77	≤2.80	2.20	-1.57	≤5.00	PASS
	total	7115	26Tone	RU8	-0.79	≤-0.21	5.21	4.42	≤5.00	PASS
			52Tone	RU40	-0.75	≤-0.21	5.21	4.46	≤5.00	PASS







11BE20MIMO	Ant1	5955	106Tone	RU54	-0.95	≤-0.21	5.21	4.26	≤5.00	PASS	
			26Tone	RU0	-5.68	≤1.24	3.76	-1.92	≤5.00	PASS	
			52Tone	RU37	-5.57	≤1.24	3.76	-1.81	≤5.00	PASS	
	Ant2	5955	106Tone	RU53	-5.68	≤1.24	3.76	-1.92	≤5.00	PASS	
			26Tone	RU0	-5.48	≤1.24	3.76	-1.72	≤5.00	PASS	
			52Tone	RU37	-5.52	≤1.24	3.76	-1.76	≤5.00	PASS	
	total	5955	106Tone	RU53	-5.59	≤1.24	3.76	-1.83	≤5.00	PASS	
			26Tone	RU0	-2.57	≤-1.77	6.77	4.20	≤5.00	PASS	
			52Tone	RU37	-2.53	≤-1.77	6.77	4.24	≤5.00	PASS	
	Ant1	6435	106Tone	RU53	-2.62	≤-1.77	6.77	4.15	≤5.00	PASS	
			26Tone	RU0	-4.74	≤1.38	3.62	-1.12	≤5.00	PASS	
			52Tone	RU37	-4.75	≤1.38	3.62	-1.13	≤5.00	PASS	
	Ant2	6435	106Tone	RU53	-4.86	≤1.38	3.62	-1.24	≤5.00	PASS	
			26Tone	RU0	-5.50	≤1.38	3.62	-1.88	≤5.00	PASS	
			52Tone	RU37	-5.50	≤1.38	3.62	-1.88	≤5.00	PASS	
	total	6435	106Tone	RU53	-5.58	≤1.38	3.62	-1.96	≤5.00	PASS	
			26Tone	RU0	-2.09	≤-1.63	6.63	4.54	≤5.00	PASS	
			52Tone	RU37	-2.10	≤-1.63	6.63	4.53	≤5.00	PASS	
	Ant1	6535	106Tone	RU53	-2.19	≤-1.63	6.63	4.44	≤5.00	PASS	
			26Tone	RU0	-5.07	≤2.34	2.66	-2.41	≤5.00	PASS	
			52Tone	RU37	-5.02	≤2.34	2.66	-2.36	≤5.00	PASS	
	Ant2	6535	106Tone	RU53	-5.14	≤2.34	2.66	-2.48	≤5.00	PASS	
			26Tone	RU0	-4.55	≤2.34	2.66	-1.89	≤5.00	PASS	
			52Tone	RU37	-4.45	≤2.34	2.66	-1.79	≤5.00	PASS	
	total	6535	106Tone	RU53	-4.57	≤2.34	2.66	-1.91	≤5.00	PASS	
			26Tone	RU0	-1.79	≤-0.67	5.67	3.88	≤5.00	PASS	
			52Tone	RU37	-1.72	≤-0.67	5.67	3.95	≤5.00	PASS	
	Ant1	7095	106Tone	RU53	-1.84	≤-0.67	5.67	3.83	≤5.00	PASS	
			26Tone	RU8	-4.49	≤2.80	2.20	-2.29	≤5.00	PASS	
			52Tone	RU40	-4.25	≤2.80	2.20	-2.05	≤5.00	PASS	
	Ant2	7095	106Tone	RU54	-4.42	≤2.80	2.20	-2.22	≤5.00	PASS	
			26Tone	RU8	-4.11	≤2.80	2.20	-1.91	≤5.00	PASS	
			52Tone	RU40	-3.89	≤2.80	2.20	-1.69	≤5.00	PASS	
	total	7095	106Tone	RU54	-3.98	≤2.80	2.20	-1.78	≤5.00	PASS	
			26Tone	RU8	-1.29	≤-0.21	5.21	3.92	≤5.00	PASS	
			52Tone	RU40	-1.06	≤-0.21	5.21	4.15	≤5.00	PASS	
	Ant1	7115	106Tone	RU54	-1.18	≤-0.21	5.21	4.03	≤5.00	PASS	
			26Tone	RU8	-4.03	≤2.80	2.20	-1.83	≤5.00	PASS	
			52Tone	RU40	-3.84	≤2.80	2.20	-1.64	≤5.00	PASS	
	Ant2	7115	106Tone	RU54	-4.01	≤2.80	2.20	-1.81	≤5.00	PASS	
			26Tone	RU8	-3.68	≤2.80	2.20	-1.48	≤5.00	PASS	
			52Tone	RU40	-3.58	≤2.80	2.20	-1.38	≤5.00	PASS	
	total	7115	106Tone	RU54	-3.78	≤2.80	2.20	-1.58	≤5.00	PASS	
			26Tone	RU8	-0.84	≤-0.21	5.21	4.37	≤5.00	PASS	
			52Tone	RU40	-0.70	≤-0.21	5.21	4.51	≤5.00	PASS	
				106Tone	RU54	-0.88	≤-0.21	5.21	4.33	≤5.00	PASS

Note: 1.The Duty Cycle Factor is compensated in the graph.







### Test Graphs



























































































































<MRU>

Maximum conducted output power

Test Result

Test Mode	Antenna	Channel	MRU Size	MRU Index	Set Power	Channel Power [dBm]	Duty Cycle [%]	DC Factor [dBm]	Result [dBm]	Limit [dBm]	Gain [dBi]	EIRP [dBm]	EIRP Limit [dBm]	Verdict
11BE2 OMIM O	Ant1	5955	52+26	-	0.5	0.46	99.56	0.02	0.48	≤26.24	3.76	4.24	≤30.00	PASS
			106+26	-	3	3.33	99.54	0.02	3.35	≤26.24	3.76	7.11	≤30.00	PASS
	Ant2	5955	52+26	-	0.5	1.41	99.56	0.02	1.43	≤26.24	3.76	5.19	≤30.00	PASS
			106+26	-	3	4.11	99.54	0.02	4.13	≤26.24	3.76	7.89	≤30.00	PASS
	total	5955	52+26	-	---	---	---	---	3.99	≤26.24	3.76	7.75	≤30.00	PASS
			106+26	-	---	---	---	---	6.77	≤26.24	3.76	10.53	≤30.00	PASS
	Ant1	6435	52+26	-	1.5	2.07	99.56	0.02	2.09	≤26.38	3.62	5.71	≤30.00	PASS
			106+26	-	4.5	3.52	99.54	0.02	3.54	≤26.38	3.62	7.16	≤30.00	PASS
	Ant2	6435	52+26	-	1.5	1.77	99.56	0.02	1.79	≤26.38	3.62	5.41	≤30.00	PASS
			106+26	-	4.5	4.54	99.54	0.02	4.56	≤26.38	3.62	8.18	≤30.00	PASS
	total	6435	52+26	-	---	---	---	---	4.95	≤26.38	3.62	8.57	≤30.00	PASS
			106+26	-	---	---	---	---	7.09	≤26.38	3.62	10.71	≤30.00	PASS
	Ant1	6535	52+26	-	1.5	1.78	99.56	0.02	1.80	≤27.34	2.66	4.46	≤30.00	PASS
			106+26	-	5	4.01	99.54	0.02	4.03	≤27.34	2.66	6.69	≤30.00	PASS
	Ant2	6535	52+26	-	1.5	2.96	99.56	0.02	2.98	≤27.34	2.66	5.64	≤30.00	PASS
			106+26	-	5	5.18	99.54	0.02	5.20	≤27.34	2.66	7.86	≤30.00	PASS
	total	6535	52+26	-	---	---	---	---	5.44	≤27.34	2.66	8.10	≤30.00	PASS
			106+26	-	---	---	---	---	7.66	≤27.34	2.66	10.32	≤30.00	PASS
	Ant1	7095	52+26	-	5	3.42	99.56	0.02	3.44	≤27.80	2.20	5.64	≤30.00	PASS
			106+26	-	7.5	6.19	99.54	0.02	6.21	≤27.80	2.20	8.41	≤30.00	PASS
	Ant2	7095	52+26	-	5	4.68	99.56	0.02	4.70	≤27.80	2.20	6.90	≤30.00	PASS
			106+26	-	7.5	7.14	99.54	0.02	7.16	≤27.80	2.20	9.36	≤30.00	PASS
	total	7095	52+26	-	---	---	---	---	7.13	≤27.80	2.20	9.33	≤30.00	PASS
			106+26	-	---	---	---	---	9.72	≤27.80	2.20	11.92	≤30.00	PASS
Ant1	7115	52+26	-	-16	-17.11	99.56	0.02	-17.09	≤27.80	2.20	-14.89	≤30.00	PASS	
		106+26	-	-14	-15.01	99.54	0.02	-14.99	≤27.80	2.20	-12.79	≤30.00	PASS	
Ant2	7115	52+26	-	-16	-16.07	99.56	0.02	-16.05	≤27.80	2.20	-13.85	≤30.00	PASS	
		106+26	-	-14	-14.13	99.54	0.02	-14.11	≤27.80	2.20	-11.91	≤30.00	PASS	
total	7115	52+26	-	---	---	---	---	-13.53	≤27.80	2.20	-11.33	≤30.00	PASS	
		106+26	-	---	---	---	---	-11.52	≤27.80	2.20	-9.32	≤30.00	PASS	
11BE8 OMIM O	Ant1	5985	Large RU 484+242	4	10	10.91	98.21	0.08	10.99	≤26.24	3.76	14.75	≤30.00	PASS
			Puncturing 20M	4	11.5	11.20	99.63	0.02	11.22	≤26.24	3.76	14.98	≤30.00	PASS
	Ant2	5985	Large RU 484+242	4	10	12.05	98.21	0.08	12.13	≤26.24	3.76	15.89	≤30.00	PASS
			Puncturing 20M	4	11.5	12.52	99.63	0.02	12.54	≤26.24	3.76	16.30	≤30.00	PASS
	total	5985	Large RU 484+242	4	---	---	---	---	14.64	≤26.24	3.76	18.40	≤30.00	PASS
			Puncturing 20M	4	---	---	---	---	15.00	≤26.24	3.76	18.76	≤30.00	PASS
	Ant1	7025	Large RU 484+242	1	10.5	11.38	99.11	0.04	11.42	≤27.80	2.20	13.62	≤30.00	PASS
			Puncturing 20M	1	12	11.47	99.82	0.01	11.48	≤27.80	2.20	13.68	≤30.00	PASS
	Ant2	7025	Large RU	1	10.5	11.96	99.11	0.04	12.00	≤27.80	2.20	14.20	≤30.00	PASS



	total	7025	484+242											
			Puncturing 20M	1	12	12.37	99.63	0.02	12.39	≤27.80	2.20	14.59	≤30.00	PASS
			Large RU 484+242	1	---	---	---	---	14.73	≤27.80	2.20	16.93	≤30.00	PASS
11BE1 60MI MO	Ant1	6025	Large RU 996+484	4	10	11.10	97.87	0.09	11.19	≤26.24	3.76	14.95	≤30.00	PASS
			Puncturing 40M	4	11	10.74	99.63	0.02	10.76	≤26.24	3.76	14.52	≤30.00	PASS
			Puncturing 20M	8	11.5	10.30	99.63	0.02	10.32	≤26.24	3.76	14.08	≤30.00	PASS
	Ant2	6025	Large RU 996+484	4	10	12.05	98.92	0.05	12.10	≤26.24	3.76	15.86	≤30.00	PASS
			Puncturing 40M	4	11	12.36	99.63	0.02	12.38	≤26.24	3.76	16.14	≤30.00	PASS
			Puncturing 20M	8	11.5	11.74	99.82	0.01	11.75	≤26.24	3.76	15.51	≤30.00	PASS
	total	6025	Large RU 996+484	4	---	---	---	---	14.70	≤26.24	3.76	18.46	≤30.00	PASS
			Puncturing 40M	4	---	---	---	---	14.70	≤26.24	3.76	18.46	≤30.00	PASS
			Puncturing 20M	8	---	---	---	---	14.14	≤26.24	3.76	17.90	≤30.00	PASS
	Ant1	6985	Large RU 996+484	1	9.5	10.30	98.94	0.05	10.35	≤27.80	2.20	12.55	≤30.00	PASS
			Puncturing 40M	1	10.5	10.01	99.63	0.02	10.03	≤27.80	2.20	12.23	≤30.00	PASS
			Puncturing 20M	1	11	10.49	99.63	0.02	10.51	≤27.80	2.20	12.71	≤30.00	PASS
	Ant2	6985	Large RU 996+484	1	9.5	11.06	97.87	0.09	11.15	≤27.80	2.20	13.35	≤30.00	PASS
			Puncturing 40M	1	10.5	11.15	99.63	0.02	11.17	≤27.80	2.20	13.37	≤30.00	PASS
			Puncturing 20M	1	11	11.72	99.82	0.01	11.73	≤27.80	2.20	13.93	≤30.00	PASS
	total	6985	Large RU 996+484	1	---	---	---	---	13.78	≤27.80	2.20	15.98	≤30.00	PASS
			Puncturing 40M	1	---	---	---	---	13.65	≤27.80	2.20	15.85	≤30.00	PASS
			Puncturing 20M	1	---	---	---	---	14.17	≤27.80	2.20	16.37	≤30.00	PASS
11BE3 20MI MO	Ant1	6105	Large RU 2*996+484	6	9	10.96	98.31	0.07	11.03	≤26.24	3.76	14.79	≤30.00	PASS
			Large RU 3*996	4	10	10.97	96.00	0.18	11.15	≤26.24	3.76	14.91	≤30.00	PASS
			Large RU 3*996+484	8	11.5	11.62	94.74	0.23	11.85	≤26.24	3.76	15.61	≤30.00	PASS
			Puncturing 80M+40M	6	10.5	9.37	99.63	0.02	9.39	≤26.24	3.76	13.15	≤30.00	PASS
			Puncturing 80M	4	11.5	11.26	99.63	0.02	11.28	≤26.24	3.76	15.04	≤30.00	PASS
			Puncturing 40M	8	12	11.83	99.63	0.02	11.85	≤26.24	3.76	15.61	≤30.00	PASS
	Ant2	6105	Large RU 2*996+484	6	9	11.84	98.31	0.07	11.91	≤26.24	3.76	15.67	≤30.00	PASS
			Large RU 3*996	4	10	11.86	96.00	0.18	12.04	≤26.24	3.76	15.80	≤30.00	PASS
			Large RU 3*996+484	8	11.5	12.30	94.87	0.23	12.53	≤26.24	3.76	16.29	≤30.00	PASS
			Puncturing 80M+40M	6	10.5	10.30	99.63	0.02	10.32	≤26.24	3.76	14.08	≤30.00	PASS
			Puncturing 80M	4	11.5	12.57	99.82	0.01	12.58	≤26.24	3.76	16.34	≤30.00	PASS
	total	6105	Puncturing 40M	8	12	13.15	99.63	0.02	13.17	≤26.24	3.76	16.93	≤30.00	PASS
			Large RU 2*996+484	6	---	---	---	---	14.50	≤26.24	3.76	18.26	≤30.00	PASS
			Large RU 3*996	4	---	---	---	---	14.63	≤26.24	3.76	18.39	≤30.00	PASS
			Large RU 3*996+484	8	---	---	---	---	15.21	≤26.24	3.76	18.97	≤30.00	PASS
			Puncturing 80M+40M	6	---	---	---	---	12.89	≤26.24	3.76	16.65	≤30.00	PASS
			Puncturing 80M	4	---	---	---	---	14.99	≤26.24	3.76	18.75	≤30.00	PASS
	Puncturing 40M	8	---	---	---	---	15.57	≤26.24	3.76	19.33	≤30.00	PASS		



Ant1	6905	Large RU 2*996+484	7	5.5	6.74	98.00	0.09	6.83	≤27.34	2.66	9.49	≤30.00	PASS
		Large RU 3*996	1	7.5	7.82	95.45	0.20	8.02	≤27.34	2.66	10.68	≤30.00	PASS
		Large RU 3*996+484	1	8.5	8.78	94.74	0.23	9.01	≤27.34	2.66	11.67	≤30.00	PASS
		Puncturing 80M+40M	7	7.5	7.51	99.82	0.01	7.52	≤27.34	2.66	10.18	≤30.00	PASS
		Puncturing 80M	1	8.5	8.14	99.63	0.02	8.16	≤27.34	2.66	10.82	≤30.00	PASS
		Puncturing 40M	1	9	8.69	99.63	0.02	8.71	≤27.34	2.66	11.37	≤30.00	PASS
Ant2	6905	Large RU 2*996+484	7	5.5	7.05	98.00	0.09	7.14	≤27.34	2.66	9.80	≤30.00	PASS
		Large RU 3*996	1	7.5	7.84	97.67	0.10	7.94	≤27.34	2.66	10.60	≤30.00	PASS
		Large RU 3*996+484	1	8.5	9.18	94.87	0.23	9.41	≤27.34	2.66	12.07	≤30.00	PASS
		Puncturing 80M+40M	7	7.5	8.29	99.63	0.02	8.31	≤27.34	2.66	10.97	≤30.00	PASS
		Puncturing 80M	1	8.5	8.99	99.63	0.02	9.01	≤27.34	2.66	11.67	≤30.00	PASS
		Puncturing 40M	1	9	9.70	99.82	0.01	9.71	≤27.34	2.66	12.37	≤30.00	PASS
total	6905	Large RU 2*996+484	7	---	---	---	---	10.00	≤27.34	2.66	12.66	≤30.00	PASS
		Large RU 3*996	1	---	---	---	---	10.99	≤27.34	2.66	13.65	≤30.00	PASS
		Large RU 3*996+484	1	---	---	---	---	12.22	≤27.34	2.66	14.88	≤30.00	PASS
		Puncturing 80M+40M	7	---	---	---	---	10.94	≤27.34	2.66	13.60	≤30.00	PASS
		Puncturing 80M	1	---	---	---	---	11.62	≤27.34	2.66	14.28	≤30.00	PASS
		Puncturing 40M	1	---	---	---	---	12.25	≤27.34	2.66	14.91	≤30.00	PASS

Note: The Duty Cycle Factor is compensated in the graph.



**Maximum power spectral density**  
**Test Result**

Test Mode	Antenna	Channel	MRU Size	MRU Index	Result [dBm/MHz]	Limit [dBm/MHz]	Gain [dBi]	EIRP [dBm/MHz]	Limit [dBm/MHz]	Verdict
11BE20MIMO	Ant1	5955	52+26	-	-5.94	≤1.24	3.76	-2.18	≤5.00	PASS
			106+26	-	-5.65	≤1.24	3.76	-1.89	≤5.00	PASS
	Ant2	5955	52+26	-	-5.58	≤1.24	3.76	-1.82	≤5.00	PASS
			106+26	-	-5.39	≤1.24	3.76	-1.63	≤5.00	PASS
	total	5955	52+26	-	-2.75	≤-1.77	6.77	4.02	≤5.00	PASS
			106+26	-	-2.51	≤-1.77	6.77	4.26	≤5.00	PASS
	Ant1	6435	52+26	-	-4.77	≤1.38	3.62	-1.15	≤5.00	PASS
			106+26	-	-5.62	≤1.38	3.62	-2.00	≤5.00	PASS
	Ant2	6435	52+26	-	-5.65	≤1.38	3.62	-2.03	≤5.00	PASS
			106+26	-	-5.27	≤1.38	3.62	-1.65	≤5.00	PASS
	total	6435	52+26	-	-2.18	≤-1.63	6.63	4.45	≤5.00	PASS
			106+26	-	-2.43	≤-1.63	6.63	4.20	≤5.00	PASS
	Ant1	6535	52+26	-	-4.67	≤2.34	2.66	-2.01	≤5.00	PASS
			106+26	-	-5.07	≤2.34	2.66	-2.41	≤5.00	PASS
	Ant2	6535	52+26	-	-4.18	≤2.34	2.66	-1.52	≤5.00	PASS
			106+26	-	-4.32	≤2.34	2.66	-1.66	≤5.00	PASS
	total	6535	52+26	-	-1.41	≤-0.67	5.67	4.26	≤5.00	PASS
			106+26	-	-1.67	≤-0.67	5.67	4.00	≤5.00	PASS
	Ant1	7095	52+26	-	-4.74	≤2.80	2.20	-2.54	≤5.00	PASS
			106+26	-	-4.18	≤2.80	2.20	-1.98	≤5.00	PASS
	Ant2	7095	52+26	-	-4.09	≤2.80	2.20	-1.89	≤5.00	PASS
			106+26	-	-3.84	≤2.80	2.20	-1.64	≤5.00	PASS
	total	7095	52+26	-	-1.39	≤-0.21	5.21	3.82	≤5.00	PASS
			106+26	-	-1.00	≤-0.21	5.21	4.21	≤5.00	PASS
Ant1	7115	52+26	-	-3.82	≤2.80	2.20	-1.62	≤5.00	PASS	
		106+26	-	-4.06	≤2.80	2.20	-1.86	≤5.00	PASS	
Ant2	7115	52+26	-	-3.24	≤2.80	2.20	-1.04	≤5.00	PASS	
		106+26	-	-3.51	≤2.80	2.20	-1.31	≤5.00	PASS	
total	7115	52+26	-	-0.51	≤-0.21	5.21	4.70	≤5.00	PASS	
		106+26	-	-0.77	≤-0.21	5.21	4.44	≤5.00	PASS	
11BE80MIMO	Ant1	5985	Large RU 484+242	4	-5.40	≤1.24	3.76	-1.64	≤5.00	PASS
			Puncturing 20M	4	-5.78	≤1.24	3.76	-2.02	≤5.00	PASS
	Ant2	5985	Large RU 484+242	4	-4.76	≤1.24	3.76	-1.00	≤5.00	PASS
			Puncturing 20M	4	-4.61	≤1.24	3.76	-0.85	≤5.00	PASS
	total	5985	Large RU 484+242	4	-2.06	≤-1.77	6.77	4.71	≤5.00	PASS
			Puncturing 20M	4	-2.15	≤-1.77	6.77	4.62	≤5.00	PASS
	Ant1	7025	Large RU 484+242	1	-6.62	≤2.80	2.20	-4.42	≤5.00	PASS
			Puncturing 20M	1	-6.76	≤2.80	2.20	-4.56	≤5.00	PASS
	Ant2	7025	Large RU 484+242	1	-6.56	≤2.80	2.20	-4.36	≤5.00	PASS
			Puncturing 20M	1	-6.29	≤2.80	2.20	-4.09	≤5.00	PASS
	total	7025	Large RU 484+242	1	-3.58	≤-0.21	5.21	1.63	≤5.00	PASS
			Puncturing 20M	1	-3.51	≤-0.21	5.21	1.70	≤5.00	PASS
11BE160MIMO	Ant1	6025	Large RU 996+484	4	-8.85	≤1.24	3.76	-5.09	≤5.00	PASS
			Puncturing 40M	4	-9.35	≤1.24	3.76	-5.59	≤5.00	PASS
			Puncturing 20M	8	-9.34	≤1.24	3.76	-5.58	≤5.00	PASS





	Ant2	6025	Large RU 996+484	4	-7.93	≤1.24	3.76	-4.17	≤5.00	PASS
			Puncturing 40M	4	-7.76	≤1.24	3.76	-4.00	≤5.00	PASS
			Puncturing 20M	8	-7.94	≤1.24	3.76	-4.18	≤5.00	PASS
	total	6025	Large RU 996+484	4	-5.36	≤-1.77	6.77	1.41	≤5.00	PASS
			Puncturing 40M	4	-5.47	≤-1.77	6.77	1.30	≤5.00	PASS
			Puncturing 20M	8	-5.57	≤-1.77	6.77	1.20	≤5.00	PASS
	Ant1	6985	Large RU 996+484	1	-9.78	≤2.80	2.20	-7.58	≤5.00	PASS
			Puncturing 40M	1	-9.94	≤2.80	2.20	-7.74	≤5.00	PASS
			Puncturing 20M	1	-10.07	≤2.80	2.20	-7.87	≤5.00	PASS
	Ant2	6985	Large RU 996+484	1	-9.44	≤2.80	2.20	-7.24	≤5.00	PASS
			Puncturing 40M	1	-9.32	≤2.80	2.20	-7.12	≤5.00	PASS
			Puncturing 20M	1	-9.44	≤2.80	2.20	-7.24	≤5.00	PASS
	total	6985	Large RU 996+484	1	-6.60	≤-0.21	5.21	-1.39	≤5.00	PASS
			Puncturing 40M	1	-6.61	≤-0.21	5.21	-1.40	≤5.00	PASS
			Puncturing 20M	1	-6.73	≤-0.21	5.21	-1.52	≤5.00	PASS
11BE320MIMO	Ant1	6105	Large RU 2*996+484	6	-11.58	≤1.24	3.76	-7.82	≤5.00	PASS
			Large RU 3*996	4	-11.70	≤1.24	3.76	-7.94	≤5.00	PASS
			Large RU 3*996+484	8	-11.38	≤1.24	3.76	-7.62	≤5.00	PASS
			Puncturing 80M+40M	6	-11.86	≤1.24	3.76	-8.10	≤5.00	PASS
			Puncturing 80M	4	-11.70	≤1.24	3.76	-7.94	≤5.00	PASS
			Puncturing 40M	8	-11.60	≤1.24	3.76	-7.84	≤5.00	PASS
	Ant2	6105	Large RU 2*996+484	6	-11.34	≤1.24	3.76	-7.58	≤5.00	PASS
			Large RU 3*996	4	-11.29	≤1.24	3.76	-7.53	≤5.00	PASS
			Large RU 3*996+484	8	-11.13	≤1.24	3.76	-7.37	≤5.00	PASS
			Puncturing 80M+40M	6	-11.01	≤1.24	3.76	-7.25	≤5.00	PASS
			Puncturing 80M	4	-10.92	≤1.24	3.76	-7.16	≤5.00	PASS
			Puncturing 40M	8	-10.88	≤1.24	3.76	-7.12	≤5.00	PASS
	total	6105	Large RU 2*996+484	6	-8.45	≤-1.77	6.77	-1.68	≤5.00	PASS
			Large RU 3*996	4	-8.48	≤-1.77	6.77	-1.71	≤5.00	PASS
			Large RU 3*996+484	8	-8.24	≤-1.77	6.77	-1.47	≤5.00	PASS
			Puncturing 80M+40M	6	-8.40	≤-1.77	6.77	-1.63	≤5.00	PASS
			Puncturing 80M	4	-8.28	≤-1.77	6.77	-1.51	≤5.00	PASS
			Puncturing 40M	8	-8.21	≤-1.77	6.77	-1.44	≤5.00	PASS
	Ant1	6905	Large RU 2*996+484	7	-11.41	≤2.34	2.66	-8.75	≤5.00	PASS
			Large RU 3*996	1	-11.32	≤2.34	2.66	-8.66	≤5.00	PASS
			Large RU 3*996+484	1	-11.64	≤2.34	2.66	-8.98	≤5.00	PASS
			Puncturing 80M+40M	7	-11.73	≤2.34	2.66	-9.07	≤5.00	PASS
			Puncturing 80M	1	-11.77	≤2.34	2.66	-9.11	≤5.00	PASS
			Puncturing 40M	1	-11.87	≤2.34	2.66	-9.21	≤5.00	PASS
	Ant2	6905	Large RU 2*996+484	7	-11.34	≤2.34	2.66	-8.68	≤5.00	PASS
			Large RU 3*996	1	-11.30	≤2.34	2.66	-8.64	≤5.00	PASS
			Large RU 3*996+484	1	-11.63	≤2.34	2.66	-8.97	≤5.00	PASS
Puncturing 80M+40M			7	-11.15	≤2.34	2.66	-8.49	≤5.00	PASS	
Puncturing 80M			1	-11.23	≤2.34	2.66	-8.57	≤5.00	PASS	
Puncturing 40M			1	-11.35	≤2.34	2.66	-8.69	≤5.00	PASS	
total	6905	Large RU 2*996+484	7	-8.36	≤-0.67	5.67	-2.69	≤5.00	PASS	
		Large RU 3*996	1	-8.30	≤-0.67	5.67	-2.63	≤5.00	PASS	
		Large RU 3*996+484	1	-8.62	≤-0.67	5.67	-2.95	≤5.00	PASS	
		Puncturing 80M+40M	7	-8.42	≤-0.67	5.67	-2.75	≤5.00	PASS	
		Puncturing 80M	1	-8.48	≤-0.67	5.67	-2.81	≤5.00	PASS	
		Puncturing 40M	1	-8.59	≤-0.67	5.67	-2.92	≤5.00	PASS	



Note: The Duty Cycle Factor is compensated in the graph.

### Test Graphs

