




Date: 14.JAN.2024 17:08:42





Date: 14.JAN.2024 17:12:05







Date: 14.JAN.2024 17:13:07







Date: 14.JAN.2024 17:09:02


















Date: 21.DEC.2023 20:30:35




Date: 22.DEC.2023 00:29:20










Date: 21.DEC.2023 20:26:37




Date: 21.DEC.2023 20:29:55









Date: 21.DEC.2023 20:31:52





Date: 21.DEC.2023 20:44:15






Date: 21.DEC.2023 20:57:59




Date: 22.DEC.2023 01:06:35









Date: 21.DEC.2023 21:05:38




Date: 22.DEC.2023 01:07:49





Appendix B. AC Conducted Emission Test Results

| | | | |
|-----------------|---|---------------------|-------------|
| Test Engineer : | Amos Zhang | Temperature : | 25.3~26.2°C |
| | | Relative Humidity : | 38~40% |
| Test Voltage : | 120Vac / 60Hz | Phase : | Line |
| Remark : | All emissions not reported here are more than 10 dB below the prescribed limit. | | |




Site : CO01-KS
 Condition : 15E RSS247-QP LISN-060105-L 2023 LINE

| | Freq | Level | Over | Limit | Read | LISN | Cable | Remark |
|------|-------|-------|--------|-------|-------|--------|-------|---------|
| | MHz | dBuV | Limit | Line | Level | Factor | Loss | |
| | | | dB | dBuV | dBuV | dB | dB | |
| 1 | 0.170 | 45.96 | -18.98 | 64.94 | 35.50 | 0.04 | 10.42 | QP |
| 2 | 0.170 | 36.56 | -18.38 | 54.94 | 26.10 | 0.04 | 10.42 | Average |
| 3 | 0.206 | 44.63 | -18.73 | 63.36 | 34.20 | 0.03 | 10.40 | QP |
| 4 | 0.206 | 34.53 | -18.83 | 53.36 | 24.10 | 0.03 | 10.40 | Average |
| 5 | 0.272 | 41.59 | -19.48 | 61.07 | 31.20 | 0.04 | 10.35 | QP |
| 6 | 0.272 | 31.69 | -19.38 | 51.07 | 21.30 | 0.04 | 10.35 | Average |
| 7 | 0.289 | 41.88 | -18.66 | 60.54 | 31.50 | 0.04 | 10.34 | QP |
| 8 | 0.289 | 33.08 | -17.46 | 50.54 | 22.70 | 0.04 | 10.34 | Average |
| 9 | 0.389 | 39.79 | -18.29 | 58.08 | 29.51 | 0.00 | 10.28 | QP |
| 10 | 0.389 | 33.19 | -14.89 | 48.08 | 22.91 | 0.00 | 10.28 | Average |
| 11 | 0.404 | 39.08 | -18.69 | 57.77 | 28.80 | 0.00 | 10.28 | QP |
| 12 * | 0.404 | 34.78 | -12.99 | 47.77 | 24.50 | 0.00 | 10.28 | Average |



| | | | |
|-----------------|---|---------------------|-------------|
| Test Engineer : | Amos Zhang | Temperature : | 25.3~26.2°C |
| | | Relative Humidity : | 38~40% |
| Test Voltage : | 120Vac / 60Hz | Phase : | Neutral |
| Remark : | All emissions not reported here are more than 10 dB below the prescribed limit. | | |



Site : CO01-KS
 Condition : 15E RSS247-QP LISN-060105-N 2023 NEUTRAL

| | Freq | Level | Over | Limit | Read | LISN | Cable | Remark |
|------|-------|-------|--------|-------|-------|--------|-------|---------|
| | MHz | dBuV | Limit | Line | Level | Factor | Loss | |
| | | | dB | dBuV | dBuV | dB | dB | |
| 1 | 0.164 | 46.36 | -18.89 | 65.25 | 35.90 | 0.04 | 10.42 | QP |
| 2 | 0.164 | 37.06 | -18.19 | 55.25 | 26.60 | 0.04 | 10.42 | Average |
| 3 | 0.205 | 45.05 | -18.35 | 63.40 | 34.60 | 0.04 | 10.41 | QP |
| 4 | 0.205 | 34.85 | -18.55 | 53.40 | 24.40 | 0.04 | 10.41 | Average |
| 5 | 0.228 | 44.51 | -18.01 | 62.52 | 34.10 | 0.02 | 10.39 | QP |
| 6 | 0.228 | 34.81 | -17.71 | 52.52 | 24.40 | 0.02 | 10.39 | Average |
| 7 | 0.285 | 40.41 | -20.27 | 60.68 | 30.10 | -0.03 | 10.34 | QP |
| 8 | 0.285 | 32.71 | -17.97 | 50.68 | 22.40 | -0.03 | 10.34 | Average |
| 9 | 0.323 | 40.47 | -19.15 | 59.62 | 30.19 | -0.04 | 10.32 | QP |
| 10 | 0.323 | 31.17 | -18.45 | 49.62 | 20.89 | -0.04 | 10.32 | Average |
| 11 | 0.404 | 39.72 | -18.05 | 57.77 | 29.50 | -0.06 | 10.28 | QP |
| 12 * | 0.404 | 34.82 | -12.96 | 47.77 | 24.60 | -0.06 | 10.28 | Average |

Note:

- Level(dBμV) = Read Level(dBμV) + LISN Factor(dB) + Cable Loss(dB)
- Over Limit(dB) = Level(dBμV) – Limit Line(dBμV)



Appendix C. Radiated Spurious Emission Test Data

| | | | |
|-----------------|---------|---------------------|------------|
| Test Engineer : | Yoke Si | Relative Humidity : | 41 ~ 42% |
| | | Temperature : | 22 ~ 23 °C |

Radiated Spurious Emission Test Modes

| Mode | Band | Band (GHz) | Antenna | Modulation | Channel | Frequency | Data Rate | RU | Remark |
|---------|---------|-------------|---------|----------------|---------|-----------|-----------|----------|--------|
| Mode 1 | U-NII-5 | 5.925-6.425 | CDD 1+2 | 802.11a | 1 | 5955 | 6Mbps | - | - |
| Mode 2 | U-NII-5 | 5.925-6.425 | CDD 1+2 | 802.11a | 45 | 6175 | 6Mbps | - | - |
| Mode 3 | U-NII-5 | 5.925-6.425 | CDD 1+2 | 802.11a | 93 | 6415 | 6Mbps | - | - |
| Mode 4 | U-NII-5 | 6.425-6.525 | CDD 1+2 | 802.11a | 97 | 6435 | 6Mbps | - | - |
| Mode 5 | U-NII-5 | 6.425-6.525 | CDD 1+2 | 802.11a | 105 | 6475 | 6Mbps | - | - |
| Mode 6 | U-NII-5 | 6.425-6.525 | CDD 1+2 | 802.11a | 113 | 6515 | 6Mbps | - | - |
| Mode 7 | U-NII-5 | 6.525-6.875 | CDD 1+2 | 802.11a | 117 | 6535 | 6Mbps | - | - |
| Mode 8 | U-NII-5 | 6.525-6.875 | CDD 1+2 | 802.11a | 149 | 6695 | 6Mbps | - | - |
| Mode 9 | U-NII-5 | 6.525-6.875 | CDD 1+2 | 802.11a | 181 | 6855 | 6Mbps | - | - |
| Mode 10 | U-NII-8 | 6.875-7.125 | CDD 1+2 | 802.11a | 189 | 6895 | 6Mbps | - | - |
| Mode 11 | U-NII-8 | 6.875-7.125 | CDD 1+2 | 802.11a | 209 | 6995 | 6Mbps | - | - |
| Mode 12 | U-NII-8 | 6.875-7.125 | CDD 1+2 | 802.11a | 229 | 7095 | 6Mbps | - | - |
| Mode 13 | U-NII-5 | 5.925-6.425 | CDD 1+2 | 802.11ax HE20 | 1 | 5955 | MCS0 | - | - |
| Mode 14 | U-NII-5 | 5.925-6.425 | CDD 1+2 | 802.11ax HE20 | 1 | 5955 | MCS0 | RU26/0 | - |
| Mode 15 | U-NII-5 | 5.925-6.425 | CDD 1+2 | 802.11ax HE20 | 1 | 5955 | MCS0 | RU52/37 | - |
| Mode 16 | U-NII-5 | 5.925-6.425 | CDD 1+2 | 802.11ax HE20 | 1 | 5955 | MCS0 | RU106/53 | - |
| Mode 17 | U-NII-5 | 5.925-6.425 | CDD 1+2 | 802.11ax HE20 | 45 | 6175 | MCS0 | - | - |
| Mode 18 | U-NII-5 | 5.925-6.425 | CDD 1+2 | 802.11ax HE20 | 93 | 6415 | MCS0 | - | - |
| Mode 19 | U-NII-5 | 5.925-6.425 | CDD 1+2 | 802.11ax HE40 | 3 | 5965 | MCS0 | - | - |
| Mode 20 | U-NII-5 | 5.925-6.425 | CDD 1+2 | 802.11ax HE40 | 43 | 6165 | MCS0 | - | - |
| Mode 21 | U-NII-5 | 5.925-6.425 | CDD 1+2 | 802.11ax HE40 | 91 | 6405 | MCS0 | - | - |
| Mode 22 | U-NII-5 | 5.925-6.425 | CDD 1+2 | 802.11ax HE80 | 7 | 5985 | MCS0 | Full | - |
| Mode 23 | U-NII-5 | 5.925-6.425 | CDD 1+2 | 802.11ax HE80 | 39 | 6145 | MCS0 | Full | - |
| Mode 24 | U-NII-5 | 5.925-6.425 | CDD 1+2 | 802.11ax HE80 | 87 | 6385 | MCS0 | Full | - |
| Mode 25 | U-NII-5 | 5.925-6.425 | CDD 1+2 | 802.11ax HE160 | 15 | 6025 | MCS0 | Full | - |
| Mode 26 | U-NII-5 | 5.925-6.425 | CDD 1+2 | 802.11ax HE160 | 47 | 6185 | MCS0 | Full | - |
| Mode 27 | U-NII-5 | 5.925-6.425 | CDD 1+2 | 802.11ax HE160 | 79 | 6345 | MCS0 | Full | - |
| Mode 28 | U-NII-5 | 5.925-6.425 | CDD 1+2 | 802.11ax HE20 | 97 | 6435 | MCS0 | - | - |
| Mode 29 | U-NII-5 | 6.425-6.525 | CDD 1+2 | 802.11ax HE20 | 105 | 6475 | MCS0 | - | - |
| Mode 30 | U-NII-5 | 6.425-6.525 | CDD 1+2 | 802.11ax HE20 | 113 | 6515 | MCS0 | - | - |
| Mode 31 | U-NII-5 | 6.425-6.525 | CDD 1+2 | 802.11ax HE40 | 99 | 6445 | MCS0 | Full | - |
| Mode 32 | U-NII-5 | 6.425-6.525 | CDD 1+2 | 802.11ax HE40 | 107 | 6485 | MCS0 | Full | - |
| Mode 33 | U-NII-5 | 6.425-6.525 | CDD 1+2 | 802.11ax HE80 | 103 | 6465 | MCS0 | Full | - |
| Mode 34 | U-NII-5 | 6.425-6.525 | CDD 1+2 | 802.11ax HE40 | 115 | 6525 | MCS0 | Full | - |
| Mode 35 | U-NII-5 | 6.425-6.525 | CDD 1+2 | 802.11ax HE80 | 119 | 6545 | MCS0 | Full | - |
| Mode 36 | U-NII-5 | 6.425-6.525 | CDD 1+2 | 802.11ax HE160 | 111 | 6505 | MCS0 | Full | - |
| Mode 37 | U-NII-5 | 6.525-6.875 | CDD 1+2 | 802.11ax HE20 | 117 | 6535 | MCS0 | Full | - |



| Mode | Band | Band (GHz) | Antenna | Modulation | Channel | Frequency | Data Rate | RU | Remark |
|---------|---------|-------------|---------|----------------|---------|-----------|-----------|----------|--------|
| Mode 38 | U-NII-5 | 6.525-6.875 | CDD 1+2 | 802.11ax HE20 | 149 | 6695 | MCS0 | Full | - |
| Mode 39 | U-NII-5 | 6.525-6.875 | CDD 1+2 | 802.11ax HE40 | 123 | 6565 | MCS0 | Full | - |
| Mode 40 | U-NII-5 | 6.525-6.875 | CDD 1+2 | 802.11ax HE40 | 147 | 6685 | MCS0 | Full | - |
| Mode 41 | U-NII-5 | 6.525-6.875 | CDD 1+2 | 802.11ax HE40 | 179 | 6845 | MCS0 | Full | - |
| Mode 42 | U-NII-5 | 6.525-6.875 | CDD 1+2 | 802.11ax HE80 | 135 | 6625 | MCS0 | Full | - |
| Mode 43 | U-NII-5 | 6.525-6.875 | CDD 1+2 | 802.11ax HE80 | 151 | 6705 | MCS0 | Full | - |
| Mode 44 | U-NII-5 | 6.525-6.875 | CDD 1+2 | 802.11ax HE160 | 143 | 6665 | MCS0 | Full | - |
| Mode 45 | U-NII-5 | 6.525-6.875 | CDD 1+2 | 802.11ax HE20 | 185 | 6875 | MCS0 | Full | - |
| Mode 46 | U-NII-5 | 6.525-6.875 | CDD 1+2 | 802.11ax HE80 | 183 | 6865 | MCS0 | Full | - |
| Mode 47 | U-NII-5 | 6.525-6.875 | CDD 1+2 | 802.11ax HE160 | 175 | 6825 | MCS0 | Full | - |
| Mode 48 | U-NII-8 | 6.875-7.125 | CDD 1+2 | 802.11ax HE20 | 189 | 6895 | MCS0 | Full | - |
| Mode 49 | U-NII-8 | 6.875-7.125 | CDD 1+2 | 802.11ax HE20 | 209 | 6995 | MCS0 | Full | - |
| Mode 50 | U-NII-8 | 6.875-7.125 | CDD 1+2 | 802.11ax HE20 | 229 | 7095 | MCS0 | Full | - |
| Mode 51 | U-NII-8 | 6.875-7.125 | CDD 1+2 | 802.11ax HE20 | 229 | 7095 | MCS0 | RU26/8 | - |
| Mode 52 | U-NII-8 | 6.875-7.125 | CDD 1+2 | 802.11ax HE20 | 229 | 7095 | MCS0 | RU52/40 | - |
| Mode 53 | U-NII-8 | 6.875-7.125 | CDD 1+2 | 802.11ax HE20 | 229 | 7095 | MCS0 | RU106/54 | - |
| Mode 54 | U-NII-8 | 6.875-7.125 | CDD 1+2 | 802.11ax HE40 | 203 | 6965 | MCS0 | Full | - |
| Mode 55 | U-NII-8 | 6.875-7.125 | CDD 1+2 | 802.11ax HE40 | 227 | 7085 | MCS0 | Full | - |
| Mode 56 | U-NII-8 | 6.875-7.125 | CDD 1+2 | 802.11ax HE80 | 199 | 6945 | MCS0 | Full | - |
| Mode 57 | U-NII-8 | 6.875-7.125 | CDD 1+2 | 802.11ax HE80 | 215 | 7025 | MCS0 | Full | - |
| Mode 58 | U-NII-8 | 6.875-7.125 | CDD 1+2 | 802.11ax HE160 | 207 | 6985 | MCS0 | Full | - |
| Mode 59 | U-NII-8 | 6.875-7.125 | CDD 1+2 | 802.11ax HE40 | 187 | 6885 | MCS0 | Full | - |
| Mode 60 | U-NII-5 | 5.925-6.425 | CDD 1+2 | 802.11be EHT20 | 1 | 5955 | MCS0 | - | - |
| Mode 61 | U-NII-5 | 5.925-6.425 | CDD 1+2 | 802.11be EHT20 | 45 | 6175 | MCS0 | - | - |
| Mode 62 | U-NII-5 | 5.925-6.425 | CDD 1+2 | 802.11be EHT20 | 93 | 6415 | MCS0 | - | - |
| Mode 63 | U-NII-6 | 6.425-6.525 | CDD 1+2 | 802.11be EHT20 | 97 | 6435 | MCS0 | - | - |
| Mode 64 | U-NII-6 | 6.425-6.525 | CDD 1+2 | 802.11be EHT20 | 105 | 6475 | MCS0 | - | - |
| Mode 65 | U-NII-6 | 6.425-6.525 | CDD 1+2 | 802.11be EHT20 | 113 | 6515 | MCS0 | - | - |
| Mode 66 | U-NII-7 | 6.525-6.875 | CDD 1+2 | 802.11be EHT20 | 117 | 6535 | MCS0 | - | - |
| Mode 67 | U-NII-7 | 6.525-6.875 | CDD 1+2 | 802.11be EHT20 | 149 | 6695 | MCS0 | - | - |
| Mode 68 | U-NII-7 | 6.525-6.875 | CDD 1+2 | 802.11be EHT20 | 181 | 6855 | MCS0 | - | - |
| Mode 69 | U-NII-8 | 6.875-7.125 | CDD 1+2 | 802.11be EHT20 | 189 | 6895 | MCS0 | - | - |
| Mode 70 | U-NII-8 | 6.875-7.125 | CDD 1+2 | 802.11be EHT20 | 209 | 6995 | MCS0 | - | - |
| Mode 71 | U-NII-8 | 6.875-7.125 | CDD 1+2 | 802.11be EHT20 | 229 | 7095 | MCS0 | - | - |
| Mode 72 | U-NII-5 | 5.925-6.425 | CDD 1+2 | 802.11be EHT20 | 3 | 5965 | MCS0 | - | - |
| Mode 73 | U-NII-5 | 5.925-6.425 | CDD 1+2 | 802.11be EHT40 | 43 | 6165 | MCS0 | - | - |
| Mode 74 | U-NII-5 | 5.925-6.425 | CDD 1+2 | 802.11be EHT40 | 91 | 6405 | MCS0 | - | - |
| Mode 75 | U-NII-6 | 6.425-6.525 | CDD 1+2 | 802.11be EHT40 | 99 | 6445 | MCS0 | Full | - |
| Mode 76 | U-NII-6 | 6.425-6.525 | CDD 1+2 | 802.11be EHT40 | 107 | 6485 | MCS0 | Full | - |
| Mode 77 | U-NII-6 | 6.425-6.525 | CDD 1+2 | 802.11be EHT40 | 115 | 6525 | MCS0 | Full | - |
| Mode 78 | U-NII-7 | 6.525-6.875 | CDD 1+2 | 802.11be EHT40 | 123 | 6565 | MCS0 | Full | - |
| Mode 79 | U-NII-7 | 6.525-6.875 | CDD 1+2 | 802.11be EHT40 | 147 | 6685 | MCS0 | Full | - |
| Mode 80 | U-NII-7 | 6.525-6.875 | CDD 1+2 | 802.11be EHT40 | 179 | 6845 | MCS0 | Full | - |
| Mode 81 | U-NII-8 | 6.875-7.125 | CDD 1+2 | 802.11be EHT40 | 203 | 6965 | MCS0 | Full | - |
| Mode 82 | U-NII-8 | 6.875-7.125 | CDD 1+2 | 802.11be EHT40 | 227 | 7085 | MCS0 | Full | - |



| Mode | Band | Band (GHz) | Antenna | Modulation | Channel | Frequency | Data Rate | RU | Remark |
|----------|---------|-------------|---------|-----------------|---------|-----------|-----------|----------------------|--------|
| Mode 83 | U-NII-5 | 5.925-6.425 | CDD 1+2 | 802.11be EHT80 | 7 | 5985 | MCS0 | Full | - |
| Mode 84 | U-NII-5 | 5.925-6.425 | CDD 1+2 | 802.11be EHT80 | 39 | 6145 | MCS0 | Full | - |
| Mode 85 | U-NII-5 | 5.925-6.425 | CDD 1+2 | 802.11be EHT80 | 87 | 6385 | MCS0 | Full | - |
| Mode 86 | U-NII-6 | 6.425-6.525 | CDD 1+2 | 802.11be EHT80 | 103 | 6465 | MCS0 | Full | - |
| Mode 87 | U-NII-7 | 6.525-6.875 | CDD 1+2 | 802.11be EHT80 | 135 | 6625 | MCS0 | Full | - |
| Mode 88 | U-NII-7 | 6.525-6.875 | CDD 1+2 | 802.11be EHT80 | 151 | 6705 | MCS0 | Full | - |
| Mode 89 | U-NII-8 | 6.875-7.125 | CDD 1+2 | 802.11be EHT80 | 167 | 6785 | MCS0 | Full | - |
| Mode 90 | U-NII-8 | 6.875-7.125 | CDD 1+2 | 802.11be EHT80 | 199 | 6945 | MCS0 | Full | - |
| Mode 91 | U-NII-8 | 6.875-7.125 | CDD 1+2 | 802.11be EHT80 | 215 | 7025 | MCS0 | Full | - |
| Mode 92 | U-NII-5 | 5.925-6.425 | CDD 1+2 | 802.11be EHT160 | 15 | 6025 | MCS0 | Full | - |
| Mode 93 | U-NII-5 | 5.925-6.425 | CDD 1+2 | 802.11be EHT160 | 47 | 6185 | MCS0 | Full | - |
| Mode 94 | U-NII-5 | 5.925-6.425 | CDD 1+2 | 802.11be EHT160 | 79 | 6345 | MCS0 | Full | - |
| Mode 95 | U-NII-7 | 6.525-6.875 | CDD 1+2 | 802.11be EHT160 | 143 | 6665 | MCS0 | Full | - |
| Mode 96 | U-NII-8 | 6.875-7.125 | CDD 1+2 | 802.11be EHT160 | 207 | 6985 | MCS0 | Full | - |
| Mode 97 | U-NII-5 | 5.925-6.425 | CDD 1+2 | 802.11be EHT320 | 31 | 6105 | MCS0 | Full | - |
| Mode 98 | U-NII-5 | 5.925-6.425 | CDD 1+2 | 802.11be EHT320 | 63 | 6265 | MCS0 | Full | - |
| Mode 99 | U-NII-8 | 6.525-7.125 | CDD 1+2 | 802.11a | 185 | 6875 | 6Mbps | - | - |
| Mode 100 | U-NII-7 | 6.525-7.125 | CDD 1+2 | 802.11be EHT20 | 185 | 6875 | MCS0 | Full | - |
| Mode 101 | U-NII-8 | 6.525-7.125 | CDD 1+2 | 802.11be EHT40 | 187 | 6885 | MCS0 | Full | - |
| Mode 102 | U-NII-7 | 6.525-7.125 | CDD 1+2 | 802.11be EHT80 | 183 | 6865 | MCS0 | - | - |
| Mode 103 | U-NII-7 | 6.525-7.125 | CDD 1+2 | 802.11be EHT160 | 175 | 6825 | MCS0 | Full | - |
| Mode 104 | U-NII-7 | 6.525-7.125 | CDD 1+2 | 802.11be EHT320 | 159 | 6745 | MCS0 | Full | - |
| Mode 105 | U-NII-8 | 6.525-7.125 | CDD 1+2 | 802.11be EHT320 | 191 | 6905 | MCS0 | Full | - |
| Mode 106 | U-NII-7 | 6.425-6.875 | CDD 1+2 | 802.11be EHT40 | 115 | 6525 | MCS0 | - | - |
| Mode 107 | U-NII-7 | 6.425-6.875 | CDD 1+2 | 802.11be EHT80 | 119 | 6545 | MCS0 | Full | - |
| Mode 108 | U-NII-7 | 6.425-6.875 | CDD 1+2 | 802.11be EHT160 | 111 | 6505 | MCS0 | Full | - |
| Mode 109 | U-NII-6 | 5.925-6.425 | CDD 1+2 | 802.11be EHT320 | 95 | 6425 | MCS0 | Full | - |
| Mode 110 | U-NII-6 | 6.425-6.875 | CDD 1+2 | 802.11be EHT320 | 127 | 6585 | MCS0 | Full | - |
| Mode 111 | U-NII-5 | 5.925-6.425 | CDD 1+2 | 802.11be EHT20 | 1 | 5955 | MCS0 | Single RU RU52/37 | - |
| Mode 112 | U-NII-8 | 6.875-7.125 | CDD 1+2 | 802.11be EHT20 | 229 | 7095 | MCS0 | Single RU RU52/40 | - |
| Mode 113 | U-NII-5 | 5.925-6.425 | CDD 1+2 | 802.11be EHT20 | 1 | 5955 | MCS0 | Small RU106+26 | - |
| Mode 114 | U-NII-8 | 6.875-7.125 | CDD 1+2 | 802.11be EHT20 | 229 | 7095 | MCS0 | Small RU106+26 | - |
| Mode 115 | U-NII-5 | 5.925-6.425 | CDD 1+2 | 802.11be EHT80 | 7 | 5985 | MCS0 | Puncturing 20M ④ | - |
| Mode 116 | U-NII-8 | 6.875-7.125 | CDD 1+2 | 802.11be EHT80 | 215 | 7025 | MCS0 | Puncturing 20M ① | - |
| Mode 117 | U-NII-5 | 5.925-6.425 | CDD 1+2 | 802.11be EHT160 | 15 | 6025 | MCS0 | Puncturing 40M ④ | - |
| Mode 118 | U-NII-8 | 6.875-7.125 | CDD 1+2 | 802.11be EHT160 | 207 | 6985 | MCS0 | Puncturing 40M ① | - |
| Mode 119 | U-NII-5 | 5.925-6.425 | CDD 1+2 | 802.11be EHT160 | 15 | 6025 | MCS0 | Puncturing 20M ⑧ | - |
| Mode 120 | U-NII-8 | 6.875-7.125 | CDD 1+2 | 802.11be EHT160 | 207 | 6985 | MCS0 | Puncturing 20M ① | - |
| Mode 121 | U-NII-5 | 5.925-6.425 | CDD 1+2 | 802.11be EHT320 | 31 | 6105 | MCS0 | Puncturing 80M+40M ⑥ | - |
| Mode 122 | U-NII-8 | 6.525-7.125 | CDD 1+2 | 802.11be EHT320 | 191 | 6905 | MCS0 | Puncturing 80M+40M ⑦ | - |
| Mode 123 | U-NII-5 | 5.925-6.425 | CDD 1+2 | 802.11be EHT320 | 31 | 6105 | MCS0 | Puncturing 80M ④ | - |
| Mode 124 | U-NII-8 | 6.525-7.125 | CDD 1+2 | 802.11be EHT320 | 191 | 6905 | MCS0 | Puncturing 80M ① | - |



| Mode | Band | Band (GHz) | Antenna | Modulation | Channel | Frequency | Data Rate | RU | Remark |
|-------------|-------------|-------------|---------|-----------------|---------|-----------|-----------|-----------------------|--------|
| Mode 125 | U-NII-5 | 5.925-6.425 | CDD 1+2 | 802.11be EHT320 | 31 | 6105 | MCS0 | Puncturing 40M ⑧ | - |
| Mode 126 | U-NII-8 | 6.525-7.125 | CDD 1+2 | 802.11be EHT320 | 191 | 6905 | MCS0 | Puncturing 40M ① | - |
| Mode 127 | U-NII-5 | 5.925-6.425 | CDD 1+2 | 802.11be EHT80 | 7 | 5985 | MCS0 | Large RU 484+242 ④ | - |
| Mode 128 | U-NII-8 | 6.875-7.125 | CDD 1+2 | 802.11be EHT80 | 215 | 7025 | MCS0 | Large RU 484+242 ① | - |
| Mode 129 | U-NII-5 | 5.925-6.425 | CDD 1+2 | 802.11be EHT160 | 15 | 6025 | MCS0 | Large RU 996+484 ④ | - |
| Mode 130 | U-NII-8 | 6.875-7.125 | CDD 1+2 | 802.11be EHT160 | 207 | 6985 | MCS0 | Large RU 996+484 ① | - |
| Mode 131 | U-NII-5 | 5.925-6.425 | CDD 1+2 | 802.11be EHT320 | 31 | 6105 | MCS0 | Large RU 996*2+484 ⑥ | - |
| Mode 132 | U-NII-8 | 6.525-7.125 | CDD 1+2 | 802.11be EHT320 | 191 | 6905 | MCS0 | Large RU 996*2+484 ⑦ | - |
| Mode 133 | U-NII-5 | 5.925-6.425 | CDD 1+2 | 802.11be EHT320 | 31 | 6105 | MCS0 | Large RU 996*3 ④ | - |
| Mode 134 | U-NII-5 | 6.525-7.125 | CDD 1+2 | 802.11be EHT320 | 31 | 6105 | MCS0 | Large RU 996*3+484 ⑧ | - |
| Mode 135 | U-NII-8 | 6.525-7.125 | CDD 1+2 | 802.11be EHT320 | 191 | 6905 | MCS0 | Large RU 996*3 ① | - |
| Mode 136 | U-NII-8 | 6.525-7.125 | CDD 1+2 | 802.11be EHT320 | 191 | 6905 | MCS0 | Large RU 996*3+484 ① | - |
| Mode 137 | U-NII-8 | 6.525-7.125 | CDD 1+2 | 802.11a | 233 | 7115 | 6Mbps | - | - |
| Mode 138 | U-NII-8 | 6.525-7.125 | CDD 1+2 | 802.11ax HE20 | 233 | 7115 | MCS0 | Full | - |
| Mode 139 | U-NII-8 | 6.525-7.125 | CDD 1+2 | 802.11be EHT20 | 233 | 7115 | MCS0 | Full | - |
| Mode 140 | U-NII-8 | 6.525-7.125 | CDD 1+2 | 802.11ax HE20 | 233 | 7115 | MCS0 | RU26/8 | - |
| Mode 141 | U-NII-8 | 6.525-7.125 | CDD 1+2 | 802.11ax HE20 | 233 | 7115 | MCS0 | RU52/40 | - |
| Mode 142 | U-NII-8 | 6.525-7.125 | CDD 1+2 | 802.11ax HE20 | 233 | 7115 | MCS0 | RU106/54 | - |
| Mode 143 | U-NII-8 | 6.525-7.125 | CDD 1+2 | 802.11be EHT20 | 233 | 7115 | MCS0 | Single RU RU52/40 | - |
| Mode 144 | U-NII-8 | 6.525-7.125 | CDD 1+2 | 802.11be EHT20 | 233 | 7115 | MCS0 | Small RU52+26 | - |
| Mode 145 | U-NII-8 | 6.525-7.125 | CDD 1+2 | 802.11be EHT20 | 233 | 7115 | MCS0 | Full | LF |
| Mode 146 | U-NII-2C | 5.25-5.35 | CDD 1+2 | 802.11ax HE40 | 38 | 5190 | MCS0 | Full | - |
| Co-location | U-NII-8 | 6.525-7.125 | CDD 1+2 | 802.11be EHT20 | 233 | 7115 | MCS0 | Full | - |
| Mode 147 | 2400-2483.5 | 2400-2483.5 | CDD | 802.11ax HE40 | 09 | 2452 | MCS0 | Full | - |
| Co-location | U-NII-8 | 6.525-7.125 | CDD | 802.11be EHT20 | 233 | 7115 | MCS0 | Full | - |



Summary of each worse mode

Table with 11 columns: Mode, Modulation, Ch., Freq. (MHz), Level (dBuV/m), Limit (dBuV/m), Margin (dB), Pol., Peak Avg., Result, Remark. It contains 44 rows of test data for various modulation schemes and channels.



| Mode | Modulation | Ch. | Freq. (MHz) | Level (dBuV/m) | Limit (dBuV/m) | Margin (dB) | Pol. | Peak Avg. | Result | Remark |
|------|----------------|-----|-------------|----------------|----------------|-------------|------|-----------|--------|-----------|
| 22 | 802.11ax HE80 | 7 | 11970.00 | 47.33 | 74.00 | -26.67 | H | PEAK | Pass | Harmonic |
| 23 | 802.11ax HE80 | 39 | - | - | - | - | - | - | - | Band Edge |
| 23 | 802.11ax HE80 | 39 | 12290.00 | 45.70 | 74.00 | -28.30 | H | PEAK | Pass | Harmonic |
| 24 | 802.11ax HE80 | 87 | - | - | - | - | - | - | - | Band Edge |
| 24 | 802.11ax HE80 | 87 | 12770.00 | 45.29 | 88.20 | -42.91 | H | PEAK | Pass | Harmonic |
| 25 | 802.11ax HE160 | 15 | 5922.00 | 57.09 | 68.20 | -11.11 | V | AVERAGE | Pass | Band Edge |
| 25 | 802.11ax HE160 | 15 | 12050.00 | 44.21 | 74.00 | -29.79 | H | PEAK | Pass | Harmonic |
| 26 | 802.11ax HE160 | 47 | - | - | - | - | - | - | - | Band Edge |
| 26 | 802.11ax HE160 | 47 | 12370.00 | 45.97 | 74.00 | -28.03 | V | PEAK | Pass | Harmonic |
| 27 | 802.11ax HE160 | 79 | - | - | - | - | - | - | - | Band Edge |
| 27 | 802.11ax HE160 | 79 | 12690.00 | 45.47 | 74.00 | -28.53 | H | PEAK | Pass | Harmonic |
| 28 | 802.11ax HE20 | 97 | - | - | - | - | - | - | - | Band Edge |
| 28 | 802.11ax HE20 | 97 | 12870.00 | 47.02 | 88.20 | -41.18 | H | PEAK | Pass | Harmonic |
| 29 | 802.11ax HE20 | 105 | - | - | - | - | - | - | - | Band Edge |
| 29 | 802.11ax HE20 | 105 | 12950.00 | 47.42 | 88.20 | -40.78 | V | PEAK | Pass | Harmonic |
| 30 | 802.11ax HE20 | 113 | - | - | - | - | - | - | - | Band Edge |
| 30 | 802.11ax HE20 | 113 | 13030.00 | 49.75 | 68.20 | -18.45 | V | AVERAGE | Pass | Harmonic |
| 31 | 802.11ax HE40 | 99 | - | - | - | - | - | - | - | Band Edge |
| 31 | 802.11ax HE40 | 99 | 12890.00 | 49.49 | 68.20 | -18.71 | V | AVERAGE | Pass | Harmonic |
| 32 | 802.11ax HE40 | 107 | - | - | - | - | - | - | - | Band Edge |
| 32 | 802.11ax HE40 | 107 | 12970.00 | 49.31 | 88.20 | -38.89 | V | PEAK | Pass | Harmonic |
| 33 | 802.11ax HE80 | 103 | - | - | - | - | - | - | - | Band Edge |
| 33 | 802.11ax HE80 | 103 | 12930.00 | 48.68 | 88.20 | -39.52 | V | PEAK | Pass | Harmonic |
| 34 | 802.11ax HE40 | 115 | - | - | - | - | - | - | - | Band Edge |
| 34 | 802.11ax HE40 | 115 | 13050.00 | 49.74 | 88.20 | -38.46 | V | PEAK | Pass | Harmonic |
| 35 | 802.11ax HE80 | 119 | - | - | - | - | - | - | - | Band Edge |
| 35 | 802.11ax HE80 | 119 | 13090.00 | 48.35 | 88.20 | -39.85 | V | PEAK | Pass | Harmonic |
| 36 | 802.11ax HE160 | 111 | - | - | - | - | - | - | - | Band Edge |
| 36 | 802.11ax HE160 | 111 | 13010.00 | 48.04 | 88.20 | -40.16 | V | PEAK | Pass | Harmonic |
| 37 | 802.11ax HE20 | 117 | - | - | - | - | - | - | - | Band Edge |
| 37 | 802.11ax HE20 | 117 | 13070.00 | 49.87 | 88.20 | -38.33 | V | PEAK | Pass | Harmonic |
| 38 | 802.11ax HE20 | 149 | - | - | - | - | - | - | - | Band Edge |
| 38 | 802.11ax HE20 | 149 | 13390.00 | 41.52 | 54.00 | -12.48 | V | AVERAGE | Pass | Harmonic |
| 39 | 802.11ax HE40 | 123 | - | - | - | - | - | - | - | Band Edge |
| 39 | 802.11ax HE40 | 123 | 13130.00 | 49.21 | 88.20 | -38.99 | V | PEAK | Pass | Harmonic |
| 40 | 802.11ax HE40 | 147 | - | - | - | - | - | - | - | Band Edge |
| 40 | 802.11ax HE40 | 147 | 13370.00 | 42.00 | 54.00 | -12.00 | V | AVERAGE | Pass | Harmonic |
| 41 | 802.11ax HE40 | 179 | - | - | - | - | - | - | - | Band Edge |
| 41 | 802.11ax HE40 | 179 | 13690.00 | 48.67 | 88.20 | -39.53 | V | PEAK | Pass | Harmonic |
| 42 | 802.11ax HE80 | 135 | - | - | - | - | - | - | - | Band Edge |
| 42 | 802.11ax HE80 | 135 | 13250.00 | 47.09 | 74.00 | -26.91 | V | PEAK | Pass | Harmonic |
| 43 | 802.11ax HE80 | 151 | - | - | - | - | - | - | - | Band Edge |
| 43 | 802.11ax HE80 | 151 | 13410.00 | 47.11 | 88.20 | -41.09 | V | PEAK | Pass | Harmonic |
| 44 | 802.11ax HE160 | 143 | - | - | - | - | - | - | - | Band Edge |
| 44 | 802.11ax HE160 | 143 | 13330.00 | 47.55 | 74.00 | -26.45 | V | PEAK | Pass | Harmonic |



| Mode | Modulation | Ch. | Freq. (MHz) | Level (dBuV/m) | Limit (dBuV/m) | Margin (dB) | Pol. | Peak Avg. | Result | Remark |
|------|----------------|-----|-------------|----------------|----------------|-------------|------|-----------|--------|-----------|
| 45 | 802.11ax HE20 | 185 | - | - | - | - | - | - | - | Band Edge |
| 45 | 802.11ax HE20 | 185 | 13750.00 | 47.51 | 88.20 | -40.69 | H | PEAK | Pass | Harmonic |
| 46 | 802.11ax HE80 | 183 | - | - | - | - | - | - | - | Band Edge |
| 46 | 802.11ax HE80 | 183 | 13730.00 | 47.34 | 88.20 | -40.86 | V | PEAK | Pass | Harmonic |
| 47 | 802.11ax HE160 | 175 | - | - | - | - | - | - | - | Band Edge |
| 47 | 802.11ax HE160 | 175 | 13650.00 | 47.30 | 88.20 | -40.90 | H | PEAK | Pass | Harmonic |
| 48 | 802.11ax HE20 | 189 | - | - | - | - | - | - | - | Band Edge |
| 48 | 802.11ax HE20 | 189 | 13790.00 | 47.68 | 88.20 | -40.52 | H | PEAK | Pass | Harmonic |
| 49 | 802.11ax HE20 | 209 | - | - | - | - | - | - | - | Band Edge |
| 49 | 802.11ax HE20 | 209 | 13990.00 | 46.86 | 88.20 | -41.34 | V | PEAK | Pass | Harmonic |
| 50 | 802.11ax HE20 | 229 | 7125.32 | 40.46 | 68.20 | -27.74 | V | AVERAGE | Pass | Band Edge |
| 50 | 802.11ax HE20 | 229 | 14190.00 | 47.60 | 88.20 | -40.60 | V | PEAK | Pass | Harmonic |
| 51 | 802.11ax HE20 | 229 | 7200.36 | 40.33 | 68.20 | -27.87 | V | AVERAGE | Pass | Band Edge |
| 51 | 802.11ax HE20 | 229 | 14190.00 | 47.11 | 88.20 | -41.09 | V | PEAK | Pass | Harmonic |
| 52 | 802.11ax HE20 | 229 | 7198.28 | 40.36 | 68.20 | -27.84 | V | AVERAGE | Pass | Band Edge |
| 52 | 802.11ax HE20 | 229 | 14190.00 | 47.28 | 88.20 | -40.92 | V | PEAK | Pass | Harmonic |
| 53 | 802.11ax HE20 | 229 | 7200.52 | 40.38 | 68.20 | -27.82 | V | AVERAGE | Pass | Band Edge |
| 53 | 802.11ax HE20 | 229 | 14190.00 | 47.38 | 88.20 | -40.82 | V | PEAK | Pass | Harmonic |
| 54 | 802.11ax HE40 | 203 | - | - | - | - | - | - | - | Band Edge |
| 54 | 802.11ax HE40 | 203 | 13930.00 | 47.01 | 88.20 | -41.19 | V | PEAK | Pass | Harmonic |
| 55 | 802.11ax HE40 | 227 | 7126.12 | 45.77 | 68.20 | -22.43 | V | AVERAGE | Pass | Band Edge |
| 55 | 802.11ax HE40 | 227 | 14170.00 | 47.43 | 88.20 | -40.77 | V | PEAK | Pass | Harmonic |
| 56 | 802.11ax HE80 | 199 | - | - | - | - | - | - | - | Band Edge |
| 56 | 802.11ax HE80 | 199 | 13890.00 | 47.12 | 88.20 | -41.08 | V | PEAK | Pass | Harmonic |
| 57 | 802.11ax HE80 | 215 | 7131.92 | 43.11 | 68.20 | -25.09 | V | AVERAGE | Pass | Band Edge |
| 57 | 802.11ax HE80 | 215 | 14050.00 | 46.99 | 88.20 | -41.21 | H | PEAK | Pass | Harmonic |
| 58 | 802.11ax HE160 | 207 | 7132.36 | 43.76 | 68.20 | -24.44 | V | AVERAGE | Pass | Band Edge |
| 58 | 802.11ax HE160 | 207 | 13970.00 | 46.19 | 88.20 | -42.01 | V | PEAK | Pass | Harmonic |
| 59 | 802.11ax HE40 | 187 | - | - | - | - | - | - | - | Band Edge |
| 59 | 802.11ax HE40 | 187 | 13770.00 | 47.32 | 88.20 | -40.88 | V | PEAK | Pass | Harmonic |
| 60 | 802.11be EHT20 | 1 | 5924.06 | 40.28 | 68.20 | -27.92 | V | AVERAGE | Pass | Band Edge |
| 60 | 802.11be EHT20 | 1 | 11910.00 | 47.11 | 74.00 | -26.89 | V | PEAK | Pass | Harmonic |
| 61 | 802.11be EHT20 | 45 | - | - | - | - | - | - | - | Band Edge |
| 61 | 802.11be EHT20 | 45 | 12350.00 | 47.85 | 74.00 | -26.15 | V | PEAK | Pass | Harmonic |
| 62 | 802.11be EHT20 | 93 | - | - | - | - | - | - | - | Band Edge |
| 62 | 802.11be EHT20 | 93 | 12830.00 | 47.67 | 88.20 | -40.53 | V | PEAK | Pass | Harmonic |
| 63 | 802.11be EHT20 | 97 | - | - | - | - | - | - | - | Band Edge |
| 63 | 802.11be EHT20 | 97 | 12870.00 | 47.72 | 88.20 | -40.48 | V | PEAK | Pass | Harmonic |
| 64 | 802.11be EHT20 | 105 | - | - | - | - | - | - | - | Band Edge |
| 64 | 802.11be EHT20 | 105 | 12950.00 | 47.83 | 88.20 | -40.37 | V | PEAK | Pass | Harmonic |
| 65 | 802.11be EHT20 | 113 | - | - | - | - | - | - | - | Band Edge |
| 65 | 802.11be EHT20 | 113 | 13030.22 | 50.29 | 88.20 | -37.91 | V | Peak | Pass | Harmonic |
| 66 | 802.11be EHT20 | 117 | - | - | - | - | - | - | - | Band Edge |
| 66 | 802.11be EHT20 | 117 | 13070.00 | 47.46 | 88.20 | -40.74 | H | PEAK | Pass | Harmonic |
| 67 | 802.11be EHT20 | 149 | - | - | - | - | - | - | - | Band Edge |



| Mode | Modulation | Ch. | Freq. (MHz) | Level (dBuV/m) | Limit (dBuV/m) | Margin (dB) | Pol. | Peak Avg. | Result | Remark |
|------|----------------|-----|-------------|----------------|----------------|-------------|------|-----------|--------|-----------|
| 67 | 802.11be EHT20 | 149 | 13390.00 | 46.94 | 74.00 | -27.06 | H | PEAK | Pass | Harmonic |
| 68 | 802.11be EHT20 | 181 | - | - | - | - | - | - | - | Band Edge |
| 68 | 802.11be EHT20 | 181 | 13710.00 | 47.86 | 88.20 | -40.34 | H | PEAK | Pass | Harmonic |
| 69 | 802.11be EHT20 | 189 | - | - | - | - | - | - | - | Band Edge |
| 69 | 802.11be EHT20 | 189 | 13790.00 | 47.38 | 88.20 | -40.82 | H | PEAK | Pass | Harmonic |
| 70 | 802.11be EHT20 | 209 | - | - | - | - | - | - | - | Band Edge |
| 70 | 802.11be EHT20 | 209 | 13990.00 | 47.19 | 88.20 | -41.01 | H | PEAK | Pass | Harmonic |
| 71 | 802.11be EHT20 | 229 | 7199.88 | 40.46 | 68.20 | -27.74 | V | AVERAGE | Pass | Band Edge |
| 71 | 802.11be EHT20 | 229 | 14190.00 | 47.64 | 88.20 | -40.56 | V | PEAK | Pass | Harmonic |
| 72 | 802.11be EHT20 | 3 | 5901.30 | 41.35 | 68.20 | -26.85 | V | AVERAGE | Pass | Band Edge |
| 72 | 802.11be EHT20 | 3 | 11930.00 | 45.84 | 74.00 | -28.16 | V | PEAK | Pass | Harmonic |
| 73 | 802.11be EHT40 | 43 | - | - | - | - | - | - | - | Band Edge |
| 73 | 802.11be EHT40 | 43 | 12330.00 | 44.87 | 54.00 | -9.13 | V | AVERAGE | Pass | Harmonic |
| 74 | 802.11be EHT40 | 91 | - | - | - | - | - | - | - | Band Edge |
| 74 | 802.11be EHT40 | 91 | 12810.00 | 47.37 | 88.20 | -40.83 | V | PEAK | Pass | Harmonic |
| 75 | 802.11be EHT40 | 99 | - | - | - | - | - | - | - | Band Edge |
| 75 | 802.11be EHT40 | 99 | 12890.00 | 46.78 | 88.20 | -41.42 | V | PEAK | Pass | Harmonic |
| 76 | 802.11be EHT40 | 107 | - | - | - | - | - | - | - | Band Edge |
| 76 | 802.11be EHT40 | 107 | 12970.00 | 47.41 | 88.20 | -40.79 | V | PEAK | Pass | Harmonic |
| 77 | 802.11be EHT40 | 115 | - | - | - | - | - | - | - | Band Edge |
| 77 | 802.11be EHT40 | 115 | 13050.00 | 47.61 | 88.20 | -40.59 | V | PEAK | Pass | Harmonic |
| 78 | 802.11be EHT40 | 123 | - | - | - | - | - | - | - | Band Edge |
| 78 | 802.11be EHT40 | 123 | 13130.00 | 47.87 | 88.20 | -40.33 | V | PEAK | Pass | Harmonic |
| 79 | 802.11be EHT40 | 147 | - | - | - | - | - | - | - | Band Edge |
| 79 | 802.11be EHT40 | 147 | 13370.00 | 47.13 | 74.00 | -26.87 | H | PEAK | Pass | Harmonic |
| 80 | 802.11be EHT40 | 179 | - | - | - | - | - | - | - | Band Edge |
| 80 | 802.11be EHT40 | 179 | 13690.00 | 46.76 | 88.20 | -41.44 | V | PEAK | Pass | Harmonic |
| 81 | 802.11be EHT40 | 203 | 7199.80 | 40.53 | 68.20 | -27.67 | V | AVERAGE | Pass | Band Edge |
| 81 | 802.11be EHT40 | 203 | 13930.00 | 47.12 | 88.20 | -41.08 | V | PEAK | Pass | Harmonic |
| 82 | 802.11be EHT40 | 227 | 7128.52 | 51.68 | 68.20 | -16.52 | V | AVERAGE | Pass | Band Edge |
| 82 | 802.11be EHT40 | 227 | 14170.00 | 46.78 | 88.20 | -41.42 | V | PEAK | Pass | Harmonic |
| 83 | 802.11be EHT80 | 7 | 5925.00 | 52.08 | 68.20 | -16.12 | V | AVERAGE | Pass | Band Edge |
| 83 | 802.11be EHT80 | 7 | 11970.00 | 45.99 | 74.00 | -28.01 | H | PEAK | Pass | Harmonic |
| 84 | 802.11be EHT80 | 39 | - | - | - | - | - | - | - | Band Edge |
| 84 | 802.11be EHT80 | 39 | 12290.00 | 47.68 | 74.00 | -26.32 | V | PEAK | Pass | Harmonic |
| 85 | 802.11be EHT80 | 87 | - | - | - | - | - | - | - | Band Edge |
| 85 | 802.11be EHT80 | 87 | 12770.00 | 46.75 | 88.20 | -41.45 | H | PEAK | Pass | Harmonic |
| 86 | 802.11be EHT80 | 103 | - | - | - | - | - | - | - | Band Edge |
| 86 | 802.11be EHT80 | 103 | 12930.00 | 48.09 | 88.20 | -40.11 | V | PEAK | Pass | Harmonic |
| 87 | 802.11be EHT80 | 135 | - | - | - | - | - | - | - | Band Edge |
| 87 | 802.11be EHT80 | 135 | 13250.00 | 47.30 | 74.00 | -26.70 | V | PEAK | Pass | Harmonic |
| 88 | 802.11be EHT80 | 151 | - | - | - | - | - | - | - | Band Edge |
| 88 | 802.11be EHT80 | 151 | 13410.00 | 47.06 | 88.20 | -41.14 | H | PEAK | Pass | Harmonic |
| 89 | 802.11be EHT80 | 167 | - | - | - | - | - | - | - | Band Edge |
| 89 | 802.11be EHT80 | 167 | 13570.00 | 47.99 | 88.20 | -40.21 | V | PEAK | Pass | Harmonic |



| Mode | Modulation | Ch. | Freq. (MHz) | Level (dBuV/m) | Limit (dBuV/m) | Margin (dB) | Pol. | Peak Avg. | Result | Remark |
|------|-----------------|-----|-------------|----------------|----------------|-------------|------|-----------|--------|-----------|
| 90 | 802.11be EHT80 | 199 | - | - | - | - | - | - | - | Band Edge |
| 90 | 802.11be EHT80 | 199 | 13890.00 | 46.86 | 88.20 | -41.34 | H | PEAK | Pass | Harmonic |
| 91 | 802.11be EHT80 | 215 | 8434.00 | 47.30 | 54.00 | -6.70 | V | Average | Pass | Band Edge |
| 91 | 802.11be EHT80 | 215 | 14050.00 | 47.69 | 88.20 | -40.51 | V | PEAK | Pass | Harmonic |
| 92 | 802.11be EHT160 | 15 | 5921.40 | 49.24 | 68.20 | -18.96 | V | AVERAGE | Pass | Band Edge |
| 92 | 802.11be EHT160 | 15 | 12050.00 | 45.89 | 74.00 | -28.11 | H | PEAK | Pass | Harmonic |
| 93 | 802.11be EHT160 | 47 | - | - | - | - | - | - | - | Band Edge |
| 93 | 802.11be EHT160 | 47 | 12370.00 | 47.87 | 74.00 | -26.13 | V | PEAK | Pass | Harmonic |
| 94 | 802.11be EHT160 | 79 | - | - | - | - | - | - | - | Band Edge |
| 94 | 802.11be EHT160 | 79 | 12690.00 | 46.90 | 74.00 | -27.10 | H | PEAK | Pass | Harmonic |
| 95 | 802.11be EHT160 | 143 | - | - | - | - | - | - | - | Band Edge |
| 95 | 802.11be EHT160 | 143 | 13330.00 | 46.95 | 74.00 | -27.05 | H | PEAK | Pass | Harmonic |
| 96 | 802.11be EHT160 | 207 | 7132.12 | 41.56 | 68.20 | -26.64 | V | AVERAGE | Pass | Band Edge |
| 96 | 802.11be EHT160 | 207 | 13970.00 | 46.01 | 88.20 | -42.19 | V | PEAK | Pass | Harmonic |
| 97 | 802.11be EHT320 | 31 | 5798.76 | 55.23 | 68.20 | -12.97 | V | AVERAGE | Pass | Band Edge |
| 97 | 802.11be EHT320 | 31 | 12210.00 | 46.70 | 74.00 | -27.30 | V | PEAK | Pass | Harmonic |
| 98 | 802.11be EHT320 | 63 | - | - | - | - | - | - | - | Band Edge |
| 98 | 802.11be EHT320 | 63 | 12530.00 | 46.17 | 74.00 | -27.83 | V | PEAK | Pass | Harmonic |
| 99 | 802.11a | 185 | - | - | - | - | - | - | - | Band Edge |
| 99 | 802.11a | 185 | 13750.00 | 48.29 | 88.20 | -39.91 | V | PEAK | Pass | Harmonic |
| 100 | 802.11be EHT20 | 185 | - | - | - | - | - | - | - | Band Edge |
| 100 | 802.11be EHT20 | 185 | 13750.00 | 46.90 | 88.20 | -41.30 | V | PEAK | Pass | Harmonic |
| 101 | 802.11be EHT40 | 187 | - | - | - | - | - | - | - | Band Edge |
| 101 | 802.11be EHT40 | 187 | 13770.00 | 47.13 | 88.20 | -41.07 | V | PEAK | Pass | Harmonic |
| 102 | 802.11be EHT80 | 183 | - | - | - | - | - | - | - | Band Edge |
| 102 | 802.11be EHT80 | 183 | 13730.00 | 48.42 | 88.20 | -39.78 | V | PEAK | Pass | Harmonic |
| 103 | 802.11be EHT160 | 175 | - | - | - | - | - | - | - | Band Edge |
| 103 | 802.11be EHT160 | 175 | 13650.00 | 47.68 | 88.20 | -40.52 | V | PEAK | Pass | Harmonic |
| 104 | 802.11be EHT320 | 159 | - | - | - | - | - | - | - | Band Edge |
| 104 | 802.11be EHT320 | 159 | 13490.00 | 46.69 | 88.20 | -41.51 | V | PEAK | Pass | Harmonic |
| 105 | 802.11be EHT320 | 191 | 7385.08 | 43.16 | 54.00 | -10.84 | V | AVERAGE | Pass | Band Edge |
| 105 | 802.11be EHT320 | 191 | 13810.00 | 47.19 | 88.20 | -41.01 | H | PEAK | Pass | Harmonic |
| 106 | 802.11be EHT40 | 115 | - | - | - | - | - | - | - | Band Edge |
| 106 | 802.11be EHT40 | 115 | 13050.00 | 48.94 | 88.20 | -39.26 | V | PEAK | Pass | Harmonic |
| 107 | 802.11be EHT80 | 119 | - | - | - | - | - | - | - | Band Edge |
| 107 | 802.11be EHT80 | 119 | 13090.00 | 47.84 | 88.20 | -40.36 | H | PEAK | Pass | Harmonic |
| 108 | 802.11be EHT160 | 111 | - | - | - | - | - | - | - | Band Edge |
| 108 | 802.11be EHT160 | 111 | 13010.00 | 47.78 | 88.20 | -40.42 | V | PEAK | Pass | Harmonic |
| 109 | 802.11be EHT320 | 95 | - | - | - | - | - | - | - | Band Edge |
| 109 | 802.11be EHT320 | 95 | 12850.00 | 46.63 | 88.20 | -41.57 | V | PEAK | Pass | Harmonic |
| 110 | 802.11be EHT320 | 127 | - | - | - | - | - | - | - | Band Edge |
| 110 | 802.11be EHT320 | 127 | 13170.00 | 47.09 | 88.20 | -41.11 | V | PEAK | Pass | Harmonic |
| 111 | 802.11be EHT20 | 1 | 5923.67 | 39.69 | 68.20 | -28.51 | V | AVERAGE | Pass | Band Edge |
| 111 | 802.11be EHT20 | 1 | - | - | - | - | - | - | - | Harmonic |
| 112 | 802.11be EHT20 | 229 | 7213.16 | 41.44 | 68.20 | -26.76 | V | AVERAGE | Pass | Band Edge |



| Mode | Modulation | Ch. | Freq. (MHz) | Level (dBuV/m) | Limit (dBuV/m) | Margin (dB) | Pol. | Peak Avg. | Result | Remark |
|------|-----------------|-----|-------------|----------------|----------------|-------------|------|-----------|--------|-----------|
| 112 | 802.11be EHT20 | 229 | - | - | - | - | - | - | - | Harmonic |
| 113 | 802.11be EHT20 | 1 | 5914.44 | 39.80 | 68.20 | -28.40 | V | AVERAGE | Pass | Band Edge |
| 113 | 802.11be EHT20 | 1 | - | - | - | - | - | - | - | Harmonic |
| 114 | 802.11be EHT20 | 229 | 7198.44 | 40.44 | 68.20 | -27.76 | H | AVERAGE | Pass | Band Edge |
| 114 | 802.11be EHT20 | 229 | - | - | - | - | - | - | - | Harmonic |
| 115 | 802.11be EHT80 | 7 | 5916.04 | 54.90 | 68.20 | -13.30 | V | AVERAGE | Pass | Band Edge |
| 115 | 802.11be EHT80 | 7 | - | - | - | - | - | - | - | Harmonic |
| 116 | 802.11be EHT80 | 215 | 7131.92 | 41.86 | 68.20 | -26.34 | V | AVERAGE | Pass | Band Edge |
| 116 | 802.11be EHT80 | 215 | - | - | - | - | - | - | - | Harmonic |
| 117 | 802.11be EHT160 | 15 | 5920.20 | 52.06 | 68.20 | -16.14 | V | AVERAGE | Pass | Band Edge |
| 117 | 802.11be EHT160 | 15 | - | - | - | - | - | - | - | Harmonic |
| 118 | 802.11be EHT160 | 207 | 7145.56 | 42.99 | 68.20 | -25.21 | V | AVERAGE | Pass | Band Edge |
| 118 | 802.11be EHT160 | 207 | - | - | - | - | - | - | - | Harmonic |
| 119 | 802.11be EHT160 | 15 | 5915.00 | 52.79 | 68.20 | -15.41 | V | AVERAGE | Pass | Band Edge |
| 119 | 802.11be EHT160 | 15 | - | - | - | - | - | - | - | Harmonic |
| 120 | 802.11be EHT160 | 207 | 7131.64 | 44.95 | 68.20 | -23.25 | V | AVERAGE | Pass | Band Edge |
| 120 | 802.11be EHT160 | 207 | - | - | - | - | - | - | - | Harmonic |
| 121 | 802.11be EHT320 | 31 | 5898.60 | 49.89 | 68.20 | -18.31 | V | AVERAGE | Pass | Band Edge |
| 121 | 802.11be EHT320 | 31 | - | - | - | - | - | - | - | Harmonic |
| 122 | 802.11be EHT320 | 191 | 7250.44 | 40.64 | 54.00 | -13.36 | V | AVERAGE | Pass | Band Edge |
| 122 | 802.11be EHT320 | 191 | - | - | - | - | - | - | - | Harmonic |
| 123 | 802.11be EHT320 | 31 | 5897.64 | 51.92 | 68.20 | -16.28 | V | AVERAGE | Pass | Band Edge |
| 123 | 802.11be EHT320 | 31 | - | - | - | - | - | - | - | Harmonic |
| 124 | 802.11be EHT320 | 191 | 7251.88 | 40.87 | 54.00 | -13.13 | V | AVERAGE | Pass | Band Edge |
| 124 | 802.11be EHT320 | 191 | - | - | - | - | - | - | - | Harmonic |
| 125 | 802.11be EHT320 | 31 | 5917.80 | 53.97 | 68.20 | -14.23 | V | AVERAGE | Pass | Band Edge |
| 125 | 802.11be EHT320 | 31 | - | - | - | - | - | - | - | Harmonic |
| 126 | 802.11be EHT320 | 191 | 7385.08 | 44.30 | 54.00 | -9.70 | V | AVERAGE | Pass | Band Edge |
| 126 | 802.11be EHT320 | 191 | - | - | - | - | - | - | - | Harmonic |
| 127 | 802.11be EHT80 | 7 | 5924.84 | 55.93 | 68.20 | -12.27 | V | AVERAGE | Pass | Band Edge |
| 127 | 802.11be EHT80 | 7 | - | - | - | - | - | - | - | Harmonic |
| 128 | 802.11be EHT80 | 215 | 7130.38 | 42.51 | 68.20 | -25.69 | V | AVERAGE | Pass | Band Edge |
| 128 | 802.11be EHT80 | 215 | - | - | - | - | - | - | - | Harmonic |
| 129 | 802.11be EHT160 | 15 | 5924.40 | 51.92 | 68.20 | -16.28 | V | AVERAGE | Pass | Band Edge |
| 129 | 802.11be EHT160 | 15 | - | - | - | - | - | - | - | Harmonic |
| 130 | 802.11be EHT160 | 207 | 7142.68 | 42.61 | 68.20 | -25.59 | V | AVERAGE | Pass | Band Edge |
| 130 | 802.11be EHT160 | 207 | - | - | - | - | - | - | - | Harmonic |
| 131 | 802.11be EHT320 | 31 | 5918.76 | 53.73 | 68.20 | -14.47 | V | AVERAGE | Pass | Band Edge |
| 131 | 802.11be EHT320 | 31 | - | - | - | - | - | - | - | Harmonic |
| 132 | 802.11be EHT320 | 191 | 7385.08 | 41.30 | 54.00 | -12.70 | V | AVERAGE | Pass | Band Edge |
| 132 | 802.11be EHT320 | 191 | - | - | - | - | - | - | - | Harmonic |
| 133 | 802.11be EHT320 | 31 | 5917.48 | 52.12 | 68.20 | -16.08 | V | AVERAGE | Pass | Band Edge |
| 133 | 802.11be EHT320 | 31 | - | - | - | - | - | - | - | Harmonic |
| 134 | 802.11be EHT320 | 31 | 5917.80 | 52.64 | 68.20 | -15.56 | V | AVERAGE | Pass | Band Edge |
| 134 | 802.11be EHT320 | 31 | - | - | - | - | - | - | - | Harmonic |



| Mode | Modulation | Ch. | Freq. (MHz) | Level (dBuV/m) | Limit (dBuV/m) | Margin (dB) | Pol. | Peak Avg. | Result | Remark |
|------|-----------------|-----|-------------|----------------|----------------|-------------|------|-----------|--------|-----------|
| 135 | 802.11be EHT320 | 191 | 7385.08 | 41.75 | 54.00 | -12.25 | V | AVERAGE | Pass | Band Edge |
| 135 | 802.11be EHT320 | 191 | - | - | - | - | - | - | - | Harmonic |
| 136 | 802.11be EHT320 | 191 | 7385.08 | 43.04 | 54.00 | -10.96 | V | AVERAGE | Pass | Band Edge |
| 136 | 802.11be EHT320 | 191 | - | - | - | - | - | - | - | Harmonic |
| 137 | 802.11a | 233 | 7125.00 | 67.36 | 68.20 | -0.84 | V | AVERAGE | Pass | Band Edge |
| 137 | 802.11a | 233 | 14230.00 | 47.33 | 88.20 | -40.87 | H | PEAK | Pass | Harmonic |
| 138 | 802.11ax HE20 | 233 | 7125.00 | 67.43 | 68.20 | -0.77 | V | AVERAG | Pass | Band Edge |
| 138 | 802.11ax HE20 | 233 | 14230.00 | 47.50 | 88.20 | -40.70 | V | PEAK | Pass | Harmonic |
| 139 | 802.11be EHT20 | 233 | 7125.00 | 67.47 | 68.20 | -0.73 | V | AVERAG | Pass | Band Edge |
| 139 | 802.11be EHT20 | 233 | 14230.00 | 46.86 | 88.20 | -41.34 | V | PEAK | Pass | Harmonic |
| 140 | 802.11ax HE20 | 233 | 7125.00 | 67.39 | 68.20 | -0.81 | V | AVERAG | Pass | Band Edge |
| 140 | 802.11ax HE20 | 233 | 14230.00 | 46.83 | 88.20 | -41.37 | H | PEAK | Pass | Harmonic |
| 141 | 802.11ax HE20 | 233 | 7125.00 | 67.39 | 68.20 | -0.81 | V | AVERAG | Pass | Band Edge |
| 141 | 802.11ax HE20 | 233 | 14230.00 | 46.90 | 88.20 | -41.30 | H | PEAK | Pass | Harmonic |
| 142 | 802.11ax HE20 | 233 | 7125.00 | 67.44 | 68.20 | -0.76 | V | AVERAG | Pass | Band Edge |
| 142 | 802.11ax HE20 | 233 | 14230.00 | 46.82 | 88.20 | -41.38 | V | PEAK | Pass | Harmonic |
| 143 | 802.11be EHT20 | 233 | 7125.00 | 64.59 | 68.20 | -3.61 | V | AVERAG | Pass | Band Edge |
| 143 | 802.11be EHT20 | 233 | 14230.00 | 46.66 | 88.20 | -41.54 | V | PEAK | Pass | Harmonic |
| 144 | 802.11be EHT20 | 233 | 7198.76 | 40.29 | 68.20 | -27.91 | H | AVERAGE | Pass | Band Edge |
| 144 | 802.11be EHT20 | 233 | 14230.00 | 47.37 | 88.20 | -40.83 | H | PEAK | Pass | Harmonic |
| 145 | 802.11be EHT20 | 233 | 30.00 | 29.58 | 40.00 | -10.42 | V | PEAK | Pass | LF |
| 146 | 802.11ax HE40 | 38 | 5149.92 | 53.66 | 54.00 | -0.34 | V | AVERAGE | Pass | Band Edge |
| | 802.11ax HE40 | 38 | 10380.00 | 44.56 | 68.20 | -23.64 | V | PEAK | Pass | Harmonic |
| | 802.11be EHT20 | 233 | 7125.00 | 66.59 | 68.20 | -1.61 | V | AVERAGE | Pass | Band Edge |
| | 802.11be EHT20 | 233 | 14230.00 | 46.66 | 88.20 | -41.54 | V | PEAK | Pass | Harmonic |
| 147 | 802.11ax HE40 | 09 | 2483.50 | 53.45 | 54.00 | -0.55 | V | AVERAGE | Pass | Band Edge |
| | 802.11ax HE40 | 09 | 4904.00 | 43.00 | 74.00 | -31.00 | V | PEAK | Pass | Harmonic |
| | 802.11be EHT20 | 233 | 7125.00 | 65.53 | 68.20 | -2.67 | V | AVERAGE | Pass | Band Edge |
| | 802.11be EHT20 | 233 | 14230.00 | 48.55 | 88.20 | -39.65 | H | PEAK | Pass | Harmonic |



| Mode | 1 | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
|-------|--|-------------|--------------|-------------|--------|--------|--------|--------|--------|--------|------|---------|-------------|--------------|-------------|--------|--------|--------|--|-----|--------|--------|----|------|------|----|----|----|-----|---|---------|-------|-------|--------|-------|-------|-------|-------|------|-----|----|---------|---|-------|------|-----|-------|--------|-----|------|------|--------|------|-------|-------------|--------------|-------------|--------|--------|--------|--|-----|--------|--------|----|------|------|----|----|----|-----|---|---------|-------|-------|-------|-------|-------|-------|-------|------|-----|----|---------|
| | Band Edge | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| | U-NII-5_5.925-6.425_802.11a_CH1_5955MHz | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| ANT | CDD 1+2 | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| Pol. | Horizontal | Fundamental | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| Peak | <table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Aux</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line Margin</th> <th>Level Factor</th> <th>Loss Factor</th> <th>Factor</th> <th>Factor</th> <th>Factor</th> <th></th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>5857.63</td> <td>50.61</td> <td>88.20</td> <td>-37.59</td> <td>40.46</td> <td>35.02</td> <td>11.34</td> <td>36.21</td> <td>0.00</td> <td>292</td> <td>71</td> <td>PEAK</td> </tr> </tbody> </table> | Limit | Read | Ant | Cable | Preamp | Aux | APos | TPos | Remark | Freq | Level | Line Margin | Level Factor | Loss Factor | Factor | Factor | Factor | | MHz | dBuV/m | dBuV/m | dB | dBuV | dB/m | dB | dB | cm | deg | 1 | 5857.63 | 50.61 | 88.20 | -37.59 | 40.46 | 35.02 | 11.34 | 36.21 | 0.00 | 292 | 71 | PEAK | <table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Aux</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line Margin</th> <th>Level Factor</th> <th>Loss Factor</th> <th>Factor</th> <th>Factor</th> <th>Factor</th> <th></th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>5955.00</td> <td>96.06</td> <td>-----</td> <td>-----</td> <td>86.92</td> <td>35.15</td> <td>11.43</td> <td>36.64</td> <td>0.00</td> <td>292</td> <td>71</td> <td>PEAK</td> </tr> </tbody> </table> | Limit | Read | Ant | Cable | Preamp | Aux | APos | TPos | Remark | Freq | Level | Line Margin | Level Factor | Loss Factor | Factor | Factor | Factor | | MHz | dBuV/m | dBuV/m | dB | dBuV | dB/m | dB | dB | cm | deg | 1 | 5955.00 | 96.06 | ----- | ----- | 86.92 | 35.15 | 11.43 | 36.64 | 0.00 | 292 | 71 | PEAK |
| | Limit | Read | Ant | Cable | Preamp | Aux | APos | TPos | Remark | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| Freq | Level | Line Margin | Level Factor | Loss Factor | Factor | Factor | Factor | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| MHz | dBuV/m | dBuV/m | dB | dBuV | dB/m | dB | dB | cm | deg | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| 1 | 5857.63 | 50.61 | 88.20 | -37.59 | 40.46 | 35.02 | 11.34 | 36.21 | 0.00 | 292 | 71 | PEAK | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| Limit | Read | Ant | Cable | Preamp | Aux | APos | TPos | Remark | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| Freq | Level | Line Margin | Level Factor | Loss Factor | Factor | Factor | Factor | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| MHz | dBuV/m | dBuV/m | dB | dBuV | dB/m | dB | dB | cm | deg | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| 1 | 5955.00 | 96.06 | ----- | ----- | 86.92 | 35.15 | 11.43 | 36.64 | 0.00 | 292 | 71 | PEAK | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| Avg | <table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Aux</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line Margin</th> <th>Level Factor</th> <th>Loss Factor</th> <th>Factor</th> <th>Factor</th> <th>Factor</th> <th></th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>5923.54</td> <td>39.38</td> <td>68.20</td> <td>-28.82</td> <td>29.46</td> <td>35.12</td> <td>11.40</td> <td>36.60</td> <td>0.00</td> <td>292</td> <td>71</td> <td>AVERAGE</td> </tr> </tbody> </table> | Limit | Read | Ant | Cable | Preamp | Aux | APos | TPos | Remark | Freq | Level | Line Margin | Level Factor | Loss Factor | Factor | Factor | Factor | | MHz | dBuV/m | dBuV/m | dB | dBuV | dB/m | dB | dB | cm | deg | 1 | 5923.54 | 39.38 | 68.20 | -28.82 | 29.46 | 35.12 | 11.40 | 36.60 | 0.00 | 292 | 71 | AVERAGE | <table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Aux</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line Margin</th> <th>Level Factor</th> <th>Loss Factor</th> <th>Factor</th> <th>Factor</th> <th>Factor</th> <th></th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>5955.00</td> <td>89.73</td> <td>-----</td> <td>-----</td> <td>79.81</td> <td>35.16</td> <td>11.43</td> <td>36.67</td> <td>0.00</td> <td>292</td> <td>71</td> <td>AVERAGE</td> </tr> </tbody> </table> | Limit | Read | Ant | Cable | Preamp | Aux | APos | TPos | Remark | Freq | Level | Line Margin | Level Factor | Loss Factor | Factor | Factor | Factor | | MHz | dBuV/m | dBuV/m | dB | dBuV | dB/m | dB | dB | cm | deg | 1 | 5955.00 | 89.73 | ----- | ----- | 79.81 | 35.16 | 11.43 | 36.67 | 0.00 | 292 | 71 | AVERAGE |
| Limit | Read | Ant | Cable | Preamp | Aux | APos | TPos | Remark | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| Freq | Level | Line Margin | Level Factor | Loss Factor | Factor | Factor | Factor | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| MHz | dBuV/m | dBuV/m | dB | dBuV | dB/m | dB | dB | cm | deg | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| 1 | 5923.54 | 39.38 | 68.20 | -28.82 | 29.46 | 35.12 | 11.40 | 36.60 | 0.00 | 292 | 71 | AVERAGE | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| Limit | Read | Ant | Cable | Preamp | Aux | APos | TPos | Remark | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| Freq | Level | Line Margin | Level Factor | Loss Factor | Factor | Factor | Factor | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| MHz | dBuV/m | dBuV/m | dB | dBuV | dB/m | dB | dB | cm | deg | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| 1 | 5955.00 | 89.73 | ----- | ----- | 79.81 | 35.16 | 11.43 | 36.67 | 0.00 | 292 | 71 | AVERAGE | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |



| | | 1 | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
|-------|---|-------------|--------------|-------------|--------|--------|-------|--------|--------|--------|------|---------|-------------|--------------|-------------|--------|--|--|--|-----|--------|--------|----|------|------|----|----|----|-----|---|---------|-------|-------|--------|-------|-------|-------|-------|------|-----|-----|---------|--|-------|------|-----|-------|--------|-----|------|------|--------|------|-------|-------------|--------------|-------------|--------|--|--|--|-----|--------|--------|----|------|------|----|----|----|-----|---|---------|--------|-------|-------|-------|-------|-------|-------|------|-----|-----|---------|
| Mode | Band Edge | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| | U-NII-5_5.925-6.425_802.11a_CH1_5955MHz | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| ANT | CDD 1+2 | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| Pol. | Vertical | Fundamental | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| Peak | <table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Aux</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line Margin</th> <th>Level Factor</th> <th>Loss Factor</th> <th>Factor</th> <th></th> <th></th> <th></th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>5902.61</td> <td>51.75</td> <td>88.20</td> <td>-36.45</td> <td>41.83</td> <td>35.10</td> <td>11.38</td> <td>36.56</td> <td>0.00</td> <td>202</td> <td>360</td> <td>PEAK</td> </tr> </tbody> </table> | Limit | Read | Ant | Cable | Preamp | Aux | APos | TPos | Remark | Freq | Level | Line Margin | Level Factor | Loss Factor | Factor | | | | MHz | dBuV/m | dBuV/m | dB | dBuV | dB/m | dB | dB | cm | deg | 1 | 5902.61 | 51.75 | 88.20 | -36.45 | 41.83 | 35.10 | 11.38 | 36.56 | 0.00 | 202 | 360 | PEAK | <table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Aux</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line Margin</th> <th>Level Factor</th> <th>Loss Factor</th> <th>Factor</th> <th></th> <th></th> <th></th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>5955.00</td> <td>104.50</td> <td>-----</td> <td>-----</td> <td>94.58</td> <td>35.16</td> <td>11.43</td> <td>36.67</td> <td>0.00</td> <td>202</td> <td>360</td> <td>PEAK</td> </tr> </tbody> </table> | Limit | Read | Ant | Cable | Preamp | Aux | APos | TPos | Remark | Freq | Level | Line Margin | Level Factor | Loss Factor | Factor | | | | MHz | dBuV/m | dBuV/m | dB | dBuV | dB/m | dB | dB | cm | deg | 1 | 5955.00 | 104.50 | ----- | ----- | 94.58 | 35.16 | 11.43 | 36.67 | 0.00 | 202 | 360 | PEAK |
| | Limit | Read | Ant | Cable | Preamp | Aux | APos | TPos | Remark | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| Freq | Level | Line Margin | Level Factor | Loss Factor | Factor | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| MHz | dBuV/m | dBuV/m | dB | dBuV | dB/m | dB | dB | cm | deg | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| 1 | 5902.61 | 51.75 | 88.20 | -36.45 | 41.83 | 35.10 | 11.38 | 36.56 | 0.00 | 202 | 360 | PEAK | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| Limit | Read | Ant | Cable | Preamp | Aux | APos | TPos | Remark | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| Freq | Level | Line Margin | Level Factor | Loss Factor | Factor | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| MHz | dBuV/m | dBuV/m | dB | dBuV | dB/m | dB | dB | cm | deg | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| 1 | 5955.00 | 104.50 | ----- | ----- | 94.58 | 35.16 | 11.43 | 36.67 | 0.00 | 202 | 360 | PEAK | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| Avg | <table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Aux</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line Margin</th> <th>Level Factor</th> <th>Loss Factor</th> <th>Factor</th> <th></th> <th></th> <th></th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>5922.89</td> <td>40.17</td> <td>68.20</td> <td>-28.03</td> <td>30.25</td> <td>35.12</td> <td>11.40</td> <td>36.60</td> <td>0.00</td> <td>202</td> <td>360</td> <td>AVERAGE</td> </tr> </tbody> </table> | Limit | Read | Ant | Cable | Preamp | Aux | APos | TPos | Remark | Freq | Level | Line Margin | Level Factor | Loss Factor | Factor | | | | MHz | dBuV/m | dBuV/m | dB | dBuV | dB/m | dB | dB | cm | deg | 1 | 5922.89 | 40.17 | 68.20 | -28.03 | 30.25 | 35.12 | 11.40 | 36.60 | 0.00 | 202 | 360 | AVERAGE | <table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Aux</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line Margin</th> <th>Level Factor</th> <th>Loss Factor</th> <th>Factor</th> <th></th> <th></th> <th></th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>5955.00</td> <td>96.43</td> <td>-----</td> <td>-----</td> <td>86.49</td> <td>35.15</td> <td>11.43</td> <td>36.64</td> <td>0.00</td> <td>202</td> <td>360</td> <td>AVERAGE</td> </tr> </tbody> </table> | Limit | Read | Ant | Cable | Preamp | Aux | APos | TPos | Remark | Freq | Level | Line Margin | Level Factor | Loss Factor | Factor | | | | MHz | dBuV/m | dBuV/m | dB | dBuV | dB/m | dB | dB | cm | deg | 1 | 5955.00 | 96.43 | ----- | ----- | 86.49 | 35.15 | 11.43 | 36.64 | 0.00 | 202 | 360 | AVERAGE |
| Limit | Read | Ant | Cable | Preamp | Aux | APos | TPos | Remark | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| Freq | Level | Line Margin | Level Factor | Loss Factor | Factor | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| MHz | dBuV/m | dBuV/m | dB | dBuV | dB/m | dB | dB | cm | deg | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| 1 | 5922.89 | 40.17 | 68.20 | -28.03 | 30.25 | 35.12 | 11.40 | 36.60 | 0.00 | 202 | 360 | AVERAGE | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| Limit | Read | Ant | Cable | Preamp | Aux | APos | TPos | Remark | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| Freq | Level | Line Margin | Level Factor | Loss Factor | Factor | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| MHz | dBuV/m | dBuV/m | dB | dBuV | dB/m | dB | dB | cm | deg | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| 1 | 5955.00 | 96.43 | ----- | ----- | 86.49 | 35.15 | 11.43 | 36.64 | 0.00 | 202 | 360 | AVERAGE | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |



| Mode | 1 | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
|------------|--|-------------|--------------|-------------|--------|--------|--------|------|------|------|-------|-------------|--------------|-------------|--------|--|--------|-----|--------|--------|----|------|------|----|----|----|-----|------------|-------|-------|--------|-------|-------|-------|-------|------|----|------|--|-------|------|-----|-------|--------|-----|------|------|------|-------|-------------|--------------|-------------|--------|--|--------|-----|--------|--------|----|------|------|----|----|----|-----|------------|-------|-------|--------|-------|-------|-------|-------|------|----|------|
| | Harmonic | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| | U-NII-5_5.925-6.425_802.11a_CH1_5955MHz | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| ANT | CDD 1+2 | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| Pol. | Horizontal | Vertical | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| Peak Avg | <table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Aux</th> <th>APos</th> <th>TPos</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line Margin</th> <th>Level Factor</th> <th>Loss Factor</th> <th>Factor</th> <th></th> <th>Remark</th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1 11910.00</td> <td>44.99</td> <td>74.00</td> <td>-29.01</td> <td>55.86</td> <td>38.63</td> <td>16.62</td> <td>66.12</td> <td>0.00</td> <td>--</td> <td>PEAK</td> </tr> </tbody> </table> | Limit | Read | Ant | Cable | Preamp | Aux | APos | TPos | Freq | Level | Line Margin | Level Factor | Loss Factor | Factor | | Remark | MHz | dBuV/m | dBuV/m | dB | dBuV | dB/m | dB | dB | cm | deg | 1 11910.00 | 44.99 | 74.00 | -29.01 | 55.86 | 38.63 | 16.62 | 66.12 | 0.00 | -- | PEAK | <table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Aux</th> <th>APos</th> <th>TPos</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line Margin</th> <th>Level Factor</th> <th>Loss Factor</th> <th>Factor</th> <th></th> <th>Remark</th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1 11910.00</td> <td>45.15</td> <td>74.00</td> <td>-28.85</td> <td>56.02</td> <td>38.63</td> <td>16.62</td> <td>66.12</td> <td>0.00</td> <td>--</td> <td>PEAK</td> </tr> </tbody> </table> | Limit | Read | Ant | Cable | Preamp | Aux | APos | TPos | Freq | Level | Line Margin | Level Factor | Loss Factor | Factor | | Remark | MHz | dBuV/m | dBuV/m | dB | dBuV | dB/m | dB | dB | cm | deg | 1 11910.00 | 45.15 | 74.00 | -28.85 | 56.02 | 38.63 | 16.62 | 66.12 | 0.00 | -- | PEAK |
| Limit | Read | Ant | Cable | Preamp | Aux | APos | TPos | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| Freq | Level | Line Margin | Level Factor | Loss Factor | Factor | | Remark | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| MHz | dBuV/m | dBuV/m | dB | dBuV | dB/m | dB | dB | cm | deg | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| 1 11910.00 | 44.99 | 74.00 | -29.01 | 55.86 | 38.63 | 16.62 | 66.12 | 0.00 | -- | PEAK | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| Limit | Read | Ant | Cable | Preamp | Aux | APos | TPos | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| Freq | Level | Line Margin | Level Factor | Loss Factor | Factor | | Remark | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| MHz | dBuV/m | dBuV/m | dB | dBuV | dB/m | dB | dB | cm | deg | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| 1 11910.00 | 45.15 | 74.00 | -28.85 | 56.02 | 38.63 | 16.62 | 66.12 | 0.00 | -- | PEAK | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |



| Mode | 2 | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
|------------|--|-------------|--------------|-------------|--------|--------|-------|--------|------|--------|---------|-------|-------------|--------------|-------------|--------|--|--|--|-----|--------|--------|----|------|------|----|----|----|-----|------------|-------|-------|--------|-------|-------|-------|-------|------|----|------|---|-------|------|-----|-------|--------|-----|------|------|--------|------|-------|-------------|--------------|-------------|--------|--|--|--|-----|--------|--------|----|------|------|----|----|----|-----|------------|-------|-------|--------|-------|-------|-------|-------|------|-----|-----|------|------------|-------|-------|-------|-------|-------|-------|-------|------|-----|-----|---------|
| | Harmonic | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| | U-NII-5_5.925-6.425_802.11a_CH45_6175MHz | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| ANT | CDD 1+2 | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| Pol. | Horizontal | Vertical | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| Peak Avg | <table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Aux</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line Margin</th> <th>Level Factor</th> <th>Loss Factor</th> <th>Factor</th> <th></th> <th></th> <th></th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1 12350.00</td> <td>46.07</td> <td>74.00</td> <td>-27.93</td> <td>56.08</td> <td>38.84</td> <td>16.91</td> <td>65.76</td> <td>0.00</td> <td>--</td> <td>PEAK</td> </tr> </tbody> </table> | Limit | Read | Ant | Cable | Preamp | Aux | APos | TPos | Remark | Freq | Level | Line Margin | Level Factor | Loss Factor | Factor | | | | MHz | dBuV/m | dBuV/m | dB | dBuV | dB/m | dB | dB | cm | deg | 1 12350.00 | 46.07 | 74.00 | -27.93 | 56.08 | 38.84 | 16.91 | 65.76 | 0.00 | -- | PEAK | <table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Aux</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line Margin</th> <th>Level Factor</th> <th>Loss Factor</th> <th>Factor</th> <th></th> <th></th> <th></th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1 12350.00</td> <td>51.04</td> <td>74.00</td> <td>-22.96</td> <td>61.05</td> <td>38.84</td> <td>16.91</td> <td>65.76</td> <td>0.00</td> <td>249</td> <td>206</td> <td>PEAK</td> </tr> <tr> <td>2 12350.00</td> <td>45.04</td> <td>54.00</td> <td>-8.96</td> <td>55.05</td> <td>38.84</td> <td>16.91</td> <td>65.76</td> <td>0.00</td> <td>249</td> <td>206</td> <td>AVERAGE</td> </tr> </tbody> </table> | Limit | Read | Ant | Cable | Preamp | Aux | APos | TPos | Remark | Freq | Level | Line Margin | Level Factor | Loss Factor | Factor | | | | MHz | dBuV/m | dBuV/m | dB | dBuV | dB/m | dB | dB | cm | deg | 1 12350.00 | 51.04 | 74.00 | -22.96 | 61.05 | 38.84 | 16.91 | 65.76 | 0.00 | 249 | 206 | PEAK | 2 12350.00 | 45.04 | 54.00 | -8.96 | 55.05 | 38.84 | 16.91 | 65.76 | 0.00 | 249 | 206 | AVERAGE |
| Limit | Read | Ant | Cable | Preamp | Aux | APos | TPos | Remark | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| Freq | Level | Line Margin | Level Factor | Loss Factor | Factor | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| MHz | dBuV/m | dBuV/m | dB | dBuV | dB/m | dB | dB | cm | deg | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| 1 12350.00 | 46.07 | 74.00 | -27.93 | 56.08 | 38.84 | 16.91 | 65.76 | 0.00 | -- | PEAK | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| Limit | Read | Ant | Cable | Preamp | Aux | APos | TPos | Remark | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| Freq | Level | Line Margin | Level Factor | Loss Factor | Factor | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| MHz | dBuV/m | dBuV/m | dB | dBuV | dB/m | dB | dB | cm | deg | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| 1 12350.00 | 51.04 | 74.00 | -22.96 | 61.05 | 38.84 | 16.91 | 65.76 | 0.00 | 249 | 206 | PEAK | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| 2 12350.00 | 45.04 | 54.00 | -8.96 | 55.05 | 38.84 | 16.91 | 65.76 | 0.00 | 249 | 206 | AVERAGE | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |



| Mode | 3 | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
|------------|---|-------------|--------------|-------------|--------|--------|--------|------|------|------|-------|-------------|--------------|-------------|--------|--|--------|-----|--------|--------|----|------|------|----|----|------------|-------|-------|--------|-------|-------|-------|-------|------|----|------|---|-------|------|-----|-------|--------|-----|------|------|------|-------|-------------|--------------|-------------|--------|--|--------|-----|--------|--------|----|------|------|----|----|------------|-------|-------|--------|-------|-------|-------|-------|------|----|------|
| | Harmonic | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| | U-NII-5_5.925-6.425_802.11a_CH93_6415MHz | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| ANT | CDD 1+2 | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| Pol. | Horizontal | Vertical | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| Peak Avg | <table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Aux</th> <th>APos</th> <th>TPos</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line Margin</th> <th>Level Factor</th> <th>Loss Factor</th> <th>Factor</th> <th></th> <th>Remark</th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> </tr> </thead> <tbody> <tr> <td>1 12830.00</td> <td>46.92</td> <td>88.20</td> <td>-41.28</td> <td>55.99</td> <td>39.03</td> <td>17.22</td> <td>65.32</td> <td>0.00</td> <td>--</td> <td>PEAK</td> </tr> </tbody> </table> | Limit | Read | Ant | Cable | Preamp | Aux | APos | TPos | Freq | Level | Line Margin | Level Factor | Loss Factor | Factor | | Remark | MHz | dBuV/m | dBuV/m | dB | dBuV | dB/m | dB | dB | 1 12830.00 | 46.92 | 88.20 | -41.28 | 55.99 | 39.03 | 17.22 | 65.32 | 0.00 | -- | PEAK | <table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Aux</th> <th>APos</th> <th>TPos</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line Margin</th> <th>Level Factor</th> <th>Loss Factor</th> <th>Factor</th> <th></th> <th>Remark</th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> </tr> </thead> <tbody> <tr> <td>1 12830.00</td> <td>49.79</td> <td>88.20</td> <td>-38.41</td> <td>58.06</td> <td>39.03</td> <td>17.22</td> <td>65.32</td> <td>0.00</td> <td>--</td> <td>PEAK</td> </tr> </tbody> </table> | Limit | Read | Ant | Cable | Preamp | Aux | APos | TPos | Freq | Level | Line Margin | Level Factor | Loss Factor | Factor | | Remark | MHz | dBuV/m | dBuV/m | dB | dBuV | dB/m | dB | dB | 1 12830.00 | 49.79 | 88.20 | -38.41 | 58.06 | 39.03 | 17.22 | 65.32 | 0.00 | -- | PEAK |
| Limit | Read | Ant | Cable | Preamp | Aux | APos | TPos | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| Freq | Level | Line Margin | Level Factor | Loss Factor | Factor | | Remark | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| MHz | dBuV/m | dBuV/m | dB | dBuV | dB/m | dB | dB | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| 1 12830.00 | 46.92 | 88.20 | -41.28 | 55.99 | 39.03 | 17.22 | 65.32 | 0.00 | -- | PEAK | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| Limit | Read | Ant | Cable | Preamp | Aux | APos | TPos | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| Freq | Level | Line Margin | Level Factor | Loss Factor | Factor | | Remark | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| MHz | dBuV/m | dBuV/m | dB | dBuV | dB/m | dB | dB | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| 1 12830.00 | 49.79 | 88.20 | -38.41 | 58.06 | 39.03 | 17.22 | 65.32 | 0.00 | -- | PEAK | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |



| Mode | 4 | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
|------------|--|-------------|--------------|-------------|-------------|--------|--------|------|------|------|-------|-------------|--------------|-------------|-------------|--------|--------|-----|--------|--------|----|------|------|----|----|------------|-------|-------|--------|-------|-------|-------|-------|------|----|------|--|-------|------|-----|-------|--------|-----|------|------|------|-------|-------------|--------------|-------------|-------------|--------|--------|-----|--------|--------|----|------|------|----|----|------------|-------|-------|--------|-------|-------|-------|-------|------|----|------|
| | Harmonic | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| | U-NII-5_6.425-6.525_802.11a_CH97_6435MHz | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| ANT | CDD 1+2 | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| Pol. | Horizontal | Vertical | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| Peak Avg | <table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Aux</th> <th>APos</th> <th>TPos</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line Margin</th> <th>Level Factor</th> <th>Loss Factor</th> <th>Loss Factor</th> <th>Factor</th> <th>Remark</th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> </tr> </thead> <tbody> <tr> <td>1 12870.00</td> <td>46.98</td> <td>88.20</td> <td>-41.22</td> <td>55.96</td> <td>39.05</td> <td>17.25</td> <td>65.28</td> <td>0.00</td> <td>--</td> <td>PEAK</td> </tr> </tbody> </table> | Limit | Read | Ant | Cable | Preamp | Aux | APos | TPos | Freq | Level | Line Margin | Level Factor | Loss Factor | Loss Factor | Factor | Remark | MHz | dBuV/m | dBuV/m | dB | dBuV | dB/m | dB | dB | 1 12870.00 | 46.98 | 88.20 | -41.22 | 55.96 | 39.05 | 17.25 | 65.28 | 0.00 | -- | PEAK | <table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Aux</th> <th>APos</th> <th>TPos</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line Margin</th> <th>Level Factor</th> <th>Loss Factor</th> <th>Loss Factor</th> <th>Factor</th> <th>Remark</th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> </tr> </thead> <tbody> <tr> <td>1 12870.00</td> <td>48.94</td> <td>88.20</td> <td>-39.26</td> <td>57.92</td> <td>39.05</td> <td>17.25</td> <td>65.28</td> <td>0.00</td> <td>--</td> <td>PEAK</td> </tr> </tbody> </table> | Limit | Read | Ant | Cable | Preamp | Aux | APos | TPos | Freq | Level | Line Margin | Level Factor | Loss Factor | Loss Factor | Factor | Remark | MHz | dBuV/m | dBuV/m | dB | dBuV | dB/m | dB | dB | 1 12870.00 | 48.94 | 88.20 | -39.26 | 57.92 | 39.05 | 17.25 | 65.28 | 0.00 | -- | PEAK |
| Limit | Read | Ant | Cable | Preamp | Aux | APos | TPos | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| Freq | Level | Line Margin | Level Factor | Loss Factor | Loss Factor | Factor | Remark | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| MHz | dBuV/m | dBuV/m | dB | dBuV | dB/m | dB | dB | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| 1 12870.00 | 46.98 | 88.20 | -41.22 | 55.96 | 39.05 | 17.25 | 65.28 | 0.00 | -- | PEAK | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| Limit | Read | Ant | Cable | Preamp | Aux | APos | TPos | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| Freq | Level | Line Margin | Level Factor | Loss Factor | Loss Factor | Factor | Remark | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| MHz | dBuV/m | dBuV/m | dB | dBuV | dB/m | dB | dB | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| 1 12870.00 | 48.94 | 88.20 | -39.26 | 57.92 | 39.05 | 17.25 | 65.28 | 0.00 | -- | PEAK | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |



| Mode | 5 | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
|------------|---|-------------|--------|--------|-------------|--------|-------|--------|------|--------|------|-------|-------------|-------|--------|-------------|--------|--|--|-----|--------|--------|----|------|------|----|----|----|-----|------------|-------|-------|--------|-------|-------|-------|-------|------|----|------|---|-------|------|-----|-------|--------|-----|------|------|--------|------|-------|-------------|-------|--------|-------------|--------|--|--|-----|--------|--------|----|------|------|----|----|----|-----|------------|-------|-------|--------|-------|-------|-------|-------|------|----|------|
| | Harmonic | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| | U-NII-5_6.425-6.525_802.11a_CH105_6475MHz | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| ANT | CDD 1+2 | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| Pol. | Horizontal | Vertical | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| Peak Avg | <table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Aux</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line Margin</th> <th>Level</th> <th>Factor</th> <th>Loss Factor</th> <th>Factor</th> <th></th> <th></th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1 12950.00</td> <td>46.85</td> <td>88.20</td> <td>-41.35</td> <td>55.67</td> <td>39.08</td> <td>17.30</td> <td>65.20</td> <td>0.00</td> <td>--</td> <td>PEAK</td> </tr> </tbody> </table> | Limit | Read | Ant | Cable | Preamp | Aux | APos | TPos | Remark | Freq | Level | Line Margin | Level | Factor | Loss Factor | Factor | | | MHz | dBuV/m | dBuV/m | dB | dBuV | dB/m | dB | dB | cm | deg | 1 12950.00 | 46.85 | 88.20 | -41.35 | 55.67 | 39.08 | 17.30 | 65.20 | 0.00 | -- | PEAK | <table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Aux</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line Margin</th> <th>Level</th> <th>Factor</th> <th>Loss Factor</th> <th>Factor</th> <th></th> <th></th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1 12950.00</td> <td>48.00</td> <td>88.20</td> <td>-39.40</td> <td>57.62</td> <td>39.08</td> <td>17.30</td> <td>65.20</td> <td>0.00</td> <td>--</td> <td>PEAK</td> </tr> </tbody> </table> | Limit | Read | Ant | Cable | Preamp | Aux | APos | TPos | Remark | Freq | Level | Line Margin | Level | Factor | Loss Factor | Factor | | | MHz | dBuV/m | dBuV/m | dB | dBuV | dB/m | dB | dB | cm | deg | 1 12950.00 | 48.00 | 88.20 | -39.40 | 57.62 | 39.08 | 17.30 | 65.20 | 0.00 | -- | PEAK |
| Limit | Read | Ant | Cable | Preamp | Aux | APos | TPos | Remark | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| Freq | Level | Line Margin | Level | Factor | Loss Factor | Factor | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| MHz | dBuV/m | dBuV/m | dB | dBuV | dB/m | dB | dB | cm | deg | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| 1 12950.00 | 46.85 | 88.20 | -41.35 | 55.67 | 39.08 | 17.30 | 65.20 | 0.00 | -- | PEAK | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| Limit | Read | Ant | Cable | Preamp | Aux | APos | TPos | Remark | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| Freq | Level | Line Margin | Level | Factor | Loss Factor | Factor | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| MHz | dBuV/m | dBuV/m | dB | dBuV | dB/m | dB | dB | cm | deg | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| 1 12950.00 | 48.00 | 88.20 | -39.40 | 57.62 | 39.08 | 17.30 | 65.20 | 0.00 | -- | PEAK | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |



| Mode | 6 | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
|------------|--|-------------|--------------|-------------|--------|--------|-------|--------|------|--------|------|-------|-------------|--------------|-------------|--------|--|--|--|-----|--------|--------|----|------|------|----|----|----|-----|------------|-------|-------|--------|-------|-------|-------|-------|------|----|------|--|-------|------|-----|-------|--------|-----|------|------|--------|------|-------|-------------|--------------|-------------|--------|--|--|--|-----|--------|--------|----|------|------|----|----|----|-----|------------|-------|-------|--------|-------|-------|-------|-------|------|----|------|
| | Harmonic | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| | U-NII-5_6.425-6.525_802.11a_CH113_6515MHz | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| ANT | CDD 1+2 | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| Pol. | Horizontal | Vertical | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| Peak Avg | <table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Aux</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line Margin</th> <th>Level Factor</th> <th>Loss Factor</th> <th>Factor</th> <th></th> <th></th> <th></th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1 13030.00</td> <td>46.89</td> <td>88.20</td> <td>-41.31</td> <td>55.57</td> <td>39.09</td> <td>17.36</td> <td>65.13</td> <td>0.00</td> <td>--</td> <td>PEAK</td> </tr> </tbody> </table> | Limit | Read | Ant | Cable | Preamp | Aux | APos | TPos | Remark | Freq | Level | Line Margin | Level Factor | Loss Factor | Factor | | | | MHz | dBuV/m | dBuV/m | dB | dBuV | dB/m | dB | dB | cm | deg | 1 13030.00 | 46.89 | 88.20 | -41.31 | 55.57 | 39.09 | 17.36 | 65.13 | 0.00 | -- | PEAK | <table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Aux</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line Margin</th> <th>Level Factor</th> <th>Loss Factor</th> <th>Factor</th> <th></th> <th></th> <th></th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1 13030.22</td> <td>50.06</td> <td>88.20</td> <td>-38.14</td> <td>58.74</td> <td>39.09</td> <td>17.36</td> <td>65.13</td> <td>0.00</td> <td>--</td> <td>Peak</td> </tr> </tbody> </table> | Limit | Read | Ant | Cable | Preamp | Aux | APos | TPos | Remark | Freq | Level | Line Margin | Level Factor | Loss Factor | Factor | | | | MHz | dBuV/m | dBuV/m | dB | dBuV | dB/m | dB | dB | cm | deg | 1 13030.22 | 50.06 | 88.20 | -38.14 | 58.74 | 39.09 | 17.36 | 65.13 | 0.00 | -- | Peak |
| Limit | Read | Ant | Cable | Preamp | Aux | APos | TPos | Remark | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| Freq | Level | Line Margin | Level Factor | Loss Factor | Factor | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| MHz | dBuV/m | dBuV/m | dB | dBuV | dB/m | dB | dB | cm | deg | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| 1 13030.00 | 46.89 | 88.20 | -41.31 | 55.57 | 39.09 | 17.36 | 65.13 | 0.00 | -- | PEAK | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| Limit | Read | Ant | Cable | Preamp | Aux | APos | TPos | Remark | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| Freq | Level | Line Margin | Level Factor | Loss Factor | Factor | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| MHz | dBuV/m | dBuV/m | dB | dBuV | dB/m | dB | dB | cm | deg | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| 1 13030.22 | 50.06 | 88.20 | -38.14 | 58.74 | 39.09 | 17.36 | 65.13 | 0.00 | -- | Peak | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |



| Mode | 7 | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
|------------|---|-------------|--------|--------|-------------|--------|-------|--------|------|--------|------|-------|-------------|-------|--------|-------------|--------|--|--|-----|--------|--------|----|------|------|----|----|----|-----|------------|-------|-------|--------|-------|-------|-------|-------|------|----|------|---|-------|------|-----|-------|--------|-----|------|------|--------|------|-------|-------------|-------|--------|-------------|--------|--|--|-----|--------|--------|----|------|------|----|----|----|-----|------------|-------|-------|--------|-------|-------|-------|-------|------|----|--|
| | Harmonic | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| | U-NII-5_6.525-6.875_802.11a_CH117_6535MHz | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| ANT | CDD 1+2 | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| Pol. | Horizontal | Vertical | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| Peak Avg | <table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Aux</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line Margin</th> <th>Level</th> <th>Factor</th> <th>Loss Factor</th> <th>Factor</th> <th></th> <th></th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1 13070.00</td> <td>47.86</td> <td>88.20</td> <td>-40.34</td> <td>56.50</td> <td>39.07</td> <td>17.38</td> <td>65.09</td> <td>0.00</td> <td>--</td> <td>PEAK</td> </tr> </tbody> </table> | Limit | Read | Ant | Cable | Preamp | Aux | APos | TPos | Remark | Freq | Level | Line Margin | Level | Factor | Loss Factor | Factor | | | MHz | dBuV/m | dBuV/m | dB | dBuV | dB/m | dB | dB | cm | deg | 1 13070.00 | 47.86 | 88.20 | -40.34 | 56.50 | 39.07 | 17.38 | 65.09 | 0.00 | -- | PEAK | <table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Aux</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line Margin</th> <th>Level</th> <th>Factor</th> <th>Loss Factor</th> <th>Factor</th> <th></th> <th></th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1 13070.22</td> <td>50.28</td> <td>88.20</td> <td>-37.92</td> <td>58.92</td> <td>39.07</td> <td>17.38</td> <td>65.09</td> <td>0.00</td> <td>--</td> <td></td> </tr> </tbody> </table> | Limit | Read | Ant | Cable | Preamp | Aux | APos | TPos | Remark | Freq | Level | Line Margin | Level | Factor | Loss Factor | Factor | | | MHz | dBuV/m | dBuV/m | dB | dBuV | dB/m | dB | dB | cm | deg | 1 13070.22 | 50.28 | 88.20 | -37.92 | 58.92 | 39.07 | 17.38 | 65.09 | 0.00 | -- | |
| Limit | Read | Ant | Cable | Preamp | Aux | APos | TPos | Remark | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| Freq | Level | Line Margin | Level | Factor | Loss Factor | Factor | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| MHz | dBuV/m | dBuV/m | dB | dBuV | dB/m | dB | dB | cm | deg | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| 1 13070.00 | 47.86 | 88.20 | -40.34 | 56.50 | 39.07 | 17.38 | 65.09 | 0.00 | -- | PEAK | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| Limit | Read | Ant | Cable | Preamp | Aux | APos | TPos | Remark | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| Freq | Level | Line Margin | Level | Factor | Loss Factor | Factor | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| MHz | dBuV/m | dBuV/m | dB | dBuV | dB/m | dB | dB | cm | deg | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| 1 13070.22 | 50.28 | 88.20 | -37.92 | 58.92 | 39.07 | 17.38 | 65.09 | 0.00 | -- | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |



| Mode | 8 | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
|------------|--|-------------|--------------|-------------|--------|--------|--------|------|------|------|-------|-------------|--------------|-------------|--------|--|--------|-----|--------|--------|----|------|------|----|----|----|-----|------------|-------|-------|--------|-------|-------|-------|-------|------|----|------|--|-------|------|-----|-------|--------|-----|------|------|------|-------|-------------|--------------|-------------|--------|--|--------|-----|--------|--------|----|------|------|----|----|----|-----|------------|-------|-------|--------|-------|-------|-------|-------|------|----|------|
| | Harmonic | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| | U-NII-5_6.525-6.875_802.11a_CH149_6695MHz | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| ANT | CDD 1+2 | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| Pol. | Horizontal | Vertical | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| Peak Avg | <table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Aux</th> <th>APos</th> <th>TPos</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line Margin</th> <th>Level Factor</th> <th>Loss Factor</th> <th>Factor</th> <th></th> <th>Remark</th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1 13390.00</td> <td>45.89</td> <td>74.00</td> <td>-28.11</td> <td>54.13</td> <td>38.94</td> <td>17.61</td> <td>64.79</td> <td>0.00</td> <td>--</td> <td>PEAK</td> </tr> </tbody> </table> | Limit | Read | Ant | Cable | Preamp | Aux | APos | TPos | Freq | Level | Line Margin | Level Factor | Loss Factor | Factor | | Remark | MHz | dBuV/m | dBuV/m | dB | dBuV | dB/m | dB | dB | cm | deg | 1 13390.00 | 45.89 | 74.00 | -28.11 | 54.13 | 38.94 | 17.61 | 64.79 | 0.00 | -- | PEAK | <table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Aux</th> <th>APos</th> <th>TPos</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line Margin</th> <th>Level Factor</th> <th>Loss Factor</th> <th>Factor</th> <th></th> <th>Remark</th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1 13390.00</td> <td>47.88</td> <td>74.00</td> <td>-26.12</td> <td>56.12</td> <td>38.94</td> <td>17.61</td> <td>64.79</td> <td>0.00</td> <td>--</td> <td>PEAK</td> </tr> </tbody> </table> | Limit | Read | Ant | Cable | Preamp | Aux | APos | TPos | Freq | Level | Line Margin | Level Factor | Loss Factor | Factor | | Remark | MHz | dBuV/m | dBuV/m | dB | dBuV | dB/m | dB | dB | cm | deg | 1 13390.00 | 47.88 | 74.00 | -26.12 | 56.12 | 38.94 | 17.61 | 64.79 | 0.00 | -- | PEAK |
| Limit | Read | Ant | Cable | Preamp | Aux | APos | TPos | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| Freq | Level | Line Margin | Level Factor | Loss Factor | Factor | | Remark | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| MHz | dBuV/m | dBuV/m | dB | dBuV | dB/m | dB | dB | cm | deg | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| 1 13390.00 | 45.89 | 74.00 | -28.11 | 54.13 | 38.94 | 17.61 | 64.79 | 0.00 | -- | PEAK | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| Limit | Read | Ant | Cable | Preamp | Aux | APos | TPos | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| Freq | Level | Line Margin | Level Factor | Loss Factor | Factor | | Remark | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| MHz | dBuV/m | dBuV/m | dB | dBuV | dB/m | dB | dB | cm | deg | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| 1 13390.00 | 47.88 | 74.00 | -26.12 | 56.12 | 38.94 | 17.61 | 64.79 | 0.00 | -- | PEAK | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |



| Mode | 9 | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
|------------|--|-------------|--------------|-------------|--------|--------|-------|--------|------|--------|------|-------|-------------|--------------|-------------|--------|--|--|--|-----|--------|--------|----|------|------|----|----|----|-----|------------|-------|-------|--------|-------|-------|-------|-------|------|----|------|--|-------|------|-----|-------|--------|-----|------|------|--------|------|-------|-------------|--------------|-------------|--------|--|--|--|-----|--------|--------|----|------|------|----|----|----|-----|------------|-------|-------|--------|-------|-------|-------|-------|------|----|------|
| | Harmonic | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| | U-NII-5_6.525-6.875_802.11a_CH181_6855MHz | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| ANT | CDD 1+2 | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| Pol. | Horizontal | Vertical | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| Peak Avg | <table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Aux</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line Margin</th> <th>Level Factor</th> <th>Loss Factor</th> <th>Factor</th> <th></th> <th></th> <th></th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1 13710.22</td> <td>45.49</td> <td>88.20</td> <td>-42.71</td> <td>53.50</td> <td>38.82</td> <td>17.84</td> <td>64.67</td> <td>0.00</td> <td>--</td> <td>Peak</td> </tr> </tbody> </table> | Limit | Read | Ant | Cable | Preamp | Aux | APos | TPos | Remark | Freq | Level | Line Margin | Level Factor | Loss Factor | Factor | | | | MHz | dBuV/m | dBuV/m | dB | dBuV | dB/m | dB | dB | cm | deg | 1 13710.22 | 45.49 | 88.20 | -42.71 | 53.50 | 38.82 | 17.84 | 64.67 | 0.00 | -- | Peak | <table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Aux</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line Margin</th> <th>Level Factor</th> <th>Loss Factor</th> <th>Factor</th> <th></th> <th></th> <th></th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1 13710.22</td> <td>44.97</td> <td>88.20</td> <td>-43.23</td> <td>52.98</td> <td>38.82</td> <td>17.84</td> <td>64.67</td> <td>0.00</td> <td>--</td> <td>Peak</td> </tr> </tbody> </table> | Limit | Read | Ant | Cable | Preamp | Aux | APos | TPos | Remark | Freq | Level | Line Margin | Level Factor | Loss Factor | Factor | | | | MHz | dBuV/m | dBuV/m | dB | dBuV | dB/m | dB | dB | cm | deg | 1 13710.22 | 44.97 | 88.20 | -43.23 | 52.98 | 38.82 | 17.84 | 64.67 | 0.00 | -- | Peak |
| Limit | Read | Ant | Cable | Preamp | Aux | APos | TPos | Remark | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| Freq | Level | Line Margin | Level Factor | Loss Factor | Factor | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| MHz | dBuV/m | dBuV/m | dB | dBuV | dB/m | dB | dB | cm | deg | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| 1 13710.22 | 45.49 | 88.20 | -42.71 | 53.50 | 38.82 | 17.84 | 64.67 | 0.00 | -- | Peak | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| Limit | Read | Ant | Cable | Preamp | Aux | APos | TPos | Remark | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| Freq | Level | Line Margin | Level Factor | Loss Factor | Factor | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| MHz | dBuV/m | dBuV/m | dB | dBuV | dB/m | dB | dB | cm | deg | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| 1 13710.22 | 44.97 | 88.20 | -43.23 | 52.98 | 38.82 | 17.84 | 64.67 | 0.00 | -- | Peak | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |



| Mode | 10 | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
|------------|---|-------------|--------------|-------------|--------|--------|--------|------|------|------|-------|-------------|--------------|-------------|--------|--|--------|-----|--------|--------|----|------|------|----|----|------------|-------|-------|--------|-------|-------|-------|-------|------|----|------|---|-------|------|-----|-------|--------|-----|------|------|------|-------|-------------|--------------|-------------|--------|--|--------|-----|--------|--------|----|------|------|----|----|------------|-------|-------|--------|-------|-------|-------|-------|------|----|------|
| | Harmonic | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| | U-NII-8_6.875-7.125_802.11a_CH189_6895MHz | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| ANT | CDD 1+2 | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| Pol. | Horizontal | Vertical | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| Peak Avg | <table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Aux</th> <th>APos</th> <th>TPos</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line Margin</th> <th>Level Factor</th> <th>Loss Factor</th> <th>Factor</th> <th></th> <th>Remark</th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> </tr> </thead> <tbody> <tr> <td>1 13790.00</td> <td>47.25</td> <td>88.20</td> <td>-40.95</td> <td>55.25</td> <td>38.78</td> <td>17.89</td> <td>64.67</td> <td>0.00</td> <td>--</td> <td>PEAK</td> </tr> </tbody> </table> | Limit | Read | Ant | Cable | Preamp | Aux | APos | TPos | Freq | Level | Line Margin | Level Factor | Loss Factor | Factor | | Remark | MHz | dBuV/m | dBuV/m | dB | dBuV | dB/m | dB | dB | 1 13790.00 | 47.25 | 88.20 | -40.95 | 55.25 | 38.78 | 17.89 | 64.67 | 0.00 | -- | PEAK | <table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Aux</th> <th>APos</th> <th>TPos</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line Margin</th> <th>Level Factor</th> <th>Loss Factor</th> <th>Factor</th> <th></th> <th>Remark</th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> </tr> </thead> <tbody> <tr> <td>1 13790.00</td> <td>48.33</td> <td>88.20</td> <td>-39.87</td> <td>56.33</td> <td>38.78</td> <td>17.89</td> <td>64.67</td> <td>0.00</td> <td>--</td> <td>PEAK</td> </tr> </tbody> </table> | Limit | Read | Ant | Cable | Preamp | Aux | APos | TPos | Freq | Level | Line Margin | Level Factor | Loss Factor | Factor | | Remark | MHz | dBuV/m | dBuV/m | dB | dBuV | dB/m | dB | dB | 1 13790.00 | 48.33 | 88.20 | -39.87 | 56.33 | 38.78 | 17.89 | 64.67 | 0.00 | -- | PEAK |
| Limit | Read | Ant | Cable | Preamp | Aux | APos | TPos | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| Freq | Level | Line Margin | Level Factor | Loss Factor | Factor | | Remark | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| MHz | dBuV/m | dBuV/m | dB | dBuV | dB/m | dB | dB | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| 1 13790.00 | 47.25 | 88.20 | -40.95 | 55.25 | 38.78 | 17.89 | 64.67 | 0.00 | -- | PEAK | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| Limit | Read | Ant | Cable | Preamp | Aux | APos | TPos | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| Freq | Level | Line Margin | Level Factor | Loss Factor | Factor | | Remark | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| MHz | dBuV/m | dBuV/m | dB | dBuV | dB/m | dB | dB | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| 1 13790.00 | 48.33 | 88.20 | -39.87 | 56.33 | 38.78 | 17.89 | 64.67 | 0.00 | -- | PEAK | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |







| Mode | 11 | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
|------------|---|-------------|--------------|-------------|--------|--------|--------|------|------|------|-------|-------------|--------------|-------------|--------|--|--------|-----|--------|--------|----|------|------|----|----|------------|-------|-------|--------|-------|-------|-------|-------|------|----|------|---|-------|------|-----|-------|--------|-----|------|------|------|-------|-------------|--------------|-------------|--------|--|--------|-----|--------|--------|----|------|------|----|----|------------|-------|-------|--------|-------|-------|-------|-------|------|----|------|
| | Harmonic | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| | U-NII-8_6.875-7.125_802.11a_CH209_6995MHz | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| ANT | CDD 1+2 | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| Pol. | Horizontal | Vertical | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| Peak Avg | <table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Aux</th> <th>APos</th> <th>TPos</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line Margin</th> <th>Level Factor</th> <th>Loss Factor</th> <th>Factor</th> <th></th> <th>Remark</th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> </tr> </thead> <tbody> <tr> <td>1 13990.00</td> <td>47.21</td> <td>88.20</td> <td>-40.99</td> <td>55.12</td> <td>38.70</td> <td>18.04</td> <td>64.65</td> <td>0.00</td> <td>--</td> <td>PEAK</td> </tr> </tbody> </table> | Limit | Read | Ant | Cable | Preamp | Aux | APos | TPos | Freq | Level | Line Margin | Level Factor | Loss Factor | Factor | | Remark | MHz | dBuV/m | dBuV/m | dB | dBuV | dB/m | dB | dB | 1 13990.00 | 47.21 | 88.20 | -40.99 | 55.12 | 38.70 | 18.04 | 64.65 | 0.00 | -- | PEAK | <table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Aux</th> <th>APos</th> <th>TPos</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line Margin</th> <th>Level Factor</th> <th>Loss Factor</th> <th>Factor</th> <th></th> <th>Remark</th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> </tr> </thead> <tbody> <tr> <td>1 13990.00</td> <td>46.60</td> <td>88.20</td> <td>-41.60</td> <td>54.51</td> <td>38.70</td> <td>18.04</td> <td>64.65</td> <td>0.00</td> <td>--</td> <td>PEAK</td> </tr> </tbody> </table> | Limit | Read | Ant | Cable | Preamp | Aux | APos | TPos | Freq | Level | Line Margin | Level Factor | Loss Factor | Factor | | Remark | MHz | dBuV/m | dBuV/m | dB | dBuV | dB/m | dB | dB | 1 13990.00 | 46.60 | 88.20 | -41.60 | 54.51 | 38.70 | 18.04 | 64.65 | 0.00 | -- | PEAK |
| Limit | Read | Ant | Cable | Preamp | Aux | APos | TPos | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| Freq | Level | Line Margin | Level Factor | Loss Factor | Factor | | Remark | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| MHz | dBuV/m | dBuV/m | dB | dBuV | dB/m | dB | dB | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| 1 13990.00 | 47.21 | 88.20 | -40.99 | 55.12 | 38.70 | 18.04 | 64.65 | 0.00 | -- | PEAK | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| Limit | Read | Ant | Cable | Preamp | Aux | APos | TPos | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| Freq | Level | Line Margin | Level Factor | Loss Factor | Factor | | Remark | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| MHz | dBuV/m | dBuV/m | dB | dBuV | dB/m | dB | dB | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| 1 13990.00 | 46.60 | 88.20 | -41.60 | 54.51 | 38.70 | 18.04 | 64.65 | 0.00 | -- | PEAK | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |



| Mode | 12 | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
|-------|--|-------------|--------------|-------------|--------|--------|--------|-------|------|------|-------|-------------|--------------|-------------|--------|--|--------|-----|--------|--------|----|------|------|----|----|----|-----|---|---------|-------|-------|--------|-------|-------|-------|-------|------|-----|----|---------|---|-------|------|-----|-------|--------|-----|------|------|------|-------|-------------|--------------|-------------|--------|--|--------|-----|--------|--------|----|------|------|----|----|----|-----|---|---------|-------|-------|-------|-------|-------|-------|-------|------|-----|----|---------|
| | Band Edge | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| | U-NII-8_6.875-7.125_802.11a_CH229_7095MHz | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| ANT | CDD 1+2 | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| Pol. | Horizontal | Fundamental | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| Peak | <p>Level (dBuV/m) vs Frequency (MHz) for Horizontal polarization. The plot shows a signal level starting at approximately 97.5 dBuV/m at 7085 MHz, dropping to a noise floor of about 48.8 dBuV/m by 7117 MHz. A red horizontal line indicates the 'Wifi 6E(Peak)' limit at approximately 92.5 dBuV/m.</p> <table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Aux</th> <th>APos</th> <th>TPos</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line Margin</th> <th>Level Factor</th> <th>Loss Factor</th> <th>Factor</th> <th></th> <th>Remark</th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>7127.40</td> <td>52.31</td> <td>88.20</td> <td>-35.89</td> <td>40.98</td> <td>35.70</td> <td>12.62</td> <td>36.99</td> <td>0.00</td> <td>274</td> <td>44</td> <td>PEAK</td> </tr> </tbody> </table> | Limit | Read | Ant | Cable | Preamp | Aux | APos | TPos | Freq | Level | Line Margin | Level Factor | Loss Factor | Factor | | Remark | MHz | dBuV/m | dBuV/m | dB | dBuV | dB/m | dB | dB | cm | deg | 1 | 7127.40 | 52.31 | 88.20 | -35.89 | 40.98 | 35.70 | 12.62 | 36.99 | 0.00 | 274 | 44 | PEAK | <p>Level (dBuV/m) vs Frequency (MHz) for Fundamental polarization. The plot shows a signal level starting at approximately 81.3 dBuV/m at 7095 MHz, with a sharp peak at 7095.00 MHz reaching 95.83 dBuV/m. A red horizontal line indicates the 'Wifi 6E(Peak)' limit at approximately 92.5 dBuV/m.</p> <table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Aux</th> <th>APos</th> <th>TPos</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line Margin</th> <th>Level Factor</th> <th>Loss Factor</th> <th>Factor</th> <th></th> <th>Remark</th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>7095.00</td> <td>95.83</td> <td>-----</td> <td>-----</td> <td>84.59</td> <td>35.69</td> <td>12.58</td> <td>37.03</td> <td>0.00</td> <td>274</td> <td>44</td> <td>PEAK</td> </tr> </tbody> </table> | Limit | Read | Ant | Cable | Preamp | Aux | APos | TPos | Freq | Level | Line Margin | Level Factor | Loss Factor | Factor | | Remark | MHz | dBuV/m | dBuV/m | dB | dBuV | dB/m | dB | dB | cm | deg | 1 | 7095.00 | 95.83 | ----- | ----- | 84.59 | 35.69 | 12.58 | 37.03 | 0.00 | 274 | 44 | PEAK |
| | Limit | Read | Ant | Cable | Preamp | Aux | APos | TPos | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| Freq | Level | Line Margin | Level Factor | Loss Factor | Factor | | Remark | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| MHz | dBuV/m | dBuV/m | dB | dBuV | dB/m | dB | dB | cm | deg | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| 1 | 7127.40 | 52.31 | 88.20 | -35.89 | 40.98 | 35.70 | 12.62 | 36.99 | 0.00 | 274 | 44 | PEAK | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| Limit | Read | Ant | Cable | Preamp | Aux | APos | TPos | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| Freq | Level | Line Margin | Level Factor | Loss Factor | Factor | | Remark | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| MHz | dBuV/m | dBuV/m | dB | dBuV | dB/m | dB | dB | cm | deg | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| 1 | 7095.00 | 95.83 | ----- | ----- | 84.59 | 35.69 | 12.58 | 37.03 | 0.00 | 274 | 44 | PEAK | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| Avg | <p>Level (dBuV/m) vs Frequency (MHz) for Horizontal polarization. The plot shows an average signal level starting at approximately 81.3 dBuV/m at 7085 MHz, dropping to a noise floor of about 40.38 dBuV/m by 7117 MHz. A red horizontal line indicates the 'Wifi 6E(AVG)' limit at approximately 65.0 dBuV/m.</p> <table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Aux</th> <th>APos</th> <th>TPos</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line Margin</th> <th>Level Factor</th> <th>Loss Factor</th> <th>Factor</th> <th></th> <th>Remark</th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>7201.00</td> <td>40.38</td> <td>68.20</td> <td>-27.82</td> <td>28.73</td> <td>35.70</td> <td>12.71</td> <td>36.76</td> <td>0.00</td> <td>274</td> <td>44</td> <td>AVERAGE</td> </tr> </tbody> </table> | Limit | Read | Ant | Cable | Preamp | Aux | APos | TPos | Freq | Level | Line Margin | Level Factor | Loss Factor | Factor | | Remark | MHz | dBuV/m | dBuV/m | dB | dBuV | dB/m | dB | dB | cm | deg | 1 | 7201.00 | 40.38 | 68.20 | -27.82 | 28.73 | 35.70 | 12.71 | 36.76 | 0.00 | 274 | 44 | AVERAGE | <p>Level (dBuV/m) vs Frequency (MHz) for Fundamental polarization. The plot shows an average signal level starting at approximately 81.3 dBuV/m at 7095 MHz, with a sharp peak at 7095.00 MHz reaching 87.93 dBuV/m. A red horizontal line indicates the 'Wifi 6E(AVG)' limit at approximately 65.0 dBuV/m.</p> <table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Aux</th> <th>APos</th> <th>TPos</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line Margin</th> <th>Level Factor</th> <th>Loss Factor</th> <th>Factor</th> <th></th> <th>Remark</th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>7095.00</td> <td>87.93</td> <td>-----</td> <td>-----</td> <td>76.69</td> <td>35.69</td> <td>12.58</td> <td>37.03</td> <td>0.00</td> <td>274</td> <td>44</td> <td>AVERAGE</td> </tr> </tbody> </table> | Limit | Read | Ant | Cable | Preamp | Aux | APos | TPos | Freq | Level | Line Margin | Level Factor | Loss Factor | Factor | | Remark | MHz | dBuV/m | dBuV/m | dB | dBuV | dB/m | dB | dB | cm | deg | 1 | 7095.00 | 87.93 | ----- | ----- | 76.69 | 35.69 | 12.58 | 37.03 | 0.00 | 274 | 44 | AVERAGE |
| Limit | Read | Ant | Cable | Preamp | Aux | APos | TPos | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| Freq | Level | Line Margin | Level Factor | Loss Factor | Factor | | Remark | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| MHz | dBuV/m | dBuV/m | dB | dBuV | dB/m | dB | dB | cm | deg | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| 1 | 7201.00 | 40.38 | 68.20 | -27.82 | 28.73 | 35.70 | 12.71 | 36.76 | 0.00 | 274 | 44 | AVERAGE | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| Limit | Read | Ant | Cable | Preamp | Aux | APos | TPos | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| Freq | Level | Line Margin | Level Factor | Loss Factor | Factor | | Remark | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| MHz | dBuV/m | dBuV/m | dB | dBuV | dB/m | dB | dB | cm | deg | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| 1 | 7095.00 | 87.93 | ----- | ----- | 76.69 | 35.69 | 12.58 | 37.03 | 0.00 | 274 | 44 | AVERAGE | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |



| | | 12 | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
|-------|--|---|--------------|-------------|--------|--------|-------------|-------|------|------|-------|-------------|--------------|-------------|--------|--------|--------|-----|--------|--------|----|------|------|----|----|----|-----|---|---------|-------|-------|--------|-------|-------|-------|-------|------|-----|-----|---------|---|-------|------|-----|-------|--------|-----|------|------|------|-------|-------------|--------------|-------------|--------|--------|--------|-----|--------|--------|----|------|------|----|----|----|-----|---|---------|--------|-------|-------|-------|-------|-------|-------|------|-----|-----|---------|
| Mode | | Band Edge | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| | | U-NII-8_6.875-7.125_802.11a_CH229_7095MHz | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| ANT | | CDD 1+2 | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| Pol. | | Vertical | | | | | Fundamental | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| Peak |  <p>Level (dBuV/m) vs Frequency (MHz) for Vertical. Peak at 7181.32 MHz.</p> <table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Aux</th> <th>APos</th> <th>TPos</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line Margin</th> <th>Level Factor</th> <th>Loss Factor</th> <th>Factor</th> <th>Factor</th> <th>Remark</th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>7181.32</td> <td>52.23</td> <td>88.20</td> <td>-35.97</td> <td>40.67</td> <td>35.70</td> <td>12.69</td> <td>36.83</td> <td>0.00</td> <td>297</td> <td>289</td> <td>PEAK</td> </tr> </tbody> </table> | Limit | Read | Ant | Cable | Preamp | Aux | APos | TPos | Freq | Level | Line Margin | Level Factor | Loss Factor | Factor | Factor | Remark | MHz | dBuV/m | dBuV/m | dB | dBuV | dB/m | dB | dB | cm | deg | 1 | 7181.32 | 52.23 | 88.20 | -35.97 | 40.67 | 35.70 | 12.69 | 36.83 | 0.00 | 297 | 289 | PEAK |  <p>Level (dBuV/m) vs Frequency (MHz) for Fundamental. Peak at 7095.00 MHz.</p> <table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Aux</th> <th>APos</th> <th>TPos</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line Margin</th> <th>Level Factor</th> <th>Loss Factor</th> <th>Factor</th> <th>Factor</th> <th>Remark</th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>7095.00</td> <td>102.76</td> <td>-----</td> <td>-----</td> <td>91.52</td> <td>35.69</td> <td>12.58</td> <td>37.03</td> <td>0.00</td> <td>297</td> <td>289</td> <td>PEAK</td> </tr> </tbody> </table> | Limit | Read | Ant | Cable | Preamp | Aux | APos | TPos | Freq | Level | Line Margin | Level Factor | Loss Factor | Factor | Factor | Remark | MHz | dBuV/m | dBuV/m | dB | dBuV | dB/m | dB | dB | cm | deg | 1 | 7095.00 | 102.76 | ----- | ----- | 91.52 | 35.69 | 12.58 | 37.03 | 0.00 | 297 | 289 | PEAK |
| | Limit | Read | Ant | Cable | Preamp | Aux | APos | TPos | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| Freq | Level | Line Margin | Level Factor | Loss Factor | Factor | Factor | Remark | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| MHz | dBuV/m | dBuV/m | dB | dBuV | dB/m | dB | dB | cm | deg | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| 1 | 7181.32 | 52.23 | 88.20 | -35.97 | 40.67 | 35.70 | 12.69 | 36.83 | 0.00 | 297 | 289 | PEAK | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| Limit | Read | Ant | Cable | Preamp | Aux | APos | TPos | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| Freq | Level | Line Margin | Level Factor | Loss Factor | Factor | Factor | Remark | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| MHz | dBuV/m | dBuV/m | dB | dBuV | dB/m | dB | dB | cm | deg | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| 1 | 7095.00 | 102.76 | ----- | ----- | 91.52 | 35.69 | 12.58 | 37.03 | 0.00 | 297 | 289 | PEAK | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| Avg |  <p>Level (dBuV/m) vs Frequency (MHz) for Vertical. Average level at 7204.68 MHz.</p> <table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Aux</th> <th>APos</th> <th>TPos</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line Margin</th> <th>Level Factor</th> <th>Loss Factor</th> <th>Factor</th> <th>Factor</th> <th>Remark</th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>7204.68</td> <td>40.43</td> <td>68.20</td> <td>-27.77</td> <td>28.79</td> <td>35.70</td> <td>12.71</td> <td>36.77</td> <td>0.00</td> <td>297</td> <td>289</td> <td>AVERAGE</td> </tr> </tbody> </table> | Limit | Read | Ant | Cable | Preamp | Aux | APos | TPos | Freq | Level | Line Margin | Level Factor | Loss Factor | Factor | Factor | Remark | MHz | dBuV/m | dBuV/m | dB | dBuV | dB/m | dB | dB | cm | deg | 1 | 7204.68 | 40.43 | 68.20 | -27.77 | 28.79 | 35.70 | 12.71 | 36.77 | 0.00 | 297 | 289 | AVERAGE |  <p>Level (dBuV/m) vs Frequency (MHz) for Fundamental. Average level at 7095.00 MHz.</p> <table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Aux</th> <th>APos</th> <th>TPos</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line Margin</th> <th>Level Factor</th> <th>Loss Factor</th> <th>Factor</th> <th>Factor</th> <th>Remark</th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>7095.00</td> <td>94.84</td> <td>-----</td> <td>-----</td> <td>83.60</td> <td>35.69</td> <td>12.58</td> <td>37.03</td> <td>0.00</td> <td>297</td> <td>289</td> <td>AVERAGE</td> </tr> </tbody> </table> | Limit | Read | Ant | Cable | Preamp | Aux | APos | TPos | Freq | Level | Line Margin | Level Factor | Loss Factor | Factor | Factor | Remark | MHz | dBuV/m | dBuV/m | dB | dBuV | dB/m | dB | dB | cm | deg | 1 | 7095.00 | 94.84 | ----- | ----- | 83.60 | 35.69 | 12.58 | 37.03 | 0.00 | 297 | 289 | AVERAGE |
| Limit | Read | Ant | Cable | Preamp | Aux | APos | TPos | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| Freq | Level | Line Margin | Level Factor | Loss Factor | Factor | Factor | Remark | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| MHz | dBuV/m | dBuV/m | dB | dBuV | dB/m | dB | dB | cm | deg | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| 1 | 7204.68 | 40.43 | 68.20 | -27.77 | 28.79 | 35.70 | 12.71 | 36.77 | 0.00 | 297 | 289 | AVERAGE | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| Limit | Read | Ant | Cable | Preamp | Aux | APos | TPos | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| Freq | Level | Line Margin | Level Factor | Loss Factor | Factor | Factor | Remark | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| MHz | dBuV/m | dBuV/m | dB | dBuV | dB/m | dB | dB | cm | deg | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| 1 | 7095.00 | 94.84 | ----- | ----- | 83.60 | 35.69 | 12.58 | 37.03 | 0.00 | 297 | 289 | AVERAGE | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |







| Mode | 12 | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
|------------|--|-------------|--------------|-------------|--------|--------|-------|--------|------|--------|------|-------|-------------|--------------|-------------|--------|--|--|--|-----|--------|--------|----|------|------|----|----|----|-----|------------|-------|-------|--------|-------|-------|-------|-------|------|----|------|--|-------|------|-----|-------|--------|-----|------|------|--------|------|-------|-------------|--------------|-------------|--------|--|--|--|-----|--------|--------|----|------|------|----|----|----|-----|------------|-------|-------|--------|-------|-------|-------|-------|------|----|------|
| | Harmonic | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| | U-NII-8_6.875-7.125_802.11a_CH229_7095MHz | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| ANT | CDD 1+2 | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| Pol. | Horizontal | Vertical | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| Peak Avg | <table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Aux</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line Margin</th> <th>Level Factor</th> <th>Loss Factor</th> <th>Factor</th> <th></th> <th></th> <th></th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1 14190.00</td> <td>46.79</td> <td>88.20</td> <td>-41.41</td> <td>54.34</td> <td>38.87</td> <td>18.17</td> <td>64.59</td> <td>0.00</td> <td>--</td> <td>PEAK</td> </tr> </tbody> </table> | Limit | Read | Ant | Cable | Preamp | Aux | APos | TPos | Remark | Freq | Level | Line Margin | Level Factor | Loss Factor | Factor | | | | MHz | dBuV/m | dBuV/m | dB | dBuV | dB/m | dB | dB | cm | deg | 1 14190.00 | 46.79 | 88.20 | -41.41 | 54.34 | 38.87 | 18.17 | 64.59 | 0.00 | -- | PEAK | <table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Aux</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line Margin</th> <th>Level Factor</th> <th>Loss Factor</th> <th>Factor</th> <th></th> <th></th> <th></th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1 14190.00</td> <td>47.30</td> <td>88.20</td> <td>-40.90</td> <td>54.85</td> <td>38.87</td> <td>18.17</td> <td>64.59</td> <td>0.00</td> <td>--</td> <td>PEAK</td> </tr> </tbody> </table> | Limit | Read | Ant | Cable | Preamp | Aux | APos | TPos | Remark | Freq | Level | Line Margin | Level Factor | Loss Factor | Factor | | | | MHz | dBuV/m | dBuV/m | dB | dBuV | dB/m | dB | dB | cm | deg | 1 14190.00 | 47.30 | 88.20 | -40.90 | 54.85 | 38.87 | 18.17 | 64.59 | 0.00 | -- | PEAK |
| Limit | Read | Ant | Cable | Preamp | Aux | APos | TPos | Remark | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| Freq | Level | Line Margin | Level Factor | Loss Factor | Factor | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| MHz | dBuV/m | dBuV/m | dB | dBuV | dB/m | dB | dB | cm | deg | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| 1 14190.00 | 46.79 | 88.20 | -41.41 | 54.34 | 38.87 | 18.17 | 64.59 | 0.00 | -- | PEAK | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| Limit | Read | Ant | Cable | Preamp | Aux | APos | TPos | Remark | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| Freq | Level | Line Margin | Level Factor | Loss Factor | Factor | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| MHz | dBuV/m | dBuV/m | dB | dBuV | dB/m | dB | dB | cm | deg | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| 1 14190.00 | 47.30 | 88.20 | -40.90 | 54.85 | 38.87 | 18.17 | 64.59 | 0.00 | -- | PEAK | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |



| 13 | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
|---|--|-------------|--------------|-------------|--------|--------|-------|--------|--------|--------|-------|-------------|--------------|--------------|-------------|--------|--|--|-----|--------|--------|--------|------|------|------|----|----|-----|-----|---------|---------|-------|-------|--------|-------|-------|-------|-------|------|-----|---------|---------|
| Mode | Band Edge | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| | U-NII-5_5.925-6.425_802.11ax HE20_CH1_5955MHz | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| ANT | CDD 1+2 | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| Pol. | Horizontal | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| Peak | <table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Aux</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line Margin</th> <th>Level Factor</th> <th>Loss Factor</th> <th>Factor</th> <th></th> <th></th> <th></th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>5854.77</td> <td>51.83</td> <td>88.20</td> <td>-36.37</td> <td>41.66</td> <td>35.01</td> <td>11.34</td> <td>36.18</td> <td>0.00</td> <td>105</td> <td>79</td> <td>PEAK</td> </tr> </tbody> </table> | Limit | Read | Ant | Cable | Preamp | Aux | APos | TPos | Remark | Freq | Level | Line Margin | Level Factor | Loss Factor | Factor | | | | MHz | dBuV/m | dBuV/m | dB | dBuV | dB/m | dB | dB | cm | deg | 1 | 5854.77 | 51.83 | 88.20 | -36.37 | 41.66 | 35.01 | 11.34 | 36.18 | 0.00 | 105 | 79 | PEAK |
| | Limit | Read | Ant | Cable | Preamp | Aux | APos | TPos | Remark | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| Freq | Level | Line Margin | Level Factor | Loss Factor | Factor | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| MHz | dBuV/m | dBuV/m | dB | dBuV | dB/m | dB | dB | cm | deg | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| 1 | 5854.77 | 51.83 | 88.20 | -36.37 | 41.66 | 35.01 | 11.34 | 36.18 | 0.00 | 105 | 79 | PEAK | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| <table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Aux</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line Margin</th> <th>Level Factor</th> <th>Loss Factor</th> <th>Factor</th> <th></th> <th></th> <th></th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>5955.00</td> <td>90.53</td> <td>-----</td> <td>-----</td> <td>88.59</td> <td>35.15</td> <td>11.43</td> <td>36.64</td> <td>0.00</td> <td>105</td> <td>79</td> <td>PEAK</td> </tr> </tbody> </table> | Limit | Read | Ant | Cable | Preamp | Aux | APos | TPos | Remark | Freq | Level | Line Margin | Level Factor | Loss Factor | Factor | | | | MHz | dBuV/m | dBuV/m | dB | dBuV | dB/m | dB | dB | cm | deg | 1 | 5955.00 | 90.53 | ----- | ----- | 88.59 | 35.15 | 11.43 | 36.64 | 0.00 | 105 | 79 | PEAK | |
| Limit | Read | Ant | Cable | Preamp | Aux | APos | TPos | Remark | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| Freq | Level | Line Margin | Level Factor | Loss Factor | Factor | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| MHz | dBuV/m | dBuV/m | dB | dBuV | dB/m | dB | dB | cm | deg | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| 1 | 5955.00 | 90.53 | ----- | ----- | 88.59 | 35.15 | 11.43 | 36.64 | 0.00 | 105 | 79 | PEAK | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| Avg | <table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Aux</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line Margin</th> <th>Level Factor</th> <th>Loss Factor</th> <th>Factor</th> <th></th> <th></th> <th></th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>5923.41</td> <td>39.58</td> <td>68.20</td> <td>-28.62</td> <td>29.66</td> <td>35.12</td> <td>11.40</td> <td>36.60</td> <td>0.00</td> <td>105</td> <td>79</td> <td>AVERAGE</td> </tr> </tbody> </table> | Limit | Read | Ant | Cable | Preamp | Aux | APos | TPos | Remark | Freq | Level | Line Margin | Level Factor | Loss Factor | Factor | | | | MHz | dBuV/m | dBuV/m | dB | dBuV | dB/m | dB | dB | cm | deg | 1 | 5923.41 | 39.58 | 68.20 | -28.62 | 29.66 | 35.12 | 11.40 | 36.60 | 0.00 | 105 | 79 | AVERAGE |
| | Limit | Read | Ant | Cable | Preamp | Aux | APos | TPos | Remark | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| Freq | Level | Line Margin | Level Factor | Loss Factor | Factor | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| MHz | dBuV/m | dBuV/m | dB | dBuV | dB/m | dB | dB | cm | deg | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| 1 | 5923.41 | 39.58 | 68.20 | -28.62 | 29.66 | 35.12 | 11.40 | 36.60 | 0.00 | 105 | 79 | AVERAGE | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| <table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Aux</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line Margin</th> <th>Level Factor</th> <th>Loss Factor</th> <th>Factor</th> <th></th> <th></th> <th></th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>5955.00</td> <td>90.86</td> <td>-----</td> <td>-----</td> <td>80.92</td> <td>35.15</td> <td>11.43</td> <td>36.64</td> <td>0.00</td> <td>105</td> <td>79</td> <td>AVERAGE</td> </tr> </tbody> </table> | Limit | Read | Ant | Cable | Preamp | Aux | APos | TPos | Remark | Freq | Level | Line Margin | Level Factor | Loss Factor | Factor | | | | MHz | dBuV/m | dBuV/m | dB | dBuV | dB/m | dB | dB | cm | deg | 1 | 5955.00 | 90.86 | ----- | ----- | 80.92 | 35.15 | 11.43 | 36.64 | 0.00 | 105 | 79 | AVERAGE | |
| Limit | Read | Ant | Cable | Preamp | Aux | APos | TPos | Remark | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| Freq | Level | Line Margin | Level Factor | Loss Factor | Factor | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| MHz | dBuV/m | dBuV/m | dB | dBuV | dB/m | dB | dB | cm | deg | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| 1 | 5955.00 | 90.86 | ----- | ----- | 80.92 | 35.15 | 11.43 | 36.64 | 0.00 | 105 | 79 | AVERAGE | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |







| | | 13 | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
|-------------|--|--------------------|--------|--------|--------|--------|--------|--------|--------|--------|------|---------|------|--------|-------|--------|------|--------|--------|-----|--------|--------|----|------|------|----|----|----|---|---------|-------|-------|--------|-------|-------|-------|-------|------|-----|-----|---------|---|-------|------|-----|-------|--------|-----|------|------|--------|------|-------|------|--------|-------|--------|------|--------|--------|-----|--------|--------|----|------|------|----|----|----|---|---------|--------|-------|-------|-------|-------|-------|-------|------|-----|-----|---------|
| Mode | Band Edge | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| | U-NII-5_5.925-6.425_802.11ax HE20_CH1_5955MHz | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| ANT | CDD 1+2 | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| Pol. | Vertical | Fundamental | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| Peak |  <p>Level (dBuV/m) vs Frequency (MHz) for Vertical Peak. The plot shows a blue signal line and a red limit line labeled 'Wifi 6E(Peak)'. A peak is marked with '1' at approximately 5929 MHz.</p> <table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Aux</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>Margin</th> <th>Level</th> <th>Factor</th> <th>Loss</th> <th>Factor</th> <th>Factor</th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>dB</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>5879.47</td> <td>53.12</td> <td>88.20</td> <td>-35.08</td> <td>43.09</td> <td>35.06</td> <td>11.36</td> <td>36.39</td> <td>0.00</td> <td>226</td> <td>360</td> <td>PEAK</td> </tr> </tbody> </table> | Limit | Read | Ant | Cable | Preamp | Aux | APos | TPos | Remark | Freq | Level | Line | Margin | Level | Factor | Loss | Factor | Factor | MHz | dBuV/m | dBuV/m | dB | dBuV | dB/m | dB | dB | dB | 1 | 5879.47 | 53.12 | 88.20 | -35.08 | 43.09 | 35.06 | 11.36 | 36.39 | 0.00 | 226 | 360 | PEAK |  <p>Level (dBuV/m) vs Frequency (MHz) for Fundamental Peak. The plot shows a blue signal line and a red limit line labeled 'Wifi 6E(Peak)'. A peak is marked with '1' at approximately 5955 MHz.</p> <table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Aux</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>Margin</th> <th>Level</th> <th>Factor</th> <th>Loss</th> <th>Factor</th> <th>Factor</th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>dB</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>5955.00</td> <td>104.02</td> <td>-----</td> <td>-----</td> <td>94.08</td> <td>35.15</td> <td>11.43</td> <td>36.64</td> <td>0.00</td> <td>226</td> <td>360</td> <td>PEAK</td> </tr> </tbody> </table> | Limit | Read | Ant | Cable | Preamp | Aux | APos | TPos | Remark | Freq | Level | Line | Margin | Level | Factor | Loss | Factor | Factor | MHz | dBuV/m | dBuV/m | dB | dBuV | dB/m | dB | dB | dB | 1 | 5955.00 | 104.02 | ----- | ----- | 94.08 | 35.15 | 11.43 | 36.64 | 0.00 | 226 | 360 | PEAK |
| | Limit | Read | Ant | Cable | Preamp | Aux | APos | TPos | Remark | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| Freq | Level | Line | Margin | Level | Factor | Loss | Factor | Factor | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| MHz | dBuV/m | dBuV/m | dB | dBuV | dB/m | dB | dB | dB | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| 1 | 5879.47 | 53.12 | 88.20 | -35.08 | 43.09 | 35.06 | 11.36 | 36.39 | 0.00 | 226 | 360 | PEAK | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| Limit | Read | Ant | Cable | Preamp | Aux | APos | TPos | Remark | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| Freq | Level | Line | Margin | Level | Factor | Loss | Factor | Factor | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| MHz | dBuV/m | dBuV/m | dB | dBuV | dB/m | dB | dB | dB | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| 1 | 5955.00 | 104.02 | ----- | ----- | 94.08 | 35.15 | 11.43 | 36.64 | 0.00 | 226 | 360 | PEAK | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| Avg |  <p>Level (dBuV/m) vs Frequency (MHz) for Vertical Avg. The plot shows a blue signal line and a red limit line labeled 'Wifi 6E(AVG)'. A peak is marked with '1' at approximately 5929 MHz.</p> <table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Aux</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>Margin</th> <th>Level</th> <th>Factor</th> <th>Loss</th> <th>Factor</th> <th>Factor</th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>dB</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>5923.41</td> <td>39.97</td> <td>68.20</td> <td>-28.23</td> <td>30.05</td> <td>35.12</td> <td>11.40</td> <td>36.60</td> <td>0.00</td> <td>226</td> <td>360</td> <td>AVERAGE</td> </tr> </tbody> </table> | Limit | Read | Ant | Cable | Preamp | Aux | APos | TPos | Remark | Freq | Level | Line | Margin | Level | Factor | Loss | Factor | Factor | MHz | dBuV/m | dBuV/m | dB | dBuV | dB/m | dB | dB | dB | 1 | 5923.41 | 39.97 | 68.20 | -28.23 | 30.05 | 35.12 | 11.40 | 36.60 | 0.00 | 226 | 360 | AVERAGE |  <p>Level (dBuV/m) vs Frequency (MHz) for Fundamental Avg. The plot shows a blue signal line and a red limit line labeled 'Wifi 6E(AVG)'. A peak is marked with '1' at approximately 5955 MHz.</p> <table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Aux</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>Margin</th> <th>Level</th> <th>Factor</th> <th>Loss</th> <th>Factor</th> <th>Factor</th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>dB</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>5955.00</td> <td>95.15</td> <td>-----</td> <td>-----</td> <td>85.21</td> <td>35.15</td> <td>11.43</td> <td>36.64</td> <td>0.00</td> <td>226</td> <td>360</td> <td>AVERAGE</td> </tr> </tbody> </table> | Limit | Read | Ant | Cable | Preamp | Aux | APos | TPos | Remark | Freq | Level | Line | Margin | Level | Factor | Loss | Factor | Factor | MHz | dBuV/m | dBuV/m | dB | dBuV | dB/m | dB | dB | dB | 1 | 5955.00 | 95.15 | ----- | ----- | 85.21 | 35.15 | 11.43 | 36.64 | 0.00 | 226 | 360 | AVERAGE |
| Limit | Read | Ant | Cable | Preamp | Aux | APos | TPos | Remark | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| Freq | Level | Line | Margin | Level | Factor | Loss | Factor | Factor | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| MHz | dBuV/m | dBuV/m | dB | dBuV | dB/m | dB | dB | dB | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| 1 | 5923.41 | 39.97 | 68.20 | -28.23 | 30.05 | 35.12 | 11.40 | 36.60 | 0.00 | 226 | 360 | AVERAGE | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| Limit | Read | Ant | Cable | Preamp | Aux | APos | TPos | Remark | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| Freq | Level | Line | Margin | Level | Factor | Loss | Factor | Factor | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| MHz | dBuV/m | dBuV/m | dB | dBuV | dB/m | dB | dB | dB | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| 1 | 5955.00 | 95.15 | ----- | ----- | 85.21 | 35.15 | 11.43 | 36.64 | 0.00 | 226 | 360 | AVERAGE | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |







| Mode | 13 | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
|------------|--|-------------|--------------|-------------|--------|--------|--------|------|------|------|-------|-------------|--------------|-------------|--------|--|--------|-----|--------|--------|----|------|------|----|----|----|-----|------------|-------|-------|--------|-------|-------|-------|-------|------|----|------|--|-------|------|-----|-------|--------|-----|------|------|------|-------|-------------|--------------|-------------|--------|--|--------|-----|--------|--------|----|------|------|----|----|----|-----|------------|-------|-------|--------|-------|-------|-------|-------|------|----|------|
| | Harmonic | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| | U-NII-5_5.925-6.425_802.11ax HE20_CH1_5955MHz | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| ANT | CDD 1+2 | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| Pol. | Horizontal | Vertical | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| Peak Avg | <table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Aux</th> <th>APos</th> <th>TPos</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line Margin</th> <th>Level Factor</th> <th>Loss Factor</th> <th>Factor</th> <th></th> <th>Remark</th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1 11910.00</td> <td>45.64</td> <td>74.00</td> <td>-28.36</td> <td>56.51</td> <td>38.63</td> <td>16.62</td> <td>66.12</td> <td>0.00</td> <td>--</td> <td>PEAK</td> </tr> </tbody> </table> | Limit | Read | Ant | Cable | Preamp | Aux | APos | TPos | Freq | Level | Line Margin | Level Factor | Loss Factor | Factor | | Remark | MHz | dBuV/m | dBuV/m | dB | dBuV | dB/m | dB | dB | cm | deg | 1 11910.00 | 45.64 | 74.00 | -28.36 | 56.51 | 38.63 | 16.62 | 66.12 | 0.00 | -- | PEAK | <table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Aux</th> <th>APos</th> <th>TPos</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line Margin</th> <th>Level Factor</th> <th>Loss Factor</th> <th>Factor</th> <th></th> <th>Remark</th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1 11910.00</td> <td>46.78</td> <td>74.00</td> <td>-27.22</td> <td>57.65</td> <td>38.63</td> <td>16.62</td> <td>66.12</td> <td>0.00</td> <td>--</td> <td>PEAK</td> </tr> </tbody> </table> | Limit | Read | Ant | Cable | Preamp | Aux | APos | TPos | Freq | Level | Line Margin | Level Factor | Loss Factor | Factor | | Remark | MHz | dBuV/m | dBuV/m | dB | dBuV | dB/m | dB | dB | cm | deg | 1 11910.00 | 46.78 | 74.00 | -27.22 | 57.65 | 38.63 | 16.62 | 66.12 | 0.00 | -- | PEAK |
| Limit | Read | Ant | Cable | Preamp | Aux | APos | TPos | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| Freq | Level | Line Margin | Level Factor | Loss Factor | Factor | | Remark | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| MHz | dBuV/m | dBuV/m | dB | dBuV | dB/m | dB | dB | cm | deg | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| 1 11910.00 | 45.64 | 74.00 | -28.36 | 56.51 | 38.63 | 16.62 | 66.12 | 0.00 | -- | PEAK | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| Limit | Read | Ant | Cable | Preamp | Aux | APos | TPos | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| Freq | Level | Line Margin | Level Factor | Loss Factor | Factor | | Remark | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| MHz | dBuV/m | dBuV/m | dB | dBuV | dB/m | dB | dB | cm | deg | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| 1 11910.00 | 46.78 | 74.00 | -27.22 | 57.65 | 38.63 | 16.62 | 66.12 | 0.00 | -- | PEAK | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |



| 14 | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
|---|---|-------------|--------------|-------------|--------|--------|-------|--------|--------|-------------|-------|-------------|--------------|--------------|-------------|--------|--|--|-----|--------|--------|--------|------|------|------|----|----|-----|-----------|-----------|-------|-------|--------|-------|-------|-------|-------|------|-------------|-------------|
| Mode | Band Edge | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| | U-NII-5_5.925-6.425_802.11ax HE20_CH1_RU26/0_5955MHz | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| ANT | CDD 1+2 | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| Pol. | Horizontal | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| Peak |  <p>Level (dBuV/m) vs Frequency (MHz) plot for Horizontal polarization. The y-axis ranges from 0 to 130 dBuV/m, and the x-axis ranges from 5825 to 5955 MHz. A red horizontal line indicates the limit at approximately 81.3 dBuV/m. A blue trace shows the signal level, with a prominent peak labeled 'Wifi 6E(Peak)' at approximately 5955 MHz.</p> <table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Aux</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line Margin</th> <th>Level Factor</th> <th>Loss Factor</th> <th>Factor</th> <th></th> <th></th> <th></th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1 5840.34</td> <td>52.11</td> <td>88.20</td> <td>-36.09</td> <td>41.96</td> <td>34.98</td> <td>11.32</td> <td>36.15</td> <td>0.00</td> <td>304</td> <td>147 PEAK</td> </tr> </tbody> </table> | Limit | Read | Ant | Cable | Preamp | Aux | APos | TPos | Remark | Freq | Level | Line Margin | Level Factor | Loss Factor | Factor | | | | MHz | dBuV/m | dBuV/m | dB | dBuV | dB/m | dB | dB | cm | deg | 1 5840.34 | 52.11 | 88.20 | -36.09 | 41.96 | 34.98 | 11.32 | 36.15 | 0.00 | 304 | 147 PEAK |
| | Limit | Read | Ant | Cable | Preamp | Aux | APos | TPos | Remark | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| Freq | Level | Line Margin | Level Factor | Loss Factor | Factor | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| MHz | dBuV/m | dBuV/m | dB | dBuV | dB/m | dB | dB | cm | deg | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| 1 5840.34 | 52.11 | 88.20 | -36.09 | 41.96 | 34.98 | 11.32 | 36.15 | 0.00 | 304 | 147 PEAK | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
|  <p>Horizontal Fundamental Peak Spectrum Plot. The y-axis ranges from 0 to 130 dBuV/m, and the x-axis ranges from 1000 to 10000 MHz. A red horizontal line indicates the limit at approximately 81.3 dBuV/m. A blue trace shows the signal level, with a prominent peak labeled 'Wifi 6E(Peak)' at approximately 5955 MHz.</p> <table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Aux</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line Margin</th> <th>Level Factor</th> <th>Loss Factor</th> <th>Factor</th> <th></th> <th></th> <th></th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1 5955.00</td> <td>95.04</td> <td>-----</td> <td>-----</td> <td>85.10</td> <td>35.15</td> <td>11.43</td> <td>36.64</td> <td>0.00</td> <td>304</td> <td>147 PEAK</td> </tr> </tbody> </table> | Limit | Read | Ant | Cable | Preamp | Aux | APos | TPos | Remark | Freq | Level | Line Margin | Level Factor | Loss Factor | Factor | | | | MHz | dBuV/m | dBuV/m | dB | dBuV | dB/m | dB | dB | cm | deg | 1 5955.00 | 95.04 | ----- | ----- | 85.10 | 35.15 | 11.43 | 36.64 | 0.00 | 304 | 147 PEAK | |
| Limit | Read | Ant | Cable | Preamp | Aux | APos | TPos | Remark | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| Freq | Level | Line Margin | Level Factor | Loss Factor | Factor | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| MHz | dBuV/m | dBuV/m | dB | dBuV | dB/m | dB | dB | cm | deg | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| 1 5955.00 | 95.04 | ----- | ----- | 85.10 | 35.15 | 11.43 | 36.64 | 0.00 | 304 | 147 PEAK | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| Avg |  <p>Horizontal Avg Spectrum Plot. The y-axis ranges from 0 to 130 dBuV/m, and the x-axis ranges from 5825 to 5955 MHz. A red horizontal line indicates the limit at approximately 65.0 dBuV/m. A blue trace shows the signal level, with a peak labeled 'WIFI-6E(AVG)' at approximately 5955 MHz.</p> <table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Aux</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line Margin</th> <th>Level Factor</th> <th>Loss Factor</th> <th>Factor</th> <th></th> <th></th> <th></th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1 5914.05</td> <td>39.32</td> <td>68.20</td> <td>-28.88</td> <td>29.40</td> <td>35.11</td> <td>11.39</td> <td>36.58</td> <td>0.00</td> <td>304</td> <td>147 AVERAGE</td> </tr> </tbody> </table> | Limit | Read | Ant | Cable | Preamp | Aux | APos | TPos | Remark | Freq | Level | Line Margin | Level Factor | Loss Factor | Factor | | | | MHz | dBuV/m | dBuV/m | dB | dBuV | dB/m | dB | dB | cm | deg | 1 5914.05 | 39.32 | 68.20 | -28.88 | 29.40 | 35.11 | 11.39 | 36.58 | 0.00 | 304 | 147 AVERAGE |
| | Limit | Read | Ant | Cable | Preamp | Aux | APos | TPos | Remark | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| Freq | Level | Line Margin | Level Factor | Loss Factor | Factor | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| MHz | dBuV/m | dBuV/m | dB | dBuV | dB/m | dB | dB | cm | deg | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| 1 5914.05 | 39.32 | 68.20 | -28.88 | 29.40 | 35.11 | 11.39 | 36.58 | 0.00 | 304 | 147 AVERAGE | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
|  <p>Horizontal Avg Fundamental Spectrum Plot. The y-axis ranges from 0 to 130 dBuV/m, and the x-axis ranges from 1000 to 10000 MHz. A red horizontal line indicates the limit at approximately 65.0 dBuV/m. A blue trace shows the signal level, with a peak labeled 'WIFI-6E(AVG)' at approximately 5955 MHz.</p> <table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Aux</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line Margin</th> <th>Level Factor</th> <th>Loss Factor</th> <th>Factor</th> <th></th> <th></th> <th></th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1 5955.00</td> <td>87.06</td> <td>-----</td> <td>-----</td> <td>77.12</td> <td>35.15</td> <td>11.43</td> <td>36.64</td> <td>0.00</td> <td>304</td> <td>147 AVERAGE</td> </tr> </tbody> </table> | Limit | Read | Ant | Cable | Preamp | Aux | APos | TPos | Remark | Freq | Level | Line Margin | Level Factor | Loss Factor | Factor | | | | MHz | dBuV/m | dBuV/m | dB | dBuV | dB/m | dB | dB | cm | deg | 1 5955.00 | 87.06 | ----- | ----- | 77.12 | 35.15 | 11.43 | 36.64 | 0.00 | 304 | 147 AVERAGE | |
| Limit | Read | Ant | Cable | Preamp | Aux | APos | TPos | Remark | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| Freq | Level | Line Margin | Level Factor | Loss Factor | Factor | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| MHz | dBuV/m | dBuV/m | dB | dBuV | dB/m | dB | dB | cm | deg | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| 1 5955.00 | 87.06 | ----- | ----- | 77.12 | 35.15 | 11.43 | 36.64 | 0.00 | 304 | 147 AVERAGE | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |



| | | 14 | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
|-------------|--|--------------------|--------------|-------------|-------------|--------|-------|--------|--------|--------|------|---------|-------------|--------------|-------------|-------------|--------|----|-----|---|---------|-------|-------|--------|-------|-------|-------|-------|------|-----|-----|---------|---|-------|------|-----|-------|--------|-----|------|------|--------|------|-------|-------------|--------------|-------------|-------------|--------|----|-----|---|---------|--------|-------|-------|-------|-------|-------|-------|------|-----|-----|---------|
| Mode | Band Edge | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| | U-NII-5_5.925-6.425_802.11ax HE20_CH1_RU26/0_5955MHz | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| ANT | CDD 1+2 | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| Pol. | Vertical | Fundamental | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| Peak |  <p>Level (dBuV/m) vs Frequency (MHz) for Vertical Peak. Peak at 5924.45 MHz.</p> <table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Aux</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line Margin</th> <th>Level Factor</th> <th>Loss Factor</th> <th>Loss Factor</th> <th>Factor</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>5924.45</td> <td>51.54</td> <td>88.20</td> <td>-36.66</td> <td>41.37</td> <td>35.01</td> <td>11.34</td> <td>36.18</td> <td>0.00</td> <td>303</td> <td>127</td> <td>PEAK</td> </tr> </tbody> </table> | Limit | Read | Ant | Cable | Preamp | Aux | APos | TPos | Remark | Freq | Level | Line Margin | Level Factor | Loss Factor | Loss Factor | Factor | cm | deg | 1 | 5924.45 | 51.54 | 88.20 | -36.66 | 41.37 | 35.01 | 11.34 | 36.18 | 0.00 | 303 | 127 | PEAK |  <p>Level (dBuV/m) vs Frequency (MHz) for Fundamental Peak. Peak at 5955.00 MHz.</p> <table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Aux</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line Margin</th> <th>Level Factor</th> <th>Loss Factor</th> <th>Loss Factor</th> <th>Factor</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>5955.00</td> <td>102.79</td> <td>-----</td> <td>-----</td> <td>92.85</td> <td>35.15</td> <td>11.43</td> <td>36.64</td> <td>0.00</td> <td>303</td> <td>127</td> <td>PEAK</td> </tr> </tbody> </table> | Limit | Read | Ant | Cable | Preamp | Aux | APos | TPos | Remark | Freq | Level | Line Margin | Level Factor | Loss Factor | Loss Factor | Factor | cm | deg | 1 | 5955.00 | 102.79 | ----- | ----- | 92.85 | 35.15 | 11.43 | 36.64 | 0.00 | 303 | 127 | PEAK |
| | Limit | Read | Ant | Cable | Preamp | Aux | APos | TPos | Remark | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| Freq | Level | Line Margin | Level Factor | Loss Factor | Loss Factor | Factor | cm | deg | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| 1 | 5924.45 | 51.54 | 88.20 | -36.66 | 41.37 | 35.01 | 11.34 | 36.18 | 0.00 | 303 | 127 | PEAK | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| Limit | Read | Ant | Cable | Preamp | Aux | APos | TPos | Remark | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| Freq | Level | Line Margin | Level Factor | Loss Factor | Loss Factor | Factor | cm | deg | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| 1 | 5955.00 | 102.79 | ----- | ----- | 92.85 | 35.15 | 11.43 | 36.64 | 0.00 | 303 | 127 | PEAK | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| Avg |  <p>Level (dBuV/m) vs Frequency (MHz) for Vertical Avg. Peak at 5924.45 MHz.</p> <table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Aux</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line Margin</th> <th>Level Factor</th> <th>Loss Factor</th> <th>Loss Factor</th> <th>Factor</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>5924.45</td> <td>39.46</td> <td>68.20</td> <td>-28.74</td> <td>29.54</td> <td>35.12</td> <td>11.40</td> <td>36.60</td> <td>0.00</td> <td>303</td> <td>127</td> <td>AVERAGE</td> </tr> </tbody> </table> | Limit | Read | Ant | Cable | Preamp | Aux | APos | TPos | Remark | Freq | Level | Line Margin | Level Factor | Loss Factor | Loss Factor | Factor | cm | deg | 1 | 5924.45 | 39.46 | 68.20 | -28.74 | 29.54 | 35.12 | 11.40 | 36.60 | 0.00 | 303 | 127 | AVERAGE |  <p>Level (dBuV/m) vs Frequency (MHz) for Fundamental Avg. Peak at 5955.00 MHz.</p> <table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Aux</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line Margin</th> <th>Level Factor</th> <th>Loss Factor</th> <th>Loss Factor</th> <th>Factor</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>5955.00</td> <td>95.40</td> <td>-----</td> <td>-----</td> <td>85.46</td> <td>35.15</td> <td>11.43</td> <td>36.64</td> <td>0.00</td> <td>303</td> <td>127</td> <td>AVERAGE</td> </tr> </tbody> </table> | Limit | Read | Ant | Cable | Preamp | Aux | APos | TPos | Remark | Freq | Level | Line Margin | Level Factor | Loss Factor | Loss Factor | Factor | cm | deg | 1 | 5955.00 | 95.40 | ----- | ----- | 85.46 | 35.15 | 11.43 | 36.64 | 0.00 | 303 | 127 | AVERAGE |
| | Limit | Read | Ant | Cable | Preamp | Aux | APos | TPos | Remark | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| Freq | Level | Line Margin | Level Factor | Loss Factor | Loss Factor | Factor | cm | deg | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| 1 | 5924.45 | 39.46 | 68.20 | -28.74 | 29.54 | 35.12 | 11.40 | 36.60 | 0.00 | 303 | 127 | AVERAGE | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| Limit | Read | Ant | Cable | Preamp | Aux | APos | TPos | Remark | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| Freq | Level | Line Margin | Level Factor | Loss Factor | Loss Factor | Factor | cm | deg | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| 1 | 5955.00 | 95.40 | ----- | ----- | 85.46 | 35.15 | 11.43 | 36.64 | 0.00 | 303 | 127 | AVERAGE | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |



| Mode | 14 | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
|------------|--|-------------|--------------|-------------|--------|--------|-------|--------|------|--------|------|-------|-------------|--------------|-------------|--------|--|--|--|-----|--------|--------|----|------|------|----|----|----|-----|------------|-------|-------|--------|-------|-------|-------|-------|------|----|------|--|-------|------|-----|-------|--------|-----|------|------|--------|------|-------|-------------|--------------|-------------|--------|--|--|--|-----|--------|--------|----|------|------|----|----|----|-----|------------|-------|-------|--------|-------|-------|-------|-------|------|----|------|
| | Harmonic | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| | U-NII-5_5.925-6.425_802.11ax HE20_CH1_RU26/0_5955MHz | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| ANT | CDD 1+2 | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| Pol. | Horizontal | Vertical | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| Peak Avg | <table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Aux</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line Margin</th> <th>Level Factor</th> <th>Loss Factor</th> <th>Factor</th> <th></th> <th></th> <th></th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1 11910.00</td> <td>46.88</td> <td>74.00</td> <td>-27.12</td> <td>57.75</td> <td>38.63</td> <td>16.62</td> <td>66.12</td> <td>0.00</td> <td>--</td> <td>PEAK</td> </tr> </tbody> </table> | Limit | Read | Ant | Cable | Preamp | Aux | APos | TPos | Remark | Freq | Level | Line Margin | Level Factor | Loss Factor | Factor | | | | MHz | dBuV/m | dBuV/m | dB | dBuV | dB/m | dB | dB | cm | deg | 1 11910.00 | 46.88 | 74.00 | -27.12 | 57.75 | 38.63 | 16.62 | 66.12 | 0.00 | -- | PEAK | <table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Aux</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line Margin</th> <th>Level Factor</th> <th>Loss Factor</th> <th>Factor</th> <th></th> <th></th> <th></th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1 11910.00</td> <td>45.63</td> <td>74.00</td> <td>-28.37</td> <td>56.50</td> <td>38.63</td> <td>16.62</td> <td>66.12</td> <td>0.00</td> <td>--</td> <td>PEAK</td> </tr> </tbody> </table> | Limit | Read | Ant | Cable | Preamp | Aux | APos | TPos | Remark | Freq | Level | Line Margin | Level Factor | Loss Factor | Factor | | | | MHz | dBuV/m | dBuV/m | dB | dBuV | dB/m | dB | dB | cm | deg | 1 11910.00 | 45.63 | 74.00 | -28.37 | 56.50 | 38.63 | 16.62 | 66.12 | 0.00 | -- | PEAK |
| Limit | Read | Ant | Cable | Preamp | Aux | APos | TPos | Remark | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| Freq | Level | Line Margin | Level Factor | Loss Factor | Factor | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| MHz | dBuV/m | dBuV/m | dB | dBuV | dB/m | dB | dB | cm | deg | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| 1 11910.00 | 46.88 | 74.00 | -27.12 | 57.75 | 38.63 | 16.62 | 66.12 | 0.00 | -- | PEAK | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| Limit | Read | Ant | Cable | Preamp | Aux | APos | TPos | Remark | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| Freq | Level | Line Margin | Level Factor | Loss Factor | Factor | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| MHz | dBuV/m | dBuV/m | dB | dBuV | dB/m | dB | dB | cm | deg | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| 1 11910.00 | 45.63 | 74.00 | -28.37 | 56.50 | 38.63 | 16.62 | 66.12 | 0.00 | -- | PEAK | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |



| Mode | 15 | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
|-------|---|-------------|--------------|-------------|--------|--------|-------|--------|--------|--------|------|---------|-------------|--------------|-------------|--------|--|--|--|-----|--------|--------|----|------|------|----|----|----|-----|---|---------|-------|-------|--------|-------|-------|-------|-------|------|-----|-----|---------|--|-------|------|-----|-------|--------|-----|------|------|--------|------|-------|-------------|--------------|-------------|--------|--|--|--|-----|--------|--------|----|------|------|----|----|----|-----|---|---------|-------|-------|-------|-------|-------|-------|-------|------|-----|-----|---------|
| | Band Edge | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| | U-NII-5_5.925-6.425_802.11ax HE20_CH1_RU52/37_5955MHz | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| ANT | CDD 1+2 | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| Pol. | Horizontal | Fundamental | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| Peak | <table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Aux</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line Margin</th> <th>Level Factor</th> <th>Loss Factor</th> <th>Factor</th> <th></th> <th></th> <th></th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>5913.01</td> <td>50.52</td> <td>88.20</td> <td>-37.68</td> <td>40.60</td> <td>35.11</td> <td>11.39</td> <td>36.58</td> <td>0.00</td> <td>301</td> <td>149</td> <td>PEAK</td> </tr> </tbody> </table> | Limit | Read | Ant | Cable | Preamp | Aux | APos | TPos | Remark | Freq | Level | Line Margin | Level Factor | Loss Factor | Factor | | | | MHz | dBuV/m | dBuV/m | dB | dBuV | dB/m | dB | dB | cm | deg | 1 | 5913.01 | 50.52 | 88.20 | -37.68 | 40.60 | 35.11 | 11.39 | 36.58 | 0.00 | 301 | 149 | PEAK | <table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Aux</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line Margin</th> <th>Level Factor</th> <th>Loss Factor</th> <th>Factor</th> <th></th> <th></th> <th></th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>5955.00</td> <td>96.70</td> <td>-----</td> <td>-----</td> <td>86.76</td> <td>35.15</td> <td>11.43</td> <td>36.64</td> <td>0.00</td> <td>301</td> <td>149</td> <td>PEAK</td> </tr> </tbody> </table> | Limit | Read | Ant | Cable | Preamp | Aux | APos | TPos | Remark | Freq | Level | Line Margin | Level Factor | Loss Factor | Factor | | | | MHz | dBuV/m | dBuV/m | dB | dBuV | dB/m | dB | dB | cm | deg | 1 | 5955.00 | 96.70 | ----- | ----- | 86.76 | 35.15 | 11.43 | 36.64 | 0.00 | 301 | 149 | PEAK |
| | Limit | Read | Ant | Cable | Preamp | Aux | APos | TPos | Remark | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| Freq | Level | Line Margin | Level Factor | Loss Factor | Factor | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| MHz | dBuV/m | dBuV/m | dB | dBuV | dB/m | dB | dB | cm | deg | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| 1 | 5913.01 | 50.52 | 88.20 | -37.68 | 40.60 | 35.11 | 11.39 | 36.58 | 0.00 | 301 | 149 | PEAK | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| Limit | Read | Ant | Cable | Preamp | Aux | APos | TPos | Remark | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| Freq | Level | Line Margin | Level Factor | Loss Factor | Factor | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| MHz | dBuV/m | dBuV/m | dB | dBuV | dB/m | dB | dB | cm | deg | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| 1 | 5955.00 | 96.70 | ----- | ----- | 86.76 | 35.15 | 11.43 | 36.64 | 0.00 | 301 | 149 | PEAK | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| Avg | <table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Aux</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line Margin</th> <th>Level Factor</th> <th>Loss Factor</th> <th>Factor</th> <th></th> <th></th> <th></th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>5921.33</td> <td>39.35</td> <td>68.20</td> <td>-28.85</td> <td>29.42</td> <td>35.12</td> <td>11.40</td> <td>36.59</td> <td>0.00</td> <td>301</td> <td>149</td> <td>AVERAGE</td> </tr> </tbody> </table> | Limit | Read | Ant | Cable | Preamp | Aux | APos | TPos | Remark | Freq | Level | Line Margin | Level Factor | Loss Factor | Factor | | | | MHz | dBuV/m | dBuV/m | dB | dBuV | dB/m | dB | dB | cm | deg | 1 | 5921.33 | 39.35 | 68.20 | -28.85 | 29.42 | 35.12 | 11.40 | 36.59 | 0.00 | 301 | 149 | AVERAGE | <table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Aux</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line Margin</th> <th>Level Factor</th> <th>Loss Factor</th> <th>Factor</th> <th></th> <th></th> <th></th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>5955.00</td> <td>89.05</td> <td>-----</td> <td>-----</td> <td>79.11</td> <td>35.15</td> <td>11.43</td> <td>36.64</td> <td>0.00</td> <td>301</td> <td>149</td> <td>AVERAGE</td> </tr> </tbody> </table> | Limit | Read | Ant | Cable | Preamp | Aux | APos | TPos | Remark | Freq | Level | Line Margin | Level Factor | Loss Factor | Factor | | | | MHz | dBuV/m | dBuV/m | dB | dBuV | dB/m | dB | dB | cm | deg | 1 | 5955.00 | 89.05 | ----- | ----- | 79.11 | 35.15 | 11.43 | 36.64 | 0.00 | 301 | 149 | AVERAGE |
| Limit | Read | Ant | Cable | Preamp | Aux | APos | TPos | Remark | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| Freq | Level | Line Margin | Level Factor | Loss Factor | Factor | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| MHz | dBuV/m | dBuV/m | dB | dBuV | dB/m | dB | dB | cm | deg | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| 1 | 5921.33 | 39.35 | 68.20 | -28.85 | 29.42 | 35.12 | 11.40 | 36.59 | 0.00 | 301 | 149 | AVERAGE | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| Limit | Read | Ant | Cable | Preamp | Aux | APos | TPos | Remark | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| Freq | Level | Line Margin | Level Factor | Loss Factor | Factor | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| MHz | dBuV/m | dBuV/m | dB | dBuV | dB/m | dB | dB | cm | deg | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| 1 | 5955.00 | 89.05 | ----- | ----- | 79.11 | 35.15 | 11.43 | 36.64 | 0.00 | 301 | 149 | AVERAGE | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |



| Mode | 15 | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
|-------|---|-------------|--------------|-------------|--------|--------|--------|--------|--------|--------|------|---------|-------------|--------------|-------------|--------|--------|--------|--------|-----|--------|--------|----|------|------|----|----|----|-----|---|---------|-------|-------|--------|-------|-------|-------|-------|------|-----|-----|---------|--|-------|------|-----|-------|--------|-----|------|------|--------|------|-------|-------------|--------------|-------------|--------|--------|--------|--------|-----|--------|--------|----|------|------|----|----|----|-----|---|---------|--------|-------|-------|-------|-------|-------|-------|------|-----|-----|---------|
| | Band Edge | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| | U-NII-5_5.925-6.425_802.11ax HE20_CH1_RU52/37_5955MHz | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| ANT | CDD 1+2 | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| Pol. | Vertical | Fundamental | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| Peak | <table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Aux</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line Margin</th> <th>Level Factor</th> <th>Loss Factor</th> <th>Factor</th> <th>Factor</th> <th>Factor</th> <th>Factor</th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>5831.24</td> <td>52.68</td> <td>88.20</td> <td>-35.52</td> <td>42.56</td> <td>34.96</td> <td>11.31</td> <td>36.15</td> <td>0.00</td> <td>202</td> <td>360</td> <td>PEAK</td> </tr> </tbody> </table> | Limit | Read | Ant | Cable | Preamp | Aux | APos | TPos | Remark | Freq | Level | Line Margin | Level Factor | Loss Factor | Factor | Factor | Factor | Factor | MHz | dBuV/m | dBuV/m | dB | dBuV | dB/m | dB | dB | cm | deg | 1 | 5831.24 | 52.68 | 88.20 | -35.52 | 42.56 | 34.96 | 11.31 | 36.15 | 0.00 | 202 | 360 | PEAK | <table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Aux</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line Margin</th> <th>Level Factor</th> <th>Loss Factor</th> <th>Factor</th> <th>Factor</th> <th>Factor</th> <th>Factor</th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>5955.00</td> <td>104.48</td> <td>-----</td> <td>-----</td> <td>94.54</td> <td>35.15</td> <td>11.43</td> <td>36.64</td> <td>0.00</td> <td>202</td> <td>360</td> <td>PEAK</td> </tr> </tbody> </table> | Limit | Read | Ant | Cable | Preamp | Aux | APos | TPos | Remark | Freq | Level | Line Margin | Level Factor | Loss Factor | Factor | Factor | Factor | Factor | MHz | dBuV/m | dBuV/m | dB | dBuV | dB/m | dB | dB | cm | deg | 1 | 5955.00 | 104.48 | ----- | ----- | 94.54 | 35.15 | 11.43 | 36.64 | 0.00 | 202 | 360 | PEAK |
| | Limit | Read | Ant | Cable | Preamp | Aux | APos | TPos | Remark | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| Freq | Level | Line Margin | Level Factor | Loss Factor | Factor | Factor | Factor | Factor | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| MHz | dBuV/m | dBuV/m | dB | dBuV | dB/m | dB | dB | cm | deg | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| 1 | 5831.24 | 52.68 | 88.20 | -35.52 | 42.56 | 34.96 | 11.31 | 36.15 | 0.00 | 202 | 360 | PEAK | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| Limit | Read | Ant | Cable | Preamp | Aux | APos | TPos | Remark | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| Freq | Level | Line Margin | Level Factor | Loss Factor | Factor | Factor | Factor | Factor | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| MHz | dBuV/m | dBuV/m | dB | dBuV | dB/m | dB | dB | cm | deg | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| 1 | 5955.00 | 104.48 | ----- | ----- | 94.54 | 35.15 | 11.43 | 36.64 | 0.00 | 202 | 360 | PEAK | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| Avg | <table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Aux</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line Margin</th> <th>Level Factor</th> <th>Loss Factor</th> <th>Factor</th> <th>Factor</th> <th>Factor</th> <th>Factor</th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>5913.01</td> <td>39.83</td> <td>68.20</td> <td>-28.37</td> <td>29.91</td> <td>35.11</td> <td>11.39</td> <td>36.58</td> <td>0.00</td> <td>202</td> <td>360</td> <td>AVERAGE</td> </tr> </tbody> </table> | Limit | Read | Ant | Cable | Preamp | Aux | APos | TPos | Remark | Freq | Level | Line Margin | Level Factor | Loss Factor | Factor | Factor | Factor | Factor | MHz | dBuV/m | dBuV/m | dB | dBuV | dB/m | dB | dB | cm | deg | 1 | 5913.01 | 39.83 | 68.20 | -28.37 | 29.91 | 35.11 | 11.39 | 36.58 | 0.00 | 202 | 360 | AVERAGE | <table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Aux</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line Margin</th> <th>Level Factor</th> <th>Loss Factor</th> <th>Factor</th> <th>Factor</th> <th>Factor</th> <th>Factor</th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>5955.00</td> <td>96.64</td> <td>-----</td> <td>-----</td> <td>86.70</td> <td>35.15</td> <td>11.43</td> <td>36.64</td> <td>0.00</td> <td>202</td> <td>360</td> <td>AVERAGE</td> </tr> </tbody> </table> | Limit | Read | Ant | Cable | Preamp | Aux | APos | TPos | Remark | Freq | Level | Line Margin | Level Factor | Loss Factor | Factor | Factor | Factor | Factor | MHz | dBuV/m | dBuV/m | dB | dBuV | dB/m | dB | dB | cm | deg | 1 | 5955.00 | 96.64 | ----- | ----- | 86.70 | 35.15 | 11.43 | 36.64 | 0.00 | 202 | 360 | AVERAGE |
| Limit | Read | Ant | Cable | Preamp | Aux | APos | TPos | Remark | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| Freq | Level | Line Margin | Level Factor | Loss Factor | Factor | Factor | Factor | Factor | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| MHz | dBuV/m | dBuV/m | dB | dBuV | dB/m | dB | dB | cm | deg | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| 1 | 5913.01 | 39.83 | 68.20 | -28.37 | 29.91 | 35.11 | 11.39 | 36.58 | 0.00 | 202 | 360 | AVERAGE | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| Limit | Read | Ant | Cable | Preamp | Aux | APos | TPos | Remark | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| Freq | Level | Line Margin | Level Factor | Loss Factor | Factor | Factor | Factor | Factor | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| MHz | dBuV/m | dBuV/m | dB | dBuV | dB/m | dB | dB | cm | deg | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| 1 | 5955.00 | 96.64 | ----- | ----- | 86.70 | 35.15 | 11.43 | 36.64 | 0.00 | 202 | 360 | AVERAGE | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |



| Mode | 15 | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
|------------|--|-------------|--------------|-------------|--------|--------|-------|--------|------|--------|------|-------|-------------|--------------|-------------|--------|--|--|--|-----|--------|--------|----|------|------|----|----|----|-----|------------|-------|-------|--------|-------|-------|-------|-------|------|----|------|--|-------|------|-----|-------|--------|-----|------|------|--------|------|-------|-------------|--------------|-------------|--------|--|--|--|-----|--------|--------|----|------|------|----|----|----|-----|------------|-------|-------|--------|-------|-------|-------|-------|------|----|------|
| | Harmonic | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| | U-NII-5_5.925-6.425_802.11ax HE20_CH1_RU52/37_5955MHz | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| ANT | CDD 1+2 | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| Pol. | Horizontal | Vertical | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| Peak Avg | <table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Aux</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line Margin</th> <th>Level Factor</th> <th>Loss Factor</th> <th>Factor</th> <th></th> <th></th> <th></th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1 11910.00</td> <td>46.09</td> <td>74.00</td> <td>-27.91</td> <td>56.96</td> <td>38.63</td> <td>16.62</td> <td>66.12</td> <td>0.00</td> <td>--</td> <td>PEAK</td> </tr> </tbody> </table> | Limit | Read | Ant | Cable | Preamp | Aux | APos | TPos | Remark | Freq | Level | Line Margin | Level Factor | Loss Factor | Factor | | | | MHz | dBuV/m | dBuV/m | dB | dBuV | dB/m | dB | dB | cm | deg | 1 11910.00 | 46.09 | 74.00 | -27.91 | 56.96 | 38.63 | 16.62 | 66.12 | 0.00 | -- | PEAK | <table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Aux</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line Margin</th> <th>Level Factor</th> <th>Loss Factor</th> <th>Factor</th> <th></th> <th></th> <th></th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1 11910.00</td> <td>45.93</td> <td>74.00</td> <td>-28.07</td> <td>56.80</td> <td>38.63</td> <td>16.62</td> <td>66.12</td> <td>0.00</td> <td>--</td> <td>PEAK</td> </tr> </tbody> </table> | Limit | Read | Ant | Cable | Preamp | Aux | APos | TPos | Remark | Freq | Level | Line Margin | Level Factor | Loss Factor | Factor | | | | MHz | dBuV/m | dBuV/m | dB | dBuV | dB/m | dB | dB | cm | deg | 1 11910.00 | 45.93 | 74.00 | -28.07 | 56.80 | 38.63 | 16.62 | 66.12 | 0.00 | -- | PEAK |
| Limit | Read | Ant | Cable | Preamp | Aux | APos | TPos | Remark | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| Freq | Level | Line Margin | Level Factor | Loss Factor | Factor | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| MHz | dBuV/m | dBuV/m | dB | dBuV | dB/m | dB | dB | cm | deg | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| 1 11910.00 | 46.09 | 74.00 | -27.91 | 56.96 | 38.63 | 16.62 | 66.12 | 0.00 | -- | PEAK | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| Limit | Read | Ant | Cable | Preamp | Aux | APos | TPos | Remark | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| Freq | Level | Line Margin | Level Factor | Loss Factor | Factor | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| MHz | dBuV/m | dBuV/m | dB | dBuV | dB/m | dB | dB | cm | deg | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| 1 11910.00 | 45.93 | 74.00 | -28.07 | 56.80 | 38.63 | 16.62 | 66.12 | 0.00 | -- | PEAK | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |



| Mode | 16 | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
|-----------|---|-------------|--------------|-------------|--------|--------|-------|--------|----------------|--------|------|-------|-------------|--------------|-------------|--------|--|--|--|-----|--------|--------|----|------|------|----|----|----|-----|-----------|-------|-------|--------|-------|-------|-------|-------|------|----------------|--|-------|------|-----|-------|--------|-----|------|------|--------|------|-------|-------------|--------------|-------------|--------|--|--|--|-----|--------|--------|----|------|------|----|----|----|-----|-----------|-------|-------|-------|-------|-------|-------|-------|------|----------------|
| | Band Edge | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| | U-NII-5_5.925-6.425_802.11ax HE20_CH1_RU106/53_5955MHz | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| ANT | CDD 1+2 | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| Pol. | Horizontal | Fundamental | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| Peak | <table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Aux</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line Margin</th> <th>Level Factor</th> <th>Loss Factor</th> <th>Factor</th> <th></th> <th></th> <th></th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1 5830.33</td> <td>50.36</td> <td>88.20</td> <td>-37.84</td> <td>40.24</td> <td>34.96</td> <td>11.31</td> <td>36.15</td> <td>0.00</td> <td>311 71 PEAK</td> </tr> </tbody> </table> | Limit | Read | Ant | Cable | Preamp | Aux | APos | TPos | Remark | Freq | Level | Line Margin | Level Factor | Loss Factor | Factor | | | | MHz | dBuV/m | dBuV/m | dB | dBuV | dB/m | dB | dB | cm | deg | 1 5830.33 | 50.36 | 88.20 | -37.84 | 40.24 | 34.96 | 11.31 | 36.15 | 0.00 | 311 71 PEAK | <table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Aux</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line Margin</th> <th>Level Factor</th> <th>Loss Factor</th> <th>Factor</th> <th></th> <th></th> <th></th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1 5955.00</td> <td>98.00</td> <td>-----</td> <td>-----</td> <td>88.06</td> <td>35.15</td> <td>11.43</td> <td>36.64</td> <td>0.00</td> <td>311 71 PEAK</td> </tr> </tbody> </table> | Limit | Read | Ant | Cable | Preamp | Aux | APos | TPos | Remark | Freq | Level | Line Margin | Level Factor | Loss Factor | Factor | | | | MHz | dBuV/m | dBuV/m | dB | dBuV | dB/m | dB | dB | cm | deg | 1 5955.00 | 98.00 | ----- | ----- | 88.06 | 35.15 | 11.43 | 36.64 | 0.00 | 311 71 PEAK |
| | Limit | Read | Ant | Cable | Preamp | Aux | APos | TPos | Remark | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| Freq | Level | Line Margin | Level Factor | Loss Factor | Factor | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| MHz | dBuV/m | dBuV/m | dB | dBuV | dB/m | dB | dB | cm | deg | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| 1 5830.33 | 50.36 | 88.20 | -37.84 | 40.24 | 34.96 | 11.31 | 36.15 | 0.00 | 311 71 PEAK | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| Limit | Read | Ant | Cable | Preamp | Aux | APos | TPos | Remark | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| Freq | Level | Line Margin | Level Factor | Loss Factor | Factor | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| MHz | dBuV/m | dBuV/m | dB | dBuV | dB/m | dB | dB | cm | deg | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| 1 5955.00 | 98.00 | ----- | ----- | 88.06 | 35.15 | 11.43 | 36.64 | 0.00 | 311 71 PEAK | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| Avg | <table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Aux</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line Margin</th> <th>Level Factor</th> <th>Loss Factor</th> <th>Factor</th> <th></th> <th></th> <th></th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1 5917.82</td> <td>39.36</td> <td>68.20</td> <td>-28.84</td> <td>29.44</td> <td>35.12</td> <td>11.39</td> <td>36.59</td> <td>0.00</td> <td>311 71 AVERAGE</td> </tr> </tbody> </table> | Limit | Read | Ant | Cable | Preamp | Aux | APos | TPos | Remark | Freq | Level | Line Margin | Level Factor | Loss Factor | Factor | | | | MHz | dBuV/m | dBuV/m | dB | dBuV | dB/m | dB | dB | cm | deg | 1 5917.82 | 39.36 | 68.20 | -28.84 | 29.44 | 35.12 | 11.39 | 36.59 | 0.00 | 311 71 AVERAGE | <table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Aux</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line Margin</th> <th>Level Factor</th> <th>Loss Factor</th> <th>Factor</th> <th></th> <th></th> <th></th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1 5955.00</td> <td>89.25</td> <td>-----</td> <td>-----</td> <td>79.31</td> <td>35.15</td> <td>11.43</td> <td>36.64</td> <td>0.00</td> <td>311 71 AVERAGE</td> </tr> </tbody> </table> | Limit | Read | Ant | Cable | Preamp | Aux | APos | TPos | Remark | Freq | Level | Line Margin | Level Factor | Loss Factor | Factor | | | | MHz | dBuV/m | dBuV/m | dB | dBuV | dB/m | dB | dB | cm | deg | 1 5955.00 | 89.25 | ----- | ----- | 79.31 | 35.15 | 11.43 | 36.64 | 0.00 | 311 71 AVERAGE |
| Limit | Read | Ant | Cable | Preamp | Aux | APos | TPos | Remark | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| Freq | Level | Line Margin | Level Factor | Loss Factor | Factor | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| MHz | dBuV/m | dBuV/m | dB | dBuV | dB/m | dB | dB | cm | deg | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| 1 5917.82 | 39.36 | 68.20 | -28.84 | 29.44 | 35.12 | 11.39 | 36.59 | 0.00 | 311 71 AVERAGE | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| Limit | Read | Ant | Cable | Preamp | Aux | APos | TPos | Remark | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| Freq | Level | Line Margin | Level Factor | Loss Factor | Factor | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| MHz | dBuV/m | dBuV/m | dB | dBuV | dB/m | dB | dB | cm | deg | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| 1 5955.00 | 89.25 | ----- | ----- | 79.31 | 35.15 | 11.43 | 36.64 | 0.00 | 311 71 AVERAGE | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |



| | | 16 | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
|-------------|---|--|--------------|-------------|--------|-------|-------------|-------|------|--------|--------|---------|------|-------|--------|--------|------|------|------|--|------|-------|-------------|--------------|--------------|-------------|--------|--|----|-----|--------|--------|--------|--------|--------|------|------|------|----|----|----|-----|--------|--------|---------|---------|-------|-------|--------|-------|-------|-------|-------|------|-----|---------|---------|
| Mode | | Band Edge | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| | | U-NII-5_5.925-6.425_802.11ax HE20_CH1_RU106/53_5955MHz | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| ANT | | CDD 1+2 | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| Pol. | | Vertical | | | | | Fundamental | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| Peak | Vertical | <table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Aux</th> <th>APos</th> <th>TPos</th> <th colspan="2"></th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line Margin</th> <th>Level Factor</th> <th>Loss Factor</th> <th>Factor</th> <th></th> <th></th> <th>cm</th> <th>deg</th> <th>Remark</th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> <th>Remark</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>5871.02</td> <td>51.35</td> <td>88.20</td> <td>-36.85</td> <td>41.28</td> <td>35.04</td> <td>11.35</td> <td>36.32</td> <td>0.00</td> <td>202</td> <td>360</td> <td>PEAK</td> </tr> </tbody> </table> | | | | | | | | | | Limit | Read | Ant | Cable | Preamp | Aux | APos | TPos | | | Freq | Level | Line Margin | Level Factor | Loss Factor | Factor | | | cm | deg | Remark | MHz | dBuV/m | dBuV/m | dB | dBuV | dB/m | dB | dB | dB | cm | deg | Remark | 1 | 5871.02 | 51.35 | 88.20 | -36.85 | 41.28 | 35.04 | 11.35 | 36.32 | 0.00 | 202 | 360 | PEAK |
| | Limit | Read | Ant | Cable | Preamp | Aux | APos | TPos | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| Freq | Level | Line Margin | Level Factor | Loss Factor | Factor | | | cm | deg | Remark | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| MHz | dBuV/m | dBuV/m | dB | dBuV | dB/m | dB | dB | dB | cm | deg | Remark | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| 1 | 5871.02 | 51.35 | 88.20 | -36.85 | 41.28 | 35.04 | 11.35 | 36.32 | 0.00 | 202 | 360 | PEAK | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| Fundamental | <table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Aux</th> <th>APos</th> <th>TPos</th> <th colspan="2"></th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line Margin</th> <th>Level Factor</th> <th>Loss Factor</th> <th>Factor</th> <th></th> <th></th> <th>cm</th> <th>deg</th> <th>Remark</th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> <th>Remark</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>5955.00</td> <td>105.67</td> <td>-----</td> <td>-----</td> <td>95.73</td> <td>35.15</td> <td>11.43</td> <td>36.64</td> <td>0.00</td> <td>202</td> <td>360</td> <td>PEAK</td> </tr> </tbody> </table> | | | | | | | | | | Limit | Read | Ant | Cable | Preamp | Aux | APos | TPos | | | Freq | Level | Line Margin | Level Factor | Loss Factor | Factor | | | cm | deg | Remark | MHz | dBuV/m | dBuV/m | dB | dBuV | dB/m | dB | dB | dB | cm | deg | Remark | 1 | 5955.00 | 105.67 | ----- | ----- | 95.73 | 35.15 | 11.43 | 36.64 | 0.00 | 202 | 360 | PEAK | |
| Limit | Read | Ant | Cable | Preamp | Aux | APos | TPos | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| Freq | Level | Line Margin | Level Factor | Loss Factor | Factor | | | cm | deg | Remark | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| MHz | dBuV/m | dBuV/m | dB | dBuV | dB/m | dB | dB | dB | cm | deg | Remark | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| 1 | 5955.00 | 105.67 | ----- | ----- | 95.73 | 35.15 | 11.43 | 36.64 | 0.00 | 202 | 360 | PEAK | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| Avg | Vertical | <table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Aux</th> <th>APos</th> <th>TPos</th> <th colspan="2"></th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line Margin</th> <th>Level Factor</th> <th>Loss Factor</th> <th>Factor</th> <th></th> <th></th> <th>cm</th> <th>deg</th> <th>Remark</th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> <th>Remark</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>5919.77</td> <td>39.84</td> <td>68.20</td> <td>-28.36</td> <td>29.91</td> <td>35.12</td> <td>11.40</td> <td>36.59</td> <td>0.00</td> <td>202</td> <td>360</td> <td>AVERAGE</td> </tr> </tbody> </table> | | | | | | | | | | Limit | Read | Ant | Cable | Preamp | Aux | APos | TPos | | | Freq | Level | Line Margin | Level Factor | Loss Factor | Factor | | | cm | deg | Remark | MHz | dBuV/m | dBuV/m | dB | dBuV | dB/m | dB | dB | dB | cm | deg | Remark | 1 | 5919.77 | 39.84 | 68.20 | -28.36 | 29.91 | 35.12 | 11.40 | 36.59 | 0.00 | 202 | 360 | AVERAGE |
| | Limit | Read | Ant | Cable | Preamp | Aux | APos | TPos | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| Freq | Level | Line Margin | Level Factor | Loss Factor | Factor | | | cm | deg | Remark | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| MHz | dBuV/m | dBuV/m | dB | dBuV | dB/m | dB | dB | dB | cm | deg | Remark | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| 1 | 5919.77 | 39.84 | 68.20 | -28.36 | 29.91 | 35.12 | 11.40 | 36.59 | 0.00 | 202 | 360 | AVERAGE | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| Fundamental | <table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Aux</th> <th>APos</th> <th>TPos</th> <th colspan="2"></th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line Margin</th> <th>Level Factor</th> <th>Loss Factor</th> <th>Factor</th> <th></th> <th></th> <th>cm</th> <th>deg</th> <th>Remark</th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> <th>Remark</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>5955.00</td> <td>96.40</td> <td>-----</td> <td>-----</td> <td>86.46</td> <td>35.15</td> <td>11.43</td> <td>36.64</td> <td>0.00</td> <td>202</td> <td>360</td> <td>AVERAGE</td> </tr> </tbody> </table> | | | | | | | | | | Limit | Read | Ant | Cable | Preamp | Aux | APos | TPos | | | Freq | Level | Line Margin | Level Factor | Loss Factor | Factor | | | cm | deg | Remark | MHz | dBuV/m | dBuV/m | dB | dBuV | dB/m | dB | dB | dB | cm | deg | Remark | 1 | 5955.00 | 96.40 | ----- | ----- | 86.46 | 35.15 | 11.43 | 36.64 | 0.00 | 202 | 360 | AVERAGE | |
| Limit | Read | Ant | Cable | Preamp | Aux | APos | TPos | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| Freq | Level | Line Margin | Level Factor | Loss Factor | Factor | | | cm | deg | Remark | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| MHz | dBuV/m | dBuV/m | dB | dBuV | dB/m | dB | dB | dB | cm | deg | Remark | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| 1 | 5955.00 | 96.40 | ----- | ----- | 86.46 | 35.15 | 11.43 | 36.64 | 0.00 | 202 | 360 | AVERAGE | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |