





LTE Band 41

Middle Channel / 10MHz / QPSK



Date: 1.MAR.2024 01:05:46


Middle Channel / 10MHz / 16QAM



Date: 1.MAR.2024 01:06:04


LTE Band 41

Middle Channel / 15MHz / QPSK



Date: 1.MAR.2024 02:17:10


Middle Channel / 15MHz / 16QAM



Date: 1.MAR.2024 02:38:48


LTE Band 41

Middle Channel / 20MHz / QPSK



Date: 1.MAR.2024 03:30:16

Middle Channel / 20MHz / 16QAM




Date: 1.MAR.2024 03:31:03



# Occupied Bandwidth


Mode	LTE Band 41 : 99%OBW(MHz)	
<b>BW</b>	<b>5MHz</b>	
<b>Mod.</b>	<b>QPSK</b>	<b>16QAM</b>
<b>Middle CH</b>	4.49	4.49
<b>BW</b>	<b>10MHz</b>	
<b>Mod.</b>	<b>QPSK</b>	<b>16QAM</b>
<b>Middle CH</b>	9.05	8.97
<b>BW</b>	<b>15MHz</b>	
<b>Mod.</b>	<b>QPSK</b>	<b>16QAM</b>
<b>Middle CH</b>	13.37	13.43
<b>BW</b>	<b>20MHz</b>	
<b>Mod.</b>	<b>QPSK</b>	<b>16QAM</b>
<b>Middle CH</b>	17.86	17.90






LTE Band 41

Middle Channel / 10MHz / QPSK



Date: 1.MAR.2024 01:05:54


Middle Channel / 10MHz / 16QAM



Date: 1.MAR.2024 01:06:11


LTE Band 41

Middle Channel / 15MHz / QPSK



Date: 1.MAR.2024 02:17:38


Middle Channel / 15MHz / 16QAM



Date: 1.MAR.2024 02:38:56


LTE Band 41

Middle Channel / 20MHz / QPSK



Date: 1.MAR.2024 03:30:43


Middle Channel / 20MHz / 16QAM



Date: 1.MAR.2024 03:31:11




# Conducted Band Edge






LTE Band 41 / 5MHz / 16QAM


Lowest Band Edge / 1RB




Highest Band Edge / 1 RB



Lowest Band Edge / Full RB




Highest Band Edge / Full RB






LTE Band 41 / 5MHz / 64QAM


Lowest Band Edge / 1RB




Highest Band Edge / 1 RB



Lowest Band Edge / Full RB




Highest Band Edge / Full RB






LTE Band 41 / 5MHz / 256QAM

Lowest Band Edge / 1RB




Date: 1.MAR.2024 00:30:42

Highest Band Edge / 1 RB




Date: 1.MAR.2024 00:57:37

Lowest Band Edge / Full RB



Date: 1.MAR.2024 00:46:41

Highest Band Edge / Full RB




Date: 1.MAR.2024 01:04:08




LTE Band 41 / 10MHz / QPSK

Lowest Band Edge / 1 RB

Highest Band Edge / 1 RB




Date: 1.MAR.2024 01:12:34




Date: 1.MAR.2024 01:30:12

Lowest Band Edge / Full RB

Highest Band Edge / Full RB



Date: 1.MAR.2024 01:16:43




Date: 1.MAR.2024 01:22:49






LTE Band 41 / 10MHz / 16QAM

Lowest Band Edge / 1 RB




Date: 1.MAR.2024 01:14:53

Highest Band Edge / 1 RB




Date: 1.MAR.2024 01:33:01

Lowest Band Edge / Full RB



Date: 1.MAR.2024 01:18:48

Highest Band Edge / Full RB




Date: 1.MAR.2024 01:25:17




LTE Band 41 / 10MHz / 64QAM

Lowest Band Edge / 1 RB




Date: 1.MAR.2024 01:15:11

Highest Band Edge / 1 RB




Date: 1.MAR.2024 01:33:17

Lowest Band Edge / Full RB



Date: 1.MAR.2024 01:19:07

Highest Band Edge / Full RB




Date: 1.MAR.2024 01:25:55




LTE Band 41 / 10MHz / 256QAM

Lowest Band Edge / 1RB




Date: 1.MAR.2024 01:15:41

Highest Band Edge / 1 RB




Date: 1.MAR.2024 01:33:32

Lowest Band Edge / Full RB



Date: 1.MAR.2024 01:21:05

Highest Band Edge / Full RB




Date: 1.MAR.2024 01:27:49




LTE Band 41 / 15MHz / QPSK

Lowest Band Edge / 1 RB

Highest Band Edge / 1 RB




Date: 1.MAR.2024 01:43:22




Date: 1.MAR.2024 02:45:32

Lowest Band Edge / Full RB

Highest Band Edge / Full RB



Date: 1.MAR.2024 02:19:42




Date: 1.MAR.2024 02:59:46




LTE Band 41 / 15MHz / 16QAM

Lowest Band Edge / 1 RB

Highest Band Edge / 1 RB




Date: 1.MAR.2024 01:44:46




Date: 1.MAR.2024 02:46:42

Lowest Band Edge / Full RB

Highest Band Edge / Full RB



Date: 1.MAR.2024 02:21:56




Date: 1.MAR.2024 03:02:42




LTE Band 41 / 15MHz / 64QAM

Lowest Band Edge / 1 RB




Date: 1.MAR.2024 02:13:25

Highest Band Edge / 1 RB




Date: 1.MAR.2024 02:52:35

Lowest Band Edge / Full RB



Date: 1.MAR.2024 02:27:12

Highest Band Edge / Full RB




Date: 1.MAR.2024 03:03:18




LTE Band 41 / 15MHz / 256QAM

Lowest Band Edge / 1RB




Date: 1.MAR.2024 02:16:02

Highest Band Edge / 1 RB




Date: 1.MAR.2024 02:55:27

Lowest Band Edge / Full RB



Date: 1.MAR.2024 02:29:31

Highest Band Edge / Full RB




Date: 1.MAR.2024 03:04:09




LTE Band 41 / 20MHz / QPSK

Lowest Band Edge / 1 RB




Date: 1.MAR.2024 03:08:16

Highest Band Edge / 1 RB




Date: 1.MAR.2024 03:44:46

Lowest Band Edge / Full RB



Date: 1.MAR.2024 03:14:10

Highest Band Edge / Full RB




Date: 1.MAR.2024 03:43:28






LTE Band 41 / 20MHz / 16QAM

Lowest Band Edge / 1 RB




Date: 1.MAR.2024 03:09:34

Highest Band Edge / 1 RB




Date: 1.MAR.2024 03:45:15

Lowest Band Edge / Full RB



Date: 1.MAR.2024 03:16:57

Highest Band Edge / Full RB




Date: 1.MAR.2024 03:43:40




LTE Band 41 / 20MHz / 64QAM

Lowest Band Edge / 1 RB




Date: 1.MAR.2024 03:11:45

Highest Band Edge / 1 RB




Date: 1.MAR.2024 03:45:32

Lowest Band Edge / Full RB



Date: 1.MAR.2024 03:17:30

Highest Band Edge / Full RB




Date: 1.MAR.2024 03:43:56




LTE Band 41 / 20MHz / 256QAM

Lowest Band Edge / 1RB




Date: 1.MAR.2024 03:13:18

Highest Band Edge / 1 RB




Date: 1.MAR.2024 03:46:02

Lowest Band Edge / Full RB



Date: 1.MAR.2024 03:19:19


Highest Band Edge / Full RB



Date: 1.MAR.2024 03:44:14



# Conducted Spurious Emission







LTE Band 41 / 10MHz

Lowest Channel / QPSK


Middle Channel / QPSK



Date: 1.MAR.2024 01:11:22

Date: 1.MAR.2024 01:08:17

Highest Channel / QPSK





Date: 1.MAR.2024 01:36:51



LTE Band 41 / 15MHz

Lowest Channel / QPSK


Middle Channel / QPSK



Date: 1.MAR.2024 01:43:09

Date: 1.MAR.2024 02:37:06

Highest Channel / QPSK





Date: 1.MAR.2024 02:43:34



LTE Band 41 / 20MHz

Lowest Channel / QPSK


Middle Channel / QPSK



Date: 1.MAR.2024 03:07:12

Date: 1.MAR.2024 03:24:42

Highest Channel / QPSK



Date: 1.MAR.2024 03:48:13



Frequency Stability

Test Conditions		LTE Band 41 (QPSK) / Middle Channel	Limit
Temperature (°C)	Voltage (Volt)	BW 10MHz	Note 2.
		Deviation (ppm)	Result
50	Normal Voltage	0.0027	PASS
40	Normal Voltage	0.0016	
30	Normal Voltage	0.0006	
20(Ref.)	Normal Voltage	0.0000	
10	Normal Voltage	0.0001	
0	Normal Voltage	0.0034	
-10	Normal Voltage	0.0041	
-20	Normal Voltage	0.0008	
-30	Normal Voltage	0.0027	
20	Maximum Voltage	0.0017	
20	Normal Voltage	0.0029	
20	Minimum Voltage	0.0018	

Note:

1. Normal Voltage =3.8 V. ; Minimum Voltage =3.3 V. ; Maximum Voltage =4.3V.
2. Note: The frequency fundamental emissions stay within the authorized frequency block.





## Appendix B. Test Results of Radiated Test

### Radiated Spurious Emission

Test Engineer :	Carry Xu	Temperature :	23~25°C
		Relative Humidity :	41~42%

LTE Band 7 / 20MHz / QPSK / ANT0 / Main PA								
Channel	Frequency ( MHz )	EIRP ( dBm )	Limit ( dBm )	Over Limit ( dB )	S.G. Power ( dBm )	TX Cable loss ( dB )	TX Antenna Gain (dBi)	Polarization (H/V)
Lowest	5008	-63.85	-25	-38.85	-74.06	3.03	13.24	H
	7500	-62.48	-25	-37.48	-71.93	3.56	13.01	H
	10006	-61.15	-25	-36.15	-70.67	3.92	13.44	H
	5008	-60.77	-25	-35.77	-70.98	3.03	13.24	V
	7500	-62.59	-25	-37.59	-72.04	3.56	13.01	V
	10006	-60.87	-25	-35.87	-70.39	3.92	13.44	V
Middle	5050	-64.80	-25	-39.80	-75.01	3.03	13.24	H
	7584	-62.80	-25	-37.80	-72.25	3.56	13.01	H
	10104	-61.08	-25	-36.08	-70.60	3.92	13.44	H
	5050	-64.06	-25	-39.06	-74.27	3.03	13.24	V
	7584	-62.82	-25	-37.82	-72.27	3.56	13.01	V
	10104	-61.46	-25	-36.46	-70.98	3.92	13.44	V
Highest	5106	-64.73	-25	-39.73	-74.94	3.03	13.24	H
	7654	-62.58	-25	-37.58	-72.03	3.56	13.01	H
	10202	-61.78	-25	-36.78	-71.30	3.92	13.44	H
	5106	-64.06	-25	-39.06	-74.27	3.03	13.24	V
	7654	-62.51	-25	-37.51	-71.96	3.56	13.01	V
	10202	-62.23	-25	-37.23	-71.75	3.92	13.44	V

Remark: Spurious emissions within 30-1000MHz were found more than 20dB below limit line.



ENDC 7A_n71A / 20MHz / QPSK / ANT0 / other PA								
Channel	Frequency ( MHz )	EIRP ( dBm )	Limit ( dBm )	Over Limit ( dB )	S.G. Power ( dBm )	TX Cable loss ( dB )	TX Antenna Gain (dBi)	Polarization (H/V)
Lowest	5008	-64.45	-25	-39.45	-74.66	3.03	13.24	H
	7503	-63.08	-25	-38.08	-72.53	3.56	13.01	H
	10004	-61.40	-25	-36.40	-70.92	3.92	13.44	H
	5008	-61.89	-25	-36.89	-72.10	3.03	13.24	V
	7503	-63.03	-25	-38.03	-72.48	3.56	13.01	V
	10006	-61.39	-25	-36.39	-70.91	3.92	13.44	V
Middle	5050	-64.81	-25	-39.81	-75.02	3.03	13.24	H
	7578	-62.98	-25	-37.98	-72.43	3.56	13.01	H
	10104	-61.18	-25	-36.18	-70.70	3.92	13.44	H
	5050	-63.23	-25	-38.23	-73.44	3.03	13.24	V
	7578	-62.99	-25	-37.99	-72.44	3.56	13.01	V
	10104	-61.58	-25	-36.58	-71.10	3.92	13.44	V
Highest	5102	-64.78	-25	-39.78	-74.99	3.03	13.24	H
	7653	-62.53	-25	-37.53	-71.98	3.56	13.01	H
	10204	-61.66	-25	-36.66	-71.18	3.92	13.44	H
	5106	-63.27	-25	-38.27	-73.48	3.03	13.24	V
	7653	-62.54	-25	-37.54	-71.99	3.56	13.01	V
	10204	-61.69	-25	-36.69	-71.21	3.92	13.44	V

Remark: Spurious emissions within 30-1000MHz were found more than 20dB below limit line.



LTE Band 41 / 20MHz / QPSK / ANT0 / Main PA								
Channel	Frequency ( MHz )	EIRP ( dBm )	Limit ( dBm )	Over Limit ( dB )	S.G. Power ( dBm )	TX Cable loss ( dB )	TX Antenna Gain (dBi)	Polarization (H/V)
Lowest	4994	-64.33	-25	-39.33	-74.54	3.03	13.24	H
	7486	-63.10	-25	-38.10	-72.55	3.56	13.01	H
	9992	-61.26	-25	-36.26	-70.78	3.92	13.44	H
	4994	-64.57	-25	-39.57	-74.78	3.03	13.24	V
	7486	-62.59	-25	-37.59	-72.04	3.56	13.01	V
	9992	-61.53	-25	-36.53	-71.05	3.92	13.44	V
Middle	5162	-64.60	-25	-39.60	-74.81	3.03	13.24	H
	7752	-62.15	-25	-37.15	-71.60	3.56	13.01	H
	10342	-60.89	-25	-35.89	-70.41	3.92	13.44	H
	5162	-63.80	-25	-38.80	-74.01	3.03	13.24	V
	7752	-62.48	-25	-37.48	-71.93	3.56	13.01	V
	10342	-61.53	-25	-36.53	-71.05	3.92	13.44	V
Highest	5344	-65.23	-25	-40.23	-75.44	3.03	13.24	H
	8018	-62.58	-25	-37.58	-72.03	3.56	13.01	H
	10678	-61.26	-25	-36.26	-70.78	3.92	13.44	H
	5344	-65.34	-25	-40.34	-75.55	3.03	13.24	V
	8018	-62.58	-25	-37.58	-72.03	3.56	13.01	V
	10678	-61.20	-25	-36.20	-70.72	3.92	13.44	V

Remark: Spurious emissions within 30-1000MHz were found more than 20dB below limit line.

ENDC 41A_n78A / 20MHz / QPSK / ANT0 / other PA								
Channel	Frequency ( MHz )	EIRP ( dBm )	Limit ( dBm )	Over Limit ( dB )	S.G. Power ( dBm )	TX Cable loss ( dB )	TX Antenna Gain (dBi)	Polarization (H/V)
Lowest	4994	-52.74	-25	-27.74	-62.95	3.03	13.24	H
	7486	-52.97	-25	-27.97	-62.42	3.56	13.01	H
	9992	-50.97	-25	-25.97	-60.49	3.92	13.44	H
	4994	-53.15	-25	-28.15	-63.36	3.03	13.24	V
	7486	-53.34	-25	-28.34	-62.79	3.56	13.01	V
	9992	-51.99	-25	-26.99	-61.51	3.92	13.44	V
Middle	5162	-53.22	-25	-28.22	-63.43	3.03	13.24	H
	7752	-53.29	-25	-28.29	-62.74	3.56	13.01	H
	10342	-52.11	-25	-27.11	-61.63	3.92	13.44	H
	5162	-53.80	-25	-28.80	-64.01	3.03	13.24	V
	7752	-52.73	-25	-27.73	-62.18	3.56	13.01	V
	10342	-51.99	-25	-26.99	-61.51	3.92	13.44	V
Highest	5344	-54.12	-25	-29.12	-64.33	3.03	13.24	H
	8018	-52.06	-25	-27.06	-61.51	3.56	13.01	H
	10678	-51.27	-25	-26.27	-60.79	3.92	13.44	H
	5344	-54.32	-25	-29.32	-64.53	3.03	13.24	V
	8018	-52.23	-25	-27.23	-61.68	3.56	13.01	V
	10678	-51.21	-25	-26.21	-60.73	3.92	13.44	V

Remark: Spurious emissions within 30-1000MHz were found more than 20dB below limit line.



LTE Band 7C / 20+20MHz / QPSK / ANT0								
Channel	Frequency ( MHz )	EIRP ( dBm )	Limit ( dBm )	Over Limit ( dB )	S.G. Power ( dBm )	TX Cable loss ( dB )	TX Antenna Gain (dBi)	Polarization (H/V)
Lowest	5008	-64.66	-25	-39.66	-74.87	3.03	13.24	H
	7500	-63.20	-25	-38.20	-72.65	3.56	13.01	H
	10006	-61.21	-25	-36.21	-70.73	3.92	13.44	H
	5008	-64.64	-25	-39.64	-74.85	3.03	13.24	V
	7500	-63.32	-25	-38.32	-72.77	3.56	13.01	V
	10006	-61.65	-25	-36.65	-71.17	3.92	13.44	V
	5036	-64.58	-25	-39.58	-74.79	3.03	13.24	H
	7556	-62.82	-25	-37.82	-72.27	3.56	13.01	H
	10090	-61.28	-25	-36.28	-70.80	3.92	13.44	H
	5036	-64.98	-25	-39.98	-75.19	3.03	13.24	V
	7556	-63.01	-25	-38.01	-72.46	3.56	13.01	V
	10090	-61.58	-25	-36.58	-71.10	3.92	13.44	V
Middle	5036	-64.41	-25	-39.41	-74.62	3.03	13.24	H
	7542	-63.20	-25	-38.20	-72.65	3.56	13.01	H
	10062	-61.74	-25	-36.74	-71.26	3.92	13.44	H
	5036	-64.64	-25	-39.64	-74.85	3.03	13.24	V
	7542	-63.31	-25	-38.31	-72.76	3.56	13.01	V
	10062	-61.74	-25	-36.74	-71.26	3.92	13.44	V
	5078	-65.06	-25	-40.06	-75.27	3.03	13.24	H
	7612	-63.01	-25	-38.01	-72.46	3.56	13.01	H
	10146	-61.07	-25	-36.07	-70.59	3.92	13.44	H
	5078	-65.06	-25	-40.06	-75.27	3.03	13.24	V
	7612	-63.23	-25	-38.23	-72.68	3.56	13.01	V
	10146	-61.58	-25	-36.58	-71.10	3.92	13.44	V
Highest	5064	-65.32	-25	-40.32	-75.53	3.03	13.24	H
	7598	-62.89	-25	-37.89	-72.34	3.56	13.01	H
	10132	-61.35	-25	-36.35	-70.87	3.92	13.44	H
	5064	-65.26	-25	-40.26	-75.47	3.03	13.24	V
	7598	-62.71	-25	-37.71	-72.16	3.56	13.01	V
	10132	-61.49	-25	-36.49	-71.01	3.92	13.44	V
	5106	-64.92	-25	-39.92	-75.13	3.03	13.24	H
	7654	-62.60	-25	-37.60	-72.05	3.56	13.01	H
	10202	-61.85	-25	-36.85	-71.37	3.92	13.44	H
	5106	-65.06	-25	-40.06	-75.27	3.03	13.24	V
	7654	-62.27	-25	-37.27	-71.72	3.56	13.01	V
	10202	-61.92	-25	-36.92	-71.44	3.92	13.44	V

Remark: Spurious emissions within 30-1000MHz were found more than 20dB below limit line.



LTE Band 41C / 20+20MHz / QPSK / ANT0								
Channel	Frequency ( MHz )	EIRP ( dBm )	Limit ( dBm )	Over Limit ( dB )	S.G. Power ( dBm )	TX Cable loss ( dB )	TX Antenna Gain (dBi)	Polarization (H/V)
Lowest	4994	-64.51	-25	-39.51	-74.72	3.03	13.24	H
	7486	-63.03	-25	-38.03	-72.48	3.56	13.01	H
	9992	-61.81	-25	-36.81	-71.33	3.92	13.44	H
	4994	-63.69	-25	-38.69	-73.90	3.03	13.24	V
	7486	-62.71	-25	-37.71	-72.16	3.56	13.01	V
	9992	-60.98	-25	-35.98	-70.50	3.92	13.44	V
	5036	-65.13	-25	-40.13	-75.34	3.03	13.24	H
	7556	-62.99	-25	-37.99	-72.44	3.56	13.01	H
	10062	-61.91	-25	-36.91	-71.43	3.92	13.44	H
	5036	-64.42	-25	-39.42	-74.63	3.03	13.24	V
	7556	-62.41	-25	-37.41	-71.86	3.56	13.01	V
	10062	-61.32	-25	-36.32	-70.84	3.92	13.44	V
Middle	5148	-65.14	-25	-40.14	-75.35	3.03	13.24	H
	7724	-62.59	-25	-37.59	-72.04	3.56	13.01	H
	10300	-61.59	-25	-36.59	-71.11	3.92	13.44	H
	5148	-65.14	-25	-40.14	-75.35	3.03	13.24	V
	7724	-62.13	-25	-37.13	-71.58	3.56	13.01	V
	10300	-62.10	-25	-37.10	-71.62	3.92	13.44	V
	5190	-65.32	-25	-40.32	-75.53	3.03	13.24	H
	7780	-62.47	-25	-37.47	-71.92	3.56	13.01	H
	10370	-61.27	-25	-36.27	-70.79	3.92	13.44	H
	5190	-65.37	-25	-40.37	-75.58	3.03	13.24	V
	7780	-62.48	-25	-37.48	-71.93	3.56	13.01	V
	10370	-62.14	-25	-37.14	-71.66	3.92	13.44	V
Highest	5302	-64.93	-25	-39.93	-75.14	3.03	13.24	H
	7948	-61.67	-25	-36.67	-71.12	3.56	13.01	H
	10608	-61.28	-25	-36.28	-70.80	3.92	13.44	H
	5302	-64.42	-25	-39.42	-74.63	3.03	13.24	V
	7948	-61.58	-25	-36.58	-71.03	3.56	13.01	V
	10608	-60.70	-25	-35.70	-70.22	3.92	13.44	V
	5344	-65.47	-25	-40.47	-75.68	3.03	13.24	H
	8018	-62.03	-25	-37.03	-71.48	3.56	13.01	H
	10678	-61.02	-25	-36.02	-70.54	3.92	13.44	H
	5344	-65.26	-25	-40.26	-75.47	3.03	13.24	V
	8018	-61.64	-25	-36.64	-71.09	3.56	13.01	V
	10678	-60.49	-25	-35.49	-70.01	3.92	13.44	V

Remark: Spurious emissions within 30-1000MHz were found more than 20dB below limit line.