

**Test Result**

Test Mode & Test Freq.[MHz]	Frequency [MHz]	PK+Level [dBm]	PK+Limit [dBm]	PK+Margin [dB]	Polarization	Azimuth [deg]
DC_2A_n5_20M_CH167300_Low	939.454	-39.69	-13.00	26.69	H	298.2
DC_2A_n5_20M_CH167300_High	1,674.000	-44.99	-13.00	31.99	H	49.8
	2,508.000	-39.12	-13.00	26.12	H	222.7
	3,345.500	-34.88	-13.00	21.88	V	224.7
	4,182.500	-33.07	-13.00	20.07	H	118.6
	5,018.000	-30.44	-13.00	17.44	V	360
	5,855.500	-27.84	-13.00	14.84	H	0
	6,691.500	-25.10	-13.00	12.10	V	236.6
	7,527.000	-26.70	-13.00	13.70	V	175.2
8,365.500	-38.95	-13.00	25.95	H	188.7	
DC_2A_n77_100M_CH633333_Low	871.529	-41.96	-13.00	28.96	V	0.7
DC_2A_n77_100M_CH633333_High	6,902.500	-22.52	-13.00	9.52	V	57
	10,357.000	-36.80	-13.00	23.80	V	0
	17,261.500	-29.19	-13.00	16.19	V	360
DC_2A_n77_100M_CH656000_Low	928.363	-40.71	-13.00	27.71	H	112.1
DC_2A_n77_100M_CH656000_High	7,583.000	-24.50	-13.00	11.50	V	264.3
	11,372.000	-36.23	-13.00	23.23	V	113.3
	15,163.500	-34.15	-13.00	21.15	H	185.9
DC_5A_n2_20M_CH376000_Low	965.350	-39.88	-13.00	26.88	H	103.4
DC_5A_n2_20M_CH376000_High	3,742.000	-33.71	-13.00	20.71	H	0
	5,613.000	-28.37	-13.00	15.37	V	25.4
	7,483.500	-21.48	-13.00	8.48	V	10.6
	9,356.500	-38.73	-13.00	25.73	H	357
	11,226.000	-38.27	-13.00	25.27	H	0
	13,099.000	-36.35	-13.00	23.35	V	360
	14,968.000	-34.48	-13.00	21.48	V	0
	16,838.500	-28.81	-13.00	15.81	H	0
DC_5A_n66_40M_CH349000_Low	961.454	-39.98	-13.00	26.98	H	299.4
DC_5A_n66_40M_CH349000_High	3,452.000	-35.64	-13.00	22.64	H	122.5
	5,178.000	-31.31	-13.00	18.31	V	321
	6,903.500	-23.80	-13.00	10.80	H	0
	8,631.000	-37.28	-13.00	24.28	V	360
	10,357.500	-36.51	-13.00	23.51	V	355.6
	12,083.000	-36.67	-13.00	23.67	V	109.7
	13,807.500	-35.58	-13.00	22.58	V	0
	15,533.500	-31.65	-13.00	18.65	V	0
17,259.500	-29.31	-13.00	16.31	H	0	
DC_5A_n77_100M_CH633333_Low	966.679	-39.08	-13.00	26.08	H	296.9
DC_5A_n77_100M_CH633333_High	6,905.000	-24.14	-13.00	11.14	H	355.4

	10,355.000	-37.34	-13.00	24.34	V	360
	13,804.000	-36.02	-13.00	23.02	H	247.4
	17,252.500	-29.52	-13.00	16.52	H	0
DC_5A_n77_100M_CH656000_Low	946.604	-39.45	-13.00	26.45	H	62.6
	7,582.500	-23.53	-13.00	10.53	V	263.8
DC_5A_n77_100M_CH656000_High	11,373.500	-36.85	-13.00	23.85	H	360
	15,162.000	-33.48	-13.00	20.48	V	232.6
	39.050	-52.95	-13.00	39.95	H	0
	72.000	-52.96	-13.00	39.96	V	356.2
DC_12A_n2_20M_CH376000_Low	178.800	-56.37	-13.00	43.37	V	81.8
	333.350	-50.36	-13.00	37.36	H	131.1
	593.229	-46.15	-13.00	33.15	V	360
	941.013	-39.75	-13.00	26.75	H	360
	3,742.000	-32.62	-13.00	19.62	V	360
	5,613.500	-28.29	-13.00	15.29	H	118.6
DC_12A_n2_20M_CH376000_High	7,483.500	-21.35	-13.00	8.35	V	256.8
	9,353.500	-38.45	-13.00	25.45	V	275.6
	11,225.500	-37.43	-13.00	24.43	V	360
	13,097.000	-36.34	-13.00	23.34	V	0
	14,968.500	-33.75	-13.00	20.75	V	79.9
	16,837.500	-29.09	-13.00	16.09	H	2.1
	39.900	-53.35	-13.00	40.35	H	182.6
	71.950	-53.78	-13.00	40.78	V	276.6
DC_12A_n66_40M_CH349000_Low	108.700	-54.33	-13.00	41.33	V	128.5
	235.600	-52.68	-13.00	39.68	H	230.3
	475.025	-48.64	-13.00	35.64	H	345.5
	941.563	-39.54	-13.00	26.54	H	298.2
	3,451.500	-34.76	-13.00	21.76	V	317.4
	5,177.000	-30.83	-13.00	17.83	H	235.1
DC_12A_n66_40M_CH349000_High	6,903.500	-24.15	-13.00	11.15	H	0
	8,630.000	-37.75	-13.00	24.75	H	360
	10,355.500	-36.92	-13.00	23.92	V	354.5
	12,081.500	-36.19	-13.00	23.19	V	0
	13,807.500	-35.89	-13.00	22.89	H	108.4
	15,535.000	-32.77	-13.00	19.77	H	108.4
	17,259.500	-28.63	-13.00	15.63	H	0
DC_12A_n77_100M_CH633333_Low	944.542	-39.41	-13.00	26.41	H	15.1
	6,901.500	-24.17	-13.00	11.17	H	0
DC_12A_n77_100M_CH633333_High	10,352.000	-37.37	-13.00	24.37	V	186
	13,803.500	-35.90	-13.00	22.90	H	310.2
	17,253.000	-29.28	-13.00	16.28	V	112
DC_12A_n77_100M_CH656000_Low	953.892	-39.61	-13.00	26.61	H	207.6

DC_12A_n77_100M_CH656000_High	7,583.000	-24.10	-13.00	11.10	V	360
	11,376.500	-36.34	-13.00	23.34	V	126.8
	15,167.000	-33.81	-13.00	20.81	V	359.1
DC_66A_n5_20M_CH167300_Low	963.150	-40.19	-13.00	27.19	H	201.4
DC_66A_n5_20M_CH167300_High	1,671.500	-44.77	-13.00	31.77	V	360
	2,507.000	-38.96	-13.00	25.96	V	0
	3,342.500	-35.32	-13.00	22.32	H	316.1
	4,180.500	-33.13	-13.00	20.13	V	235.1
	5,016.000	-30.76	-13.00	17.76	H	43.9
	5,851.500	-28.14	-13.00	15.14	H	360
	6,688.000	-25.46	-13.00	12.46	V	173
	7,523.500	-24.88	-13.00	11.88	H	0
8,360.000	-39.86	-13.00	26.86	H	353.6	
DC_66A_n77_100M_CH633333_Low	947.338	-39.02	-13.00	26.02	H	360
DC_66A_n77_100M_CH633333_High	6,902.000	-21.51	-13.00	8.51	V	122.8
	10,354.500	-37.38	-13.00	24.38	V	0.4
	13,802.500	-35.66	-13.00	22.66	V	359.4
	17,255.500	-28.58	-13.00	15.58	V	360
DC_66A_n77_100M_CH656000_Low	946.375	-39.63	-13.00	26.63	H	60.4
DC_66A_n77_100M_CH656000_High	7,585.000	-25.34	-13.00	12.34	H	297.5
	11,373.500	-36.21	-13.00	23.21	V	360
	15,166.500	-33.47	-13.00	20.47	V	184.8

**Remark:** 'Low' indicates a frequency range below 1GHz, and 'High' indicates a frequency range above 1GHz.