

**Test Result**

Test Mode & Test Freq.[MHz]	Frequency [MHz]	PK+Level [dBm]	PK+Limit [dBm]	PK+Margin [dB]	Polarization	Azimuth [deg]
LTE_B2_20M_CH18900_Low	953.204	-40.12	-13.00	27.12	H	312.1
LTE_B2_20M_CH18900_High	3,742.000	-34.24	-13.00	21.24	V	93.6
	5,613.000	-28.91	-13.00	15.91	H	0
	7,484.000	-21.12	-13.00	8.12	V	0
	9,355.000	-39.13	-13.00	26.13	H	0
	11,226.000	-37.87	-13.00	24.87	V	174.2
	13,097.000	-36.15	-13.00	23.15	H	0
	14,968.000	-33.47	-13.00	20.47	V	174.2
	16,839.000	-28.89	-13.00	15.89	V	184.2
LTE_B4_20M_CH20175_Low	944.633	-38.95	-13.00	25.95	H	117.8
LTE_B4_20M_CH20175_High	3,446.000	-34.78	-13.00	21.78	H	0
	5,169.000	-30.37	-13.00	17.37	H	0
	6,892.000	-24.52	-13.00	11.52	H	0
	8,615.000	-36.97	-13.00	23.97	V	175
	10,338.000	-37.19	-13.00	24.19	V	272.8
	12,061.000	-35.50	-13.00	22.50	V	272.8
	13,784.000	-35.95	-13.00	22.95	H	360
	15,507.000	-32.59	-13.00	19.59	V	0
	17,230.000	-28.57	-13.00	15.57	V	186.8
LTE_B5_10M_CH20525_Low	960.583	-39.83	-13.00	26.83	H	230.6
LTE_B5_10M_CH20525_High	1,666.000	-44.76	-13.00	31.76	H	0
	2,496.500	-38.61	-13.00	25.61	V	360
	3,326.500	-35.76	-13.00	22.76	V	143.7
	4,160.000	-31.84	-13.00	18.84	V	298
	4,992.000	-31.08	-13.00	18.08	H	263.8
	5,822.500	-28.48	-13.00	15.48	V	328.8
	6,656.500	-24.79	-13.00	11.79	V	179.7
	7,487.500	-21.05	-13.00	8.05	V	211.8
	8,321.000	-40.92	-13.00	27.92	V	142.3
LTE_B7_20M_CH21100_Low	947.383	-39.74	-25.00	14.74	H	253
LTE_B7_20M_CH21100_High	5,051.500	-43.93	-25.00	18.93	V	245
	7,577.500	-40.53	-25.00	15.53	V	6.4
	10,103.500	-52.84	-25.00	27.84	V	281.8
	12,629.500	-51.85	-25.00	26.85	V	77.3
	15,155.000	-49.75	-25.00	24.75	V	192.2
	17,682.000	-46.41	-25.00	21.41	H	359
LTE_B25_20M_CH26365_Low	943.671	-39.65	-13.00	26.65	H	57.6
LTE_B25_20M_CH26365_High	3,748.000	-34.07	-13.00	21.07	H	95.4
	5,622.500	-29.17	-13.00	16.17	H	360

	7,496.000	-21.22	-13.00	8.22	V	0
	9,370.500	-38.77	-13.00	25.77	H	191.4
	11,244.000	-37.22	-13.00	24.22	V	360
	13,118.000	-35.82	-13.00	22.82	V	168.6
	14,992.000	-33.97	-13.00	20.97	V	360
	16,867.000	-28.74	-13.00	15.74	V	279.1
LTE_B66_20M_CH132322_Low	954.258	-39.77	-13.00	26.77	H	299.5
	3,471.500	-35.55	-13.00	22.55	V	360
	5,208.000	-30.68	-13.00	17.68	H	96.3
	6,944.500	-23.59	-13.00	10.59	H	261.2
	8,679.500	-37.05	-13.00	24.05	V	358.4
LTE_B66_20M_CH132322_High	10,415.500	-36.99	-13.00	23.99	V	189.5
	12,151.500	-36.93	-13.00	23.93	V	0
	13,887.500	-35.94	-13.00	22.94	H	360
	15,624.500	-33.33	-13.00	20.33	H	190.4
	17,361.000	-28.76	-13.00	15.76	H	360
	42.150	-53.35	-13.00	40.35	H	315.9
	93.700	-54.87	-13.00	41.87	V	261.1
LTE_B42_20M_CH42590_Low (3450 to 3550MHz)	227.750	-54.24	-13.00	41.24	V	244.2
	415.750	-50.14	-13.00	37.14	H	315.9
	707.125	-44.66	-13.00	31.66	H	360
	946.100	-39.52	-13.00	26.52	H	360
	6,982.000	-34.67	-13.00	21.67	V	253.1
LTE_B42_20M_CH42590_High (3450 to 3550MHz)	10,473.000	-36.00	-13.00	23.00	V	272
	13,964.000	-36.01	-13.00	23.01	H	0
	17,455.000	-27.97	-13.00	14.97	H	360
	41.800	-69.59	-40.00	29.59	H	321.3
	93.300	-65.75	-40.00	25.75	V	63.2
LTE_B42_20M_CH43340_Low (3550 to 3600MHz)	158.050	-71.59	-40.00	31.59	V	63.2
	272.050	-67.94	-40.00	27.94	H	360
	550.238	-64.26	-40.00	24.26	H	0
	913.558	-59.50	-40.00	19.50	H	360
	7,132.000	-46.00	-40.00	6.00	V	0
LTE_B42_20M_CH43340_High (3550 to 3600MHz)	10,698.000	-50.49	-40.00	10.49	V	244.5
	14,264.000	-50.32	-40.00	10.32	H	353.3
	17,830.000	-45.78	-40.00	5.78	H	360
	42.750	-68.72	-40.00	28.72	V	136.6
	60.650	-57.55	-40.00	17.55	V	99.9
LTE_B43_20M_CH44090_Low (3600 to 3700MHz)	94.350	-64.65	-40.00	24.65	V	136.6
	330.600	-68.72	-40.00	28.72	H	134.9
	601.983	-63.07	-40.00	23.07	V	191.4
	935.833	-58.08	-40.00	18.08	H	311.1

LTE_B43_20M_CH44090_High (3600 to 3700MHz)	7,282.000	-45.50	-40.00	5.50	V	183.4
	10,923.000	-50.55	-40.00	10.55	V	360
	14,564.000	-49.40	-40.00	9.40	H	1.8

**Remark:** 'Low' indicates a frequency range below 1GHz, and 'High' indicates a frequency range above 1GHz.