





11AX20MIMO_Ant2_5580_52Tone_RU37



Date: 20.APR.2024 04:32:22


11AX20MIMO_Ant2_5580_106Tone_RU53



Date: 20.APR.2024 04:33:06




11AX20MIMO_Ant1_5700_26Tone_RU8



Date: 20.APR.2024 04:35:45


11AX20MIMO_Ant1_5700_52Tone_RU40




Date: 20.APR.2024 04:36:33



11AX20MIMO_Ant2_5700_52Tone_RU40




11AX20MIMO_Ant2_5700_106Tone_RU54






11AX20MIMO_Ant1_5720_26Tone_RU8



Date: 20.APR.2024 04:37:45


11AX20MIMO_Ant1_5720_52Tone_RU40



Date: 20.APR.2024 04:38:19




11AX20MIMO_Ant1_5720_106Tone_RU54



Date: 20.APR.2024 04:38:51


11AX20MIMO_Ant2_5720_26Tone_RU8



Date: 20.APR.2024 04:38:04




11AX20MIMO_Ant2_5720_52Tone_RU40



Date: 20.APR.2024 04:38:35


11AX20MIMO_Ant2_5720_106Tone_RU54




Date: 20.APR.2024 04:39:06





11AX20MIMO_Ant1_5745_26Tone_RU0




11AX20MIMO_Ant1_5745_52Tone_RU37








11AX20MIMO_Ant2_5745_52Tone_RU37




11AX20MIMO_Ant2_5745_106Tone_RU53






11AX20MIMO_Ant1_5785_26Tone_RU0






Date: 20.APR.2024 04:41:56

11AX20MIMO_Ant1_5785_52Tone_RU37




Date: 20.APR.2024 04:42:30








11AX20MIMO_Ant1_5825_26Tone_RU8




11AX20MIMO_Ant1_5825_52Tone_RU40






11AX20MIMO_Ant1_5825_106Tone_RU54





Date: 20.APR.2024 04:44:54

11AX20MIMO_Ant2_5825_26Tone_RU8




Date: 20.APR.2024 04:44:05





Appendix B. AC Conducted Emission Test Results

Test Engineer :	Amos	Temperature :	25.3~26.2°C
		Relative Humidity :	38~40%
Test Voltage :	120Vac / 60Hz	Phase :	Line
Remark :	All emissions not reported here are more than 10 dB below the prescribed limit.		




Site : CO01-KS
 Condition : 15E RSS247-QP LISN-060105-L 2023 LINE

	Freq	Level	Over	Limit	Read	LISN	Cable	
	MHz	dBuV	Limit	Line	Level	Factor	Loss	Remark
			dB	dBuV	dBuV	dB	dB	
1	0.181	46.75	-17.71	64.46	36.30	0.04	10.41	QP
2	0.181	37.15	-17.31	54.46	26.70	0.04	10.41	Average
3	0.248	43.50	-18.32	61.82	33.09	0.04	10.37	QP
4	0.248	34.00	-17.82	51.82	23.59	0.04	10.37	Average
5	0.332	40.44	-18.96	59.40	30.10	0.03	10.31	QP
6	0.332	32.24	-17.16	49.40	21.90	0.03	10.31	Average
7	0.402	40.58	-17.23	57.81	30.30	0.00	10.28	QP
8 *	0.402	32.18	-15.63	47.81	21.90	0.00	10.28	Average
9	0.471	38.51	-17.98	56.49	28.29	-0.02	10.24	QP
10	0.471	29.51	-16.98	46.49	19.29	-0.02	10.24	Average
11	0.544	36.06	-19.94	56.00	25.90	-0.04	10.20	QP
12	0.544	26.66	-19.34	46.00	16.50	-0.04	10.20	Average



Test Engineer :	Amos	Temperature :	25.3~26.2°C
		Relative Humidity :	38~40%
Test Voltage :	120Vac / 60Hz	Phase :	Neutral
Remark :	All emissions not reported here are more than 10 dB below the prescribed limit.		



Site : CO01-KS
 Condition : 15E RSS247-QP LISN-060105-N 2023 NEUTRAL

	Freq	Level	Over	Limit	Read	LISN	Cable	Remark
	MHz	dBuV	Limit	Line	Level	Factor	Loss	
			dB	dBuV	dBuV	dB	dB	
1	0.188	44.86	-19.25	64.11	34.40	0.05	10.41	QP
2	0.188	35.56	-18.55	54.11	25.10	0.05	10.41	Average
3	0.255	44.06	-17.54	61.60	33.70	0.00	10.36	QP
4	0.255	34.96	-16.64	51.60	24.60	0.00	10.36	Average
5	0.334	40.57	-18.78	59.35	30.31	-0.05	10.31	QP
6	0.334	32.17	-17.18	49.35	21.91	-0.05	10.31	Average
7	0.406	41.62	-16.11	57.73	31.40	-0.06	10.28	QP
8 *	0.406	31.82	-15.91	47.73	21.60	-0.06	10.28	Average
9	0.471	38.47	-18.02	56.49	28.30	-0.07	10.24	QP
10	0.471	29.77	-16.72	46.49	19.60	-0.07	10.24	Average
11	0.544	35.63	-20.37	56.00	25.50	-0.07	10.20	QP
12	0.544	26.83	-19.17	46.00	16.70	-0.07	10.20	Average

Note:

- Level(dBμV) = Read Level(dBμV) + LISN Factor(dB) + Cable Loss(dB)
- Over Limit(dB) = Level(dBμV) – Limit Line(dBμV)



Appendix C Radiated Spurious Emission Test Data

Test Engineer :	Carry	Relative Humidity :	41~42%
		Temperature :	22~23°C

Radiated Spurious Emission Test Modes

Mode	Band	Band (GHz)	Antenna	Modulation	Channel	Frequency	Data Rate	RU	Remark
Mode 1	U-NII-1	5.15-5.25	CDD 1+2	802.11a	36	5180	6Mbps	-	-
Mode 2	U-NII-1	5.15-5.25	CDD 1+2	802.11a	44	5220	6Mbps	-	-
Mode 3	U-NII-1	5.15-5.25	CDD 1+2	802.11a	48	5240	6Mbps	-	-
Mode 4	U-NII-2A	5.25-5.35	CDD 1+2	802.11a	52	5260	6Mbps	-	-
Mode 5	U-NII-2A	5.25-5.35	CDD 1+2	802.11a	60	5300	6Mbps	-	-
Mode 6	U-NII-2A	5.25-5.35	CDD 1+2	802.11a	64	5320	6Mbps	-	-
Mode 7	U-NII-2C	5.47-5.725	CDD 1+2	802.11a	100	5500	6Mbps	-	-
Mode 8	U-NII-2C	5.47-5.725	CDD 1+2	802.11a	116	5580	6Mbps	-	-
Mode 9	U-NII-2C	5.47-5.725	CDD 1+2	802.11a	140	5700	6Mbps	-	-
Mode 10	U-NII-1	5.15-5.25	CDD 1+2	802.11ax HE20	36	5180	MCS0	Full	-
Mode 11	U-NII-1	5.15-5.25	CDD 1+2	802.11ax HE20	44	5220	MCS0	Full	-
Mode 12	U-NII-1	5.15-5.25	CDD 1+2	802.11ax HE20	48	5240	MCS0	Full	-
Mode 13	U-NII-2A	5.25-5.35	CDD 1+2	802.11ax HE20	52	5260	MCS0	Full	-
Mode 14	U-NII-2A	5.25-5.35	CDD 1+2	802.11ax HE20	60	5300	MCS0	Full	-
Mode 15	U-NII-2A	5.25-5.35	CDD 1+2	802.11ax HE20	64	5320	MCS0	Full	-
Mode 16	U-NII-2C	5.47-5.725	CDD 1+2	802.11ax HE20	100	5500	MCS0	-	-
Mode 17	U-NII-2C	5.47-5.725	CDD 1+2	802.11ax HE20	116	5580	MCS0	-	-
Mode 18	U-NII-2C	5.47-5.725	CDD 1+2	802.11ax HE20	140	5700	MCS0	-	-
Mode 19	U-NII-1	5.15-5.25	CDD 1+2	802.11ax HE20	36	5180	MCS0	RU26/0	-
Mode 20	U-NII-2A	5.25-5.35	CDD 1+2	802.11ax HE20	64	5320	MCS0	RU26/8	-
Mode 21	U-NII-2C	5.47-5.725	CDD 1+2	802.11ax HE20	100	5500	MCS0	RU26/0	-
Mode 22	U-NII-2C	5.47-5.725	CDD 1+2	802.11ax HE20	140	5700	MCS0	RU26/8	-
Mode 23	U-NII-1	5.15-5.25	CDD 1+2	802.11ax HE20	36	5180	MCS0	RU52/37	-
Mode 24	U-NII-2A	5.25-5.35	CDD 1+2	802.11ax HE20	64	5320	MCS0	RU52/40	-
Mode 25	U-NII-2C	5.47-5.725	CDD 1+2	802.11ax HE20	100	5500	MCS0	RU52/37	-
Mode 26	U-NII-2C	5.47-5.725	CDD 1+2	802.11ax HE20	140	5700	MCS0	RU52/40	-
Mode 27	U-NII-1	5.15-5.25	CDD 1+2	802.11ax HE20	36	5180	MCS0	RU106/53	-
Mode 28	U-NII-2A	5.25-5.35	CDD 1+2	802.11ax HE20	64	5320	MCS0	RU106/54	-
Mode 29	U-NII-2C	5.47-5.725	CDD 1+2	802.11ax HE20	100	5500	MCS0	RU106/53	-
Mode 30	U-NII-2C	5.47-5.725	CDD 1+2	802.11ax HE20	140	5700	MCS0	RU106/54	-
Mode 31	U-NII-1	5.15-5.25	CDD 1+2	802.11ax HE40	38	5190	MCS0	Full	-
Mode 32	U-NII-1	5.15-5.25	CDD 1+2	802.11ax HE40	46	5230	MCS0	Full	-
Mode 33	U-NII-2A	5.25-5.35	CDD 1+2	802.11ax HE40	54	5270	MCS0	Full	-



Mode 34	U-NII-2A	5.25-5.35	CDD 1+2	802.11ax HE40	62	5310	MCS0	Full	-
Mode 35	U-NII-2C	5.47-5.725	CDD 1+2	802.11ax HE40	102	5510	MCS0	Full	-
Mode 36	U-NII-2C	5.47-5.725	CDD 1+2	802.11ax HE40	110	5550	MCS0	Full	-
Mode 37	U-NII-2C	5.47-5.725	CDD 1+2	802.11ax HE40	134	5670	MCS0	Full	-
Mode 38	U-NII-1	5.15-5.25	CDD 1+2	802.11ax HE80	42	5210	MCS0	Full	-
Mode 39	U-NII-2A	5.25-5.35	CDD 1+2	802.11ax HE80	58	5290	MCS0	Full	-
Mode 40	U-NII-2C	5.47-5.725	CDD 1+2	802.11ax HE80	106	5530	MCS0	Full	-
Mode 41	U-NII-2C	5.47-5.725	CDD 1+2	802.11ax HE80	122	5610	MCS0	Full	-
Mode 42	U-NII-3	5.725-5.85	CDD 1+2	802.11a	149	5745	6Mbps	-	-
Mode 43	U-NII-3	5.725-5.85	CDD 1+2	802.11a	157	5785	6Mbps	-	-
Mode 44	U-NII-3	5.725-5.85	CDD 1+2	802.11a	165	5825	6Mbps	-	-
Mode 45	U-NII-3	5.725-5.85	CDD 1+2	802.11ax HE20	149	5745	MCS0	Full	-
Mode 46	U-NII-3	5.725-5.85	CDD 1+2	802.11ax HE20	157	5785	MCS0	Full	-
Mode 47	U-NII-3	5.725-5.85	CDD 1+2	802.11ax HE20	165	5825	MCS0	Full	-
Mode 48	U-NII-3	5.725-5.85	CDD 1+2	802.11ax HE40	151	5755	MCS0	Full	-
Mode 49	U-NII-3	5.725-5.85	CDD 1+2	802.11ax HE40	159	5795	MCS0	Full	-
Mode 50	U-NII-3	5.725-5.85	CDD 1+2	802.11ax HE80	155	5775	MCS0	Full	-
Mode 51	U-NII-3	5.725-5.85	CDD 1+2	802.11ax HE20	149	5745	MCS0	RU26/0	-
Mode 52	U-NII-3	5.725-5.85	CDD 1+2	802.11ax HE20	165	5825	MCS0	RU26/8	-
Mode 53	U-NII-3	5.725-5.85	CDD 1+2	802.11ax HE20	149	5745	MCS0	RU52/37	-
Mode 54	U-NII-3	5.725-5.85	CDD 1+2	802.11ax HE20	165	5825	MCS0	RU52/40	-
Mode 55	U-NII-3	5.725-5.85	CDD 1+2	802.11ax HE20	149	5745	MCS0	RU106/53	-
Mode 56	U-NII-3	5.725-5.85	CDD 1+2	802.11ax HE20	165	5825	MCS0	RU106/54	-
Mode 57	U-NII-2C	5.47-5.85	CDD 1+2	802.11a	144	5720	6Mbps	-	-
Mode 58	U-NII-2C	5.47-5.85	CDD 1+2	802.11ax HE20	144	5720	MCS0	-	-
Mode 59	U-NII-2C	5.47-5.85	CDD 1+2	802.11ax HE40	142	5710	MCS0	-	-
Mode 60	U-NII-2C	5.47-5.85	CDD 1+2	802.11ax HE80	138	5690	MCS0	-	-

Note: For 802.11n/ac/ax mode, the whole testing have assessed only 802.11ax by referring to their maximum conducted power.

CO-location

Mode	Band	Band (MHz)	Antenna	Modulation	Channel	Frequency	Data Rate	RU	Remark
Mode 61	2400-2483.5	2400-2483.5	0	Bluetooth-LE	39	2480	1Mbps	Full	-
	U-NII-2A	5250-5350	CDD 1+2	802.11ax HE20	64	5320	MCS0	Full	-



Summary of each worse mode

Mode	Modulation	Ch.	Freq. (MHz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Pol.	Peak Avg.	Result	Remark
1	802.11a	36	5149.80	48.17	54.00	-5.83	V	AVERAGE	Pass	Band Edge
1	802.11a	36	15540.00	53.29	54.00	-0.71	V	AVERAGE	Pass	Harmonic
2	802.11a	44	-	-	-	-	-	-	-	Band Edge
2	802.11a	44	15660.00	52.49	54.00	-1.51	V	AVERAGE	Pass	Harmonic
3	802.11a	48	-	-	-	-	-	-	-	Band Edge
3	802.11a	48	15720.00	52.25	54.00	-1.75	V	AVERAGE	Pass	Harmonic
4	802.11a	52	-	-	-	-	-	-	-	Band Edge
4	802.11a	52	15780.00	52.34	54.00	-1.66	V	AVERAGE	Pass	Harmonic
5	802.11a	60	-	-	-	-	-	-	-	Band Edge
5	802.11a	60	15900.00	52.33	54.00	-1.67	V	AVERAGE	Pass	Harmonic
6	802.11a	64	5350.10	44.30	54.00	-9.70	V	AVERAGE	Pass	Band Edge
6	802.11a	64	15960.00	52.55	54.00	-1.45	V	AVERAGE	Pass	Harmonic
7	802.11a	100	5468.56	57.88	68.20	-10.32	V	PEAK	Pass	Band Edge
7	802.11a	100	16489.70	67.26	68.20	-0.94	V	Peak	Pass	Harmonic
8	802.11a	116	-	-	-	-	-	-	-	Band Edge
8	802.11a	116	16740.00	67.15	68.20	-1.05	V	PEAK	Pass	Harmonic
9	802.11a	140	5726.36	65.91	68.20	-2.29	V	PEAK	Pass	Band Edge
9	802.11a	140	17100.00	67.25	68.20	-0.95	V	PEAK	Pass	Harmonic
10	802.11ax HE20	36	5149.60	48.19	54.00	-5.81	V	AVERAGE	Pass	Band Edge
10	802.11ax HE20	36	15540.00	53.05	54.00	-0.95	V	AVERAGE	Pass	Harmonic
11	802.11ax HE20	44	-	-	-	-	-	-	-	Band Edge
11	802.11ax HE20	44	15660.00	53.19	54.00	-0.81	V	AVERAGE	Pass	Harmonic
12	802.11ax HE20	48	-	-	-	-	-	-	-	Band Edge
12	802.11ax HE20	48	15720.00	53.04	54.00	-0.96	V	AVERAGE	Pass	Harmonic
13	802.11ax HE20	52	-	-	-	-	-	-	-	Band Edge
13	802.11ax HE20	52	15780.00	51.90	54.00	-2.10	V	AVERAGE	Pass	Harmonic
14	802.11ax HE20	60	-	-	-	-	-	-	-	Band Edge
14	802.11ax HE20	60	15900.00	52.54	54.00	-1.46	V	AVERAGE	Pass	Harmonic
15	802.11ax HE20	64	5350.10	48.24	54.00	-5.76	V	AVERAGE	Pass	Band Edge
15	802.11ax HE20	64	15960.00	53.39	54.00	-0.61	V	AVERAGE	Pass	Harmonic
16	802.11ax HE20	100	5468.72	62.82	68.20	-5.38	V	PEAK	Pass	Band Edge
16	802.11ax HE20	100	16500.00	67.58	68.20	-0.62	V	PEAK	Pass	Harmonic
17	802.11ax HE20	116	-	-	-	-	-	-	-	Band Edge
17	802.11ax HE20	116	16740.00	67.41	68.20	-0.79	V	PEAK	Pass	Harmonic
18	802.11ax HE20	140	5725.24	62.04	68.20	-6.16	V	PEAK	Pass	Band Edge
18	802.11ax HE20	140	17100.00	66.40	68.20	-1.80	V	PEAK	Pass	Harmonic
19	802.11ax HE20	36	5137.60	49.84	54.00	-4.16	V	AVERAGE	Pass	Band Edge
19	802.11ax HE20	36	-	-	-	-	-	-	-	Harmonic
20	802.11ax HE20	64	5358.00	53.05	54.00	-0.95	V	AVERAGE	Pass	Band Edge
20	802.11ax HE20	64	-	-	-	-	-	-	-	Harmonic
21	802.11ax HE20	100	5462.48	67.38	68.20	-0.82	V	PEAK	Pass	Band Edge
21	802.11ax HE20	100	-	-	-	-	-	-	-	Harmonic
22	802.11ax HE20	140	5736.44	62.81	68.20	-5.39	V	PEAK	Pass	Band Edge
22	802.11ax HE20	140	-	-	-	-	-	-	-	Harmonic



23	802.11ax HE20	36	5145.50	73.07	74.00	-0.93	V	PEAK	Pass	Band Edge
23	802.11ax HE20	36	-	-	-	-	-	-	-	Harmonic
24	802.11ax HE20	64	5357.70	51.64	54.00	-2.36	V	AVERAGE	Pass	Band Edge
24	802.11ax HE20	64	-	-	-	-	-	-	-	Harmonic
25	802.11ax HE20	100	5451.44	49.37	54.00	-4.63	V	AVERAGE	Pass	Band Edge
25	802.11ax HE20	100	-	-	-	-	-	-	-	Harmonic
26	802.11ax HE20	140	5741.48	66.45	68.20	-1.75	V	PEAK	Pass	Band Edge
26	802.11ax HE20	140	-	-	-	-	-	-	-	Harmonic
27	802.11ax HE20	36	5149.90	52.35	54.00	-1.65	V	AVERAGE	Pass	Band Edge
27	802.11ax HE20	36	-	-	-	-	-	-	-	Harmonic
28	802.11ax HE20	64	5350.80	50.11	54.00	-3.89	V	AVERAGE	Pass	Band Edge
28	802.11ax HE20	64	-	-	-	-	-	-	-	Harmonic
29	802.11ax HE20	100	5456.88	49.21	54.00	-4.79	V	AVERAGE	Pass	Band Edge
29	802.11ax HE20	100	-	-	-	-	-	-	-	Harmonic
30	802.11ax HE20	140	5726.52	6.95	68.20	-2.25	V	PEAK	Pass	Band Edge
30	802.11ax HE20	140	-	-	-	-	-	-	-	Harmonic
31	802.11ax HE40	38	5149.12	47.89	54.00	-6.11	V	AVERAGE	Pass	Band Edge
31	802.11ax HE40	38	15570.00	53.14	54.00	-0.86	V	AVERAGE	Pass	Harmonic
32	802.11ax HE40	46	-	-	-	-	-	-	-	Band Edge
32	802.11ax HE40	46	15690.00	53.18	54.00	-0.82	V	AVERAGE	Pass	Harmonic
33	802.11ax HE40	54	-	-	-	-	-	-	-	Band Edge
33	802.11ax HE40	54	15810.00	53.06	54.00	-0.94	V	AVERAGE	Pass	Harmonic
34	802.11ax HE40	62	5350.60	50.90	54.00	-3.10	V	AVERAGE	Pass	Band Edge
34	802.11ax HE40	62	15937.50	53.06	54.00	-0.94	V	Average	Pass	Harmonic
35	802.11ax HE40	102	5454.32	48.10	54.00	-5.90	V	AVERAGE	Pass	Band Edge
35	802.11ax HE40	102	16538.10	67.25	68.20	-0.95	V	Peak	Pass	Harmonic
36	802.11ax HE40	110	-	-	-	-	-	-	-	Band Edge
36	802.11ax HE40	110	16658.00	67.23	68.20	-0.97	V	Peak	Pass	Harmonic
37	802.11ax HE40	134	5725.56	60.06	68.20	-8.14	V	PEAK	Pass	Band Edge
37	802.11ax HE40	134	17016.60	67.57	68.20	-0.63	V	Peak	Pass	Harmonic
38	802.11ax HE80	42	5136.16	51.01	54.00	-2.99	V	AVERAGE	Pass	Band Edge
38	802.11ax HE80	42	15630.00	53.09	54.00	-0.91	V	AVERAGE	Pass	Harmonic
39	802.11ax HE80	58	5352.80	49.30	54.00	-4.70	V	AVERAGE	Pass	Band Edge
39	802.11ax HE80	58	15870.00	53.17	54.00	-0.83	V	AVERAGE	Pass	Harmonic
40	802.11ax HE80	106	5450.64	52.81	54.00	-1.19	V	AVERAGE	Pass	Band Edge
40	802.11ax HE80	106	16589.80	62.27	68.20	-5.93	V	Peak	Pass	Harmonic
41	802.11ax HE80	122	5738.12	65.79	68.20	-2.41	V	PEAK	Pass	Band Edge
41	802.11ax HE80	122	11220.00	49.03	54.00	-4.97	V	AVERAGE	Pass	Harmonic
42	802.11a	149	5603.20	49.97	68.20	-18.23	H	PEAK	Pass	Band Edge
42	802.11a	149	17235.00	66.88	68.20	-1.32	V	PEAK	Pass	Harmonic
43	802.11a	157	-	-	-	-	-	-	-	Band Edge
43	802.11a	157	17355.00	67.23	68.20	-0.97	V	PEAK	Pass	Harmonic
44	802.11a	165	5949.60	51.10	68.20	-17.10	V	PEAK	Pass	Band Edge
44	802.11a	165	17475.00	67.03	68.20	-1.17	V	PEAK	Pass	Harmonic
45	802.11ax HE20	149	5620.40	49.17	68.20	-19.03	H	PEAK	Pass	Band Edge
45	802.11ax HE20	149	17235.00	66.56	68.20	-1.64	V	PEAK	Pass	Harmonic



46	802.11ax HE20	157	-	-	-	-	-	-	-	Band Edge
46	802.11ax HE20	157	17355.00	67.45	68.20	-0.75	V	PEAK	Pass	Harmonic
47	802.11ax HE20	165	5928.80	51.09	68.20	-17.11	V	PEAK	Pass	Band Edge
47	802.11ax HE20	165	17475.00	65.80	68.20	-2.40	V	PEAK	Pass	Harmonic
48	802.11ax HE40	151	5939.67	50.74	68.20	-17.46	V	PEAK	Pass	Band Edge
48	802.11ax HE40	151	17272.53	67.27	68.20	-0.93	V	Peak	Pass	Harmonic
49	802.11ax HE40	159	5963.20	50.31	68.20	-17.89	V	PEAK	Pass	Band Edge
49	802.11ax HE40	159	17385.00	67.33	68.20	-0.87	V	PEAK	Pass	Harmonic
50	802.11ax HE80	155	5628.00	59.77	68.20	-8.43	V	PEAK	Pass	Band Edge
50	802.11ax HE80	155	17325.00	63.34	68.20	-4.86	V	PEAK	Pass	Harmonic
51	802.11ax HE20	149	5629.20	57.55	68.20	-10.65	V	PEAK	Pass	Band Edge
51	802.11ax HE20	149	-	-	-	-	-	-	-	Harmonic
52	802.11ax HE20	165	5942.80	50.50	68.20	-17.70	H	PEAK	Pass	Band Edge
52	802.11ax HE20	165	-	-	-	-	-	-	-	Harmonic
53	802.11ax HE20	149	5625.60	49.31	68.20	-18.89	V	PEAK	Pass	Band Edge
53	802.11ax HE20	149	-	-	-	-	-	-	-	Harmonic
54	802.11ax HE20	165	5945.60	52.07	68.20	-16.13	V	PEAK	Pass	Band Edge
54	802.11ax HE20	165	-	-	-	-	-	-	-	Harmonic
55	802.11ax HE20	149	5635.60	49.01	68.20	-19.19	H	PEAK	Pass	Band Edge
55	802.11ax HE20	149	-	-	-	-	-	-	-	Harmonic
56	802.11ax HE20	165	5960.00	50.63	68.20	-17.57	H	PEAK	Pass	Band Edge
56	802.11ax HE20	165	-	-	-	-	-	-	-	Harmonic
57	802.11a	144	-	-	-	-	-	-	-	Band Edge
57	802.11a	144	17160.00	67.31	68.20	-0.89	V	PEAK	Pass	Harmonic
58	802.11ax HE20	144	-	-	-	-	-	-	-	Band Edge
58	802.11ax HE20	144	17155.20	67.26	68.20	-0.94	V	Peak	Pass	Harmonic
59	802.11ax HE40	142	-	-	-	-	-	-	-	Band Edge
59	802.11ax HE40	142	17137.60	67.23	68.20	-0.97	V	Peak	Pass	Harmonic
60	802.11ax HE80	138	-	-	-	-	-	-	-	Band Edge
60	802.11ax HE80	138	11380.20	51.16	54.00	-2.84	V	Average	Pass	Harmonic





Co-location

Mode	Modulation	Ch.	Freq. (MHz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Pol.	Peak Avg.	Result	Remark
Mode 61	Bluetooth-LE	39	2484.10	39.80	54.00	-14.20	V	AVERAGE	Pass	Band Edge
	Bluetooth-LE	39	4960.00	42.86	74.00	-31.14	V	PEAK	Pass	Harmonic
	802.11ax HE20	64	5350.10	53.37	54.00	-0.63	V	AVERAGE	Pass	Band Edge
	802.11ax HE20	64	15960.00	53.23	54.00	-0.77	V	AVERAGE	Pass	Harmonic



Mode	1																																																																																			
	Band Edge																																																																																			
	U-NII-1_5.15-5.25_802.11a_CH36_5180MHz																																																																																			
ANT	CDD 1+2																																																																																			
Pol.	Horizontal	Fundamental																																																																																		
Peak	<table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Aux</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line Margin</th> <th>Level Factor</th> <th>Loss Factor</th> <th>Loss Factor</th> <th>Factor</th> <th>Factor</th> <th></th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>5149.60</td> <td>50.44</td> <td>74.00</td> <td>-23.56</td> <td>43.00</td> <td>34.05</td> <td>10.65</td> <td>37.34</td> <td>0.00</td> <td>100</td> <td>45</td> <td>PEAK</td> </tr> </tbody> </table>	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line Margin	Level Factor	Loss Factor	Loss Factor	Factor	Factor		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5149.60	50.44	74.00	-23.56	43.00	34.05	10.65	37.34	0.00	100	45	PEAK	<table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Aux</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line Margin</th> <th>Level Factor</th> <th>Loss Factor</th> <th>Loss Factor</th> <th>Factor</th> <th>Factor</th> <th></th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>5180.00</td> <td>101.07</td> <td>-----</td> <td>-----</td> <td>93.63</td> <td>34.00</td> <td>10.69</td> <td>37.33</td> <td>0.00</td> <td>100</td> <td>45</td> <td>PEAK</td> </tr> </tbody> </table>	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line Margin	Level Factor	Loss Factor	Loss Factor	Factor	Factor		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5180.00	101.07	-----	-----	93.63	34.00	10.69	37.33	0.00	100	45	PEAK
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																											
Freq	Level	Line Margin	Level Factor	Loss Factor	Loss Factor	Factor	Factor																																																																													
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																											
1	5149.60	50.44	74.00	-23.56	43.00	34.05	10.65	37.34	0.00	100	45	PEAK																																																																								
Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																												
Freq	Level	Line Margin	Level Factor	Loss Factor	Loss Factor	Factor	Factor																																																																													
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																											
1	5180.00	101.07	-----	-----	93.63	34.00	10.69	37.33	0.00	100	45	PEAK																																																																								
Avg	<table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Aux</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line Margin</th> <th>Level Factor</th> <th>Loss Factor</th> <th>Loss Factor</th> <th>Factor</th> <th>Factor</th> <th></th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>5142.20</td> <td>40.12</td> <td>54.00</td> <td>-13.88</td> <td>32.77</td> <td>34.04</td> <td>10.65</td> <td>37.34</td> <td>0.00</td> <td>100</td> <td>45</td> <td>AVERAGE</td> </tr> </tbody> </table>	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line Margin	Level Factor	Loss Factor	Loss Factor	Factor	Factor		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5142.20	40.12	54.00	-13.88	32.77	34.04	10.65	37.34	0.00	100	45	AVERAGE	<table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Aux</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line Margin</th> <th>Level Factor</th> <th>Loss Factor</th> <th>Loss Factor</th> <th>Factor</th> <th>Factor</th> <th></th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>5180.00</td> <td>92.64</td> <td>-----</td> <td>-----</td> <td>85.18</td> <td>34.00</td> <td>10.70</td> <td>37.33</td> <td>0.00</td> <td>100</td> <td>45</td> <td>AVERAGE</td> </tr> </tbody> </table>	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line Margin	Level Factor	Loss Factor	Loss Factor	Factor	Factor		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5180.00	92.64	-----	-----	85.18	34.00	10.70	37.33	0.00	100	45	AVERAGE
Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																												
Freq	Level	Line Margin	Level Factor	Loss Factor	Loss Factor	Factor	Factor																																																																													
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																											
1	5142.20	40.12	54.00	-13.88	32.77	34.04	10.65	37.34	0.00	100	45	AVERAGE																																																																								
Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																												
Freq	Level	Line Margin	Level Factor	Loss Factor	Loss Factor	Factor	Factor																																																																													
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																											
1	5180.00	92.64	-----	-----	85.18	34.00	10.70	37.33	0.00	100	45	AVERAGE																																																																								



Mode	1																																																																																																																	
	Band Edge																																																																																																																	
	U-NII-1_5.15-5.25_802.11a_CH36_5180MHz																																																																																																																	
ANT	CDD 1+2																																																																																																																	
Pol.	Vertical	Fundamental																																																																																																																
Peak	 <p>Level (dBuV/m) vs Frequency (MHz) plot for Vertical polarization. The plot shows a signal between 5100 and 5200 MHz. A red limit line is at 65.0 dBuV/m. A blue signal peak is visible around 5180 MHz.</p> <table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Aux</th> <th>APos</th> <th>TPos</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>Margin</th> <th>Level</th> <th>Factor</th> <th>Loss</th> <th>Factor</th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> </tr> </thead> <tbody> <tr> <td>1 5149.70</td> <td>57.66</td> <td>74.00</td> <td>-16.34</td> <td>50.30</td> <td>34.05</td> <td>10.65</td> <td>37.34</td> </tr> <tr> <td></td> <td></td> <td></td> <td></td> <td></td> <td></td> <td>0.00</td> <td>288</td> </tr> <tr> <td></td> <td></td> <td></td> <td></td> <td></td> <td></td> <td></td> <td>272</td> </tr> <tr> <td></td> <td></td> <td></td> <td></td> <td></td> <td></td> <td></td> <td>PEAK</td> </tr> </tbody> </table>	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	1 5149.70	57.66	74.00	-16.34	50.30	34.05	10.65	37.34							0.00	288								272								PEAK	 <p>Level (dBuV/m) vs Frequency (MHz) plot for Fundamental polarization. The plot shows a signal between 1000 and 7000 MHz. A red limit line is at 65.0 dBuV/m. A blue signal peak is visible around 5180 MHz.</p> <table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Aux</th> <th>APos</th> <th>TPos</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>Margin</th> <th>Level</th> <th>Factor</th> <th>Loss</th> <th>Factor</th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> </tr> </thead> <tbody> <tr> <td>1 5180.00</td> <td>112.39</td> <td>-----</td> <td>-----</td> <td>104.95</td> <td>34.08</td> <td>10.69</td> <td>37.33</td> </tr> <tr> <td></td> <td></td> <td></td> <td></td> <td></td> <td></td> <td>0.00</td> <td>288</td> </tr> <tr> <td></td> <td></td> <td></td> <td></td> <td></td> <td></td> <td></td> <td>272</td> </tr> <tr> <td></td> <td></td> <td></td> <td></td> <td></td> <td></td> <td></td> <td>PEAK</td> </tr> </tbody> </table>	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	1 5180.00	112.39	-----	-----	104.95	34.08	10.69	37.33							0.00	288								272								PEAK
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																																										
Freq	Level	Line	Margin	Level	Factor	Loss	Factor																																																																																																											
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB																																																																																																											
1 5149.70	57.66	74.00	-16.34	50.30	34.05	10.65	37.34																																																																																																											
						0.00	288																																																																																																											
							272																																																																																																											
							PEAK																																																																																																											
Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																																											
Freq	Level	Line	Margin	Level	Factor	Loss	Factor																																																																																																											
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB																																																																																																											
1 5180.00	112.39	-----	-----	104.95	34.08	10.69	37.33																																																																																																											
						0.00	288																																																																																																											
							272																																																																																																											
							PEAK																																																																																																											
Avg	 <p>Level (dBuV/m) vs Frequency (MHz) plot for Vertical polarization. The plot shows a signal between 5100 and 5200 MHz. A red limit line is at 48.8 dBuV/m. A blue signal peak is visible around 5180 MHz.</p> <table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Aux</th> <th>APos</th> <th>TPos</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>Margin</th> <th>Level</th> <th>Factor</th> <th>Loss</th> <th>Factor</th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> </tr> </thead> <tbody> <tr> <td>1 5149.80</td> <td>48.17</td> <td>54.00</td> <td>-5.83</td> <td>40.81</td> <td>34.05</td> <td>10.65</td> <td>37.34</td> </tr> <tr> <td></td> <td></td> <td></td> <td></td> <td></td> <td></td> <td>0.00</td> <td>288</td> </tr> <tr> <td></td> <td></td> <td></td> <td></td> <td></td> <td></td> <td></td> <td>272</td> </tr> <tr> <td></td> <td></td> <td></td> <td></td> <td></td> <td></td> <td></td> <td>AVERAGE</td> </tr> </tbody> </table>	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	1 5149.80	48.17	54.00	-5.83	40.81	34.05	10.65	37.34							0.00	288								272								AVERAGE	 <p>Level (dBuV/m) vs Frequency (MHz) plot for Fundamental polarization. The plot shows a signal between 1000 and 7000 MHz. A red limit line is at 48.8 dBuV/m. A blue signal peak is visible around 5180 MHz.</p> <table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Aux</th> <th>APos</th> <th>TPos</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>Margin</th> <th>Level</th> <th>Factor</th> <th>Loss</th> <th>Factor</th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> </tr> </thead> <tbody> <tr> <td>1 5180.00</td> <td>104.88</td> <td>-----</td> <td>-----</td> <td>97.45</td> <td>34.08</td> <td>10.68</td> <td>37.33</td> </tr> <tr> <td></td> <td></td> <td></td> <td></td> <td></td> <td></td> <td>0.00</td> <td>288</td> </tr> <tr> <td></td> <td></td> <td></td> <td></td> <td></td> <td></td> <td></td> <td>272</td> </tr> <tr> <td></td> <td></td> <td></td> <td></td> <td></td> <td></td> <td></td> <td>AVERAGE</td> </tr> </tbody> </table>	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	1 5180.00	104.88	-----	-----	97.45	34.08	10.68	37.33							0.00	288								272								AVERAGE
Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																																											
Freq	Level	Line	Margin	Level	Factor	Loss	Factor																																																																																																											
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB																																																																																																											
1 5149.80	48.17	54.00	-5.83	40.81	34.05	10.65	37.34																																																																																																											
						0.00	288																																																																																																											
							272																																																																																																											
							AVERAGE																																																																																																											
Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																																											
Freq	Level	Line	Margin	Level	Factor	Loss	Factor																																																																																																											
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB																																																																																																											
1 5180.00	104.88	-----	-----	97.45	34.08	10.68	37.33																																																																																																											
						0.00	288																																																																																																											
							272																																																																																																											
							AVERAGE																																																																																																											



Mode	1																																																																																																																																						
	Harmonic																																																																																																																																						
	U-NII-1_5.15-5.25_802.11a_CH36_5180MHz																																																																																																																																						
ANT	CDD 1+2																																																																																																																																						
Pol.	Horizontal	Vertical																																																																																																																																					
Peak Avg																																																																																																																																							
	<table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Aux</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line Margin</th> <th>Level Factor</th> <th>Loss Factor</th> <th>Factor</th> <th>Factor</th> <th></th> <th></th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>10360.50</td> <td>48.17</td> <td>68.20</td> <td>-20.03</td> <td>57.63</td> <td>37.39</td> <td>15.30</td> <td>62.15</td> <td>0.00</td> <td>--</td> <td>--</td> <td>Peak</td> </tr> <tr> <td>2</td> <td>15540.00</td> <td>57.05</td> <td>74.00</td> <td>-16.95</td> <td>59.90</td> <td>40.19</td> <td>19.08</td> <td>62.12</td> <td>0.00</td> <td>335</td> <td>275</td> <td>PEAK</td> </tr> <tr> <td>3</td> <td>15540.00</td> <td>43.90</td> <td>54.00</td> <td>-10.10</td> <td>46.75</td> <td>40.19</td> <td>19.08</td> <td>62.12</td> <td>0.00</td> <td>335</td> <td>275</td> <td>Average</td> </tr> </tbody> </table>	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line Margin	Level Factor	Loss Factor	Factor	Factor			MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	10360.50	48.17	68.20	-20.03	57.63	37.39	15.30	62.15	0.00	--	--	Peak	2	15540.00	57.05	74.00	-16.95	59.90	40.19	19.08	62.12	0.00	335	275	PEAK	3	15540.00	43.90	54.00	-10.10	46.75	40.19	19.08	62.12	0.00	335	275	Average	<table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Aux</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line Margin</th> <th>Level Factor</th> <th>Loss Factor</th> <th>Factor</th> <th>Factor</th> <th></th> <th></th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>10360.50</td> <td>60.93</td> <td>68.20</td> <td>-7.27</td> <td>70.39</td> <td>37.39</td> <td>15.30</td> <td>62.15</td> <td>0.00</td> <td>300</td> <td>154</td> <td>Peak</td> </tr> <tr> <td>2</td> <td>15540.00</td> <td>63.65</td> <td>74.00</td> <td>-10.35</td> <td>66.50</td> <td>40.19</td> <td>19.08</td> <td>62.12</td> <td>0.00</td> <td>230</td> <td>303</td> <td>PEAK</td> </tr> <tr> <td>3</td> <td>15540.00</td> <td>53.29</td> <td>54.00</td> <td>-0.71</td> <td>56.14</td> <td>40.19</td> <td>19.08</td> <td>62.12</td> <td>0.00</td> <td>230</td> <td>303</td> <td>AVERAGE</td> </tr> </tbody> </table>	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line Margin	Level Factor	Loss Factor	Factor	Factor			MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	10360.50	60.93	68.20	-7.27	70.39	37.39	15.30	62.15	0.00	300	154	Peak	2	15540.00	63.65	74.00	-10.35	66.50	40.19	19.08	62.12	0.00	230	303	PEAK	3	15540.00	53.29	54.00	-0.71	56.14	40.19	19.08	62.12	0.00	230	303
Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																																																															
Freq	Level	Line Margin	Level Factor	Loss Factor	Factor	Factor																																																																																																																																	
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																																														
1	10360.50	48.17	68.20	-20.03	57.63	37.39	15.30	62.15	0.00	--	--	Peak																																																																																																																											
2	15540.00	57.05	74.00	-16.95	59.90	40.19	19.08	62.12	0.00	335	275	PEAK																																																																																																																											
3	15540.00	43.90	54.00	-10.10	46.75	40.19	19.08	62.12	0.00	335	275	Average																																																																																																																											
Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																																																															
Freq	Level	Line Margin	Level Factor	Loss Factor	Factor	Factor																																																																																																																																	
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																																														
1	10360.50	60.93	68.20	-7.27	70.39	37.39	15.30	62.15	0.00	300	154	Peak																																																																																																																											
2	15540.00	63.65	74.00	-10.35	66.50	40.19	19.08	62.12	0.00	230	303	PEAK																																																																																																																											
3	15540.00	53.29	54.00	-0.71	56.14	40.19	19.08	62.12	0.00	230	303	AVERAGE																																																																																																																											



Mode	2																																																																																																																																							
	Harmonic																																																																																																																																							
	U-NII-1_5.15-5.25_802.11a_CH44_5220MHz																																																																																																																																							
ANT	CDD 1+2																																																																																																																																							
Pol.	Horizontal	Vertical																																																																																																																																						
Peak Avg	<table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Aux</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line Margin</th> <th>Level</th> <th>Factor</th> <th>Loss Factor</th> <th>Factor</th> <th></th> <th></th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>10449.60</td> <td>48.08</td> <td>68.20</td> <td>-20.12</td> <td>57.37</td> <td>37.46</td> <td>15.36</td> <td>62.11</td> <td>0.00</td> <td>--</td> <td>--</td> <td>Peak</td> </tr> <tr> <td>2</td> <td>15660.00</td> <td>57.34</td> <td>74.00</td> <td>-16.66</td> <td>59.94</td> <td>40.33</td> <td>19.17</td> <td>62.10</td> <td>0.00</td> <td>397</td> <td>273</td> <td>PEAK</td> </tr> <tr> <td>3</td> <td>15660.00</td> <td>45.74</td> <td>54.00</td> <td>-8.26</td> <td>48.36</td> <td>40.32</td> <td>19.16</td> <td>62.10</td> <td>0.00</td> <td>397</td> <td>273</td> <td>AVERAGE</td> </tr> </tbody> </table>	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line Margin	Level	Factor	Loss Factor	Factor			MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	10449.60	48.08	68.20	-20.12	57.37	37.46	15.36	62.11	0.00	--	--	Peak	2	15660.00	57.34	74.00	-16.66	59.94	40.33	19.17	62.10	0.00	397	273	PEAK	3	15660.00	45.74	54.00	-8.26	48.36	40.32	19.16	62.10	0.00	397	273	AVERAGE	<table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Aux</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line Margin</th> <th>Level</th> <th>Factor</th> <th>Loss Factor</th> <th>Factor</th> <th></th> <th></th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>10439.70</td> <td>57.98</td> <td>68.20</td> <td>-10.22</td> <td>67.29</td> <td>37.45</td> <td>15.36</td> <td>62.12</td> <td>0.00</td> <td>300</td> <td>113</td> <td>Peak</td> </tr> <tr> <td>2</td> <td>15660.00</td> <td>63.74</td> <td>74.00</td> <td>-10.26</td> <td>66.34</td> <td>40.33</td> <td>19.17</td> <td>62.10</td> <td>0.00</td> <td>287</td> <td>303</td> <td>PEAK</td> </tr> <tr> <td>3</td> <td>15660.00</td> <td>52.49</td> <td>54.00</td> <td>-1.51</td> <td>55.09</td> <td>40.33</td> <td>19.17</td> <td>62.10</td> <td>0.00</td> <td>287</td> <td>303</td> <td>AVERAGE</td> </tr> </tbody> </table>	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line Margin	Level	Factor	Loss Factor	Factor			MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	10439.70	57.98	68.20	-10.22	67.29	37.45	15.36	62.12	0.00	300	113	Peak	2	15660.00	63.74	74.00	-10.26	66.34	40.33	19.17	62.10	0.00	287	303	PEAK	3	15660.00	52.49	54.00	-1.51	55.09	40.33	19.17	62.10	0.00	287	303	AVERAGE
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																																																															
Freq	Level	Line Margin	Level	Factor	Loss Factor	Factor																																																																																																																																		
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																																															
1	10449.60	48.08	68.20	-20.12	57.37	37.46	15.36	62.11	0.00	--	--	Peak																																																																																																																												
2	15660.00	57.34	74.00	-16.66	59.94	40.33	19.17	62.10	0.00	397	273	PEAK																																																																																																																												
3	15660.00	45.74	54.00	-8.26	48.36	40.32	19.16	62.10	0.00	397	273	AVERAGE																																																																																																																												
Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																																																																
Freq	Level	Line Margin	Level	Factor	Loss Factor	Factor																																																																																																																																		
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																																															
1	10439.70	57.98	68.20	-10.22	67.29	37.45	15.36	62.12	0.00	300	113	Peak																																																																																																																												
2	15660.00	63.74	74.00	-10.26	66.34	40.33	19.17	62.10	0.00	287	303	PEAK																																																																																																																												
3	15660.00	52.49	54.00	-1.51	55.09	40.33	19.17	62.10	0.00	287	303	AVERAGE																																																																																																																												



Mode	3																																																																																																																																						
	Harmonic																																																																																																																																						
	U-NII-1_5.15-5.25_802.11a_CH48_5240MHz																																																																																																																																						
ANT	CDD 1+2																																																																																																																																						
Pol.	Horizontal	Vertical																																																																																																																																					
Peak Avg																																																																																																																																							
	<table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Aux</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line Margin</th> <th>Level</th> <th>Factor</th> <th>Loss Factor</th> <th>Factor</th> <th></th> <th></th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>10480.00</td> <td>45.02</td> <td>68.20</td> <td>-23.18</td> <td>54.25</td> <td>37.48</td> <td>15.39</td> <td>62.10</td> <td>0.00</td> <td>--</td> <td>--</td> <td>PEAK</td> </tr> <tr> <td>2</td> <td>15720.00</td> <td>56.59</td> <td>74.00</td> <td>-17.41</td> <td>59.08</td> <td>40.39</td> <td>19.21</td> <td>62.09</td> <td>0.00</td> <td>345</td> <td>273</td> <td>PEAK</td> </tr> <tr> <td>3</td> <td>15720.00</td> <td>46.11</td> <td>54.00</td> <td>-7.89</td> <td>48.60</td> <td>40.39</td> <td>19.21</td> <td>62.09</td> <td>0.00</td> <td>345</td> <td>273</td> <td>AVERAGE</td> </tr> </tbody> </table>	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line Margin	Level	Factor	Loss Factor	Factor			MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	10480.00	45.02	68.20	-23.18	54.25	37.48	15.39	62.10	0.00	--	--	PEAK	2	15720.00	56.59	74.00	-17.41	59.08	40.39	19.21	62.09	0.00	345	273	PEAK	3	15720.00	46.11	54.00	-7.89	48.60	40.39	19.21	62.09	0.00	345	273	AVERAGE	<table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Aux</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line Margin</th> <th>Level</th> <th>Factor</th> <th>Loss Factor</th> <th>Factor</th> <th></th> <th></th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>10480.40</td> <td>55.90</td> <td>68.20</td> <td>-12.30</td> <td>65.13</td> <td>37.48</td> <td>15.39</td> <td>62.10</td> <td>0.00</td> <td>--</td> <td>--</td> <td>Peak</td> </tr> <tr> <td>2</td> <td>15720.00</td> <td>63.35</td> <td>74.00</td> <td>-10.65</td> <td>65.84</td> <td>40.39</td> <td>19.21</td> <td>62.09</td> <td>0.00</td> <td>344</td> <td>300</td> <td>PEAK</td> </tr> <tr> <td>3</td> <td>15720.00</td> <td>52.25</td> <td>54.00</td> <td>-1.75</td> <td>54.75</td> <td>40.39</td> <td>19.21</td> <td>62.10</td> <td>0.00</td> <td>344</td> <td>300</td> <td>AVERAGE</td> </tr> </tbody> </table>	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line Margin	Level	Factor	Loss Factor	Factor			MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	10480.40	55.90	68.20	-12.30	65.13	37.48	15.39	62.10	0.00	--	--	Peak	2	15720.00	63.35	74.00	-10.65	65.84	40.39	19.21	62.09	0.00	344	300	PEAK	3	15720.00	52.25	54.00	-1.75	54.75	40.39	19.21	62.10	0.00	344	300
Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																																																															
Freq	Level	Line Margin	Level	Factor	Loss Factor	Factor																																																																																																																																	
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																																														
1	10480.00	45.02	68.20	-23.18	54.25	37.48	15.39	62.10	0.00	--	--	PEAK																																																																																																																											
2	15720.00	56.59	74.00	-17.41	59.08	40.39	19.21	62.09	0.00	345	273	PEAK																																																																																																																											
3	15720.00	46.11	54.00	-7.89	48.60	40.39	19.21	62.09	0.00	345	273	AVERAGE																																																																																																																											
Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																																																															
Freq	Level	Line Margin	Level	Factor	Loss Factor	Factor																																																																																																																																	
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																																														
1	10480.40	55.90	68.20	-12.30	65.13	37.48	15.39	62.10	0.00	--	--	Peak																																																																																																																											
2	15720.00	63.35	74.00	-10.65	65.84	40.39	19.21	62.09	0.00	344	300	PEAK																																																																																																																											
3	15720.00	52.25	54.00	-1.75	54.75	40.39	19.21	62.10	0.00	344	300	AVERAGE																																																																																																																											



Mode	4																																																																																																																																					
	Harmonic																																																																																																																																					
	U-NII-2A_5.25-5.35_802.11a_CH52_5260MHz																																																																																																																																					
ANT	CDD 1+2																																																																																																																																					
Pol.	Horizontal	Vertical																																																																																																																																				
Peak Avg	<table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Aux</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line Margin</th> <th>Level</th> <th>Factor</th> <th>Loss Factor</th> <th>Factor</th> <th></th> <th></th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>dB</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>10520.00</td> <td>50.98</td> <td>68.20</td> <td>-17.22</td> <td>60.13</td> <td>37.52</td> <td>15.41</td> <td>62.08</td> <td>0.00</td> <td>300</td> <td>267</td> <td>Peak</td> </tr> <tr> <td>2</td> <td>15780.00</td> <td>57.14</td> <td>74.00</td> <td>-16.86</td> <td>59.52</td> <td>40.46</td> <td>19.25</td> <td>62.09</td> <td>0.00</td> <td>317</td> <td>271</td> <td>PEAK</td> </tr> <tr> <td>3</td> <td>15780.00</td> <td>46.89</td> <td>54.00</td> <td>-7.11</td> <td>49.27</td> <td>40.46</td> <td>19.25</td> <td>62.09</td> <td>0.00</td> <td>317</td> <td>271</td> <td>AVERAGE</td> </tr> </tbody> </table>	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line Margin	Level	Factor	Loss Factor	Factor			MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	1	10520.00	50.98	68.20	-17.22	60.13	37.52	15.41	62.08	0.00	300	267	Peak	2	15780.00	57.14	74.00	-16.86	59.52	40.46	19.25	62.09	0.00	317	271	PEAK	3	15780.00	46.89	54.00	-7.11	49.27	40.46	19.25	62.09	0.00	317	271	AVERAGE	<table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Aux</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line Margin</th> <th>Level</th> <th>Factor</th> <th>Loss Factor</th> <th>Factor</th> <th></th> <th></th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>dB</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>10520.00</td> <td>56.50</td> <td>68.20</td> <td>-11.70</td> <td>65.65</td> <td>37.52</td> <td>15.41</td> <td>62.08</td> <td>0.00</td> <td>--</td> <td>--</td> <td>Peak</td> </tr> <tr> <td>2</td> <td>15780.00</td> <td>63.44</td> <td>74.00</td> <td>-10.56</td> <td>65.82</td> <td>40.46</td> <td>19.25</td> <td>62.09</td> <td>0.00</td> <td>300</td> <td>299</td> <td>PEAK</td> </tr> <tr> <td>3</td> <td>15780.00</td> <td>52.34</td> <td>54.00</td> <td>-1.66</td> <td>54.72</td> <td>40.46</td> <td>19.25</td> <td>62.09</td> <td>0.00</td> <td>300</td> <td>299</td> <td>AVERAGE</td> </tr> </tbody> </table>	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line Margin	Level	Factor	Loss Factor	Factor			MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	1	10520.00	56.50	68.20	-11.70	65.65	37.52	15.41	62.08	0.00	--	--	Peak	2	15780.00	63.44	74.00	-10.56	65.82	40.46	19.25	62.09	0.00	300	299	PEAK	3	15780.00	52.34	54.00	-1.66	54.72	40.46	19.25	62.09	0.00	300	299	AVERAGE
Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																																																														
Freq	Level	Line Margin	Level	Factor	Loss Factor	Factor																																																																																																																																
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB																																																																																																																														
1	10520.00	50.98	68.20	-17.22	60.13	37.52	15.41	62.08	0.00	300	267	Peak																																																																																																																										
2	15780.00	57.14	74.00	-16.86	59.52	40.46	19.25	62.09	0.00	317	271	PEAK																																																																																																																										
3	15780.00	46.89	54.00	-7.11	49.27	40.46	19.25	62.09	0.00	317	271	AVERAGE																																																																																																																										
Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																																																														
Freq	Level	Line Margin	Level	Factor	Loss Factor	Factor																																																																																																																																
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB																																																																																																																														
1	10520.00	56.50	68.20	-11.70	65.65	37.52	15.41	62.08	0.00	--	--	Peak																																																																																																																										
2	15780.00	63.44	74.00	-10.56	65.82	40.46	19.25	62.09	0.00	300	299	PEAK																																																																																																																										
3	15780.00	52.34	54.00	-1.66	54.72	40.46	19.25	62.09	0.00	300	299	AVERAGE																																																																																																																										







Mode	5																																																																																																																																																		
	Harmonic																																																																																																																																																		
	U-NII-2A_5.25-5.35_802.11a_CH60_5300MHz																																																																																																																																																		
ANT	CDD 1+2																																																																																																																																																		
Pol.	Horizontal	Vertical																																																																																																																																																	
Peak Avg																																																																																																																																																			
	<table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Aux</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line Margin</th> <th>Level</th> <th>Factor</th> <th>Loss Factor</th> <th>Factor</th> <th></th> <th></th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th></th> </tr> </thead> <tbody> <tr> <td>1</td> <td>10600.30</td> <td>46.54</td> <td>74.00</td> <td>-27.46</td> <td>55.54</td> <td>37.58</td> <td>15.47</td> <td>62.05</td> <td>0.00</td> <td>--</td> <td>--</td> <td>Peak</td> </tr> <tr> <td>2</td> <td>15900.00</td> <td>57.70</td> <td>74.00</td> <td>-16.30</td> <td>59.84</td> <td>40.59</td> <td>19.34</td> <td>62.07</td> <td>0.00</td> <td>369</td> <td>53</td> <td>PEAK</td> </tr> <tr> <td>3</td> <td>15900.00</td> <td>46.95</td> <td>54.00</td> <td>-7.05</td> <td>49.09</td> <td>40.59</td> <td>19.34</td> <td>62.07</td> <td>0.00</td> <td>369</td> <td>53</td> <td>AVERAGE</td> </tr> </tbody> </table>	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line Margin	Level	Factor	Loss Factor	Factor			MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB		1	10600.30	46.54	74.00	-27.46	55.54	37.58	15.47	62.05	0.00	--	--	Peak	2	15900.00	57.70	74.00	-16.30	59.84	40.59	19.34	62.07	0.00	369	53	PEAK	3	15900.00	46.95	54.00	-7.05	49.09	40.59	19.34	62.07	0.00	369	53	AVERAGE	<table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Aux</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line Margin</th> <th>Level</th> <th>Factor</th> <th>Loss Factor</th> <th>Factor</th> <th></th> <th></th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th></th> </tr> </thead> <tbody> <tr> <td>1</td> <td>10600.10</td> <td>54.37</td> <td>74.00</td> <td>-19.63</td> <td>63.37</td> <td>37.58</td> <td>15.47</td> <td>62.05</td> <td>0.00</td> <td>296</td> <td>301</td> <td>Peak</td> </tr> <tr> <td>2</td> <td>10600.10</td> <td>39.37</td> <td>54.00</td> <td>-14.63</td> <td>48.37</td> <td>37.58</td> <td>15.47</td> <td>62.05</td> <td>0.00</td> <td>296</td> <td>301</td> <td>Average</td> </tr> <tr> <td>3</td> <td>15900.00</td> <td>63.27</td> <td>74.00</td> <td>-10.73</td> <td>65.41</td> <td>40.59</td> <td>19.34</td> <td>62.07</td> <td>0.00</td> <td>300</td> <td>294</td> <td>PEAK</td> </tr> <tr> <td>4</td> <td>15900.00</td> <td>52.33</td> <td>54.00</td> <td>-1.67</td> <td>54.47</td> <td>40.59</td> <td>19.34</td> <td>62.07</td> <td>0.00</td> <td>300</td> <td>294</td> <td>AVERAGE</td> </tr> </tbody> </table>	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line Margin	Level	Factor	Loss Factor	Factor			MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB		1	10600.10	54.37	74.00	-19.63	63.37	37.58	15.47	62.05	0.00	296	301	Peak	2	10600.10	39.37	54.00	-14.63	48.37	37.58	15.47	62.05	0.00	296	301	Average	3	15900.00	63.27	74.00	-10.73	65.41	40.59	19.34	62.07	0.00	300	294	PEAK	4	15900.00	52.33	54.00	-1.67	54.47	40.59	19.34	62.07	0.00	300	294	AVERAGE
Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																																																																											
Freq	Level	Line Margin	Level	Factor	Loss Factor	Factor																																																																																																																																													
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB																																																																																																																																												
1	10600.30	46.54	74.00	-27.46	55.54	37.58	15.47	62.05	0.00	--	--	Peak																																																																																																																																							
2	15900.00	57.70	74.00	-16.30	59.84	40.59	19.34	62.07	0.00	369	53	PEAK																																																																																																																																							
3	15900.00	46.95	54.00	-7.05	49.09	40.59	19.34	62.07	0.00	369	53	AVERAGE																																																																																																																																							
Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																																																																											
Freq	Level	Line Margin	Level	Factor	Loss Factor	Factor																																																																																																																																													
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB																																																																																																																																												
1	10600.10	54.37	74.00	-19.63	63.37	37.58	15.47	62.05	0.00	296	301	Peak																																																																																																																																							
2	10600.10	39.37	54.00	-14.63	48.37	37.58	15.47	62.05	0.00	296	301	Average																																																																																																																																							
3	15900.00	63.27	74.00	-10.73	65.41	40.59	19.34	62.07	0.00	300	294	PEAK																																																																																																																																							
4	15900.00	52.33	54.00	-1.67	54.47	40.59	19.34	62.07	0.00	300	294	AVERAGE																																																																																																																																							



Mode	6																																																																																									
	Band Edge																																																																																									
	U-NII-2A_5.25-5.35_802.11a_CH64_5320MHz																																																																																									
ANT	CDD 1+2																																																																																									
Pol.	Horizontal	Fundamental																																																																																								
Peak	<table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Aux</th> <th>APos</th> <th>TPos</th> <th colspan="2">Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>Margin</th> <th>Level</th> <th>Factor</th> <th>Loss</th> <th>Factor</th> <th>Factor</th> <th></th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>5350.00</td> <td>48.03</td> <td>74.00</td> <td>-25.97</td> <td>39.98</td> <td>34.50</td> <td>10.84</td> <td>37.29</td> <td>0.00</td> <td>313</td> <td>328</td> <td>PEAK</td> </tr> </tbody> </table>	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1	5350.00	48.03	74.00	-25.97	39.98	34.50	10.84	37.29	0.00	313	328	PEAK	<table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Aux</th> <th>APos</th> <th>TPos</th> <th colspan="2">Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>Margin</th> <th>Level</th> <th>Factor</th> <th>Loss</th> <th>Factor</th> <th>Factor</th> <th></th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>5320.00</td> <td>103.73</td> <td>-----</td> <td>-----</td> <td>95.78</td> <td>34.44</td> <td>10.81</td> <td>37.30</td> <td>0.00</td> <td>313</td> <td>328</td> <td>PEAK</td> </tr> </tbody> </table>	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1	5320.00	103.73	-----	-----	95.78	34.44	10.81	37.30	0.00	313	328	PEAK
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																	
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																																																																		
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																																
1	5350.00	48.03	74.00	-25.97	39.98	34.50	10.84	37.29	0.00	313	328	PEAK																																																																														
Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																		
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																																																																		
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																																
1	5320.00	103.73	-----	-----	95.78	34.44	10.81	37.30	0.00	313	328	PEAK																																																																														
Avg	<table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Aux</th> <th>APos</th> <th>TPos</th> <th colspan="2">Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>Margin</th> <th>Level</th> <th>Factor</th> <th>Loss</th> <th>Factor</th> <th>Factor</th> <th></th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>5351.70</td> <td>39.24</td> <td>54.00</td> <td>-14.76</td> <td>31.19</td> <td>34.50</td> <td>10.84</td> <td>37.29</td> <td>0.00</td> <td>313</td> <td>328</td> <td>AVERAGE</td> </tr> </tbody> </table>	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1	5351.70	39.24	54.00	-14.76	31.19	34.50	10.84	37.29	0.00	313	328	AVERAGE	<table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Aux</th> <th>APos</th> <th>TPos</th> <th colspan="2">Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>Margin</th> <th>Level</th> <th>Factor</th> <th>Loss</th> <th>Factor</th> <th>Factor</th> <th></th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>5320.00</td> <td>94.49</td> <td>-----</td> <td>-----</td> <td>86.54</td> <td>34.44</td> <td>10.81</td> <td>37.30</td> <td>0.00</td> <td>313</td> <td>328</td> <td>AVERAGE</td> </tr> </tbody> </table>	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1	5320.00	94.49	-----	-----	86.54	34.44	10.81	37.30	0.00	313	328	AVERAGE
Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																		
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																																																																		
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																																
1	5351.70	39.24	54.00	-14.76	31.19	34.50	10.84	37.29	0.00	313	328	AVERAGE																																																																														
Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																		
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																																																																		
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																																
1	5320.00	94.49	-----	-----	86.54	34.44	10.81	37.30	0.00	313	328	AVERAGE																																																																														



Mode	6																																																																													
	Band Edge																																																																													
	U-NII-2A_5.25-5.35_802.11a_CH64_5320MHz																																																																													
ANT	CDD 1+2																																																																													
Pol.	Vertical	Fundamental																																																																												
Peak	 <p>Level (dBuV/m) vs Frequency (MHz) for Vertical. Peak at 5350.10 MHz.</p> <table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Aux</th> <th>APos</th> <th>TPos</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line Margin</th> <th>Level Factor</th> <th>Loss Factor</th> <th>Factor</th> <th></th> <th>Remark</th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>5350.10</td> <td>55.19</td> <td>74.00</td> <td>-18.81</td> <td>47.14</td> <td>34.50</td> <td>10.84</td> <td>37.29</td> <td>0.00</td> <td>252</td> <td>0 PEAK</td> </tr> </tbody> </table>	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Freq	Level	Line Margin	Level Factor	Loss Factor	Factor		Remark	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5350.10	55.19	74.00	-18.81	47.14	34.50	10.84	37.29	0.00	252	0 PEAK	 <p>Level (dBuV/m) vs Frequency (MHz) for Fundamental. Peak at 5320.00 MHz.</p> <table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Aux</th> <th>APos</th> <th>TPos</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line Margin</th> <th>Level Factor</th> <th>Loss Factor</th> <th>Factor</th> <th></th> <th>Remark</th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>5320.00</td> <td>108.60</td> <td>-----</td> <td>-----</td> <td>100.63</td> <td>34.45</td> <td>10.82</td> <td>37.30</td> <td>0.00</td> <td>252</td> <td>0 PEAK</td> </tr> </tbody> </table>	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Freq	Level	Line Margin	Level Factor	Loss Factor	Factor		Remark	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5320.00	108.60	-----	-----	100.63	34.45	10.82	37.30	0.00	252	0 PEAK
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																						
Freq	Level	Line Margin	Level Factor	Loss Factor	Factor		Remark																																																																							
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																					
1	5350.10	55.19	74.00	-18.81	47.14	34.50	10.84	37.29	0.00	252	0 PEAK																																																																			
Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																							
Freq	Level	Line Margin	Level Factor	Loss Factor	Factor		Remark																																																																							
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																					
1	5320.00	108.60	-----	-----	100.63	34.45	10.82	37.30	0.00	252	0 PEAK																																																																			
Avg	 <p>Level (dBuV/m) vs Frequency (MHz) for Vertical Average. Peak at 5350.10 MHz.</p> <table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Aux</th> <th>APos</th> <th>TPos</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line Margin</th> <th>Level Factor</th> <th>Loss Factor</th> <th>Factor</th> <th></th> <th>Remark</th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>5350.10</td> <td>44.30</td> <td>54.00</td> <td>-9.70</td> <td>36.25</td> <td>34.50</td> <td>10.84</td> <td>37.29</td> <td>0.00</td> <td>252</td> <td>0 AVERAGE</td> </tr> </tbody> </table>	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Freq	Level	Line Margin	Level Factor	Loss Factor	Factor		Remark	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5350.10	44.30	54.00	-9.70	36.25	34.50	10.84	37.29	0.00	252	0 AVERAGE	 <p>Level (dBuV/m) vs Frequency (MHz) for Fundamental Average. Peak at 5320.00 MHz.</p> <table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Aux</th> <th>APos</th> <th>TPos</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line Margin</th> <th>Level Factor</th> <th>Loss Factor</th> <th>Factor</th> <th></th> <th>Remark</th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>5320.00</td> <td>102.67</td> <td>-----</td> <td>-----</td> <td>94.74</td> <td>34.43</td> <td>10.80</td> <td>37.30</td> <td>0.00</td> <td>252</td> <td>0 AVERAGE</td> </tr> </tbody> </table>	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Freq	Level	Line Margin	Level Factor	Loss Factor	Factor		Remark	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5320.00	102.67	-----	-----	94.74	34.43	10.80	37.30	0.00	252	0 AVERAGE
Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																							
Freq	Level	Line Margin	Level Factor	Loss Factor	Factor		Remark																																																																							
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																					
1	5350.10	44.30	54.00	-9.70	36.25	34.50	10.84	37.29	0.00	252	0 AVERAGE																																																																			
Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																							
Freq	Level	Line Margin	Level Factor	Loss Factor	Factor		Remark																																																																							
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																					
1	5320.00	102.67	-----	-----	94.74	34.43	10.80	37.30	0.00	252	0 AVERAGE																																																																			







Mode	6																																																																																																																																																		
	Harmonic																																																																																																																																																		
	U-NII-2A_5.25-5.35_802.11a_CH64_5320MHz																																																																																																																																																		
ANT	CDD 1+2																																																																																																																																																		
Pol.	Horizontal	Vertical																																																																																																																																																	
Peak Avg	<table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Aux</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line Margin</th> <th>Level</th> <th>Factor</th> <th>Loss Factor</th> <th>Factor</th> <th></th> <th></th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th></th> </tr> </thead> <tbody> <tr> <td>1</td> <td>10640.00</td> <td>43.14</td> <td>74.00</td> <td>-30.86</td> <td>52.06</td> <td>37.61</td> <td>15.50</td> <td>62.03</td> <td>0.00</td> <td>--</td> <td>--</td> <td>PEAK</td> </tr> <tr> <td>2</td> <td>15960.00</td> <td>56.96</td> <td>74.00</td> <td>-17.04</td> <td>58.97</td> <td>40.66</td> <td>19.39</td> <td>62.06</td> <td>0.00</td> <td>371</td> <td>295</td> <td>PEAK</td> </tr> <tr> <td>3</td> <td>15960.00</td> <td>45.20</td> <td>54.00</td> <td>-8.80</td> <td>47.21</td> <td>40.66</td> <td>19.39</td> <td>62.06</td> <td>0.00</td> <td>371</td> <td>295</td> <td>AVERAGE</td> </tr> </tbody> </table>	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line Margin	Level	Factor	Loss Factor	Factor			MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB		1	10640.00	43.14	74.00	-30.86	52.06	37.61	15.50	62.03	0.00	--	--	PEAK	2	15960.00	56.96	74.00	-17.04	58.97	40.66	19.39	62.06	0.00	371	295	PEAK	3	15960.00	45.20	54.00	-8.80	47.21	40.66	19.39	62.06	0.00	371	295	AVERAGE	<table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Aux</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line Margin</th> <th>Level</th> <th>Factor</th> <th>Loss Factor</th> <th>Factor</th> <th></th> <th></th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th></th> </tr> </thead> <tbody> <tr> <td>1</td> <td>10640.00</td> <td>57.12</td> <td>74.00</td> <td>-16.88</td> <td>66.04</td> <td>37.61</td> <td>15.50</td> <td>62.03</td> <td>0.00</td> <td>278</td> <td>351</td> <td>PEAK</td> </tr> <tr> <td>2</td> <td>10640.00</td> <td>46.91</td> <td>54.00</td> <td>-7.09</td> <td>55.83</td> <td>37.61</td> <td>15.50</td> <td>62.03</td> <td>0.00</td> <td>278</td> <td>351</td> <td>AVERAGE</td> </tr> <tr> <td>3</td> <td>15960.00</td> <td>63.28</td> <td>74.00</td> <td>-10.72</td> <td>65.29</td> <td>40.66</td> <td>19.39</td> <td>62.06</td> <td>0.00</td> <td>291</td> <td>290</td> <td>PEAK</td> </tr> <tr> <td>4</td> <td>15960.00</td> <td>52.55</td> <td>54.00</td> <td>-1.45</td> <td>54.57</td> <td>40.65</td> <td>19.39</td> <td>62.06</td> <td>0.00</td> <td>291</td> <td>290</td> <td>AVERAGE</td> </tr> </tbody> </table>	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line Margin	Level	Factor	Loss Factor	Factor			MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB		1	10640.00	57.12	74.00	-16.88	66.04	37.61	15.50	62.03	0.00	278	351	PEAK	2	10640.00	46.91	54.00	-7.09	55.83	37.61	15.50	62.03	0.00	278	351	AVERAGE	3	15960.00	63.28	74.00	-10.72	65.29	40.66	19.39	62.06	0.00	291	290	PEAK	4	15960.00	52.55	54.00	-1.45	54.57	40.65	19.39	62.06	0.00	291	290	AVERAGE
Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																																																																											
Freq	Level	Line Margin	Level	Factor	Loss Factor	Factor																																																																																																																																													
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB																																																																																																																																												
1	10640.00	43.14	74.00	-30.86	52.06	37.61	15.50	62.03	0.00	--	--	PEAK																																																																																																																																							
2	15960.00	56.96	74.00	-17.04	58.97	40.66	19.39	62.06	0.00	371	295	PEAK																																																																																																																																							
3	15960.00	45.20	54.00	-8.80	47.21	40.66	19.39	62.06	0.00	371	295	AVERAGE																																																																																																																																							
Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																																																																											
Freq	Level	Line Margin	Level	Factor	Loss Factor	Factor																																																																																																																																													
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB																																																																																																																																												
1	10640.00	57.12	74.00	-16.88	66.04	37.61	15.50	62.03	0.00	278	351	PEAK																																																																																																																																							
2	10640.00	46.91	54.00	-7.09	55.83	37.61	15.50	62.03	0.00	278	351	AVERAGE																																																																																																																																							
3	15960.00	63.28	74.00	-10.72	65.29	40.66	19.39	62.06	0.00	291	290	PEAK																																																																																																																																							
4	15960.00	52.55	54.00	-1.45	54.57	40.65	19.39	62.06	0.00	291	290	AVERAGE																																																																																																																																							



Mode	7																																																																																																
	Band Edge																																																																																																
	U-NII-2C_5.47-5.725_802.11a_CH100_5500MHz																																																																																																
ANT	CDD 1+2																																																																																																
Pol.	Horizontal	Fundamental																																																																																															
Peak	<table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Aux</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>Margin</th> <th>Level</th> <th>Factor</th> <th>Loss</th> <th>Factor</th> <th>Factor</th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>5455.92</td> <td>47.99</td> <td>74.00</td> <td>-26.01</td> <td>39.75</td> <td>34.54</td> <td>10.96</td> <td>37.26</td> <td>0.00</td> <td>100</td> <td>143</td> <td>PEAK</td> </tr> <tr> <td>2</td> <td>5461.04</td> <td>52.43</td> <td>68.20</td> <td>-15.77</td> <td>44.18</td> <td>34.54</td> <td>10.97</td> <td>37.26</td> <td>0.00</td> <td>100</td> <td>143</td> <td>PEAK</td> </tr> </tbody> </table>	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5455.92	47.99	74.00	-26.01	39.75	34.54	10.96	37.26	0.00	100	143	PEAK	2	5461.04	52.43	68.20	-15.77	44.18	34.54	10.97	37.26	0.00	100	143	PEAK	<table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Aux</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>Margin</th> <th>Level</th> <th>Factor</th> <th>Loss</th> <th>Factor</th> <th>Factor</th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>5500.00</td> <td>104.19</td> <td>-----</td> <td>-----</td> <td>95.92</td> <td>34.49</td> <td>11.03</td> <td>37.25</td> <td>0.00</td> <td>100</td> <td>143</td> <td>PEAK</td> </tr> </tbody> </table>	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5500.00	104.19	-----	-----	95.92	34.49	11.03	37.25	0.00	100	143	PEAK
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																								
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																																																																									
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																								
1	5455.92	47.99	74.00	-26.01	39.75	34.54	10.96	37.26	0.00	100	143	PEAK																																																																																					
2	5461.04	52.43	68.20	-15.77	44.18	34.54	10.97	37.26	0.00	100	143	PEAK																																																																																					
Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																									
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																																																																									
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																								
1	5500.00	104.19	-----	-----	95.92	34.49	11.03	37.25	0.00	100	143	PEAK																																																																																					
Avg	<table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Aux</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>Margin</th> <th>Level</th> <th>Factor</th> <th>Loss</th> <th>Factor</th> <th>Factor</th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>5457.68</td> <td>39.10</td> <td>54.00</td> <td>-14.90</td> <td>30.86</td> <td>34.54</td> <td>10.96</td> <td>37.26</td> <td>0.00</td> <td>100</td> <td>143</td> <td>AVERAGE</td> </tr> </tbody> </table>	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5457.68	39.10	54.00	-14.90	30.86	34.54	10.96	37.26	0.00	100	143	AVERAGE	<table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Aux</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>Margin</th> <th>Level</th> <th>Factor</th> <th>Loss</th> <th>Factor</th> <th>Factor</th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>5500.00</td> <td>95.76</td> <td>-----</td> <td>-----</td> <td>87.49</td> <td>34.49</td> <td>11.03</td> <td>37.25</td> <td>0.00</td> <td>100</td> <td>143</td> <td>AVERAGE</td> </tr> </tbody> </table>	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5500.00	95.76	-----	-----	87.49	34.49	11.03	37.25	0.00	100	143	AVERAGE													
Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																									
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																																																																									
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																								
1	5457.68	39.10	54.00	-14.90	30.86	34.54	10.96	37.26	0.00	100	143	AVERAGE																																																																																					
Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																									
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																																																																									
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																								
1	5500.00	95.76	-----	-----	87.49	34.49	11.03	37.25	0.00	100	143	AVERAGE																																																																																					



Mode	7																																																																																																				
	Band Edge																																																																																																				
	U-NII-2C_5.47-5.725_802.11a_CH100_5500MHz																																																																																																				
ANT	CDD 1+2																																																																																																				
Pol.	Vertical	Fundamental																																																																																																			
Peak	 <table border="1" data-bbox="263 1097 774 1254"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Aux</th> <th>APos</th> <th>TPos</th> <th colspan="2">Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line Margin</th> <th>Level</th> <th>Factor</th> <th>Loss Factor</th> <th>Factor</th> <th></th> <th>cm</th> <th>deg</th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th></th> <th></th> </tr> </thead> <tbody> <tr> <td>1</td> <td>5455.60</td> <td>53.19</td> <td>74.00</td> <td>-20.81</td> <td>44.95</td> <td>34.54</td> <td>10.96</td> <td>37.26</td> <td>0.00</td> <td>231</td> <td>294</td> <td>PEAK</td> </tr> <tr> <td>2</td> <td>5468.56</td> <td>57.88</td> <td>68.20</td> <td>-10.32</td> <td>49.63</td> <td>34.53</td> <td>10.98</td> <td>37.26</td> <td>0.00</td> <td>231</td> <td>294</td> <td>PEAK</td> </tr> </tbody> </table>	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark		Freq	Level	Line Margin	Level	Factor	Loss Factor	Factor		cm	deg	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB			1	5455.60	53.19	74.00	-20.81	44.95	34.54	10.96	37.26	0.00	231	294	PEAK	2	5468.56	57.88	68.20	-10.32	49.63	34.53	10.98	37.26	0.00	231	294	PEAK	 <table border="1" data-bbox="901 1097 1412 1254"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Aux</th> <th>APos</th> <th>TPos</th> <th colspan="2">Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line Margin</th> <th>Level</th> <th>Factor</th> <th>Loss Factor</th> <th>Factor</th> <th></th> <th>cm</th> <th>deg</th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th></th> <th></th> </tr> </thead> <tbody> <tr> <td>1</td> <td>5500.00</td> <td>113.06</td> <td>-----</td> <td>-----</td> <td>104.79</td> <td>34.50</td> <td>11.02</td> <td>37.25</td> <td>0.00</td> <td>231</td> <td>294</td> <td>PEAK</td> </tr> </tbody> </table>	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark		Freq	Level	Line Margin	Level	Factor	Loss Factor	Factor		cm	deg	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB			1	5500.00	113.06	-----	-----	104.79	34.50	11.02	37.25	0.00	231	294	PEAK
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																												
Freq	Level	Line Margin	Level	Factor	Loss Factor	Factor		cm	deg																																																																																												
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB																																																																																														
1	5455.60	53.19	74.00	-20.81	44.95	34.54	10.96	37.26	0.00	231	294	PEAK																																																																																									
2	5468.56	57.88	68.20	-10.32	49.63	34.53	10.98	37.26	0.00	231	294	PEAK																																																																																									
Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																													
Freq	Level	Line Margin	Level	Factor	Loss Factor	Factor		cm	deg																																																																																												
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB																																																																																														
1	5500.00	113.06	-----	-----	104.79	34.50	11.02	37.25	0.00	231	294	PEAK																																																																																									
Avg	 <table border="1" data-bbox="263 1780 774 1937"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Aux</th> <th>APos</th> <th>TPos</th> <th colspan="2">Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line Margin</th> <th>Level</th> <th>Factor</th> <th>Loss Factor</th> <th>Factor</th> <th></th> <th>cm</th> <th>deg</th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th></th> <th></th> </tr> </thead> <tbody> <tr> <td>1</td> <td>5458.80</td> <td>43.43</td> <td>54.00</td> <td>-10.57</td> <td>35.18</td> <td>34.54</td> <td>10.97</td> <td>37.26</td> <td>0.00</td> <td>231</td> <td>294</td> <td>AVERAGE</td> </tr> </tbody> </table>	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark		Freq	Level	Line Margin	Level	Factor	Loss Factor	Factor		cm	deg	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB			1	5458.80	43.43	54.00	-10.57	35.18	34.54	10.97	37.26	0.00	231	294	AVERAGE	 <table border="1" data-bbox="901 1780 1412 1937"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Aux</th> <th>APos</th> <th>TPos</th> <th colspan="2">Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line Margin</th> <th>Level</th> <th>Factor</th> <th>Loss Factor</th> <th>Factor</th> <th></th> <th>cm</th> <th>deg</th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th></th> <th></th> </tr> </thead> <tbody> <tr> <td>1</td> <td>5500.00</td> <td>104.48</td> <td>-----</td> <td>-----</td> <td>96.21</td> <td>34.50</td> <td>11.02</td> <td>37.25</td> <td>0.00</td> <td>231</td> <td>294</td> <td>AVERAGE</td> </tr> </tbody> </table>	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark		Freq	Level	Line Margin	Level	Factor	Loss Factor	Factor		cm	deg	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB			1	5500.00	104.48	-----	-----	96.21	34.50	11.02	37.25	0.00	231	294	AVERAGE													
Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																													
Freq	Level	Line Margin	Level	Factor	Loss Factor	Factor		cm	deg																																																																																												
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB																																																																																														
1	5458.80	43.43	54.00	-10.57	35.18	34.54	10.97	37.26	0.00	231	294	AVERAGE																																																																																									
Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																													
Freq	Level	Line Margin	Level	Factor	Loss Factor	Factor		cm	deg																																																																																												
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB																																																																																														
1	5500.00	104.48	-----	-----	96.21	34.50	11.02	37.25	0.00	231	294	AVERAGE																																																																																									






Mode	7																																																																																																															
	Harmonic																																																																																																															
	U-NII-2C_5.47-5.725_802.11a_CH100_5500MHz																																																																																																															
ANT	CDD 1+2																																																																																																															
Pol.	Horizontal	Vertical																																																																																																														
Peak Avg	<table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Aux</th> <th>APos</th> <th>TPos</th> <th colspan="2"></th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line Margin</th> <th>Level</th> <th>Factor</th> <th>Loss Factor</th> <th>Factor</th> <th></th> <th>cm</th> <th>deg</th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th></th> <th></th> </tr> </thead> <tbody> <tr> <td>1 11001.80</td> <td>47.81</td> <td>74.00</td> <td>-26.19</td> <td>56.02</td> <td>37.90</td> <td>15.76</td> <td>61.87</td> <td>0.00</td> <td>-- -- Peak</td> </tr> <tr> <td>2 16507.30</td> <td>59.87</td> <td>68.20</td> <td>-8.33</td> <td>61.76</td> <td>40.95</td> <td>19.70</td> <td>62.54</td> <td>0.00</td> <td>-- -- Peak</td> </tr> </tbody> </table>	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos			Freq	Level	Line Margin	Level	Factor	Loss Factor	Factor		cm	deg	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB			1 11001.80	47.81	74.00	-26.19	56.02	37.90	15.76	61.87	0.00	-- -- Peak	2 16507.30	59.87	68.20	-8.33	61.76	40.95	19.70	62.54	0.00	-- -- Peak	<table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Aux</th> <th>APos</th> <th>TPos</th> <th colspan="2"></th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line Margin</th> <th>Level</th> <th>Factor</th> <th>Loss Factor</th> <th>Factor</th> <th></th> <th>cm</th> <th>deg</th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th></th> <th></th> </tr> </thead> <tbody> <tr> <td>1 11000.00</td> <td>56.58</td> <td>74.00</td> <td>-17.42</td> <td>64.79</td> <td>37.90</td> <td>15.76</td> <td>61.87</td> <td>0.00</td> <td>300 347 PEAK</td> </tr> <tr> <td>2 11000.00</td> <td>45.98</td> <td>54.00</td> <td>-8.02</td> <td>54.19</td> <td>37.90</td> <td>15.76</td> <td>61.87</td> <td>0.00</td> <td>300 347 AVERAGE</td> </tr> <tr> <td>3 16489.70</td> <td>67.26</td> <td>68.20</td> <td>-0.94</td> <td>69.16</td> <td>40.94</td> <td>19.69</td> <td>62.53</td> <td>0.00</td> <td>298 296 Peak</td> </tr> </tbody> </table>	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos			Freq	Level	Line Margin	Level	Factor	Loss Factor	Factor		cm	deg	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB			1 11000.00	56.58	74.00	-17.42	64.79	37.90	15.76	61.87	0.00	300 347 PEAK	2 11000.00	45.98	54.00	-8.02	54.19	37.90	15.76	61.87	0.00	300 347 AVERAGE	3 16489.70	67.26	68.20	-0.94	69.16	40.94	19.69	62.53	0.00	298 296 Peak
Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																																									
Freq	Level	Line Margin	Level	Factor	Loss Factor	Factor		cm	deg																																																																																																							
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB																																																																																																									
1 11001.80	47.81	74.00	-26.19	56.02	37.90	15.76	61.87	0.00	-- -- Peak																																																																																																							
2 16507.30	59.87	68.20	-8.33	61.76	40.95	19.70	62.54	0.00	-- -- Peak																																																																																																							
Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																																									
Freq	Level	Line Margin	Level	Factor	Loss Factor	Factor		cm	deg																																																																																																							
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB																																																																																																									
1 11000.00	56.58	74.00	-17.42	64.79	37.90	15.76	61.87	0.00	300 347 PEAK																																																																																																							
2 11000.00	45.98	54.00	-8.02	54.19	37.90	15.76	61.87	0.00	300 347 AVERAGE																																																																																																							
3 16489.70	67.26	68.20	-0.94	69.16	40.94	19.69	62.53	0.00	298 296 Peak																																																																																																							



Mode	8																																																																																																																										
	Harmonic																																																																																																																										
	U-NII-2C_5.47-5.725_802.11a_CH116_5580MHz																																																																																																																										
ANT	CDD 1+2																																																																																																																										
Pol.	Horizontal	Vertical																																																																																																																									
Peak Avg	<table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Aux</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line Margin</th> <th>Level</th> <th>Factor</th> <th>Loss Factor</th> <th>Factor</th> <th></th> <th></th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>11160.00</td> <td>45.43</td> <td>74.00</td> <td>-28.57</td> <td>53.32</td> <td>38.03</td> <td>15.88</td> <td>61.80</td> <td>0.00</td> <td>--</td> <td>--</td> <td>PEAK</td> </tr> <tr> <td>2</td> <td>16740.00</td> <td>59.31</td> <td>68.20</td> <td>-8.89</td> <td>61.18</td> <td>41.07</td> <td>19.83</td> <td>62.77</td> <td>0.00</td> <td>393</td> <td>307</td> <td>PEAK</td> </tr> </tbody> </table>	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line Margin	Level	Factor	Loss Factor	Factor			MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	11160.00	45.43	74.00	-28.57	53.32	38.03	15.88	61.80	0.00	--	--	PEAK	2	16740.00	59.31	68.20	-8.89	61.18	41.07	19.83	62.77	0.00	393	307	PEAK	<table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Aux</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line Margin</th> <th>Level</th> <th>Factor</th> <th>Loss Factor</th> <th>Factor</th> <th></th> <th></th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>11160.00</td> <td>57.92</td> <td>74.00</td> <td>-16.08</td> <td>65.81</td> <td>38.03</td> <td>15.88</td> <td>61.80</td> <td>0.00</td> <td>294</td> <td>87</td> <td>PEAK</td> </tr> <tr> <td>2</td> <td>11160.00</td> <td>47.52</td> <td>54.00</td> <td>-6.48</td> <td>55.41</td> <td>38.03</td> <td>15.88</td> <td>61.80</td> <td>0.00</td> <td>294</td> <td>87</td> <td>AVERAGE</td> </tr> <tr> <td>3</td> <td>16740.00</td> <td>67.15</td> <td>68.20</td> <td>-1.05</td> <td>69.02</td> <td>41.07</td> <td>19.83</td> <td>62.77</td> <td>0.00</td> <td>300</td> <td>333</td> <td>PEAK</td> </tr> </tbody> </table>	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line Margin	Level	Factor	Loss Factor	Factor			MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	11160.00	57.92	74.00	-16.08	65.81	38.03	15.88	61.80	0.00	294	87	PEAK	2	11160.00	47.52	54.00	-6.48	55.41	38.03	15.88	61.80	0.00	294	87	AVERAGE	3	16740.00	67.15	68.20	-1.05	69.02	41.07	19.83	62.77	0.00	300	333	PEAK
Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																																																			
Freq	Level	Line Margin	Level	Factor	Loss Factor	Factor																																																																																																																					
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																																		
1	11160.00	45.43	74.00	-28.57	53.32	38.03	15.88	61.80	0.00	--	--	PEAK																																																																																																															
2	16740.00	59.31	68.20	-8.89	61.18	41.07	19.83	62.77	0.00	393	307	PEAK																																																																																																															
Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																																																			
Freq	Level	Line Margin	Level	Factor	Loss Factor	Factor																																																																																																																					
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																																		
1	11160.00	57.92	74.00	-16.08	65.81	38.03	15.88	61.80	0.00	294	87	PEAK																																																																																																															
2	11160.00	47.52	54.00	-6.48	55.41	38.03	15.88	61.80	0.00	294	87	AVERAGE																																																																																																															
3	16740.00	67.15	68.20	-1.05	69.02	41.07	19.83	62.77	0.00	300	333	PEAK																																																																																																															



Mode	9																																																																																																	
	Band Edge																																																																																																	
	U-NII-2C_5.47-5.725_802.11a_CH140_5700MHz																																																																																																	
ANT	CDD 1+2																																																																																																	
Pol.	Horizontal	Fundamental																																																																																																
Peak	 <table border="1" data-bbox="263 1120 782 1254"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Aux</th> <th>APos</th> <th>TPos</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>Margin</th> <th>Level</th> <th>Factor</th> <th>Loss</th> <th>Factor</th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> </tr> </thead> <tbody> <tr> <td>1 5727.40</td> <td>60.14</td> <td>68.20</td> <td>-8.06</td> <td>51.51</td> <td>34.55</td> <td>11.33</td> <td>37.25</td> </tr> <tr> <td></td> <td></td> <td></td> <td></td> <td></td> <td></td> <td>0.00</td> <td>100</td> </tr> <tr> <td></td> <td></td> <td></td> <td></td> <td></td> <td></td> <td></td> <td>143 PEAK</td> </tr> </tbody> </table>	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	1 5727.40	60.14	68.20	-8.06	51.51	34.55	11.33	37.25							0.00	100								143 PEAK	 <table border="1" data-bbox="901 1120 1420 1254"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Aux</th> <th>APos</th> <th>TPos</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>Margin</th> <th>Level</th> <th>Factor</th> <th>Loss</th> <th>Factor</th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> </tr> </thead> <tbody> <tr> <td>1 5700.00</td> <td>102.50</td> <td>-----</td> <td>-----</td> <td>93.97</td> <td>34.49</td> <td>11.28</td> <td>37.24</td> </tr> <tr> <td></td> <td></td> <td></td> <td></td> <td></td> <td></td> <td>0.00</td> <td>100</td> </tr> <tr> <td></td> <td></td> <td></td> <td></td> <td></td> <td></td> <td></td> <td>143 PEAK</td> </tr> </tbody> </table>	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	1 5700.00	102.50	-----	-----	93.97	34.49	11.28	37.24							0.00	100								143 PEAK
Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																											
Freq	Level	Line	Margin	Level	Factor	Loss	Factor																																																																																											
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB																																																																																											
1 5727.40	60.14	68.20	-8.06	51.51	34.55	11.33	37.25																																																																																											
						0.00	100																																																																																											
							143 PEAK																																																																																											
Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																											
Freq	Level	Line	Margin	Level	Factor	Loss	Factor																																																																																											
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB																																																																																											
1 5700.00	102.50	-----	-----	93.97	34.49	11.28	37.24																																																																																											
						0.00	100																																																																																											
							143 PEAK																																																																																											
Avg	Blank	 <table border="1" data-bbox="901 1792 1420 1926"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Aux</th> <th>APos</th> <th>TPos</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>Margin</th> <th>Level</th> <th>Factor</th> <th>Loss</th> <th>Factor</th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> </tr> </thead> <tbody> <tr> <td>1 5700.00</td> <td>96.41</td> <td>-----</td> <td>-----</td> <td>87.86</td> <td>34.50</td> <td>11.29</td> <td>37.24</td> </tr> <tr> <td></td> <td></td> <td></td> <td></td> <td></td> <td></td> <td>0.00</td> <td>100</td> </tr> <tr> <td></td> <td></td> <td></td> <td></td> <td></td> <td></td> <td></td> <td>143 AVERAGE</td> </tr> </tbody> </table>	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	1 5700.00	96.41	-----	-----	87.86	34.50	11.29	37.24							0.00	100								143 AVERAGE																																																
Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																											
Freq	Level	Line	Margin	Level	Factor	Loss	Factor																																																																																											
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB																																																																																											
1 5700.00	96.41	-----	-----	87.86	34.50	11.29	37.24																																																																																											
						0.00	100																																																																																											
							143 AVERAGE																																																																																											







	9																																																																											
Mode	Band Edge																																																																											
	U-NII-2C_5.47-5.725_802.11a_CH140_5700MHz																																																																											
ANT	CDD 1+2																																																																											
Pol.	Vertical	Fundamental																																																																										
Peak	<table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Aux</th> <th>APos</th> <th>TPos</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>Margin</th> <th>Level</th> <th>Factor</th> <th>Loss</th> <th>Factor</th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>5726.36</td> <td>65.91</td> <td>68.20</td> <td>-2.29</td> <td>57.28</td> <td>34.55</td> <td>11.33</td> <td>37.25</td> <td>0.00</td> <td>206</td> <td>280</td> <td>PEAK</td> </tr> </tbody> </table>	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	1	5726.36	65.91	68.20	-2.29	57.28	34.55	11.33	37.25	0.00	206	280	PEAK	<table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Aux</th> <th>APos</th> <th>TPos</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>Margin</th> <th>Level</th> <th>Factor</th> <th>Loss</th> <th>Factor</th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>5700.00</td> <td>111.79</td> <td>-----</td> <td>-----</td> <td>103.24</td> <td>34.50</td> <td>11.29</td> <td>37.24</td> <td>0.00</td> <td>206</td> <td>280</td> <td>PEAK</td> </tr> </tbody> </table>	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	1	5700.00	111.79	-----	-----	103.24	34.50	11.29	37.24	0.00	206	280	PEAK
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																				
Freq	Level	Line	Margin	Level	Factor	Loss	Factor																																																																					
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB																																																																					
1	5726.36	65.91	68.20	-2.29	57.28	34.55	11.33	37.25	0.00	206	280	PEAK																																																																
Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																					
Freq	Level	Line	Margin	Level	Factor	Loss	Factor																																																																					
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB																																																																					
1	5700.00	111.79	-----	-----	103.24	34.50	11.29	37.24	0.00	206	280	PEAK																																																																
Avg	Blank	<table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Aux</th> <th>APos</th> <th>TPos</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>Margin</th> <th>Level</th> <th>Factor</th> <th>Loss</th> <th>Factor</th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>5700.00</td> <td>105.92</td> <td>-----</td> <td>-----</td> <td>97.35</td> <td>34.51</td> <td>11.30</td> <td>37.24</td> <td>0.00</td> <td>206</td> <td>280</td> <td>AVERAGE</td> </tr> </tbody> </table>	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	1	5700.00	105.92	-----	-----	97.35	34.51	11.30	37.24	0.00	206	280	AVERAGE																																					
Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																					
Freq	Level	Line	Margin	Level	Factor	Loss	Factor																																																																					
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB																																																																					
1	5700.00	105.92	-----	-----	97.35	34.51	11.30	37.24	0.00	206	280	AVERAGE																																																																







Mode	9																																																																																																													
	Harmonic																																																																																																													
	U-NII-2C_5.47-5.725_802.11a_CH140_5700MHz																																																																																																													
ANT	CDD 1+2																																																																																																													
Pol.	Horizontal	Vertical																																																																																																												
Peak Avg	<table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Aux</th> <th>APos</th> <th>TPos</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line Margin</th> <th>Level</th> <th>Factor</th> <th>Loss Factor</th> <th>Factor</th> <th>Remark</th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> </tr> </thead> <tbody> <tr> <td>1 11400.00</td> <td>46.39</td> <td>74.00</td> <td>-27.61</td> <td>53.81</td> <td>38.22</td> <td>16.05</td> <td>61.69</td> <td>0.00</td> <td>--</td> <td>--</td> <td>PEAK</td> </tr> <tr> <td>2 17096.90</td> <td>61.44</td> <td>68.20</td> <td>-6.76</td> <td>63.15</td> <td>41.22</td> <td>20.06</td> <td>62.99</td> <td>0.00</td> <td>300</td> <td>40</td> <td>Peak</td> </tr> </tbody> </table>	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Freq	Level	Line Margin	Level	Factor	Loss Factor	Factor	Remark	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	1 11400.00	46.39	74.00	-27.61	53.81	38.22	16.05	61.69	0.00	--	--	PEAK	2 17096.90	61.44	68.20	-6.76	63.15	41.22	20.06	62.99	0.00	300	40	Peak	<table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Aux</th> <th>APos</th> <th>TPos</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line Margin</th> <th>Level</th> <th>Factor</th> <th>Loss Factor</th> <th>Factor</th> <th>Remark</th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> </tr> </thead> <tbody> <tr> <td>1 11400.00</td> <td>58.70</td> <td>74.00</td> <td>-15.30</td> <td>66.12</td> <td>38.22</td> <td>16.05</td> <td>61.69</td> <td>0.00</td> <td>255</td> <td>324</td> <td>PEAK</td> </tr> <tr> <td>2 11400.00</td> <td>48.88</td> <td>54.00</td> <td>-5.12</td> <td>56.30</td> <td>38.22</td> <td>16.05</td> <td>61.69</td> <td>0.00</td> <td>255</td> <td>324</td> <td>AVERAGE</td> </tr> <tr> <td>3 17100.00</td> <td>67.25</td> <td>68.20</td> <td>-0.95</td> <td>68.95</td> <td>41.22</td> <td>20.07</td> <td>62.99</td> <td>0.00</td> <td>314</td> <td>293</td> <td>PEAK</td> </tr> </tbody> </table>	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Freq	Level	Line Margin	Level	Factor	Loss Factor	Factor	Remark	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	1 11400.00	58.70	74.00	-15.30	66.12	38.22	16.05	61.69	0.00	255	324	PEAK	2 11400.00	48.88	54.00	-5.12	56.30	38.22	16.05	61.69	0.00	255	324	AVERAGE	3 17100.00	67.25	68.20	-0.95	68.95	41.22	20.07	62.99	0.00	314	293	PEAK
Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																																							
Freq	Level	Line Margin	Level	Factor	Loss Factor	Factor	Remark																																																																																																							
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB																																																																																																							
1 11400.00	46.39	74.00	-27.61	53.81	38.22	16.05	61.69	0.00	--	--	PEAK																																																																																																			
2 17096.90	61.44	68.20	-6.76	63.15	41.22	20.06	62.99	0.00	300	40	Peak																																																																																																			
Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																																							
Freq	Level	Line Margin	Level	Factor	Loss Factor	Factor	Remark																																																																																																							
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB																																																																																																							
1 11400.00	58.70	74.00	-15.30	66.12	38.22	16.05	61.69	0.00	255	324	PEAK																																																																																																			
2 11400.00	48.88	54.00	-5.12	56.30	38.22	16.05	61.69	0.00	255	324	AVERAGE																																																																																																			
3 17100.00	67.25	68.20	-0.95	68.95	41.22	20.07	62.99	0.00	314	293	PEAK																																																																																																			



Mode	10																																																																																			
	Band Edge																																																																																			
	U-NII-1_5.15-5.25_802.11ax HE20_CH36_Full_5180MHz																																																																																			
ANT	CDD 1+2																																																																																			
Pol.	Horizontal	Fundamental																																																																																		
Peak	 <p>Level (dBuV/m) vs Frequency (MHz) for Horizontal. Peak at 5106.30 MHz.</p> <table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Aux</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line Margin</th> <th>Level Factor</th> <th>Loss Factor</th> <th>Factor</th> <th></th> <th></th> <th></th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>5106.30</td> <td>48.99</td> <td>74.00</td> <td>-25.01</td> <td>41.72</td> <td>34.01</td> <td>10.61</td> <td>37.35</td> <td>0.00</td> <td>150</td> <td>331</td> <td>PEAK</td> </tr> </tbody> </table>	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line Margin	Level Factor	Loss Factor	Factor				MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5106.30	48.99	74.00	-25.01	41.72	34.01	10.61	37.35	0.00	150	331	PEAK	 <p>Level (dBuV/m) vs Frequency (MHz) for Fundamental. Peak at 5180.00 MHz.</p> <table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Aux</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line Margin</th> <th>Level Factor</th> <th>Loss Factor</th> <th>Factor</th> <th></th> <th></th> <th></th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>5180.00</td> <td>99.48</td> <td>-----</td> <td>-----</td> <td>92.04</td> <td>34.08</td> <td>10.69</td> <td>37.33</td> <td>0.00</td> <td>150</td> <td>331</td> <td>PEAK</td> </tr> </tbody> </table>	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line Margin	Level Factor	Loss Factor	Factor				MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5180.00	99.48	-----	-----	92.04	34.08	10.69	37.33	0.00	150	331	PEAK
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																											
Freq	Level	Line Margin	Level Factor	Loss Factor	Factor																																																																															
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																											
1	5106.30	48.99	74.00	-25.01	41.72	34.01	10.61	37.35	0.00	150	331	PEAK																																																																								
Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																												
Freq	Level	Line Margin	Level Factor	Loss Factor	Factor																																																																															
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																											
1	5180.00	99.48	-----	-----	92.04	34.08	10.69	37.33	0.00	150	331	PEAK																																																																								
Avg	 <p>Level (dBuV/m) vs Frequency (MHz) for Horizontal. Average at 5149.90 MHz.</p> <table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Aux</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line Margin</th> <th>Level Factor</th> <th>Loss Factor</th> <th>Factor</th> <th></th> <th></th> <th></th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>5149.90</td> <td>40.56</td> <td>54.00</td> <td>-13.44</td> <td>33.20</td> <td>34.05</td> <td>10.65</td> <td>37.34</td> <td>0.00</td> <td>150</td> <td>331</td> <td>AVERAGE</td> </tr> </tbody> </table>	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line Margin	Level Factor	Loss Factor	Factor				MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5149.90	40.56	54.00	-13.44	33.20	34.05	10.65	37.34	0.00	150	331	AVERAGE	 <p>Level (dBuV/m) vs Frequency (MHz) for Fundamental. Average at 5180.00 MHz.</p> <table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Aux</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line Margin</th> <th>Level Factor</th> <th>Loss Factor</th> <th>Factor</th> <th></th> <th></th> <th></th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>5180.00</td> <td>92.11</td> <td>-----</td> <td>-----</td> <td>84.67</td> <td>34.08</td> <td>10.69</td> <td>37.33</td> <td>0.00</td> <td>150</td> <td>331</td> <td>AVERAGE</td> </tr> </tbody> </table>	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line Margin	Level Factor	Loss Factor	Factor				MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5180.00	92.11	-----	-----	84.67	34.08	10.69	37.33	0.00	150	331	AVERAGE
Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																												
Freq	Level	Line Margin	Level Factor	Loss Factor	Factor																																																																															
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																											
1	5149.90	40.56	54.00	-13.44	33.20	34.05	10.65	37.34	0.00	150	331	AVERAGE																																																																								
Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																												
Freq	Level	Line Margin	Level Factor	Loss Factor	Factor																																																																															
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																											
1	5180.00	92.11	-----	-----	84.67	34.08	10.69	37.33	0.00	150	331	AVERAGE																																																																								



Mode	10																																																																																			
	Band Edge																																																																																			
	U-NII-1_5.15-5.25_802.11ax HE20_CH36_Full_5180MHz																																																																																			
ANT	CDD 1+2																																																																																			
Pol.	Vertical	Fundamental																																																																																		
Peak	 <p>Level (dBuV/m) vs Frequency (MHz) for Vertical. Peak at 5143.70 MHz.</p> <table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Aux</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line Margin</th> <th>Level Factor</th> <th>Loss Factor</th> <th>Factor</th> <th></th> <th></th> <th></th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>5143.70</td> <td>59.47</td> <td>74.00</td> <td>-14.53</td> <td>52.12</td> <td>34.04</td> <td>10.65</td> <td>37.34</td> <td>0.00</td> <td>201</td> <td>277</td> <td>PEAK</td> </tr> </tbody> </table>	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line Margin	Level Factor	Loss Factor	Factor				MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5143.70	59.47	74.00	-14.53	52.12	34.04	10.65	37.34	0.00	201	277	PEAK	 <p>Level (dBuV/m) vs Frequency (MHz) for Fundamental. Peak at 5180.00 MHz.</p> <table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Aux</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line Margin</th> <th>Level Factor</th> <th>Loss Factor</th> <th>Factor</th> <th></th> <th></th> <th></th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>5180.00</td> <td>111.45</td> <td>-----</td> <td>-----</td> <td>104.02</td> <td>34.08</td> <td>10.68</td> <td>37.33</td> <td>0.00</td> <td>201</td> <td>277</td> <td>PEAK</td> </tr> </tbody> </table>	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line Margin	Level Factor	Loss Factor	Factor				MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5180.00	111.45	-----	-----	104.02	34.08	10.68	37.33	0.00	201	277	PEAK
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																											
Freq	Level	Line Margin	Level Factor	Loss Factor	Factor																																																																															
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																											
1	5143.70	59.47	74.00	-14.53	52.12	34.04	10.65	37.34	0.00	201	277	PEAK																																																																								
Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																												
Freq	Level	Line Margin	Level Factor	Loss Factor	Factor																																																																															
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																											
1	5180.00	111.45	-----	-----	104.02	34.08	10.68	37.33	0.00	201	277	PEAK																																																																								
Avg	 <p>Level (dBuV/m) vs Frequency (MHz) for Vertical. Average at 5149.60 MHz.</p> <table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Aux</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line Margin</th> <th>Level Factor</th> <th>Loss Factor</th> <th>Factor</th> <th></th> <th></th> <th></th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>5149.60</td> <td>48.19</td> <td>54.00</td> <td>-5.81</td> <td>40.83</td> <td>34.05</td> <td>10.65</td> <td>37.34</td> <td>0.00</td> <td>201</td> <td>277</td> <td>AVERAGE</td> </tr> </tbody> </table>	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line Margin	Level Factor	Loss Factor	Factor				MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5149.60	48.19	54.00	-5.81	40.83	34.05	10.65	37.34	0.00	201	277	AVERAGE	 <p>Level (dBuV/m) vs Frequency (MHz) for Fundamental. Average at 5180.00 MHz.</p> <table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Aux</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line Margin</th> <th>Level Factor</th> <th>Loss Factor</th> <th>Factor</th> <th></th> <th></th> <th></th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>5180.00</td> <td>104.47</td> <td>-----</td> <td>-----</td> <td>97.03</td> <td>34.08</td> <td>10.69</td> <td>37.33</td> <td>0.00</td> <td>201</td> <td>277</td> <td>AVERAGE</td> </tr> </tbody> </table>	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line Margin	Level Factor	Loss Factor	Factor				MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5180.00	104.47	-----	-----	97.03	34.08	10.69	37.33	0.00	201	277	AVERAGE
Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																												
Freq	Level	Line Margin	Level Factor	Loss Factor	Factor																																																																															
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																											
1	5149.60	48.19	54.00	-5.81	40.83	34.05	10.65	37.34	0.00	201	277	AVERAGE																																																																								
Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																												
Freq	Level	Line Margin	Level Factor	Loss Factor	Factor																																																																															
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																											
1	5180.00	104.47	-----	-----	97.03	34.08	10.69	37.33	0.00	201	277	AVERAGE																																																																								



Mode	10																																																																																																																																						
	Harmonic																																																																																																																																						
	U-NII-1_5.15-5.25_802.11ax HE20_CH36_Full_5180MHz																																																																																																																																						
ANT	CDD 1+2																																																																																																																																						
Pol.	Horizontal	Vertical																																																																																																																																					
Peak Avg																																																																																																																																							
	<table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Aux</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line Margin</th> <th>Level</th> <th>Factor</th> <th>Loss Factor</th> <th>Factor</th> <th></th> <th></th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>10360.00</td> <td>53.78</td> <td>68.20</td> <td>-14.42</td> <td>63.24</td> <td>37.39</td> <td>15.30</td> <td>62.15</td> <td>0.00</td> <td>--</td> <td>--</td> <td>PEAK</td> </tr> <tr> <td>2</td> <td>15540.00</td> <td>56.79</td> <td>74.00</td> <td>-17.21</td> <td>59.64</td> <td>40.19</td> <td>19.08</td> <td>62.12</td> <td>0.00</td> <td>300</td> <td>341</td> <td>PEAK</td> </tr> <tr> <td>3</td> <td>15540.00</td> <td>48.01</td> <td>54.00</td> <td>-5.99</td> <td>50.85</td> <td>40.20</td> <td>19.08</td> <td>62.12</td> <td>0.00</td> <td>300</td> <td>341</td> <td>AVERAGE</td> </tr> </tbody> </table>	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line Margin	Level	Factor	Loss Factor	Factor			MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	10360.00	53.78	68.20	-14.42	63.24	37.39	15.30	62.15	0.00	--	--	PEAK	2	15540.00	56.79	74.00	-17.21	59.64	40.19	19.08	62.12	0.00	300	341	PEAK	3	15540.00	48.01	54.00	-5.99	50.85	40.20	19.08	62.12	0.00	300	341	AVERAGE	<table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Aux</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line Margin</th> <th>Level</th> <th>Factor</th> <th>Loss Factor</th> <th>Factor</th> <th></th> <th></th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>10360.00</td> <td>55.14</td> <td>68.20</td> <td>-13.06</td> <td>64.59</td> <td>37.39</td> <td>15.31</td> <td>62.15</td> <td>0.00</td> <td>--</td> <td>--</td> <td>Peak</td> </tr> <tr> <td>2</td> <td>15540.00</td> <td>61.83</td> <td>74.00</td> <td>-12.17</td> <td>64.68</td> <td>40.19</td> <td>19.08</td> <td>62.12</td> <td>0.00</td> <td>300</td> <td>180</td> <td>PEAK</td> </tr> <tr> <td>3</td> <td>15540.00</td> <td>53.05</td> <td>54.00</td> <td>-0.95</td> <td>55.89</td> <td>40.20</td> <td>19.08</td> <td>62.12</td> <td>0.00</td> <td>300</td> <td>180</td> <td>AVERAGE</td> </tr> </tbody> </table>	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line Margin	Level	Factor	Loss Factor	Factor			MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	10360.00	55.14	68.20	-13.06	64.59	37.39	15.31	62.15	0.00	--	--	Peak	2	15540.00	61.83	74.00	-12.17	64.68	40.19	19.08	62.12	0.00	300	180	PEAK	3	15540.00	53.05	54.00	-0.95	55.89	40.20	19.08	62.12	0.00	300	180
Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																																																															
Freq	Level	Line Margin	Level	Factor	Loss Factor	Factor																																																																																																																																	
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																																														
1	10360.00	53.78	68.20	-14.42	63.24	37.39	15.30	62.15	0.00	--	--	PEAK																																																																																																																											
2	15540.00	56.79	74.00	-17.21	59.64	40.19	19.08	62.12	0.00	300	341	PEAK																																																																																																																											
3	15540.00	48.01	54.00	-5.99	50.85	40.20	19.08	62.12	0.00	300	341	AVERAGE																																																																																																																											
Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																																																															
Freq	Level	Line Margin	Level	Factor	Loss Factor	Factor																																																																																																																																	
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																																														
1	10360.00	55.14	68.20	-13.06	64.59	37.39	15.31	62.15	0.00	--	--	Peak																																																																																																																											
2	15540.00	61.83	74.00	-12.17	64.68	40.19	19.08	62.12	0.00	300	180	PEAK																																																																																																																											
3	15540.00	53.05	54.00	-0.95	55.89	40.20	19.08	62.12	0.00	300	180	AVERAGE																																																																																																																											



Mode	11																																																																																																																		
	Harmonic																																																																																																																		
	U-NII-1_5.15-5.25_802.11ax HE20_CH44_Full_5220MHz																																																																																																																		
ANT	CDD 1+2																																																																																																																		
Pol.	Horizontal	Vertical																																																																																																																	
Peak Avg	<table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Aux</th> <th>APos</th> <th>TPos</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line Margin</th> <th>Level</th> <th>Factor</th> <th>Loss Factor</th> <th>Factor</th> <th>Remark</th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>10440.00</td> <td>54.45</td> <td>68.20</td> <td>-13.75</td> <td>63.76</td> <td>37.45</td> <td>15.36</td> <td>62.12</td> <td>0.00</td> <td>--</td> <td>--</td> <td>PEAK</td> </tr> <tr> <td>2</td> <td>15660.00</td> <td>49.21</td> <td>74.00</td> <td>-24.79</td> <td>51.81</td> <td>40.33</td> <td>19.17</td> <td>62.10</td> <td>0.00</td> <td>--</td> <td>--</td> <td>PEAK</td> </tr> </tbody> </table>	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Freq	Level	Line Margin	Level	Factor	Loss Factor	Factor	Remark	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	1	10440.00	54.45	68.20	-13.75	63.76	37.45	15.36	62.12	0.00	--	--	PEAK	2	15660.00	49.21	74.00	-24.79	51.81	40.33	19.17	62.10	0.00	--	--	PEAK	<table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Aux</th> <th>APos</th> <th>TPos</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line Margin</th> <th>Level</th> <th>Factor</th> <th>Loss Factor</th> <th>Factor</th> <th>Remark</th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>10440.00</td> <td>55.45</td> <td>68.20</td> <td>-12.75</td> <td>64.77</td> <td>37.45</td> <td>15.35</td> <td>62.12</td> <td>0.00</td> <td>--</td> <td>--</td> <td>Peak</td> </tr> <tr> <td>2</td> <td>15660.00</td> <td>63.21</td> <td>74.00</td> <td>-10.79</td> <td>65.81</td> <td>40.33</td> <td>19.17</td> <td>62.10</td> <td>0.00</td> <td>227</td> <td>305</td> <td>PEAK</td> </tr> <tr> <td>3</td> <td>15660.00</td> <td>53.19</td> <td>54.00</td> <td>-0.81</td> <td>55.79</td> <td>40.33</td> <td>19.17</td> <td>62.10</td> <td>0.00</td> <td>227</td> <td>305</td> <td>AVERAGE</td> </tr> </tbody> </table>	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Freq	Level	Line Margin	Level	Factor	Loss Factor	Factor	Remark	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	1	10440.00	55.45	68.20	-12.75	64.77	37.45	15.35	62.12	0.00	--	--	Peak	2	15660.00	63.21	74.00	-10.79	65.81	40.33	19.17	62.10	0.00	227	305	PEAK	3	15660.00	53.19	54.00	-0.81	55.79	40.33	19.17	62.10	0.00	227	305	AVERAGE
Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																																												
Freq	Level	Line Margin	Level	Factor	Loss Factor	Factor	Remark																																																																																																												
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB																																																																																																												
1	10440.00	54.45	68.20	-13.75	63.76	37.45	15.36	62.12	0.00	--	--	PEAK																																																																																																							
2	15660.00	49.21	74.00	-24.79	51.81	40.33	19.17	62.10	0.00	--	--	PEAK																																																																																																							
Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																																												
Freq	Level	Line Margin	Level	Factor	Loss Factor	Factor	Remark																																																																																																												
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB																																																																																																												
1	10440.00	55.45	68.20	-12.75	64.77	37.45	15.35	62.12	0.00	--	--	Peak																																																																																																							
2	15660.00	63.21	74.00	-10.79	65.81	40.33	19.17	62.10	0.00	227	305	PEAK																																																																																																							
3	15660.00	53.19	54.00	-0.81	55.79	40.33	19.17	62.10	0.00	227	305	AVERAGE																																																																																																							



Mode	12																																																																																																																																						
	Harmonic																																																																																																																																						
	U-NII-1_5.15-5.25_802.11ax HE20_CH48_Full_5240MHz																																																																																																																																						
ANT	CDD 1+2																																																																																																																																						
Pol.	Horizontal	Vertical																																																																																																																																					
Peak Avg																																																																																																																																							
	<table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Aux</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line Margin</th> <th>Level</th> <th>Factor</th> <th>Loss Factor</th> <th>Factor</th> <th></th> <th></th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>10480.00</td> <td>52.05</td> <td>68.20</td> <td>-16.15</td> <td>61.28</td> <td>37.48</td> <td>15.39</td> <td>62.10</td> <td>0.00</td> <td>--</td> <td>--</td> <td>Peak</td> </tr> <tr> <td>2</td> <td>15720.00</td> <td>54.50</td> <td>74.00</td> <td>-19.50</td> <td>56.99</td> <td>40.39</td> <td>19.21</td> <td>62.09</td> <td>0.00</td> <td>300</td> <td>58</td> <td>PEAK</td> </tr> <tr> <td>3</td> <td>15720.00</td> <td>44.87</td> <td>54.00</td> <td>-9.13</td> <td>47.36</td> <td>40.39</td> <td>19.21</td> <td>62.09</td> <td>0.00</td> <td>300</td> <td>58</td> <td>AVERAGE</td> </tr> </tbody> </table>	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line Margin	Level	Factor	Loss Factor	Factor			MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	10480.00	52.05	68.20	-16.15	61.28	37.48	15.39	62.10	0.00	--	--	Peak	2	15720.00	54.50	74.00	-19.50	56.99	40.39	19.21	62.09	0.00	300	58	PEAK	3	15720.00	44.87	54.00	-9.13	47.36	40.39	19.21	62.09	0.00	300	58	AVERAGE	<table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Aux</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line Margin</th> <th>Level</th> <th>Factor</th> <th>Loss Factor</th> <th>Factor</th> <th></th> <th></th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>10480.00</td> <td>58.70</td> <td>68.20</td> <td>-9.50</td> <td>67.92</td> <td>37.49</td> <td>15.39</td> <td>62.10</td> <td>0.00</td> <td>--</td> <td>--</td> <td>Peak</td> </tr> <tr> <td>2</td> <td>15720.00</td> <td>61.79</td> <td>74.00</td> <td>-12.21</td> <td>64.28</td> <td>40.39</td> <td>19.21</td> <td>62.09</td> <td>0.00</td> <td>300</td> <td>310</td> <td>PEAK</td> </tr> <tr> <td>3</td> <td>15720.00</td> <td>53.04</td> <td>54.00</td> <td>-0.96</td> <td>55.53</td> <td>40.39</td> <td>19.21</td> <td>62.09</td> <td>0.00</td> <td>300</td> <td>310</td> <td>AVERAGE</td> </tr> </tbody> </table>	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line Margin	Level	Factor	Loss Factor	Factor			MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	10480.00	58.70	68.20	-9.50	67.92	37.49	15.39	62.10	0.00	--	--	Peak	2	15720.00	61.79	74.00	-12.21	64.28	40.39	19.21	62.09	0.00	300	310	PEAK	3	15720.00	53.04	54.00	-0.96	55.53	40.39	19.21	62.09	0.00	300	310
Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																																																															
Freq	Level	Line Margin	Level	Factor	Loss Factor	Factor																																																																																																																																	
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																																														
1	10480.00	52.05	68.20	-16.15	61.28	37.48	15.39	62.10	0.00	--	--	Peak																																																																																																																											
2	15720.00	54.50	74.00	-19.50	56.99	40.39	19.21	62.09	0.00	300	58	PEAK																																																																																																																											
3	15720.00	44.87	54.00	-9.13	47.36	40.39	19.21	62.09	0.00	300	58	AVERAGE																																																																																																																											
Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																																																															
Freq	Level	Line Margin	Level	Factor	Loss Factor	Factor																																																																																																																																	
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																																														
1	10480.00	58.70	68.20	-9.50	67.92	37.49	15.39	62.10	0.00	--	--	Peak																																																																																																																											
2	15720.00	61.79	74.00	-12.21	64.28	40.39	19.21	62.09	0.00	300	310	PEAK																																																																																																																											
3	15720.00	53.04	54.00	-0.96	55.53	40.39	19.21	62.09	0.00	300	310	AVERAGE																																																																																																																											







Mode	13																																																																																																																																						
	Harmonic																																																																																																																																						
	U-NII-2A_5.25-5.35_802.11ax HE20_CH52_Full_5260MHz																																																																																																																																						
ANT	CDD 1+2																																																																																																																																						
Pol.	Horizontal	Vertical																																																																																																																																					
Peak Avg																																																																																																																																							
	<table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Aux</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line Margin</th> <th>Level</th> <th>Factor</th> <th>Loss Factor</th> <th>Factor</th> <th></th> <th></th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>10520.00</td> <td>45.56</td> <td>68.20</td> <td>-22.64</td> <td>54.71</td> <td>37.52</td> <td>15.41</td> <td>62.08</td> <td>0.00</td> <td>230</td> <td>54</td> <td>PEAK</td> </tr> <tr> <td>2</td> <td>15780.00</td> <td>54.31</td> <td>74.00</td> <td>-19.69</td> <td>56.69</td> <td>40.46</td> <td>19.25</td> <td>62.09</td> <td>0.00</td> <td>230</td> <td>54</td> <td>PEAK</td> </tr> <tr> <td>3</td> <td>15780.00</td> <td>44.71</td> <td>54.00</td> <td>-9.29</td> <td>47.08</td> <td>40.46</td> <td>19.26</td> <td>62.09</td> <td>0.00</td> <td>--</td> <td>--</td> <td>AVERAGE</td> </tr> </tbody> </table>	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line Margin	Level	Factor	Loss Factor	Factor			MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	10520.00	45.56	68.20	-22.64	54.71	37.52	15.41	62.08	0.00	230	54	PEAK	2	15780.00	54.31	74.00	-19.69	56.69	40.46	19.25	62.09	0.00	230	54	PEAK	3	15780.00	44.71	54.00	-9.29	47.08	40.46	19.26	62.09	0.00	--	--	AVERAGE	<table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Aux</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line Margin</th> <th>Level</th> <th>Factor</th> <th>Loss Factor</th> <th>Factor</th> <th></th> <th></th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>10520.00</td> <td>57.12</td> <td>68.20</td> <td>-11.08</td> <td>66.27</td> <td>37.52</td> <td>15.41</td> <td>62.08</td> <td>0.00</td> <td>224</td> <td>306</td> <td>PEAK</td> </tr> <tr> <td>2</td> <td>15780.00</td> <td>61.80</td> <td>74.00</td> <td>-12.20</td> <td>64.18</td> <td>40.46</td> <td>19.25</td> <td>62.09</td> <td>0.00</td> <td>224</td> <td>306</td> <td>PEAK</td> </tr> <tr> <td>3</td> <td>15780.00</td> <td>51.90</td> <td>54.00</td> <td>-2.10</td> <td>54.27</td> <td>40.46</td> <td>19.26</td> <td>62.09</td> <td>0.00</td> <td>224</td> <td>306</td> <td>AVERAGE</td> </tr> </tbody> </table>	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line Margin	Level	Factor	Loss Factor	Factor			MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	10520.00	57.12	68.20	-11.08	66.27	37.52	15.41	62.08	0.00	224	306	PEAK	2	15780.00	61.80	74.00	-12.20	64.18	40.46	19.25	62.09	0.00	224	306	PEAK	3	15780.00	51.90	54.00	-2.10	54.27	40.46	19.26	62.09	0.00	224	306
Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																																																															
Freq	Level	Line Margin	Level	Factor	Loss Factor	Factor																																																																																																																																	
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																																														
1	10520.00	45.56	68.20	-22.64	54.71	37.52	15.41	62.08	0.00	230	54	PEAK																																																																																																																											
2	15780.00	54.31	74.00	-19.69	56.69	40.46	19.25	62.09	0.00	230	54	PEAK																																																																																																																											
3	15780.00	44.71	54.00	-9.29	47.08	40.46	19.26	62.09	0.00	--	--	AVERAGE																																																																																																																											
Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																																																															
Freq	Level	Line Margin	Level	Factor	Loss Factor	Factor																																																																																																																																	
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																																														
1	10520.00	57.12	68.20	-11.08	66.27	37.52	15.41	62.08	0.00	224	306	PEAK																																																																																																																											
2	15780.00	61.80	74.00	-12.20	64.18	40.46	19.25	62.09	0.00	224	306	PEAK																																																																																																																											
3	15780.00	51.90	54.00	-2.10	54.27	40.46	19.26	62.09	0.00	224	306	AVERAGE																																																																																																																											







Mode	14																																																																																																																															
	Harmonic																																																																																																																															
	U-NII-2A_5.25-5.35_802.11ax HE20_CH60_Full_5300MHz																																																																																																																															
ANT	CDD 1+2																																																																																																																															
Pol.	Horizontal	Vertical																																																																																																																														
Peak Avg	<table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Aux</th> <th>APos</th> <th>TPos</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>Margin</th> <th>Level</th> <th>Factor</th> <th>Loss</th> <th>Factor</th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>10600.00</td> <td>45.17</td> <td>74.00</td> <td>-28.83</td> <td>54.17</td> <td>37.58</td> <td>15.47</td> <td>62.05</td> <td>0.00</td> <td>--</td> <td>--</td> <td>PEAK</td> </tr> <tr> <td>2</td> <td>15900.00</td> <td>48.57</td> <td>74.00</td> <td>-25.43</td> <td>50.71</td> <td>40.59</td> <td>19.34</td> <td>62.07</td> <td>0.00</td> <td>--</td> <td>--</td> <td>PEAK</td> </tr> </tbody> </table>	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	1	10600.00	45.17	74.00	-28.83	54.17	37.58	15.47	62.05	0.00	--	--	PEAK	2	15900.00	48.57	74.00	-25.43	50.71	40.59	19.34	62.07	0.00	--	--	PEAK	<table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Aux</th> <th>APos</th> <th>TPos</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>Margin</th> <th>Level</th> <th>Factor</th> <th>Loss</th> <th>Factor</th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>10600.00</td> <td>58.87</td> <td>74.00</td> <td>-15.13</td> <td>67.87</td> <td>37.58</td> <td>15.47</td> <td>62.05</td> <td>0.00</td> <td>281</td> <td>342</td> <td>Peak</td> </tr> <tr> <td>2</td> <td>10600.00</td> <td>49.66</td> <td>54.00</td> <td>-4.34</td> <td>58.66</td> <td>37.58</td> <td>15.47</td> <td>62.05</td> <td>0.00</td> <td>281</td> <td>342</td> <td>Average</td> </tr> <tr> <td>3</td> <td>15900.00</td> <td>61.69</td> <td>74.00</td> <td>-12.31</td> <td>63.83</td> <td>40.59</td> <td>19.34</td> <td>62.07</td> <td>0.00</td> <td>225</td> <td>305</td> <td>PEAK</td> </tr> <tr> <td>4</td> <td>15900.00</td> <td>52.54</td> <td>54.00</td> <td>-1.46</td> <td>54.67</td> <td>40.59</td> <td>19.35</td> <td>62.07</td> <td>0.00</td> <td>225</td> <td>305</td> <td>AVERAGE</td> </tr> </tbody> </table>	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	1	10600.00	58.87	74.00	-15.13	67.87	37.58	15.47	62.05	0.00	281	342	Peak	2	10600.00	49.66	54.00	-4.34	58.66	37.58	15.47	62.05	0.00	281	342	Average	3	15900.00	61.69	74.00	-12.31	63.83	40.59	19.34	62.07	0.00	225	305	PEAK	4	15900.00	52.54	54.00	-1.46	54.67	40.59	19.35	62.07	0.00	225	305	AVERAGE
Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																																																									
Freq	Level	Line	Margin	Level	Factor	Loss	Factor																																																																																																																									
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB																																																																																																																									
1	10600.00	45.17	74.00	-28.83	54.17	37.58	15.47	62.05	0.00	--	--	PEAK																																																																																																																				
2	15900.00	48.57	74.00	-25.43	50.71	40.59	19.34	62.07	0.00	--	--	PEAK																																																																																																																				
Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																																																									
Freq	Level	Line	Margin	Level	Factor	Loss	Factor																																																																																																																									
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB																																																																																																																									
1	10600.00	58.87	74.00	-15.13	67.87	37.58	15.47	62.05	0.00	281	342	Peak																																																																																																																				
2	10600.00	49.66	54.00	-4.34	58.66	37.58	15.47	62.05	0.00	281	342	Average																																																																																																																				
3	15900.00	61.69	74.00	-12.31	63.83	40.59	19.34	62.07	0.00	225	305	PEAK																																																																																																																				
4	15900.00	52.54	54.00	-1.46	54.67	40.59	19.35	62.07	0.00	225	305	AVERAGE																																																																																																																				



Mode	15																																																																																									
	Band Edge																																																																																									
	U-NII-2A_5.25-5.35_802.11ax HE20_CH64_Full_5320MHZ																																																																																									
ANT	CDD 1+2																																																																																									
Pol.	Horizontal	Fundamental																																																																																								
Peak	 <table border="1" data-bbox="263 1120 782 1254"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Aux</th> <th>APos</th> <th>TPos</th> <th colspan="2">Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line Margin</th> <th>Level</th> <th>Factor</th> <th>Loss Factor</th> <th>Factor</th> <th>Factor</th> <th>cm</th> <th>deg</th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>5352.20</td> <td>52.73</td> <td>74.00</td> <td>-21.27</td> <td>44.68</td> <td>34.50</td> <td>10.84</td> <td>37.29</td> <td>0.00</td> <td>311</td> <td>328</td> <td>PEAK</td> </tr> </tbody> </table>	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark		Freq	Level	Line Margin	Level	Factor	Loss Factor	Factor	Factor	cm	deg	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1	5352.20	52.73	74.00	-21.27	44.68	34.50	10.84	37.29	0.00	311	328	PEAK	 <table border="1" data-bbox="901 1120 1420 1254"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Aux</th> <th>APos</th> <th>TPos</th> <th colspan="2">Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line Margin</th> <th>Level</th> <th>Factor</th> <th>Loss Factor</th> <th>Factor</th> <th>Factor</th> <th>cm</th> <th>deg</th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>5320.00</td> <td>101.72</td> <td>-----</td> <td>-----</td> <td>93.79</td> <td>34.43</td> <td>10.80</td> <td>37.30</td> <td>0.00</td> <td>311</td> <td>328</td> <td>PEAK</td> </tr> </tbody> </table>	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark		Freq	Level	Line Margin	Level	Factor	Loss Factor	Factor	Factor	cm	deg	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1	5320.00	101.72	-----	-----	93.79	34.43	10.80	37.30	0.00	311	328	PEAK
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																	
Freq	Level	Line Margin	Level	Factor	Loss Factor	Factor	Factor	cm	deg																																																																																	
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																																
1	5352.20	52.73	74.00	-21.27	44.68	34.50	10.84	37.29	0.00	311	328	PEAK																																																																														
Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																		
Freq	Level	Line Margin	Level	Factor	Loss Factor	Factor	Factor	cm	deg																																																																																	
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																																
1	5320.00	101.72	-----	-----	93.79	34.43	10.80	37.30	0.00	311	328	PEAK																																																																														
Avg	 <table border="1" data-bbox="263 1803 782 1937"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Aux</th> <th>APos</th> <th>TPos</th> <th colspan="2">Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line Margin</th> <th>Level</th> <th>Factor</th> <th>Loss Factor</th> <th>Factor</th> <th>Factor</th> <th>cm</th> <th>deg</th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>5350.10</td> <td>41.63</td> <td>54.00</td> <td>-12.37</td> <td>33.58</td> <td>34.50</td> <td>10.84</td> <td>37.29</td> <td>0.00</td> <td>311</td> <td>328</td> <td>AVERAGE</td> </tr> </tbody> </table>	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark		Freq	Level	Line Margin	Level	Factor	Loss Factor	Factor	Factor	cm	deg	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1	5350.10	41.63	54.00	-12.37	33.58	34.50	10.84	37.29	0.00	311	328	AVERAGE	 <table border="1" data-bbox="901 1803 1420 1937"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Aux</th> <th>APos</th> <th>TPos</th> <th colspan="2">Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line Margin</th> <th>Level</th> <th>Factor</th> <th>Loss Factor</th> <th>Factor</th> <th>Factor</th> <th>cm</th> <th>deg</th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>5320.00</td> <td>94.09</td> <td>-----</td> <td>-----</td> <td>86.14</td> <td>34.44</td> <td>10.81</td> <td>37.30</td> <td>0.00</td> <td>311</td> <td>328</td> <td>AVERAGE</td> </tr> </tbody> </table>	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark		Freq	Level	Line Margin	Level	Factor	Loss Factor	Factor	Factor	cm	deg	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1	5320.00	94.09	-----	-----	86.14	34.44	10.81	37.30	0.00	311	328	AVERAGE
Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																		
Freq	Level	Line Margin	Level	Factor	Loss Factor	Factor	Factor	cm	deg																																																																																	
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																																
1	5350.10	41.63	54.00	-12.37	33.58	34.50	10.84	37.29	0.00	311	328	AVERAGE																																																																														
Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																		
Freq	Level	Line Margin	Level	Factor	Loss Factor	Factor	Factor	cm	deg																																																																																	
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																																
1	5320.00	94.09	-----	-----	86.14	34.44	10.81	37.30	0.00	311	328	AVERAGE																																																																														





Mode	15																																																																																	
	Band Edge																																																																																	
	U-NII-2A_5.25-5.35_802.11ax HE20_CH64_Full_5320MHz																																																																																	
ANT	CDD 1+2																																																																																	
Pol.	Vertical	Fundamental																																																																																
Peak	 <p>Level (dBuV/m) vs Frequency (MHz) for Vertical. Peak at 5350.20 MHz.</p> <table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Aux</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>Margin</th> <th>Level</th> <th>Factor</th> <th>Loss</th> <th>Factor</th> <th>Factor</th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>dB</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>5350.20</td> <td>61.21</td> <td>74.00</td> <td>-12.79</td> <td>53.16</td> <td>34.50</td> <td>10.84</td> <td>37.29</td> <td>0.00</td> <td>100</td> <td>292</td> <td>PEAK</td> </tr> </tbody> </table>	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	1	5350.20	61.21	74.00	-12.79	53.16	34.50	10.84	37.29	0.00	100	292	PEAK	 <p>Level (dBuV/m) vs Frequency (MHz) for Fundamental. Peak at 5320.00 MHz.</p> <table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Aux</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>Margin</th> <th>Level</th> <th>Factor</th> <th>Loss</th> <th>Factor</th> <th>Factor</th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>dB</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>5320.00</td> <td>112.56</td> <td>-----</td> <td>-----</td> <td>104.61</td> <td>34.44</td> <td>10.81</td> <td>37.30</td> <td>0.00</td> <td>100</td> <td>292</td> <td>PEAK</td> </tr> </tbody> </table>	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	1	5320.00	112.56	-----	-----	104.61	34.44	10.81	37.30	0.00	100	292	PEAK
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																									
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																																																										
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB																																																																										
1	5350.20	61.21	74.00	-12.79	53.16	34.50	10.84	37.29	0.00	100	292	PEAK																																																																						
Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																										
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																																																										
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB																																																																										
1	5320.00	112.56	-----	-----	104.61	34.44	10.81	37.30	0.00	100	292	PEAK																																																																						
Avg	 <p>Level (dBuV/m) vs Frequency (MHz) for Vertical Average. Peak at 5350.10 MHz.</p> <table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Aux</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>Margin</th> <th>Level</th> <th>Factor</th> <th>Loss</th> <th>Factor</th> <th>Factor</th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>dB</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>5350.10</td> <td>48.24</td> <td>54.00</td> <td>-5.76</td> <td>40.19</td> <td>34.50</td> <td>10.84</td> <td>37.29</td> <td>0.00</td> <td>100</td> <td>292</td> <td>AVERAGE</td> </tr> </tbody> </table>	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	1	5350.10	48.24	54.00	-5.76	40.19	34.50	10.84	37.29	0.00	100	292	AVERAGE	 <p>Level (dBuV/m) vs Frequency (MHz) for Fundamental Average. Peak at 5320.00 MHz.</p> <table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Aux</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>Margin</th> <th>Level</th> <th>Factor</th> <th>Loss</th> <th>Factor</th> <th>Factor</th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>dB</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>5320.00</td> <td>103.35</td> <td>-----</td> <td>-----</td> <td>95.42</td> <td>34.43</td> <td>10.80</td> <td>37.30</td> <td>0.00</td> <td>100</td> <td>292</td> <td>AVERAGE</td> </tr> </tbody> </table>	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	1	5320.00	103.35	-----	-----	95.42	34.43	10.80	37.30	0.00	100	292	AVERAGE
Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																										
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																																																										
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB																																																																										
1	5350.10	48.24	54.00	-5.76	40.19	34.50	10.84	37.29	0.00	100	292	AVERAGE																																																																						
Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																										
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																																																										
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB																																																																										
1	5320.00	103.35	-----	-----	95.42	34.43	10.80	37.30	0.00	100	292	AVERAGE																																																																						



Mode	15																																																																																																																			
	Harmonic																																																																																																																			
	U-NII-2A_5.25-5.35_802.11ax HE20_CH64_Full_5320MHz																																																																																																																			
ANT	CDD 1+2																																																																																																																			
Pol.	Horizontal	Vertical																																																																																																																		
Peak Avg	<table border="1"> <thead> <tr> <th>Freq</th> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Aux</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1 10640.00</td> <td>46.49</td> <td>74.00</td> <td>-27.51</td> <td>55.41</td> <td>37.61</td> <td>15.50</td> <td>62.03</td> <td>0.00</td> <td>--</td> <td>--</td> <td>Peak</td> </tr> <tr> <td>2 15960.00</td> <td>57.39</td> <td>74.00</td> <td>-16.61</td> <td>59.40</td> <td>40.66</td> <td>19.39</td> <td>62.06</td> <td>0.00</td> <td>272</td> <td>278</td> <td>PEAK</td> </tr> <tr> <td>3 15960.00</td> <td>49.11</td> <td>54.00</td> <td>-4.89</td> <td>51.12</td> <td>40.66</td> <td>19.39</td> <td>62.06</td> <td>0.00</td> <td>272</td> <td>278</td> <td>AVERAGE</td> </tr> </tbody> </table>	Freq	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1 10640.00	46.49	74.00	-27.51	55.41	37.61	15.50	62.03	0.00	--	--	Peak	2 15960.00	57.39	74.00	-16.61	59.40	40.66	19.39	62.06	0.00	272	278	PEAK	3 15960.00	49.11	54.00	-4.89	51.12	40.66	19.39	62.06	0.00	272	278	AVERAGE	<table border="1"> <thead> <tr> <th>Freq</th> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Aux</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1 10640.00</td> <td>45.84</td> <td>74.00</td> <td>-28.16</td> <td>54.76</td> <td>37.61</td> <td>15.50</td> <td>62.03</td> <td>0.00</td> <td>--</td> <td>--</td> <td>Peak</td> </tr> <tr> <td>2 15960.00</td> <td>61.75</td> <td>74.00</td> <td>-12.25</td> <td>63.76</td> <td>40.66</td> <td>19.39</td> <td>62.06</td> <td>0.00</td> <td>300</td> <td>226</td> <td>PEAK</td> </tr> <tr> <td>3 15960.00</td> <td>53.39</td> <td>54.00</td> <td>-0.61</td> <td>55.40</td> <td>40.66</td> <td>19.39</td> <td>62.06</td> <td>0.00</td> <td>300</td> <td>226</td> <td>AVERAGE</td> </tr> </tbody> </table>	Freq	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1 10640.00	45.84	74.00	-28.16	54.76	37.61	15.50	62.03	0.00	--	--	Peak	2 15960.00	61.75	74.00	-12.25	63.76	40.66	19.39	62.06	0.00	300	226	PEAK	3 15960.00	53.39	54.00	-0.61	55.40	40.66	19.39	62.06	0.00	300	226	AVERAGE
	Freq	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																																										
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																																																										
1 10640.00	46.49	74.00	-27.51	55.41	37.61	15.50	62.03	0.00	--	--	Peak																																																																																																									
2 15960.00	57.39	74.00	-16.61	59.40	40.66	19.39	62.06	0.00	272	278	PEAK																																																																																																									
3 15960.00	49.11	54.00	-4.89	51.12	40.66	19.39	62.06	0.00	272	278	AVERAGE																																																																																																									
Freq	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																																											
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																																																										
1 10640.00	45.84	74.00	-28.16	54.76	37.61	15.50	62.03	0.00	--	--	Peak																																																																																																									
2 15960.00	61.75	74.00	-12.25	63.76	40.66	19.39	62.06	0.00	300	226	PEAK																																																																																																									
3 15960.00	53.39	54.00	-0.61	55.40	40.66	19.39	62.06	0.00	300	226	AVERAGE																																																																																																									



Mode	15	
	18G-40G	
	U-NII-2A_5.25-5.35_802.11ax HE20_CH64_Full_5320MHz	
ANT	CDD 1+2	
Pol.	Horizontal	Vertical
Peak		
Avg		

Note: Only the worst case has assessed 18G ~40GHz to test.







Mode	15																																																																																																																																																																																												
	LF																																																																																																																																																																																												
	U-NII-2A_5.25-5.35_802.11ax HE20_CH64_Full_5320MHz																																																																																																																																																																																												
ANT	CDD 1+2																																																																																																																																																																																												
Pol.	Horizontal	Vertical																																																																																																																																																																																											
QP																																																																																																																																																																																													
	<table border="1"> <thead> <tr> <th></th> <th>Freq</th> <th>Level</th> <th>Over</th> <th>Limit</th> <th>ReadAntenna</th> <th>Cable</th> <th>Preamp</th> <th>A/Pos</th> <th>T/Pos</th> <th>Remark</th> </tr> <tr> <th></th> <th>MHz</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV/m</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>30.00</td> <td>21.87</td> <td>-18.13</td> <td>40.00</td> <td>28.50</td> <td>25.56</td> <td>0.76</td> <td>32.95</td> <td>---</td> <td>---</td> <td>Peak</td> </tr> <tr> <td>2</td> <td>125.06</td> <td>31.18</td> <td>-12.32</td> <td>43.50</td> <td>44.61</td> <td>17.65</td> <td>1.66</td> <td>32.74</td> <td>---</td> <td>---</td> <td>Peak</td> </tr> <tr> <td>3</td> <td>197.81</td> <td>31.06</td> <td>-12.44</td> <td>43.50</td> <td>46.90</td> <td>14.95</td> <td>2.08</td> <td>32.87</td> <td>---</td> <td>---</td> <td>Peak</td> </tr> <tr> <td>4</td> <td>375.32</td> <td>40.66</td> <td>-5.34</td> <td>46.00</td> <td>49.93</td> <td>21.01</td> <td>2.88</td> <td>33.16</td> <td>100</td> <td>281</td> <td>Peak</td> </tr> <tr> <td>5</td> <td>593.57</td> <td>41.63</td> <td>-4.37</td> <td>46.00</td> <td>45.38</td> <td>26.23</td> <td>3.58</td> <td>33.56</td> <td>100</td> <td>269</td> <td>Peak</td> </tr> <tr> <td>6</td> <td>979.63</td> <td>32.73</td> <td>-21.27</td> <td>54.00</td> <td>27.71</td> <td>31.93</td> <td>4.64</td> <td>31.55</td> <td>---</td> <td>---</td> <td>Peak</td> </tr> </tbody> </table>		Freq	Level	Over	Limit	ReadAntenna	Cable	Preamp	A/Pos	T/Pos	Remark		MHz	dBuV/m	dB	dBuV/m	dBuV	dB/m	dB	dB	cm	deg	1	30.00	21.87	-18.13	40.00	28.50	25.56	0.76	32.95	---	---	Peak	2	125.06	31.18	-12.32	43.50	44.61	17.65	1.66	32.74	---	---	Peak	3	197.81	31.06	-12.44	43.50	46.90	14.95	2.08	32.87	---	---	Peak	4	375.32	40.66	-5.34	46.00	49.93	21.01	2.88	33.16	100	281	Peak	5	593.57	41.63	-4.37	46.00	45.38	26.23	3.58	33.56	100	269	Peak	6	979.63	32.73	-21.27	54.00	27.71	31.93	4.64	31.55	---	---	Peak	<table border="1"> <thead> <tr> <th></th> <th>Freq</th> <th>Level</th> <th>Over</th> <th>Limit</th> <th>ReadAntenna</th> <th>Cable</th> <th>Preamp</th> <th>A/Pos</th> <th>T/Pos</th> <th>Remark</th> </tr> <tr> <th></th> <th>MHz</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV/m</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>30.00</td> <td>27.00</td> <td>-13.00</td> <td>40.00</td> <td>33.63</td> <td>25.56</td> <td>0.76</td> <td>32.95</td> <td>---</td> <td>---</td> <td>Peak</td> </tr> <tr> <td>2</td> <td>125.06</td> <td>32.24</td> <td>-11.26</td> <td>43.50</td> <td>45.67</td> <td>17.65</td> <td>1.66</td> <td>32.74</td> <td>---</td> <td>---</td> <td>Peak</td> </tr> <tr> <td>3</td> <td>197.81</td> <td>30.87</td> <td>-12.63</td> <td>43.50</td> <td>46.71</td> <td>14.95</td> <td>2.08</td> <td>32.87</td> <td>---</td> <td>---</td> <td>Peak</td> </tr> <tr> <td>4</td> <td>375.32</td> <td>32.68</td> <td>-13.32</td> <td>46.00</td> <td>41.95</td> <td>21.01</td> <td>2.88</td> <td>33.16</td> <td>---</td> <td>---</td> <td>Peak</td> </tr> <tr> <td>5</td> <td>593.57</td> <td>39.48</td> <td>-6.52</td> <td>46.00</td> <td>43.23</td> <td>26.23</td> <td>3.58</td> <td>33.56</td> <td>---</td> <td>---</td> <td>Peak</td> </tr> <tr> <td>6</td> <td>990.30</td> <td>32.31</td> <td>-21.69</td> <td>54.00</td> <td>28.35</td> <td>30.70</td> <td>4.67</td> <td>31.41</td> <td>---</td> <td>---</td> <td>Peak</td> </tr> </tbody> </table>		Freq	Level	Over	Limit	ReadAntenna	Cable	Preamp	A/Pos	T/Pos	Remark		MHz	dBuV/m	dB	dBuV/m	dBuV	dB/m	dB	dB	cm	deg	1	30.00	27.00	-13.00	40.00	33.63	25.56	0.76	32.95	---	---	Peak	2	125.06	32.24	-11.26	43.50	45.67	17.65	1.66	32.74	---	---	Peak	3	197.81	30.87	-12.63	43.50	46.71	14.95	2.08	32.87	---	---	Peak	4	375.32	32.68	-13.32	46.00	41.95	21.01	2.88	33.16	---	---	Peak	5	593.57	39.48	-6.52	46.00	43.23	26.23	3.58	33.56	---	---	Peak	6	990.30	32.31	-21.69	54.00	28.35	30.70	4.67	31.41	---	---
	Freq	Level	Over	Limit	ReadAntenna	Cable	Preamp	A/Pos	T/Pos	Remark																																																																																																																																																																																			
	MHz	dBuV/m	dB	dBuV/m	dBuV	dB/m	dB	dB	cm	deg																																																																																																																																																																																			
1	30.00	21.87	-18.13	40.00	28.50	25.56	0.76	32.95	---	---	Peak																																																																																																																																																																																		
2	125.06	31.18	-12.32	43.50	44.61	17.65	1.66	32.74	---	---	Peak																																																																																																																																																																																		
3	197.81	31.06	-12.44	43.50	46.90	14.95	2.08	32.87	---	---	Peak																																																																																																																																																																																		
4	375.32	40.66	-5.34	46.00	49.93	21.01	2.88	33.16	100	281	Peak																																																																																																																																																																																		
5	593.57	41.63	-4.37	46.00	45.38	26.23	3.58	33.56	100	269	Peak																																																																																																																																																																																		
6	979.63	32.73	-21.27	54.00	27.71	31.93	4.64	31.55	---	---	Peak																																																																																																																																																																																		
	Freq	Level	Over	Limit	ReadAntenna	Cable	Preamp	A/Pos	T/Pos	Remark																																																																																																																																																																																			
	MHz	dBuV/m	dB	dBuV/m	dBuV	dB/m	dB	dB	cm	deg																																																																																																																																																																																			
1	30.00	27.00	-13.00	40.00	33.63	25.56	0.76	32.95	---	---	Peak																																																																																																																																																																																		
2	125.06	32.24	-11.26	43.50	45.67	17.65	1.66	32.74	---	---	Peak																																																																																																																																																																																		
3	197.81	30.87	-12.63	43.50	46.71	14.95	2.08	32.87	---	---	Peak																																																																																																																																																																																		
4	375.32	32.68	-13.32	46.00	41.95	21.01	2.88	33.16	---	---	Peak																																																																																																																																																																																		
5	593.57	39.48	-6.52	46.00	43.23	26.23	3.58	33.56	---	---	Peak																																																																																																																																																																																		
6	990.30	32.31	-21.69	54.00	28.35	30.70	4.67	31.41	---	---	Peak																																																																																																																																																																																		



Mode	16																																																																																														
	Band Edge																																																																																														
	U-NII-2C_5.47-5.725_802.11ax HE20_CH100_5500MHz																																																																																														
ANT	CDD 1+2																																																																																														
Pol.	Horizontal	Fundamental																																																																																													
Peak	<table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Aux</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>Margin</th> <th>Level</th> <th>Factor</th> <th>Loss</th> <th>Factor</th> <th>Factor</th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>dB</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>5459.28</td> <td>48.72</td> <td>74.00</td> <td>-25.28</td> <td>40.47</td> <td>34.54</td> <td>10.97</td> <td>37.26</td> <td>0.00</td> <td>100</td> <td>150</td> <td>PEAK</td> </tr> <tr> <td>2</td> <td>5467.28</td> <td>54.72</td> <td>68.20</td> <td>-13.48</td> <td>46.47</td> <td>34.53</td> <td>10.98</td> <td>37.26</td> <td>0.00</td> <td>100</td> <td>150</td> <td>PEAK</td> </tr> </tbody> </table>	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	1	5459.28	48.72	74.00	-25.28	40.47	34.54	10.97	37.26	0.00	100	150	PEAK	2	5467.28	54.72	68.20	-13.48	46.47	34.53	10.98	37.26	0.00	100	150	PEAK	<table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Aux</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>Margin</th> <th>Level</th> <th>Factor</th> <th>Loss</th> <th>Factor</th> <th>Factor</th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>dB</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>5500.00</td> <td>101.40</td> <td>-----</td> <td>-----</td> <td>93.14</td> <td>34.51</td> <td>11.01</td> <td>37.26</td> <td>0.00</td> <td>100</td> <td>150</td> <td>PEAK</td> </tr> </tbody> </table>	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	1	5500.00	101.40	-----	-----	93.14	34.51	11.01	37.26	0.00	100	150	PEAK
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																						
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																																																																							
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB																																																																																							
1	5459.28	48.72	74.00	-25.28	40.47	34.54	10.97	37.26	0.00	100	150	PEAK																																																																																			
2	5467.28	54.72	68.20	-13.48	46.47	34.53	10.98	37.26	0.00	100	150	PEAK																																																																																			
Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																							
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																																																																							
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB																																																																																							
1	5500.00	101.40	-----	-----	93.14	34.51	11.01	37.26	0.00	100	150	PEAK																																																																																			
Avg	<table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Aux</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>Margin</th> <th>Level</th> <th>Factor</th> <th>Loss</th> <th>Factor</th> <th>Factor</th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>dB</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>5459.92</td> <td>39.27</td> <td>54.00</td> <td>-14.73</td> <td>31.02</td> <td>34.54</td> <td>10.97</td> <td>37.26</td> <td>0.00</td> <td>100</td> <td>150</td> <td>AVERAGE</td> </tr> </tbody> </table>	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	1	5459.92	39.27	54.00	-14.73	31.02	34.54	10.97	37.26	0.00	100	150	AVERAGE	<table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Aux</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>Margin</th> <th>Level</th> <th>Factor</th> <th>Loss</th> <th>Factor</th> <th>Factor</th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>dB</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>5500.00</td> <td>94.02</td> <td>-----</td> <td>-----</td> <td>85.75</td> <td>34.50</td> <td>11.02</td> <td>37.25</td> <td>0.00</td> <td>100</td> <td>150</td> <td>AVERAGE</td> </tr> </tbody> </table>	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	1	5500.00	94.02	-----	-----	85.75	34.50	11.02	37.25	0.00	100	150	AVERAGE													
Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																							
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																																																																							
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB																																																																																							
1	5459.92	39.27	54.00	-14.73	31.02	34.54	10.97	37.26	0.00	100	150	AVERAGE																																																																																			
Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																							
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																																																																							
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB																																																																																							
1	5500.00	94.02	-----	-----	85.75	34.50	11.02	37.25	0.00	100	150	AVERAGE																																																																																			



Mode	16																																																																																																			
	Band Edge																																																																																																			
	U-NII-2C_5.47-5.725_802.11ax HE20_CH100_5500MHz																																																																																																			
ANT	CDD 1+2																																																																																																			
Pol.	Vertical	Fundamental																																																																																																		
Peak	 <table border="1" data-bbox="268 1108 794 1249"> <thead> <tr> <th></th> <th>Limit Freq</th> <th>Level</th> <th>dBuV/m</th> <th>dB</th> <th>Line Margin</th> <th>Read Level</th> <th>Ant Factor</th> <th>Cable Loss</th> <th>Preamp Factor</th> <th>Aux Factor</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th></th> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> <th></th> </tr> </thead> <tbody> <tr> <td>1</td> <td>5457.52</td> <td>52.94</td> <td>74.00</td> <td>-21.06</td> <td>44.70</td> <td>34.54</td> <td>10.96</td> <td>37.26</td> <td>0.00</td> <td>298</td> <td>314</td> <td></td> <td>PEAK</td> </tr> <tr> <td>2</td> <td>5468.72</td> <td>62.82</td> <td>68.20</td> <td>-5.38</td> <td>54.57</td> <td>34.53</td> <td>10.98</td> <td>37.26</td> <td>0.00</td> <td>298</td> <td>314</td> <td></td> <td>PEAK</td> </tr> </tbody> </table>		Limit Freq	Level	dBuV/m	dB	Line Margin	Read Level	Ant Factor	Cable Loss	Preamp Factor	Aux Factor	APos	TPos	Remark		MHz	dBuV/m	dBuV/m	dB	dB	dBuV	dB/m	dB	dB	dB	cm	deg		1	5457.52	52.94	74.00	-21.06	44.70	34.54	10.96	37.26	0.00	298	314		PEAK	2	5468.72	62.82	68.20	-5.38	54.57	34.53	10.98	37.26	0.00	298	314		PEAK	 <table border="1" data-bbox="906 1108 1433 1249"> <thead> <tr> <th></th> <th>Limit Freq</th> <th>Level</th> <th>dBuV/m</th> <th>dB</th> <th>Line Margin</th> <th>Read Level</th> <th>Ant Factor</th> <th>Cable Loss</th> <th>Preamp Factor</th> <th>Aux Factor</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th></th> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> <th></th> </tr> </thead> <tbody> <tr> <td>1</td> <td>5500.00</td> <td>112.67</td> <td>-----</td> <td>-----</td> <td>104.41</td> <td>34.51</td> <td>11.01</td> <td>37.26</td> <td>0.00</td> <td>298</td> <td>314</td> <td></td> <td>PEAK</td> </tr> </tbody> </table>		Limit Freq	Level	dBuV/m	dB	Line Margin	Read Level	Ant Factor	Cable Loss	Preamp Factor	Aux Factor	APos	TPos	Remark		MHz	dBuV/m	dBuV/m	dB	dB	dBuV	dB/m	dB	dB	dB	cm	deg		1	5500.00	112.67	-----	-----	104.41	34.51	11.01	37.26	0.00	298	314		PEAK
		Limit Freq	Level	dBuV/m	dB	Line Margin	Read Level	Ant Factor	Cable Loss	Preamp Factor	Aux Factor	APos	TPos	Remark																																																																																						
	MHz	dBuV/m	dBuV/m	dB	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																																								
1	5457.52	52.94	74.00	-21.06	44.70	34.54	10.96	37.26	0.00	298	314		PEAK																																																																																							
2	5468.72	62.82	68.20	-5.38	54.57	34.53	10.98	37.26	0.00	298	314		PEAK																																																																																							
	Limit Freq	Level	dBuV/m	dB	Line Margin	Read Level	Ant Factor	Cable Loss	Preamp Factor	Aux Factor	APos	TPos	Remark																																																																																							
	MHz	dBuV/m	dBuV/m	dB	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																																								
1	5500.00	112.67	-----	-----	104.41	34.51	11.01	37.26	0.00	298	314		PEAK																																																																																							
Avg	 <table border="1" data-bbox="268 1789 794 1930"> <thead> <tr> <th></th> <th>Limit Freq</th> <th>Level</th> <th>dBuV/m</th> <th>dB</th> <th>Line Margin</th> <th>Read Level</th> <th>Ant Factor</th> <th>Cable Loss</th> <th>Preamp Factor</th> <th>Aux Factor</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th></th> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> <th></th> </tr> </thead> <tbody> <tr> <td>1</td> <td>5459.76</td> <td>45.55</td> <td>54.00</td> <td>-8.45</td> <td>37.30</td> <td>34.54</td> <td>10.97</td> <td>37.26</td> <td>0.00</td> <td>298</td> <td>314</td> <td></td> <td>AVERAGE</td> </tr> </tbody> </table>		Limit Freq	Level	dBuV/m	dB	Line Margin	Read Level	Ant Factor	Cable Loss	Preamp Factor	Aux Factor	APos	TPos	Remark		MHz	dBuV/m	dBuV/m	dB	dB	dBuV	dB/m	dB	dB	dB	cm	deg		1	5459.76	45.55	54.00	-8.45	37.30	34.54	10.97	37.26	0.00	298	314		AVERAGE	 <table border="1" data-bbox="906 1789 1433 1930"> <thead> <tr> <th></th> <th>Limit Freq</th> <th>Level</th> <th>dBuV/m</th> <th>dB</th> <th>Line Margin</th> <th>Read Level</th> <th>Ant Factor</th> <th>Cable Loss</th> <th>Preamp Factor</th> <th>Aux Factor</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th></th> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> <th></th> </tr> </thead> <tbody> <tr> <td>1</td> <td>5500.00</td> <td>103.43</td> <td>-----</td> <td>-----</td> <td>95.17</td> <td>34.51</td> <td>11.01</td> <td>37.26</td> <td>0.00</td> <td>298</td> <td>314</td> <td></td> <td>AVERAGE</td> </tr> </tbody> </table>		Limit Freq	Level	dBuV/m	dB	Line Margin	Read Level	Ant Factor	Cable Loss	Preamp Factor	Aux Factor	APos	TPos	Remark		MHz	dBuV/m	dBuV/m	dB	dB	dBuV	dB/m	dB	dB	dB	cm	deg		1	5500.00	103.43	-----	-----	95.17	34.51	11.01	37.26	0.00	298	314		AVERAGE														
	Limit Freq	Level	dBuV/m	dB	Line Margin	Read Level	Ant Factor	Cable Loss	Preamp Factor	Aux Factor	APos	TPos	Remark																																																																																							
	MHz	dBuV/m	dBuV/m	dB	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																																								
1	5459.76	45.55	54.00	-8.45	37.30	34.54	10.97	37.26	0.00	298	314		AVERAGE																																																																																							
	Limit Freq	Level	dBuV/m	dB	Line Margin	Read Level	Ant Factor	Cable Loss	Preamp Factor	Aux Factor	APos	TPos	Remark																																																																																							
	MHz	dBuV/m	dBuV/m	dB	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																																								
1	5500.00	103.43	-----	-----	95.17	34.51	11.01	37.26	0.00	298	314		AVERAGE																																																																																							



Mode	16																																																																																																													
	Harmonic																																																																																																													
	U-NII-2C_5.47-5.725_802.11ax HE20_CH100_5500MHz																																																																																																													
ANT	CDD 1+2																																																																																																													
Pol.	Horizontal	Vertical																																																																																																												
Peak Avg	<table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Aux</th> <th>APos</th> <th>TPos</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line Margin</th> <th>Level</th> <th>Factor</th> <th>Loss Factor</th> <th>Factor</th> <th>Remark</th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> </tr> </thead> <tbody> <tr> <td>1 11000.00</td> <td>44.28</td> <td>74.00</td> <td>-29.72</td> <td>52.49</td> <td>37.90</td> <td>15.76</td> <td>61.87</td> <td>0.00</td> <td>--</td> <td>--</td> <td>PEAK</td> </tr> <tr> <td>2 16500.00</td> <td>58.40</td> <td>68.20</td> <td>-9.80</td> <td>60.29</td> <td>40.95</td> <td>19.70</td> <td>62.54</td> <td>0.00</td> <td>--</td> <td>--</td> <td>Peak</td> </tr> </tbody> </table>	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Freq	Level	Line Margin	Level	Factor	Loss Factor	Factor	Remark	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	1 11000.00	44.28	74.00	-29.72	52.49	37.90	15.76	61.87	0.00	--	--	PEAK	2 16500.00	58.40	68.20	-9.80	60.29	40.95	19.70	62.54	0.00	--	--	Peak	<table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Aux</th> <th>APos</th> <th>TPos</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line Margin</th> <th>Level</th> <th>Factor</th> <th>Loss Factor</th> <th>Factor</th> <th>Remark</th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> </tr> </thead> <tbody> <tr> <td>1 11000.00</td> <td>56.90</td> <td>74.00</td> <td>-17.10</td> <td>65.11</td> <td>37.90</td> <td>15.76</td> <td>61.87</td> <td>0.00</td> <td>280</td> <td>343</td> <td>Peak</td> </tr> <tr> <td>2 11000.00</td> <td>47.09</td> <td>54.00</td> <td>-6.91</td> <td>55.30</td> <td>37.90</td> <td>15.76</td> <td>61.87</td> <td>0.00</td> <td>280</td> <td>343</td> <td>Average</td> </tr> <tr> <td>3 16500.00</td> <td>67.58</td> <td>68.20</td> <td>-0.62</td> <td>69.47</td> <td>40.95</td> <td>19.70</td> <td>62.54</td> <td>0.00</td> <td>279</td> <td>231</td> <td>PEAK</td> </tr> </tbody> </table>	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Freq	Level	Line Margin	Level	Factor	Loss Factor	Factor	Remark	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	1 11000.00	56.90	74.00	-17.10	65.11	37.90	15.76	61.87	0.00	280	343	Peak	2 11000.00	47.09	54.00	-6.91	55.30	37.90	15.76	61.87	0.00	280	343	Average	3 16500.00	67.58	68.20	-0.62	69.47	40.95	19.70	62.54	0.00	279	231	PEAK
Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																																							
Freq	Level	Line Margin	Level	Factor	Loss Factor	Factor	Remark																																																																																																							
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB																																																																																																							
1 11000.00	44.28	74.00	-29.72	52.49	37.90	15.76	61.87	0.00	--	--	PEAK																																																																																																			
2 16500.00	58.40	68.20	-9.80	60.29	40.95	19.70	62.54	0.00	--	--	Peak																																																																																																			
Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																																							
Freq	Level	Line Margin	Level	Factor	Loss Factor	Factor	Remark																																																																																																							
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB																																																																																																							
1 11000.00	56.90	74.00	-17.10	65.11	37.90	15.76	61.87	0.00	280	343	Peak																																																																																																			
2 11000.00	47.09	54.00	-6.91	55.30	37.90	15.76	61.87	0.00	280	343	Average																																																																																																			
3 16500.00	67.58	68.20	-0.62	69.47	40.95	19.70	62.54	0.00	279	231	PEAK																																																																																																			



Mode	17																																																																																																																						
	Harmonic																																																																																																																						
	U-NII-2C_5.47-5.725_802.11ax HE20_CH116_5580MHz																																																																																																																						
ANT	CDD 1+2																																																																																																																						
Pol.	Horizontal	Vertical																																																																																																																					
Peak Avg	<table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Aux</th> <th>APos</th> <th>TPos</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line Margin</th> <th>Level</th> <th>Factor</th> <th>Loss Factor</th> <th>Factor</th> <th>Remark</th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>11160.00</td> <td>44.42</td> <td>74.00</td> <td>-29.58</td> <td>52.31</td> <td>38.03</td> <td>15.88</td> <td>61.80</td> <td>0.00</td> <td>--</td> <td>--</td> <td>PEAK</td> </tr> <tr> <td>2</td> <td>16740.00</td> <td>56.43</td> <td>68.20</td> <td>-11.77</td> <td>58.30</td> <td>41.07</td> <td>19.83</td> <td>62.77</td> <td>0.00</td> <td>--</td> <td>--</td> <td>Peak</td> </tr> </tbody> </table>	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Freq	Level	Line Margin	Level	Factor	Loss Factor	Factor	Remark	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	11160.00	44.42	74.00	-29.58	52.31	38.03	15.88	61.80	0.00	--	--	PEAK	2	16740.00	56.43	68.20	-11.77	58.30	41.07	19.83	62.77	0.00	--	--	Peak	<table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Aux</th> <th>APos</th> <th>TPos</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line Margin</th> <th>Level</th> <th>Factor</th> <th>Loss Factor</th> <th>Factor</th> <th>Remark</th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>11160.00</td> <td>57.60</td> <td>74.00</td> <td>-16.40</td> <td>65.49</td> <td>38.03</td> <td>15.88</td> <td>61.80</td> <td>0.00</td> <td>226</td> <td>103</td> <td>Peak</td> </tr> <tr> <td>2</td> <td>11160.00</td> <td>48.83</td> <td>54.00</td> <td>-5.17</td> <td>56.72</td> <td>38.03</td> <td>15.88</td> <td>61.80</td> <td>0.00</td> <td>226</td> <td>103</td> <td>Average</td> </tr> <tr> <td>3</td> <td>16740.00</td> <td>67.41</td> <td>68.20</td> <td>-0.79</td> <td>69.27</td> <td>41.07</td> <td>19.83</td> <td>62.76</td> <td>0.00</td> <td>215</td> <td>232</td> <td>PEAK</td> </tr> </tbody> </table>	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Freq	Level	Line Margin	Level	Factor	Loss Factor	Factor	Remark	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	11160.00	57.60	74.00	-16.40	65.49	38.03	15.88	61.80	0.00	226	103	Peak	2	11160.00	48.83	54.00	-5.17	56.72	38.03	15.88	61.80	0.00	226	103	Average	3	16740.00	67.41	68.20	-0.79	69.27	41.07	19.83	62.76	0.00	215	232	PEAK
Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																																																
Freq	Level	Line Margin	Level	Factor	Loss Factor	Factor	Remark																																																																																																																
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																														
1	11160.00	44.42	74.00	-29.58	52.31	38.03	15.88	61.80	0.00	--	--	PEAK																																																																																																											
2	16740.00	56.43	68.20	-11.77	58.30	41.07	19.83	62.77	0.00	--	--	Peak																																																																																																											
Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																																																
Freq	Level	Line Margin	Level	Factor	Loss Factor	Factor	Remark																																																																																																																
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																														
1	11160.00	57.60	74.00	-16.40	65.49	38.03	15.88	61.80	0.00	226	103	Peak																																																																																																											
2	11160.00	48.83	54.00	-5.17	56.72	38.03	15.88	61.80	0.00	226	103	Average																																																																																																											
3	16740.00	67.41	68.20	-0.79	69.27	41.07	19.83	62.76	0.00	215	232	PEAK																																																																																																											



Mode	18																																																																																																	
	Band Edge																																																																																																	
	U-NII-2C_5.47-5.725_802.11ax HE20_CH140_5700MHZ																																																																																																	
ANT	CDD 1+2																																																																																																	
Pol.	Horizontal	Fundamental																																																																																																
Peak	<table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Aux</th> <th>APos</th> <th>TPos</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>Margin</th> <th>Level</th> <th>Factor</th> <th>Loss</th> <th>Factor</th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> </tr> </thead> <tbody> <tr> <td>1 5726.36</td> <td>50.99</td> <td>68.20</td> <td>-17.21</td> <td>42.36</td> <td>34.55</td> <td>11.33</td> <td>37.25</td> </tr> <tr> <td></td> <td></td> <td></td> <td></td> <td></td> <td></td> <td>0.00</td> <td>100</td> </tr> <tr> <td></td> <td></td> <td></td> <td></td> <td></td> <td></td> <td></td> <td>258 PEAK</td> </tr> </tbody> </table>	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	1 5726.36	50.99	68.20	-17.21	42.36	34.55	11.33	37.25							0.00	100								258 PEAK	<table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Aux</th> <th>APos</th> <th>TPos</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>Margin</th> <th>Level</th> <th>Factor</th> <th>Loss</th> <th>Factor</th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> </tr> </thead> <tbody> <tr> <td>1 5700.00</td> <td>103.53</td> <td>-----</td> <td>-----</td> <td>95.00</td> <td>34.49</td> <td>11.28</td> <td>37.24</td> </tr> <tr> <td></td> <td></td> <td></td> <td></td> <td></td> <td></td> <td>0.00</td> <td>100</td> </tr> <tr> <td></td> <td></td> <td></td> <td></td> <td></td> <td></td> <td></td> <td>258 PEAK</td> </tr> </tbody> </table>	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	1 5700.00	103.53	-----	-----	95.00	34.49	11.28	37.24							0.00	100								258 PEAK
Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																											
Freq	Level	Line	Margin	Level	Factor	Loss	Factor																																																																																											
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB																																																																																											
1 5726.36	50.99	68.20	-17.21	42.36	34.55	11.33	37.25																																																																																											
						0.00	100																																																																																											
							258 PEAK																																																																																											
Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																											
Freq	Level	Line	Margin	Level	Factor	Loss	Factor																																																																																											
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB																																																																																											
1 5700.00	103.53	-----	-----	95.00	34.49	11.28	37.24																																																																																											
						0.00	100																																																																																											
							258 PEAK																																																																																											
Avg	Blank	<table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Aux</th> <th>APos</th> <th>TPos</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>Margin</th> <th>Level</th> <th>Factor</th> <th>Loss</th> <th>Factor</th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> </tr> </thead> <tbody> <tr> <td>1 5700.00</td> <td>93.38</td> <td>-----</td> <td>-----</td> <td>84.83</td> <td>34.50</td> <td>11.29</td> <td>37.24</td> </tr> <tr> <td></td> <td></td> <td></td> <td></td> <td></td> <td></td> <td>0.00</td> <td>100</td> </tr> <tr> <td></td> <td></td> <td></td> <td></td> <td></td> <td></td> <td></td> <td>258 AVERAGE</td> </tr> </tbody> </table>	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	1 5700.00	93.38	-----	-----	84.83	34.50	11.29	37.24							0.00	100								258 AVERAGE																																																
Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																											
Freq	Level	Line	Margin	Level	Factor	Loss	Factor																																																																																											
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB																																																																																											
1 5700.00	93.38	-----	-----	84.83	34.50	11.29	37.24																																																																																											
						0.00	100																																																																																											
							258 AVERAGE																																																																																											



Mode	18																																																																																																	
	Band Edge																																																																																																	
	U-NII-2C_5.47-5.725_802.11ax HE20_CH140_5700MHz																																																																																																	
ANT	CDD 1+2																																																																																																	
Pol.	Vertical	Fundamental																																																																																																
Peak	<table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Aux</th> <th>APos</th> <th>TPos</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>Margin</th> <th>Level</th> <th>Factor</th> <th>Loss</th> <th>Factor</th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> </tr> </thead> <tbody> <tr> <td>1 5725.24</td> <td>62.04</td> <td>68.20</td> <td>-6.16</td> <td>53.41</td> <td>34.55</td> <td>11.33</td> <td>37.25</td> </tr> <tr> <td></td> <td></td> <td></td> <td></td> <td></td> <td></td> <td>0.00</td> <td>100</td> </tr> <tr> <td></td> <td></td> <td></td> <td></td> <td></td> <td></td> <td></td> <td>72 PEAK</td> </tr> </tbody> </table>	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	1 5725.24	62.04	68.20	-6.16	53.41	34.55	11.33	37.25							0.00	100								72 PEAK	<table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Aux</th> <th>APos</th> <th>TPos</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>Margin</th> <th>Level</th> <th>Factor</th> <th>Loss</th> <th>Factor</th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> </tr> </thead> <tbody> <tr> <td>1 5700.00</td> <td>110.33</td> <td>-----</td> <td>-----</td> <td>101.76</td> <td>34.51</td> <td>11.30</td> <td>37.24</td> </tr> <tr> <td></td> <td></td> <td></td> <td></td> <td></td> <td></td> <td>0.00</td> <td>100</td> </tr> <tr> <td></td> <td></td> <td></td> <td></td> <td></td> <td></td> <td></td> <td>72 PEAK</td> </tr> </tbody> </table>	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	1 5700.00	110.33	-----	-----	101.76	34.51	11.30	37.24							0.00	100								72 PEAK
Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																											
Freq	Level	Line	Margin	Level	Factor	Loss	Factor																																																																																											
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB																																																																																											
1 5725.24	62.04	68.20	-6.16	53.41	34.55	11.33	37.25																																																																																											
						0.00	100																																																																																											
							72 PEAK																																																																																											
Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																											
Freq	Level	Line	Margin	Level	Factor	Loss	Factor																																																																																											
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB																																																																																											
1 5700.00	110.33	-----	-----	101.76	34.51	11.30	37.24																																																																																											
						0.00	100																																																																																											
							72 PEAK																																																																																											
Avg	Blank	<table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Aux</th> <th>APos</th> <th>TPos</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>Margin</th> <th>Level</th> <th>Factor</th> <th>Loss</th> <th>Factor</th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> </tr> </thead> <tbody> <tr> <td>1 5700.00</td> <td>102.74</td> <td>-----</td> <td>-----</td> <td>94.17</td> <td>34.51</td> <td>11.30</td> <td>37.24</td> </tr> <tr> <td></td> <td></td> <td></td> <td></td> <td></td> <td></td> <td>0.00</td> <td>100</td> </tr> <tr> <td></td> <td></td> <td></td> <td></td> <td></td> <td></td> <td></td> <td>72 AVERAGE</td> </tr> </tbody> </table>	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	1 5700.00	102.74	-----	-----	94.17	34.51	11.30	37.24							0.00	100								72 AVERAGE																																																
Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																											
Freq	Level	Line	Margin	Level	Factor	Loss	Factor																																																																																											
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB																																																																																											
1 5700.00	102.74	-----	-----	94.17	34.51	11.30	37.24																																																																																											
						0.00	100																																																																																											
							72 AVERAGE																																																																																											







Mode	18																																																																																																																	
	Harmonic																																																																																																																	
	U-NII-2C_5.47-5.725_802.11ax HE20_CH140_5700MHZ																																																																																																																	
ANT	CDD 1+2																																																																																																																	
Pol.	Horizontal	Vertical																																																																																																																
Peak Avg	<table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Aux</th> <th>APos</th> <th>TPos</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line Margin</th> <th>Level</th> <th>Factor</th> <th>Loss Factor</th> <th>Factor</th> <th>Remark</th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1 11400.00</td> <td>46.41</td> <td>74.00</td> <td>-27.59</td> <td>53.83</td> <td>38.22</td> <td>16.05</td> <td>61.69</td> <td>0.00</td> <td>--</td> <td>--</td> <td>PEAK</td> </tr> <tr> <td>2 17094.70</td> <td>57.91</td> <td>68.20</td> <td>-10.29</td> <td>59.62</td> <td>41.22</td> <td>20.06</td> <td>62.99</td> <td>0.00</td> <td>--</td> <td>--</td> <td>Peak</td> </tr> </tbody> </table>	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Freq	Level	Line Margin	Level	Factor	Loss Factor	Factor	Remark	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1 11400.00	46.41	74.00	-27.59	53.83	38.22	16.05	61.69	0.00	--	--	PEAK	2 17094.70	57.91	68.20	-10.29	59.62	41.22	20.06	62.99	0.00	--	--	Peak	<table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Aux</th> <th>APos</th> <th>TPos</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line Margin</th> <th>Level</th> <th>Factor</th> <th>Loss Factor</th> <th>Factor</th> <th>Remark</th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1 11402.20</td> <td>55.25</td> <td>74.00</td> <td>-18.75</td> <td>62.67</td> <td>38.22</td> <td>16.05</td> <td>61.69</td> <td>0.00</td> <td>269</td> <td>328</td> <td>Peak</td> </tr> <tr> <td>2 11402.20</td> <td>46.61</td> <td>54.00</td> <td>-7.39</td> <td>54.03</td> <td>38.22</td> <td>16.05</td> <td>61.69</td> <td>0.00</td> <td>269</td> <td>328</td> <td>Average</td> </tr> <tr> <td>3 17100.00</td> <td>66.40</td> <td>68.20</td> <td>-1.80</td> <td>68.11</td> <td>41.22</td> <td>20.06</td> <td>62.99</td> <td>0.00</td> <td>237</td> <td>306</td> <td>PEAK</td> </tr> </tbody> </table>	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Freq	Level	Line Margin	Level	Factor	Loss Factor	Factor	Remark	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1 11402.20	55.25	74.00	-18.75	62.67	38.22	16.05	61.69	0.00	269	328	Peak	2 11402.20	46.61	54.00	-7.39	54.03	38.22	16.05	61.69	0.00	269	328	Average	3 17100.00	66.40	68.20	-1.80	68.11	41.22	20.06	62.99	0.00	237	306	PEAK
Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																																											
Freq	Level	Line Margin	Level	Factor	Loss Factor	Factor	Remark																																																																																																											
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																									
1 11400.00	46.41	74.00	-27.59	53.83	38.22	16.05	61.69	0.00	--	--	PEAK																																																																																																							
2 17094.70	57.91	68.20	-10.29	59.62	41.22	20.06	62.99	0.00	--	--	Peak																																																																																																							
Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																																											
Freq	Level	Line Margin	Level	Factor	Loss Factor	Factor	Remark																																																																																																											
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																									
1 11402.20	55.25	74.00	-18.75	62.67	38.22	16.05	61.69	0.00	269	328	Peak																																																																																																							
2 11402.20	46.61	54.00	-7.39	54.03	38.22	16.05	61.69	0.00	269	328	Average																																																																																																							
3 17100.00	66.40	68.20	-1.80	68.11	41.22	20.06	62.99	0.00	237	306	PEAK																																																																																																							



Mode	19																																																																																	
	Band Edge																																																																																	
	U-NII-1_5.15-5.25_802.11ax HE20_CH36_RU26/0_5180MHz																																																																																	
ANT	CDD 1+2																																																																																	
Pol.	Horizontal	Fundamental																																																																																
Peak	<table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Aux</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>Margin</th> <th>Level</th> <th>Factor</th> <th>Loss</th> <th>Factor</th> <th>Factor</th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>dB</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>5144.20</td> <td>58.64</td> <td>74.00</td> <td>-15.36</td> <td>51.29</td> <td>34.04</td> <td>10.65</td> <td>37.34</td> <td>0.00</td> <td>130</td> <td>137</td> <td>PEAK</td> </tr> </tbody> </table>	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	1	5144.20	58.64	74.00	-15.36	51.29	34.04	10.65	37.34	0.00	130	137	PEAK	<table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Aux</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>Margin</th> <th>Level</th> <th>Factor</th> <th>Loss</th> <th>Factor</th> <th>Factor</th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>dB</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>5180.00</td> <td>106.68</td> <td>-----</td> <td>-----</td> <td>99.46</td> <td>34.07</td> <td>10.68</td> <td>37.33</td> <td>0.00</td> <td>130</td> <td>137</td> <td>PEAK</td> </tr> </tbody> </table>	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	1	5180.00	106.68	-----	-----	99.46	34.07	10.68	37.33	0.00	130	137	PEAK
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																									
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																																																										
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB																																																																										
1	5144.20	58.64	74.00	-15.36	51.29	34.04	10.65	37.34	0.00	130	137	PEAK																																																																						
Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																										
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																																																										
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB																																																																										
1	5180.00	106.68	-----	-----	99.46	34.07	10.68	37.33	0.00	130	137	PEAK																																																																						
Avg	<table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Aux</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>Margin</th> <th>Level</th> <th>Factor</th> <th>Loss</th> <th>Factor</th> <th>Factor</th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>dB</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>5137.90</td> <td>47.81</td> <td>54.00</td> <td>-6.19</td> <td>40.47</td> <td>34.04</td> <td>10.64</td> <td>37.34</td> <td>0.00</td> <td>130</td> <td>137</td> <td>AVERAGE</td> </tr> </tbody> </table>	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	1	5137.90	47.81	54.00	-6.19	40.47	34.04	10.64	37.34	0.00	130	137	AVERAGE	<table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Aux</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>Margin</th> <th>Level</th> <th>Factor</th> <th>Loss</th> <th>Factor</th> <th>Factor</th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>dB</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>5180.00</td> <td>99.55</td> <td>-----</td> <td>-----</td> <td>92.13</td> <td>34.07</td> <td>10.68</td> <td>37.33</td> <td>0.00</td> <td>130</td> <td>137</td> <td>AVERAGE</td> </tr> </tbody> </table>	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	1	5180.00	99.55	-----	-----	92.13	34.07	10.68	37.33	0.00	130	137	AVERAGE
Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																										
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																																																										
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB																																																																										
1	5137.90	47.81	54.00	-6.19	40.47	34.04	10.64	37.34	0.00	130	137	AVERAGE																																																																						
Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																										
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																																																										
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB																																																																										
1	5180.00	99.55	-----	-----	92.13	34.07	10.68	37.33	0.00	130	137	AVERAGE																																																																						



Mode	19																																																																			
	Band Edge																																																																			
	U-NII-1_5.15-5.25_802.11ax HE20_CH36_RU26/0_5180MHz																																																																			
ANT	CDD 1+2																																																																			
Pol.	Vertical	Fundamental																																																																		
Peak	 <table border="1" data-bbox="268 1120 794 1243"> <thead> <tr> <th>Limit Freq</th> <th>Level</th> <th>Line Margin</th> <th>Read Level</th> <th>Ant Factor</th> <th>Cable Loss</th> <th>Preamp Loss</th> <th>Aux Factor</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> <th></th> </tr> </thead> <tbody> <tr> <td>1 5144.50</td> <td>69.56</td> <td>74.00</td> <td>-4.44</td> <td>62.21</td> <td>34.04</td> <td>10.65</td> <td>37.34</td> <td>0.00</td> <td>321</td> <td>89 Peak</td> </tr> </tbody> </table>	Limit Freq	Level	Line Margin	Read Level	Ant Factor	Cable Loss	Preamp Loss	Aux Factor	APos	TPos	Remark	MHz	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg		1 5144.50	69.56	74.00	-4.44	62.21	34.04	10.65	37.34	0.00	321	89 Peak	 <table border="1" data-bbox="858 1120 1385 1243"> <thead> <tr> <th>Limit Freq</th> <th>Level</th> <th>Line Margin</th> <th>Read Level</th> <th>Ant Factor</th> <th>Cable Loss</th> <th>Preamp Loss</th> <th>Aux Factor</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> <th></th> </tr> </thead> <tbody> <tr> <td>1 5180.00</td> <td>119.43</td> <td>-----</td> <td>112.01</td> <td>34.07</td> <td>10.68</td> <td>37.33</td> <td>0.00</td> <td>321</td> <td>89</td> <td>PEAK</td> </tr> </tbody> </table>	Limit Freq	Level	Line Margin	Read Level	Ant Factor	Cable Loss	Preamp Loss	Aux Factor	APos	TPos	Remark	MHz	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg		1 5180.00	119.43	-----	112.01	34.07	10.68	37.33	0.00	321	89	PEAK
	Limit Freq	Level	Line Margin	Read Level	Ant Factor	Cable Loss	Preamp Loss	Aux Factor	APos	TPos	Remark																																																									
MHz	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																											
1 5144.50	69.56	74.00	-4.44	62.21	34.04	10.65	37.34	0.00	321	89 Peak																																																										
Limit Freq	Level	Line Margin	Read Level	Ant Factor	Cable Loss	Preamp Loss	Aux Factor	APos	TPos	Remark																																																										
MHz	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																											
1 5180.00	119.43	-----	112.01	34.07	10.68	37.33	0.00	321	89	PEAK																																																										
Avg	 <table border="1" data-bbox="268 1792 794 1915"> <thead> <tr> <th>Limit Freq</th> <th>Level</th> <th>Line Margin</th> <th>Read Level</th> <th>Ant Factor</th> <th>Cable Loss</th> <th>Preamp Loss</th> <th>Aux Factor</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> <th></th> </tr> </thead> <tbody> <tr> <td>1 5137.60</td> <td>49.84</td> <td>54.00</td> <td>-4.16</td> <td>42.50</td> <td>34.04</td> <td>10.64</td> <td>37.34</td> <td>0.00</td> <td>321</td> <td>89 AVERAGE</td> </tr> </tbody> </table>	Limit Freq	Level	Line Margin	Read Level	Ant Factor	Cable Loss	Preamp Loss	Aux Factor	APos	TPos	Remark	MHz	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg		1 5137.60	49.84	54.00	-4.16	42.50	34.04	10.64	37.34	0.00	321	89 AVERAGE	 <table border="1" data-bbox="858 1792 1385 1915"> <thead> <tr> <th>Limit Freq</th> <th>Level</th> <th>Line Margin</th> <th>Read Level</th> <th>Ant Factor</th> <th>Cable Loss</th> <th>Preamp Loss</th> <th>Aux Factor</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> <th></th> </tr> </thead> <tbody> <tr> <td>1 5180.00</td> <td>112.00</td> <td>-----</td> <td>105.38</td> <td>34.07</td> <td>10.68</td> <td>37.33</td> <td>0.00</td> <td>321</td> <td>89</td> <td>AVERAGE</td> </tr> </tbody> </table>	Limit Freq	Level	Line Margin	Read Level	Ant Factor	Cable Loss	Preamp Loss	Aux Factor	APos	TPos	Remark	MHz	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg		1 5180.00	112.00	-----	105.38	34.07	10.68	37.33	0.00	321	89	AVERAGE
Limit Freq	Level	Line Margin	Read Level	Ant Factor	Cable Loss	Preamp Loss	Aux Factor	APos	TPos	Remark																																																										
MHz	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																											
1 5137.60	49.84	54.00	-4.16	42.50	34.04	10.64	37.34	0.00	321	89 AVERAGE																																																										
Limit Freq	Level	Line Margin	Read Level	Ant Factor	Cable Loss	Preamp Loss	Aux Factor	APos	TPos	Remark																																																										
MHz	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																											
1 5180.00	112.00	-----	105.38	34.07	10.68	37.33	0.00	321	89	AVERAGE																																																										







Mode	20																																																																													
	Band Edge																																																																													
	U-NII-2A_5.25-5.35_802.11ax HE20_CH64_RU26/8_5320MHz																																																																													
ANT	CDD 1+2																																																																													
Pol.	Horizontal	Fundamental																																																																												
Peak	<table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Aux</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>Margin</th> <th>Level</th> <th>Factor</th> <th>Loss</th> <th>Factor</th> <th>Factor</th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1 5387.20</td> <td>56.51</td> <td>74.00</td> <td>-17.49</td> <td>48.34</td> <td>34.57</td> <td>10.88</td> <td>37.28</td> <td>0.00</td> <td>100 320 PEAK</td> </tr> </tbody> </table>	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1 5387.20	56.51	74.00	-17.49	48.34	34.57	10.88	37.28	0.00	100 320 PEAK	<table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Aux</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>Margin</th> <th>Level</th> <th>Factor</th> <th>Loss</th> <th>Factor</th> <th>Factor</th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1 5320.00</td> <td>110.64</td> <td>-----</td> <td>-----</td> <td>102.67</td> <td>34.45</td> <td>10.82</td> <td>37.30</td> <td>0.00</td> <td>100 320 PEAK</td> </tr> </tbody> </table>	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1 5320.00	110.64	-----	-----	102.67	34.45	10.82	37.30	0.00	100 320 PEAK
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																					
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																																																						
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																					
1 5387.20	56.51	74.00	-17.49	48.34	34.57	10.88	37.28	0.00	100 320 PEAK																																																																					
Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																						
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																																																						
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																					
1 5320.00	110.64	-----	-----	102.67	34.45	10.82	37.30	0.00	100 320 PEAK																																																																					
Avg	<table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Aux</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>Margin</th> <th>Level</th> <th>Factor</th> <th>Loss</th> <th>Factor</th> <th>Factor</th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1 5368.00</td> <td>45.91</td> <td>54.00</td> <td>-8.09</td> <td>37.80</td> <td>34.54</td> <td>10.86</td> <td>37.29</td> <td>0.00</td> <td>100 320 AVERAGE</td> </tr> </tbody> </table>	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1 5368.00	45.91	54.00	-8.09	37.80	34.54	10.86	37.29	0.00	100 320 AVERAGE	<table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Aux</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>Margin</th> <th>Level</th> <th>Factor</th> <th>Loss</th> <th>Factor</th> <th>Factor</th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1 5320.00</td> <td>101.40</td> <td>-----</td> <td>-----</td> <td>93.43</td> <td>34.45</td> <td>10.82</td> <td>37.30</td> <td>0.00</td> <td>100 320 AVERAGE</td> </tr> </tbody> </table>	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1 5320.00	101.40	-----	-----	93.43	34.45	10.82	37.30	0.00	100 320 AVERAGE
Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																						
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																																																						
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																					
1 5368.00	45.91	54.00	-8.09	37.80	34.54	10.86	37.29	0.00	100 320 AVERAGE																																																																					
Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																						
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																																																						
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																					
1 5320.00	101.40	-----	-----	93.43	34.45	10.82	37.30	0.00	100 320 AVERAGE																																																																					



Mode	20																																																																																					
	Band Edge																																																																																					
	U-NII-2A_5.25-5.35_802.11ax HE20_CH64_RU26/8_5320MHz																																																																																					
ANT	CDD 1+2																																																																																					
Pol.	Vertical	Fundamental																																																																																				
Peak	<table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Aux</th> <th>APos</th> <th>TPos</th> <th colspan="2">Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>Margin</th> <th>Level</th> <th>Factor</th> <th>Loss</th> <th>Factor</th> <th>Factor</th> <th></th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1 5369.60</td> <td>66.29</td> <td>74.00</td> <td>-7.71</td> <td>58.18</td> <td>34.54</td> <td>10.86</td> <td>37.29</td> <td>0.00</td> <td>286</td> <td>80 PEAK</td> </tr> </tbody> </table>	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1 5369.60	66.29	74.00	-7.71	58.18	34.54	10.86	37.29	0.00	286	80 PEAK	<table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Aux</th> <th>APos</th> <th>TPos</th> <th colspan="2">Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>Margin</th> <th>Level</th> <th>Factor</th> <th>Loss</th> <th>Factor</th> <th>Factor</th> <th></th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1 5320.00</td> <td>119.45</td> <td>-----</td> <td>-----</td> <td>111.48</td> <td>34.45</td> <td>10.82</td> <td>37.30</td> <td>0.00</td> <td>286</td> <td>80 PEAK</td> </tr> </tbody> </table>	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1 5320.00	119.45	-----	-----	111.48	34.45	10.82	37.30	0.00	286	80 PEAK
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																													
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																																																														
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																												
1 5369.60	66.29	74.00	-7.71	58.18	34.54	10.86	37.29	0.00	286	80 PEAK																																																																												
Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																														
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																																																														
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																												
1 5320.00	119.45	-----	-----	111.48	34.45	10.82	37.30	0.00	286	80 PEAK																																																																												
Avg	<table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Aux</th> <th>APos</th> <th>TPos</th> <th colspan="2">Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>Margin</th> <th>Level</th> <th>Factor</th> <th>Loss</th> <th>Factor</th> <th>Factor</th> <th></th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1 5358.00</td> <td>53.05</td> <td>54.00</td> <td>-0.95</td> <td>44.97</td> <td>34.52</td> <td>10.85</td> <td>37.29</td> <td>0.00</td> <td>286</td> <td>80 AVERAGE</td> </tr> </tbody> </table>	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1 5358.00	53.05	54.00	-0.95	44.97	34.52	10.85	37.29	0.00	286	80 AVERAGE	<table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Aux</th> <th>APos</th> <th>TPos</th> <th colspan="2">Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>Margin</th> <th>Level</th> <th>Factor</th> <th>Loss</th> <th>Factor</th> <th>Factor</th> <th></th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1 5320.00</td> <td>113.56</td> <td>-----</td> <td>-----</td> <td>105.59</td> <td>34.45</td> <td>10.82</td> <td>37.30</td> <td>0.00</td> <td>286</td> <td>80 AVERAGE</td> </tr> </tbody> </table>	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1 5320.00	113.56	-----	-----	105.59	34.45	10.82	37.30	0.00	286	80 AVERAGE
Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																														
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																																																														
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																												
1 5358.00	53.05	54.00	-0.95	44.97	34.52	10.85	37.29	0.00	286	80 AVERAGE																																																																												
Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																														
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																																																														
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																												
1 5320.00	113.56	-----	-----	105.59	34.45	10.82	37.30	0.00	286	80 AVERAGE																																																																												



Mode	21																																																																																														
	Band Edge																																																																																														
	U-NII-2C_5.47-5.725_802.11ax HE20_CH100_RU26/0_5500MHz																																																																																														
ANT	CDD 1+2																																																																																														
Pol.	Horizontal	Fundamental																																																																																													
Peak	 <table border="1" data-bbox="268 1106 794 1249"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Aux</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>Margin</th> <th>Level</th> <th>Factor</th> <th>Loss</th> <th>Factor</th> <th>Factor</th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>dB</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>5458.64</td> <td>51.76</td> <td>74.00</td> <td>-22.24</td> <td>43.51</td> <td>34.54</td> <td>10.97</td> <td>37.26</td> <td>0.00</td> <td>119</td> <td>45</td> <td>PEAK</td> </tr> <tr> <td>2</td> <td>5466.48</td> <td>50.46</td> <td>68.20</td> <td>-17.74</td> <td>42.21</td> <td>34.53</td> <td>10.98</td> <td>37.26</td> <td>0.00</td> <td>119</td> <td>45</td> <td>PEAK</td> </tr> </tbody> </table>	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	1	5458.64	51.76	74.00	-22.24	43.51	34.54	10.97	37.26	0.00	119	45	PEAK	2	5466.48	50.46	68.20	-17.74	42.21	34.53	10.98	37.26	0.00	119	45	PEAK	 <table border="1" data-bbox="906 1106 1433 1249"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Aux</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>Margin</th> <th>Level</th> <th>Factor</th> <th>Loss</th> <th>Factor</th> <th>Factor</th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>dB</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>5500.00</td> <td>108.46</td> <td>-----</td> <td>-----</td> <td>100.20</td> <td>34.51</td> <td>11.01</td> <td>37.26</td> <td>0.00</td> <td>119</td> <td>45</td> <td>PEAK</td> </tr> </tbody> </table>	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	1	5500.00	108.46	-----	-----	100.20	34.51	11.01	37.26	0.00	119	45	PEAK
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																						
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																																																																							
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB																																																																																							
1	5458.64	51.76	74.00	-22.24	43.51	34.54	10.97	37.26	0.00	119	45	PEAK																																																																																			
2	5466.48	50.46	68.20	-17.74	42.21	34.53	10.98	37.26	0.00	119	45	PEAK																																																																																			
Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																							
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																																																																							
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB																																																																																							
1	5500.00	108.46	-----	-----	100.20	34.51	11.01	37.26	0.00	119	45	PEAK																																																																																			
Avg	 <table border="1" data-bbox="268 1787 794 1930"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Aux</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>Margin</th> <th>Level</th> <th>Factor</th> <th>Loss</th> <th>Factor</th> <th>Factor</th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>dB</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>5457.68</td> <td>39.52</td> <td>54.00</td> <td>-14.48</td> <td>31.28</td> <td>34.54</td> <td>10.96</td> <td>37.26</td> <td>0.00</td> <td>119</td> <td>45</td> <td>AVERAGE</td> </tr> </tbody> </table>	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	1	5457.68	39.52	54.00	-14.48	31.28	34.54	10.96	37.26	0.00	119	45	AVERAGE	 <table border="1" data-bbox="906 1787 1433 1930"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Aux</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>Margin</th> <th>Level</th> <th>Factor</th> <th>Loss</th> <th>Factor</th> <th>Factor</th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>dB</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>5500.00</td> <td>102.72</td> <td>-----</td> <td>-----</td> <td>94.46</td> <td>34.51</td> <td>11.01</td> <td>37.26</td> <td>0.00</td> <td>119</td> <td>45</td> <td>AVERAGE</td> </tr> </tbody> </table>	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	1	5500.00	102.72	-----	-----	94.46	34.51	11.01	37.26	0.00	119	45	AVERAGE													
Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																							
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																																																																							
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB																																																																																							
1	5457.68	39.52	54.00	-14.48	31.28	34.54	10.96	37.26	0.00	119	45	AVERAGE																																																																																			
Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																							
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																																																																							
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB																																																																																							
1	5500.00	102.72	-----	-----	94.46	34.51	11.01	37.26	0.00	119	45	AVERAGE																																																																																			



Mode	21																																																																																																
	Band Edge																																																																																																
	U-NII-2C_5.47-5.725_802.11ax HE20_CH100_RU26/0_5500MHz																																																																																																
ANT	CDD 1+2																																																																																																
Pol.	Vertical	Fundamental																																																																																															
Peak	<table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Aux</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>Margin</th> <th>Level</th> <th>Factor</th> <th>Loss</th> <th>Factor</th> <th>Factor</th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>5458.64</td> <td>70.09</td> <td>74.00</td> <td>-3.91</td> <td>61.84</td> <td>34.54</td> <td>10.97</td> <td>37.26</td> <td>0.00</td> <td>302</td> <td>92</td> <td>PEAK</td> </tr> <tr> <td>2</td> <td>5462.48</td> <td>67.38</td> <td>68.20</td> <td>-0.82</td> <td>59.13</td> <td>34.54</td> <td>10.97</td> <td>37.26</td> <td>0.00</td> <td>302</td> <td>92</td> <td>PEAK</td> </tr> </tbody> </table>	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5458.64	70.09	74.00	-3.91	61.84	34.54	10.97	37.26	0.00	302	92	PEAK	2	5462.48	67.38	68.20	-0.82	59.13	34.54	10.97	37.26	0.00	302	92	PEAK	<table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Aux</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>Margin</th> <th>Level</th> <th>Factor</th> <th>Loss</th> <th>Factor</th> <th>Factor</th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>5500.00</td> <td>118.07</td> <td>-----</td> <td>-----</td> <td>109.81</td> <td>34.51</td> <td>11.01</td> <td>37.26</td> <td>0.00</td> <td>302</td> <td>92</td> <td>PEAK</td> </tr> </tbody> </table>	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5500.00	118.07	-----	-----	109.81	34.51	11.01	37.26	0.00	302	92	PEAK
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																								
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																																																																									
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																								
1	5458.64	70.09	74.00	-3.91	61.84	34.54	10.97	37.26	0.00	302	92	PEAK																																																																																					
2	5462.48	67.38	68.20	-0.82	59.13	34.54	10.97	37.26	0.00	302	92	PEAK																																																																																					
Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																									
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																																																																									
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																								
1	5500.00	118.07	-----	-----	109.81	34.51	11.01	37.26	0.00	302	92	PEAK																																																																																					
Avg	<table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Aux</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>Margin</th> <th>Level</th> <th>Factor</th> <th>Loss</th> <th>Factor</th> <th>Factor</th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>5458.64</td> <td>48.99</td> <td>54.00</td> <td>-5.01</td> <td>40.74</td> <td>34.54</td> <td>10.97</td> <td>37.26</td> <td>0.00</td> <td>302</td> <td>92</td> <td>AVERAGE</td> </tr> </tbody> </table>	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5458.64	48.99	54.00	-5.01	40.74	34.54	10.97	37.26	0.00	302	92	AVERAGE	<table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Aux</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>Margin</th> <th>Level</th> <th>Factor</th> <th>Loss</th> <th>Factor</th> <th>Factor</th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>5500.00</td> <td>109.41</td> <td>-----</td> <td>-----</td> <td>101.16</td> <td>34.51</td> <td>11.00</td> <td>37.26</td> <td>0.00</td> <td>302</td> <td>92</td> <td>AVERAGE</td> </tr> </tbody> </table>	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5500.00	109.41	-----	-----	101.16	34.51	11.00	37.26	0.00	302	92	AVERAGE													
Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																									
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																																																																									
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																								
1	5458.64	48.99	54.00	-5.01	40.74	34.54	10.97	37.26	0.00	302	92	AVERAGE																																																																																					
Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																									
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																																																																									
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																								
1	5500.00	109.41	-----	-----	101.16	34.51	11.00	37.26	0.00	302	92	AVERAGE																																																																																					







Mode	22																																																																																																																	
	Band Edge																																																																																																																	
	U-NII-2C_5.47-5.725_802.11ax HE20_CH140_RU26/8_5700MHz																																																																																																																	
ANT	CDD 1+2																																																																																																																	
Pol.	Horizontal	Fundamental																																																																																																																
Peak	<table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Aux</th> <th>APos</th> <th>TPos</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>Margin</th> <th>Level</th> <th>Factor</th> <th>Loss</th> <th>Factor</th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>5736.60</td> <td>58.90</td> <td>68.20</td> <td>-9.30</td> <td>50.24</td> <td>34.57</td> <td>11.35</td> </tr> <tr> <td></td> <td></td> <td></td> <td></td> <td></td> <td>37.26</td> <td>0.00</td> <td>100</td> </tr> <tr> <td></td> <td></td> <td></td> <td></td> <td></td> <td></td> <td></td> <td>42</td> </tr> <tr> <td></td> <td></td> <td></td> <td></td> <td></td> <td></td> <td></td> <td>PEAK</td> </tr> </tbody> </table>	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	1	5736.60	58.90	68.20	-9.30	50.24	34.57	11.35						37.26	0.00	100								42								PEAK	<table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Aux</th> <th>APos</th> <th>TPos</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>Margin</th> <th>Level</th> <th>Factor</th> <th>Loss</th> <th>Factor</th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>5700.00</td> <td>110.67</td> <td>-----</td> <td>-----</td> <td>102.09</td> <td>34.52</td> <td>11.31</td> </tr> <tr> <td></td> <td></td> <td></td> <td></td> <td></td> <td>37.25</td> <td>0.00</td> <td>100</td> </tr> <tr> <td></td> <td></td> <td></td> <td></td> <td></td> <td></td> <td></td> <td>42</td> </tr> <tr> <td></td> <td></td> <td></td> <td></td> <td></td> <td></td> <td></td> <td>PEAK</td> </tr> </tbody> </table>	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	1	5700.00	110.67	-----	-----	102.09	34.52	11.31						37.25	0.00	100								42								PEAK
Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																																											
Freq	Level	Line	Margin	Level	Factor	Loss	Factor																																																																																																											
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB																																																																																																											
1	5736.60	58.90	68.20	-9.30	50.24	34.57	11.35																																																																																																											
					37.26	0.00	100																																																																																																											
							42																																																																																																											
							PEAK																																																																																																											
Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																																											
Freq	Level	Line	Margin	Level	Factor	Loss	Factor																																																																																																											
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB																																																																																																											
1	5700.00	110.67	-----	-----	102.09	34.52	11.31																																																																																																											
					37.25	0.00	100																																																																																																											
							42																																																																																																											
							PEAK																																																																																																											
Avg	Blank	<table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Aux</th> <th>APos</th> <th>TPos</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>Margin</th> <th>Level</th> <th>Factor</th> <th>Loss</th> <th>Factor</th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>5700.00</td> <td>103.67</td> <td>-----</td> <td>-----</td> <td>95.09</td> <td>34.52</td> <td>11.31</td> </tr> <tr> <td></td> <td></td> <td></td> <td></td> <td></td> <td>37.25</td> <td>0.00</td> <td>100</td> </tr> <tr> <td></td> <td></td> <td></td> <td></td> <td></td> <td></td> <td></td> <td>42</td> </tr> <tr> <td></td> <td></td> <td></td> <td></td> <td></td> <td></td> <td></td> <td>AVERAGE</td> </tr> </tbody> </table>	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	1	5700.00	103.67	-----	-----	95.09	34.52	11.31						37.25	0.00	100								42								AVERAGE																																																								
Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																																											
Freq	Level	Line	Margin	Level	Factor	Loss	Factor																																																																																																											
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB																																																																																																											
1	5700.00	103.67	-----	-----	95.09	34.52	11.31																																																																																																											
					37.25	0.00	100																																																																																																											
							42																																																																																																											
							AVERAGE																																																																																																											







Mode	22																																																																																																	
	Band Edge																																																																																																	
	U-NII-2C_5.47-5.725_802.11ax HE20_CH140_RU26/8_5700MHz																																																																																																	
ANT	CDD 1+2																																																																																																	
Pol.	Vertical	Fundamental																																																																																																
Peak	<table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Aux</th> <th>APos</th> <th>TPos</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>Margin</th> <th>Level</th> <th>Factor</th> <th>Loss</th> <th>Factor</th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> </tr> </thead> <tbody> <tr> <td>1 5736.44</td> <td>62.81</td> <td>68.20</td> <td>-5.39</td> <td>54.15</td> <td>34.57</td> <td>11.35</td> <td>37.26</td> </tr> <tr> <td></td> <td></td> <td></td> <td></td> <td></td> <td></td> <td>0.00</td> <td>267</td> </tr> <tr> <td></td> <td></td> <td></td> <td></td> <td></td> <td></td> <td></td> <td>86 PEAK</td> </tr> </tbody> </table>	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	1 5736.44	62.81	68.20	-5.39	54.15	34.57	11.35	37.26							0.00	267								86 PEAK	<table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Aux</th> <th>APos</th> <th>TPos</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>Margin</th> <th>Level</th> <th>Factor</th> <th>Loss</th> <th>Factor</th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> </tr> </thead> <tbody> <tr> <td>1 5700.00</td> <td>119.40</td> <td>-----</td> <td>-----</td> <td>110.82</td> <td>34.52</td> <td>11.31</td> <td>37.25</td> </tr> <tr> <td></td> <td></td> <td></td> <td></td> <td></td> <td></td> <td>0.00</td> <td>267</td> </tr> <tr> <td></td> <td></td> <td></td> <td></td> <td></td> <td></td> <td></td> <td>86 PEAK</td> </tr> </tbody> </table>	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	1 5700.00	119.40	-----	-----	110.82	34.52	11.31	37.25							0.00	267								86 PEAK
Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																											
Freq	Level	Line	Margin	Level	Factor	Loss	Factor																																																																																											
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB																																																																																											
1 5736.44	62.81	68.20	-5.39	54.15	34.57	11.35	37.26																																																																																											
						0.00	267																																																																																											
							86 PEAK																																																																																											
Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																											
Freq	Level	Line	Margin	Level	Factor	Loss	Factor																																																																																											
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB																																																																																											
1 5700.00	119.40	-----	-----	110.82	34.52	11.31	37.25																																																																																											
						0.00	267																																																																																											
							86 PEAK																																																																																											
Avg	Blank	<table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Aux</th> <th>APos</th> <th>TPos</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>Margin</th> <th>Level</th> <th>Factor</th> <th>Loss</th> <th>Factor</th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> </tr> </thead> <tbody> <tr> <td>1 5700.00</td> <td>108.06</td> <td>-----</td> <td>-----</td> <td>99.48</td> <td>34.52</td> <td>11.31</td> <td>37.25</td> </tr> <tr> <td></td> <td></td> <td></td> <td></td> <td></td> <td></td> <td>0.00</td> <td>267</td> </tr> <tr> <td></td> <td></td> <td></td> <td></td> <td></td> <td></td> <td></td> <td>86 AVERAGE</td> </tr> </tbody> </table>	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	1 5700.00	108.06	-----	-----	99.48	34.52	11.31	37.25							0.00	267								86 AVERAGE																																																
Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																											
Freq	Level	Line	Margin	Level	Factor	Loss	Factor																																																																																											
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB																																																																																											
1 5700.00	108.06	-----	-----	99.48	34.52	11.31	37.25																																																																																											
						0.00	267																																																																																											
							86 AVERAGE																																																																																											



Mode	23																																																																																			
	Band Edge																																																																																			
	U-NII-1_5.15-5.25_802.11ax HE20_CH36_RU52/37_5180MHz																																																																																			
ANT	CDD 1+2																																																																																			
Pol.	Horizontal	Fundamental																																																																																		
Peak	 <p>Level (dBuV/m) vs Frequency (MHz) for Horizontal. Peak at 5107.70 MHz.</p> <table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Aux</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line Margin</th> <th>Level Factor</th> <th>Loss Factor</th> <th>Loss Factor</th> <th>Factor</th> <th></th> <th></th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>5107.70</td> <td>57.84</td> <td>74.00</td> <td>-16.16</td> <td>50.57</td> <td>34.01</td> <td>10.61</td> <td>37.35</td> <td>0.00</td> <td>100</td> <td>137</td> <td>PEAK</td> </tr> </tbody> </table>	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line Margin	Level Factor	Loss Factor	Loss Factor	Factor			MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5107.70	57.84	74.00	-16.16	50.57	34.01	10.61	37.35	0.00	100	137	PEAK	 <p>Level (dBuV/m) vs Frequency (MHz) for Fundamental. Peak at 5180.00 MHz.</p> <table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Aux</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line Margin</th> <th>Level Factor</th> <th>Loss Factor</th> <th>Loss Factor</th> <th>Factor</th> <th></th> <th></th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>5180.00</td> <td>107.19</td> <td>-----</td> <td>-----</td> <td>99.77</td> <td>34.07</td> <td>10.68</td> <td>37.33</td> <td>0.00</td> <td>100</td> <td>137</td> <td>PEAK</td> </tr> </tbody> </table>	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line Margin	Level Factor	Loss Factor	Loss Factor	Factor			MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5180.00	107.19	-----	-----	99.77	34.07	10.68	37.33	0.00	100	137	PEAK
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																											
Freq	Level	Line Margin	Level Factor	Loss Factor	Loss Factor	Factor																																																																														
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																											
1	5107.70	57.84	74.00	-16.16	50.57	34.01	10.61	37.35	0.00	100	137	PEAK																																																																								
Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																												
Freq	Level	Line Margin	Level Factor	Loss Factor	Loss Factor	Factor																																																																														
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																											
1	5180.00	107.19	-----	-----	99.77	34.07	10.68	37.33	0.00	100	137	PEAK																																																																								
Avg	 <p>Level (dBuV/m) vs Frequency (MHz) for Horizontal. Average at 5109.60 MHz.</p> <table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Aux</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line Margin</th> <th>Level Factor</th> <th>Loss Factor</th> <th>Loss Factor</th> <th>Factor</th> <th></th> <th></th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>5109.60</td> <td>48.05</td> <td>54.00</td> <td>-5.95</td> <td>40.78</td> <td>34.01</td> <td>10.61</td> <td>37.35</td> <td>0.00</td> <td>100</td> <td>137</td> <td>AVERAGE</td> </tr> </tbody> </table>	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line Margin	Level Factor	Loss Factor	Loss Factor	Factor			MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5109.60	48.05	54.00	-5.95	40.78	34.01	10.61	37.35	0.00	100	137	AVERAGE	 <p>Level (dBuV/m) vs Frequency (MHz) for Fundamental. Average at 5180.00 MHz.</p> <table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Aux</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line Margin</th> <th>Level Factor</th> <th>Loss Factor</th> <th>Loss Factor</th> <th>Factor</th> <th></th> <th></th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>5180.00</td> <td>98.64</td> <td>-----</td> <td>-----</td> <td>91.21</td> <td>34.08</td> <td>10.68</td> <td>37.33</td> <td>0.00</td> <td>100</td> <td>137</td> <td>AVERAGE</td> </tr> </tbody> </table>	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line Margin	Level Factor	Loss Factor	Loss Factor	Factor			MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5180.00	98.64	-----	-----	91.21	34.08	10.68	37.33	0.00	100	137	AVERAGE
Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																												
Freq	Level	Line Margin	Level Factor	Loss Factor	Loss Factor	Factor																																																																														
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																											
1	5109.60	48.05	54.00	-5.95	40.78	34.01	10.61	37.35	0.00	100	137	AVERAGE																																																																								
Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																												
Freq	Level	Line Margin	Level Factor	Loss Factor	Loss Factor	Factor																																																																														
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																											
1	5180.00	98.64	-----	-----	91.21	34.08	10.68	37.33	0.00	100	137	AVERAGE																																																																								



Mode	23																																																																																	
	Band Edge																																																																																	
	U-NII-1_5.15-5.25_802.11ax HE20_CH36_RU52/37_5180MHz																																																																																	
ANT	CDD 1+2																																																																																	
Pol.	Vertical	Fundamental																																																																																
Peak	 <table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Aux</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>Margin</th> <th>Level</th> <th>Factor</th> <th>Loss</th> <th>Factor</th> <th>Factor</th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>dB</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>5145.50</td> <td>73.07</td> <td>74.00</td> <td>-0.93</td> <td>65.71</td> <td>34.05</td> <td>10.65</td> <td>37.34</td> <td>0.00</td> <td>304</td> <td>80</td> <td>PEAK</td> </tr> </tbody> </table>	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	1	5145.50	73.07	74.00	-0.93	65.71	34.05	10.65	37.34	0.00	304	80	PEAK	 <table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Aux</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>Margin</th> <th>Level</th> <th>Factor</th> <th>Loss</th> <th>Factor</th> <th>Factor</th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>dB</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>5180.00</td> <td>118.72</td> <td>-----</td> <td>-----</td> <td>111.30</td> <td>34.07</td> <td>10.68</td> <td>37.33</td> <td>0.00</td> <td>304</td> <td>80</td> <td>PEAK</td> </tr> </tbody> </table>	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	1	5180.00	118.72	-----	-----	111.30	34.07	10.68	37.33	0.00	304	80	PEAK
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																									
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																																																										
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB																																																																										
1	5145.50	73.07	74.00	-0.93	65.71	34.05	10.65	37.34	0.00	304	80	PEAK																																																																						
Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																										
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																																																										
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB																																																																										
1	5180.00	118.72	-----	-----	111.30	34.07	10.68	37.33	0.00	304	80	PEAK																																																																						
Avg	 <table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Aux</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>Margin</th> <th>Level</th> <th>Factor</th> <th>Loss</th> <th>Factor</th> <th>Factor</th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>dB</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>5141.90</td> <td>50.89</td> <td>54.00</td> <td>-3.11</td> <td>43.54</td> <td>34.04</td> <td>10.65</td> <td>37.34</td> <td>0.00</td> <td>304</td> <td>80</td> <td>AVERAGE</td> </tr> </tbody> </table>	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	1	5141.90	50.89	54.00	-3.11	43.54	34.04	10.65	37.34	0.00	304	80	AVERAGE	 <table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Aux</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>Margin</th> <th>Level</th> <th>Factor</th> <th>Loss</th> <th>Factor</th> <th>Factor</th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>dB</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>5180.00</td> <td>113.00</td> <td>-----</td> <td>-----</td> <td>105.65</td> <td>34.08</td> <td>10.68</td> <td>37.33</td> <td>0.00</td> <td>304</td> <td>80</td> <td>AVERAGE</td> </tr> </tbody> </table>	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	1	5180.00	113.00	-----	-----	105.65	34.08	10.68	37.33	0.00	304	80	AVERAGE
Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																										
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																																																										
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB																																																																										
1	5141.90	50.89	54.00	-3.11	43.54	34.04	10.65	37.34	0.00	304	80	AVERAGE																																																																						
Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																										
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																																																										
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB																																																																										
1	5180.00	113.00	-----	-----	105.65	34.08	10.68	37.33	0.00	304	80	AVERAGE																																																																						



Mode	24																																																																													
	Band Edge																																																																													
	U-NII-2A_5.25-5.35_802.11ax HE20_CH64_RU52/40_5320MHz																																																																													
ANT	CDD 1+2																																																																													
Pol.	Horizontal	Fundamental																																																																												
Peak	<table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Aux</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>Margin</th> <th>Level</th> <th>Factor</th> <th>Loss</th> <th>Factor</th> <th>Factor</th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1 5358.10</td> <td>57.79</td> <td>74.00</td> <td>-16.21</td> <td>49.71</td> <td>34.52</td> <td>10.85</td> <td>37.29</td> <td>0.00</td> <td>100 320 PEAK</td> </tr> </tbody> </table>	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1 5358.10	57.79	74.00	-16.21	49.71	34.52	10.85	37.29	0.00	100 320 PEAK	<table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Aux</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>Margin</th> <th>Level</th> <th>Factor</th> <th>Loss</th> <th>Factor</th> <th>Factor</th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1 5320.00</td> <td>110.23</td> <td>-----</td> <td>-----</td> <td>102.26</td> <td>34.45</td> <td>10.82</td> <td>37.30</td> <td>0.00</td> <td>100 320 PEAK</td> </tr> </tbody> </table>	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1 5320.00	110.23	-----	-----	102.26	34.45	10.82	37.30	0.00	100 320 PEAK
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																					
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																																																						
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																					
1 5358.10	57.79	74.00	-16.21	49.71	34.52	10.85	37.29	0.00	100 320 PEAK																																																																					
Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																						
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																																																						
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																					
1 5320.00	110.23	-----	-----	102.26	34.45	10.82	37.30	0.00	100 320 PEAK																																																																					
Avg	<table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Aux</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>Margin</th> <th>Level</th> <th>Factor</th> <th>Loss</th> <th>Factor</th> <th>Factor</th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1 5353.40</td> <td>46.59</td> <td>54.00</td> <td>-7.41</td> <td>38.53</td> <td>34.51</td> <td>10.84</td> <td>37.29</td> <td>0.00</td> <td>100 320 AVERAGE</td> </tr> </tbody> </table>	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1 5353.40	46.59	54.00	-7.41	38.53	34.51	10.84	37.29	0.00	100 320 AVERAGE	<table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Aux</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>Margin</th> <th>Level</th> <th>Factor</th> <th>Loss</th> <th>Factor</th> <th>Factor</th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1 5320.00</td> <td>101.40</td> <td>-----</td> <td>-----</td> <td>93.43</td> <td>34.45</td> <td>10.82</td> <td>37.30</td> <td>0.00</td> <td>100 320 AVERAGE</td> </tr> </tbody> </table>	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1 5320.00	101.40	-----	-----	93.43	34.45	10.82	37.30	0.00	100 320 AVERAGE
Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																						
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																																																						
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																					
1 5353.40	46.59	54.00	-7.41	38.53	34.51	10.84	37.29	0.00	100 320 AVERAGE																																																																					
Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																						
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																																																						
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																					
1 5320.00	101.40	-----	-----	93.43	34.45	10.82	37.30	0.00	100 320 AVERAGE																																																																					







Mode	24																																																																															
	Band Edge																																																																															
	U-NII-2A_5.25-5.35_802.11ax HE20_CH64_RU52/40_5320MHz																																																																															
ANT	CDD 1+2																																																																															
Pol.	Vertical	Fundamental																																																																														
Peak	<table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Aux</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>Margin</th> <th>Level</th> <th>Factor</th> <th>Loss</th> <th>Factor</th> <th>Factor</th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1 5357.40</td> <td>61.33</td> <td>74.00</td> <td>-12.67</td> <td>53.26</td> <td>34.51</td> <td>10.85</td> <td>37.29</td> <td>0.00</td> <td>286</td> <td>81 PEAK</td> </tr> </tbody> </table>	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1 5357.40	61.33	74.00	-12.67	53.26	34.51	10.85	37.29	0.00	286	81 PEAK	<table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Aux</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>Margin</th> <th>Level</th> <th>Factor</th> <th>Loss</th> <th>Factor</th> <th>Factor</th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1 5320.00</td> <td>121.26</td> <td>-----</td> <td>-----</td> <td>113.29</td> <td>34.45</td> <td>10.82</td> <td>37.30</td> <td>0.00</td> <td>286</td> <td>81 PEAK</td> </tr> </tbody> </table>	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1 5320.00	121.26	-----	-----	113.29	34.45	10.82	37.30	0.00	286	81 PEAK
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																							
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																																																								
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																							
1 5357.40	61.33	74.00	-12.67	53.26	34.51	10.85	37.29	0.00	286	81 PEAK																																																																						
Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																								
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																																																								
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																							
1 5320.00	121.26	-----	-----	113.29	34.45	10.82	37.30	0.00	286	81 PEAK																																																																						
Avg	<table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Aux</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>Margin</th> <th>Level</th> <th>Factor</th> <th>Loss</th> <th>Factor</th> <th>Factor</th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1 5357.70</td> <td>51.64</td> <td>54.00</td> <td>-2.36</td> <td>43.56</td> <td>34.52</td> <td>10.85</td> <td>37.29</td> <td>0.00</td> <td>286</td> <td>81 AVERAGE</td> </tr> </tbody> </table>	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1 5357.70	51.64	54.00	-2.36	43.56	34.52	10.85	37.29	0.00	286	81 AVERAGE	<table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Aux</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>Margin</th> <th>Level</th> <th>Factor</th> <th>Loss</th> <th>Factor</th> <th>Factor</th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1 5320.00</td> <td>113.38</td> <td>-----</td> <td>-----</td> <td>105.41</td> <td>34.45</td> <td>10.82</td> <td>37.30</td> <td>0.00</td> <td>286</td> <td>81 AVERAGE</td> </tr> </tbody> </table>	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1 5320.00	113.38	-----	-----	105.41	34.45	10.82	37.30	0.00	286	81 AVERAGE
Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																								
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																																																								
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																							
1 5357.70	51.64	54.00	-2.36	43.56	34.52	10.85	37.29	0.00	286	81 AVERAGE																																																																						
Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																								
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																																																								
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																							
1 5320.00	113.38	-----	-----	105.41	34.45	10.82	37.30	0.00	286	81 AVERAGE																																																																						



Mode	25																																																																																																
	Band Edge																																																																																																
	U-NII-2C_5.47-5.725_802.11ax HE20_CH100_RU52/37_5500MHz																																																																																																
ANT	CDD 1+2																																																																																																
Pol.	Horizontal	Fundamental																																																																																															
Peak	<table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Aux</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>Margin</th> <th>Level</th> <th>Factor</th> <th>Loss</th> <th>Factor</th> <th>Factor</th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>5414.16</td> <td>56.59</td> <td>74.00</td> <td>-17.41</td> <td>48.36</td> <td>34.59</td> <td>10.91</td> <td>37.27</td> <td>0.00</td> <td>119</td> <td>44</td> <td>PEAK</td> </tr> <tr> <td>2</td> <td>5469.04</td> <td>57.58</td> <td>68.20</td> <td>-10.62</td> <td>49.33</td> <td>34.53</td> <td>10.98</td> <td>37.26</td> <td>0.00</td> <td>119</td> <td>44</td> <td>PEAK</td> </tr> </tbody> </table>	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5414.16	56.59	74.00	-17.41	48.36	34.59	10.91	37.27	0.00	119	44	PEAK	2	5469.04	57.58	68.20	-10.62	49.33	34.53	10.98	37.26	0.00	119	44	PEAK	<table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Aux</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>Margin</th> <th>Level</th> <th>Factor</th> <th>Loss</th> <th>Factor</th> <th>Factor</th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>5500.00</td> <td>112.62</td> <td>-----</td> <td>-----</td> <td>104.36</td> <td>34.51</td> <td>11.01</td> <td>37.26</td> <td>0.00</td> <td>119</td> <td>44</td> <td>PEAK</td> </tr> </tbody> </table>	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5500.00	112.62	-----	-----	104.36	34.51	11.01	37.26	0.00	119	44	PEAK
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																								
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																																																																									
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																								
1	5414.16	56.59	74.00	-17.41	48.36	34.59	10.91	37.27	0.00	119	44	PEAK																																																																																					
2	5469.04	57.58	68.20	-10.62	49.33	34.53	10.98	37.26	0.00	119	44	PEAK																																																																																					
Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																									
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																																																																									
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																								
1	5500.00	112.62	-----	-----	104.36	34.51	11.01	37.26	0.00	119	44	PEAK																																																																																					
Avg	<table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Aux</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>Margin</th> <th>Level</th> <th>Factor</th> <th>Loss</th> <th>Factor</th> <th>Factor</th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>5459.92</td> <td>46.94</td> <td>54.00</td> <td>-7.06</td> <td>38.69</td> <td>34.54</td> <td>10.97</td> <td>37.26</td> <td>0.00</td> <td>119</td> <td>44</td> <td>AVERAGE</td> </tr> </tbody> </table>	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5459.92	46.94	54.00	-7.06	38.69	34.54	10.97	37.26	0.00	119	44	AVERAGE	<table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Aux</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>Margin</th> <th>Level</th> <th>Factor</th> <th>Loss</th> <th>Factor</th> <th>Factor</th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>5500.00</td> <td>102.85</td> <td>-----</td> <td>-----</td> <td>94.59</td> <td>34.51</td> <td>11.01</td> <td>37.26</td> <td>0.00</td> <td>119</td> <td>44</td> <td>AVERAGE</td> </tr> </tbody> </table>	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5500.00	102.85	-----	-----	94.59	34.51	11.01	37.26	0.00	119	44	AVERAGE													
Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																									
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																																																																									
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																								
1	5459.92	46.94	54.00	-7.06	38.69	34.54	10.97	37.26	0.00	119	44	AVERAGE																																																																																					
Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																									
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																																																																									
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																								
1	5500.00	102.85	-----	-----	94.59	34.51	11.01	37.26	0.00	119	44	AVERAGE																																																																																					



Mode	25																																																																																																
	Band Edge																																																																																																
	U-NII-2C_5.47-5.725_802.11ax HE20_CH100_RU52/37_5500MHz																																																																																																
ANT	CDD 1+2																																																																																																
Pol.	Vertical	Fundamental																																																																																															
Peak	 <table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Aux</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line Margin</th> <th>Level</th> <th>Factor</th> <th>Loss Factor</th> <th>Factor</th> <th></th> <th></th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>5453.68</td> <td>57.97</td> <td>74.00</td> <td>-16.03</td> <td>49.72</td> <td>34.55</td> <td>10.96</td> <td>37.26</td> <td>0.00</td> <td>287</td> <td>90</td> <td>PEAK</td> </tr> <tr> <td>2</td> <td>5469.52</td> <td>59.22</td> <td>68.20</td> <td>-8.98</td> <td>50.97</td> <td>34.53</td> <td>10.98</td> <td>37.26</td> <td>0.00</td> <td>287</td> <td>90</td> <td>PEAK</td> </tr> </tbody> </table>	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line Margin	Level	Factor	Loss Factor	Factor			MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5453.68	57.97	74.00	-16.03	49.72	34.55	10.96	37.26	0.00	287	90	PEAK	2	5469.52	59.22	68.20	-8.98	50.97	34.53	10.98	37.26	0.00	287	90	PEAK	 <table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Aux</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line Margin</th> <th>Level</th> <th>Factor</th> <th>Loss Factor</th> <th>Factor</th> <th></th> <th></th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>5500.00</td> <td>119.76</td> <td>-----</td> <td>-----</td> <td>111.50</td> <td>34.51</td> <td>11.01</td> <td>37.26</td> <td>0.00</td> <td>287</td> <td>90</td> <td>PEAK</td> </tr> </tbody> </table>	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line Margin	Level	Factor	Loss Factor	Factor			MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5500.00	119.76	-----	-----	111.50	34.51	11.01	37.26	0.00	287	90	PEAK
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																								
Freq	Level	Line Margin	Level	Factor	Loss Factor	Factor																																																																																											
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																								
1	5453.68	57.97	74.00	-16.03	49.72	34.55	10.96	37.26	0.00	287	90	PEAK																																																																																					
2	5469.52	59.22	68.20	-8.98	50.97	34.53	10.98	37.26	0.00	287	90	PEAK																																																																																					
Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																									
Freq	Level	Line Margin	Level	Factor	Loss Factor	Factor																																																																																											
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																								
1	5500.00	119.76	-----	-----	111.50	34.51	11.01	37.26	0.00	287	90	PEAK																																																																																					
Avg	 <table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Aux</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line Margin</th> <th>Level</th> <th>Factor</th> <th>Loss Factor</th> <th>Factor</th> <th></th> <th></th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>5451.44</td> <td>49.37</td> <td>54.00</td> <td>-4.63</td> <td>41.13</td> <td>34.55</td> <td>10.96</td> <td>37.27</td> <td>0.00</td> <td>287</td> <td>90</td> <td>AVERAGE</td> </tr> </tbody> </table>	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line Margin	Level	Factor	Loss Factor	Factor			MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5451.44	49.37	54.00	-4.63	41.13	34.55	10.96	37.27	0.00	287	90	AVERAGE	 <table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Aux</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line Margin</th> <th>Level</th> <th>Factor</th> <th>Loss Factor</th> <th>Factor</th> <th></th> <th></th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>5500.00</td> <td>111.71</td> <td>-----</td> <td>-----</td> <td>103.45</td> <td>34.51</td> <td>11.01</td> <td>37.26</td> <td>0.00</td> <td>287</td> <td>90</td> <td>AVERAGE</td> </tr> </tbody> </table>	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line Margin	Level	Factor	Loss Factor	Factor			MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5500.00	111.71	-----	-----	103.45	34.51	11.01	37.26	0.00	287	90	AVERAGE													
Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																									
Freq	Level	Line Margin	Level	Factor	Loss Factor	Factor																																																																																											
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																								
1	5451.44	49.37	54.00	-4.63	41.13	34.55	10.96	37.27	0.00	287	90	AVERAGE																																																																																					
Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																									
Freq	Level	Line Margin	Level	Factor	Loss Factor	Factor																																																																																											
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																								
1	5500.00	111.71	-----	-----	103.45	34.51	11.01	37.26	0.00	287	90	AVERAGE																																																																																					







Mode	26																																																																																																																																																	
	Band Edge																																																																																																																																																	
	U-NII-2C_5.47-5.725_802.11ax HE20_CH140_RU52/40_5700MHz																																																																																																																																																	
ANT	CDD 1+2																																																																																																																																																	
Pol.	Horizontal	Fundamental																																																																																																																																																
Peak	<table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Aux</th> <th>APos</th> <th>TPos</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>Margin</th> <th>Level</th> <th>Factor</th> <th>Loss</th> <th>Factor</th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>5727.64</td> <td>63.39</td> <td>68.20</td> <td>-4.81</td> <td>54.75</td> <td>34.56</td> <td>11.33</td> </tr> <tr> <td></td> <td></td> <td></td> <td></td> <td></td> <td></td> <td></td> <td>37.25</td> </tr> <tr> <td></td> <td></td> <td></td> <td></td> <td></td> <td></td> <td></td> <td>0.00</td> </tr> <tr> <td></td> <td></td> <td></td> <td></td> <td></td> <td></td> <td></td> <td>111</td> </tr> <tr> <td></td> <td></td> <td></td> <td></td> <td></td> <td></td> <td></td> <td>45</td> </tr> <tr> <td></td> <td></td> <td></td> <td></td> <td></td> <td></td> <td></td> <td>PEAK</td> </tr> </tbody> </table>	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	1	5727.64	63.39	68.20	-4.81	54.75	34.56	11.33								37.25								0.00								111								45								PEAK	<table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Aux</th> <th>APos</th> <th>TPos</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>Margin</th> <th>Level</th> <th>Factor</th> <th>Loss</th> <th>Factor</th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>5700.00</td> <td>113.27</td> <td>-----</td> <td>-----</td> <td>104.69</td> <td>34.52</td> <td>11.31</td> </tr> <tr> <td></td> <td></td> <td></td> <td></td> <td></td> <td></td> <td></td> <td>37.25</td> </tr> <tr> <td></td> <td></td> <td></td> <td></td> <td></td> <td></td> <td></td> <td>0.00</td> </tr> <tr> <td></td> <td></td> <td></td> <td></td> <td></td> <td></td> <td></td> <td>111</td> </tr> <tr> <td></td> <td></td> <td></td> <td></td> <td></td> <td></td> <td></td> <td>45</td> </tr> <tr> <td></td> <td></td> <td></td> <td></td> <td></td> <td></td> <td></td> <td>PEAK</td> </tr> </tbody> </table>	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	1	5700.00	113.27	-----	-----	104.69	34.52	11.31								37.25								0.00								111								45								PEAK
Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																																																																											
Freq	Level	Line	Margin	Level	Factor	Loss	Factor																																																																																																																																											
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB																																																																																																																																											
1	5727.64	63.39	68.20	-4.81	54.75	34.56	11.33																																																																																																																																											
							37.25																																																																																																																																											
							0.00																																																																																																																																											
							111																																																																																																																																											
							45																																																																																																																																											
							PEAK																																																																																																																																											
Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																																																																											
Freq	Level	Line	Margin	Level	Factor	Loss	Factor																																																																																																																																											
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB																																																																																																																																											
1	5700.00	113.27	-----	-----	104.69	34.52	11.31																																																																																																																																											
							37.25																																																																																																																																											
							0.00																																																																																																																																											
							111																																																																																																																																											
							45																																																																																																																																											
							PEAK																																																																																																																																											
Avg	Blank	<table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Aux</th> <th>APos</th> <th>TPos</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>Margin</th> <th>Level</th> <th>Factor</th> <th>Loss</th> <th>Factor</th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>5700.00</td> <td>105.59</td> <td>-----</td> <td>-----</td> <td>97.02</td> <td>34.51</td> <td>11.30</td> </tr> <tr> <td></td> <td></td> <td></td> <td></td> <td></td> <td></td> <td></td> <td>37.24</td> </tr> <tr> <td></td> <td></td> <td></td> <td></td> <td></td> <td></td> <td></td> <td>0.00</td> </tr> <tr> <td></td> <td></td> <td></td> <td></td> <td></td> <td></td> <td></td> <td>111</td> </tr> <tr> <td></td> <td></td> <td></td> <td></td> <td></td> <td></td> <td></td> <td>45</td> </tr> <tr> <td></td> <td></td> <td></td> <td></td> <td></td> <td></td> <td></td> <td>AVERAGE</td> </tr> </tbody> </table>	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	1	5700.00	105.59	-----	-----	97.02	34.51	11.30								37.24								0.00								111								45								AVERAGE																																																																								
Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																																																																											
Freq	Level	Line	Margin	Level	Factor	Loss	Factor																																																																																																																																											
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB																																																																																																																																											
1	5700.00	105.59	-----	-----	97.02	34.51	11.30																																																																																																																																											
							37.24																																																																																																																																											
							0.00																																																																																																																																											
							111																																																																																																																																											
							45																																																																																																																																											
							AVERAGE																																																																																																																																											







Mode	26																																																																																																	
	Band Edge																																																																																																	
	U-NII-2C_5.47-5.725_802.11ax HE20_CH140_RU52/40_5700MHz																																																																																																	
ANT	CDD 1+2																																																																																																	
Pol.	Vertical	Fundamental																																																																																																
Peak	<table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Aux</th> <th>APos</th> <th>TPos</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>Margin</th> <th>Level</th> <th>Factor</th> <th>Loss</th> <th>Factor</th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> </tr> </thead> <tbody> <tr> <td>1 5741.48</td> <td>66.45</td> <td>68.20</td> <td>-1.75</td> <td>57.77</td> <td>34.58</td> <td>11.36</td> <td>37.26</td> </tr> <tr> <td></td> <td></td> <td></td> <td></td> <td></td> <td></td> <td>0.00</td> <td>268</td> </tr> <tr> <td></td> <td></td> <td></td> <td></td> <td></td> <td></td> <td></td> <td>83 PEAK</td> </tr> </tbody> </table>	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	1 5741.48	66.45	68.20	-1.75	57.77	34.58	11.36	37.26							0.00	268								83 PEAK	<table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Aux</th> <th>APos</th> <th>TPos</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>Margin</th> <th>Level</th> <th>Factor</th> <th>Loss</th> <th>Factor</th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> </tr> </thead> <tbody> <tr> <td>1 5700.00</td> <td>121.77</td> <td>-----</td> <td>-----</td> <td>113.19</td> <td>34.52</td> <td>11.31</td> <td>37.25</td> </tr> <tr> <td></td> <td></td> <td></td> <td></td> <td></td> <td></td> <td>0.00</td> <td>268</td> </tr> <tr> <td></td> <td></td> <td></td> <td></td> <td></td> <td></td> <td></td> <td>83 PEAK</td> </tr> </tbody> </table>	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	1 5700.00	121.77	-----	-----	113.19	34.52	11.31	37.25							0.00	268								83 PEAK
Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																											
Freq	Level	Line	Margin	Level	Factor	Loss	Factor																																																																																											
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB																																																																																											
1 5741.48	66.45	68.20	-1.75	57.77	34.58	11.36	37.26																																																																																											
						0.00	268																																																																																											
							83 PEAK																																																																																											
Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																											
Freq	Level	Line	Margin	Level	Factor	Loss	Factor																																																																																											
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB																																																																																											
1 5700.00	121.77	-----	-----	113.19	34.52	11.31	37.25																																																																																											
						0.00	268																																																																																											
							83 PEAK																																																																																											
Avg	Blank	<table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Aux</th> <th>APos</th> <th>TPos</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>Margin</th> <th>Level</th> <th>Factor</th> <th>Loss</th> <th>Factor</th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> </tr> </thead> <tbody> <tr> <td>1 5700.00</td> <td>113.07</td> <td>-----</td> <td>-----</td> <td>104.50</td> <td>34.51</td> <td>11.30</td> <td>37.24</td> </tr> <tr> <td></td> <td></td> <td></td> <td></td> <td></td> <td></td> <td>0.00</td> <td>268</td> </tr> <tr> <td></td> <td></td> <td></td> <td></td> <td></td> <td></td> <td></td> <td>83 AVERAGE</td> </tr> </tbody> </table>	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	1 5700.00	113.07	-----	-----	104.50	34.51	11.30	37.24							0.00	268								83 AVERAGE																																																
Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																											
Freq	Level	Line	Margin	Level	Factor	Loss	Factor																																																																																											
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB																																																																																											
1 5700.00	113.07	-----	-----	104.50	34.51	11.30	37.24																																																																																											
						0.00	268																																																																																											
							83 AVERAGE																																																																																											



		27																																																																										
Mode	Band Edge																																																																											
	U-NII-1_5.15-5.25_802.11ax HE20_CH36_RU106/53_5180MHz																																																																											
ANT	CDD 1+2																																																																											
Pol.	Horizontal	Fundamental																																																																										
Peak	 <p>Level (dBuV/m) vs Frequency (MHz) plot for Horizontal polarization. The plot shows a signal between 5100 and 5200 MHz. A red horizontal line indicates the limit at 65.0 dBuV/m. The signal peaks at approximately 105.97 dBuV/m at 5180.00 MHz.</p> <table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Aux</th> <th>APos</th> <th>TPos</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>Margin</th> <th>Level</th> <th>Factor</th> <th>Loss</th> <th>Factor</th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>5135.40</td> <td>58.38</td> <td>74.00</td> <td>-15.62</td> <td>51.04</td> <td>34.04</td> <td>10.64</td> <td>37.34</td> <td>0.00</td> <td>100</td> <td>137</td> <td>PEAK</td> </tr> </tbody> </table>	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	1	5135.40	58.38	74.00	-15.62	51.04	34.04	10.64	37.34	0.00	100	137	PEAK	 <p>Level (dBuV/m) vs Frequency (MHz) plot for Fundamental polarization. The plot shows a signal between 1000 and 7000 MHz. A red horizontal line indicates the limit at 65.0 dBuV/m. The signal peaks at approximately 105.97 dBuV/m at 5180.00 MHz.</p> <table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Aux</th> <th>APos</th> <th>TPos</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>Margin</th> <th>Level</th> <th>Factor</th> <th>Loss</th> <th>Factor</th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>5180.00</td> <td>105.97</td> <td>-----</td> <td>-----</td> <td>98.54</td> <td>34.08</td> <td>10.68</td> <td>37.33</td> <td>0.00</td> <td>100</td> <td>137</td> <td>PEAK</td> </tr> </tbody> </table>	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	1	5180.00	105.97	-----	-----	98.54	34.08	10.68	37.33	0.00	100	137	PEAK
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																				
Freq	Level	Line	Margin	Level	Factor	Loss	Factor																																																																					
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB																																																																					
1	5135.40	58.38	74.00	-15.62	51.04	34.04	10.64	37.34	0.00	100	137	PEAK																																																																
Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																					
Freq	Level	Line	Margin	Level	Factor	Loss	Factor																																																																					
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB																																																																					
1	5180.00	105.97	-----	-----	98.54	34.08	10.68	37.33	0.00	100	137	PEAK																																																																
Avg	 <p>Level (dBuV/m) vs Frequency (MHz) plot for Average Horizontal polarization. The plot shows a signal between 5100 and 5200 MHz. A red horizontal line indicates the limit at 48.8 dBuV/m. The signal peaks at approximately 97.39 dBuV/m at 5149.10 MHz.</p> <table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Aux</th> <th>APos</th> <th>TPos</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>Margin</th> <th>Level</th> <th>Factor</th> <th>Loss</th> <th>Factor</th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>5149.10</td> <td>47.96</td> <td>54.00</td> <td>-6.04</td> <td>40.60</td> <td>34.05</td> <td>10.65</td> <td>37.34</td> <td>0.00</td> <td>100</td> <td>137</td> <td>AVERAGE</td> </tr> </tbody> </table>	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	1	5149.10	47.96	54.00	-6.04	40.60	34.05	10.65	37.34	0.00	100	137	AVERAGE	 <p>Level (dBuV/m) vs Frequency (MHz) plot for Average Fundamental polarization. The plot shows a signal between 1000 and 7000 MHz. A red horizontal line indicates the limit at 48.8 dBuV/m. The signal peaks at approximately 97.39 dBuV/m at 5180.00 MHz.</p> <table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Aux</th> <th>APos</th> <th>TPos</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>Margin</th> <th>Level</th> <th>Factor</th> <th>Loss</th> <th>Factor</th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>5180.00</td> <td>97.39</td> <td>-----</td> <td>-----</td> <td>89.96</td> <td>34.08</td> <td>10.68</td> <td>37.33</td> <td>0.00</td> <td>100</td> <td>137</td> <td>AVERAGE</td> </tr> </tbody> </table>	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	1	5180.00	97.39	-----	-----	89.96	34.08	10.68	37.33	0.00	100	137	AVERAGE
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																				
Freq	Level	Line	Margin	Level	Factor	Loss	Factor																																																																					
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB																																																																					
1	5149.10	47.96	54.00	-6.04	40.60	34.05	10.65	37.34	0.00	100	137	AVERAGE																																																																
Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																					
Freq	Level	Line	Margin	Level	Factor	Loss	Factor																																																																					
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB																																																																					
1	5180.00	97.39	-----	-----	89.96	34.08	10.68	37.33	0.00	100	137	AVERAGE																																																																



		27																																																																																						
Mode		Band Edge																																																																																						
		U-NII-1_5.15-5.25_802.11ax HE20_CH36_RU106/53_5180MHz																																																																																						
ANT		CDD 1+2																																																																																						
Pol.		Vertical					Fundamental																																																																																	
Peak	 <p>Level (dBuV/m) vs Frequency (MHz) for Vertical polarization. The plot shows a signal peak at approximately 5180 MHz. A red horizontal line indicates the limit at 65.0 dBuV/m. The signal level at the peak is 87 dB.</p> <table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Aux</th> <th>APos</th> <th>TPos</th> <th colspan="2"></th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line Margin</th> <th>Level</th> <th>Factor</th> <th>Loss Factor</th> <th>Factor</th> <th>Factor</th> <th>cm</th> <th>deg</th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>5148.20</td> <td>65.37</td> <td>74.00</td> <td>-8.63</td> <td>58.01</td> <td>34.05</td> <td>10.65</td> <td>37.34</td> <td>0.00</td> <td>305</td> <td>87</td> <td>PEAK</td> </tr> </tbody> </table>	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos			Freq	Level	Line Margin	Level	Factor	Loss Factor	Factor	Factor	cm	deg	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5148.20	65.37	74.00	-8.63	58.01	34.05	10.65	37.34	0.00	305	87	PEAK	 <p>Level (dBuV/m) vs Frequency (MHz) for Fundamental polarization. The plot shows a signal peak at 5180 MHz. A red horizontal line indicates the limit at 120.32 dBuV/m. The signal level at the peak is 87 dB.</p> <table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Aux</th> <th>APos</th> <th>TPos</th> <th colspan="2"></th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line Margin</th> <th>Level</th> <th>Factor</th> <th>Loss Factor</th> <th>Factor</th> <th>Factor</th> <th>cm</th> <th>deg</th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>5180.00</td> <td>120.32</td> <td>-----</td> <td>-----</td> <td>112.89</td> <td>34.08</td> <td>10.68</td> <td>37.33</td> <td>0.00</td> <td>305</td> <td>87</td> <td>PEAK</td> </tr> </tbody> </table>	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos			Freq	Level	Line Margin	Level	Factor	Loss Factor	Factor	Factor	cm	deg	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5180.00	120.32	-----	-----	112.89	34.08	10.68	37.33	0.00	305	87	PEAK
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																
Freq	Level	Line Margin	Level	Factor	Loss Factor	Factor	Factor	cm	deg																																																																															
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																															
1	5148.20	65.37	74.00	-8.63	58.01	34.05	10.65	37.34	0.00	305	87	PEAK																																																																												
Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																	
Freq	Level	Line Margin	Level	Factor	Loss Factor	Factor	Factor	cm	deg																																																																															
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																															
1	5180.00	120.32	-----	-----	112.89	34.08	10.68	37.33	0.00	305	87	PEAK																																																																												
Avg	 <p>Level (dBuV/m) vs Frequency (MHz) for Vertical polarization. The plot shows the average signal level. A red horizontal line indicates the limit at 54.00 dBuV/m. The signal level at the peak is 87 dB.</p> <table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Aux</th> <th>APos</th> <th>TPos</th> <th colspan="2"></th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line Margin</th> <th>Level</th> <th>Factor</th> <th>Loss Factor</th> <th>Factor</th> <th>Factor</th> <th>cm</th> <th>deg</th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>5149.90</td> <td>52.35</td> <td>54.00</td> <td>-1.65</td> <td>44.99</td> <td>34.05</td> <td>10.65</td> <td>37.34</td> <td>0.00</td> <td>305</td> <td>87</td> <td>AVERAGE</td> </tr> </tbody> </table>	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos			Freq	Level	Line Margin	Level	Factor	Loss Factor	Factor	Factor	cm	deg	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5149.90	52.35	54.00	-1.65	44.99	34.05	10.65	37.34	0.00	305	87	AVERAGE	 <p>Level (dBuV/m) vs Frequency (MHz) for Fundamental polarization. The plot shows the average signal level. A red horizontal line indicates the limit at 111.84 dBuV/m. The signal level at the peak is 87 dB.</p> <table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Aux</th> <th>APos</th> <th>TPos</th> <th colspan="2"></th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line Margin</th> <th>Level</th> <th>Factor</th> <th>Loss Factor</th> <th>Factor</th> <th>Factor</th> <th>cm</th> <th>deg</th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>5180.00</td> <td>111.84</td> <td>-----</td> <td>-----</td> <td>104.41</td> <td>34.08</td> <td>10.68</td> <td>37.33</td> <td>0.00</td> <td>305</td> <td>87</td> <td>AVERAGE</td> </tr> </tbody> </table>	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos			Freq	Level	Line Margin	Level	Factor	Loss Factor	Factor	Factor	cm	deg	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5180.00	111.84	-----	-----	104.41	34.08	10.68	37.33	0.00	305	87	AVERAGE
Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																	
Freq	Level	Line Margin	Level	Factor	Loss Factor	Factor	Factor	cm	deg																																																																															
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																															
1	5149.90	52.35	54.00	-1.65	44.99	34.05	10.65	37.34	0.00	305	87	AVERAGE																																																																												
Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																	
Freq	Level	Line Margin	Level	Factor	Loss Factor	Factor	Factor	cm	deg																																																																															
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																															
1	5180.00	111.84	-----	-----	104.41	34.08	10.68	37.33	0.00	305	87	AVERAGE																																																																												



Mode	28																																																																											
	Band Edge																																																																											
	U-NII-2A_5.25-5.35_802.11ax HE20_CH64_RU106/54_5320MHz																																																																											
ANT	CDD 1+2																																																																											
Pol.	Horizontal	Fundamental																																																																										
Peak	<table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Aux</th> <th>APos</th> <th>TPos</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>Margin</th> <th>Level</th> <th>Factor</th> <th>Loss</th> <th>Factor</th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>5366.30</td> <td>56.61</td> <td>74.00</td> <td>-17.39</td> <td>48.51</td> <td>34.53</td> <td>10.86</td> <td>37.29</td> <td>0.00</td> <td>100</td> <td>40</td> <td>PEAK</td> </tr> </tbody> </table>	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	1	5366.30	56.61	74.00	-17.39	48.51	34.53	10.86	37.29	0.00	100	40	PEAK	<table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Aux</th> <th>APos</th> <th>TPos</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>Margin</th> <th>Level</th> <th>Factor</th> <th>Loss</th> <th>Factor</th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>5320.00</td> <td>106.65</td> <td>-----</td> <td>-----</td> <td>98.68</td> <td>34.45</td> <td>10.82</td> <td>37.30</td> <td>0.00</td> <td>100</td> <td>40</td> <td>PEAK</td> </tr> </tbody> </table>	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	1	5320.00	106.65	-----	-----	98.68	34.45	10.82	37.30	0.00	100	40	PEAK
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																				
Freq	Level	Line	Margin	Level	Factor	Loss	Factor																																																																					
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB																																																																					
1	5366.30	56.61	74.00	-17.39	48.51	34.53	10.86	37.29	0.00	100	40	PEAK																																																																
Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																					
Freq	Level	Line	Margin	Level	Factor	Loss	Factor																																																																					
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB																																																																					
1	5320.00	106.65	-----	-----	98.68	34.45	10.82	37.30	0.00	100	40	PEAK																																																																
Avg	<table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Aux</th> <th>APos</th> <th>TPos</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>Margin</th> <th>Level</th> <th>Factor</th> <th>Loss</th> <th>Factor</th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>5350.60</td> <td>46.18</td> <td>54.00</td> <td>-7.82</td> <td>38.13</td> <td>34.50</td> <td>10.84</td> <td>37.29</td> <td>0.00</td> <td>100</td> <td>40</td> <td>AVERAGE</td> </tr> </tbody> </table>	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	1	5350.60	46.18	54.00	-7.82	38.13	34.50	10.84	37.29	0.00	100	40	AVERAGE	<table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Aux</th> <th>APos</th> <th>TPos</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>Margin</th> <th>Level</th> <th>Factor</th> <th>Loss</th> <th>Factor</th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>5320.00</td> <td>99.39</td> <td>-----</td> <td>-----</td> <td>91.44</td> <td>34.44</td> <td>10.81</td> <td>37.30</td> <td>0.00</td> <td>100</td> <td>40</td> <td>AVERAGE</td> </tr> </tbody> </table>	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	1	5320.00	99.39	-----	-----	91.44	34.44	10.81	37.30	0.00	100	40	AVERAGE
Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																					
Freq	Level	Line	Margin	Level	Factor	Loss	Factor																																																																					
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB																																																																					
1	5350.60	46.18	54.00	-7.82	38.13	34.50	10.84	37.29	0.00	100	40	AVERAGE																																																																
Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																					
Freq	Level	Line	Margin	Level	Factor	Loss	Factor																																																																					
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB																																																																					
1	5320.00	99.39	-----	-----	91.44	34.44	10.81	37.30	0.00	100	40	AVERAGE																																																																







Mode	28																																																																																															
	Band Edge																																																																																															
	U-NII-2A_5.25-5.35_802.11ax HE20_CH64_RU106/54_5320MHz																																																																																															
ANT	CDD 1+2																																																																																															
Pol.	Vertical	Fundamental																																																																																														
Peak	<table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Aux</th> <th>APos</th> <th>TPos</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>Margin</th> <th>Level</th> <th>Factor</th> <th>Loss</th> <th>Factor</th> <th>Factor</th> <th>Factor</th> <th>cm</th> <th>deg</th> <th>Remark</th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> <th>Remark</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>5350.60</td> <td>62.32</td> <td>74.00</td> <td>-11.68</td> <td>54.27</td> <td>34.50</td> <td>10.84</td> <td>37.29</td> <td>0.00</td> <td>291</td> <td>79</td> <td>PEAK</td> </tr> </tbody> </table>	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Factor	cm	deg	Remark	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	dB	cm	deg	Remark	1	5350.60	62.32	74.00	-11.68	54.27	34.50	10.84	37.29	0.00	291	79	PEAK	<table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Aux</th> <th>APos</th> <th>TPos</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>Margin</th> <th>Level</th> <th>Factor</th> <th>Loss</th> <th>Factor</th> <th>Factor</th> <th>Factor</th> <th>cm</th> <th>deg</th> <th>Remark</th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> <th>Remark</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>5320.00</td> <td>118.66</td> <td>-----</td> <td>-----</td> <td>110.69</td> <td>34.45</td> <td>10.82</td> <td>37.30</td> <td>0.00</td> <td>291</td> <td>79</td> <td>PEAK</td> </tr> </tbody> </table>	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Factor	cm	deg	Remark	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	dB	cm	deg	Remark	1	5320.00	118.66	-----	-----	110.69	34.45	10.82	37.30	0.00	291	79	PEAK
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																								
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Factor	cm	deg	Remark																																																																																				
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	dB	cm	deg	Remark																																																																																				
1	5350.60	62.32	74.00	-11.68	54.27	34.50	10.84	37.29	0.00	291	79	PEAK																																																																																				
Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																									
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Factor	cm	deg	Remark																																																																																				
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	dB	cm	deg	Remark																																																																																				
1	5320.00	118.66	-----	-----	110.69	34.45	10.82	37.30	0.00	291	79	PEAK																																																																																				
Avg	<table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Aux</th> <th>APos</th> <th>TPos</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>Margin</th> <th>Level</th> <th>Factor</th> <th>Loss</th> <th>Factor</th> <th>Factor</th> <th>Factor</th> <th>cm</th> <th>deg</th> <th>Remark</th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> <th>Remark</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>5350.80</td> <td>50.11</td> <td>54.00</td> <td>-3.89</td> <td>42.06</td> <td>34.50</td> <td>10.84</td> <td>37.29</td> <td>0.00</td> <td>291</td> <td>79</td> <td>AVERAGE</td> </tr> </tbody> </table>	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Factor	cm	deg	Remark	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	dB	cm	deg	Remark	1	5350.80	50.11	54.00	-3.89	42.06	34.50	10.84	37.29	0.00	291	79	AVERAGE	<table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Aux</th> <th>APos</th> <th>TPos</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>Margin</th> <th>Level</th> <th>Factor</th> <th>Loss</th> <th>Factor</th> <th>Factor</th> <th>Factor</th> <th>cm</th> <th>deg</th> <th>Remark</th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> <th>Remark</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>5320.00</td> <td>110.58</td> <td>-----</td> <td>-----</td> <td>102.63</td> <td>34.44</td> <td>10.81</td> <td>37.30</td> <td>0.00</td> <td>291</td> <td>79</td> <td>AVERAGE</td> </tr> </tbody> </table>	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Factor	cm	deg	Remark	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	dB	cm	deg	Remark	1	5320.00	110.58	-----	-----	102.63	34.44	10.81	37.30	0.00	291	79	AVERAGE
Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																									
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Factor	cm	deg	Remark																																																																																				
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	dB	cm	deg	Remark																																																																																				
1	5350.80	50.11	54.00	-3.89	42.06	34.50	10.84	37.29	0.00	291	79	AVERAGE																																																																																				
Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																									
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Factor	cm	deg	Remark																																																																																				
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	dB	cm	deg	Remark																																																																																				
1	5320.00	110.58	-----	-----	102.63	34.44	10.81	37.30	0.00	291	79	AVERAGE																																																																																				



Mode	29																																																																									
	Band Edge																																																																									
	U-NII-2C_5.47-5.725_802.11ax HE20_CH100_RU106/53_5500MHz																																																																									
ANT	CDD 1+2																																																																									
Pol.	Horizontal	Fundamental																																																																								
Peak	<table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Aux</th> <th>APos</th> <th>TPos</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>Margin</th> <th>Level</th> <th>Factor</th> <th>Loss</th> <th>Factor</th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>5398.32</td> <td>56.32</td> <td>74.00</td> <td>-17.68</td> <td>48.11</td> <td>34.60</td> <td>10.89</td> </tr> <tr> <td>2</td> <td>5460.56</td> <td>55.80</td> <td>68.20</td> <td>-12.40</td> <td>47.55</td> <td>34.54</td> <td>10.97</td> </tr> </tbody> </table>	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	1	5398.32	56.32	74.00	-17.68	48.11	34.60	10.89	2	5460.56	55.80	68.20	-12.40	47.55	34.54	10.97	<table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Aux</th> <th>APos</th> <th>TPos</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>Margin</th> <th>Level</th> <th>Factor</th> <th>Loss</th> <th>Factor</th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>5500.00</td> <td>109.59</td> <td>-----</td> <td>-----</td> <td>101.32</td> <td>34.50</td> <td>11.02</td> </tr> </tbody> </table>	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	1	5500.00	109.59	-----	-----	101.32	34.50	11.02
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																		
Freq	Level	Line	Margin	Level	Factor	Loss	Factor																																																																			
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB																																																																			
1	5398.32	56.32	74.00	-17.68	48.11	34.60	10.89																																																																			
2	5460.56	55.80	68.20	-12.40	47.55	34.54	10.97																																																																			
Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																			
Freq	Level	Line	Margin	Level	Factor	Loss	Factor																																																																			
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB																																																																			
1	5500.00	109.59	-----	-----	101.32	34.50	11.02																																																																			
Avg	<table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Aux</th> <th>APos</th> <th>TPos</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>Margin</th> <th>Level</th> <th>Factor</th> <th>Loss</th> <th>Factor</th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>5458.32</td> <td>46.96</td> <td>54.00</td> <td>-7.04</td> <td>38.71</td> <td>34.54</td> <td>10.97</td> </tr> </tbody> </table>	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	1	5458.32	46.96	54.00	-7.04	38.71	34.54	10.97	<table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Aux</th> <th>APos</th> <th>TPos</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>Margin</th> <th>Level</th> <th>Factor</th> <th>Loss</th> <th>Factor</th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>5500.00</td> <td>100.44</td> <td>-----</td> <td>-----</td> <td>92.18</td> <td>34.51</td> <td>11.01</td> </tr> </tbody> </table>	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	1	5500.00	100.44	-----	-----	92.18	34.51	11.01								
Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																			
Freq	Level	Line	Margin	Level	Factor	Loss	Factor																																																																			
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB																																																																			
1	5458.32	46.96	54.00	-7.04	38.71	34.54	10.97																																																																			
Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																			
Freq	Level	Line	Margin	Level	Factor	Loss	Factor																																																																			
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB																																																																			
1	5500.00	100.44	-----	-----	92.18	34.51	11.01																																																																			



Mode	29																																																																																																				
	Band Edge																																																																																																				
	U-NII-2C_5.47-5.725_802.11ax HE20_CH100_RU106/53_5500MHz																																																																																																				
ANT	CDD 1+2																																																																																																				
Pol.	Vertical	Fundamental																																																																																																			
Peak	 <table border="1" data-bbox="268 1106 794 1249"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Aux</th> <th>APos</th> <th>TPos</th> <th colspan="2">Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line Margin</th> <th>Level</th> <th>Factor</th> <th>Loss Factor</th> <th>Factor</th> <th></th> <th>cm</th> <th>deg</th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th></th> <th></th> </tr> </thead> <tbody> <tr> <td>1</td> <td>5455.92</td> <td>58.12</td> <td>74.00</td> <td>-15.88</td> <td>49.88</td> <td>34.54</td> <td>10.96</td> <td>37.26</td> <td>0.00</td> <td>274</td> <td>88</td> <td>PEAK</td> </tr> <tr> <td>2</td> <td>5463.44</td> <td>60.31</td> <td>68.20</td> <td>-7.89</td> <td>52.06</td> <td>34.54</td> <td>10.97</td> <td>37.26</td> <td>0.00</td> <td>274</td> <td>88</td> <td>PEAK</td> </tr> </tbody> </table>	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark		Freq	Level	Line Margin	Level	Factor	Loss Factor	Factor		cm	deg	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB			1	5455.92	58.12	74.00	-15.88	49.88	34.54	10.96	37.26	0.00	274	88	PEAK	2	5463.44	60.31	68.20	-7.89	52.06	34.54	10.97	37.26	0.00	274	88	PEAK	 <table border="1" data-bbox="906 1106 1433 1249"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Aux</th> <th>APos</th> <th>TPos</th> <th colspan="2">Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line Margin</th> <th>Level</th> <th>Factor</th> <th>Loss Factor</th> <th>Factor</th> <th></th> <th>cm</th> <th>deg</th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th></th> <th></th> </tr> </thead> <tbody> <tr> <td>1</td> <td>5500.00</td> <td>116.92</td> <td>-----</td> <td>-----</td> <td>100.65</td> <td>34.50</td> <td>11.02</td> <td>37.25</td> <td>0.00</td> <td>274</td> <td>88</td> <td>PEAK</td> </tr> </tbody> </table>	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark		Freq	Level	Line Margin	Level	Factor	Loss Factor	Factor		cm	deg	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB			1	5500.00	116.92	-----	-----	100.65	34.50	11.02	37.25	0.00	274	88	PEAK
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																												
Freq	Level	Line Margin	Level	Factor	Loss Factor	Factor		cm	deg																																																																																												
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB																																																																																														
1	5455.92	58.12	74.00	-15.88	49.88	34.54	10.96	37.26	0.00	274	88	PEAK																																																																																									
2	5463.44	60.31	68.20	-7.89	52.06	34.54	10.97	37.26	0.00	274	88	PEAK																																																																																									
Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																													
Freq	Level	Line Margin	Level	Factor	Loss Factor	Factor		cm	deg																																																																																												
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB																																																																																														
1	5500.00	116.92	-----	-----	100.65	34.50	11.02	37.25	0.00	274	88	PEAK																																																																																									
Avg	 <table border="1" data-bbox="268 1787 794 1930"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Aux</th> <th>APos</th> <th>TPos</th> <th colspan="2">Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line Margin</th> <th>Level</th> <th>Factor</th> <th>Loss Factor</th> <th>Factor</th> <th></th> <th>cm</th> <th>deg</th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th></th> <th></th> </tr> </thead> <tbody> <tr> <td>1</td> <td>5456.88</td> <td>49.21</td> <td>54.00</td> <td>-4.79</td> <td>40.97</td> <td>34.54</td> <td>10.96</td> <td>37.26</td> <td>0.00</td> <td>274</td> <td>88</td> <td>AVERAGE</td> </tr> </tbody> </table>	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark		Freq	Level	Line Margin	Level	Factor	Loss Factor	Factor		cm	deg	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB			1	5456.88	49.21	54.00	-4.79	40.97	34.54	10.96	37.26	0.00	274	88	AVERAGE	 <table border="1" data-bbox="906 1787 1433 1930"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Aux</th> <th>APos</th> <th>TPos</th> <th colspan="2">Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line Margin</th> <th>Level</th> <th>Factor</th> <th>Loss Factor</th> <th>Factor</th> <th></th> <th>cm</th> <th>deg</th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th></th> <th></th> </tr> </thead> <tbody> <tr> <td>1</td> <td>5500.00</td> <td>108.96</td> <td>-----</td> <td>-----</td> <td>100.69</td> <td>34.50</td> <td>11.02</td> <td>37.25</td> <td>0.00</td> <td>274</td> <td>88</td> <td>AVERAGE</td> </tr> </tbody> </table>	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark		Freq	Level	Line Margin	Level	Factor	Loss Factor	Factor		cm	deg	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB			1	5500.00	108.96	-----	-----	100.69	34.50	11.02	37.25	0.00	274	88	AVERAGE													
Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																													
Freq	Level	Line Margin	Level	Factor	Loss Factor	Factor		cm	deg																																																																																												
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB																																																																																														
1	5456.88	49.21	54.00	-4.79	40.97	34.54	10.96	37.26	0.00	274	88	AVERAGE																																																																																									
Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																													
Freq	Level	Line Margin	Level	Factor	Loss Factor	Factor		cm	deg																																																																																												
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB																																																																																														
1	5500.00	108.96	-----	-----	100.69	34.50	11.02	37.25	0.00	274	88	AVERAGE																																																																																									







Mode	30																																																																																													
	Band Edge																																																																																													
	U-NII-2C_5.47-5.725_802.11ax HE20_CH140_RU106/54_5700MHz																																																																																													
ANT	CDD 1+2																																																																																													
Pol.	Horizontal	Fundamental																																																																																												
Peak	<table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Aux</th> <th>APos</th> <th>TPos</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>Margin</th> <th>Level</th> <th>Factor</th> <th>Loss</th> <th>Factor</th> <th>Factor</th> <th>Factor</th> <th>cm</th> <th>deg</th> <th>Remark</th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> <th>Remark</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>5736.12</td> <td>58.79</td> <td>68.20</td> <td>-9.41</td> <td>50.13</td> <td>34.57</td> <td>11.35</td> <td>37.26</td> <td>0.00</td> <td>100</td> <td>42</td> <td>PEAK</td> </tr> </tbody> </table>	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Factor	cm	deg	Remark	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	Remark	1	5736.12	58.79	68.20	-9.41	50.13	34.57	11.35	37.26	0.00	100	42	PEAK	<table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Aux</th> <th>APos</th> <th>TPos</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>Margin</th> <th>Level</th> <th>Factor</th> <th>Loss</th> <th>Factor</th> <th>Factor</th> <th>Factor</th> <th>cm</th> <th>deg</th> <th>Remark</th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> <th>Remark</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>5700.00</td> <td>107.72</td> <td>-----</td> <td>-----</td> <td>99.15</td> <td>34.51</td> <td>11.30</td> <td>37.24</td> <td>0.00</td> <td>100</td> <td>42</td> <td>PEAK</td> </tr> </tbody> </table>	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Factor	cm	deg	Remark	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	Remark	1	5700.00	107.72	-----	-----	99.15	34.51	11.30	37.24	0.00	100	42	PEAK
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																						
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Factor	cm	deg	Remark																																																																																		
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	Remark																																																																																			
1	5736.12	58.79	68.20	-9.41	50.13	34.57	11.35	37.26	0.00	100	42	PEAK																																																																																		
Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																							
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Factor	cm	deg	Remark																																																																																		
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	Remark																																																																																			
1	5700.00	107.72	-----	-----	99.15	34.51	11.30	37.24	0.00	100	42	PEAK																																																																																		
Avg	Blank	<table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Aux</th> <th>APos</th> <th>TPos</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>Margin</th> <th>Level</th> <th>Factor</th> <th>Loss</th> <th>Factor</th> <th>Factor</th> <th>Factor</th> <th>cm</th> <th>deg</th> <th>Remark</th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> <th>Remark</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>5700.00</td> <td>99.70</td> <td>-----</td> <td>-----</td> <td>91.13</td> <td>34.51</td> <td>11.30</td> <td>37.24</td> <td>0.00</td> <td>100</td> <td>42</td> <td>AVERAGE</td> </tr> </tbody> </table>	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Factor	cm	deg	Remark	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	Remark	1	5700.00	99.70	-----	-----	91.13	34.51	11.30	37.24	0.00	100	42	AVERAGE																																														
Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																							
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Factor	cm	deg	Remark																																																																																		
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	Remark																																																																																			
1	5700.00	99.70	-----	-----	91.13	34.51	11.30	37.24	0.00	100	42	AVERAGE																																																																																		



Mode	30																																																																											
	Band Edge																																																																											
	U-NII-2C_5.47-5.725_802.11ax HE20_CH140_RU106/54_5700MHz																																																																											
ANT	CDD 1+2																																																																											
Pol.	Vertical	Fundamental																																																																										
Peak	<table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Aux</th> <th>APos</th> <th>TPos</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>Margin</th> <th>Level</th> <th>Factor</th> <th>Loss</th> <th>Factor</th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>5726.52</td> <td>65.95</td> <td>68.20</td> <td>-2.25</td> <td>57.32</td> <td>34.55</td> <td>11.33</td> <td>37.25</td> <td>0.00</td> <td>269</td> <td>83</td> <td>PEAK</td> </tr> </tbody> </table>	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	1	5726.52	65.95	68.20	-2.25	57.32	34.55	11.33	37.25	0.00	269	83	PEAK	<table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Aux</th> <th>APos</th> <th>TPos</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>Margin</th> <th>Level</th> <th>Factor</th> <th>Loss</th> <th>Factor</th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>5700.00</td> <td>117.42</td> <td>-----</td> <td>-----</td> <td>108.85</td> <td>34.51</td> <td>11.30</td> <td>37.24</td> <td>0.00</td> <td>269</td> <td>83</td> <td>PEAK</td> </tr> </tbody> </table>	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	1	5700.00	117.42	-----	-----	108.85	34.51	11.30	37.24	0.00	269	83	PEAK
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																				
Freq	Level	Line	Margin	Level	Factor	Loss	Factor																																																																					
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB																																																																					
1	5726.52	65.95	68.20	-2.25	57.32	34.55	11.33	37.25	0.00	269	83	PEAK																																																																
Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																					
Freq	Level	Line	Margin	Level	Factor	Loss	Factor																																																																					
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB																																																																					
1	5700.00	117.42	-----	-----	108.85	34.51	11.30	37.24	0.00	269	83	PEAK																																																																
Avg	Blank	<table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Aux</th> <th>APos</th> <th>TPos</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>Margin</th> <th>Level</th> <th>Factor</th> <th>Loss</th> <th>Factor</th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>5700.00</td> <td>109.31</td> <td>-----</td> <td>-----</td> <td>100.74</td> <td>34.51</td> <td>11.30</td> <td>37.24</td> <td>0.00</td> <td>269</td> <td>83</td> <td>AVERAGE</td> </tr> </tbody> </table>	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	1	5700.00	109.31	-----	-----	100.74	34.51	11.30	37.24	0.00	269	83	AVERAGE																																					
Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																					
Freq	Level	Line	Margin	Level	Factor	Loss	Factor																																																																					
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB																																																																					
1	5700.00	109.31	-----	-----	100.74	34.51	11.30	37.24	0.00	269	83	AVERAGE																																																																







Mode	31																																																																																			
	Band Edge - L																																																																																			
	U-NII-1_5.15-5.25_802.11ax HE40_CH38_Full_5190MHz																																																																																			
ANT	CDD 1+2																																																																																			
Pol.	Horizontal	Fundamental																																																																																		
Peak	 <table border="1" data-bbox="263 1120 798 1243"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Aux</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line Margin</th> <th>Level</th> <th>Factor</th> <th>Loss Factor</th> <th>Factor</th> <th></th> <th></th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>5146.72</td> <td>49.16</td> <td>74.00</td> <td>-24.84</td> <td>41.80</td> <td>34.05</td> <td>10.65</td> <td>37.34</td> <td>0.00</td> <td>306</td> <td>224</td> <td>PEAK</td> </tr> </tbody> </table>	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line Margin	Level	Factor	Loss Factor	Factor			MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5146.72	49.16	74.00	-24.84	41.80	34.05	10.65	37.34	0.00	306	224	PEAK	 <table border="1" data-bbox="861 1120 1444 1243"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Aux</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line Margin</th> <th>Level</th> <th>Factor</th> <th>Loss Factor</th> <th>Factor</th> <th></th> <th></th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>5190.00</td> <td>98.22</td> <td>-----</td> <td>-----</td> <td>90.78</td> <td>34.08</td> <td>10.69</td> <td>37.33</td> <td>0.00</td> <td>306</td> <td>224</td> <td>PEAK</td> </tr> </tbody> </table>	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line Margin	Level	Factor	Loss Factor	Factor			MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5190.00	98.22	-----	-----	90.78	34.08	10.69	37.33	0.00	306	224	PEAK
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																											
Freq	Level	Line Margin	Level	Factor	Loss Factor	Factor																																																																														
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																											
1	5146.72	49.16	74.00	-24.84	41.80	34.05	10.65	37.34	0.00	306	224	PEAK																																																																								
Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																												
Freq	Level	Line Margin	Level	Factor	Loss Factor	Factor																																																																														
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																											
1	5190.00	98.22	-----	-----	90.78	34.08	10.69	37.33	0.00	306	224	PEAK																																																																								
Avg	 <table border="1" data-bbox="263 1792 798 1915"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Aux</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line Margin</th> <th>Level</th> <th>Factor</th> <th>Loss Factor</th> <th>Factor</th> <th></th> <th></th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>5149.12</td> <td>41.08</td> <td>54.00</td> <td>-12.92</td> <td>33.72</td> <td>34.05</td> <td>10.65</td> <td>37.34</td> <td>0.00</td> <td>306</td> <td>224</td> <td>AVERAGE</td> </tr> </tbody> </table>	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line Margin	Level	Factor	Loss Factor	Factor			MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5149.12	41.08	54.00	-12.92	33.72	34.05	10.65	37.34	0.00	306	224	AVERAGE	 <table border="1" data-bbox="861 1792 1444 1915"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Aux</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line Margin</th> <th>Level</th> <th>Factor</th> <th>Loss Factor</th> <th>Factor</th> <th></th> <th></th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>5190.00</td> <td>88.13</td> <td>-----</td> <td>-----</td> <td>80.65</td> <td>34.10</td> <td>10.71</td> <td>37.33</td> <td>0.00</td> <td>306</td> <td>224</td> <td>AVERAGE</td> </tr> </tbody> </table>	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line Margin	Level	Factor	Loss Factor	Factor			MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5190.00	88.13	-----	-----	80.65	34.10	10.71	37.33	0.00	306	224	AVERAGE
Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																												
Freq	Level	Line Margin	Level	Factor	Loss Factor	Factor																																																																														
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																											
1	5149.12	41.08	54.00	-12.92	33.72	34.05	10.65	37.34	0.00	306	224	AVERAGE																																																																								
Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																												
Freq	Level	Line Margin	Level	Factor	Loss Factor	Factor																																																																														
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																											
1	5190.00	88.13	-----	-----	80.65	34.10	10.71	37.33	0.00	306	224	AVERAGE																																																																								



	31																																										
Mode	Band Edge - R																																										
	U-NII-1_5.15-5.25_802.11ax HE40_CH38_Full_5190MHz																																										
ANT	CDD 1+2																																										
Pol.	Horizontal	Fundamental																																									
Peak	<table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Aux</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>Margin</th> <th>Level</th> <th>Factor</th> <th>Loss</th> <th>Factor</th> <th>Factor</th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>5376.84</td> <td>46.77</td> <td>74.00</td> <td>-27.23</td> <td>38.63</td> <td>34.55</td> <td>10.87</td> <td>37.28</td> <td>0.00</td> <td>306</td> <td>224</td> <td>PEAK</td> </tr> </tbody> </table>	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5376.84	46.77	74.00	-27.23	38.63	34.55	10.87	37.28	0.00	306	224	PEAK	Blank
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																		
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																			
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																		
1	5376.84	46.77	74.00	-27.23	38.63	34.55	10.87	37.28	0.00	306	224	PEAK																															
Avg	<table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Aux</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>Margin</th> <th>Level</th> <th>Factor</th> <th>Loss</th> <th>Factor</th> <th>Factor</th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>5438.40</td> <td>38.77</td> <td>54.00</td> <td>-15.23</td> <td>30.54</td> <td>34.56</td> <td>10.94</td> <td>37.27</td> <td>0.00</td> <td>306</td> <td>224</td> <td>AVERAGE</td> </tr> </tbody> </table>	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5438.40	38.77	54.00	-15.23	30.54	34.56	10.94	37.27	0.00	306	224	AVERAGE	Blank
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																		
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																			
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																		
1	5438.40	38.77	54.00	-15.23	30.54	34.56	10.94	37.27	0.00	306	224	AVERAGE																															



Mode	31																																																																																			
	Band Edge - L																																																																																			
	U-NII-1_5.15-5.25_802.11ax HE40_CH38_Full_5190MHz																																																																																			
ANT	CDD 1+2																																																																																			
Pol.	Vertical	Fundamental																																																																																		
Peak	 <p>Level (dBuV/m) vs Frequency (MHz) plot for Vertical polarization. The plot shows a signal between 5100 and 5260 MHz. A red horizontal line indicates the limit at 65.0 dBuV/m. The signal level is approximately 97.5 dBuV/m within the band.</p> <table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Aux</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line Margin</th> <th>Level</th> <th>Factor</th> <th>Loss Factor</th> <th>Factor</th> <th></th> <th></th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>5148.32</td> <td>56.71</td> <td>74.00</td> <td>-17.29</td> <td>49.35</td> <td>34.05</td> <td>10.65</td> <td>37.34</td> <td>0.00</td> <td>288</td> <td>88</td> <td>PEAK</td> </tr> </tbody> </table>	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line Margin	Level	Factor	Loss Factor	Factor			MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5148.32	56.71	74.00	-17.29	49.35	34.05	10.65	37.34	0.00	288	88	PEAK	 <p>Level (dBuV/m) vs Frequency (MHz) plot for Fundamental polarization. The plot shows a signal between 1000 and 7000 MHz. A red horizontal line indicates the limit at 65.0 dBuV/m. The signal level is approximately 97.5 dBuV/m at 5190 MHz.</p> <table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Aux</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line Margin</th> <th>Level</th> <th>Factor</th> <th>Loss Factor</th> <th>Factor</th> <th></th> <th></th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>5190.00</td> <td>106.64</td> <td>-----</td> <td>-----</td> <td>99.20</td> <td>34.08</td> <td>10.69</td> <td>37.33</td> <td>0.00</td> <td>288</td> <td>88</td> <td>PEAK</td> </tr> </tbody> </table>	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line Margin	Level	Factor	Loss Factor	Factor			MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5190.00	106.64	-----	-----	99.20	34.08	10.69	37.33	0.00	288	88	PEAK
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																											
Freq	Level	Line Margin	Level	Factor	Loss Factor	Factor																																																																														
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																											
1	5148.32	56.71	74.00	-17.29	49.35	34.05	10.65	37.34	0.00	288	88	PEAK																																																																								
Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																												
Freq	Level	Line Margin	Level	Factor	Loss Factor	Factor																																																																														
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																											
1	5190.00	106.64	-----	-----	99.20	34.08	10.69	37.33	0.00	288	88	PEAK																																																																								
Avg	 <p>Level (dBuV/m) vs Frequency (MHz) plot for Vertical polarization (Average). The plot shows a signal between 5100 and 5260 MHz. A red horizontal line indicates the limit at 48.8 dBuV/m. The signal level is approximately 97.5 dBuV/m within the band.</p> <table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Aux</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line Margin</th> <th>Level</th> <th>Factor</th> <th>Loss Factor</th> <th>Factor</th> <th></th> <th></th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>5149.12</td> <td>47.89</td> <td>54.00</td> <td>-6.11</td> <td>40.53</td> <td>34.05</td> <td>10.65</td> <td>37.34</td> <td>0.00</td> <td>288</td> <td>88</td> <td>AVERAGE</td> </tr> </tbody> </table>	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line Margin	Level	Factor	Loss Factor	Factor			MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5149.12	47.89	54.00	-6.11	40.53	34.05	10.65	37.34	0.00	288	88	AVERAGE	 <p>Level (dBuV/m) vs Frequency (MHz) plot for Fundamental polarization (Average). The plot shows a signal between 1000 and 7000 MHz. A red horizontal line indicates the limit at 48.8 dBuV/m. The signal level is approximately 97.5 dBuV/m at 5190 MHz.</p> <table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Aux</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line Margin</th> <th>Level</th> <th>Factor</th> <th>Loss Factor</th> <th>Factor</th> <th></th> <th></th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>5190.00</td> <td>97.52</td> <td>-----</td> <td>-----</td> <td>90.08</td> <td>34.08</td> <td>10.69</td> <td>37.33</td> <td>0.00</td> <td>288</td> <td>88</td> <td>AVERAGE</td> </tr> </tbody> </table>	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line Margin	Level	Factor	Loss Factor	Factor			MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5190.00	97.52	-----	-----	90.08	34.08	10.69	37.33	0.00	288	88	AVERAGE
Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																												
Freq	Level	Line Margin	Level	Factor	Loss Factor	Factor																																																																														
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																											
1	5149.12	47.89	54.00	-6.11	40.53	34.05	10.65	37.34	0.00	288	88	AVERAGE																																																																								
Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																												
Freq	Level	Line Margin	Level	Factor	Loss Factor	Factor																																																																														
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																											
1	5190.00	97.52	-----	-----	90.08	34.08	10.69	37.33	0.00	288	88	AVERAGE																																																																								