



Mode	31																																								
	Band Edge - R																																								
	U-NII-1_5.15-5.25_802.11ax HE40_CH38_Full_5190MHz																																								
ANT	CDD 1+2																																								
Pol.	Vertical	Fundamental																																							
Peak	<table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Aux</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>Margin</th> <th>Level</th> <th>Factor</th> <th>Loss</th> <th>Factor</th> <th>Factor</th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1 5354.70</td> <td>48.04</td> <td>74.00</td> <td>-25.96</td> <td>39.98</td> <td>34.51</td> <td>10.84</td> <td>37.29</td> <td>0.00</td> <td>288</td> <td>88 PEAK</td> </tr> </tbody> </table>	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1 5354.70	48.04	74.00	-25.96	39.98	34.51	10.84	37.29	0.00	288	88 PEAK	Blank
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																	
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																
1 5354.70	48.04	74.00	-25.96	39.98	34.51	10.84	37.29	0.00	288	88 PEAK																															
Avg	<table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Aux</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>Margin</th> <th>Level</th> <th>Factor</th> <th>Loss</th> <th>Factor</th> <th>Factor</th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1 5418.42</td> <td>39.89</td> <td>54.00</td> <td>-14.11</td> <td>31.67</td> <td>34.58</td> <td>10.91</td> <td>37.27</td> <td>0.00</td> <td>288</td> <td>88 AVERAGE</td> </tr> </tbody> </table>	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1 5418.42	39.89	54.00	-14.11	31.67	34.58	10.91	37.27	0.00	288	88 AVERAGE	Blank
Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																	
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																	
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																
1 5418.42	39.89	54.00	-14.11	31.67	34.58	10.91	37.27	0.00	288	88 AVERAGE																															



Mode	31																																																																																																																																							
	Harmonic																																																																																																																																							
	U-NII-1_5.15-5.25_802.11ax HE40_CH38_Full_5190MHz																																																																																																																																							
ANT	CDD 1+2																																																																																																																																							
Pol.	Horizontal	Vertical																																																																																																																																						
Peak Avg	<table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Aux</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line Margin</th> <th>Level</th> <th>Factor</th> <th>Loss Factor</th> <th>Factor</th> <th></th> <th></th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>10377.00</td> <td>47.18</td> <td>68.20</td> <td>-21.02</td> <td>56.61</td> <td>37.40</td> <td>15.31</td> <td>62.14</td> <td>0.00</td> <td>--</td> <td>--</td> <td>Peak</td> </tr> <tr> <td>2</td> <td>15570.00</td> <td>54.76</td> <td>74.00</td> <td>-19.24</td> <td>57.55</td> <td>40.23</td> <td>19.10</td> <td>62.12</td> <td>0.00</td> <td>292</td> <td>280</td> <td>PEAK</td> </tr> <tr> <td>3</td> <td>15570.00</td> <td>44.42</td> <td>54.00</td> <td>-9.58</td> <td>47.21</td> <td>40.23</td> <td>19.10</td> <td>62.12</td> <td>0.00</td> <td>292</td> <td>280</td> <td>AVERAGE</td> </tr> </tbody> </table>	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line Margin	Level	Factor	Loss Factor	Factor			MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	10377.00	47.18	68.20	-21.02	56.61	37.40	15.31	62.14	0.00	--	--	Peak	2	15570.00	54.76	74.00	-19.24	57.55	40.23	19.10	62.12	0.00	292	280	PEAK	3	15570.00	44.42	54.00	-9.58	47.21	40.23	19.10	62.12	0.00	292	280	AVERAGE	<table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Aux</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line Margin</th> <th>Level</th> <th>Factor</th> <th>Loss Factor</th> <th>Factor</th> <th></th> <th></th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>10380.30</td> <td>56.56</td> <td>68.20</td> <td>-11.64</td> <td>65.99</td> <td>37.40</td> <td>15.31</td> <td>62.14</td> <td>0.00</td> <td>--</td> <td>--</td> <td>Peak</td> </tr> <tr> <td>2</td> <td>15570.00</td> <td>65.89</td> <td>74.00</td> <td>-8.11</td> <td>68.68</td> <td>40.23</td> <td>19.10</td> <td>62.12</td> <td>0.00</td> <td>228</td> <td>305</td> <td>PEAK</td> </tr> <tr> <td>3</td> <td>15570.00</td> <td>53.14</td> <td>54.00</td> <td>-0.86</td> <td>55.93</td> <td>40.23</td> <td>19.10</td> <td>62.12</td> <td>0.00</td> <td>228</td> <td>305</td> <td>AVERAGE</td> </tr> </tbody> </table>	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line Margin	Level	Factor	Loss Factor	Factor			MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	10380.30	56.56	68.20	-11.64	65.99	37.40	15.31	62.14	0.00	--	--	Peak	2	15570.00	65.89	74.00	-8.11	68.68	40.23	19.10	62.12	0.00	228	305	PEAK	3	15570.00	53.14	54.00	-0.86	55.93	40.23	19.10	62.12	0.00	228	305	AVERAGE
Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																																																																
Freq	Level	Line Margin	Level	Factor	Loss Factor	Factor																																																																																																																																		
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																																															
1	10377.00	47.18	68.20	-21.02	56.61	37.40	15.31	62.14	0.00	--	--	Peak																																																																																																																												
2	15570.00	54.76	74.00	-19.24	57.55	40.23	19.10	62.12	0.00	292	280	PEAK																																																																																																																												
3	15570.00	44.42	54.00	-9.58	47.21	40.23	19.10	62.12	0.00	292	280	AVERAGE																																																																																																																												
Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																																																																
Freq	Level	Line Margin	Level	Factor	Loss Factor	Factor																																																																																																																																		
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																																															
1	10380.30	56.56	68.20	-11.64	65.99	37.40	15.31	62.14	0.00	--	--	Peak																																																																																																																												
2	15570.00	65.89	74.00	-8.11	68.68	40.23	19.10	62.12	0.00	228	305	PEAK																																																																																																																												
3	15570.00	53.14	54.00	-0.86	55.93	40.23	19.10	62.12	0.00	228	305	AVERAGE																																																																																																																												



Mode	32																																																																																																																																							
	Harmonic																																																																																																																																							
	U-NII-1_5.15-5.25_802.11ax HE40_CH46_Full_5230MHz																																																																																																																																							
ANT	CDD 1+2																																																																																																																																							
Pol.	Horizontal	Vertical																																																																																																																																						
Peak Avg	<table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Aux</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line Margin</th> <th>Level</th> <th>Factor</th> <th>Loss Factor</th> <th>Factor</th> <th></th> <th></th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>10468.30</td> <td>49.16</td> <td>68.20</td> <td>-19.04</td> <td>58.41</td> <td>37.47</td> <td>15.38</td> <td>62.10</td> <td>0.00</td> <td>--</td> <td>--</td> <td>Peak</td> </tr> <tr> <td>2</td> <td>15690.00</td> <td>58.50</td> <td>74.00</td> <td>-15.50</td> <td>61.05</td> <td>40.36</td> <td>19.19</td> <td>62.10</td> <td>0.00</td> <td>308</td> <td>55</td> <td>PEAK</td> </tr> <tr> <td>3</td> <td>15690.00</td> <td>46.44</td> <td>54.00</td> <td>-7.56</td> <td>48.99</td> <td>40.36</td> <td>19.19</td> <td>62.10</td> <td>0.00</td> <td>308</td> <td>55</td> <td>AVERAGE</td> </tr> </tbody> </table>	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line Margin	Level	Factor	Loss Factor	Factor			MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	10468.30	49.16	68.20	-19.04	58.41	37.47	15.38	62.10	0.00	--	--	Peak	2	15690.00	58.50	74.00	-15.50	61.05	40.36	19.19	62.10	0.00	308	55	PEAK	3	15690.00	46.44	54.00	-7.56	48.99	40.36	19.19	62.10	0.00	308	55	AVERAGE	<table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Aux</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line Margin</th> <th>Level</th> <th>Factor</th> <th>Loss Factor</th> <th>Factor</th> <th></th> <th></th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>10458.40</td> <td>57.85</td> <td>68.20</td> <td>-10.35</td> <td>67.12</td> <td>37.47</td> <td>15.37</td> <td>62.11</td> <td>0.00</td> <td>--</td> <td>--</td> <td>Peak</td> </tr> <tr> <td>2</td> <td>15690.00</td> <td>65.21</td> <td>74.00</td> <td>-8.79</td> <td>67.76</td> <td>40.36</td> <td>19.19</td> <td>62.10</td> <td>0.00</td> <td>300</td> <td>310</td> <td>PEAK</td> </tr> <tr> <td>3</td> <td>15690.00</td> <td>53.18</td> <td>54.00</td> <td>-0.82</td> <td>55.73</td> <td>40.36</td> <td>19.19</td> <td>62.10</td> <td>0.00</td> <td>300</td> <td>310</td> <td>AVERAGE</td> </tr> </tbody> </table>	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line Margin	Level	Factor	Loss Factor	Factor			MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	10458.40	57.85	68.20	-10.35	67.12	37.47	15.37	62.11	0.00	--	--	Peak	2	15690.00	65.21	74.00	-8.79	67.76	40.36	19.19	62.10	0.00	300	310	PEAK	3	15690.00	53.18	54.00	-0.82	55.73	40.36	19.19	62.10	0.00	300	310	AVERAGE
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																																																															
Freq	Level	Line Margin	Level	Factor	Loss Factor	Factor																																																																																																																																		
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																																															
1	10468.30	49.16	68.20	-19.04	58.41	37.47	15.38	62.10	0.00	--	--	Peak																																																																																																																												
2	15690.00	58.50	74.00	-15.50	61.05	40.36	19.19	62.10	0.00	308	55	PEAK																																																																																																																												
3	15690.00	46.44	54.00	-7.56	48.99	40.36	19.19	62.10	0.00	308	55	AVERAGE																																																																																																																												
Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																																																																
Freq	Level	Line Margin	Level	Factor	Loss Factor	Factor																																																																																																																																		
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																																															
1	10458.40	57.85	68.20	-10.35	67.12	37.47	15.37	62.11	0.00	--	--	Peak																																																																																																																												
2	15690.00	65.21	74.00	-8.79	67.76	40.36	19.19	62.10	0.00	300	310	PEAK																																																																																																																												
3	15690.00	53.18	54.00	-0.82	55.73	40.36	19.19	62.10	0.00	300	310	AVERAGE																																																																																																																												



Mode	33																																																																																																																																							
	Harmonic																																																																																																																																							
	U-NII-2A_5.25-5.35_802.11ax HE40_CH54_Full_5270MHz																																																																																																																																							
ANT	CDD 1+2																																																																																																																																							
Pol.	Horizontal	Vertical																																																																																																																																						
Peak Avg	<table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Aux</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line Margin</th> <th>Level</th> <th>Factor</th> <th>Loss Factor</th> <th>Factor</th> <th></th> <th></th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>10539.00</td> <td>47.81</td> <td>68.20</td> <td>-20.39</td> <td>56.92</td> <td>37.53</td> <td>15.43</td> <td>62.07</td> <td>0.00</td> <td>--</td> <td>--</td> <td>Peak</td> </tr> <tr> <td>2</td> <td>15810.00</td> <td>56.47</td> <td>74.00</td> <td>-17.53</td> <td>58.78</td> <td>40.49</td> <td>19.28</td> <td>62.08</td> <td>0.00</td> <td>383</td> <td>278</td> <td>PEAK</td> </tr> <tr> <td>3</td> <td>15810.00</td> <td>45.41</td> <td>54.00</td> <td>-8.59</td> <td>47.73</td> <td>40.49</td> <td>19.27</td> <td>62.08</td> <td>0.00</td> <td>383</td> <td>278</td> <td>AVERAGE</td> </tr> </tbody> </table>	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line Margin	Level	Factor	Loss Factor	Factor			MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	10539.00	47.81	68.20	-20.39	56.92	37.53	15.43	62.07	0.00	--	--	Peak	2	15810.00	56.47	74.00	-17.53	58.78	40.49	19.28	62.08	0.00	383	278	PEAK	3	15810.00	45.41	54.00	-8.59	47.73	40.49	19.27	62.08	0.00	383	278	AVERAGE	<table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Aux</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line Margin</th> <th>Level</th> <th>Factor</th> <th>Loss Factor</th> <th>Factor</th> <th></th> <th></th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>10542.00</td> <td>57.41</td> <td>68.20</td> <td>-10.79</td> <td>66.52</td> <td>37.53</td> <td>15.43</td> <td>62.07</td> <td>0.00</td> <td>--</td> <td>--</td> <td>Peak</td> </tr> <tr> <td>2</td> <td>15810.00</td> <td>65.51</td> <td>74.00</td> <td>-8.49</td> <td>67.82</td> <td>40.49</td> <td>19.28</td> <td>62.08</td> <td>0.00</td> <td>283</td> <td>307</td> <td>PEAK</td> </tr> <tr> <td>3</td> <td>15810.00</td> <td>53.06</td> <td>54.00</td> <td>-0.94</td> <td>55.37</td> <td>40.49</td> <td>19.28</td> <td>62.08</td> <td>0.00</td> <td>283</td> <td>307</td> <td>AVERAGE</td> </tr> </tbody> </table>	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line Margin	Level	Factor	Loss Factor	Factor			MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	10542.00	57.41	68.20	-10.79	66.52	37.53	15.43	62.07	0.00	--	--	Peak	2	15810.00	65.51	74.00	-8.49	67.82	40.49	19.28	62.08	0.00	283	307	PEAK	3	15810.00	53.06	54.00	-0.94	55.37	40.49	19.28	62.08	0.00	283	307	AVERAGE
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																																																															
Freq	Level	Line Margin	Level	Factor	Loss Factor	Factor																																																																																																																																		
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																																															
1	10539.00	47.81	68.20	-20.39	56.92	37.53	15.43	62.07	0.00	--	--	Peak																																																																																																																												
2	15810.00	56.47	74.00	-17.53	58.78	40.49	19.28	62.08	0.00	383	278	PEAK																																																																																																																												
3	15810.00	45.41	54.00	-8.59	47.73	40.49	19.27	62.08	0.00	383	278	AVERAGE																																																																																																																												
Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																																																																
Freq	Level	Line Margin	Level	Factor	Loss Factor	Factor																																																																																																																																		
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																																															
1	10542.00	57.41	68.20	-10.79	66.52	37.53	15.43	62.07	0.00	--	--	Peak																																																																																																																												
2	15810.00	65.51	74.00	-8.49	67.82	40.49	19.28	62.08	0.00	283	307	PEAK																																																																																																																												
3	15810.00	53.06	54.00	-0.94	55.37	40.49	19.28	62.08	0.00	283	307	AVERAGE																																																																																																																												



Mode	34																																																																																			
	Band Edge - L																																																																																			
	U-NII-2A_5.25-5.35_802.11ax HE40_CH62_Full_5310MHz																																																																																			
ANT	CDD 1+2																																																																																			
Pol.	Horizontal	Fundamental																																																																																		
Peak	<table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Aux</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line Margin</th> <th>Level Factor</th> <th>Loss Factor</th> <th>Factor</th> <th></th> <th></th> <th></th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>5111.52</td> <td>49.04</td> <td>74.00</td> <td>-24.96</td> <td>41.77</td> <td>34.01</td> <td>10.61</td> <td>37.35</td> <td>0.00</td> <td>177</td> <td>217</td> <td>PEAK</td> </tr> </tbody> </table>	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line Margin	Level Factor	Loss Factor	Factor				MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5111.52	49.04	74.00	-24.96	41.77	34.01	10.61	37.35	0.00	177	217	PEAK	<table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Aux</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line Margin</th> <th>Level Factor</th> <th>Loss Factor</th> <th>Factor</th> <th></th> <th></th> <th></th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>5310.00</td> <td>96.59</td> <td>-----</td> <td>-----</td> <td>88.70</td> <td>34.40</td> <td>10.79</td> <td>37.30</td> <td>0.00</td> <td>177</td> <td>217</td> <td>PEAK</td> </tr> </tbody> </table>	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line Margin	Level Factor	Loss Factor	Factor				MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5310.00	96.59	-----	-----	88.70	34.40	10.79	37.30	0.00	177	217	PEAK
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																											
Freq	Level	Line Margin	Level Factor	Loss Factor	Factor																																																																															
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																											
1	5111.52	49.04	74.00	-24.96	41.77	34.01	10.61	37.35	0.00	177	217	PEAK																																																																								
Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																												
Freq	Level	Line Margin	Level Factor	Loss Factor	Factor																																																																															
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																											
1	5310.00	96.59	-----	-----	88.70	34.40	10.79	37.30	0.00	177	217	PEAK																																																																								
Avg	<table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Aux</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line Margin</th> <th>Level Factor</th> <th>Loss Factor</th> <th>Factor</th> <th></th> <th></th> <th></th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>5124.16</td> <td>40.51</td> <td>54.00</td> <td>-13.49</td> <td>33.20</td> <td>34.02</td> <td>10.63</td> <td>37.34</td> <td>0.00</td> <td>177</td> <td>217</td> <td>AVERAGE</td> </tr> </tbody> </table>	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line Margin	Level Factor	Loss Factor	Factor				MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5124.16	40.51	54.00	-13.49	33.20	34.02	10.63	37.34	0.00	177	217	AVERAGE	<table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Aux</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line Margin</th> <th>Level Factor</th> <th>Loss Factor</th> <th>Factor</th> <th></th> <th></th> <th></th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>5310.00</td> <td>90.02</td> <td>-----</td> <td>-----</td> <td>82.09</td> <td>34.43</td> <td>10.80</td> <td>37.30</td> <td>0.00</td> <td>177</td> <td>217</td> <td>AVERAGE</td> </tr> </tbody> </table>	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line Margin	Level Factor	Loss Factor	Factor				MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5310.00	90.02	-----	-----	82.09	34.43	10.80	37.30	0.00	177	217	AVERAGE
Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																												
Freq	Level	Line Margin	Level Factor	Loss Factor	Factor																																																																															
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																											
1	5124.16	40.51	54.00	-13.49	33.20	34.02	10.63	37.34	0.00	177	217	AVERAGE																																																																								
Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																												
Freq	Level	Line Margin	Level Factor	Loss Factor	Factor																																																																															
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																											
1	5310.00	90.02	-----	-----	82.09	34.43	10.80	37.30	0.00	177	217	AVERAGE																																																																								



Mode	34																																											
	Band Edge - R																																											
	U-NII-2A_5.25-5.35_802.11ax HE40_CH62_Full_5310MHz																																											
ANT	CDD 1+2																																											
Pol.	Horizontal	Fundamental																																										
Peak	<table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Aux</th> <th>APos</th> <th>TPos</th> <th colspan="2">Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>Margin</th> <th>Level</th> <th>Factor</th> <th>Loss</th> <th>Factor</th> <th>Factor</th> <th></th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1 5358.40</td> <td>51.32</td> <td>74.00</td> <td>-22.68</td> <td>43.24</td> <td>34.52</td> <td>10.85</td> <td>37.29</td> <td>0.00</td> <td>177</td> <td>217 PEAK</td> </tr> </tbody> </table>	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1 5358.40	51.32	74.00	-22.68	43.24	34.52	10.85	37.29	0.00	177	217 PEAK	Blank
Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																				
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																				
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																		
1 5358.40	51.32	74.00	-22.68	43.24	34.52	10.85	37.29	0.00	177	217 PEAK																																		
Avg	<table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Aux</th> <th>APos</th> <th>TPos</th> <th colspan="2">Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>Margin</th> <th>Level</th> <th>Factor</th> <th>Loss</th> <th>Factor</th> <th>Factor</th> <th></th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1 5358.70</td> <td>40.12</td> <td>54.00</td> <td>-13.88</td> <td>32.04</td> <td>34.52</td> <td>10.85</td> <td>37.29</td> <td>0.00</td> <td>177</td> <td>217 AVERAGE</td> </tr> </tbody> </table>	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1 5358.70	40.12	54.00	-13.88	32.04	34.52	10.85	37.29	0.00	177	217 AVERAGE	Blank
Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																				
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																				
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																		
1 5358.70	40.12	54.00	-13.88	32.04	34.52	10.85	37.29	0.00	177	217 AVERAGE																																		



Mode	34																																																																																			
	Band Edge - L																																																																																			
	U-NII-2A_5.25-5.35_802.11ax HE40_CH62_Full_5310MHz																																																																																			
ANT	CDD 1+2																																																																																			
Pol.	Vertical	Fundamental																																																																																		
Peak	<table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Aux</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line Margin</th> <th>Level Factor</th> <th>Loss Factor</th> <th>Factor</th> <th></th> <th></th> <th></th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>5118.08</td> <td>49.96</td> <td>74.00</td> <td>-24.04</td> <td>42.67</td> <td>34.02</td> <td>10.62</td> <td>37.35</td> <td>0.00</td> <td>306</td> <td>78</td> <td>PEAK</td> </tr> </tbody> </table>	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line Margin	Level Factor	Loss Factor	Factor				MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5118.08	49.96	74.00	-24.04	42.67	34.02	10.62	37.35	0.00	306	78	PEAK	<table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Aux</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line Margin</th> <th>Level Factor</th> <th>Loss Factor</th> <th>Factor</th> <th></th> <th></th> <th></th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>5310.00</td> <td>109.39</td> <td>-----</td> <td>-----</td> <td>101.50</td> <td>34.40</td> <td>10.79</td> <td>37.30</td> <td>0.00</td> <td>306</td> <td>78</td> <td>PEAK</td> </tr> </tbody> </table>	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line Margin	Level Factor	Loss Factor	Factor				MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5310.00	109.39	-----	-----	101.50	34.40	10.79	37.30	0.00	306	78	PEAK
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																											
Freq	Level	Line Margin	Level Factor	Loss Factor	Factor																																																																															
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																											
1	5118.08	49.96	74.00	-24.04	42.67	34.02	10.62	37.35	0.00	306	78	PEAK																																																																								
Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																												
Freq	Level	Line Margin	Level Factor	Loss Factor	Factor																																																																															
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																											
1	5310.00	109.39	-----	-----	101.50	34.40	10.79	37.30	0.00	306	78	PEAK																																																																								
Avg	<table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Aux</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line Margin</th> <th>Level Factor</th> <th>Loss Factor</th> <th>Factor</th> <th></th> <th></th> <th></th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>5145.28</td> <td>40.92</td> <td>54.00</td> <td>-13.08</td> <td>33.56</td> <td>34.05</td> <td>10.65</td> <td>37.34</td> <td>0.00</td> <td>306</td> <td>78</td> <td>AVERAGE</td> </tr> </tbody> </table>	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line Margin	Level Factor	Loss Factor	Factor				MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5145.28	40.92	54.00	-13.08	33.56	34.05	10.65	37.34	0.00	306	78	AVERAGE	<table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Aux</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line Margin</th> <th>Level Factor</th> <th>Loss Factor</th> <th>Factor</th> <th></th> <th></th> <th></th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>5310.00</td> <td>100.55</td> <td>-----</td> <td>-----</td> <td>92.60</td> <td>34.44</td> <td>10.81</td> <td>37.30</td> <td>0.00</td> <td>306</td> <td>78</td> <td>AVERAGE</td> </tr> </tbody> </table>	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line Margin	Level Factor	Loss Factor	Factor				MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5310.00	100.55	-----	-----	92.60	34.44	10.81	37.30	0.00	306	78	AVERAGE
Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																												
Freq	Level	Line Margin	Level Factor	Loss Factor	Factor																																																																															
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																											
1	5145.28	40.92	54.00	-13.08	33.56	34.05	10.65	37.34	0.00	306	78	AVERAGE																																																																								
Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																												
Freq	Level	Line Margin	Level Factor	Loss Factor	Factor																																																																															
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																											
1	5310.00	100.55	-----	-----	92.60	34.44	10.81	37.30	0.00	306	78	AVERAGE																																																																								







Mode	34																																							
	Band Edge - R																																							
	U-NII-2A_5.25-5.35_802.11ax HE40_CH62_Full_5310MHz																																							
ANT	CDD 1+2																																							
Pol.	Vertical	Fundamental																																						
Peak	<table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Aux</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>Margin</th> <th>Level</th> <th>Factor</th> <th>Loss</th> <th>Factor</th> <th>Factor</th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1 5359.20</td> <td>64.56</td> <td>74.00</td> <td>-9.44</td> <td>56.48</td> <td>34.52</td> <td>10.85</td> <td>37.29</td> <td>0.00</td> <td>306 78 PEAK</td> </tr> </tbody> </table>	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1 5359.20	64.56	74.00	-9.44	56.48	34.52	10.85	37.29	0.00	306 78 PEAK	Blank
Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																															
1 5359.20	64.56	74.00	-9.44	56.48	34.52	10.85	37.29	0.00	306 78 PEAK																															
Avg	<table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Aux</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>Margin</th> <th>Level</th> <th>Factor</th> <th>Loss</th> <th>Factor</th> <th>Factor</th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1 5350.60</td> <td>50.90</td> <td>54.00</td> <td>-3.10</td> <td>42.85</td> <td>34.50</td> <td>10.84</td> <td>37.29</td> <td>0.00</td> <td>306 78 AVERAGE</td> </tr> </tbody> </table>	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1 5350.60	50.90	54.00	-3.10	42.85	34.50	10.84	37.29	0.00	306 78 AVERAGE	Blank
Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																															
1 5350.60	50.90	54.00	-3.10	42.85	34.50	10.84	37.29	0.00	306 78 AVERAGE																															



Mode	34																																																																																																																																																		
	Harmonic																																																																																																																																																		
	U-NII-2A_5.25-5.35_802.11ax HE40_CH62_Full_5310MHZ																																																																																																																																																		
ANT	CDD 1+2																																																																																																																																																		
Pol.	Horizontal	Vertical																																																																																																																																																	
Peak Avg	<table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Aux</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line Margin</th> <th>Level</th> <th>Factor</th> <th>Loss Factor</th> <th>Factor</th> <th></th> <th></th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th></th> </tr> </thead> <tbody> <tr> <td>1</td> <td>10620.00</td> <td>44.39</td> <td>74.00</td> <td>-29.61</td> <td>53.34</td> <td>37.60</td> <td>15.49</td> <td>62.04</td> <td>0.00</td> <td>--</td> <td>--</td> <td>PEAK</td> </tr> <tr> <td>2</td> <td>15930.00</td> <td>56.49</td> <td>74.00</td> <td>-17.51</td> <td>58.56</td> <td>40.62</td> <td>19.37</td> <td>62.06</td> <td>0.00</td> <td>315</td> <td>4</td> <td>PEAK</td> </tr> <tr> <td>3</td> <td>15930.00</td> <td>45.51</td> <td>54.00</td> <td>-8.49</td> <td>47.58</td> <td>40.62</td> <td>19.37</td> <td>62.06</td> <td>0.00</td> <td>315</td> <td>4</td> <td>AVERAGE</td> </tr> </tbody> </table>	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line Margin	Level	Factor	Loss Factor	Factor			MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB		1	10620.00	44.39	74.00	-29.61	53.34	37.60	15.49	62.04	0.00	--	--	PEAK	2	15930.00	56.49	74.00	-17.51	58.56	40.62	19.37	62.06	0.00	315	4	PEAK	3	15930.00	45.51	54.00	-8.49	47.58	40.62	19.37	62.06	0.00	315	4	AVERAGE	<table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Aux</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line Margin</th> <th>Level</th> <th>Factor</th> <th>Loss Factor</th> <th>Factor</th> <th></th> <th></th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th></th> </tr> </thead> <tbody> <tr> <td>1</td> <td>10620.00</td> <td>55.05</td> <td>74.00</td> <td>-18.95</td> <td>64.00</td> <td>37.60</td> <td>15.49</td> <td>62.04</td> <td>0.00</td> <td>256</td> <td>340</td> <td>PEAK</td> </tr> <tr> <td>2</td> <td>10620.00</td> <td>47.36</td> <td>54.00</td> <td>-6.64</td> <td>56.31</td> <td>37.60</td> <td>15.49</td> <td>62.04</td> <td>0.00</td> <td>256</td> <td>340</td> <td>AVERAGE</td> </tr> <tr> <td>3</td> <td>15937.50</td> <td>65.68</td> <td>74.00</td> <td>-8.32</td> <td>67.74</td> <td>40.63</td> <td>19.37</td> <td>62.06</td> <td>0.00</td> <td>221</td> <td>307</td> <td>Peak</td> </tr> <tr> <td>4</td> <td>15937.50</td> <td>53.06</td> <td>54.00</td> <td>-0.94</td> <td>55.12</td> <td>40.63</td> <td>19.37</td> <td>62.06</td> <td>0.00</td> <td>221</td> <td>307</td> <td>Average</td> </tr> </tbody> </table>	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line Margin	Level	Factor	Loss Factor	Factor			MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB		1	10620.00	55.05	74.00	-18.95	64.00	37.60	15.49	62.04	0.00	256	340	PEAK	2	10620.00	47.36	54.00	-6.64	56.31	37.60	15.49	62.04	0.00	256	340	AVERAGE	3	15937.50	65.68	74.00	-8.32	67.74	40.63	19.37	62.06	0.00	221	307	Peak	4	15937.50	53.06	54.00	-0.94	55.12	40.63	19.37	62.06	0.00	221	307	Average
Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																																																																											
Freq	Level	Line Margin	Level	Factor	Loss Factor	Factor																																																																																																																																													
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB																																																																																																																																												
1	10620.00	44.39	74.00	-29.61	53.34	37.60	15.49	62.04	0.00	--	--	PEAK																																																																																																																																							
2	15930.00	56.49	74.00	-17.51	58.56	40.62	19.37	62.06	0.00	315	4	PEAK																																																																																																																																							
3	15930.00	45.51	54.00	-8.49	47.58	40.62	19.37	62.06	0.00	315	4	AVERAGE																																																																																																																																							
Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																																																																											
Freq	Level	Line Margin	Level	Factor	Loss Factor	Factor																																																																																																																																													
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB																																																																																																																																												
1	10620.00	55.05	74.00	-18.95	64.00	37.60	15.49	62.04	0.00	256	340	PEAK																																																																																																																																							
2	10620.00	47.36	54.00	-6.64	56.31	37.60	15.49	62.04	0.00	256	340	AVERAGE																																																																																																																																							
3	15937.50	65.68	74.00	-8.32	67.74	40.63	19.37	62.06	0.00	221	307	Peak																																																																																																																																							
4	15937.50	53.06	54.00	-0.94	55.12	40.63	19.37	62.06	0.00	221	307	Average																																																																																																																																							



Mode	35																																																																																																
	Band Edge - L																																																																																																
	U-NII-2C_5.47-5.725_802.11ax HE40_CH102_Full_5510MHz																																																																																																
ANT	CDD 1+2																																																																																																
Pol.	Horizontal	Fundamental																																																																																															
Peak	 <table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Aux</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line Margin</th> <th>Level</th> <th>Factor</th> <th>Loss Factor</th> <th>Factor</th> <th></th> <th></th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>5387.92</td> <td>48.06</td> <td>74.00</td> <td>-25.94</td> <td>39.88</td> <td>34.58</td> <td>10.88</td> <td>37.28</td> <td>0.00</td> <td>113</td> <td>51</td> <td>PEAK</td> </tr> <tr> <td>2</td> <td>5469.52</td> <td>49.26</td> <td>68.20</td> <td>-18.94</td> <td>41.01</td> <td>34.53</td> <td>10.98</td> <td>37.26</td> <td>0.00</td> <td>113</td> <td>51</td> <td>PEAK</td> </tr> </tbody> </table>	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line Margin	Level	Factor	Loss Factor	Factor			MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5387.92	48.06	74.00	-25.94	39.88	34.58	10.88	37.28	0.00	113	51	PEAK	2	5469.52	49.26	68.20	-18.94	41.01	34.53	10.98	37.26	0.00	113	51	PEAK	 <table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Aux</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line Margin</th> <th>Level</th> <th>Factor</th> <th>Loss Factor</th> <th>Factor</th> <th></th> <th></th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>5510.00</td> <td>96.10</td> <td>-----</td> <td>-----</td> <td>87.83</td> <td>34.50</td> <td>11.02</td> <td>37.25</td> <td>0.00</td> <td>113</td> <td>51</td> <td>PEAK</td> </tr> </tbody> </table>	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line Margin	Level	Factor	Loss Factor	Factor			MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5510.00	96.10	-----	-----	87.83	34.50	11.02	37.25	0.00	113	51	PEAK
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																								
Freq	Level	Line Margin	Level	Factor	Loss Factor	Factor																																																																																											
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																								
1	5387.92	48.06	74.00	-25.94	39.88	34.58	10.88	37.28	0.00	113	51	PEAK																																																																																					
2	5469.52	49.26	68.20	-18.94	41.01	34.53	10.98	37.26	0.00	113	51	PEAK																																																																																					
Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																									
Freq	Level	Line Margin	Level	Factor	Loss Factor	Factor																																																																																											
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																								
1	5510.00	96.10	-----	-----	87.83	34.50	11.02	37.25	0.00	113	51	PEAK																																																																																					
Avg	 <table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Aux</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line Margin</th> <th>Level</th> <th>Factor</th> <th>Loss Factor</th> <th>Factor</th> <th></th> <th></th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>5457.68</td> <td>40.53</td> <td>54.00</td> <td>-13.47</td> <td>32.29</td> <td>34.54</td> <td>10.96</td> <td>37.26</td> <td>0.00</td> <td>113</td> <td>51</td> <td>AVERAGE</td> </tr> </tbody> </table>	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line Margin	Level	Factor	Loss Factor	Factor			MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5457.68	40.53	54.00	-13.47	32.29	34.54	10.96	37.26	0.00	113	51	AVERAGE	 <table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Aux</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line Margin</th> <th>Level</th> <th>Factor</th> <th>Loss Factor</th> <th>Factor</th> <th></th> <th></th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>5510.00</td> <td>88.12</td> <td>-----</td> <td>-----</td> <td>79.85</td> <td>34.50</td> <td>11.02</td> <td>37.25</td> <td>0.00</td> <td>113</td> <td>51</td> <td>AVERAGE</td> </tr> </tbody> </table>	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line Margin	Level	Factor	Loss Factor	Factor			MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5510.00	88.12	-----	-----	79.85	34.50	11.02	37.25	0.00	113	51	AVERAGE													
Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																									
Freq	Level	Line Margin	Level	Factor	Loss Factor	Factor																																																																																											
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																								
1	5457.68	40.53	54.00	-13.47	32.29	34.54	10.96	37.26	0.00	113	51	AVERAGE																																																																																					
Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																									
Freq	Level	Line Margin	Level	Factor	Loss Factor	Factor																																																																																											
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																								
1	5510.00	88.12	-----	-----	79.85	34.50	11.02	37.25	0.00	113	51	AVERAGE																																																																																					



Mode	35																																								
	Band Edge - R																																								
	U-NII-2C_5.47-5.725_802.11ax HE40_CH102_Full_5510MHz																																								
ANT	CDD 1+2																																								
Pol.	Horizontal	Fundamental																																							
Peak	<table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Aux</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>Margin</th> <th>Level</th> <th>Factor</th> <th>Loss</th> <th>Factor</th> <th>Factor</th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1 5759.40</td> <td>48.92</td> <td>68.20</td> <td>-19.28</td> <td>40.17</td> <td>34.62</td> <td>11.39</td> <td>37.26</td> <td>0.00</td> <td>113</td> <td>51 PEAK</td> </tr> </tbody> </table>	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1 5759.40	48.92	68.20	-19.28	40.17	34.62	11.39	37.26	0.00	113	51 PEAK	Blank
Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																	
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																	
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																
1 5759.40	48.92	68.20	-19.28	40.17	34.62	11.39	37.26	0.00	113	51 PEAK																															



Mode	35																																																																																													
	Band Edge - L																																																																																													
	U-NII-2C_5.47-5.725_802.11ax HE40_CH102_Full_5510MHz																																																																																													
ANT	CDD 1+2																																																																																													
Pol.	Vertical	Fundamental																																																																																												
Peak	<table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Aux</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line Margin</th> <th>Level</th> <th>Factor</th> <th>Loss Factor</th> <th>Factor</th> <th></th> <th></th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>5459.76</td> <td>57.94</td> <td>74.00</td> <td>-16.06</td> <td>49.69</td> <td>34.54</td> <td>10.97</td> <td>37.26</td> <td>0.00</td> <td>290</td> <td>93 PEAK</td> </tr> <tr> <td>2</td> <td>5468.72</td> <td>61.65</td> <td>68.20</td> <td>-6.55</td> <td>53.40</td> <td>34.53</td> <td>10.98</td> <td>37.26</td> <td>0.00</td> <td>290</td> <td>93 PEAK</td> </tr> </tbody> </table>	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line Margin	Level	Factor	Loss Factor	Factor			MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5459.76	57.94	74.00	-16.06	49.69	34.54	10.97	37.26	0.00	290	93 PEAK	2	5468.72	61.65	68.20	-6.55	53.40	34.53	10.98	37.26	0.00	290	93 PEAK	<table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Aux</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line Margin</th> <th>Level</th> <th>Factor</th> <th>Loss Factor</th> <th>Factor</th> <th></th> <th></th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>5510.00</td> <td>107.43</td> <td>-----</td> <td>-----</td> <td>99.16</td> <td>34.49</td> <td>11.03</td> <td>37.25</td> <td>0.00</td> <td>290</td> <td>93 PEAK</td> </tr> </tbody> </table>	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line Margin	Level	Factor	Loss Factor	Factor			MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5510.00	107.43	-----	-----	99.16	34.49	11.03	37.25	0.00	290	93 PEAK
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																					
Freq	Level	Line Margin	Level	Factor	Loss Factor	Factor																																																																																								
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																					
1	5459.76	57.94	74.00	-16.06	49.69	34.54	10.97	37.26	0.00	290	93 PEAK																																																																																			
2	5468.72	61.65	68.20	-6.55	53.40	34.53	10.98	37.26	0.00	290	93 PEAK																																																																																			
Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																						
Freq	Level	Line Margin	Level	Factor	Loss Factor	Factor																																																																																								
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																					
1	5510.00	107.43	-----	-----	99.16	34.49	11.03	37.25	0.00	290	93 PEAK																																																																																			
Avg	<table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Aux</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line Margin</th> <th>Level</th> <th>Factor</th> <th>Loss Factor</th> <th>Factor</th> <th></th> <th></th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>5454.32</td> <td>48.10</td> <td>54.00</td> <td>-5.90</td> <td>39.85</td> <td>34.55</td> <td>10.96</td> <td>37.26</td> <td>0.00</td> <td>290</td> <td>93 AVERAGE</td> </tr> </tbody> </table>	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line Margin	Level	Factor	Loss Factor	Factor			MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5454.32	48.10	54.00	-5.90	39.85	34.55	10.96	37.26	0.00	290	93 AVERAGE	<table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Aux</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line Margin</th> <th>Level</th> <th>Factor</th> <th>Loss Factor</th> <th>Factor</th> <th></th> <th></th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>5510.00</td> <td>99.27</td> <td>-----</td> <td>-----</td> <td>91.00</td> <td>34.49</td> <td>11.03</td> <td>37.25</td> <td>0.00</td> <td>290</td> <td>93 AVERAGE</td> </tr> </tbody> </table>	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line Margin	Level	Factor	Loss Factor	Factor			MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5510.00	99.27	-----	-----	91.00	34.49	11.03	37.25	0.00	290	93 AVERAGE												
Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																						
Freq	Level	Line Margin	Level	Factor	Loss Factor	Factor																																																																																								
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																					
1	5454.32	48.10	54.00	-5.90	39.85	34.55	10.96	37.26	0.00	290	93 AVERAGE																																																																																			
Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																						
Freq	Level	Line Margin	Level	Factor	Loss Factor	Factor																																																																																								
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																					
1	5510.00	99.27	-----	-----	91.00	34.49	11.03	37.25	0.00	290	93 AVERAGE																																																																																			



Mode	35																																							
	Band Edge - R																																							
	U-NII-2C_5.47-5.725_802.11ax HE40_CH102_Full_5510MHz																																							
ANT	CDD 1+2																																							
Pol.	Vertical	Fundamental																																						
Peak	<table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Aux</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>Margin</th> <th>Level</th> <th>Factor</th> <th>Loss</th> <th>Factor</th> <th>Factor</th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1 5748.60</td> <td>52.04</td> <td>68.20</td> <td>-16.16</td> <td>43.33</td> <td>34.60</td> <td>11.37</td> <td>37.26</td> <td>0.00</td> <td>290 93 PEAK</td> </tr> </tbody> </table>	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1 5748.60	52.04	68.20	-16.16	43.33	34.60	11.37	37.26	0.00	290 93 PEAK	Blank
Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																															
1 5748.60	52.04	68.20	-16.16	43.33	34.60	11.37	37.26	0.00	290 93 PEAK																															



Mode	35																																																																																																																		
	Harmonic																																																																																																																		
	U-NII-2C_5.47-5.725_802.11ax HE40_CH102_Full_5510MHz																																																																																																																		
ANT	CDD 1+2																																																																																																																		
Pol.	Horizontal	Vertical																																																																																																																	
Peak Avg	<table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Aux</th> <th>APos</th> <th>TPos</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line Margin</th> <th>Level</th> <th>Factor</th> <th>Loss Factor</th> <th>Factor</th> <th>Remark</th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>11020.00</td> <td>44.78</td> <td>74.00</td> <td>-29.22</td> <td>52.95</td> <td>37.92</td> <td>15.77</td> <td>61.86</td> <td>0.00</td> <td>--</td> <td>--</td> <td>PEAK</td> </tr> <tr> <td>2</td> <td>16530.00</td> <td>60.95</td> <td>68.20</td> <td>-7.25</td> <td>62.83</td> <td>40.97</td> <td>19.72</td> <td>62.57</td> <td>0.00</td> <td>377</td> <td>44</td> <td>PEAK</td> </tr> </tbody> </table>	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Freq	Level	Line Margin	Level	Factor	Loss Factor	Factor	Remark	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	1	11020.00	44.78	74.00	-29.22	52.95	37.92	15.77	61.86	0.00	--	--	PEAK	2	16530.00	60.95	68.20	-7.25	62.83	40.97	19.72	62.57	0.00	377	44	PEAK	<table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Aux</th> <th>APos</th> <th>TPos</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line Margin</th> <th>Level</th> <th>Factor</th> <th>Loss Factor</th> <th>Factor</th> <th>Remark</th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>11020.00</td> <td>49.95</td> <td>74.00</td> <td>-24.05</td> <td>58.12</td> <td>37.92</td> <td>15.77</td> <td>61.86</td> <td>0.00</td> <td>300</td> <td>357</td> <td>PEAK</td> </tr> <tr> <td>2</td> <td>11020.00</td> <td>42.75</td> <td>54.00</td> <td>-11.25</td> <td>50.92</td> <td>37.92</td> <td>15.77</td> <td>61.86</td> <td>0.00</td> <td>300</td> <td>357</td> <td>AVERAGE</td> </tr> <tr> <td>3</td> <td>16530.10</td> <td>67.25</td> <td>68.20</td> <td>-0.95</td> <td>69.13</td> <td>40.97</td> <td>19.72</td> <td>62.57</td> <td>0.00</td> <td>277</td> <td>228</td> <td>Peak</td> </tr> </tbody> </table>	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Freq	Level	Line Margin	Level	Factor	Loss Factor	Factor	Remark	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	1	11020.00	49.95	74.00	-24.05	58.12	37.92	15.77	61.86	0.00	300	357	PEAK	2	11020.00	42.75	54.00	-11.25	50.92	37.92	15.77	61.86	0.00	300	357	AVERAGE	3	16530.10	67.25	68.20	-0.95	69.13	40.97	19.72	62.57	0.00	277	228	Peak
Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																																												
Freq	Level	Line Margin	Level	Factor	Loss Factor	Factor	Remark																																																																																																												
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB																																																																																																												
1	11020.00	44.78	74.00	-29.22	52.95	37.92	15.77	61.86	0.00	--	--	PEAK																																																																																																							
2	16530.00	60.95	68.20	-7.25	62.83	40.97	19.72	62.57	0.00	377	44	PEAK																																																																																																							
Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																																												
Freq	Level	Line Margin	Level	Factor	Loss Factor	Factor	Remark																																																																																																												
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB																																																																																																												
1	11020.00	49.95	74.00	-24.05	58.12	37.92	15.77	61.86	0.00	300	357	PEAK																																																																																																							
2	11020.00	42.75	54.00	-11.25	50.92	37.92	15.77	61.86	0.00	300	357	AVERAGE																																																																																																							
3	16530.10	67.25	68.20	-0.95	69.13	40.97	19.72	62.57	0.00	277	228	Peak																																																																																																							



Mode	36																																																																																																																										
	Harmonic																																																																																																																										
	U-NII-2C_5.47-5.725_802.11ax HE40_CH110_Full_5550MHz																																																																																																																										
ANT	CDD 1+2																																																																																																																										
Pol.	Horizontal	Vertical																																																																																																																									
Peak Avg	<table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Aux</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line Margin</th> <th>Level</th> <th>Factor</th> <th>Loss Factor</th> <th>Factor</th> <th></th> <th></th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>11100.00</td> <td>44.51</td> <td>74.00</td> <td>-29.49</td> <td>52.53</td> <td>37.98</td> <td>15.83</td> <td>61.83</td> <td>0.00</td> <td>--</td> <td>--</td> <td>PEAK</td> </tr> <tr> <td>2</td> <td>16650.00</td> <td>58.70</td> <td>68.20</td> <td>-9.50</td> <td>60.57</td> <td>41.03</td> <td>19.79</td> <td>62.69</td> <td>0.00</td> <td>343</td> <td>316</td> <td>PEAK</td> </tr> </tbody> </table>	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line Margin	Level	Factor	Loss Factor	Factor			MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	11100.00	44.51	74.00	-29.49	52.53	37.98	15.83	61.83	0.00	--	--	PEAK	2	16650.00	58.70	68.20	-9.50	60.57	41.03	19.79	62.69	0.00	343	316	PEAK	<table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Aux</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line Margin</th> <th>Level</th> <th>Factor</th> <th>Loss Factor</th> <th>Factor</th> <th></th> <th></th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>11100.00</td> <td>55.50</td> <td>74.00</td> <td>-18.50</td> <td>63.52</td> <td>37.98</td> <td>15.83</td> <td>61.83</td> <td>0.00</td> <td>296</td> <td>122</td> <td>PEAK</td> </tr> <tr> <td>2</td> <td>11100.00</td> <td>48.53</td> <td>54.00</td> <td>-5.47</td> <td>56.55</td> <td>37.98</td> <td>15.83</td> <td>61.83</td> <td>0.00</td> <td>296</td> <td>122</td> <td>AVERAGE</td> </tr> <tr> <td>3</td> <td>16650.00</td> <td>67.23</td> <td>68.20</td> <td>-0.97</td> <td>69.10</td> <td>41.03</td> <td>19.79</td> <td>62.69</td> <td>0.00</td> <td>277</td> <td>231</td> <td>Peak</td> </tr> </tbody> </table>	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line Margin	Level	Factor	Loss Factor	Factor			MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	11100.00	55.50	74.00	-18.50	63.52	37.98	15.83	61.83	0.00	296	122	PEAK	2	11100.00	48.53	54.00	-5.47	56.55	37.98	15.83	61.83	0.00	296	122	AVERAGE	3	16650.00	67.23	68.20	-0.97	69.10	41.03	19.79	62.69	0.00	277	231	Peak
Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																																																			
Freq	Level	Line Margin	Level	Factor	Loss Factor	Factor																																																																																																																					
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																																		
1	11100.00	44.51	74.00	-29.49	52.53	37.98	15.83	61.83	0.00	--	--	PEAK																																																																																																															
2	16650.00	58.70	68.20	-9.50	60.57	41.03	19.79	62.69	0.00	343	316	PEAK																																																																																																															
Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																																																			
Freq	Level	Line Margin	Level	Factor	Loss Factor	Factor																																																																																																																					
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																																		
1	11100.00	55.50	74.00	-18.50	63.52	37.98	15.83	61.83	0.00	296	122	PEAK																																																																																																															
2	11100.00	48.53	54.00	-5.47	56.55	37.98	15.83	61.83	0.00	296	122	AVERAGE																																																																																																															
3	16650.00	67.23	68.20	-0.97	69.10	41.03	19.79	62.69	0.00	277	231	Peak																																																																																																															



Mode	37																																																																																																
	Band Edge - L																																																																																																
	U-NII-2C_5.47-5.725_802.11ax HE40_CH134_Full_5670MHz																																																																																																
ANT	CDD 1+2																																																																																																
Pol.	Horizontal	Fundamental																																																																																															
Peak	<table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Aux</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>Margin</th> <th>Level</th> <th>Factor</th> <th>Loss</th> <th>Factor</th> <th>Factor</th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>5442.00</td> <td>47.45</td> <td>74.00</td> <td>-26.55</td> <td>39.22</td> <td>34.56</td> <td>10.94</td> <td>37.27</td> <td>0.00</td> <td>100</td> <td>267</td> <td>PEAK</td> </tr> <tr> <td>2</td> <td>5468.88</td> <td>46.60</td> <td>68.20</td> <td>-21.60</td> <td>38.35</td> <td>34.53</td> <td>10.98</td> <td>37.26</td> <td>0.00</td> <td>100</td> <td>267</td> <td>PEAK</td> </tr> </tbody> </table>	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5442.00	47.45	74.00	-26.55	39.22	34.56	10.94	37.27	0.00	100	267	PEAK	2	5468.88	46.60	68.20	-21.60	38.35	34.53	10.98	37.26	0.00	100	267	PEAK	<table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Aux</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>Margin</th> <th>Level</th> <th>Factor</th> <th>Loss</th> <th>Factor</th> <th>Factor</th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>5670.00</td> <td>97.12</td> <td>-----</td> <td>-----</td> <td>88.60</td> <td>34.49</td> <td>11.27</td> <td>37.24</td> <td>0.00</td> <td>100</td> <td>267</td> <td>PEAK</td> </tr> </tbody> </table>	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5670.00	97.12	-----	-----	88.60	34.49	11.27	37.24	0.00	100	267	PEAK
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																								
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																																																																									
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																								
1	5442.00	47.45	74.00	-26.55	39.22	34.56	10.94	37.27	0.00	100	267	PEAK																																																																																					
2	5468.88	46.60	68.20	-21.60	38.35	34.53	10.98	37.26	0.00	100	267	PEAK																																																																																					
Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																									
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																																																																									
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																								
1	5670.00	97.12	-----	-----	88.60	34.49	11.27	37.24	0.00	100	267	PEAK																																																																																					
Avg	<table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Aux</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>Margin</th> <th>Level</th> <th>Factor</th> <th>Loss</th> <th>Factor</th> <th>Factor</th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>5377.84</td> <td>38.93</td> <td>54.00</td> <td>-15.07</td> <td>30.78</td> <td>34.56</td> <td>10.87</td> <td>37.28</td> <td>0.00</td> <td>100</td> <td>267</td> <td>AVERAGE</td> </tr> </tbody> </table>	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5377.84	38.93	54.00	-15.07	30.78	34.56	10.87	37.28	0.00	100	267	AVERAGE	<table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Aux</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>Margin</th> <th>Level</th> <th>Factor</th> <th>Loss</th> <th>Factor</th> <th>Factor</th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>5670.00</td> <td>89.42</td> <td>-----</td> <td>-----</td> <td>80.93</td> <td>34.47</td> <td>11.25</td> <td>37.23</td> <td>0.00</td> <td>100</td> <td>267</td> <td>AVERAGE</td> </tr> </tbody> </table>	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5670.00	89.42	-----	-----	80.93	34.47	11.25	37.23	0.00	100	267	AVERAGE													
Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																									
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																																																																									
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																								
1	5377.84	38.93	54.00	-15.07	30.78	34.56	10.87	37.28	0.00	100	267	AVERAGE																																																																																					
Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																									
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																																																																									
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																								
1	5670.00	89.42	-----	-----	80.93	34.47	11.25	37.23	0.00	100	267	AVERAGE																																																																																					



Mode	37																																								
	Band Edge - R																																								
	U-NII-2C_5.47-5.725_802.11ax HE40_CH134_Full_5670MHz																																								
ANT	CDD 1+2																																								
Pol.	Horizontal	Fundamental																																							
Peak	<p>56 U-NII-1-U-NII-2A-U-NII-2C</p> <table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Aux</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>Margin</th> <th>Level</th> <th>Factor</th> <th>Loss</th> <th>Factor</th> <th>Factor</th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1 5736.84</td> <td>50.98</td> <td>68.20</td> <td>-17.22</td> <td>42.32</td> <td>34.57</td> <td>11.35</td> <td>37.26</td> <td>0.00</td> <td>100</td> <td>267 PEAK</td> </tr> </tbody> </table>	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1 5736.84	50.98	68.20	-17.22	42.32	34.57	11.35	37.26	0.00	100	267 PEAK	Blank
Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																	
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																	
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																
1 5736.84	50.98	68.20	-17.22	42.32	34.57	11.35	37.26	0.00	100	267 PEAK																															



Mode	37																																																																										
	Band Edge - L																																																																										
	U-NII-2C_5.47-5.725_802.11ax HE40_CH134_Full_5670MHz																																																																										
ANT	CDD 1+2																																																																										
Pol.	Vertical	Fundamental																																																																									
Peak	<table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Aux</th> <th>APos</th> <th>TPos</th> <th colspan="2">Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line Margin</th> <th>Level</th> <th>Factor</th> <th>Loss Factor</th> <th>Factor</th> <th></th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>5357.36</td> <td>48.43</td> <td>74.00</td> <td>-23.57</td> <td>42.36</td> <td>34.51</td> <td>10.85</td> <td>37.29</td> <td>0.00</td> <td>100</td> <td>71 PEAK</td> </tr> <tr> <td>5461.20</td> <td>48.44</td> <td>68.20</td> <td>-19.76</td> <td>40.19</td> <td>34.54</td> <td>10.97</td> <td>37.26</td> <td>0.00</td> <td>100</td> <td>71 PEAK</td> </tr> </tbody> </table>	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark		Freq	Level	Line Margin	Level	Factor	Loss Factor	Factor		cm	deg	5357.36	48.43	74.00	-23.57	42.36	34.51	10.85	37.29	0.00	100	71 PEAK	5461.20	48.44	68.20	-19.76	40.19	34.54	10.97	37.26	0.00	100	71 PEAK	<table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Aux</th> <th>APos</th> <th>TPos</th> <th colspan="2">Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line Margin</th> <th>Level</th> <th>Factor</th> <th>Loss Factor</th> <th>Factor</th> <th></th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>5670.00</td> <td>109.21</td> <td>-----</td> <td>-----</td> <td>100.70</td> <td>34.48</td> <td>11.26</td> <td>37.23</td> <td>0.00</td> <td>100</td> <td>71 PEAK</td> </tr> </tbody> </table>	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark		Freq	Level	Line Margin	Level	Factor	Loss Factor	Factor		cm	deg	5670.00	109.21	-----	-----	100.70	34.48	11.26	37.23	0.00	100	71 PEAK
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																		
Freq	Level	Line Margin	Level	Factor	Loss Factor	Factor		cm	deg																																																																		
5357.36	48.43	74.00	-23.57	42.36	34.51	10.85	37.29	0.00	100	71 PEAK																																																																	
5461.20	48.44	68.20	-19.76	40.19	34.54	10.97	37.26	0.00	100	71 PEAK																																																																	
Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																			
Freq	Level	Line Margin	Level	Factor	Loss Factor	Factor		cm	deg																																																																		
5670.00	109.21	-----	-----	100.70	34.48	11.26	37.23	0.00	100	71 PEAK																																																																	
Avg	<table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Aux</th> <th>APos</th> <th>TPos</th> <th colspan="2">Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line Margin</th> <th>Level</th> <th>Factor</th> <th>Loss Factor</th> <th>Factor</th> <th></th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>5407.28</td> <td>40.63</td> <td>54.00</td> <td>-13.37</td> <td>32.42</td> <td>34.59</td> <td>10.90</td> <td>37.28</td> <td>0.00</td> <td>100</td> <td>71 AVERAGE</td> </tr> </tbody> </table>	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark		Freq	Level	Line Margin	Level	Factor	Loss Factor	Factor		cm	deg	5407.28	40.63	54.00	-13.37	32.42	34.59	10.90	37.28	0.00	100	71 AVERAGE	<table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Aux</th> <th>APos</th> <th>TPos</th> <th colspan="2">Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line Margin</th> <th>Level</th> <th>Factor</th> <th>Loss Factor</th> <th>Factor</th> <th></th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>5670.00</td> <td>100.74</td> <td>-----</td> <td>-----</td> <td>92.25</td> <td>34.47</td> <td>11.25</td> <td>37.23</td> <td>0.00</td> <td>100</td> <td>71 AVERAGE</td> </tr> </tbody> </table>	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark		Freq	Level	Line Margin	Level	Factor	Loss Factor	Factor		cm	deg	5670.00	100.74	-----	-----	92.25	34.47	11.25	37.23	0.00	100	71 AVERAGE											
Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																			
Freq	Level	Line Margin	Level	Factor	Loss Factor	Factor		cm	deg																																																																		
5407.28	40.63	54.00	-13.37	32.42	34.59	10.90	37.28	0.00	100	71 AVERAGE																																																																	
Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																			
Freq	Level	Line Margin	Level	Factor	Loss Factor	Factor		cm	deg																																																																		
5670.00	100.74	-----	-----	92.25	34.47	11.25	37.23	0.00	100	71 AVERAGE																																																																	







Mode	37																																														
	Band Edge - R																																														
	U-NII-2C_5.47-5.725_802.11ax HE40_CH134_Full_5670MHz																																														
ANT	CDD 1+2																																														
Pol.	Vertical	Fundamental																																													
Peak	<table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Aux</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>Margin</th> <th>Level</th> <th>Factor</th> <th>Loss</th> <th>Factor</th> <th>Factor</th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>dB</th> </tr> </thead> <tbody> <tr> <td>1 5725.56</td> <td>60.06</td> <td>68.20</td> <td>-8.14</td> <td>51.43</td> <td>34.55</td> <td>11.33</td> <td>37.25</td> <td>0.00</td> </tr> <tr> <td></td> <td></td> <td></td> <td></td> <td></td> <td></td> <td></td> <td></td> <td>100 71 PEAK</td> </tr> </tbody> </table>	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	1 5725.56	60.06	68.20	-8.14	51.43	34.55	11.33	37.25	0.00									100 71 PEAK	Blank
Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																							
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																							
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB																																							
1 5725.56	60.06	68.20	-8.14	51.43	34.55	11.33	37.25	0.00																																							
								100 71 PEAK																																							



Mode	37																																																																																																																		
	Harmonic																																																																																																																		
	U-NII-2C_5.47-5.725_802.11ax HE40_CH134_Full_5670MHz																																																																																																																		
ANT	CDD 1+2																																																																																																																		
Pol.	Horizontal	Vertical																																																																																																																	
Peak Avg	<table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Aux</th> <th>APos</th> <th>TPos</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line Margin</th> <th>Level</th> <th>Factor</th> <th>Loss Factor</th> <th>Factor</th> <th>Remark</th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>11340.00</td> <td>45.85</td> <td>74.00</td> <td>-28.15</td> <td>53.39</td> <td>38.17</td> <td>16.01</td> <td>61.72</td> <td>0.00</td> <td>--</td> <td>--</td> <td>PEAK</td> </tr> <tr> <td>2</td> <td>17010.00</td> <td>61.71</td> <td>68.20</td> <td>-6.49</td> <td>63.53</td> <td>41.20</td> <td>20.00</td> <td>63.02</td> <td>0.00</td> <td>369</td> <td>51</td> <td>PEAK</td> </tr> </tbody> </table>	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Freq	Level	Line Margin	Level	Factor	Loss Factor	Factor	Remark	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	1	11340.00	45.85	74.00	-28.15	53.39	38.17	16.01	61.72	0.00	--	--	PEAK	2	17010.00	61.71	68.20	-6.49	63.53	41.20	20.00	63.02	0.00	369	51	PEAK	<table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Aux</th> <th>APos</th> <th>TPos</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line Margin</th> <th>Level</th> <th>Factor</th> <th>Loss Factor</th> <th>Factor</th> <th>Remark</th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>11340.00</td> <td>54.47</td> <td>74.00</td> <td>-19.53</td> <td>62.01</td> <td>38.17</td> <td>16.01</td> <td>61.72</td> <td>0.00</td> <td>300</td> <td>127</td> <td>PEAK</td> </tr> <tr> <td>2</td> <td>11340.00</td> <td>47.13</td> <td>54.00</td> <td>-6.87</td> <td>54.63</td> <td>38.19</td> <td>16.02</td> <td>61.71</td> <td>0.00</td> <td>300</td> <td>127</td> <td>AVERAGE</td> </tr> <tr> <td>3</td> <td>17016.60</td> <td>67.57</td> <td>68.20</td> <td>-0.63</td> <td>69.40</td> <td>41.20</td> <td>19.99</td> <td>63.02</td> <td>0.00</td> <td>218</td> <td>34</td> <td>Peak</td> </tr> </tbody> </table>	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Freq	Level	Line Margin	Level	Factor	Loss Factor	Factor	Remark	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	1	11340.00	54.47	74.00	-19.53	62.01	38.17	16.01	61.72	0.00	300	127	PEAK	2	11340.00	47.13	54.00	-6.87	54.63	38.19	16.02	61.71	0.00	300	127	AVERAGE	3	17016.60	67.57	68.20	-0.63	69.40	41.20	19.99	63.02	0.00	218	34	Peak
Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																																												
Freq	Level	Line Margin	Level	Factor	Loss Factor	Factor	Remark																																																																																																												
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB																																																																																																												
1	11340.00	45.85	74.00	-28.15	53.39	38.17	16.01	61.72	0.00	--	--	PEAK																																																																																																							
2	17010.00	61.71	68.20	-6.49	63.53	41.20	20.00	63.02	0.00	369	51	PEAK																																																																																																							
Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																																												
Freq	Level	Line Margin	Level	Factor	Loss Factor	Factor	Remark																																																																																																												
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB																																																																																																												
1	11340.00	54.47	74.00	-19.53	62.01	38.17	16.01	61.72	0.00	300	127	PEAK																																																																																																							
2	11340.00	47.13	54.00	-6.87	54.63	38.19	16.02	61.71	0.00	300	127	AVERAGE																																																																																																							
3	17016.60	67.57	68.20	-0.63	69.40	41.20	19.99	63.02	0.00	218	34	Peak																																																																																																							



Mode	38																																																																																	
	Band Edge - L																																																																																	
	U-NII-1_5.15-5.25_802.11ax HE80_CH42_Full_5210MHz																																																																																	
ANT	CDD 1+2																																																																																	
Pol.	Horizontal	Fundamental																																																																																
Peak	 <p>Level (dBuV/m) vs Frequency (MHz) plot for Horizontal polarization. The plot shows a signal between 5132 and 5228 MHz. A red limit line is at 65.0 dBuV/m. A blue peak is observed at 5136.16 MHz.</p> <table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Aux</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line Margin</th> <th>Level Factor</th> <th>Loss Factor</th> <th>Loss Factor</th> <th>Factor</th> <th>cm</th> <th>deg</th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>5136.16</td> <td>51.10</td> <td>74.00</td> <td>-22.90</td> <td>43.76</td> <td>34.04</td> <td>10.64</td> <td>37.34</td> <td>0.00</td> <td>118</td> <td>219</td> <td>PEAK</td> </tr> </tbody> </table>	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line Margin	Level Factor	Loss Factor	Loss Factor	Factor	cm	deg	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	deg	1	5136.16	51.10	74.00	-22.90	43.76	34.04	10.64	37.34	0.00	118	219	PEAK	 <p>Level (dBuV/m) vs Frequency (MHz) plot for Fundamental polarization. The plot shows a signal between 5210 and 5220 MHz. A red limit line is at 94.82 dBuV/m. A blue peak is observed at 5210.00 MHz.</p> <table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Aux</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line Margin</th> <th>Level Factor</th> <th>Loss Factor</th> <th>Loss Factor</th> <th>Factor</th> <th>cm</th> <th>deg</th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>5210.00</td> <td>94.82</td> <td>-----</td> <td>-----</td> <td>87.38</td> <td>34.08</td> <td>10.69</td> <td>37.33</td> <td>0.00</td> <td>118</td> <td>219</td> <td>PEAK</td> </tr> </tbody> </table>	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line Margin	Level Factor	Loss Factor	Loss Factor	Factor	cm	deg	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	deg	1	5210.00	94.82	-----	-----	87.38	34.08	10.69	37.33	0.00	118	219	PEAK
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																									
Freq	Level	Line Margin	Level Factor	Loss Factor	Loss Factor	Factor	cm	deg																																																																										
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	deg																																																																										
1	5136.16	51.10	74.00	-22.90	43.76	34.04	10.64	37.34	0.00	118	219	PEAK																																																																						
Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																										
Freq	Level	Line Margin	Level Factor	Loss Factor	Loss Factor	Factor	cm	deg																																																																										
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	deg																																																																										
1	5210.00	94.82	-----	-----	87.38	34.08	10.69	37.33	0.00	118	219	PEAK																																																																						
Avg	 <p>Level (dBuV/m) vs Frequency (MHz) plot for Horizontal polarization showing average signal. A red limit line is at 54.00 dBuV/m. A blue average signal is observed at 5144.48 MHz.</p> <table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Aux</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line Margin</th> <th>Level Factor</th> <th>Loss Factor</th> <th>Loss Factor</th> <th>Factor</th> <th>cm</th> <th>deg</th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>5144.48</td> <td>42.67</td> <td>54.00</td> <td>-11.33</td> <td>35.32</td> <td>34.04</td> <td>10.65</td> <td>37.34</td> <td>0.00</td> <td>118</td> <td>219</td> <td>AVERAGE</td> </tr> </tbody> </table>	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line Margin	Level Factor	Loss Factor	Loss Factor	Factor	cm	deg	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	deg	1	5144.48	42.67	54.00	-11.33	35.32	34.04	10.65	37.34	0.00	118	219	AVERAGE	 <p>Level (dBuV/m) vs Frequency (MHz) plot for Fundamental polarization showing average signal. A red limit line is at 87.34 dBuV/m. A blue average signal is observed at 5210.00 MHz.</p> <table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Aux</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line Margin</th> <th>Level Factor</th> <th>Loss Factor</th> <th>Loss Factor</th> <th>Factor</th> <th>cm</th> <th>deg</th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>5210.00</td> <td>87.34</td> <td>-----</td> <td>-----</td> <td>79.91</td> <td>34.08</td> <td>10.68</td> <td>37.33</td> <td>0.00</td> <td>118</td> <td>219</td> <td>AVERAGE</td> </tr> </tbody> </table>	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line Margin	Level Factor	Loss Factor	Loss Factor	Factor	cm	deg	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	deg	1	5210.00	87.34	-----	-----	79.91	34.08	10.68	37.33	0.00	118	219	AVERAGE
Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																										
Freq	Level	Line Margin	Level Factor	Loss Factor	Loss Factor	Factor	cm	deg																																																																										
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	deg																																																																										
1	5144.48	42.67	54.00	-11.33	35.32	34.04	10.65	37.34	0.00	118	219	AVERAGE																																																																						
Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																										
Freq	Level	Line Margin	Level Factor	Loss Factor	Loss Factor	Factor	cm	deg																																																																										
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	deg																																																																										
1	5210.00	87.34	-----	-----	79.91	34.08	10.68	37.33	0.00	118	219	AVERAGE																																																																						



Mode	38																																										
	Band Edge - R																																										
	U-NII-1_5.15-5.25_802.11ax HE80_CH42_Full_5210MHz																																										
ANT	CDD 1+2																																										
Pol.	Horizontal	Fundamental																																									
Peak	<table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Aux</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>Margin</th> <th>Level</th> <th>Factor</th> <th>Loss</th> <th>Factor</th> <th>Factor</th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>5355.00</td> <td>48.29</td> <td>74.00</td> <td>-25.71</td> <td>40.22</td> <td>34.51</td> <td>10.85</td> <td>37.29</td> <td>0.00</td> <td>118</td> <td>219</td> <td>PEAK</td> </tr> </tbody> </table>	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5355.00	48.29	74.00	-25.71	40.22	34.51	10.85	37.29	0.00	118	219	PEAK	Blank
Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																			
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																			
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																		
1	5355.00	48.29	74.00	-25.71	40.22	34.51	10.85	37.29	0.00	118	219	PEAK																															
Avg	<table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Aux</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>Margin</th> <th>Level</th> <th>Factor</th> <th>Loss</th> <th>Factor</th> <th>Factor</th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>5372.10</td> <td>39.35</td> <td>54.00</td> <td>-14.65</td> <td>31.23</td> <td>34.54</td> <td>10.86</td> <td>37.28</td> <td>0.00</td> <td>118</td> <td>219</td> <td>AVERAGE</td> </tr> </tbody> </table>	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5372.10	39.35	54.00	-14.65	31.23	34.54	10.86	37.28	0.00	118	219	AVERAGE	Blank
Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																			
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																			
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																		
1	5372.10	39.35	54.00	-14.65	31.23	34.54	10.86	37.28	0.00	118	219	AVERAGE																															



38																																										
Mode	Band Edge - L																																									
	U-NII-1_5.15-5.25_802.11ax HE80_CH42_Full_5210MHz																																									
ANT	CDD 1+2																																									
Pol.	Vertical																																									
Peak	<table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Aux</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line Margin</th> <th>Level</th> <th>Factor</th> <th>Loss Factor</th> <th>Factor</th> <th></th> <th></th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>5137.12</td> <td>60.96</td> <td>74.00</td> <td>-13.04</td> <td>53.62</td> <td>34.04</td> <td>10.64</td> <td>37.34</td> <td>0.00</td> <td>301</td> <td>270</td> <td>PEAK</td> </tr> </tbody> </table>	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line Margin	Level	Factor	Loss Factor	Factor			MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5137.12	60.96	74.00	-13.04	53.62	34.04	10.64	37.34	0.00	301	270	PEAK
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																	
Freq	Level	Line Margin	Level	Factor	Loss Factor	Factor																																				
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																	
1	5137.12	60.96	74.00	-13.04	53.62	34.04	10.64	37.34	0.00	301	270	PEAK																														
<table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Aux</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line Margin</th> <th>Level</th> <th>Factor</th> <th>Loss Factor</th> <th>Factor</th> <th></th> <th></th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>5210.00</td> <td>105.32</td> <td>-----</td> <td>-----</td> <td>97.86</td> <td>34.09</td> <td>10.70</td> <td>37.33</td> <td>0.00</td> <td>301</td> <td>270</td> <td>PEAK</td> </tr> </tbody> </table>	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line Margin	Level	Factor	Loss Factor	Factor			MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5210.00	105.32	-----	-----	97.86	34.09	10.70	37.33	0.00	301	270	PEAK	
Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																		
Freq	Level	Line Margin	Level	Factor	Loss Factor	Factor																																				
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																	
1	5210.00	105.32	-----	-----	97.86	34.09	10.70	37.33	0.00	301	270	PEAK																														
Avg	<table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Aux</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line Margin</th> <th>Level</th> <th>Factor</th> <th>Loss Factor</th> <th>Factor</th> <th></th> <th></th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>5136.16</td> <td>51.01</td> <td>54.00</td> <td>-2.99</td> <td>43.67</td> <td>34.04</td> <td>10.64</td> <td>37.34</td> <td>0.00</td> <td>301</td> <td>270</td> <td>AVERAGE</td> </tr> </tbody> </table>	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line Margin	Level	Factor	Loss Factor	Factor			MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5136.16	51.01	54.00	-2.99	43.67	34.04	10.64	37.34	0.00	301	270	AVERAGE
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																	
Freq	Level	Line Margin	Level	Factor	Loss Factor	Factor																																				
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																	
1	5136.16	51.01	54.00	-2.99	43.67	34.04	10.64	37.34	0.00	301	270	AVERAGE																														
<table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Aux</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line Margin</th> <th>Level</th> <th>Factor</th> <th>Loss Factor</th> <th>Factor</th> <th></th> <th></th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>5210.00</td> <td>97.64</td> <td>-----</td> <td>-----</td> <td>90.21</td> <td>34.08</td> <td>10.68</td> <td>37.33</td> <td>0.00</td> <td>301</td> <td>270</td> <td>AVERAGE</td> </tr> </tbody> </table>	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line Margin	Level	Factor	Loss Factor	Factor			MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5210.00	97.64	-----	-----	90.21	34.08	10.68	37.33	0.00	301	270	AVERAGE	
Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																		
Freq	Level	Line Margin	Level	Factor	Loss Factor	Factor																																				
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																	
1	5210.00	97.64	-----	-----	90.21	34.08	10.68	37.33	0.00	301	270	AVERAGE																														







Mode	38																																							
	Band Edge - R																																							
	U-NII-1_5.15-5.25_802.11ax HE80_CH42_Full_5210MHz																																							
ANT	CDD 1+2																																							
Pol.	Vertical	Fundamental																																						
Peak	<table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Aux</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>Margin</th> <th>Level</th> <th>Factor</th> <th>Loss</th> <th>Factor</th> <th>Factor</th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1 5364.90</td> <td>48.91</td> <td>74.00</td> <td>-25.09</td> <td>40.82</td> <td>34.53</td> <td>10.85</td> <td>37.29</td> <td>0.00</td> <td>301 270 PEAK</td> </tr> </tbody> </table>	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1 5364.90	48.91	74.00	-25.09	40.82	34.53	10.85	37.29	0.00	301 270 PEAK	Blank
Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																															
1 5364.90	48.91	74.00	-25.09	40.82	34.53	10.85	37.29	0.00	301 270 PEAK																															
Avg	<table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Aux</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>Margin</th> <th>Level</th> <th>Factor</th> <th>Loss</th> <th>Factor</th> <th>Factor</th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1 5350.50</td> <td>42.03</td> <td>54.00</td> <td>-11.97</td> <td>33.98</td> <td>34.50</td> <td>10.84</td> <td>37.29</td> <td>0.00</td> <td>301 270 AVERAGE</td> </tr> </tbody> </table>	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1 5350.50	42.03	54.00	-11.97	33.98	34.50	10.84	37.29	0.00	301 270 AVERAGE	Blank
Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																															
1 5350.50	42.03	54.00	-11.97	33.98	34.50	10.84	37.29	0.00	301 270 AVERAGE																															



Mode	38																																																																																																																																						
	Harmonic																																																																																																																																						
	U-NII-1_5.15-5.25_802.11ax HE80_CH42_Full_5210MHz																																																																																																																																						
ANT	CDD 1+2																																																																																																																																						
Pol.	Horizontal	Vertical																																																																																																																																					
Peak Avg																																																																																																																																							
	<table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Aux</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line Margin</th> <th>Level</th> <th>Factor</th> <th>Loss Factor</th> <th>Factor</th> <th></th> <th></th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>10419.90</td> <td>46.65</td> <td>68.20</td> <td>-21.55</td> <td>56.00</td> <td>37.44</td> <td>15.34</td> <td>62.13</td> <td>0.00</td> <td>--</td> <td>--</td> <td>Peak</td> </tr> <tr> <td>2</td> <td>15630.00</td> <td>56.14</td> <td>74.00</td> <td>-17.86</td> <td>58.82</td> <td>40.29</td> <td>19.14</td> <td>62.11</td> <td>0.00</td> <td>398</td> <td>161</td> <td>PEAK</td> </tr> <tr> <td>3</td> <td>15630.00</td> <td>47.98</td> <td>54.00</td> <td>-6.02</td> <td>50.66</td> <td>40.29</td> <td>19.14</td> <td>62.11</td> <td>0.00</td> <td>398</td> <td>161</td> <td>AVERAGE</td> </tr> </tbody> </table>	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line Margin	Level	Factor	Loss Factor	Factor			MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	10419.90	46.65	68.20	-21.55	56.00	37.44	15.34	62.13	0.00	--	--	Peak	2	15630.00	56.14	74.00	-17.86	58.82	40.29	19.14	62.11	0.00	398	161	PEAK	3	15630.00	47.98	54.00	-6.02	50.66	40.29	19.14	62.11	0.00	398	161	AVERAGE	<table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Aux</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line Margin</th> <th>Level</th> <th>Factor</th> <th>Loss Factor</th> <th>Factor</th> <th></th> <th></th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>10419.90</td> <td>55.24</td> <td>68.20</td> <td>-12.96</td> <td>64.59</td> <td>37.44</td> <td>15.34</td> <td>62.13</td> <td>0.00</td> <td>--</td> <td>--</td> <td>Peak</td> </tr> <tr> <td>2</td> <td>15630.00</td> <td>62.05</td> <td>74.00</td> <td>-11.95</td> <td>64.73</td> <td>40.29</td> <td>19.14</td> <td>62.11</td> <td>0.00</td> <td>300</td> <td>309</td> <td>PEAK</td> </tr> <tr> <td>3</td> <td>15630.00</td> <td>53.09</td> <td>54.00</td> <td>-0.91</td> <td>55.77</td> <td>40.29</td> <td>19.14</td> <td>62.11</td> <td>0.00</td> <td>300</td> <td>309</td> <td>AVERAGE</td> </tr> </tbody> </table>	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line Margin	Level	Factor	Loss Factor	Factor			MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	10419.90	55.24	68.20	-12.96	64.59	37.44	15.34	62.13	0.00	--	--	Peak	2	15630.00	62.05	74.00	-11.95	64.73	40.29	19.14	62.11	0.00	300	309	PEAK	3	15630.00	53.09	54.00	-0.91	55.77	40.29	19.14	62.11	0.00	300	309
Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																																																															
Freq	Level	Line Margin	Level	Factor	Loss Factor	Factor																																																																																																																																	
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																																														
1	10419.90	46.65	68.20	-21.55	56.00	37.44	15.34	62.13	0.00	--	--	Peak																																																																																																																											
2	15630.00	56.14	74.00	-17.86	58.82	40.29	19.14	62.11	0.00	398	161	PEAK																																																																																																																											
3	15630.00	47.98	54.00	-6.02	50.66	40.29	19.14	62.11	0.00	398	161	AVERAGE																																																																																																																											
Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																																																															
Freq	Level	Line Margin	Level	Factor	Loss Factor	Factor																																																																																																																																	
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																																														
1	10419.90	55.24	68.20	-12.96	64.59	37.44	15.34	62.13	0.00	--	--	Peak																																																																																																																											
2	15630.00	62.05	74.00	-11.95	64.73	40.29	19.14	62.11	0.00	300	309	PEAK																																																																																																																											
3	15630.00	53.09	54.00	-0.91	55.77	40.29	19.14	62.11	0.00	300	309	AVERAGE																																																																																																																											



Mode	39																																																																															
	Band Edge - L																																																																															
	U-NII-2A_5.25-5.35_802.11ax HE80_CH58_Full_5290MHz																																																																															
ANT	CDD 1+2																																																																															
Pol.	Horizontal	Fundamental																																																																														
Peak	 <p>Level (dBuV/m) vs Frequency (MHz) for Horizontal polarization. The plot shows a blue signal line with a red limit line at 65.0 dBuV/m. A peak is observed at 5290 MHz.</p> <table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Aux</th> <th>APos</th> <th>TPos</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line Margin</th> <th>Level Factor</th> <th>Loss Factor</th> <th>Factor</th> <th></th> <th>Remark</th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>5100.64</td> <td>49.28</td> <td>74.00</td> <td>-24.72</td> <td>42.03</td> <td>34.00</td> <td>10.60</td> <td>37.35</td> <td>0.00</td> <td>319</td> <td>227</td> <td>PEAK</td> </tr> </tbody> </table>	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Freq	Level	Line Margin	Level Factor	Loss Factor	Factor		Remark	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5100.64	49.28	74.00	-24.72	42.03	34.00	10.60	37.35	0.00	319	227	PEAK	 <p>Level (dBuV/m) vs Frequency (MHz) for Fundamental polarization. The plot shows a blue signal line with a red limit line at 65.0 dBuV/m. A sharp peak is observed at 5290 MHz.</p> <table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Aux</th> <th>APos</th> <th>TPos</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line Margin</th> <th>Level Factor</th> <th>Loss Factor</th> <th>Factor</th> <th></th> <th>Remark</th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>5290.00</td> <td>96.40</td> <td>-----</td> <td>-----</td> <td>88.67</td> <td>34.28</td> <td>10.76</td> <td>37.31</td> <td>0.00</td> <td>319</td> <td>227</td> <td>PEAK</td> </tr> </tbody> </table>	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Freq	Level	Line Margin	Level Factor	Loss Factor	Factor		Remark	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5290.00	96.40	-----	-----	88.67	34.28	10.76	37.31	0.00	319	227	PEAK
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																								
Freq	Level	Line Margin	Level Factor	Loss Factor	Factor		Remark																																																																									
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																							
1	5100.64	49.28	74.00	-24.72	42.03	34.00	10.60	37.35	0.00	319	227	PEAK																																																																				
Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																									
Freq	Level	Line Margin	Level Factor	Loss Factor	Factor		Remark																																																																									
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																							
1	5290.00	96.40	-----	-----	88.67	34.28	10.76	37.31	0.00	319	227	PEAK																																																																				
Avg	 <p>Level (dBuV/m) vs Frequency (MHz) for Horizontal polarization. The plot shows a blue signal line with a red limit line at 65.0 dBuV/m. A peak is observed at 5139.20 MHz.</p> <table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Aux</th> <th>APos</th> <th>TPos</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line Margin</th> <th>Level Factor</th> <th>Loss Factor</th> <th>Factor</th> <th></th> <th>Remark</th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>5139.20</td> <td>40.91</td> <td>54.00</td> <td>-13.09</td> <td>33.57</td> <td>34.04</td> <td>10.64</td> <td>37.34</td> <td>0.00</td> <td>319</td> <td>227</td> <td>AVERAGE</td> </tr> </tbody> </table>	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Freq	Level	Line Margin	Level Factor	Loss Factor	Factor		Remark	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5139.20	40.91	54.00	-13.09	33.57	34.04	10.64	37.34	0.00	319	227	AVERAGE	 <p>Level (dBuV/m) vs Frequency (MHz) for Fundamental polarization. The plot shows a blue signal line with a red limit line at 65.0 dBuV/m. A sharp peak is observed at 5290 MHz.</p> <table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Aux</th> <th>APos</th> <th>TPos</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line Margin</th> <th>Level Factor</th> <th>Loss Factor</th> <th>Factor</th> <th></th> <th>Remark</th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>5290.00</td> <td>88.81</td> <td>-----</td> <td>-----</td> <td>81.11</td> <td>34.26</td> <td>10.75</td> <td>37.31</td> <td>0.00</td> <td>319</td> <td>227</td> <td>AVERAGE</td> </tr> </tbody> </table>	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Freq	Level	Line Margin	Level Factor	Loss Factor	Factor		Remark	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5290.00	88.81	-----	-----	81.11	34.26	10.75	37.31	0.00	319	227	AVERAGE
Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																									
Freq	Level	Line Margin	Level Factor	Loss Factor	Factor		Remark																																																																									
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																							
1	5139.20	40.91	54.00	-13.09	33.57	34.04	10.64	37.34	0.00	319	227	AVERAGE																																																																				
Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																									
Freq	Level	Line Margin	Level Factor	Loss Factor	Factor		Remark																																																																									
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																							
1	5290.00	88.81	-----	-----	81.11	34.26	10.75	37.31	0.00	319	227	AVERAGE																																																																				



	39																																		
Mode	Band Edge - R																																		
	U-NII-2A_5.25-5.35_802.11ax HE80_CH58_Full_5290MHz																																		
ANT	CDD 1+2																																		
Pol.	Horizontal	Fundamental																																	
Peak	<table border="1" data-bbox="268 1131 778 1249"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Aux</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>Margin</th> <th>Level</th> <th>Factor</th> <th>Loss</th> <th>Factor</th> <th>Factor</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>5383.50</td> <td>48.58</td> <td>74.00</td> <td>-25.42</td> <td>40.42</td> <td>34.57</td> <td>10.87</td> <td>37.28</td> <td>0.00</td> <td>319</td> <td>227</td> <td>PEAK</td> </tr> </tbody> </table>	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	cm	deg	1	5383.50	48.58	74.00	-25.42	40.42	34.57	10.87	37.28	0.00	319	227	PEAK	Blank
Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																											
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	cm	deg																									
1	5383.50	48.58	74.00	-25.42	40.42	34.57	10.87	37.28	0.00	319	227	PEAK																							
Avg	<table border="1" data-bbox="268 1803 778 1921"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Aux</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>Margin</th> <th>Level</th> <th>Factor</th> <th>Loss</th> <th>Factor</th> <th>Factor</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>5354.50</td> <td>40.79</td> <td>54.00</td> <td>-13.21</td> <td>32.73</td> <td>34.51</td> <td>10.84</td> <td>37.29</td> <td>0.00</td> <td>319</td> <td>227</td> <td>AVERAGE</td> </tr> </tbody> </table>	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	cm	deg	1	5354.50	40.79	54.00	-13.21	32.73	34.51	10.84	37.29	0.00	319	227	AVERAGE	Blank
Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																											
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	cm	deg																									
1	5354.50	40.79	54.00	-13.21	32.73	34.51	10.84	37.29	0.00	319	227	AVERAGE																							



Mode	39																																																																											
	Band Edge - L																																																																											
	U-NII-2A_5.25-5.35_802.11ax HE80_CH58_Full_5290MHz																																																																											
ANT	CDD 1+2																																																																											
Pol.	Vertical	Fundamental																																																																										
Peak	<table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Aux</th> <th>APos</th> <th>TPos</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>Margin</th> <th>Level</th> <th>Factor</th> <th>Loss</th> <th>Factor</th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>5100.64</td> <td>50.49</td> <td>74.00</td> <td>-23.51</td> <td>43.24</td> <td>34.00</td> <td>10.60</td> <td>37.35</td> <td>0.00</td> <td>306</td> <td>82</td> <td>PEAK</td> </tr> </tbody> </table>	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	1	5100.64	50.49	74.00	-23.51	43.24	34.00	10.60	37.35	0.00	306	82	PEAK	<table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Aux</th> <th>APos</th> <th>TPos</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>Margin</th> <th>Level</th> <th>Factor</th> <th>Loss</th> <th>Factor</th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>5290.00</td> <td>104.60</td> <td>-----</td> <td>-----</td> <td>96.82</td> <td>34.32</td> <td>10.77</td> <td>37.31</td> <td>0.00</td> <td>306</td> <td>82</td> <td>PEAK</td> </tr> </tbody> </table>	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	1	5290.00	104.60	-----	-----	96.82	34.32	10.77	37.31	0.00	306	82	PEAK
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																				
Freq	Level	Line	Margin	Level	Factor	Loss	Factor																																																																					
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB																																																																					
1	5100.64	50.49	74.00	-23.51	43.24	34.00	10.60	37.35	0.00	306	82	PEAK																																																																
Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																					
Freq	Level	Line	Margin	Level	Factor	Loss	Factor																																																																					
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB																																																																					
1	5290.00	104.60	-----	-----	96.82	34.32	10.77	37.31	0.00	306	82	PEAK																																																																
Avg	<table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Aux</th> <th>APos</th> <th>TPos</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>Margin</th> <th>Level</th> <th>Factor</th> <th>Loss</th> <th>Factor</th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>5139.36</td> <td>41.82</td> <td>54.00</td> <td>-12.18</td> <td>34.48</td> <td>34.04</td> <td>10.64</td> <td>37.34</td> <td>0.00</td> <td>306</td> <td>82</td> <td>AVERAGE</td> </tr> </tbody> </table>	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	1	5139.36	41.82	54.00	-12.18	34.48	34.04	10.64	37.34	0.00	306	82	AVERAGE	<table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Aux</th> <th>APos</th> <th>TPos</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>Margin</th> <th>Level</th> <th>Factor</th> <th>Loss</th> <th>Factor</th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>5290.00</td> <td>97.53</td> <td>-----</td> <td>-----</td> <td>89.83</td> <td>34.26</td> <td>10.75</td> <td>37.31</td> <td>0.00</td> <td>306</td> <td>82</td> <td>AVERAGE</td> </tr> </tbody> </table>	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	1	5290.00	97.53	-----	-----	89.83	34.26	10.75	37.31	0.00	306	82	AVERAGE
Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																					
Freq	Level	Line	Margin	Level	Factor	Loss	Factor																																																																					
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB																																																																					
1	5139.36	41.82	54.00	-12.18	34.48	34.04	10.64	37.34	0.00	306	82	AVERAGE																																																																
Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																					
Freq	Level	Line	Margin	Level	Factor	Loss	Factor																																																																					
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB																																																																					
1	5290.00	97.53	-----	-----	89.83	34.26	10.75	37.31	0.00	306	82	AVERAGE																																																																



Mode	39																																								
	Band Edge - R																																								
	U-NII-2A_5.25-5.35_802.11ax HE80_CH58_Full_5290MHz																																								
ANT	CDD 1+2																																								
Pol.	Vertical	Fundamental																																							
Peak	<table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Aux</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>Margin</th> <th>Level</th> <th>Factor</th> <th>Loss</th> <th>Factor</th> <th>Factor</th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1 5361.10</td> <td>57.54</td> <td>74.00</td> <td>-16.46</td> <td>49.46</td> <td>34.52</td> <td>10.85</td> <td>37.29</td> <td>0.00</td> <td>306</td> <td>82 PEAK</td> </tr> </tbody> </table>	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1 5361.10	57.54	74.00	-16.46	49.46	34.52	10.85	37.29	0.00	306	82 PEAK	Blank
Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																	
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																	
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																
1 5361.10	57.54	74.00	-16.46	49.46	34.52	10.85	37.29	0.00	306	82 PEAK																															
Avg	<table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Aux</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>Margin</th> <th>Level</th> <th>Factor</th> <th>Loss</th> <th>Factor</th> <th>Factor</th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1 5352.80</td> <td>49.30</td> <td>54.00</td> <td>-4.70</td> <td>41.24</td> <td>34.51</td> <td>10.84</td> <td>37.29</td> <td>0.00</td> <td>306</td> <td>82 AVERAGE</td> </tr> </tbody> </table>	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1 5352.80	49.30	54.00	-4.70	41.24	34.51	10.84	37.29	0.00	306	82 AVERAGE	Blank
Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																	
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																	
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																
1 5352.80	49.30	54.00	-4.70	41.24	34.51	10.84	37.29	0.00	306	82 AVERAGE																															



Mode	39																																																																																																														
	Harmonic																																																																																																														
	U-NII-2A_5.25-5.35_802.11ax HE80_CH58_Full_5290MHz																																																																																																														
ANT	CDD 1+2																																																																																																														
Pol.	Horizontal	Vertical																																																																																																													
Peak Avg	<table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Aux</th> <th>APos</th> <th>TPos</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line Margin</th> <th>Level</th> <th>Factor</th> <th>Loss Factor</th> <th>Factor</th> <th>Remark</th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1 10580.00</td> <td>44.61</td> <td>68.20</td> <td>-23.59</td> <td>53.64</td> <td>37.56</td> <td>15.46</td> <td>62.05</td> <td>0.00</td> <td>--</td> <td>PEAK</td> </tr> <tr> <td>2 15870.00</td> <td>47.82</td> <td>74.00</td> <td>-26.18</td> <td>50.01</td> <td>40.56</td> <td>19.32</td> <td>62.07</td> <td>0.00</td> <td>--</td> <td>PEAK</td> </tr> </tbody> </table>	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Freq	Level	Line Margin	Level	Factor	Loss Factor	Factor	Remark	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1 10580.00	44.61	68.20	-23.59	53.64	37.56	15.46	62.05	0.00	--	PEAK	2 15870.00	47.82	74.00	-26.18	50.01	40.56	19.32	62.07	0.00	--	PEAK	<table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Aux</th> <th>APos</th> <th>TPos</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line Margin</th> <th>Level</th> <th>Factor</th> <th>Loss Factor</th> <th>Factor</th> <th>Remark</th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1 10580.50</td> <td>48.66</td> <td>68.20</td> <td>-19.54</td> <td>57.69</td> <td>37.56</td> <td>15.46</td> <td>62.05</td> <td>0.00</td> <td>--</td> <td>Peak</td> </tr> <tr> <td>2 15870.00</td> <td>60.24</td> <td>74.00</td> <td>-13.76</td> <td>62.43</td> <td>40.56</td> <td>19.32</td> <td>62.07</td> <td>0.00</td> <td>228</td> <td>304</td> <td>PEAK</td> </tr> <tr> <td>3 15870.00</td> <td>53.17</td> <td>54.00</td> <td>-0.83</td> <td>55.36</td> <td>40.56</td> <td>19.32</td> <td>62.07</td> <td>0.00</td> <td>228</td> <td>304</td> <td>AVERAGE</td> </tr> </tbody> </table>	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Freq	Level	Line Margin	Level	Factor	Loss Factor	Factor	Remark	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1 10580.50	48.66	68.20	-19.54	57.69	37.56	15.46	62.05	0.00	--	Peak	2 15870.00	60.24	74.00	-13.76	62.43	40.56	19.32	62.07	0.00	228	304	PEAK	3 15870.00	53.17	54.00	-0.83	55.36	40.56	19.32	62.07	0.00	228	304	AVERAGE
Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																																								
Freq	Level	Line Margin	Level	Factor	Loss Factor	Factor	Remark																																																																																																								
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																						
1 10580.00	44.61	68.20	-23.59	53.64	37.56	15.46	62.05	0.00	--	PEAK																																																																																																					
2 15870.00	47.82	74.00	-26.18	50.01	40.56	19.32	62.07	0.00	--	PEAK																																																																																																					
Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																																								
Freq	Level	Line Margin	Level	Factor	Loss Factor	Factor	Remark																																																																																																								
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																						
1 10580.50	48.66	68.20	-19.54	57.69	37.56	15.46	62.05	0.00	--	Peak																																																																																																					
2 15870.00	60.24	74.00	-13.76	62.43	40.56	19.32	62.07	0.00	228	304	PEAK																																																																																																				
3 15870.00	53.17	54.00	-0.83	55.36	40.56	19.32	62.07	0.00	228	304	AVERAGE																																																																																																				



Mode	40																																																																																														
	Band Edge - L																																																																																														
	U-NII-2C_5.47-5.725_802.11ax HE80_CH106_Full_5530MHz																																																																																														
ANT	CDD 1+2																																																																																														
Pol.	Horizontal	Fundamental																																																																																													
Peak	<table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Aux</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>Margin</th> <th>Level</th> <th>Factor</th> <th>Loss</th> <th>Factor</th> <th>Factor</th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>cm</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>5453.04</td> <td>48.33</td> <td>74.00</td> <td>-25.67</td> <td>40.09</td> <td>34.55</td> <td>10.96</td> <td>37.27</td> <td>0.00</td> <td>100</td> <td>26</td> <td>PEAK</td> </tr> <tr> <td>2</td> <td>5466.16</td> <td>48.48</td> <td>68.20</td> <td>-19.72</td> <td>40.23</td> <td>34.53</td> <td>10.98</td> <td>37.26</td> <td>0.00</td> <td>100</td> <td>26</td> <td>PEAK</td> </tr> </tbody> </table>	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	1	5453.04	48.33	74.00	-25.67	40.09	34.55	10.96	37.27	0.00	100	26	PEAK	2	5466.16	48.48	68.20	-19.72	40.23	34.53	10.98	37.26	0.00	100	26	PEAK	<table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Aux</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>Margin</th> <th>Level</th> <th>Factor</th> <th>Loss</th> <th>Factor</th> <th>Factor</th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>cm</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>5530.00</td> <td>93.40</td> <td>-----</td> <td>-----</td> <td>85.14</td> <td>34.51</td> <td>11.01</td> <td>37.26</td> <td>0.00</td> <td>100</td> <td>26</td> <td>PEAK</td> </tr> </tbody> </table>	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	1	5530.00	93.40	-----	-----	85.14	34.51	11.01	37.26	0.00	100	26	PEAK
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																						
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																																																																							
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm																																																																																							
1	5453.04	48.33	74.00	-25.67	40.09	34.55	10.96	37.27	0.00	100	26	PEAK																																																																																			
2	5466.16	48.48	68.20	-19.72	40.23	34.53	10.98	37.26	0.00	100	26	PEAK																																																																																			
Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																							
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																																																																							
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm																																																																																							
1	5530.00	93.40	-----	-----	85.14	34.51	11.01	37.26	0.00	100	26	PEAK																																																																																			
Avg	<table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Aux</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>Margin</th> <th>Level</th> <th>Factor</th> <th>Loss</th> <th>Factor</th> <th>Factor</th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>cm</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>5434.64</td> <td>40.43</td> <td>54.00</td> <td>-13.57</td> <td>32.19</td> <td>34.57</td> <td>10.94</td> <td>37.27</td> <td>0.00</td> <td>100</td> <td>26</td> <td>AVERAGE</td> </tr> </tbody> </table>	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	1	5434.64	40.43	54.00	-13.57	32.19	34.57	10.94	37.27	0.00	100	26	AVERAGE	<table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Aux</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>Margin</th> <th>Level</th> <th>Factor</th> <th>Loss</th> <th>Factor</th> <th>Factor</th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>cm</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>5530.00</td> <td>84.73</td> <td>-----</td> <td>-----</td> <td>76.47</td> <td>34.51</td> <td>11.01</td> <td>37.26</td> <td>0.00</td> <td>100</td> <td>26</td> <td>AVERAGE</td> </tr> </tbody> </table>	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	1	5530.00	84.73	-----	-----	76.47	34.51	11.01	37.26	0.00	100	26	AVERAGE													
Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																							
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																																																																							
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm																																																																																							
1	5434.64	40.43	54.00	-13.57	32.19	34.57	10.94	37.27	0.00	100	26	AVERAGE																																																																																			
Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																							
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																																																																							
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm																																																																																							
1	5530.00	84.73	-----	-----	76.47	34.51	11.01	37.26	0.00	100	26	AVERAGE																																																																																			



Mode	40																																									
	Band Edge - R																																									
	U-NII-2C_5.47-5.725_802.11ax HE80_CH106_Full_5530MHz																																									
ANT	CDD 1+2																																									
Pol.	Horizontal	Fundamental																																								
Peak	<table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Aux</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>Margin</th> <th>Level</th> <th>Factor</th> <th>Loss</th> <th>Factor</th> <th>Factor</th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1 5758.12</td> <td>50.28</td> <td>68.20</td> <td>-17.92</td> <td>41.54</td> <td>34.62</td> <td>11.38</td> <td>37.26</td> <td>0.00</td> <td>100</td> <td>26</td> <td>PEAK</td> </tr> </tbody> </table>	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1 5758.12	50.28	68.20	-17.92	41.54	34.62	11.38	37.26	0.00	100	26	PEAK	Blank
Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																		
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																		
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																	
1 5758.12	50.28	68.20	-17.92	41.54	34.62	11.38	37.26	0.00	100	26	PEAK																															



Mode	40																																																																																											
	Band Edge - L																																																																																											
	U-NII-2C_5.47-5.725_802.11ax HE80_CH106_Full_5530MHz																																																																																											
ANT	CDD 1+2																																																																																											
Pol.	Vertical	Fundamental																																																																																										
Peak	<table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Aux</th> <th>APos</th> <th>TPos</th> <th colspan="2">Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>Margin</th> <th>Level</th> <th>Factor</th> <th>Loss</th> <th>Factor</th> <th>Factor</th> <th></th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1 5438.00</td> <td>60.33</td> <td>74.00</td> <td>-13.67</td> <td>52.10</td> <td>34.56</td> <td>10.94</td> <td>37.27</td> <td>0.00</td> <td>290 91 PEAK</td> </tr> <tr> <td>2 5460.40</td> <td>59.74</td> <td>68.20</td> <td>-8.46</td> <td>51.49</td> <td>34.54</td> <td>10.97</td> <td>37.26</td> <td>0.00</td> <td>290 91 PEAK</td> </tr> </tbody> </table>	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1 5438.00	60.33	74.00	-13.67	52.10	34.56	10.94	37.27	0.00	290 91 PEAK	2 5460.40	59.74	68.20	-8.46	51.49	34.54	10.97	37.26	0.00	290 91 PEAK	<table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Aux</th> <th>APos</th> <th>TPos</th> <th colspan="2">Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>Margin</th> <th>Level</th> <th>Factor</th> <th>Loss</th> <th>Factor</th> <th>Factor</th> <th></th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1 5530.00</td> <td>103.77</td> <td>-----</td> <td>-----</td> <td>95.50</td> <td>34.50</td> <td>11.02</td> <td>37.25</td> <td>0.00</td> <td>290 91 PEAK</td> </tr> </tbody> </table>	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1 5530.00	103.77	-----	-----	95.50	34.50	11.02	37.25	0.00	290 91 PEAK
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																			
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																																																																				
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																			
1 5438.00	60.33	74.00	-13.67	52.10	34.56	10.94	37.27	0.00	290 91 PEAK																																																																																			
2 5460.40	59.74	68.20	-8.46	51.49	34.54	10.97	37.26	0.00	290 91 PEAK																																																																																			
Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																				
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																																																																				
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																			
1 5530.00	103.77	-----	-----	95.50	34.50	11.02	37.25	0.00	290 91 PEAK																																																																																			
Avg	<table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Aux</th> <th>APos</th> <th>TPos</th> <th colspan="2">Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>Margin</th> <th>Level</th> <th>Factor</th> <th>Loss</th> <th>Factor</th> <th>Factor</th> <th></th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1 5450.64</td> <td>52.81</td> <td>54.00</td> <td>-1.19</td> <td>44.57</td> <td>34.55</td> <td>10.96</td> <td>37.27</td> <td>0.00</td> <td>290 91 AVERAGE</td> </tr> </tbody> </table>	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1 5450.64	52.81	54.00	-1.19	44.57	34.55	10.96	37.27	0.00	290 91 AVERAGE	<table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Aux</th> <th>APos</th> <th>TPos</th> <th colspan="2">Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>Margin</th> <th>Level</th> <th>Factor</th> <th>Loss</th> <th>Factor</th> <th>Factor</th> <th></th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1 5530.00</td> <td>97.18</td> <td>-----</td> <td>-----</td> <td>88.92</td> <td>34.51</td> <td>11.01</td> <td>37.26</td> <td>0.00</td> <td>290 91 AVERAGE</td> </tr> </tbody> </table>	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1 5530.00	97.18	-----	-----	88.92	34.51	11.01	37.26	0.00	290 91 AVERAGE										
Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																				
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																																																																				
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																			
1 5450.64	52.81	54.00	-1.19	44.57	34.55	10.96	37.27	0.00	290 91 AVERAGE																																																																																			
Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																				
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																																																																				
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																			
1 5530.00	97.18	-----	-----	88.92	34.51	11.01	37.26	0.00	290 91 AVERAGE																																																																																			



Mode	40																																							
	Band Edge - R																																							
	U-NII-2C_5.47-5.725_802.11ax HE80_CH106_Full_5530MHz																																							
ANT	CDD 1+2																																							
Pol.	Vertical	Fundamental																																						
Peak	<p>56 U-NII-1-U-NII-2A-U-NII-2C</p> <table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Aux</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>Margin</th> <th>Level</th> <th>Factor</th> <th>Loss</th> <th>Factor</th> <th>Factor</th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1 5755.80</td> <td>51.71</td> <td>68.20</td> <td>-16.49</td> <td>42.98</td> <td>34.61</td> <td>11.38</td> <td>37.26</td> <td>0.00</td> <td>290 91 PEAK</td> </tr> </tbody> </table>	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1 5755.80	51.71	68.20	-16.49	42.98	34.61	11.38	37.26	0.00	290 91 PEAK	Blank
Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																															
1 5755.80	51.71	68.20	-16.49	42.98	34.61	11.38	37.26	0.00	290 91 PEAK																															



Mode	40																																																																																	
	Harmonic																																																																																	
	U-NII-2C_5.47-5.725_802.11ax HE80_CH106_Full_5530MHz																																																																																	
ANT	CDD 1+2																																																																																	
Pol.	Horizontal	Vertical																																																																																
Peak Avg	<table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Aux</th> <th>APos</th> <th>TPos</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line Margin</th> <th>Level</th> <th>Factor</th> <th>Loss Factor</th> <th>Factor</th> <th>Remark</th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> </tr> </thead> <tbody> <tr> <td>1 11060.00</td> <td>44.59</td> <td>74.00</td> <td>-29.41</td> <td>52.68</td> <td>37.95</td> <td>15.80</td> <td>61.84 0.00 -- -- PEAK</td> </tr> <tr> <td>2 16590.00</td> <td>56.31</td> <td>68.20</td> <td>-11.89</td> <td>58.19</td> <td>41.00</td> <td>19.76</td> <td>62.64 0.00 395 12 PEAK</td> </tr> </tbody> </table>	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Freq	Level	Line Margin	Level	Factor	Loss Factor	Factor	Remark	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	1 11060.00	44.59	74.00	-29.41	52.68	37.95	15.80	61.84 0.00 -- -- PEAK	2 16590.00	56.31	68.20	-11.89	58.19	41.00	19.76	62.64 0.00 395 12 PEAK	<table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Aux</th> <th>APos</th> <th>TPos</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line Margin</th> <th>Level</th> <th>Factor</th> <th>Loss Factor</th> <th>Factor</th> <th>Remark</th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> </tr> </thead> <tbody> <tr> <td>1 11060.00</td> <td>50.03</td> <td>74.00</td> <td>-23.97</td> <td>58.12</td> <td>37.95</td> <td>15.80</td> <td>61.84 0.00 -- -- PEAK</td> </tr> <tr> <td>2 16589.00</td> <td>62.27</td> <td>68.20</td> <td>-5.93</td> <td>64.15</td> <td>40.99</td> <td>19.75</td> <td>62.62 0.00 300 227 Peak</td> </tr> </tbody> </table>	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Freq	Level	Line Margin	Level	Factor	Loss Factor	Factor	Remark	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	1 11060.00	50.03	74.00	-23.97	58.12	37.95	15.80	61.84 0.00 -- -- PEAK	2 16589.00	62.27	68.20	-5.93	64.15	40.99	19.75	62.62 0.00 300 227 Peak
Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																											
Freq	Level	Line Margin	Level	Factor	Loss Factor	Factor	Remark																																																																											
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB																																																																											
1 11060.00	44.59	74.00	-29.41	52.68	37.95	15.80	61.84 0.00 -- -- PEAK																																																																											
2 16590.00	56.31	68.20	-11.89	58.19	41.00	19.76	62.64 0.00 395 12 PEAK																																																																											
Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																											
Freq	Level	Line Margin	Level	Factor	Loss Factor	Factor	Remark																																																																											
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB																																																																											
1 11060.00	50.03	74.00	-23.97	58.12	37.95	15.80	61.84 0.00 -- -- PEAK																																																																											
2 16589.00	62.27	68.20	-5.93	64.15	40.99	19.75	62.62 0.00 300 227 Peak																																																																											



Mode	41																																																																																																						
	Band Edge - L																																																																																																						
	U-NII-2C_5.47-5.725_802.11ax HE80_CH122_Full_5610MHz																																																																																																						
ANT	CDD 1+2																																																																																																						
Pol.	Horizontal	Fundamental																																																																																																					
Peak	<table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Aux</th> <th>APos</th> <th>TPos</th> <th colspan="2">Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>Margin</th> <th>Level</th> <th>Factor</th> <th>Loss</th> <th>Factor</th> <th>Factor</th> <th></th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>5417.20</td> <td>48.56</td> <td>74.00</td> <td>-25.44</td> <td>40.34</td> <td>34.58</td> <td>10.91</td> <td>37.27</td> <td>0.00</td> <td>102</td> <td>301</td> <td>PEAK</td> </tr> <tr> <td>2</td> <td>5463.28</td> <td>50.90</td> <td>68.20</td> <td>-17.30</td> <td>42.65</td> <td>34.54</td> <td>10.97</td> <td>37.26</td> <td>0.00</td> <td>102</td> <td>301</td> <td>PEAK</td> </tr> </tbody> </table>	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1	5417.20	48.56	74.00	-25.44	40.34	34.58	10.91	37.27	0.00	102	301	PEAK	2	5463.28	50.90	68.20	-17.30	42.65	34.54	10.97	37.26	0.00	102	301	PEAK	<table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Aux</th> <th>APos</th> <th>TPos</th> <th colspan="2">Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>Margin</th> <th>Level</th> <th>Factor</th> <th>Loss</th> <th>Factor</th> <th>Factor</th> <th></th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>5610.00</td> <td>98.31</td> <td>-----</td> <td>-----</td> <td>89.96</td> <td>34.41</td> <td>11.17</td> <td>37.23</td> <td>0.00</td> <td>102</td> <td>301</td> <td>PEAK</td> </tr> </tbody> </table>	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1	5610.00	98.31	-----	-----	89.96	34.41	11.17	37.23	0.00	102	301	PEAK
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																														
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																																																																															
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																																													
1	5417.20	48.56	74.00	-25.44	40.34	34.58	10.91	37.27	0.00	102	301	PEAK																																																																																											
2	5463.28	50.90	68.20	-17.30	42.65	34.54	10.97	37.26	0.00	102	301	PEAK																																																																																											
Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																															
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																																																																															
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																																													
1	5610.00	98.31	-----	-----	89.96	34.41	11.17	37.23	0.00	102	301	PEAK																																																																																											
Avg	<table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Aux</th> <th>APos</th> <th>TPos</th> <th colspan="2">Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>Margin</th> <th>Level</th> <th>Factor</th> <th>Loss</th> <th>Factor</th> <th>Factor</th> <th></th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>5453.20</td> <td>40.40</td> <td>-13.60</td> <td>32.16</td> <td>34.55</td> <td>10.96</td> <td>37.27</td> <td>0.00</td> <td>102</td> <td>301</td> <td>AVERAGE</td> </tr> </tbody> </table>	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1	5453.20	40.40	-13.60	32.16	34.55	10.96	37.27	0.00	102	301	AVERAGE	<table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Aux</th> <th>APos</th> <th>TPos</th> <th colspan="2">Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>Margin</th> <th>Level</th> <th>Factor</th> <th>Loss</th> <th>Factor</th> <th>Factor</th> <th></th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>5610.00</td> <td>89.75</td> <td>-----</td> <td>-----</td> <td>81.32</td> <td>34.44</td> <td>11.21</td> <td>37.22</td> <td>0.00</td> <td>102</td> <td>301</td> <td>AVERAGE</td> </tr> </tbody> </table>	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1	5610.00	89.75	-----	-----	81.32	34.44	11.21	37.22	0.00	102	301	AVERAGE														
Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																															
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																																																																															
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																																													
1	5453.20	40.40	-13.60	32.16	34.55	10.96	37.27	0.00	102	301	AVERAGE																																																																																												
Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																															
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																																																																															
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																																													
1	5610.00	89.75	-----	-----	81.32	34.44	11.21	37.22	0.00	102	301	AVERAGE																																																																																											



Mode	41																																							
	Band Edge - R																																							
	U-NII-2C_5.47-5.725_802.11ax HE80_CH122_Full_5610MHz																																							
ANT	CDD 1+2																																							
Pol.	Horizontal	Fundamental																																						
Peak	<p>56 U-NII-1-U-NII-2A-U-NII-2C</p> <table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Aux</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>Margin</th> <th>Level</th> <th>Factor</th> <th>Loss</th> <th>Factor</th> <th>Factor</th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1 5734.68</td> <td>58.13</td> <td>68.20</td> <td>-10.07</td> <td>49.47</td> <td>34.57</td> <td>11.35</td> <td>37.26</td> <td>0.00</td> <td>102 301 PEAK</td> </tr> </tbody> </table>	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1 5734.68	58.13	68.20	-10.07	49.47	34.57	11.35	37.26	0.00	102 301 PEAK	Blank
Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																															
1 5734.68	58.13	68.20	-10.07	49.47	34.57	11.35	37.26	0.00	102 301 PEAK																															



Mode	41																																																																																																
	Band Edge - L																																																																																																
	U-NII-2C_5.47-5.725_802.11ax HE80_CH122_Full_5610MHz																																																																																																
ANT	CDD 1+2																																																																																																
Pol.	Vertical	Fundamental																																																																																															
Peak	<table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Aux</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>Margin</th> <th>Level</th> <th>Factor</th> <th>Loss</th> <th>Factor</th> <th>Factor</th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>5453.36</td> <td>56.34</td> <td>74.00</td> <td>-17.66</td> <td>48.10</td> <td>34.55</td> <td>10.96</td> <td>37.27</td> <td>0.00</td> <td>304</td> <td>95</td> <td>PEAK</td> </tr> <tr> <td>2</td> <td>5466.16</td> <td>58.55</td> <td>68.20</td> <td>-9.65</td> <td>50.30</td> <td>34.53</td> <td>10.98</td> <td>37.26</td> <td>0.00</td> <td>304</td> <td>95</td> <td>PEAK</td> </tr> </tbody> </table>	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5453.36	56.34	74.00	-17.66	48.10	34.55	10.96	37.27	0.00	304	95	PEAK	2	5466.16	58.55	68.20	-9.65	50.30	34.53	10.98	37.26	0.00	304	95	PEAK	<table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Aux</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>Margin</th> <th>Level</th> <th>Factor</th> <th>Loss</th> <th>Factor</th> <th>Factor</th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>5610.00</td> <td>109.24</td> <td>-----</td> <td>-----</td> <td>100.93</td> <td>34.42</td> <td>11.12</td> <td>37.23</td> <td>0.00</td> <td>304</td> <td>95</td> <td>PEAK</td> </tr> </tbody> </table>	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5610.00	109.24	-----	-----	100.93	34.42	11.12	37.23	0.00	304	95	PEAK
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																								
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																																																																									
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																								
1	5453.36	56.34	74.00	-17.66	48.10	34.55	10.96	37.27	0.00	304	95	PEAK																																																																																					
2	5466.16	58.55	68.20	-9.65	50.30	34.53	10.98	37.26	0.00	304	95	PEAK																																																																																					
Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																									
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																																																																									
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																								
1	5610.00	109.24	-----	-----	100.93	34.42	11.12	37.23	0.00	304	95	PEAK																																																																																					
Avg	<table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Aux</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>Margin</th> <th>Level</th> <th>Factor</th> <th>Loss</th> <th>Factor</th> <th>Factor</th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>5454.96</td> <td>48.74</td> <td>54.00</td> <td>-5.26</td> <td>40.49</td> <td>34.55</td> <td>10.96</td> <td>37.26</td> <td>0.00</td> <td>304</td> <td>95</td> <td>AVERAGE</td> </tr> </tbody> </table>	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5454.96	48.74	54.00	-5.26	40.49	34.55	10.96	37.26	0.00	304	95	AVERAGE	<table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Aux</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>Margin</th> <th>Level</th> <th>Factor</th> <th>Loss</th> <th>Factor</th> <th>Factor</th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>5610.00</td> <td>100.83</td> <td>-----</td> <td>-----</td> <td>92.40</td> <td>34.44</td> <td>11.21</td> <td>37.22</td> <td>0.00</td> <td>304</td> <td>95</td> <td>AVERAGE</td> </tr> </tbody> </table>	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5610.00	100.83	-----	-----	92.40	34.44	11.21	37.22	0.00	304	95	AVERAGE													
Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																									
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																																																																									
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																								
1	5454.96	48.74	54.00	-5.26	40.49	34.55	10.96	37.26	0.00	304	95	AVERAGE																																																																																					
Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																									
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																																																																									
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																								
1	5610.00	100.83	-----	-----	92.40	34.44	11.21	37.22	0.00	304	95	AVERAGE																																																																																					



Mode	41																																							
	Band Edge - R																																							
	U-NII-2C_5.47-5.725_802.11ax HE80_CH122_Full_5610MHz																																							
ANT	CDD 1+2																																							
Pol.	Vertical	Fundamental																																						
Peak	<table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Aux</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>Margin</th> <th>Level</th> <th>Factor</th> <th>Loss</th> <th>Factor</th> <th>Factor</th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1 5738.12</td> <td>65.79</td> <td>68.20</td> <td>-2.41</td> <td>57.12</td> <td>34.58</td> <td>11.35</td> <td>37.26</td> <td>0.00</td> <td>304 95 PEAK</td> </tr> </tbody> </table>	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1 5738.12	65.79	68.20	-2.41	57.12	34.58	11.35	37.26	0.00	304 95 PEAK	Blank
Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																															
1 5738.12	65.79	68.20	-2.41	57.12	34.58	11.35	37.26	0.00	304 95 PEAK																															






Mode	41																																																																																																																														
	Harmonic																																																																																																																														
	U-NII-2C_5.47-5.725_802.11ax HE80_CH122_Full_5610MHz																																																																																																																														
ANT	CDD 1+2																																																																																																																														
Pol.	Horizontal	Vertical																																																																																																																													
Peak Avg	<table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Aux</th> <th>APos</th> <th>TPos</th> <th colspan="2"></th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line Margin</th> <th>Level</th> <th>Factor</th> <th>Loss Factor</th> <th>Factor</th> <th></th> <th>cm</th> <th>deg</th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th></th> <th></th> </tr> </thead> <tbody> <tr> <td>1</td> <td>11220.00</td> <td>46.15</td> <td>74.00</td> <td>-27.85</td> <td>53.92</td> <td>38.08</td> <td>15.92</td> <td>61.77</td> <td>0.00</td> <td>--</td> <td>--</td> <td>PEAK</td> </tr> <tr> <td>2</td> <td>16830.00</td> <td>58.93</td> <td>68.20</td> <td>-9.27</td> <td>60.79</td> <td>41.11</td> <td>19.88</td> <td>62.85</td> <td>0.00</td> <td>306</td> <td>55</td> <td>PEAK</td> </tr> </tbody> </table>	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos			Freq	Level	Line Margin	Level	Factor	Loss Factor	Factor		cm	deg	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB			1	11220.00	46.15	74.00	-27.85	53.92	38.08	15.92	61.77	0.00	--	--	PEAK	2	16830.00	58.93	68.20	-9.27	60.79	41.11	19.88	62.85	0.00	306	55	PEAK	<table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Aux</th> <th>APos</th> <th>TPos</th> <th colspan="2"></th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line Margin</th> <th>Level</th> <th>Factor</th> <th>Loss Factor</th> <th>Factor</th> <th></th> <th>cm</th> <th>deg</th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th></th> <th></th> </tr> </thead> <tbody> <tr> <td>1</td> <td>11220.00</td> <td>53.31</td> <td>74.00</td> <td>-20.69</td> <td>61.08</td> <td>38.08</td> <td>15.92</td> <td>61.77</td> <td>0.00</td> <td>239</td> <td>103</td> <td>PEAK</td> </tr> <tr> <td>2</td> <td>11220.00</td> <td>49.03</td> <td>54.00</td> <td>-4.97</td> <td>56.76</td> <td>38.08</td> <td>15.94</td> <td>61.76</td> <td>0.00</td> <td>239</td> <td>103</td> <td>AVERAGE</td> </tr> <tr> <td>3</td> <td>16830.00</td> <td>61.71</td> <td>68.20</td> <td>-6.49</td> <td>63.57</td> <td>41.11</td> <td>19.88</td> <td>62.85</td> <td>0.00</td> <td>188</td> <td>300</td> <td>PEAK</td> </tr> </tbody> </table>	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos			Freq	Level	Line Margin	Level	Factor	Loss Factor	Factor		cm	deg	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB			1	11220.00	53.31	74.00	-20.69	61.08	38.08	15.92	61.77	0.00	239	103	PEAK	2	11220.00	49.03	54.00	-4.97	56.76	38.08	15.94	61.76	0.00	239	103	AVERAGE	3	16830.00	61.71	68.20	-6.49	63.57	41.11	19.88	62.85	0.00	188	300	PEAK
Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																																																								
Freq	Level	Line Margin	Level	Factor	Loss Factor	Factor		cm	deg																																																																																																																						
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB																																																																																																																								
1	11220.00	46.15	74.00	-27.85	53.92	38.08	15.92	61.77	0.00	--	--	PEAK																																																																																																																			
2	16830.00	58.93	68.20	-9.27	60.79	41.11	19.88	62.85	0.00	306	55	PEAK																																																																																																																			
Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																																																								
Freq	Level	Line Margin	Level	Factor	Loss Factor	Factor		cm	deg																																																																																																																						
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB																																																																																																																								
1	11220.00	53.31	74.00	-20.69	61.08	38.08	15.92	61.77	0.00	239	103	PEAK																																																																																																																			
2	11220.00	49.03	54.00	-4.97	56.76	38.08	15.94	61.76	0.00	239	103	AVERAGE																																																																																																																			
3	16830.00	61.71	68.20	-6.49	63.57	41.11	19.88	62.85	0.00	188	300	PEAK																																																																																																																			



	42																																																																																																										
Mode	Band Edge																																																																																																										
	U-NII-3_5.725-5.85_802.11a_CH149_5745MHZ																																																																																																										
ANT	CDD 1+2																																																																																																										
Pol.	Horizontal	Fundamental																																																																																																									
Peak	<table border="1"> <thead> <tr> <th>Peak</th> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Aux</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>5603.20</td> <td>49.97</td> <td>68.20</td> <td>-18.23</td> <td>41.65</td> <td>34.40</td> <td>11.15</td> <td>37.23</td> <td>0.00</td> <td>100</td> <td>295</td> <td>PEAK</td> </tr> <tr> <td>2</td> <td>5651.20</td> <td>46.98</td> <td>69.09</td> <td>-22.11</td> <td>38.53</td> <td>34.45</td> <td>11.22</td> <td>37.22</td> <td>0.00</td> <td>100</td> <td>295</td> <td>PEAK</td> </tr> <tr> <td>3</td> <td>5701.20</td> <td>48.51</td> <td>105.64</td> <td>-57.13</td> <td>39.96</td> <td>34.50</td> <td>11.29</td> <td>37.24</td> <td>0.00</td> <td>100</td> <td>295</td> <td>PEAK</td> </tr> <tr> <td>4</td> <td>5720.40</td> <td>49.99</td> <td>111.81</td> <td>-61.82</td> <td>41.38</td> <td>34.54</td> <td>11.32</td> <td>37.25</td> <td>0.00</td> <td>100</td> <td>295</td> <td>PEAK</td> </tr> </tbody> </table>	Peak	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5603.20	49.97	68.20	-18.23	41.65	34.40	11.15	37.23	0.00	100	295	PEAK	2	5651.20	46.98	69.09	-22.11	38.53	34.45	11.22	37.22	0.00	100	295	PEAK	3	5701.20	48.51	105.64	-57.13	39.96	34.50	11.29	37.24	0.00	100	295	PEAK	4	5720.40	49.99	111.81	-61.82	41.38	34.54	11.32	37.25	0.00	100	295	PEAK	<table border="1"> <thead> <tr> <th>Peak</th> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Aux</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>5745.00</td> <td>104.59</td> <td>-----</td> <td>-----</td> <td>95.88</td> <td>34.60</td> <td>11.37</td> <td>37.26</td> <td>0.00</td> <td>100</td> <td>295</td> <td>PEAK</td> </tr> </tbody> </table>	Peak	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5745.00	104.59	-----	-----	95.88	34.60	11.37	37.26	0.00	100	295	PEAK
	Peak	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																																	
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																		
1	5603.20	49.97	68.20	-18.23	41.65	34.40	11.15	37.23	0.00	100	295	PEAK																																																																																															
2	5651.20	46.98	69.09	-22.11	38.53	34.45	11.22	37.22	0.00	100	295	PEAK																																																																																															
3	5701.20	48.51	105.64	-57.13	39.96	34.50	11.29	37.24	0.00	100	295	PEAK																																																																																															
4	5720.40	49.99	111.81	-61.82	41.38	34.54	11.32	37.25	0.00	100	295	PEAK																																																																																															
Peak	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																																		
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																		
1	5745.00	104.59	-----	-----	95.88	34.60	11.37	37.26	0.00	100	295	PEAK																																																																																															
Avg	Blank																																																																																																										
		<table border="1"> <thead> <tr> <th>Peak</th> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Aux</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>5745.00</td> <td>96.15</td> <td>-----</td> <td>-----</td> <td>87.46</td> <td>34.59</td> <td>11.36</td> <td>37.26</td> <td>0.00</td> <td>100</td> <td>295</td> <td>AVERAGE</td> </tr> </tbody> </table>	Peak	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5745.00	96.15	-----	-----	87.46	34.59	11.36	37.26	0.00	100	295	AVERAGE																																																																								
Peak	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																																		
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																		
1	5745.00	96.15	-----	-----	87.46	34.59	11.36	37.26	0.00	100	295	AVERAGE																																																																																															



	42																																																																																																										
Mode	Band Edge																																																																																																										
	U-NII-3_5.725-5.85_802.11a_CH149_5745MHZ																																																																																																										
ANT	CDD 1+2																																																																																																										
Pol.	Vertical	Fundamental																																																																																																									
Peak	 <table border="1" data-bbox="263 1064 798 1243"> <thead> <tr> <th></th> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Aux</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>5611.60</td> <td>49.32</td> <td>68.20</td> <td>-18.88</td> <td>40.97</td> <td>34.41</td> <td>11.17</td> <td>37.23</td> <td>0.00</td> <td>200</td> <td>68</td> <td>PEAK</td> </tr> <tr> <td>2</td> <td>5658.80</td> <td>49.00</td> <td>68.80</td> <td>-19.80</td> <td>40.55</td> <td>34.45</td> <td>11.22</td> <td>37.22</td> <td>0.00</td> <td>200</td> <td>68</td> <td>PEAK</td> </tr> <tr> <td>3</td> <td>5720.00</td> <td>65.79</td> <td>110.90</td> <td>-45.11</td> <td>57.18</td> <td>34.54</td> <td>11.32</td> <td>37.25</td> <td>0.00</td> <td>200</td> <td>68</td> <td>PEAK</td> </tr> <tr> <td>4</td> <td>5720.00</td> <td>65.79</td> <td>110.90</td> <td>-45.11</td> <td>57.18</td> <td>34.54</td> <td>11.32</td> <td>37.25</td> <td>0.00</td> <td>200</td> <td>68</td> <td>PEAK</td> </tr> </tbody> </table>		Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5611.60	49.32	68.20	-18.88	40.97	34.41	11.17	37.23	0.00	200	68	PEAK	2	5658.80	49.00	68.80	-19.80	40.55	34.45	11.22	37.22	0.00	200	68	PEAK	3	5720.00	65.79	110.90	-45.11	57.18	34.54	11.32	37.25	0.00	200	68	PEAK	4	5720.00	65.79	110.90	-45.11	57.18	34.54	11.32	37.25	0.00	200	68	PEAK	 <table border="1" data-bbox="901 1064 1436 1243"> <thead> <tr> <th></th> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Aux</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>5745.00</td> <td>113.37</td> <td>-----</td> <td>-----</td> <td>104.70</td> <td>34.58</td> <td>11.35</td> <td>37.26</td> <td>0.00</td> <td>200</td> <td>68</td> <td>PEAK</td> </tr> </tbody> </table>		Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5745.00	113.37	-----	-----	104.70	34.58	11.35	37.26	0.00	200	68	PEAK
		Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																																	
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																		
1	5611.60	49.32	68.20	-18.88	40.97	34.41	11.17	37.23	0.00	200	68	PEAK																																																																																															
2	5658.80	49.00	68.80	-19.80	40.55	34.45	11.22	37.22	0.00	200	68	PEAK																																																																																															
3	5720.00	65.79	110.90	-45.11	57.18	34.54	11.32	37.25	0.00	200	68	PEAK																																																																																															
4	5720.00	65.79	110.90	-45.11	57.18	34.54	11.32	37.25	0.00	200	68	PEAK																																																																																															
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																																		
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																		
1	5745.00	113.37	-----	-----	104.70	34.58	11.35	37.26	0.00	200	68	PEAK																																																																																															
Avg	Blank	 <table border="1" data-bbox="901 1747 1436 1926"> <thead> <tr> <th></th> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Aux</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>5745.00</td> <td>105.27</td> <td>-----</td> <td>-----</td> <td>96.60</td> <td>34.58</td> <td>11.35</td> <td>37.26</td> <td>0.00</td> <td>200</td> <td>68</td> <td>AVERAGE</td> </tr> </tbody> </table>		Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5745.00	105.27	-----	-----	96.60	34.58	11.35	37.26	0.00	200	68	AVERAGE																																																																								
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																																		
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																		
1	5745.00	105.27	-----	-----	96.60	34.58	11.35	37.26	0.00	200	68	AVERAGE																																																																																															



Mode	42																																																																																																																															
	Harmonic																																																																																																																															
	U-NII-3_5.725-5.85_802.11a_CH149_5745MHZ																																																																																																																															
ANT	CDD 1+2																																																																																																																															
Pol.	Horizontal	Vertical																																																																																																																														
Peak Avg																																																																																																																																
	<table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Aux</th> <th>APos</th> <th>TPos</th> <th colspan="2">Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line Margin</th> <th>Level</th> <th>Factor</th> <th>Loss Factor</th> <th>Factor</th> <th></th> <th>cm</th> <th>deg</th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>11490.00</td> <td>47.13</td> <td>74.00</td> <td>-26.87</td> <td>54.37</td> <td>38.29</td> <td>16.12</td> <td>61.65</td> <td>0.00</td> <td>--</td> <td>--</td> <td>PEAK</td> </tr> <tr> <td>2</td> <td>17235.00</td> <td>62.92</td> <td>68.20</td> <td>-5.28</td> <td>64.44</td> <td>41.25</td> <td>20.18</td> <td>62.95</td> <td>0.00</td> <td>348</td> <td>55</td> <td>PEAK</td> </tr> </tbody> </table>	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark		Freq	Level	Line Margin	Level	Factor	Loss Factor	Factor		cm	deg	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1	11490.00	47.13	74.00	-26.87	54.37	38.29	16.12	61.65	0.00	--	--	PEAK	2	17235.00	62.92	68.20	-5.28	64.44	41.25	20.18	62.95	0.00	348	55	PEAK	<table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Aux</th> <th>APos</th> <th>TPos</th> <th colspan="2">Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line Margin</th> <th>Level</th> <th>Factor</th> <th>Loss Factor</th> <th>Factor</th> <th></th> <th>cm</th> <th>deg</th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>11490.00</td> <td>59.55</td> <td>74.00</td> <td>-14.45</td> <td>66.79</td> <td>38.29</td> <td>16.12</td> <td>61.65</td> <td>0.00</td> <td>264</td> <td>327</td> <td>Peak</td> </tr> <tr> <td>2</td> <td>11490.00</td> <td>49.66</td> <td>54.00</td> <td>-4.34</td> <td>56.90</td> <td>38.29</td> <td>16.12</td> <td>61.65</td> <td>0.00</td> <td>264</td> <td>327</td> <td>Average</td> </tr> <tr> <td>3</td> <td>17235.00</td> <td>66.88</td> <td>68.20</td> <td>-1.32</td> <td>68.39</td> <td>41.25</td> <td>20.19</td> <td>62.95</td> <td>0.00</td> <td>216</td> <td>300</td> <td>PEAK</td> </tr> </tbody> </table>	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark		Freq	Level	Line Margin	Level	Factor	Loss Factor	Factor		cm	deg	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1	11490.00	59.55	74.00	-14.45	66.79	38.29	16.12	61.65	0.00	264	327	Peak	2	11490.00	49.66	54.00	-4.34	56.90	38.29	16.12	61.65	0.00	264	327	Average	3	17235.00	66.88	68.20	-1.32	68.39	41.25	20.19	62.95	0.00	216	300
Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																																																								
Freq	Level	Line Margin	Level	Factor	Loss Factor	Factor		cm	deg																																																																																																																							
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																																																																						
1	11490.00	47.13	74.00	-26.87	54.37	38.29	16.12	61.65	0.00	--	--	PEAK																																																																																																																				
2	17235.00	62.92	68.20	-5.28	64.44	41.25	20.18	62.95	0.00	348	55	PEAK																																																																																																																				
Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																																																								
Freq	Level	Line Margin	Level	Factor	Loss Factor	Factor		cm	deg																																																																																																																							
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																																																																						
1	11490.00	59.55	74.00	-14.45	66.79	38.29	16.12	61.65	0.00	264	327	Peak																																																																																																																				
2	11490.00	49.66	54.00	-4.34	56.90	38.29	16.12	61.65	0.00	264	327	Average																																																																																																																				
3	17235.00	66.88	68.20	-1.32	68.39	41.25	20.19	62.95	0.00	216	300	PEAK																																																																																																																				



Mode	43																																																																																																																																																	
	Harmonic																																																																																																																																																	
	U-NII-3_5.725-5.85_802.11a_CH157_5785MHz																																																																																																																																																	
ANT	CDD 1+2																																																																																																																																																	
Pol.	Horizontal	Vertical																																																																																																																																																
Peak Avg	<table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Aux</th> <th>APos</th> <th>TPos</th> <th>Freq</th> <th>Level</th> <th>Line Margin</th> <th>Level</th> <th>Factor</th> <th>Loss Factor</th> <th>Factor</th> <th>Remark</th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> <th></th> <th></th> <th></th> <th></th> <th></th> <th></th> </tr> </thead> <tbody> <tr> <td>1</td> <td>11570.00</td> <td>44.84</td> <td>74.00</td> <td>-29.16</td> <td>51.83</td> <td>38.36</td> <td>16.18</td> <td>61.53</td> <td>0.00</td> <td>--</td> <td>--</td> <td>--</td> <td>--</td> <td>--</td> <td>PEAK</td> </tr> <tr> <td>2</td> <td>17355.00</td> <td>61.03</td> <td>68.20</td> <td>-7.17</td> <td>62.39</td> <td>41.27</td> <td>20.29</td> <td>62.92</td> <td>0.00</td> <td></td> <td></td> <td></td> <td></td> <td></td> <td>9 PEAK</td> </tr> </tbody> </table>	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Freq	Level	Line Margin	Level	Factor	Loss Factor	Factor	Remark	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg							1	11570.00	44.84	74.00	-29.16	51.83	38.36	16.18	61.53	0.00	--	--	--	--	--	PEAK	2	17355.00	61.03	68.20	-7.17	62.39	41.27	20.29	62.92	0.00						9 PEAK	<table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Aux</th> <th>APos</th> <th>TPos</th> <th>Freq</th> <th>Level</th> <th>Line Margin</th> <th>Level</th> <th>Factor</th> <th>Loss Factor</th> <th>Factor</th> <th>Remark</th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> <th></th> <th></th> <th></th> <th></th> <th></th> <th></th> </tr> </thead> <tbody> <tr> <td>1</td> <td>11570.00</td> <td>57.96</td> <td>74.00</td> <td>-16.04</td> <td>64.95</td> <td>38.36</td> <td>16.18</td> <td>61.53</td> <td>0.00</td> <td>296</td> <td>328</td> <td>Peak</td> <td></td> <td></td> <td>Peak</td> </tr> <tr> <td>2</td> <td>11570.00</td> <td>48.25</td> <td>54.00</td> <td>-5.75</td> <td>55.24</td> <td>38.36</td> <td>16.18</td> <td>61.53</td> <td>0.00</td> <td>296</td> <td>328</td> <td>Average</td> <td></td> <td></td> <td>Average</td> </tr> <tr> <td>3</td> <td>17355.00</td> <td>67.23</td> <td>68.20</td> <td>-0.97</td> <td>68.59</td> <td>41.27</td> <td>20.29</td> <td>62.92</td> <td>0.00</td> <td>216</td> <td>300</td> <td>PEAK</td> <td></td> <td></td> <td>PEAK</td> </tr> </tbody> </table>	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Freq	Level	Line Margin	Level	Factor	Loss Factor	Factor	Remark	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg							1	11570.00	57.96	74.00	-16.04	64.95	38.36	16.18	61.53	0.00	296	328	Peak			Peak	2	11570.00	48.25	54.00	-5.75	55.24	38.36	16.18	61.53	0.00	296	328	Average			Average	3	17355.00	67.23	68.20	-0.97	68.59	41.27	20.29	62.92	0.00	216	300	PEAK			PEAK
Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Freq	Level	Line Margin	Level	Factor	Loss Factor	Factor	Remark																																																																																																																																			
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																																																									
1	11570.00	44.84	74.00	-29.16	51.83	38.36	16.18	61.53	0.00	--	--	--	--	--	PEAK																																																																																																																																			
2	17355.00	61.03	68.20	-7.17	62.39	41.27	20.29	62.92	0.00						9 PEAK																																																																																																																																			
Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Freq	Level	Line Margin	Level	Factor	Loss Factor	Factor	Remark																																																																																																																																			
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																																																									
1	11570.00	57.96	74.00	-16.04	64.95	38.36	16.18	61.53	0.00	296	328	Peak			Peak																																																																																																																																			
2	11570.00	48.25	54.00	-5.75	55.24	38.36	16.18	61.53	0.00	296	328	Average			Average																																																																																																																																			
3	17355.00	67.23	68.20	-0.97	68.59	41.27	20.29	62.92	0.00	216	300	PEAK			PEAK																																																																																																																																			



Mode	44																																																																																																						
	Band Edge																																																																																																						
	U-NII-3_5.725-5.85_802.11a_CH165_5825MHZ																																																																																																						
ANT	CDD 1+2																																																																																																						
Pol.	Horizontal	Fundamental																																																																																																					
Peak	<table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Aux</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line Margin</th> <th>Level</th> <th>Factor</th> <th>Loss Factor</th> <th>Factor</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>5854.40</td> <td>49.18</td> <td>112.27</td> <td>-63.09</td> <td>40.07</td> <td>34.92</td> <td>11.49</td> <td>37.30</td> <td>0.00</td> <td>100</td> <td>43</td> <td>PEAK</td> </tr> <tr> <td>2</td> <td>5874.80</td> <td>48.20</td> <td>105.36</td> <td>-57.16</td> <td>38.98</td> <td>35.00</td> <td>11.51</td> <td>37.29</td> <td>0.00</td> <td>100</td> <td>43</td> <td>PEAK</td> </tr> <tr> <td>3</td> <td>5923.60</td> <td>49.90</td> <td>69.23</td> <td>-19.33</td> <td>40.46</td> <td>35.17</td> <td>11.55</td> <td>37.28</td> <td>0.00</td> <td>100</td> <td>43</td> <td>PEAK</td> </tr> <tr> <td>4</td> <td>5969.20</td> <td>49.82</td> <td>68.20</td> <td>-18.38</td> <td>40.19</td> <td>35.31</td> <td>11.59</td> <td>37.27</td> <td>0.00</td> <td>100</td> <td>43</td> <td>PEAK</td> </tr> </tbody> </table>	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line Margin	Level	Factor	Loss Factor	Factor	cm	deg	1	5854.40	49.18	112.27	-63.09	40.07	34.92	11.49	37.30	0.00	100	43	PEAK	2	5874.80	48.20	105.36	-57.16	38.98	35.00	11.51	37.29	0.00	100	43	PEAK	3	5923.60	49.90	69.23	-19.33	40.46	35.17	11.55	37.28	0.00	100	43	PEAK	4	5969.20	49.82	68.20	-18.38	40.19	35.31	11.59	37.27	0.00	100	43	PEAK	<table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Aux</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line Margin</th> <th>Level</th> <th>Factor</th> <th>Loss Factor</th> <th>Factor</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>5825.00</td> <td>100.51</td> <td>-----</td> <td>-----</td> <td>91.51</td> <td>34.82</td> <td>11.47</td> <td>37.29</td> <td>0.00</td> <td>100</td> <td>43</td> <td>PEAK</td> </tr> </tbody> </table>	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line Margin	Level	Factor	Loss Factor	Factor	cm	deg	1	5825.00	100.51	-----	-----	91.51	34.82	11.47	37.29	0.00	100	43	PEAK
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																														
Freq	Level	Line Margin	Level	Factor	Loss Factor	Factor	cm	deg																																																																																															
1	5854.40	49.18	112.27	-63.09	40.07	34.92	11.49	37.30	0.00	100	43	PEAK																																																																																											
2	5874.80	48.20	105.36	-57.16	38.98	35.00	11.51	37.29	0.00	100	43	PEAK																																																																																											
3	5923.60	49.90	69.23	-19.33	40.46	35.17	11.55	37.28	0.00	100	43	PEAK																																																																																											
4	5969.20	49.82	68.20	-18.38	40.19	35.31	11.59	37.27	0.00	100	43	PEAK																																																																																											
Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																															
Freq	Level	Line Margin	Level	Factor	Loss Factor	Factor	cm	deg																																																																																															
1	5825.00	100.51	-----	-----	91.51	34.82	11.47	37.29	0.00	100	43	PEAK																																																																																											
Avg	Blank	<table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Aux</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line Margin</th> <th>Level</th> <th>Factor</th> <th>Loss Factor</th> <th>Factor</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>5825.00</td> <td>93.48</td> <td>-----</td> <td>-----</td> <td>84.54</td> <td>34.77</td> <td>11.46</td> <td>37.29</td> <td>0.00</td> <td>100</td> <td>43</td> <td>AVERAGE</td> </tr> </tbody> </table>	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line Margin	Level	Factor	Loss Factor	Factor	cm	deg	1	5825.00	93.48	-----	-----	84.54	34.77	11.46	37.29	0.00	100	43	AVERAGE																																																																						
Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																															
Freq	Level	Line Margin	Level	Factor	Loss Factor	Factor	cm	deg																																																																																															
1	5825.00	93.48	-----	-----	84.54	34.77	11.46	37.29	0.00	100	43	AVERAGE																																																																																											



	44																																																																																																									
Mode	Band Edge																																																																																																									
	U-NII-3_5.725-5.85_802.11a_CH165_5825MHZ																																																																																																									
ANT	CDD 1+2																																																																																																									
Pol.	Vertical	Fundamental																																																																																																								
Peak	<table border="1"> <thead> <tr> <th></th> <th>Limit Freq</th> <th>Limit Level</th> <th>Read Level</th> <th>Ant Level</th> <th>Cable Loss</th> <th>Preamp Loss</th> <th>Aux Loss</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th></th> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>5854.00</td> <td>53.25</td> <td>111.36</td> <td>-58.11</td> <td>44.14</td> <td>34.92</td> <td>11.49</td> <td>37.30</td> <td>0.00</td> <td>287</td> <td>95 PEAK</td> </tr> <tr> <td>2</td> <td>5874.40</td> <td>51.77</td> <td>105.47</td> <td>-53.70</td> <td>42.55</td> <td>35.00</td> <td>11.51</td> <td>37.29</td> <td>0.00</td> <td>287</td> <td>95 PEAK</td> </tr> <tr> <td>3</td> <td>5924.80</td> <td>48.69</td> <td>68.35</td> <td>-19.66</td> <td>39.25</td> <td>35.17</td> <td>11.55</td> <td>37.28</td> <td>0.00</td> <td>287</td> <td>95 PEAK</td> </tr> <tr> <td>4</td> <td>5949.60</td> <td>51.10</td> <td>68.20</td> <td>-17.10</td> <td>41.55</td> <td>35.25</td> <td>11.57</td> <td>37.27</td> <td>0.00</td> <td>287</td> <td>95 PEAK</td> </tr> </tbody> </table>		Limit Freq	Limit Level	Read Level	Ant Level	Cable Loss	Preamp Loss	Aux Loss	APos	TPos	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5854.00	53.25	111.36	-58.11	44.14	34.92	11.49	37.30	0.00	287	95 PEAK	2	5874.40	51.77	105.47	-53.70	42.55	35.00	11.51	37.29	0.00	287	95 PEAK	3	5924.80	48.69	68.35	-19.66	39.25	35.17	11.55	37.28	0.00	287	95 PEAK	4	5949.60	51.10	68.20	-17.10	41.55	35.25	11.57	37.27	0.00	287	95 PEAK	<table border="1"> <thead> <tr> <th></th> <th>Limit Freq</th> <th>Limit Level</th> <th>Read Level</th> <th>Ant Level</th> <th>Cable Loss</th> <th>Preamp Loss</th> <th>Aux Loss</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th></th> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>5825.00</td> <td>112.01</td> <td>-----</td> <td>-----</td> <td>103.03</td> <td>34.80</td> <td>11.47</td> <td>37.29</td> <td>0.00</td> <td>287</td> <td>95 PEAK</td> </tr> </tbody> </table>		Limit Freq	Limit Level	Read Level	Ant Level	Cable Loss	Preamp Loss	Aux Loss	APos	TPos	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5825.00	112.01	-----	-----	103.03	34.80	11.47	37.29	0.00	287	95 PEAK
		Limit Freq	Limit Level	Read Level	Ant Level	Cable Loss	Preamp Loss	Aux Loss	APos	TPos	Remark																																																																																															
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																
1	5854.00	53.25	111.36	-58.11	44.14	34.92	11.49	37.30	0.00	287	95 PEAK																																																																																															
2	5874.40	51.77	105.47	-53.70	42.55	35.00	11.51	37.29	0.00	287	95 PEAK																																																																																															
3	5924.80	48.69	68.35	-19.66	39.25	35.17	11.55	37.28	0.00	287	95 PEAK																																																																																															
4	5949.60	51.10	68.20	-17.10	41.55	35.25	11.57	37.27	0.00	287	95 PEAK																																																																																															
	Limit Freq	Limit Level	Read Level	Ant Level	Cable Loss	Preamp Loss	Aux Loss	APos	TPos	Remark																																																																																																
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																
1	5825.00	112.01	-----	-----	103.03	34.80	11.47	37.29	0.00	287	95 PEAK																																																																																															
Avg	Blank	<table border="1"> <thead> <tr> <th></th> <th>Limit Freq</th> <th>Limit Level</th> <th>Read Level</th> <th>Ant Level</th> <th>Cable Loss</th> <th>Preamp Loss</th> <th>Aux Loss</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th></th> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>5825.00</td> <td>103.99</td> <td>-----</td> <td>-----</td> <td>95.01</td> <td>34.80</td> <td>11.47</td> <td>37.29</td> <td>0.00</td> <td>287</td> <td>95 AVERAGE</td> </tr> </tbody> </table>		Limit Freq	Limit Level	Read Level	Ant Level	Cable Loss	Preamp Loss	Aux Loss	APos	TPos	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5825.00	103.99	-----	-----	95.01	34.80	11.47	37.29	0.00	287	95 AVERAGE																																																																						
	Limit Freq	Limit Level	Read Level	Ant Level	Cable Loss	Preamp Loss	Aux Loss	APos	TPos	Remark																																																																																																
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																
1	5825.00	103.99	-----	-----	95.01	34.80	11.47	37.29	0.00	287	95 AVERAGE																																																																																															






Mode	44																																																																																																													
	Harmonic																																																																																																													
	U-NII-3_5.725-5.85_802.11a_CH165_5825MHZ																																																																																																													
ANT	CDD 1+2																																																																																																													
Pol.	Horizontal	Vertical																																																																																																												
Peak Avg	<table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Aux</th> <th>APos</th> <th>TPos</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line Margin</th> <th>Level</th> <th>Factor</th> <th>Loss Factor</th> <th>Factor</th> <th>Remark</th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> </tr> </thead> <tbody> <tr> <td>1 11650.00</td> <td>46.78</td> <td>74.00</td> <td>-27.22</td> <td>53.53</td> <td>38.42</td> <td>16.23</td> <td>61.40</td> <td>0.00</td> <td>--</td> <td>--</td> <td>PEAK</td> </tr> <tr> <td>2 17475.00</td> <td>61.47</td> <td>68.20</td> <td>-6.73</td> <td>62.68</td> <td>41.29</td> <td>20.39</td> <td>62.89</td> <td>0.00</td> <td>346</td> <td>8</td> <td>PEAK</td> </tr> </tbody> </table>	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Freq	Level	Line Margin	Level	Factor	Loss Factor	Factor	Remark	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	1 11650.00	46.78	74.00	-27.22	53.53	38.42	16.23	61.40	0.00	--	--	PEAK	2 17475.00	61.47	68.20	-6.73	62.68	41.29	20.39	62.89	0.00	346	8	PEAK	<table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Aux</th> <th>APos</th> <th>TPos</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line Margin</th> <th>Level</th> <th>Factor</th> <th>Loss Factor</th> <th>Factor</th> <th>Remark</th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> </tr> </thead> <tbody> <tr> <td>1 11650.00</td> <td>57.98</td> <td>74.00</td> <td>-16.02</td> <td>64.72</td> <td>38.42</td> <td>16.24</td> <td>61.40</td> <td>0.00</td> <td>310</td> <td>328</td> <td>Peak</td> </tr> <tr> <td>2 11650.00</td> <td>47.18</td> <td>54.00</td> <td>-6.82</td> <td>53.93</td> <td>38.42</td> <td>16.23</td> <td>61.40</td> <td>0.00</td> <td>310</td> <td>328</td> <td>Average</td> </tr> <tr> <td>3 17475.00</td> <td>67.03</td> <td>68.20</td> <td>-1.17</td> <td>68.24</td> <td>41.29</td> <td>20.39</td> <td>62.89</td> <td>0.00</td> <td>212</td> <td>300</td> <td>PEAK</td> </tr> </tbody> </table>	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Freq	Level	Line Margin	Level	Factor	Loss Factor	Factor	Remark	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	1 11650.00	57.98	74.00	-16.02	64.72	38.42	16.24	61.40	0.00	310	328	Peak	2 11650.00	47.18	54.00	-6.82	53.93	38.42	16.23	61.40	0.00	310	328	Average	3 17475.00	67.03	68.20	-1.17	68.24	41.29	20.39	62.89	0.00	212	300	PEAK
Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																																							
Freq	Level	Line Margin	Level	Factor	Loss Factor	Factor	Remark																																																																																																							
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB																																																																																																							
1 11650.00	46.78	74.00	-27.22	53.53	38.42	16.23	61.40	0.00	--	--	PEAK																																																																																																			
2 17475.00	61.47	68.20	-6.73	62.68	41.29	20.39	62.89	0.00	346	8	PEAK																																																																																																			
Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																																							
Freq	Level	Line Margin	Level	Factor	Loss Factor	Factor	Remark																																																																																																							
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB																																																																																																							
1 11650.00	57.98	74.00	-16.02	64.72	38.42	16.24	61.40	0.00	310	328	Peak																																																																																																			
2 11650.00	47.18	54.00	-6.82	53.93	38.42	16.23	61.40	0.00	310	328	Average																																																																																																			
3 17475.00	67.03	68.20	-1.17	68.24	41.29	20.39	62.89	0.00	212	300	PEAK																																																																																																			



Mode	45																																																																																																																						
	Band Edge																																																																																																																						
	U-NII-3_5.725-5.85_802.11ax HE20_CH149_Full_5745MHz																																																																																																																						
ANT	CDD 1+2																																																																																																																						
Pol.	Horizontal	Fundamental																																																																																																																					
Peak	<table border="1"> <thead> <tr> <th>Peak</th> <th>Freq</th> <th>Level</th> <th>Limit</th> <th>Line Margin</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Aux</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th></th> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> <th></th> </tr> </thead> <tbody> <tr> <td>1</td> <td>5620.40</td> <td>49.17</td> <td>68.20</td> <td>-19.03</td> <td>40.79</td> <td>34.42</td> <td>11.18</td> <td>37.22</td> <td>0.00</td> <td>100</td> <td></td> <td>56 PEAK</td> </tr> <tr> <td>2</td> <td>5652.40</td> <td>48.76</td> <td>69.99</td> <td>-21.23</td> <td>40.31</td> <td>34.45</td> <td>11.22</td> <td>37.22</td> <td>0.00</td> <td>100</td> <td></td> <td>56 PEAK</td> </tr> <tr> <td>3</td> <td>5700.80</td> <td>48.38</td> <td>105.52</td> <td>-57.14</td> <td>39.83</td> <td>34.50</td> <td>11.29</td> <td>37.24</td> <td>0.00</td> <td>100</td> <td></td> <td>56 PEAK</td> </tr> <tr> <td>4</td> <td>5720.00</td> <td>50.04</td> <td>110.90</td> <td>-60.86</td> <td>41.43</td> <td>34.54</td> <td>11.32</td> <td>37.25</td> <td>0.00</td> <td>100</td> <td></td> <td>56 PEAK</td> </tr> </tbody> </table>	Peak	Freq	Level	Limit	Line Margin	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg		1	5620.40	49.17	68.20	-19.03	40.79	34.42	11.18	37.22	0.00	100		56 PEAK	2	5652.40	48.76	69.99	-21.23	40.31	34.45	11.22	37.22	0.00	100		56 PEAK	3	5700.80	48.38	105.52	-57.14	39.83	34.50	11.29	37.24	0.00	100		56 PEAK	4	5720.00	50.04	110.90	-60.86	41.43	34.54	11.32	37.25	0.00	100		56 PEAK	<table border="1"> <thead> <tr> <th>Peak</th> <th>Freq</th> <th>Level</th> <th>Limit</th> <th>Line Margin</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Aux</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th></th> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> <th></th> </tr> </thead> <tbody> <tr> <td>1</td> <td>5745.00</td> <td>102.33</td> <td>-----</td> <td>-----</td> <td>93.64</td> <td>34.59</td> <td>11.36</td> <td>37.26</td> <td>0.00</td> <td>100</td> <td></td> <td>56 PEAK</td> </tr> </tbody> </table>	Peak	Freq	Level	Limit	Line Margin	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg		1	5745.00	102.33	-----	-----	93.64	34.59	11.36	37.26	0.00	100		56 PEAK
Peak	Freq	Level	Limit	Line Margin	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																																											
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																																																												
1	5620.40	49.17	68.20	-19.03	40.79	34.42	11.18	37.22	0.00	100		56 PEAK																																																																																																											
2	5652.40	48.76	69.99	-21.23	40.31	34.45	11.22	37.22	0.00	100		56 PEAK																																																																																																											
3	5700.80	48.38	105.52	-57.14	39.83	34.50	11.29	37.24	0.00	100		56 PEAK																																																																																																											
4	5720.00	50.04	110.90	-60.86	41.43	34.54	11.32	37.25	0.00	100		56 PEAK																																																																																																											
Peak	Freq	Level	Limit	Line Margin	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																																											
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																																																												
1	5745.00	102.33	-----	-----	93.64	34.59	11.36	37.26	0.00	100		56 PEAK																																																																																																											
Avg	Blank	<table border="1"> <thead> <tr> <th>Peak</th> <th>Freq</th> <th>Level</th> <th>Limit</th> <th>Line Margin</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Aux</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th></th> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> <th></th> </tr> </thead> <tbody> <tr> <td>1</td> <td>5745.00</td> <td>94.80</td> <td>-----</td> <td>-----</td> <td>86.13</td> <td>34.58</td> <td>11.35</td> <td>37.26</td> <td>0.00</td> <td>100</td> <td></td> <td>56 AVERAGE</td> </tr> </tbody> </table>	Peak	Freq	Level	Limit	Line Margin	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg		1	5745.00	94.80	-----	-----	86.13	34.58	11.35	37.26	0.00	100		56 AVERAGE																																																																														
Peak	Freq	Level	Limit	Line Margin	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																																											
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																																																												
1	5745.00	94.80	-----	-----	86.13	34.58	11.35	37.26	0.00	100		56 AVERAGE																																																																																																											



Mode	45																																																																																																																						
	Band Edge																																																																																																																						
	U-NII-3_5.725-5.85_802.11ax HE20_CH149_Full_5745MHz																																																																																																																						
ANT	CDD 1+2																																																																																																																						
Pol.	Vertical	Fundamental																																																																																																																					
Peak	 <table border="1"> <thead> <tr> <th>Peak</th> <th>Freq</th> <th>Level</th> <th>Limit</th> <th>Line Margin</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Aux</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th></th> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>5610.00</td> <td>49.00</td> <td>68.20</td> <td>-19.20</td> <td>40.65</td> <td>34.41</td> <td>11.17</td> <td>37.23</td> <td>0.00</td> <td>100</td> <td>73</td> <td>PEAK</td> </tr> <tr> <td>2</td> <td>5651.20</td> <td>47.96</td> <td>69.09</td> <td>-21.13</td> <td>39.51</td> <td>34.45</td> <td>11.22</td> <td>37.22</td> <td>0.00</td> <td>100</td> <td>73</td> <td>PEAK</td> </tr> <tr> <td>3</td> <td>5709.20</td> <td>62.15</td> <td>107.88</td> <td>-45.73</td> <td>53.58</td> <td>34.52</td> <td>11.30</td> <td>37.25</td> <td>0.00</td> <td>100</td> <td>73</td> <td>PEAK</td> </tr> <tr> <td>4</td> <td>5720.00</td> <td>60.90</td> <td>110.90</td> <td>-50.00</td> <td>52.29</td> <td>34.54</td> <td>11.32</td> <td>37.25</td> <td>0.00</td> <td>100</td> <td>73</td> <td>PEAK</td> </tr> </tbody> </table>	Peak	Freq	Level	Limit	Line Margin	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	dB	cm	deg	1	5610.00	49.00	68.20	-19.20	40.65	34.41	11.17	37.23	0.00	100	73	PEAK	2	5651.20	47.96	69.09	-21.13	39.51	34.45	11.22	37.22	0.00	100	73	PEAK	3	5709.20	62.15	107.88	-45.73	53.58	34.52	11.30	37.25	0.00	100	73	PEAK	4	5720.00	60.90	110.90	-50.00	52.29	34.54	11.32	37.25	0.00	100	73	PEAK	 <table border="1"> <thead> <tr> <th>Peak</th> <th>Freq</th> <th>Level</th> <th>Limit</th> <th>Line Margin</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Aux</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th></th> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>5745.00</td> <td>114.77</td> <td>-----</td> <td>-----</td> <td>106.08</td> <td>34.59</td> <td>11.36</td> <td>37.26</td> <td>0.00</td> <td>100</td> <td>73</td> <td>PEAK</td> </tr> </tbody> </table>	Peak	Freq	Level	Limit	Line Margin	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	dB	cm	deg	1	5745.00	114.77	-----	-----	106.08	34.59	11.36	37.26	0.00	100	73	PEAK
	Peak	Freq	Level	Limit	Line Margin	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																																										
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	dB	cm	deg																																																																																																											
1	5610.00	49.00	68.20	-19.20	40.65	34.41	11.17	37.23	0.00	100	73	PEAK																																																																																																											
2	5651.20	47.96	69.09	-21.13	39.51	34.45	11.22	37.22	0.00	100	73	PEAK																																																																																																											
3	5709.20	62.15	107.88	-45.73	53.58	34.52	11.30	37.25	0.00	100	73	PEAK																																																																																																											
4	5720.00	60.90	110.90	-50.00	52.29	34.54	11.32	37.25	0.00	100	73	PEAK																																																																																																											
Peak	Freq	Level	Limit	Line Margin	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																																											
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	dB	cm	deg																																																																																																											
1	5745.00	114.77	-----	-----	106.08	34.59	11.36	37.26	0.00	100	73	PEAK																																																																																																											
Avg	Blank	 <table border="1"> <thead> <tr> <th>Peak</th> <th>Freq</th> <th>Level</th> <th>Limit</th> <th>Line Margin</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Aux</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th></th> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>5745.00</td> <td>104.85</td> <td>-----</td> <td>-----</td> <td>96.16</td> <td>34.59</td> <td>11.36</td> <td>37.26</td> <td>0.00</td> <td>100</td> <td>73</td> <td>AVERAGE</td> </tr> </tbody> </table>	Peak	Freq	Level	Limit	Line Margin	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	dB	cm	deg	1	5745.00	104.85	-----	-----	96.16	34.59	11.36	37.26	0.00	100	73	AVERAGE																																																																														
Peak	Freq	Level	Limit	Line Margin	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																																											
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	dB	cm	deg																																																																																																											
1	5745.00	104.85	-----	-----	96.16	34.59	11.36	37.26	0.00	100	73	AVERAGE																																																																																																											



Mode	45																																																																																																																		
	Harmonic																																																																																																																		
	U-NII-3_5.725-5.85_802.11ax HE20_CH149_Full_5745MHz																																																																																																																		
ANT	CDD 1+2																																																																																																																		
Pol.	Horizontal	Vertical																																																																																																																	
Peak Avg	<table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Aux</th> <th>APos</th> <th>TPos</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line Margin</th> <th>Level</th> <th>Factor</th> <th>Loss Factor</th> <th>Factor</th> <th>Remark</th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>11490.00</td> <td>46.83</td> <td>74.00</td> <td>-27.17</td> <td>54.07</td> <td>38.29</td> <td>16.12</td> <td>61.65</td> <td>0.00</td> <td>--</td> <td>--</td> <td>PEAK</td> </tr> <tr> <td>2</td> <td>17235.00</td> <td>61.35</td> <td>68.20</td> <td>-6.85</td> <td>62.88</td> <td>41.25</td> <td>20.18</td> <td>62.96</td> <td>0.00</td> <td>327</td> <td>53</td> <td>PEAK</td> </tr> </tbody> </table>	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Freq	Level	Line Margin	Level	Factor	Loss Factor	Factor	Remark	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	1	11490.00	46.83	74.00	-27.17	54.07	38.29	16.12	61.65	0.00	--	--	PEAK	2	17235.00	61.35	68.20	-6.85	62.88	41.25	20.18	62.96	0.00	327	53	PEAK	<table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Aux</th> <th>APos</th> <th>TPos</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line Margin</th> <th>Level</th> <th>Factor</th> <th>Loss Factor</th> <th>Factor</th> <th>Remark</th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>11490.00</td> <td>57.58</td> <td>74.00</td> <td>-16.42</td> <td>64.81</td> <td>38.30</td> <td>16.12</td> <td>61.65</td> <td>0.00</td> <td>264</td> <td>326</td> <td>Peak</td> </tr> <tr> <td>2</td> <td>11490.00</td> <td>49.40</td> <td>54.00</td> <td>-4.60</td> <td>56.64</td> <td>38.29</td> <td>16.12</td> <td>61.65</td> <td>0.00</td> <td>264</td> <td>326</td> <td>Average</td> </tr> <tr> <td>3</td> <td>17235.00</td> <td>66.56</td> <td>68.20</td> <td>-1.64</td> <td>68.09</td> <td>41.25</td> <td>20.18</td> <td>62.96</td> <td>0.00</td> <td>218</td> <td>304</td> <td>PEAK</td> </tr> </tbody> </table>	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Freq	Level	Line Margin	Level	Factor	Loss Factor	Factor	Remark	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	1	11490.00	57.58	74.00	-16.42	64.81	38.30	16.12	61.65	0.00	264	326	Peak	2	11490.00	49.40	54.00	-4.60	56.64	38.29	16.12	61.65	0.00	264	326	Average	3	17235.00	66.56	68.20	-1.64	68.09	41.25	20.18	62.96	0.00	218	304	PEAK
Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																																												
Freq	Level	Line Margin	Level	Factor	Loss Factor	Factor	Remark																																																																																																												
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB																																																																																																												
1	11490.00	46.83	74.00	-27.17	54.07	38.29	16.12	61.65	0.00	--	--	PEAK																																																																																																							
2	17235.00	61.35	68.20	-6.85	62.88	41.25	20.18	62.96	0.00	327	53	PEAK																																																																																																							
Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																																												
Freq	Level	Line Margin	Level	Factor	Loss Factor	Factor	Remark																																																																																																												
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB																																																																																																												
1	11490.00	57.58	74.00	-16.42	64.81	38.30	16.12	61.65	0.00	264	326	Peak																																																																																																							
2	11490.00	49.40	54.00	-4.60	56.64	38.29	16.12	61.65	0.00	264	326	Average																																																																																																							
3	17235.00	66.56	68.20	-1.64	68.09	41.25	20.18	62.96	0.00	218	304	PEAK																																																																																																							



Mode	46																																																																																																																																																	
	Harmonic																																																																																																																																																	
	U-NII-3_5.725-5.85_802.11ax HE20_CH157_Full_5785MHz																																																																																																																																																	
ANT	CDD 1+2																																																																																																																																																	
Pol.	Horizontal	Vertical																																																																																																																																																
Peak Avg	<table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Aux</th> <th>APos</th> <th>TPos</th> <th>Freq</th> <th>Level</th> <th>Line Margin</th> <th>Level</th> <th>Factor</th> <th>Loss Factor</th> <th>Factor</th> <th>Remark</th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> <th></th> <th></th> <th></th> <th></th> <th></th> <th></th> </tr> </thead> <tbody> <tr> <td>1</td> <td>11570.00</td> <td>45.44</td> <td>74.00</td> <td>-28.56</td> <td>52.43</td> <td>38.36</td> <td>16.18</td> <td>61.53</td> <td>0.00</td> <td>--</td> <td>--</td> <td>PEAK</td> <td></td> <td></td> <td></td> </tr> <tr> <td>2</td> <td>17355.00</td> <td>56.02</td> <td>68.20</td> <td>-12.18</td> <td>57.39</td> <td>41.27</td> <td>20.28</td> <td>62.92</td> <td>0.00</td> <td>--</td> <td>--</td> <td>Peak</td> <td></td> <td></td> <td></td> </tr> </tbody> </table>	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Freq	Level	Line Margin	Level	Factor	Loss Factor	Factor	Remark	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg							1	11570.00	45.44	74.00	-28.56	52.43	38.36	16.18	61.53	0.00	--	--	PEAK				2	17355.00	56.02	68.20	-12.18	57.39	41.27	20.28	62.92	0.00	--	--	Peak				<table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Aux</th> <th>APos</th> <th>TPos</th> <th>Freq</th> <th>Level</th> <th>Line Margin</th> <th>Level</th> <th>Factor</th> <th>Loss Factor</th> <th>Factor</th> <th>Remark</th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> <th></th> <th></th> <th></th> <th></th> <th></th> <th></th> </tr> </thead> <tbody> <tr> <td>1</td> <td>11570.00</td> <td>58.07</td> <td>74.00</td> <td>-15.93</td> <td>65.11</td> <td>38.35</td> <td>16.17</td> <td>61.56</td> <td>0.00</td> <td>247</td> <td>109</td> <td>Peak</td> <td></td> <td></td> <td></td> </tr> <tr> <td>2</td> <td>11570.00</td> <td>48.49</td> <td>54.00</td> <td>-5.51</td> <td>55.48</td> <td>38.36</td> <td>16.18</td> <td>61.53</td> <td>0.00</td> <td>247</td> <td>109</td> <td>Average</td> <td></td> <td></td> <td></td> </tr> <tr> <td>3</td> <td>17355.00</td> <td>67.45</td> <td>68.20</td> <td>-0.75</td> <td>68.81</td> <td>41.27</td> <td>20.29</td> <td>62.92</td> <td>0.00</td> <td>214</td> <td>301</td> <td>PEAK</td> <td></td> <td></td> <td></td> </tr> </tbody> </table>	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Freq	Level	Line Margin	Level	Factor	Loss Factor	Factor	Remark	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg							1	11570.00	58.07	74.00	-15.93	65.11	38.35	16.17	61.56	0.00	247	109	Peak				2	11570.00	48.49	54.00	-5.51	55.48	38.36	16.18	61.53	0.00	247	109	Average				3	17355.00	67.45	68.20	-0.75	68.81	41.27	20.29	62.92	0.00	214	301	PEAK			
Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Freq	Level	Line Margin	Level	Factor	Loss Factor	Factor	Remark																																																																																																																																			
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																																																									
1	11570.00	45.44	74.00	-28.56	52.43	38.36	16.18	61.53	0.00	--	--	PEAK																																																																																																																																						
2	17355.00	56.02	68.20	-12.18	57.39	41.27	20.28	62.92	0.00	--	--	Peak																																																																																																																																						
Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Freq	Level	Line Margin	Level	Factor	Loss Factor	Factor	Remark																																																																																																																																			
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																																																									
1	11570.00	58.07	74.00	-15.93	65.11	38.35	16.17	61.56	0.00	247	109	Peak																																																																																																																																						
2	11570.00	48.49	54.00	-5.51	55.48	38.36	16.18	61.53	0.00	247	109	Average																																																																																																																																						
3	17355.00	67.45	68.20	-0.75	68.81	41.27	20.29	62.92	0.00	214	301	PEAK																																																																																																																																						






Mode	46	
	18G-40G	
	U-NII-3_5.725-5.85_802.11ax HE20_CH157_Full_5785MHz	
ANT	CDD 1+2	
Pol.	Horizontal	Vertical
Peak		
Avg		

Note: Only the worst case has assessed 18G ~40GHz to test






Mode	46																																																																																																																																																										
	LF																																																																																																																																																										
	U-NII-3_5.725-5.85_802.11ax HE20_CH157_Full_5785MHz																																																																																																																																																										
ANT	CDD 1+2																																																																																																																																																										
Pol.	Horizontal	Vertical																																																																																																																																																									
PK																																																																																																																																																											
	<table border="1"> <thead> <tr> <th>Peak</th> <th>Freq (MHz)</th> <th>Level (dBuV/m)</th> <th>Over Limit (dB)</th> <th>Limit (dBuV/m)</th> <th>ReadAntenna Level (dBuV)</th> <th>Cable Loss Factor (dB/m)</th> <th>Preamp Loss Factor (dB)</th> <th>A/Pos (cm)</th> <th>T/Pos (deg)</th> <th>Remark</th> </tr> </thead> <tbody> <tr><td>1</td><td>30.97</td><td>21.27</td><td>-18.73</td><td>40.00</td><td>28.54</td><td>24.93</td><td>0.76</td><td>32.96</td><td>---</td><td>Peak</td></tr> <tr><td>2</td><td>125.06</td><td>28.64</td><td>-14.86</td><td>43.50</td><td>42.07</td><td>17.65</td><td>1.66</td><td>32.74</td><td>---</td><td>Peak</td></tr> <tr><td>3</td><td>197.81</td><td>29.64</td><td>-13.86</td><td>43.50</td><td>45.48</td><td>14.95</td><td>2.08</td><td>32.87</td><td>---</td><td>Peak</td></tr> <tr><td>4</td><td>375.32</td><td>39.51</td><td>-6.49</td><td>46.00</td><td>48.78</td><td>21.01</td><td>2.88</td><td>33.16</td><td>---</td><td>Peak</td></tr> <tr><td>5</td><td>593.57</td><td>41.87</td><td>-4.13</td><td>46.00</td><td>45.62</td><td>26.23</td><td>3.58</td><td>33.56</td><td>100</td><td>269 Peak</td></tr> <tr><td>6</td><td>976.72</td><td>33.15</td><td>-20.85</td><td>54.00</td><td>28.38</td><td>31.71</td><td>4.64</td><td>31.58</td><td>---</td><td>Peak</td></tr> </tbody> </table>	Peak	Freq (MHz)	Level (dBuV/m)	Over Limit (dB)	Limit (dBuV/m)	ReadAntenna Level (dBuV)	Cable Loss Factor (dB/m)	Preamp Loss Factor (dB)	A/Pos (cm)	T/Pos (deg)	Remark	1	30.97	21.27	-18.73	40.00	28.54	24.93	0.76	32.96	---	Peak	2	125.06	28.64	-14.86	43.50	42.07	17.65	1.66	32.74	---	Peak	3	197.81	29.64	-13.86	43.50	45.48	14.95	2.08	32.87	---	Peak	4	375.32	39.51	-6.49	46.00	48.78	21.01	2.88	33.16	---	Peak	5	593.57	41.87	-4.13	46.00	45.62	26.23	3.58	33.56	100	269 Peak	6	976.72	33.15	-20.85	54.00	28.38	31.71	4.64	31.58	---	Peak	<table border="1"> <thead> <tr> <th>Peak</th> <th>Freq (MHz)</th> <th>Level (dBuV/m)</th> <th>Over Limit (dB)</th> <th>Limit (dBuV/m)</th> <th>ReadAntenna Level (dBuV)</th> <th>Cable Loss Factor (dB/m)</th> <th>Preamp Loss Factor (dB)</th> <th>A/Pos (cm)</th> <th>T/Pos (deg)</th> <th>Remark</th> </tr> </thead> <tbody> <tr><td>1</td><td>30.00</td><td>25.44</td><td>-14.56</td><td>40.00</td><td>32.07</td><td>25.56</td><td>0.76</td><td>32.95</td><td>---</td><td>Peak</td></tr> <tr><td>2</td><td>125.06</td><td>27.11</td><td>-16.39</td><td>43.50</td><td>40.54</td><td>17.65</td><td>1.66</td><td>32.74</td><td>---</td><td>Peak</td></tr> <tr><td>3</td><td>197.81</td><td>26.24</td><td>-17.26</td><td>43.50</td><td>42.08</td><td>14.95</td><td>2.08</td><td>32.87</td><td>---</td><td>Peak</td></tr> <tr><td>4</td><td>375.32</td><td>29.43</td><td>-16.57</td><td>46.00</td><td>38.70</td><td>21.01</td><td>2.88</td><td>33.16</td><td>---</td><td>Peak</td></tr> <tr><td>5</td><td>593.57</td><td>40.38</td><td>-5.62</td><td>46.00</td><td>44.13</td><td>26.23</td><td>3.58</td><td>33.56</td><td>100</td><td>263 Peak</td></tr> <tr><td>6</td><td>990.30</td><td>32.75</td><td>-21.25</td><td>54.00</td><td>28.79</td><td>30.70</td><td>4.67</td><td>31.41</td><td>---</td><td>Peak</td></tr> </tbody> </table>	Peak	Freq (MHz)	Level (dBuV/m)	Over Limit (dB)	Limit (dBuV/m)	ReadAntenna Level (dBuV)	Cable Loss Factor (dB/m)	Preamp Loss Factor (dB)	A/Pos (cm)	T/Pos (deg)	Remark	1	30.00	25.44	-14.56	40.00	32.07	25.56	0.76	32.95	---	Peak	2	125.06	27.11	-16.39	43.50	40.54	17.65	1.66	32.74	---	Peak	3	197.81	26.24	-17.26	43.50	42.08	14.95	2.08	32.87	---	Peak	4	375.32	29.43	-16.57	46.00	38.70	21.01	2.88	33.16	---	Peak	5	593.57	40.38	-5.62	46.00	44.13	26.23	3.58	33.56	100	263 Peak	6	990.30	32.75	-21.25	54.00	28.79	30.70	4.67	31.41	---
Peak	Freq (MHz)	Level (dBuV/m)	Over Limit (dB)	Limit (dBuV/m)	ReadAntenna Level (dBuV)	Cable Loss Factor (dB/m)	Preamp Loss Factor (dB)	A/Pos (cm)	T/Pos (deg)	Remark																																																																																																																																																	
1	30.97	21.27	-18.73	40.00	28.54	24.93	0.76	32.96	---	Peak																																																																																																																																																	
2	125.06	28.64	-14.86	43.50	42.07	17.65	1.66	32.74	---	Peak																																																																																																																																																	
3	197.81	29.64	-13.86	43.50	45.48	14.95	2.08	32.87	---	Peak																																																																																																																																																	
4	375.32	39.51	-6.49	46.00	48.78	21.01	2.88	33.16	---	Peak																																																																																																																																																	
5	593.57	41.87	-4.13	46.00	45.62	26.23	3.58	33.56	100	269 Peak																																																																																																																																																	
6	976.72	33.15	-20.85	54.00	28.38	31.71	4.64	31.58	---	Peak																																																																																																																																																	
Peak	Freq (MHz)	Level (dBuV/m)	Over Limit (dB)	Limit (dBuV/m)	ReadAntenna Level (dBuV)	Cable Loss Factor (dB/m)	Preamp Loss Factor (dB)	A/Pos (cm)	T/Pos (deg)	Remark																																																																																																																																																	
1	30.00	25.44	-14.56	40.00	32.07	25.56	0.76	32.95	---	Peak																																																																																																																																																	
2	125.06	27.11	-16.39	43.50	40.54	17.65	1.66	32.74	---	Peak																																																																																																																																																	
3	197.81	26.24	-17.26	43.50	42.08	14.95	2.08	32.87	---	Peak																																																																																																																																																	
4	375.32	29.43	-16.57	46.00	38.70	21.01	2.88	33.16	---	Peak																																																																																																																																																	
5	593.57	40.38	-5.62	46.00	44.13	26.23	3.58	33.56	100	263 Peak																																																																																																																																																	
6	990.30	32.75	-21.25	54.00	28.79	30.70	4.67	31.41	---	Peak																																																																																																																																																	



Mode	47																																																																																																																											
	Band Edge																																																																																																																											
	U-NII-3_5.725-5.85_802.11ax HE20_CH165_Full_5825MHz																																																																																																																											
ANT	CDD 1+2																																																																																																																											
Pol.	Horizontal	Fundamental																																																																																																																										
Peak	 <table border="1" data-bbox="263 1064 798 1243"> <thead> <tr> <th></th> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Aux</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line Margin</th> <th>Level</th> <th>Factor</th> <th>Loss Factor</th> <th>Factor</th> <th></th> <th></th> <th></th> </tr> <tr> <th></th> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>5854.40</td> <td>50.45</td> <td>112.27</td> <td>-61.82</td> <td>41.34</td> <td>34.92</td> <td>11.49</td> <td>37.30</td> <td>0.00</td> <td>100</td> <td>47 PEAK</td> </tr> <tr> <td>2</td> <td>5856.00</td> <td>52.90</td> <td>110.62</td> <td>-57.72</td> <td>43.79</td> <td>34.92</td> <td>11.49</td> <td>37.30</td> <td>0.00</td> <td>100</td> <td>47 PEAK</td> </tr> <tr> <td>3</td> <td>5923.20</td> <td>47.91</td> <td>69.53</td> <td>-21.62</td> <td>38.47</td> <td>35.17</td> <td>11.55</td> <td>37.28</td> <td>0.00</td> <td>100</td> <td>47 PEAK</td> </tr> <tr> <td>4</td> <td>5932.40</td> <td>49.55</td> <td>68.20</td> <td>-18.65</td> <td>40.07</td> <td>35.20</td> <td>11.56</td> <td>37.28</td> <td>0.00</td> <td>100</td> <td>47 PEAK</td> </tr> </tbody> </table>		Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line Margin	Level	Factor	Loss Factor	Factor					MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5854.40	50.45	112.27	-61.82	41.34	34.92	11.49	37.30	0.00	100	47 PEAK	2	5856.00	52.90	110.62	-57.72	43.79	34.92	11.49	37.30	0.00	100	47 PEAK	3	5923.20	47.91	69.53	-21.62	38.47	35.17	11.55	37.28	0.00	100	47 PEAK	4	5932.40	49.55	68.20	-18.65	40.07	35.20	11.56	37.28	0.00	100	47 PEAK	 <table border="1" data-bbox="901 1064 1436 1243"> <thead> <tr> <th></th> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Aux</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line Margin</th> <th>Level</th> <th>Factor</th> <th>Loss Factor</th> <th>Factor</th> <th></th> <th></th> <th></th> </tr> <tr> <th></th> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>5825.00</td> <td>102.02</td> <td>-----</td> <td>-----</td> <td>93.08</td> <td>34.77</td> <td>11.46</td> <td>37.29</td> <td>0.00</td> <td>100</td> <td>47 PEAK</td> </tr> </tbody> </table>		Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line Margin	Level	Factor	Loss Factor	Factor					MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5825.00	102.02	-----	-----	93.08	34.77	11.46	37.29	0.00	100	47 PEAK
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																																																			
Freq	Level	Line Margin	Level	Factor	Loss Factor	Factor																																																																																																																						
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																																		
1	5854.40	50.45	112.27	-61.82	41.34	34.92	11.49	37.30	0.00	100	47 PEAK																																																																																																																	
2	5856.00	52.90	110.62	-57.72	43.79	34.92	11.49	37.30	0.00	100	47 PEAK																																																																																																																	
3	5923.20	47.91	69.53	-21.62	38.47	35.17	11.55	37.28	0.00	100	47 PEAK																																																																																																																	
4	5932.40	49.55	68.20	-18.65	40.07	35.20	11.56	37.28	0.00	100	47 PEAK																																																																																																																	
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																																																			
Freq	Level	Line Margin	Level	Factor	Loss Factor	Factor																																																																																																																						
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																																		
1	5825.00	102.02	-----	-----	93.08	34.77	11.46	37.29	0.00	100	47 PEAK																																																																																																																	
Avg	Blank	 <table border="1" data-bbox="901 1747 1436 1926"> <thead> <tr> <th></th> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Aux</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line Margin</th> <th>Level</th> <th>Factor</th> <th>Loss Factor</th> <th>Factor</th> <th></th> <th></th> <th></th> </tr> <tr> <th></th> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>5825.00</td> <td>94.23</td> <td>-----</td> <td>-----</td> <td>85.29</td> <td>34.77</td> <td>11.46</td> <td>37.29</td> <td>0.00</td> <td>100</td> <td>47 AVERAGE</td> </tr> </tbody> </table>		Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line Margin	Level	Factor	Loss Factor	Factor					MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5825.00	94.23	-----	-----	85.29	34.77	11.46	37.29	0.00	100	47 AVERAGE																																																																															
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																																																			
Freq	Level	Line Margin	Level	Factor	Loss Factor	Factor																																																																																																																						
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																																		
1	5825.00	94.23	-----	-----	85.29	34.77	11.46	37.29	0.00	100	47 AVERAGE																																																																																																																	



47																																																																															
Mode	Band Edge																																																																														
	U-NII-3_5.725-5.85_802.11ax HE20_CH165_Full_5825MHz																																																																														
ANT	CDD 1+2																																																																														
Pol.	Vertical																																																																														
Peak	 <p>Level (dBuV/m) vs Frequency (MHz) plot for Vertical polarization. The plot shows a red limit line and a blue signal trace. A prominent peak is visible at approximately 5856 MHz. The y-axis ranges from 0 to 130 dBuV/m, and the x-axis ranges from 5600 to 6000 MHz.</p> <table border="1"> <thead> <tr> <th>Peak</th> <th>Freq</th> <th>Level</th> <th>Limit</th> <th>Line Margin</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Aux</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th></th> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> <th></th> </tr> </thead> <tbody> <tr> <td>1</td> <td>5854.80</td> <td>56.59</td> <td>111.36</td> <td>-54.77</td> <td>47.48</td> <td>34.92</td> <td>11.49</td> <td>37.30</td> <td>0.00</td> <td>100</td> <td>73</td> <td>PEAK</td> </tr> <tr> <td>2</td> <td>5856.80</td> <td>57.54</td> <td>110.40</td> <td>-52.86</td> <td>48.41</td> <td>34.93</td> <td>11.50</td> <td>37.30</td> <td>0.00</td> <td>100</td> <td>73</td> <td>PEAK</td> </tr> <tr> <td>3</td> <td>5923.60</td> <td>48.19</td> <td>69.23</td> <td>-21.04</td> <td>38.75</td> <td>35.17</td> <td>11.55</td> <td>37.28</td> <td>0.00</td> <td>100</td> <td>73</td> <td>PEAK</td> </tr> <tr> <td>4</td> <td>5928.80</td> <td>51.09</td> <td>68.20</td> <td>-17.11</td> <td>41.63</td> <td>35.19</td> <td>11.55</td> <td>37.28</td> <td>0.00</td> <td>100</td> <td>73</td> <td>PEAK</td> </tr> </tbody> </table>	Peak	Freq	Level	Limit	Line Margin	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg		1	5854.80	56.59	111.36	-54.77	47.48	34.92	11.49	37.30	0.00	100	73	PEAK	2	5856.80	57.54	110.40	-52.86	48.41	34.93	11.50	37.30	0.00	100	73	PEAK	3	5923.60	48.19	69.23	-21.04	38.75	35.17	11.55	37.28	0.00	100	73	PEAK	4	5928.80	51.09	68.20	-17.11	41.63	35.19	11.55	37.28	0.00	100	73	PEAK
	Peak	Freq	Level	Limit	Line Margin	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																		
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																				
1	5854.80	56.59	111.36	-54.77	47.48	34.92	11.49	37.30	0.00	100	73	PEAK																																																																			
2	5856.80	57.54	110.40	-52.86	48.41	34.93	11.50	37.30	0.00	100	73	PEAK																																																																			
3	5923.60	48.19	69.23	-21.04	38.75	35.17	11.55	37.28	0.00	100	73	PEAK																																																																			
4	5928.80	51.09	68.20	-17.11	41.63	35.19	11.55	37.28	0.00	100	73	PEAK																																																																			
	 <p>Level (dBuV/m) vs Frequency (MHz) plot for Fundamental polarization. The plot shows a red limit line and a blue signal trace. A prominent peak is visible at approximately 5825 MHz. The y-axis ranges from 0 to 130 dBuV/m, and the x-axis ranges from 1000 to 7000 MHz.</p> <table border="1"> <thead> <tr> <th>Peak</th> <th>Freq</th> <th>Level</th> <th>Limit</th> <th>Line Margin</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Aux</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th></th> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> <th></th> </tr> </thead> <tbody> <tr> <td>1</td> <td>5825.00</td> <td>111.55</td> <td>-----</td> <td>-----</td> <td>102.57</td> <td>34.80</td> <td>11.47</td> <td>37.29</td> <td>0.00</td> <td>100</td> <td>73</td> <td>PEAK</td> </tr> </tbody> </table>	Peak	Freq	Level	Limit	Line Margin	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg		1	5825.00	111.55	-----	-----	102.57	34.80	11.47	37.29	0.00	100	73	PEAK																																							
Peak	Freq	Level	Limit	Line Margin	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																			
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																				
1	5825.00	111.55	-----	-----	102.57	34.80	11.47	37.29	0.00	100	73	PEAK																																																																			
Avg	Blank																																																																														
	 <p>Level (dBuV/m) vs Frequency (MHz) plot for Average (Avg) polarization. The plot shows a red limit line and a blue signal trace. A prominent peak is visible at approximately 5825 MHz. The y-axis ranges from 0 to 130 dBuV/m, and the x-axis ranges from 1000 to 7000 MHz.</p> <table border="1"> <thead> <tr> <th>Peak</th> <th>Freq</th> <th>Level</th> <th>Limit</th> <th>Line Margin</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Aux</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th></th> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> <th></th> </tr> </thead> <tbody> <tr> <td>1</td> <td>5825.00</td> <td>103.24</td> <td>-----</td> <td>-----</td> <td>94.30</td> <td>34.77</td> <td>11.46</td> <td>37.29</td> <td>0.00</td> <td>100</td> <td>73</td> <td>AVERAGE</td> </tr> </tbody> </table>	Peak	Freq	Level	Limit	Line Margin	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg		1	5825.00	103.24	-----	-----	94.30	34.77	11.46	37.29	0.00	100	73	AVERAGE																																							
Peak	Freq	Level	Limit	Line Margin	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																			
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																				
1	5825.00	103.24	-----	-----	94.30	34.77	11.46	37.29	0.00	100	73	AVERAGE																																																																			



Mode	47																																																																																																																								
	Harmonic																																																																																																																								
	U-NII-3_5.725-5.85_802.11ax HE20_CH165_Full_5825MHz																																																																																																																								
ANT	CDD 1+2																																																																																																																								
Pol.	Horizontal	Vertical																																																																																																																							
Peak Avg	<table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Aux</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line Margin</th> <th>Level</th> <th>Factor</th> <th>Loss Factor</th> <th>Factor</th> <th></th> <th></th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th></th> </tr> </thead> <tbody> <tr> <td>1</td> <td>11650.00</td> <td>46.69</td> <td>74.00</td> <td>-27.31</td> <td>53.44</td> <td>38.42</td> <td>16.23</td> <td>61.40</td> <td>0.00</td> <td>--</td> <td>PEAK</td> </tr> <tr> <td>2</td> <td>17475.00</td> <td>52.98</td> <td>68.20</td> <td>-15.22</td> <td>54.19</td> <td>41.29</td> <td>20.39</td> <td>62.89</td> <td>0.00</td> <td>--</td> <td>Peak</td> </tr> </tbody> </table>		Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line Margin	Level	Factor	Loss Factor	Factor			MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB		1	11650.00	46.69	74.00	-27.31	53.44	38.42	16.23	61.40	0.00	--	PEAK	2	17475.00	52.98	68.20	-15.22	54.19	41.29	20.39	62.89	0.00	--	Peak	<table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Aux</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line Margin</th> <th>Level</th> <th>Factor</th> <th>Loss Factor</th> <th>Factor</th> <th></th> <th></th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th></th> </tr> </thead> <tbody> <tr> <td>1</td> <td>11650.00</td> <td>56.71</td> <td>74.00</td> <td>-17.29</td> <td>63.44</td> <td>38.42</td> <td>16.24</td> <td>61.39</td> <td>0.00</td> <td>278</td> <td>328</td> <td>Peak</td> </tr> <tr> <td>2</td> <td>11650.00</td> <td>46.83</td> <td>54.00</td> <td>-7.17</td> <td>53.58</td> <td>38.42</td> <td>16.23</td> <td>61.40</td> <td>0.00</td> <td>278</td> <td>328</td> <td>Average</td> </tr> <tr> <td>3</td> <td>17475.00</td> <td>65.80</td> <td>68.20</td> <td>-2.40</td> <td>67.01</td> <td>41.29</td> <td>20.39</td> <td>62.89</td> <td>0.00</td> <td>211</td> <td>301</td> <td>PEAK</td> </tr> </tbody> </table>		Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line Margin	Level	Factor	Loss Factor	Factor			MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB		1	11650.00	56.71	74.00	-17.29	63.44	38.42	16.24	61.39	0.00	278	328	Peak	2	11650.00	46.83	54.00	-7.17	53.58	38.42	16.23	61.40	0.00	278	328	Average	3	17475.00	65.80	68.20	-2.40	67.01	41.29	20.39	62.89	0.00	211	301	PEAK
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																																																
Freq	Level	Line Margin	Level	Factor	Loss Factor	Factor																																																																																																																			
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB																																																																																																																		
1	11650.00	46.69	74.00	-27.31	53.44	38.42	16.23	61.40	0.00	--	PEAK																																																																																																														
2	17475.00	52.98	68.20	-15.22	54.19	41.29	20.39	62.89	0.00	--	Peak																																																																																																														
Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																																																	
Freq	Level	Line Margin	Level	Factor	Loss Factor	Factor																																																																																																																			
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB																																																																																																																		
1	11650.00	56.71	74.00	-17.29	63.44	38.42	16.24	61.39	0.00	278	328	Peak																																																																																																													
2	11650.00	46.83	54.00	-7.17	53.58	38.42	16.23	61.40	0.00	278	328	Average																																																																																																													
3	17475.00	65.80	68.20	-2.40	67.01	41.29	20.39	62.89	0.00	211	301	PEAK																																																																																																													






Mode	48																																																																																																																								
	Band Edge - L																																																																																																																								
	U-NII-3_5.725-5.85_802.11ax HE40_CH151_Full_5755MHz																																																																																																																								
ANT	CDD 1+2																																																																																																																								
Pol.	Horizontal	Fundamental																																																																																																																							
Peak	<table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Aux</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>Margin</th> <th>Level</th> <th>Factor</th> <th>Loss</th> <th>Factor</th> <th>Factor</th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>dB</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>5627.59</td> <td>49.91</td> <td>68.20</td> <td>-18.29</td> <td>41.51</td> <td>34.43</td> <td>11.19</td> <td>37.22</td> <td>0.00</td> <td>119</td> <td>305</td> <td>PEAK</td> </tr> <tr> <td>2</td> <td>5651.46</td> <td>48.42</td> <td>69.29</td> <td>-20.87</td> <td>39.97</td> <td>34.45</td> <td>11.22</td> <td>37.22</td> <td>0.00</td> <td>119</td> <td>305</td> <td>PEAK</td> </tr> <tr> <td>3</td> <td>5702.92</td> <td>55.35</td> <td>106.12</td> <td>-50.77</td> <td>46.79</td> <td>34.51</td> <td>11.29</td> <td>37.24</td> <td>0.00</td> <td>119</td> <td>305</td> <td>PEAK</td> </tr> <tr> <td>4</td> <td>5720.13</td> <td>57.58</td> <td>111.19</td> <td>-53.61</td> <td>48.97</td> <td>34.54</td> <td>11.32</td> <td>37.25</td> <td>0.00</td> <td>119</td> <td>305</td> <td>PEAK</td> </tr> </tbody> </table>	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	1	5627.59	49.91	68.20	-18.29	41.51	34.43	11.19	37.22	0.00	119	305	PEAK	2	5651.46	48.42	69.29	-20.87	39.97	34.45	11.22	37.22	0.00	119	305	PEAK	3	5702.92	55.35	106.12	-50.77	46.79	34.51	11.29	37.24	0.00	119	305	PEAK	4	5720.13	57.58	111.19	-53.61	48.97	34.54	11.32	37.25	0.00	119	305	PEAK	<table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Aux</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>Margin</th> <th>Level</th> <th>Factor</th> <th>Loss</th> <th>Factor</th> <th>Factor</th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>dB</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>5755.00</td> <td>100.60</td> <td>-----</td> <td>-----</td> <td>91.89</td> <td>34.60</td> <td>11.37</td> <td>37.26</td> <td>0.00</td> <td>119</td> <td>305</td> <td>PEAK</td> </tr> </tbody> </table>	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	1	5755.00	100.60	-----	-----	91.89	34.60	11.37	37.26	0.00	119	305	PEAK
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																																																
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																																																																																																	
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB																																																																																																																	
1	5627.59	49.91	68.20	-18.29	41.51	34.43	11.19	37.22	0.00	119	305	PEAK																																																																																																													
2	5651.46	48.42	69.29	-20.87	39.97	34.45	11.22	37.22	0.00	119	305	PEAK																																																																																																													
3	5702.92	55.35	106.12	-50.77	46.79	34.51	11.29	37.24	0.00	119	305	PEAK																																																																																																													
4	5720.13	57.58	111.19	-53.61	48.97	34.54	11.32	37.25	0.00	119	305	PEAK																																																																																																													
Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																																																	
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																																																																																																	
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB																																																																																																																	
1	5755.00	100.60	-----	-----	91.89	34.60	11.37	37.26	0.00	119	305	PEAK																																																																																																													
Avg	Blank	<table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Aux</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>Margin</th> <th>Level</th> <th>Factor</th> <th>Loss</th> <th>Factor</th> <th>Factor</th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>dB</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>5755.00</td> <td>93.05</td> <td>-----</td> <td>-----</td> <td>84.31</td> <td>34.62</td> <td>11.38</td> <td>37.26</td> <td>0.00</td> <td>119</td> <td>305</td> <td>AVERAGE</td> </tr> </tbody> </table>	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	1	5755.00	93.05	-----	-----	84.31	34.62	11.38	37.26	0.00	119	305	AVERAGE																																																																															
Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																																																	
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																																																																																																	
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB																																																																																																																	
1	5755.00	93.05	-----	-----	84.31	34.62	11.38	37.26	0.00	119	305	AVERAGE																																																																																																													



Mode	48																																																																		
	Band Edge - R																																																																		
	U-NII-3_5.725-5.85_802.11ax HE40_CH151_Full_5755MHz																																																																		
ANT	CDD 1+2																																																																		
Pol.	Horizontal	Fundamental																																																																	
Peak	<table border="1"> <thead> <tr> <th>Peak</th> <th>Freq (MHz)</th> <th>Level (dBuV/m)</th> <th>Limit (dBuV/m)</th> <th>Line Margin (dB)</th> <th>Read Level (dBuV)</th> <th>Ant Factor (dB/m)</th> <th>Cable Loss (dB)</th> <th>Preamp Factor (dB)</th> <th>Aux Factor (dB)</th> <th>APos (cm)</th> <th>TPos (deg)</th> <th>Remark</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>5854.65</td> <td>47.57</td> <td>111.71</td> <td>-64.14</td> <td>38.46</td> <td>34.92</td> <td>11.49</td> <td>37.30</td> <td>0.00</td> <td>119</td> <td>305</td> <td>PEAK</td> </tr> <tr> <td>2</td> <td>5871.81</td> <td>49.91</td> <td>106.19</td> <td>-56.28</td> <td>40.70</td> <td>34.99</td> <td>11.51</td> <td>37.29</td> <td>0.00</td> <td>119</td> <td>305</td> <td>PEAK</td> </tr> <tr> <td>3</td> <td>5923.48</td> <td>48.14</td> <td>69.32</td> <td>-21.18</td> <td>38.70</td> <td>35.17</td> <td>11.55</td> <td>37.28</td> <td>0.00</td> <td>119</td> <td>305</td> <td>PEAK</td> </tr> <tr> <td>4</td> <td>5944.74</td> <td>49.47</td> <td>68.20</td> <td>-18.73</td> <td>39.94</td> <td>35.23</td> <td>11.57</td> <td>37.27</td> <td>0.00</td> <td>119</td> <td>305</td> <td>PEAK</td> </tr> </tbody> </table>	Peak	Freq (MHz)	Level (dBuV/m)	Limit (dBuV/m)	Line Margin (dB)	Read Level (dBuV)	Ant Factor (dB/m)	Cable Loss (dB)	Preamp Factor (dB)	Aux Factor (dB)	APos (cm)	TPos (deg)	Remark	1	5854.65	47.57	111.71	-64.14	38.46	34.92	11.49	37.30	0.00	119	305	PEAK	2	5871.81	49.91	106.19	-56.28	40.70	34.99	11.51	37.29	0.00	119	305	PEAK	3	5923.48	48.14	69.32	-21.18	38.70	35.17	11.55	37.28	0.00	119	305	PEAK	4	5944.74	49.47	68.20	-18.73	39.94	35.23	11.57	37.27	0.00	119	305	PEAK	Blank
Peak	Freq (MHz)	Level (dBuV/m)	Limit (dBuV/m)	Line Margin (dB)	Read Level (dBuV)	Ant Factor (dB/m)	Cable Loss (dB)	Preamp Factor (dB)	Aux Factor (dB)	APos (cm)	TPos (deg)	Remark																																																							
1	5854.65	47.57	111.71	-64.14	38.46	34.92	11.49	37.30	0.00	119	305	PEAK																																																							
2	5871.81	49.91	106.19	-56.28	40.70	34.99	11.51	37.29	0.00	119	305	PEAK																																																							
3	5923.48	48.14	69.32	-21.18	38.70	35.17	11.55	37.28	0.00	119	305	PEAK																																																							
4	5944.74	49.47	68.20	-18.73	39.94	35.23	11.57	37.27	0.00	119	305	PEAK																																																							



Mode	48																																																																																																									
	Band Edge - L																																																																																																									
	U-NII-3_5.725-5.85_802.11ax HE40_CH151_Full_5755MHz																																																																																																									
ANT	CDD 1+2																																																																																																									
Pol.	Vertical	Fundamental																																																																																																								
Peak	 <table border="1"> <thead> <tr> <th>Peak</th> <th>Freq</th> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Aux</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th></th> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>5644.64</td> <td>49.87</td> <td>68.20</td> <td>-18.33</td> <td>41.44</td> <td>34.44</td> <td>11.21</td> <td>37.22</td> <td>0.00</td> <td>100</td> <td>71 PEAK</td> </tr> <tr> <td>2</td> <td>5651.77</td> <td>49.54</td> <td>69.52</td> <td>-19.98</td> <td>41.09</td> <td>34.45</td> <td>11.22</td> <td>37.22</td> <td>0.00</td> <td>100</td> <td>71 PEAK</td> </tr> <tr> <td>3</td> <td>5719.97</td> <td>70.55</td> <td>110.89</td> <td>-40.34</td> <td>61.94</td> <td>34.54</td> <td>11.32</td> <td>37.25</td> <td>0.00</td> <td>100</td> <td>71 PEAK</td> </tr> <tr> <td>4</td> <td>5720.13</td> <td>70.13</td> <td>111.19</td> <td>-41.06</td> <td>61.52</td> <td>34.54</td> <td>11.32</td> <td>37.25</td> <td>0.00</td> <td>100</td> <td>71 PEAK</td> </tr> </tbody> </table>	Peak	Freq	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5644.64	49.87	68.20	-18.33	41.44	34.44	11.21	37.22	0.00	100	71 PEAK	2	5651.77	49.54	69.52	-19.98	41.09	34.45	11.22	37.22	0.00	100	71 PEAK	3	5719.97	70.55	110.89	-40.34	61.94	34.54	11.32	37.25	0.00	100	71 PEAK	4	5720.13	70.13	111.19	-41.06	61.52	34.54	11.32	37.25	0.00	100	71 PEAK	 <table border="1"> <thead> <tr> <th>Peak</th> <th>Freq</th> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Aux</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th></th> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>5755.00</td> <td>109.22</td> <td>109.22</td> <td>0.00</td> <td>100.51</td> <td>34.60</td> <td>11.37</td> <td>37.26</td> <td>0.00</td> <td>100</td> <td>71 PEAK</td> </tr> </tbody> </table>	Peak	Freq	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5755.00	109.22	109.22	0.00	100.51	34.60	11.37	37.26	0.00	100	71 PEAK
	Peak	Freq	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																															
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																
1	5644.64	49.87	68.20	-18.33	41.44	34.44	11.21	37.22	0.00	100	71 PEAK																																																																																															
2	5651.77	49.54	69.52	-19.98	41.09	34.45	11.22	37.22	0.00	100	71 PEAK																																																																																															
3	5719.97	70.55	110.89	-40.34	61.94	34.54	11.32	37.25	0.00	100	71 PEAK																																																																																															
4	5720.13	70.13	111.19	-41.06	61.52	34.54	11.32	37.25	0.00	100	71 PEAK																																																																																															
Peak	Freq	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																																
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																
1	5755.00	109.22	109.22	0.00	100.51	34.60	11.37	37.26	0.00	100	71 PEAK																																																																																															
Avg	Blank	 <table border="1"> <thead> <tr> <th>Peak</th> <th>Freq</th> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Aux</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th></th> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>5755.00</td> <td>101.89</td> <td>101.89</td> <td>0.00</td> <td>93.18</td> <td>34.60</td> <td>11.37</td> <td>37.26</td> <td>0.00</td> <td>100</td> <td>71 AVERAGE</td> </tr> </tbody> </table>	Peak	Freq	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5755.00	101.89	101.89	0.00	93.18	34.60	11.37	37.26	0.00	100	71 AVERAGE																																																																						
Peak	Freq	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																																
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																
1	5755.00	101.89	101.89	0.00	93.18	34.60	11.37	37.26	0.00	100	71 AVERAGE																																																																																															



Mode	48																																																																									
	Band Edge - R																																																																									
	U-NII-3_5.725-5.85_802.11ax HE40_CH151_Full_5755MHz																																																																									
ANT	CDD 1+2																																																																									
Pol.	Vertical	Fundamental																																																																								
Peak	<table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Aux</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>Margin</th> <th>Level</th> <th>Factor</th> <th>Loss</th> <th>Factor</th> <th>Factor</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>5854.84</td> <td>47.90</td> <td>111.26</td> <td>-63.36</td> <td>38.79</td> <td>34.92</td> <td>11.49</td> <td>37.30</td> <td>0.00</td> <td>100</td> <td>71</td> <td>PEAK</td> </tr> <tr> <td>2</td> <td>5872.98</td> <td>49.31</td> <td>105.87</td> <td>-56.56</td> <td>40.10</td> <td>34.99</td> <td>11.51</td> <td>37.29</td> <td>0.00</td> <td>100</td> <td>71</td> <td>PEAK</td> </tr> <tr> <td>3</td> <td>5924.65</td> <td>47.34</td> <td>68.46</td> <td>-21.12</td> <td>37.90</td> <td>35.17</td> <td>11.55</td> <td>37.28</td> <td>0.00</td> <td>100</td> <td>71</td> <td>PEAK</td> </tr> <tr> <td>4</td> <td>5939.67</td> <td>50.74</td> <td>68.20</td> <td>-17.46</td> <td>41.23</td> <td>35.22</td> <td>11.56</td> <td>37.27</td> <td>0.00</td> <td>100</td> <td>71</td> <td>PEAK</td> </tr> </tbody> </table>	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	cm	deg	1	5854.84	47.90	111.26	-63.36	38.79	34.92	11.49	37.30	0.00	100	71	PEAK	2	5872.98	49.31	105.87	-56.56	40.10	34.99	11.51	37.29	0.00	100	71	PEAK	3	5924.65	47.34	68.46	-21.12	37.90	35.17	11.55	37.28	0.00	100	71	PEAK	4	5939.67	50.74	68.20	-17.46	41.23	35.22	11.56	37.27	0.00	100	71	PEAK	Blank
Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																		
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	cm	deg																																																																
1	5854.84	47.90	111.26	-63.36	38.79	34.92	11.49	37.30	0.00	100	71	PEAK																																																														
2	5872.98	49.31	105.87	-56.56	40.10	34.99	11.51	37.29	0.00	100	71	PEAK																																																														
3	5924.65	47.34	68.46	-21.12	37.90	35.17	11.55	37.28	0.00	100	71	PEAK																																																														
4	5939.67	50.74	68.20	-17.46	41.23	35.22	11.56	37.27	0.00	100	71	PEAK																																																														



Mode	48																																																																																																																																								
	Harmonic																																																																																																																																								
	U-NII-3_5.725-5.85_802.11ax HE40_CH151_Full_5755MHz																																																																																																																																								
ANT	CDD 1+2																																																																																																																																								
Pol.	Horizontal	Vertical																																																																																																																																							
Peak Avg	<table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Aux</th> <th>APos</th> <th>TPos</th> <th>Freq</th> <th>Level</th> <th>Line Margin</th> <th>Level Factor</th> <th>Loss Factor</th> <th>Factor</th> <th>Remark</th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> <th></th> <th></th> <th></th> <th></th> <th></th> </tr> </thead> <tbody> <tr> <td>1</td> <td>11510.00</td> <td>46.83</td> <td>74.00</td> <td>-27.17</td> <td>54.02</td> <td>38.31</td> <td>16.13</td> <td>61.63</td> <td>0.00</td> <td>--</td> <td>--</td> <td></td> <td></td> <td>PEAK</td> </tr> <tr> <td>2</td> <td>17265.20</td> <td>51.79</td> <td>68.20</td> <td>-16.41</td> <td>53.28</td> <td>41.25</td> <td>20.21</td> <td>62.95</td> <td>0.00</td> <td>--</td> <td>--</td> <td></td> <td></td> <td>Peak</td> </tr> </tbody> </table>	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Freq	Level	Line Margin	Level Factor	Loss Factor	Factor	Remark	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg						1	11510.00	46.83	74.00	-27.17	54.02	38.31	16.13	61.63	0.00	--	--			PEAK	2	17265.20	51.79	68.20	-16.41	53.28	41.25	20.21	62.95	0.00	--	--			Peak	<table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Aux</th> <th>APos</th> <th>TPos</th> <th>Freq</th> <th>Level</th> <th>Line Margin</th> <th>Level Factor</th> <th>Loss Factor</th> <th>Factor</th> <th>Remark</th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> <th></th> <th></th> <th></th> <th></th> <th></th> </tr> </thead> <tbody> <tr> <td>1</td> <td>11510.00</td> <td>55.48</td> <td>74.00</td> <td>-18.52</td> <td>62.67</td> <td>38.31</td> <td>16.13</td> <td>61.63</td> <td>0.00</td> <td>300</td> <td>330</td> <td></td> <td></td> <td>PEAK</td> </tr> <tr> <td>2</td> <td>11510.00</td> <td>46.72</td> <td>54.00</td> <td>-7.28</td> <td>53.91</td> <td>38.31</td> <td>16.13</td> <td>61.63</td> <td>0.00</td> <td>300</td> <td>330</td> <td></td> <td></td> <td>AVERAGE</td> </tr> <tr> <td>3</td> <td>17272.53</td> <td>67.27</td> <td>68.20</td> <td>-0.93</td> <td>68.74</td> <td>41.25</td> <td>20.22</td> <td>62.94</td> <td>0.00</td> <td>205</td> <td>303</td> <td></td> <td></td> <td>Peak</td> </tr> </tbody> </table>	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Freq	Level	Line Margin	Level Factor	Loss Factor	Factor	Remark	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg						1	11510.00	55.48	74.00	-18.52	62.67	38.31	16.13	61.63	0.00	300	330			PEAK	2	11510.00	46.72	54.00	-7.28	53.91	38.31	16.13	61.63	0.00	300	330			AVERAGE	3	17272.53	67.27	68.20	-0.93	68.74	41.25	20.22	62.94	0.00	205	303			Peak
Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Freq	Level	Line Margin	Level Factor	Loss Factor	Factor	Remark																																																																																																																											
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																																																
1	11510.00	46.83	74.00	-27.17	54.02	38.31	16.13	61.63	0.00	--	--			PEAK																																																																																																																											
2	17265.20	51.79	68.20	-16.41	53.28	41.25	20.21	62.95	0.00	--	--			Peak																																																																																																																											
Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Freq	Level	Line Margin	Level Factor	Loss Factor	Factor	Remark																																																																																																																											
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																																																
1	11510.00	55.48	74.00	-18.52	62.67	38.31	16.13	61.63	0.00	300	330			PEAK																																																																																																																											
2	11510.00	46.72	54.00	-7.28	53.91	38.31	16.13	61.63	0.00	300	330			AVERAGE																																																																																																																											
3	17272.53	67.27	68.20	-0.93	68.74	41.25	20.22	62.94	0.00	205	303			Peak																																																																																																																											



	49																																																																																																				
Mode	Band Edge - L																																																																																																				
	U-NII-3_5.725-5.85_802.11ax HE40_CH159_Full_5795MHz																																																																																																				
ANT	CDD 1+2																																																																																																				
Pol.	Horizontal	Fundamental																																																																																																			
Peak	<table border="1"> <thead> <tr> <th>Peak</th> <th>Freq</th> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Aux</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th></th> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>5629.60</td> <td>49.26</td> <td>68.20</td> <td>-18.94</td> <td>40.86</td> <td>34.43</td> <td>11.19</td> <td>37.22</td> <td>0.00</td> <td>127 304 PEAK</td> </tr> <tr> <td>2</td> <td>5654.00</td> <td>48.47</td> <td>71.18</td> <td>-22.71</td> <td>40.02</td> <td>34.45</td> <td>11.23</td> <td>37.23</td> <td>0.00</td> <td>127 304 PEAK</td> </tr> <tr> <td>3</td> <td>5706.80</td> <td>48.06</td> <td>107.21</td> <td>-59.15</td> <td>39.49</td> <td>34.51</td> <td>11.30</td> <td>37.24</td> <td>0.00</td> <td>127 304 PEAK</td> </tr> <tr> <td>4</td> <td>5720.40</td> <td>46.42</td> <td>111.81</td> <td>-65.39</td> <td>37.81</td> <td>34.54</td> <td>11.32</td> <td>37.25</td> <td>0.00</td> <td>127 304 PEAK</td> </tr> </tbody> </table>	Peak	Freq	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5629.60	49.26	68.20	-18.94	40.86	34.43	11.19	37.22	0.00	127 304 PEAK	2	5654.00	48.47	71.18	-22.71	40.02	34.45	11.23	37.23	0.00	127 304 PEAK	3	5706.80	48.06	107.21	-59.15	39.49	34.51	11.30	37.24	0.00	127 304 PEAK	4	5720.40	46.42	111.81	-65.39	37.81	34.54	11.32	37.25	0.00	127 304 PEAK	<table border="1"> <thead> <tr> <th>Peak</th> <th>Freq</th> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Aux</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th></th> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>5795.00</td> <td>101.70</td> <td>92.85</td> <td>34.69</td> <td>11.44</td> <td>37.28</td> <td>0.00</td> <td>127</td> <td>304</td> <td>PEAK</td> </tr> </tbody> </table>	Peak	Freq	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5795.00	101.70	92.85	34.69	11.44	37.28	0.00	127	304	PEAK
	Peak	Freq	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																										
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																											
1	5629.60	49.26	68.20	-18.94	40.86	34.43	11.19	37.22	0.00	127 304 PEAK																																																																																											
2	5654.00	48.47	71.18	-22.71	40.02	34.45	11.23	37.23	0.00	127 304 PEAK																																																																																											
3	5706.80	48.06	107.21	-59.15	39.49	34.51	11.30	37.24	0.00	127 304 PEAK																																																																																											
4	5720.40	46.42	111.81	-65.39	37.81	34.54	11.32	37.25	0.00	127 304 PEAK																																																																																											
Peak	Freq	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																											
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																											
1	5795.00	101.70	92.85	34.69	11.44	37.28	0.00	127	304	PEAK																																																																																											
Avg	Blank	<table border="1"> <thead> <tr> <th>Peak</th> <th>Freq</th> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Aux</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th></th> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>5795.00</td> <td>93.67</td> <td>84.84</td> <td>34.68</td> <td>11.43</td> <td>37.28</td> <td>0.00</td> <td>127</td> <td>304</td> <td>AVERAGE</td> </tr> </tbody> </table>	Peak	Freq	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5795.00	93.67	84.84	34.68	11.43	37.28	0.00	127	304	AVERAGE																																																																		
Peak	Freq	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																											
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																											
1	5795.00	93.67	84.84	34.68	11.43	37.28	0.00	127	304	AVERAGE																																																																																											



Mode	49																																																																									
	Band Edge - R																																																																									
	U-NII-3_5.725-5.85_802.11ax HE40_CH159_Full_5795MHz																																																																									
ANT	CDD 1+2																																																																									
Pol.	Horizontal	Fundamental																																																																								
Peak	<table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Aux</th> <th>Apos</th> <th>Tpos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>Margin</th> <th>Level</th> <th>Factor</th> <th>Loss</th> <th>Factor</th> <th>Factor</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>5850.00</td> <td>58.94</td> <td>122.30</td> <td>-63.36</td> <td>49.85</td> <td>34.90</td> <td>11.49</td> <td>37.30</td> <td>0.00</td> <td>127</td> <td>304</td> <td>PEAK</td> </tr> <tr> <td>2</td> <td>5860.00</td> <td>58.59</td> <td>109.50</td> <td>-50.91</td> <td>49.45</td> <td>34.94</td> <td>11.50</td> <td>37.30</td> <td>0.00</td> <td>127</td> <td>304</td> <td>PEAK</td> </tr> <tr> <td>3</td> <td>5924.80</td> <td>47.36</td> <td>68.35</td> <td>-20.99</td> <td>37.92</td> <td>35.17</td> <td>11.55</td> <td>37.28</td> <td>0.00</td> <td>127</td> <td>304</td> <td>PEAK</td> </tr> <tr> <td>4</td> <td>5974.40</td> <td>49.69</td> <td>68.20</td> <td>-18.51</td> <td>40.04</td> <td>35.32</td> <td>11.59</td> <td>37.26</td> <td>0.00</td> <td>127</td> <td>304</td> <td>PEAK</td> </tr> </tbody> </table>	Limit	Read	Ant	Cable	Preamp	Aux	Apos	Tpos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	cm	deg	1	5850.00	58.94	122.30	-63.36	49.85	34.90	11.49	37.30	0.00	127	304	PEAK	2	5860.00	58.59	109.50	-50.91	49.45	34.94	11.50	37.30	0.00	127	304	PEAK	3	5924.80	47.36	68.35	-20.99	37.92	35.17	11.55	37.28	0.00	127	304	PEAK	4	5974.40	49.69	68.20	-18.51	40.04	35.32	11.59	37.26	0.00	127	304	PEAK	Blank
Limit	Read	Ant	Cable	Preamp	Aux	Apos	Tpos	Remark																																																																		
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	cm	deg																																																																
1	5850.00	58.94	122.30	-63.36	49.85	34.90	11.49	37.30	0.00	127	304	PEAK																																																														
2	5860.00	58.59	109.50	-50.91	49.45	34.94	11.50	37.30	0.00	127	304	PEAK																																																														
3	5924.80	47.36	68.35	-20.99	37.92	35.17	11.55	37.28	0.00	127	304	PEAK																																																														
4	5974.40	49.69	68.20	-18.51	40.04	35.32	11.59	37.26	0.00	127	304	PEAK																																																														



Mode	49																																																																																																																											
	Band Edge - L																																																																																																																											
	U-NII-3_5.725-5.85_802.11ax HE40_CH159_Full_5795MHz																																																																																																																											
ANT	CDD 1+2																																																																																																																											
Pol.	Vertical	Fundamental																																																																																																																										
Peak	<table border="1"> <thead> <tr> <th></th> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Aux</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>Margin</th> <th>Level</th> <th>Factor</th> <th>Loss</th> <th>Factor</th> <th>Factor</th> <th></th> </tr> <tr> <th></th> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>5605.60</td> <td>49.69</td> <td>68.20</td> <td>-18.51</td> <td>41.35</td> <td>34.41</td> <td>11.16</td> <td>37.23</td> <td>0.00</td> <td>100</td> <td>67 PEAK</td> </tr> <tr> <td>2</td> <td>5650.00</td> <td>47.95</td> <td>68.20</td> <td>-20.25</td> <td>39.50</td> <td>34.45</td> <td>11.22</td> <td>37.22</td> <td>0.00</td> <td>100</td> <td>67 PEAK</td> </tr> <tr> <td>3</td> <td>5701.60</td> <td>51.09</td> <td>105.75</td> <td>-54.66</td> <td>42.54</td> <td>34.50</td> <td>11.29</td> <td>37.24</td> <td>0.00</td> <td>100</td> <td>67 PEAK</td> </tr> <tr> <td>4</td> <td>5720.00</td> <td>54.54</td> <td>110.90</td> <td>-56.36</td> <td>45.93</td> <td>34.54</td> <td>11.32</td> <td>37.25</td> <td>0.00</td> <td>100</td> <td>67 PEAK</td> </tr> </tbody> </table>		Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor			MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5605.60	49.69	68.20	-18.51	41.35	34.41	11.16	37.23	0.00	100	67 PEAK	2	5650.00	47.95	68.20	-20.25	39.50	34.45	11.22	37.22	0.00	100	67 PEAK	3	5701.60	51.09	105.75	-54.66	42.54	34.50	11.29	37.24	0.00	100	67 PEAK	4	5720.00	54.54	110.90	-56.36	45.93	34.54	11.32	37.25	0.00	100	67 PEAK	<table border="1"> <thead> <tr> <th></th> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Aux</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>Margin</th> <th>Level</th> <th>Factor</th> <th>Loss</th> <th>Factor</th> <th>Factor</th> <th></th> </tr> <tr> <th></th> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>5795.00</td> <td>111.90</td> <td>-----</td> <td>-----</td> <td>103.13</td> <td>34.69</td> <td>11.44</td> <td>37.28</td> <td>0.00</td> <td>100</td> <td>67 PEAK</td> </tr> </tbody> </table>		Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor			MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5795.00	111.90	-----	-----	103.13	34.69	11.44	37.28	0.00	100	67 PEAK
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																																																			
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																																																																																																				
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																																		
1	5605.60	49.69	68.20	-18.51	41.35	34.41	11.16	37.23	0.00	100	67 PEAK																																																																																																																	
2	5650.00	47.95	68.20	-20.25	39.50	34.45	11.22	37.22	0.00	100	67 PEAK																																																																																																																	
3	5701.60	51.09	105.75	-54.66	42.54	34.50	11.29	37.24	0.00	100	67 PEAK																																																																																																																	
4	5720.00	54.54	110.90	-56.36	45.93	34.54	11.32	37.25	0.00	100	67 PEAK																																																																																																																	
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																																																			
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																																																																																																				
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																																		
1	5795.00	111.90	-----	-----	103.13	34.69	11.44	37.28	0.00	100	67 PEAK																																																																																																																	
Avg	Blank	<table border="1"> <thead> <tr> <th></th> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Aux</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>Margin</th> <th>Level</th> <th>Factor</th> <th>Loss</th> <th>Factor</th> <th>Factor</th> <th></th> </tr> <tr> <th></th> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>5795.00</td> <td>102.10</td> <td>-----</td> <td>-----</td> <td>93.29</td> <td>34.66</td> <td>11.42</td> <td>37.27</td> <td>0.00</td> <td>100</td> <td>67 AVERAGE</td> </tr> </tbody> </table>		Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor			MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5795.00	102.10	-----	-----	93.29	34.66	11.42	37.27	0.00	100	67 AVERAGE																																																																															
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																																																			
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																																																																																																				
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																																		
1	5795.00	102.10	-----	-----	93.29	34.66	11.42	37.27	0.00	100	67 AVERAGE																																																																																																																	






Mode	49																																																																		
	Band Edge - R																																																																		
	U-NII-3_5.725-5.85_802.11ax HE40_CH159_Full_5795MHz																																																																		
ANT	CDD 1+2																																																																		
Pol.	Vertical	Fundamental																																																																	
Peak	<table border="1"> <thead> <tr> <th>Peak</th> <th>Freq (MHz)</th> <th>Level (dBuV/m)</th> <th>Limit (dBuV/m)</th> <th>Line Margin (dB)</th> <th>Read Level (dBuV)</th> <th>Ant Factor (dB/m)</th> <th>Cable Loss (dB)</th> <th>Preamp Loss (dB)</th> <th>Aux Factor (dB)</th> <th>APos (cm)</th> <th>TPos (deg)</th> <th>Remark</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>5853.60</td> <td>60.46</td> <td>114.09</td> <td>-53.63</td> <td>51.36</td> <td>34.91</td> <td>11.49</td> <td>37.30</td> <td>0.00</td> <td>100</td> <td>67</td> <td>PEAK</td> </tr> <tr> <td>2</td> <td>5868.40</td> <td>60.56</td> <td>109.39</td> <td>-48.83</td> <td>51.42</td> <td>34.94</td> <td>11.50</td> <td>37.30</td> <td>0.00</td> <td>100</td> <td>67</td> <td>PEAK</td> </tr> <tr> <td>3</td> <td>5924.80</td> <td>50.33</td> <td>68.35</td> <td>-18.02</td> <td>40.89</td> <td>35.17</td> <td>11.55</td> <td>37.28</td> <td>0.00</td> <td>100</td> <td>67</td> <td>PEAK</td> </tr> <tr> <td>4</td> <td>5963.20</td> <td>50.31</td> <td>68.20</td> <td>-17.89</td> <td>40.71</td> <td>35.29</td> <td>11.58</td> <td>37.27</td> <td>0.00</td> <td>100</td> <td>67</td> <td>PEAK</td> </tr> </tbody> </table>	Peak	Freq (MHz)	Level (dBuV/m)	Limit (dBuV/m)	Line Margin (dB)	Read Level (dBuV)	Ant Factor (dB/m)	Cable Loss (dB)	Preamp Loss (dB)	Aux Factor (dB)	APos (cm)	TPos (deg)	Remark	1	5853.60	60.46	114.09	-53.63	51.36	34.91	11.49	37.30	0.00	100	67	PEAK	2	5868.40	60.56	109.39	-48.83	51.42	34.94	11.50	37.30	0.00	100	67	PEAK	3	5924.80	50.33	68.35	-18.02	40.89	35.17	11.55	37.28	0.00	100	67	PEAK	4	5963.20	50.31	68.20	-17.89	40.71	35.29	11.58	37.27	0.00	100	67	PEAK	Blank
Peak	Freq (MHz)	Level (dBuV/m)	Limit (dBuV/m)	Line Margin (dB)	Read Level (dBuV)	Ant Factor (dB/m)	Cable Loss (dB)	Preamp Loss (dB)	Aux Factor (dB)	APos (cm)	TPos (deg)	Remark																																																							
1	5853.60	60.46	114.09	-53.63	51.36	34.91	11.49	37.30	0.00	100	67	PEAK																																																							
2	5868.40	60.56	109.39	-48.83	51.42	34.94	11.50	37.30	0.00	100	67	PEAK																																																							
3	5924.80	50.33	68.35	-18.02	40.89	35.17	11.55	37.28	0.00	100	67	PEAK																																																							
4	5963.20	50.31	68.20	-17.89	40.71	35.29	11.58	37.27	0.00	100	67	PEAK																																																							



Mode	49																																																																																																																		
	Harmonic																																																																																																																		
	U-NII-3_5.725-5.85_802.11ax HE40_CH159_Full_5795MHz																																																																																																																		
ANT	CDD 1+2																																																																																																																		
Pol.	Horizontal	Vertical																																																																																																																	
Peak Avg	<table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Aux</th> <th>APos</th> <th>TPos</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line Margin</th> <th>Level</th> <th>Factor</th> <th>Loss Factor</th> <th>Factor</th> <th>Remark</th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>11590.00</td> <td>45.57</td> <td>74.00</td> <td>-28.43</td> <td>52.51</td> <td>38.37</td> <td>16.19</td> <td>61.50</td> <td>0.00</td> <td>--</td> <td>--</td> <td>PEAK</td> </tr> <tr> <td>2</td> <td>17385.00</td> <td>63.57</td> <td>68.20</td> <td>-4.63</td> <td>64.88</td> <td>41.28</td> <td>20.32</td> <td>62.91</td> <td>0.00</td> <td>336</td> <td>59</td> <td>PEAK</td> </tr> </tbody> </table>	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Freq	Level	Line Margin	Level	Factor	Loss Factor	Factor	Remark	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	1	11590.00	45.57	74.00	-28.43	52.51	38.37	16.19	61.50	0.00	--	--	PEAK	2	17385.00	63.57	68.20	-4.63	64.88	41.28	20.32	62.91	0.00	336	59	PEAK	<table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Aux</th> <th>APos</th> <th>TPos</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line Margin</th> <th>Level</th> <th>Factor</th> <th>Loss Factor</th> <th>Factor</th> <th>Remark</th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>11585.53</td> <td>55.03</td> <td>74.00</td> <td>-18.97</td> <td>61.98</td> <td>38.37</td> <td>16.19</td> <td>61.51</td> <td>0.00</td> <td>259</td> <td>327</td> <td>Peak</td> </tr> <tr> <td>2</td> <td>11585.53</td> <td>47.75</td> <td>54.00</td> <td>-6.25</td> <td>54.70</td> <td>38.37</td> <td>16.19</td> <td>61.51</td> <td>0.00</td> <td>259</td> <td>327</td> <td>Average</td> </tr> <tr> <td>3</td> <td>17385.00</td> <td>67.33</td> <td>68.20</td> <td>-0.87</td> <td>68.65</td> <td>41.28</td> <td>20.31</td> <td>62.91</td> <td>0.00</td> <td>300</td> <td>328</td> <td>PEAK</td> </tr> </tbody> </table>	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Freq	Level	Line Margin	Level	Factor	Loss Factor	Factor	Remark	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	1	11585.53	55.03	74.00	-18.97	61.98	38.37	16.19	61.51	0.00	259	327	Peak	2	11585.53	47.75	54.00	-6.25	54.70	38.37	16.19	61.51	0.00	259	327	Average	3	17385.00	67.33	68.20	-0.87	68.65	41.28	20.31	62.91	0.00	300	328	PEAK
Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																																												
Freq	Level	Line Margin	Level	Factor	Loss Factor	Factor	Remark																																																																																																												
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB																																																																																																												
1	11590.00	45.57	74.00	-28.43	52.51	38.37	16.19	61.50	0.00	--	--	PEAK																																																																																																							
2	17385.00	63.57	68.20	-4.63	64.88	41.28	20.32	62.91	0.00	336	59	PEAK																																																																																																							
Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																																												
Freq	Level	Line Margin	Level	Factor	Loss Factor	Factor	Remark																																																																																																												
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB																																																																																																												
1	11585.53	55.03	74.00	-18.97	61.98	38.37	16.19	61.51	0.00	259	327	Peak																																																																																																							
2	11585.53	47.75	54.00	-6.25	54.70	38.37	16.19	61.51	0.00	259	327	Average																																																																																																							
3	17385.00	67.33	68.20	-0.87	68.65	41.28	20.31	62.91	0.00	300	328	PEAK																																																																																																							






Mode	50																																																																																																																						
	Band Edge - L																																																																																																																						
	U-NII-3_5.725-5.85_802.11ax HE80_CH155_Full_5775MHz																																																																																																																						
ANT	CDD 1+2																																																																																																																						
Pol.	Horizontal	Fundamental																																																																																																																					
Peak	 <table border="1"> <thead> <tr> <th>Peak</th> <th>Freq</th> <th>Level</th> <th>Limit</th> <th>Line Margin</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Aux</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th></th> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> <th></th> </tr> </thead> <tbody> <tr> <td>1</td> <td>5642.80</td> <td>52.63</td> <td>68.20</td> <td>-15.57</td> <td>44.20</td> <td>34.44</td> <td>11.21</td> <td>37.22</td> <td>0.00</td> <td>179</td> <td>301</td> <td>PEAK</td> </tr> <tr> <td>2</td> <td>5657.60</td> <td>56.11</td> <td>73.86</td> <td>-17.75</td> <td>47.65</td> <td>34.46</td> <td>11.23</td> <td>37.23</td> <td>0.00</td> <td>179</td> <td>301</td> <td>PEAK</td> </tr> <tr> <td>3</td> <td>5700.40</td> <td>64.35</td> <td>105.41</td> <td>-41.06</td> <td>55.80</td> <td>34.50</td> <td>11.29</td> <td>37.24</td> <td>0.00</td> <td>179</td> <td>301</td> <td>PEAK</td> </tr> <tr> <td>4</td> <td>5720.80</td> <td>66.39</td> <td>112.72</td> <td>-46.33</td> <td>57.78</td> <td>34.54</td> <td>11.32</td> <td>37.25</td> <td>0.00</td> <td>179</td> <td>301</td> <td>PEAK</td> </tr> </tbody> </table>	Peak	Freq	Level	Limit	Line Margin	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg		1	5642.80	52.63	68.20	-15.57	44.20	34.44	11.21	37.22	0.00	179	301	PEAK	2	5657.60	56.11	73.86	-17.75	47.65	34.46	11.23	37.23	0.00	179	301	PEAK	3	5700.40	64.35	105.41	-41.06	55.80	34.50	11.29	37.24	0.00	179	301	PEAK	4	5720.80	66.39	112.72	-46.33	57.78	34.54	11.32	37.25	0.00	179	301	PEAK	 <table border="1"> <thead> <tr> <th>Peak</th> <th>Freq</th> <th>Level</th> <th>Limit</th> <th>Line Margin</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Aux</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th></th> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> <th></th> </tr> </thead> <tbody> <tr> <td>1</td> <td>5775.00</td> <td>101.02</td> <td>-----</td> <td>-----</td> <td>92.15</td> <td>34.70</td> <td>11.45</td> <td>37.28</td> <td>0.00</td> <td>179</td> <td>301</td> <td>PEAK</td> </tr> </tbody> </table>	Peak	Freq	Level	Limit	Line Margin	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg		1	5775.00	101.02	-----	-----	92.15	34.70	11.45	37.28	0.00	179	301	PEAK
Peak	Freq	Level	Limit	Line Margin	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																																											
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																																																												
1	5642.80	52.63	68.20	-15.57	44.20	34.44	11.21	37.22	0.00	179	301	PEAK																																																																																																											
2	5657.60	56.11	73.86	-17.75	47.65	34.46	11.23	37.23	0.00	179	301	PEAK																																																																																																											
3	5700.40	64.35	105.41	-41.06	55.80	34.50	11.29	37.24	0.00	179	301	PEAK																																																																																																											
4	5720.80	66.39	112.72	-46.33	57.78	34.54	11.32	37.25	0.00	179	301	PEAK																																																																																																											
Peak	Freq	Level	Limit	Line Margin	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																																											
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																																																												
1	5775.00	101.02	-----	-----	92.15	34.70	11.45	37.28	0.00	179	301	PEAK																																																																																																											
Avg	Blank																																																																																																																						
		 <table border="1"> <thead> <tr> <th>Peak</th> <th>Freq</th> <th>Level</th> <th>Limit</th> <th>Line Margin</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Aux</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th></th> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> <th></th> </tr> </thead> <tbody> <tr> <td>1</td> <td>5775.00</td> <td>93.52</td> <td>-----</td> <td>-----</td> <td>84.59</td> <td>34.75</td> <td>11.46</td> <td>37.28</td> <td>0.00</td> <td>179</td> <td>301</td> <td>AVERAGE</td> </tr> </tbody> </table>	Peak	Freq	Level	Limit	Line Margin	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg		1	5775.00	93.52	-----	-----	84.59	34.75	11.46	37.28	0.00	179	301	AVERAGE																																																																														
Peak	Freq	Level	Limit	Line Margin	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																																											
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																																																												
1	5775.00	93.52	-----	-----	84.59	34.75	11.46	37.28	0.00	179	301	AVERAGE																																																																																																											



Mode	50																																																																																				
	Band Edge - R																																																																																				
	U-NII-3_5.725-5.85_802.11ax HE80_CH155_Full_5775MHz																																																																																				
ANT	CDD 1+2																																																																																				
Pol.	Horizontal	Fundamental																																																																																			
Peak	<table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Aux</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>Margin</th> <th>Level</th> <th>Factor</th> <th>Loss</th> <th>Factor</th> <th>Factor</th> <th>cm</th> <th>deg</th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>5854.80</td> <td>65.82</td> <td>111.36</td> <td>-45.54</td> <td>56.71</td> <td>34.92</td> <td>11.49</td> <td>37.30</td> <td>0.00</td> <td>179</td> <td>301</td> <td>PEAK</td> </tr> <tr> <td>2</td> <td>5867.60</td> <td>67.62</td> <td>107.37</td> <td>-39.75</td> <td>58.45</td> <td>34.97</td> <td>11.50</td> <td>37.30</td> <td>0.00</td> <td>179</td> <td>301</td> <td>PEAK</td> </tr> <tr> <td>3</td> <td>5921.20</td> <td>52.78</td> <td>71.01</td> <td>-18.23</td> <td>43.35</td> <td>35.16</td> <td>11.55</td> <td>37.28</td> <td>0.00</td> <td>179</td> <td>301</td> <td>PEAK</td> </tr> <tr> <td>4</td> <td>5926.80</td> <td>51.62</td> <td>68.20</td> <td>-16.58</td> <td>42.17</td> <td>35.18</td> <td>11.55</td> <td>37.28</td> <td>0.00</td> <td>179</td> <td>301</td> <td>PEAK</td> </tr> </tbody> </table>	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	cm	deg	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1	5854.80	65.82	111.36	-45.54	56.71	34.92	11.49	37.30	0.00	179	301	PEAK	2	5867.60	67.62	107.37	-39.75	58.45	34.97	11.50	37.30	0.00	179	301	PEAK	3	5921.20	52.78	71.01	-18.23	43.35	35.16	11.55	37.28	0.00	179	301	PEAK	4	5926.80	51.62	68.20	-16.58	42.17	35.18	11.55	37.28	0.00	179	301	PEAK	Blank
Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																													
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	cm	deg																																																																											
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																											
1	5854.80	65.82	111.36	-45.54	56.71	34.92	11.49	37.30	0.00	179	301	PEAK																																																																									
2	5867.60	67.62	107.37	-39.75	58.45	34.97	11.50	37.30	0.00	179	301	PEAK																																																																									
3	5921.20	52.78	71.01	-18.23	43.35	35.16	11.55	37.28	0.00	179	301	PEAK																																																																									
4	5926.80	51.62	68.20	-16.58	42.17	35.18	11.55	37.28	0.00	179	301	PEAK																																																																									



Mode	50																																																																																																										
	Band Edge - L																																																																																																										
	U-NII-3_5.725-5.85_802.11ax HE80_CH155_Full_5775MHz																																																																																																										
ANT	CDD 1+2																																																																																																										
Pol.	Vertical	Fundamental																																																																																																									
Peak	 <table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Aux</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>Margin</th> <th>Level</th> <th>Factor</th> <th>Loss</th> <th>Factor</th> <th>Factor</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>5628.00</td> <td>59.77</td> <td>68.20</td> <td>-8.43</td> <td>51.37</td> <td>34.43</td> <td>11.19</td> <td>37.22</td> <td>0.00</td> <td>259</td> <td>89</td> <td>PEAK</td> </tr> <tr> <td>2</td> <td>5653.60</td> <td>61.93</td> <td>70.88</td> <td>-8.95</td> <td>53.48</td> <td>34.45</td> <td>11.23</td> <td>37.23</td> <td>0.00</td> <td>259</td> <td>89</td> <td>PEAK</td> </tr> <tr> <td>3</td> <td>5704.00</td> <td>74.51</td> <td>106.42</td> <td>-31.91</td> <td>65.94</td> <td>34.51</td> <td>11.30</td> <td>37.24</td> <td>0.00</td> <td>259</td> <td>89</td> <td>PEAK</td> </tr> <tr> <td>4</td> <td>5720.40</td> <td>75.70</td> <td>111.81</td> <td>-36.11</td> <td>67.09</td> <td>34.54</td> <td>11.32</td> <td>37.25</td> <td>0.00</td> <td>259</td> <td>89</td> <td>PEAK</td> </tr> </tbody> </table>	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	cm	deg	1	5628.00	59.77	68.20	-8.43	51.37	34.43	11.19	37.22	0.00	259	89	PEAK	2	5653.60	61.93	70.88	-8.95	53.48	34.45	11.23	37.23	0.00	259	89	PEAK	3	5704.00	74.51	106.42	-31.91	65.94	34.51	11.30	37.24	0.00	259	89	PEAK	4	5720.40	75.70	111.81	-36.11	67.09	34.54	11.32	37.25	0.00	259	89	PEAK	 <table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Aux</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>Margin</th> <th>Level</th> <th>Factor</th> <th>Loss</th> <th>Factor</th> <th>Factor</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>5775.00</td> <td>111.01</td> <td>-----</td> <td>-----</td> <td>102.14</td> <td>34.70</td> <td>11.45</td> <td>37.28</td> <td>0.00</td> <td>259</td> <td>89</td> <td>PEAK</td> </tr> </tbody> </table>	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	cm	deg	1	5775.00	111.01	-----	-----	102.14	34.70	11.45	37.28	0.00	259	89	PEAK
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																																		
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	cm	deg																																																																																																	
1	5628.00	59.77	68.20	-8.43	51.37	34.43	11.19	37.22	0.00	259	89	PEAK																																																																																															
2	5653.60	61.93	70.88	-8.95	53.48	34.45	11.23	37.23	0.00	259	89	PEAK																																																																																															
3	5704.00	74.51	106.42	-31.91	65.94	34.51	11.30	37.24	0.00	259	89	PEAK																																																																																															
4	5720.40	75.70	111.81	-36.11	67.09	34.54	11.32	37.25	0.00	259	89	PEAK																																																																																															
Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																																			
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	cm	deg																																																																																																	
1	5775.00	111.01	-----	-----	102.14	34.70	11.45	37.28	0.00	259	89	PEAK																																																																																															
Avg	Blank	 <table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Aux</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>Margin</th> <th>Level</th> <th>Factor</th> <th>Loss</th> <th>Factor</th> <th>Factor</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>5775.00</td> <td>102.71</td> <td>-----</td> <td>-----</td> <td>93.78</td> <td>34.75</td> <td>11.46</td> <td>37.28</td> <td>0.00</td> <td>259</td> <td>89</td> <td>AVERAGE</td> </tr> </tbody> </table>	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	cm	deg	1	5775.00	102.71	-----	-----	93.78	34.75	11.46	37.28	0.00	259	89	AVERAGE																																																																								
Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																																			
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	cm	deg																																																																																																	
1	5775.00	102.71	-----	-----	93.78	34.75	11.46	37.28	0.00	259	89	AVERAGE																																																																																															






Mode	50																																																																		
	Band Edge - R																																																																		
	U-NII-3_5.725-5.85_802.11ax HE80_CH155_Full_5775MHz																																																																		
ANT	CDD 1+2																																																																		
Pol.	Vertical	Fundamental																																																																	
Peak	<table border="1"> <thead> <tr> <th>Peak</th> <th>Freq (MHz)</th> <th>Level (dBuV/m)</th> <th>Limit (dBuV/m)</th> <th>Line Margin (dB)</th> <th>Read Level (dBuV)</th> <th>Ant Factor (dB/m)</th> <th>Cable Loss (dB)</th> <th>Preamp Loss (dB)</th> <th>Aux Factor (dB)</th> <th>APos (cm)</th> <th>TPos (deg)</th> <th>Remark</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>5854.00</td> <td>75.56</td> <td>111.36</td> <td>-35.80</td> <td>66.45</td> <td>34.92</td> <td>11.49</td> <td>37.30</td> <td>0.00</td> <td>259</td> <td>89</td> <td>PEAK</td> </tr> <tr> <td>2</td> <td>5871.20</td> <td>77.48</td> <td>106.36</td> <td>-28.88</td> <td>68.29</td> <td>34.98</td> <td>11.51</td> <td>37.30</td> <td>0.00</td> <td>259</td> <td>89</td> <td>PEAK</td> </tr> <tr> <td>3</td> <td>5916.40</td> <td>62.83</td> <td>74.56</td> <td>-11.73</td> <td>53.42</td> <td>35.15</td> <td>11.54</td> <td>37.28</td> <td>0.00</td> <td>259</td> <td>89</td> <td>PEAK</td> </tr> <tr> <td>4</td> <td>5927.20</td> <td>57.45</td> <td>68.20</td> <td>-10.75</td> <td>48.00</td> <td>35.18</td> <td>11.55</td> <td>37.28</td> <td>0.00</td> <td>259</td> <td>89</td> <td>PEAK</td> </tr> </tbody> </table>	Peak	Freq (MHz)	Level (dBuV/m)	Limit (dBuV/m)	Line Margin (dB)	Read Level (dBuV)	Ant Factor (dB/m)	Cable Loss (dB)	Preamp Loss (dB)	Aux Factor (dB)	APos (cm)	TPos (deg)	Remark	1	5854.00	75.56	111.36	-35.80	66.45	34.92	11.49	37.30	0.00	259	89	PEAK	2	5871.20	77.48	106.36	-28.88	68.29	34.98	11.51	37.30	0.00	259	89	PEAK	3	5916.40	62.83	74.56	-11.73	53.42	35.15	11.54	37.28	0.00	259	89	PEAK	4	5927.20	57.45	68.20	-10.75	48.00	35.18	11.55	37.28	0.00	259	89	PEAK	Blank
Peak	Freq (MHz)	Level (dBuV/m)	Limit (dBuV/m)	Line Margin (dB)	Read Level (dBuV)	Ant Factor (dB/m)	Cable Loss (dB)	Preamp Loss (dB)	Aux Factor (dB)	APos (cm)	TPos (deg)	Remark																																																							
1	5854.00	75.56	111.36	-35.80	66.45	34.92	11.49	37.30	0.00	259	89	PEAK																																																							
2	5871.20	77.48	106.36	-28.88	68.29	34.98	11.51	37.30	0.00	259	89	PEAK																																																							
3	5916.40	62.83	74.56	-11.73	53.42	35.15	11.54	37.28	0.00	259	89	PEAK																																																							
4	5927.20	57.45	68.20	-10.75	48.00	35.18	11.55	37.28	0.00	259	89	PEAK																																																							



Mode	50																																																																																																																										
	Harmonic																																																																																																																										
	U-NII-3_5.725-5.85_802.11ax HE80_CH155_Full_5775MHz																																																																																																																										
ANT	CDD 1+2																																																																																																																										
Pol.	Horizontal	Vertical																																																																																																																									
Peak Avg	<table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Aux</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line Margin</th> <th>Level</th> <th>Factor</th> <th>Loss Factor</th> <th>Factor</th> <th></th> <th></th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>11550.00</td> <td>45.13</td> <td>74.00</td> <td>-28.87</td> <td>52.20</td> <td>38.34</td> <td>16.16</td> <td>61.57</td> <td>0.00</td> <td>--</td> <td>--</td> <td>PEAK</td> </tr> <tr> <td>2</td> <td>17325.00</td> <td>61.31</td> <td>68.20</td> <td>-6.89</td> <td>62.72</td> <td>41.26</td> <td>20.26</td> <td>62.93</td> <td>0.00</td> <td>337</td> <td>60</td> <td>PEAK</td> </tr> </tbody> </table>	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line Margin	Level	Factor	Loss Factor	Factor			MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	11550.00	45.13	74.00	-28.87	52.20	38.34	16.16	61.57	0.00	--	--	PEAK	2	17325.00	61.31	68.20	-6.89	62.72	41.26	20.26	62.93	0.00	337	60	PEAK	<table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Aux</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line Margin</th> <th>Level</th> <th>Factor</th> <th>Loss Factor</th> <th>Factor</th> <th></th> <th></th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>11565.73</td> <td>53.75</td> <td>74.00</td> <td>-20.25</td> <td>60.77</td> <td>38.35</td> <td>16.17</td> <td>61.54</td> <td>0.00</td> <td>300</td> <td>314</td> <td>Peak</td> </tr> <tr> <td>2</td> <td>11565.73</td> <td>47.24</td> <td>54.00</td> <td>-6.76</td> <td>54.26</td> <td>38.35</td> <td>16.17</td> <td>61.54</td> <td>0.00</td> <td>300</td> <td>314</td> <td>Average</td> </tr> <tr> <td>3</td> <td>17325.00</td> <td>63.34</td> <td>68.20</td> <td>-4.86</td> <td>64.76</td> <td>41.26</td> <td>20.25</td> <td>62.93</td> <td>0.00</td> <td>300</td> <td>328</td> <td>PEAK</td> </tr> </tbody> </table>	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line Margin	Level	Factor	Loss Factor	Factor			MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	11565.73	53.75	74.00	-20.25	60.77	38.35	16.17	61.54	0.00	300	314	Peak	2	11565.73	47.24	54.00	-6.76	54.26	38.35	16.17	61.54	0.00	300	314	Average	3	17325.00	63.34	68.20	-4.86	64.76	41.26	20.25	62.93	0.00	300	328	PEAK
Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																																																			
Freq	Level	Line Margin	Level	Factor	Loss Factor	Factor																																																																																																																					
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																																		
1	11550.00	45.13	74.00	-28.87	52.20	38.34	16.16	61.57	0.00	--	--	PEAK																																																																																																															
2	17325.00	61.31	68.20	-6.89	62.72	41.26	20.26	62.93	0.00	337	60	PEAK																																																																																																															
Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																																																			
Freq	Level	Line Margin	Level	Factor	Loss Factor	Factor																																																																																																																					
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																																		
1	11565.73	53.75	74.00	-20.25	60.77	38.35	16.17	61.54	0.00	300	314	Peak																																																																																																															
2	11565.73	47.24	54.00	-6.76	54.26	38.35	16.17	61.54	0.00	300	314	Average																																																																																																															
3	17325.00	63.34	68.20	-4.86	64.76	41.26	20.25	62.93	0.00	300	328	PEAK																																																																																																															






51																																																																																
Mode	Band Edge																																																																															
	U-NII-3_5.725-5.85_802.11ax HE20_CH149_RU26/0_5745MHz																																																																															
ANT	CDD 1+2																																																																															
Pol.	Horizontal																																																																															
Peak	 <table border="1" data-bbox="263 1064 798 1243"> <thead> <tr> <th></th> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Aux</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>Margin</th> <th>Level</th> <th>Factor</th> <th>Loss</th> <th>Factor</th> <th>Factor</th> <th></th> </tr> <tr> <th></th> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>5648.00</td> <td>48.09</td> <td>68.20</td> <td>-19.31</td> <td>40.44</td> <td>34.45</td> <td>11.22</td> <td>37.22</td> <td>0.00</td> <td>109</td> <td>44 PEAK</td> </tr> <tr> <td>2</td> <td>5658.40</td> <td>48.02</td> <td>68.50</td> <td>-20.48</td> <td>39.57</td> <td>34.45</td> <td>11.22</td> <td>37.22</td> <td>0.00</td> <td>109</td> <td>44 PEAK</td> </tr> <tr> <td>3</td> <td>5704.80</td> <td>59.46</td> <td>106.65</td> <td>-47.19</td> <td>50.89</td> <td>34.51</td> <td>11.30</td> <td>37.24</td> <td>0.00</td> <td>109</td> <td>44 PEAK</td> </tr> <tr> <td>4</td> <td>5720.00</td> <td>57.77</td> <td>110.90</td> <td>-53.13</td> <td>49.16</td> <td>34.54</td> <td>11.32</td> <td>37.25</td> <td>0.00</td> <td>109</td> <td>44 PEAK</td> </tr> </tbody> </table>		Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor			MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5648.00	48.09	68.20	-19.31	40.44	34.45	11.22	37.22	0.00	109	44 PEAK	2	5658.40	48.02	68.50	-20.48	39.57	34.45	11.22	37.22	0.00	109	44 PEAK	3	5704.80	59.46	106.65	-47.19	50.89	34.51	11.30	37.24	0.00	109	44 PEAK	4	5720.00	57.77	110.90	-53.13	49.16	34.54	11.32	37.25	0.00	109	44 PEAK
		Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																						
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																																																								
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																						
1	5648.00	48.09	68.20	-19.31	40.44	34.45	11.22	37.22	0.00	109	44 PEAK																																																																					
2	5658.40	48.02	68.50	-20.48	39.57	34.45	11.22	37.22	0.00	109	44 PEAK																																																																					
3	5704.80	59.46	106.65	-47.19	50.89	34.51	11.30	37.24	0.00	109	44 PEAK																																																																					
4	5720.00	57.77	110.90	-53.13	49.16	34.54	11.32	37.25	0.00	109	44 PEAK																																																																					
Fundamental	 <table border="1" data-bbox="901 1064 1436 1243"> <thead> <tr> <th></th> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Aux</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>Margin</th> <th>Level</th> <th>Factor</th> <th>Loss</th> <th>Factor</th> <th>Factor</th> <th></th> </tr> <tr> <th></th> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>5745.00</td> <td>117.33</td> <td>-----</td> <td>-----</td> <td>108.66</td> <td>34.58</td> <td>11.35</td> <td>37.26</td> <td>0.00</td> <td>109</td> <td>44 PEAK</td> </tr> </tbody> </table>		Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor			MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5745.00	117.33	-----	-----	108.66	34.58	11.35	37.26	0.00	109	44 PEAK																																				
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																							
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																																																								
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																						
1	5745.00	117.33	-----	-----	108.66	34.58	11.35	37.26	0.00	109	44 PEAK																																																																					
Avg	Blank																																																																															
	 <table border="1" data-bbox="901 1736 1436 1915"> <thead> <tr> <th></th> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Aux</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>Margin</th> <th>Level</th> <th>Factor</th> <th>Loss</th> <th>Factor</th> <th>Factor</th> <th></th> </tr> <tr> <th></th> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>5745.00</td> <td>108.00</td> <td>-----</td> <td>-----</td> <td>99.41</td> <td>34.58</td> <td>11.35</td> <td>37.26</td> <td>0.00</td> <td>109</td> <td>44 AVERAGE</td> </tr> </tbody> </table>		Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor			MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5745.00	108.00	-----	-----	99.41	34.58	11.35	37.26	0.00	109	44 AVERAGE																																				
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																							
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																																																								
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																						
1	5745.00	108.00	-----	-----	99.41	34.58	11.35	37.26	0.00	109	44 AVERAGE																																																																					



	51																																																																																																									
Mode	Band Edge																																																																																																									
	U-NII-3_5.725-5.85_802.11ax HE20_CH149_RU26/0_5745MHz																																																																																																									
ANT	CDD 1+2																																																																																																									
Pol.	Vertical	Fundamental																																																																																																								
Peak	<table border="1"> <thead> <tr> <th>Peak</th> <th>Freq</th> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Aux</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th></th> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>5629.20</td> <td>57.55</td> <td>68.20</td> <td>-10.65</td> <td>49.15</td> <td>34.43</td> <td>11.19</td> <td>37.22</td> <td>0.00</td> <td>300</td> <td>166 PEAK</td> </tr> <tr> <td>2</td> <td>5650.40</td> <td>56.79</td> <td>68.50</td> <td>-11.71</td> <td>48.34</td> <td>34.45</td> <td>11.22</td> <td>37.22</td> <td>0.00</td> <td>300</td> <td>166 PEAK</td> </tr> <tr> <td>3</td> <td>5704.40</td> <td>65.82</td> <td>106.53</td> <td>-40.71</td> <td>57.25</td> <td>34.51</td> <td>11.30</td> <td>37.24</td> <td>0.00</td> <td>300</td> <td>166 PEAK</td> </tr> <tr> <td>4</td> <td>5720.00</td> <td>59.50</td> <td>110.90</td> <td>-51.40</td> <td>50.89</td> <td>34.54</td> <td>11.32</td> <td>37.25</td> <td>0.00</td> <td>300</td> <td>166 PEAK</td> </tr> </tbody> </table>	Peak	Freq	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5629.20	57.55	68.20	-10.65	49.15	34.43	11.19	37.22	0.00	300	166 PEAK	2	5650.40	56.79	68.50	-11.71	48.34	34.45	11.22	37.22	0.00	300	166 PEAK	3	5704.40	65.82	106.53	-40.71	57.25	34.51	11.30	37.24	0.00	300	166 PEAK	4	5720.00	59.50	110.90	-51.40	50.89	34.54	11.32	37.25	0.00	300	166 PEAK	<table border="1"> <thead> <tr> <th>Peak</th> <th>Freq</th> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Aux</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th></th> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>5745.00</td> <td>119.61</td> <td>-----</td> <td>-----</td> <td>110.94</td> <td>34.58</td> <td>11.35</td> <td>37.26</td> <td>0.00</td> <td>300</td> <td>166 PEAK</td> </tr> </tbody> </table>	Peak	Freq	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5745.00	119.61	-----	-----	110.94	34.58	11.35	37.26	0.00	300	166 PEAK
	Peak	Freq	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																															
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																
1	5629.20	57.55	68.20	-10.65	49.15	34.43	11.19	37.22	0.00	300	166 PEAK																																																																																															
2	5650.40	56.79	68.50	-11.71	48.34	34.45	11.22	37.22	0.00	300	166 PEAK																																																																																															
3	5704.40	65.82	106.53	-40.71	57.25	34.51	11.30	37.24	0.00	300	166 PEAK																																																																																															
4	5720.00	59.50	110.90	-51.40	50.89	34.54	11.32	37.25	0.00	300	166 PEAK																																																																																															
Peak	Freq	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																																
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																
1	5745.00	119.61	-----	-----	110.94	34.58	11.35	37.26	0.00	300	166 PEAK																																																																																															
Avg	Blank	<table border="1"> <thead> <tr> <th>Peak</th> <th>Freq</th> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Aux</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th></th> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>5745.00</td> <td>95.57</td> <td>-----</td> <td>-----</td> <td>86.88</td> <td>34.59</td> <td>11.36</td> <td>37.26</td> <td>0.00</td> <td>300</td> <td>166 AVERAGE</td> </tr> </tbody> </table>	Peak	Freq	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5745.00	95.57	-----	-----	86.88	34.59	11.36	37.26	0.00	300	166 AVERAGE																																																																						
Peak	Freq	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																																
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																
1	5745.00	95.57	-----	-----	86.88	34.59	11.36	37.26	0.00	300	166 AVERAGE																																																																																															






Mode	52																																																																																																													
	Band Edge																																																																																																													
	U-NII-3_5.725-5.85_802.11ax HE20_CH165_RU26/8_5825MHz																																																																																																													
ANT	CDD 1+2																																																																																																													
Pol.	Horizontal	Fundamental																																																																																																												
Peak	 <table border="1" data-bbox="263 1064 774 1243"> <thead> <tr> <th></th> <th>Limit Freq</th> <th>Limit Level</th> <th>Read Level</th> <th>Line Margin</th> <th>Ant Level</th> <th>Cable Loss</th> <th>Preamp Loss</th> <th>Aux Loss</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th></th> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> <th></th> </tr> </thead> <tbody> <tr> <td>1</td> <td>5854.00</td> <td>47.68</td> <td>111.36</td> <td>-63.68</td> <td>38.57</td> <td>34.92</td> <td>11.49</td> <td>37.30</td> <td>0.00</td> <td>116</td> <td>47 PEAK</td> </tr> <tr> <td>2</td> <td>5866.00</td> <td>57.00</td> <td>107.82</td> <td>-50.82</td> <td>47.84</td> <td>34.96</td> <td>11.50</td> <td>37.30</td> <td>0.00</td> <td>116</td> <td>47 PEAK</td> </tr> <tr> <td>3</td> <td>5924.00</td> <td>46.34</td> <td>68.35</td> <td>-22.01</td> <td>36.90</td> <td>35.17</td> <td>11.55</td> <td>37.28</td> <td>0.00</td> <td>116</td> <td>47 PEAK</td> </tr> <tr> <td>4</td> <td>5942.00</td> <td>50.50</td> <td>68.20</td> <td>-17.70</td> <td>40.98</td> <td>35.23</td> <td>11.56</td> <td>37.27</td> <td>0.00</td> <td>116</td> <td>47 PEAK</td> </tr> </tbody> </table>		Limit Freq	Limit Level	Read Level	Line Margin	Ant Level	Cable Loss	Preamp Loss	Aux Loss	APos	TPos	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg		1	5854.00	47.68	111.36	-63.68	38.57	34.92	11.49	37.30	0.00	116	47 PEAK	2	5866.00	57.00	107.82	-50.82	47.84	34.96	11.50	37.30	0.00	116	47 PEAK	3	5924.00	46.34	68.35	-22.01	36.90	35.17	11.55	37.28	0.00	116	47 PEAK	4	5942.00	50.50	68.20	-17.70	40.98	35.23	11.56	37.27	0.00	116	47 PEAK	 <table border="1" data-bbox="901 1064 1412 1243"> <thead> <tr> <th></th> <th>Limit Freq</th> <th>Limit Level</th> <th>Read Level</th> <th>Line Margin</th> <th>Ant Level</th> <th>Cable Loss</th> <th>Preamp Loss</th> <th>Aux Loss</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th></th> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> <th></th> </tr> </thead> <tbody> <tr> <td>1</td> <td>5825.00</td> <td>117.30</td> <td>-----</td> <td>-----</td> <td>108.27</td> <td>34.84</td> <td>11.48</td> <td>37.29</td> <td>0.00</td> <td>116</td> <td>47 PEAK</td> </tr> </tbody> </table>		Limit Freq	Limit Level	Read Level	Line Margin	Ant Level	Cable Loss	Preamp Loss	Aux Loss	APos	TPos	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg		1	5825.00	117.30	-----	-----	108.27	34.84	11.48	37.29	0.00	116	47 PEAK
	Limit Freq	Limit Level	Read Level	Line Margin	Ant Level	Cable Loss	Preamp Loss	Aux Loss	APos	TPos	Remark																																																																																																			
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																				
1	5854.00	47.68	111.36	-63.68	38.57	34.92	11.49	37.30	0.00	116	47 PEAK																																																																																																			
2	5866.00	57.00	107.82	-50.82	47.84	34.96	11.50	37.30	0.00	116	47 PEAK																																																																																																			
3	5924.00	46.34	68.35	-22.01	36.90	35.17	11.55	37.28	0.00	116	47 PEAK																																																																																																			
4	5942.00	50.50	68.20	-17.70	40.98	35.23	11.56	37.27	0.00	116	47 PEAK																																																																																																			
	Limit Freq	Limit Level	Read Level	Line Margin	Ant Level	Cable Loss	Preamp Loss	Aux Loss	APos	TPos	Remark																																																																																																			
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																				
1	5825.00	117.30	-----	-----	108.27	34.84	11.48	37.29	0.00	116	47 PEAK																																																																																																			
Avg	Blank	 <table border="1" data-bbox="901 1736 1412 1915"> <thead> <tr> <th></th> <th>Limit Freq</th> <th>Limit Level</th> <th>Read Level</th> <th>Line Margin</th> <th>Ant Level</th> <th>Cable Loss</th> <th>Preamp Loss</th> <th>Aux Loss</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th></th> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> <th></th> </tr> </thead> <tbody> <tr> <td>1</td> <td>5825.00</td> <td>107.07</td> <td>-----</td> <td>-----</td> <td>98.04</td> <td>34.84</td> <td>11.48</td> <td>37.29</td> <td>0.00</td> <td>116</td> <td>47 AVERAGE</td> </tr> </tbody> </table>		Limit Freq	Limit Level	Read Level	Line Margin	Ant Level	Cable Loss	Preamp Loss	Aux Loss	APos	TPos	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg		1	5825.00	107.07	-----	-----	98.04	34.84	11.48	37.29	0.00	116	47 AVERAGE																																																																								
	Limit Freq	Limit Level	Read Level	Line Margin	Ant Level	Cable Loss	Preamp Loss	Aux Loss	APos	TPos	Remark																																																																																																			
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																				
1	5825.00	107.07	-----	-----	98.04	34.84	11.48	37.29	0.00	116	47 AVERAGE																																																																																																			






	52																																																																																																																																
Mode	Band Edge																																																																																																																																
	U-NII-3_5.725-5.85_802.11ax HE20_CH165_RU26/8_5825MHz																																																																																																																																
ANT	CDD 1+2																																																																																																																																
Pol.	Vertical	Fundamental																																																																																																																															
Peak	<table border="1"> <thead> <tr> <th></th> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Aux</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line Margin</th> <th>Level</th> <th>Factor</th> <th>Loss Factor</th> <th>Factor</th> <th></th> <th></th> <th></th> </tr> <tr> <th></th> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>5853.60</td> <td>66.70</td> <td>114.09</td> <td>-47.39</td> <td>57.60</td> <td>34.91</td> <td>11.49</td> <td>37.30</td> <td>0.00</td> <td>221</td> <td>360</td> <td>PEAK</td> </tr> <tr> <td>2</td> <td>5864.40</td> <td>68.46</td> <td>108.27</td> <td>-39.81</td> <td>59.30</td> <td>34.96</td> <td>11.50</td> <td>37.30</td> <td>0.00</td> <td>221</td> <td>360</td> <td>PEAK</td> </tr> <tr> <td>3</td> <td>5922.80</td> <td>48.44</td> <td>69.83</td> <td>-21.39</td> <td>39.00</td> <td>35.17</td> <td>11.55</td> <td>37.28</td> <td>0.00</td> <td>221</td> <td>360</td> <td>PEAK</td> </tr> <tr> <td>4</td> <td>5937.20</td> <td>49.83</td> <td>68.20</td> <td>-18.37</td> <td>40.34</td> <td>35.21</td> <td>11.56</td> <td>37.28</td> <td>0.00</td> <td>221</td> <td>360</td> <td>PEAK</td> </tr> </tbody> </table>		Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line Margin	Level	Factor	Loss Factor	Factor					MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5853.60	66.70	114.09	-47.39	57.60	34.91	11.49	37.30	0.00	221	360	PEAK	2	5864.40	68.46	108.27	-39.81	59.30	34.96	11.50	37.30	0.00	221	360	PEAK	3	5922.80	48.44	69.83	-21.39	39.00	35.17	11.55	37.28	0.00	221	360	PEAK	4	5937.20	49.83	68.20	-18.37	40.34	35.21	11.56	37.28	0.00	221	360	PEAK	<table border="1"> <thead> <tr> <th></th> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Aux</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line Margin</th> <th>Level</th> <th>Factor</th> <th>Loss Factor</th> <th>Factor</th> <th></th> <th></th> <th></th> </tr> <tr> <th></th> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>5825.00</td> <td>120.50</td> <td>-----</td> <td>-----</td> <td>111.55</td> <td>34.84</td> <td>11.48</td> <td>37.29</td> <td>0.00</td> <td>221</td> <td>360</td> <td>PEAK</td> </tr> </tbody> </table>		Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line Margin	Level	Factor	Loss Factor	Factor					MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5825.00	120.50	-----	-----	111.55	34.84	11.48	37.29	0.00	221	360	PEAK
		Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																																																							
Freq	Level	Line Margin	Level	Factor	Loss Factor	Factor																																																																																																																											
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																																							
1	5853.60	66.70	114.09	-47.39	57.60	34.91	11.49	37.30	0.00	221	360	PEAK																																																																																																																					
2	5864.40	68.46	108.27	-39.81	59.30	34.96	11.50	37.30	0.00	221	360	PEAK																																																																																																																					
3	5922.80	48.44	69.83	-21.39	39.00	35.17	11.55	37.28	0.00	221	360	PEAK																																																																																																																					
4	5937.20	49.83	68.20	-18.37	40.34	35.21	11.56	37.28	0.00	221	360	PEAK																																																																																																																					
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																																																								
Freq	Level	Line Margin	Level	Factor	Loss Factor	Factor																																																																																																																											
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																																							
1	5825.00	120.50	-----	-----	111.55	34.84	11.48	37.29	0.00	221	360	PEAK																																																																																																																					
Avg	Blank	<table border="1"> <thead> <tr> <th></th> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Aux</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line Margin</th> <th>Level</th> <th>Factor</th> <th>Loss Factor</th> <th>Factor</th> <th></th> <th></th> <th></th> </tr> <tr> <th></th> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>5825.00</td> <td>113.59</td> <td>-----</td> <td>-----</td> <td>104.56</td> <td>34.84</td> <td>11.48</td> <td>37.29</td> <td>0.00</td> <td>221</td> <td>360</td> <td>AVERAGE</td> </tr> </tbody> </table>		Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line Margin	Level	Factor	Loss Factor	Factor					MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5825.00	113.59	-----	-----	104.56	34.84	11.48	37.29	0.00	221	360	AVERAGE																																																																																			
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																																																								
Freq	Level	Line Margin	Level	Factor	Loss Factor	Factor																																																																																																																											
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																																							
1	5825.00	113.59	-----	-----	104.56	34.84	11.48	37.29	0.00	221	360	AVERAGE																																																																																																																					






53																																																																																
Mode	Band Edge																																																																															
	U-NII-3_5.725-5.85_802.11ax HE20_CH149_RU52/37_5745MHZ																																																																															
ANT	CDD 1+2																																																																															
Pol.	Horizontal																																																																															
Peak	 <table border="1" data-bbox="263 1064 798 1243"> <thead> <tr> <th></th> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Aux</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line Margin</th> <th>Level</th> <th>Factor</th> <th>Loss Factor</th> <th>Factor</th> <th></th> <th></th> <th></th> </tr> <tr> <th></th> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>5695.20</td> <td>48.38</td> <td>68.20</td> <td>-19.82</td> <td>40.04</td> <td>34.41</td> <td>11.16</td> <td>37.23</td> <td>0.00</td> <td>100</td> <td>43 PEAK</td> </tr> <tr> <td>2</td> <td>5655.20</td> <td>49.49</td> <td>72.07</td> <td>-22.58</td> <td>41.03</td> <td>34.46</td> <td>11.23</td> <td>37.23</td> <td>0.00</td> <td>100</td> <td>43 PEAK</td> </tr> <tr> <td>3</td> <td>5708.80</td> <td>53.12</td> <td>107.77</td> <td>-54.65</td> <td>44.55</td> <td>34.52</td> <td>11.30</td> <td>37.25</td> <td>0.00</td> <td>100</td> <td>43 PEAK</td> </tr> <tr> <td>4</td> <td>5720.40</td> <td>50.19</td> <td>111.81</td> <td>-61.62</td> <td>41.58</td> <td>34.54</td> <td>11.32</td> <td>37.25</td> <td>0.00</td> <td>100</td> <td>43 PEAK</td> </tr> </tbody> </table>		Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line Margin	Level	Factor	Loss Factor	Factor					MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5695.20	48.38	68.20	-19.82	40.04	34.41	11.16	37.23	0.00	100	43 PEAK	2	5655.20	49.49	72.07	-22.58	41.03	34.46	11.23	37.23	0.00	100	43 PEAK	3	5708.80	53.12	107.77	-54.65	44.55	34.52	11.30	37.25	0.00	100	43 PEAK	4	5720.40	50.19	111.81	-61.62	41.58	34.54	11.32	37.25	0.00	100	43 PEAK
		Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																						
Freq	Level	Line Margin	Level	Factor	Loss Factor	Factor																																																																										
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																						
1	5695.20	48.38	68.20	-19.82	40.04	34.41	11.16	37.23	0.00	100	43 PEAK																																																																					
2	5655.20	49.49	72.07	-22.58	41.03	34.46	11.23	37.23	0.00	100	43 PEAK																																																																					
3	5708.80	53.12	107.77	-54.65	44.55	34.52	11.30	37.25	0.00	100	43 PEAK																																																																					
4	5720.40	50.19	111.81	-61.62	41.58	34.54	11.32	37.25	0.00	100	43 PEAK																																																																					
Fundamental	 <table border="1" data-bbox="901 1064 1436 1243"> <thead> <tr> <th></th> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Aux</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line Margin</th> <th>Level</th> <th>Factor</th> <th>Loss Factor</th> <th>Factor</th> <th></th> <th></th> <th></th> </tr> <tr> <th></th> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>5745.00</td> <td>113.24</td> <td>-----</td> <td>-----</td> <td>104.57</td> <td>34.58</td> <td>11.35</td> <td>37.26</td> <td>0.00</td> <td>100</td> <td>43 PEAK</td> </tr> </tbody> </table>		Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line Margin	Level	Factor	Loss Factor	Factor					MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5745.00	113.24	-----	-----	104.57	34.58	11.35	37.26	0.00	100	43 PEAK																																				
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																							
Freq	Level	Line Margin	Level	Factor	Loss Factor	Factor																																																																										
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																						
1	5745.00	113.24	-----	-----	104.57	34.58	11.35	37.26	0.00	100	43 PEAK																																																																					
Avg	Blank																																																																															
	 <table border="1" data-bbox="901 1736 1436 1915"> <thead> <tr> <th></th> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Aux</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line Margin</th> <th>Level</th> <th>Factor</th> <th>Loss Factor</th> <th>Factor</th> <th></th> <th></th> <th></th> </tr> <tr> <th></th> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>5745.00</td> <td>105.42</td> <td>-----</td> <td>-----</td> <td>96.75</td> <td>34.58</td> <td>11.35</td> <td>37.26</td> <td>0.00</td> <td>100</td> <td>43 AVERAGE</td> </tr> </tbody> </table>		Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line Margin	Level	Factor	Loss Factor	Factor					MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5745.00	105.42	-----	-----	96.75	34.58	11.35	37.26	0.00	100	43 AVERAGE																																				
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																							
Freq	Level	Line Margin	Level	Factor	Loss Factor	Factor																																																																										
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																						
1	5745.00	105.42	-----	-----	96.75	34.58	11.35	37.26	0.00	100	43 AVERAGE																																																																					






53																																																																		
Mode	Band Edge																																																																	
	U-NII-3_5.725-5.85_802.11ax HE20_CH149_RU52/37_5745MHZ																																																																	
ANT	CDD 1+2																																																																	
Pol.	Vertical																																																																	
Peak	 <p>Level (dBuV/m) vs Frequency (MHz) plot showing a peak at 5745.00 MHz. The plot includes a red limit line and a blue signal trace. Four peaks are marked with numbers 1, 2, 3, and 4.</p> <table border="1"> <thead> <tr> <th>Peak</th> <th>Freq (MHz)</th> <th>Level (dBuV/m)</th> <th>Limit (dBuV/m)</th> <th>Line Margin (dB)</th> <th>Read (dBuV)</th> <th>Ant (dB/m)</th> <th>Cable Loss (dB)</th> <th>Preamp (dB)</th> <th>Aux (dB)</th> <th>APos (dB)</th> <th>TPos (cm)</th> <th>Remark</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>5625.60</td> <td>49.31</td> <td>68.20</td> <td>-18.89</td> <td>40.91</td> <td>34.43</td> <td>11.19</td> <td>37.22</td> <td>0.00</td> <td>300</td> <td>172</td> <td>PEAK</td> </tr> <tr> <td>2</td> <td>5652.00</td> <td>48.96</td> <td>69.69</td> <td>-20.73</td> <td>40.51</td> <td>34.45</td> <td>11.22</td> <td>37.22</td> <td>0.00</td> <td>300</td> <td>172</td> <td>PEAK</td> </tr> <tr> <td>3</td> <td>5706.40</td> <td>73.83</td> <td>107.09</td> <td>-33.26</td> <td>65.26</td> <td>34.51</td> <td>11.30</td> <td>37.24</td> <td>0.00</td> <td>300</td> <td>172</td> <td>PEAK</td> </tr> <tr> <td>4</td> <td>5721.20</td> <td>68.65</td> <td>113.64</td> <td>-44.99</td> <td>60.04</td> <td>34.54</td> <td>11.32</td> <td>37.25</td> <td>0.00</td> <td>300</td> <td>172</td> <td>PEAK</td> </tr> </tbody> </table>	Peak	Freq (MHz)	Level (dBuV/m)	Limit (dBuV/m)	Line Margin (dB)	Read (dBuV)	Ant (dB/m)	Cable Loss (dB)	Preamp (dB)	Aux (dB)	APos (dB)	TPos (cm)	Remark	1	5625.60	49.31	68.20	-18.89	40.91	34.43	11.19	37.22	0.00	300	172	PEAK	2	5652.00	48.96	69.69	-20.73	40.51	34.45	11.22	37.22	0.00	300	172	PEAK	3	5706.40	73.83	107.09	-33.26	65.26	34.51	11.30	37.24	0.00	300	172	PEAK	4	5721.20	68.65	113.64	-44.99	60.04	34.54	11.32	37.25	0.00	300	172	PEAK
	Peak	Freq (MHz)	Level (dBuV/m)	Limit (dBuV/m)	Line Margin (dB)	Read (dBuV)	Ant (dB/m)	Cable Loss (dB)	Preamp (dB)	Aux (dB)	APos (dB)	TPos (cm)	Remark																																																					
1	5625.60	49.31	68.20	-18.89	40.91	34.43	11.19	37.22	0.00	300	172	PEAK																																																						
2	5652.00	48.96	69.69	-20.73	40.51	34.45	11.22	37.22	0.00	300	172	PEAK																																																						
3	5706.40	73.83	107.09	-33.26	65.26	34.51	11.30	37.24	0.00	300	172	PEAK																																																						
4	5721.20	68.65	113.64	-44.99	60.04	34.54	11.32	37.25	0.00	300	172	PEAK																																																						
Fundamental	 <p>Level (dBuV/m) vs Frequency (MHz) plot showing a sharp peak at 5745.00 MHz. The plot includes a red limit line and a blue signal trace.</p> <table border="1"> <thead> <tr> <th>Peak</th> <th>Freq (MHz)</th> <th>Level (dBuV/m)</th> <th>Limit (dBuV/m)</th> <th>Line Margin (dB)</th> <th>Read (dBuV)</th> <th>Ant (dB/m)</th> <th>Cable Loss (dB)</th> <th>Preamp (dB)</th> <th>Aux (dB)</th> <th>APos (dB)</th> <th>TPos (cm)</th> <th>Remark</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>5745.00</td> <td>118.72</td> <td>-----</td> <td>-----</td> <td>110.07</td> <td>34.57</td> <td>11.34</td> <td>37.26</td> <td>0.00</td> <td>300</td> <td>172</td> <td>PEAK</td> </tr> </tbody> </table>	Peak	Freq (MHz)	Level (dBuV/m)	Limit (dBuV/m)	Line Margin (dB)	Read (dBuV)	Ant (dB/m)	Cable Loss (dB)	Preamp (dB)	Aux (dB)	APos (dB)	TPos (cm)	Remark	1	5745.00	118.72	-----	-----	110.07	34.57	11.34	37.26	0.00	300	172	PEAK																																							
Peak	Freq (MHz)	Level (dBuV/m)	Limit (dBuV/m)	Line Margin (dB)	Read (dBuV)	Ant (dB/m)	Cable Loss (dB)	Preamp (dB)	Aux (dB)	APos (dB)	TPos (cm)	Remark																																																						
1	5745.00	118.72	-----	-----	110.07	34.57	11.34	37.26	0.00	300	172	PEAK																																																						
Avg	Blank																																																																	
	 <p>Level (dBuV/m) vs Frequency (MHz) plot showing a sharp peak at 5745.00 MHz. The plot includes a red limit line and a blue signal trace.</p> <table border="1"> <thead> <tr> <th>Peak</th> <th>Freq (MHz)</th> <th>Level (dBuV/m)</th> <th>Limit (dBuV/m)</th> <th>Line Margin (dB)</th> <th>Read (dBuV)</th> <th>Ant (dB/m)</th> <th>Cable Loss (dB)</th> <th>Preamp (dB)</th> <th>Aux (dB)</th> <th>APos (dB)</th> <th>TPos (cm)</th> <th>Remark</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>5745.00</td> <td>111.03</td> <td>-----</td> <td>-----</td> <td>102.36</td> <td>34.58</td> <td>11.35</td> <td>37.26</td> <td>0.00</td> <td>300</td> <td>172</td> <td>AVERAGE</td> </tr> </tbody> </table>	Peak	Freq (MHz)	Level (dBuV/m)	Limit (dBuV/m)	Line Margin (dB)	Read (dBuV)	Ant (dB/m)	Cable Loss (dB)	Preamp (dB)	Aux (dB)	APos (dB)	TPos (cm)	Remark	1	5745.00	111.03	-----	-----	102.36	34.58	11.35	37.26	0.00	300	172	AVERAGE																																							
Peak	Freq (MHz)	Level (dBuV/m)	Limit (dBuV/m)	Line Margin (dB)	Read (dBuV)	Ant (dB/m)	Cable Loss (dB)	Preamp (dB)	Aux (dB)	APos (dB)	TPos (cm)	Remark																																																						
1	5745.00	111.03	-----	-----	102.36	34.58	11.35	37.26	0.00	300	172	AVERAGE																																																						



54																																																																		
Mode	Band Edge																																																																	
	U-NII-3_5.725-5.85_802.11ax HE20_CH165_RU52/40_5825MHz																																																																	
ANT	CDD 1+2																																																																	
Pol.	Horizontal																																																																	
Peak	 <p>Level (dBuV/m) vs Frequency (MHz) plot for Horizontal polarization. The plot shows a red limit line and a blue signal line. A prominent peak is visible at approximately 5825 MHz. Four peaks are labeled with numbers 1, 2, 3, and 4.</p> <table border="1"> <thead> <tr> <th>Peak</th> <th>Freq (MHz)</th> <th>Level (dBuV/m)</th> <th>Limit (dBuV/m)</th> <th>Line Margin (dB)</th> <th>Read (dBuV)</th> <th>Ant (dB/m)</th> <th>Cable Loss (dB)</th> <th>Preamp (dB)</th> <th>Aux (dB)</th> <th>APos (cm)</th> <th>TPos (deg)</th> <th>Remark</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>5854.00</td> <td>49.91</td> <td>113.18</td> <td>-63.27</td> <td>40.80</td> <td>34.92</td> <td>11.49</td> <td>37.30</td> <td>0.00</td> <td>100</td> <td>44</td> <td>PEAK</td> </tr> <tr> <td>2</td> <td>5868.80</td> <td>50.44</td> <td>107.03</td> <td>-56.59</td> <td>41.25</td> <td>34.98</td> <td>11.51</td> <td>37.30</td> <td>0.00</td> <td>100</td> <td>44</td> <td>PEAK</td> </tr> <tr> <td>3</td> <td>5924.40</td> <td>48.24</td> <td>68.64</td> <td>-20.40</td> <td>38.80</td> <td>35.17</td> <td>11.55</td> <td>37.28</td> <td>0.00</td> <td>100</td> <td>44</td> <td>PEAK</td> </tr> <tr> <td>4</td> <td>5954.80</td> <td>49.84</td> <td>68.20</td> <td>-18.36</td> <td>40.28</td> <td>35.26</td> <td>11.57</td> <td>37.27</td> <td>0.00</td> <td>100</td> <td>44</td> <td>PEAK</td> </tr> </tbody> </table>	Peak	Freq (MHz)	Level (dBuV/m)	Limit (dBuV/m)	Line Margin (dB)	Read (dBuV)	Ant (dB/m)	Cable Loss (dB)	Preamp (dB)	Aux (dB)	APos (cm)	TPos (deg)	Remark	1	5854.00	49.91	113.18	-63.27	40.80	34.92	11.49	37.30	0.00	100	44	PEAK	2	5868.80	50.44	107.03	-56.59	41.25	34.98	11.51	37.30	0.00	100	44	PEAK	3	5924.40	48.24	68.64	-20.40	38.80	35.17	11.55	37.28	0.00	100	44	PEAK	4	5954.80	49.84	68.20	-18.36	40.28	35.26	11.57	37.27	0.00	100	44	PEAK
	Peak	Freq (MHz)	Level (dBuV/m)	Limit (dBuV/m)	Line Margin (dB)	Read (dBuV)	Ant (dB/m)	Cable Loss (dB)	Preamp (dB)	Aux (dB)	APos (cm)	TPos (deg)	Remark																																																					
1	5854.00	49.91	113.18	-63.27	40.80	34.92	11.49	37.30	0.00	100	44	PEAK																																																						
2	5868.80	50.44	107.03	-56.59	41.25	34.98	11.51	37.30	0.00	100	44	PEAK																																																						
3	5924.40	48.24	68.64	-20.40	38.80	35.17	11.55	37.28	0.00	100	44	PEAK																																																						
4	5954.80	49.84	68.20	-18.36	40.28	35.26	11.57	37.27	0.00	100	44	PEAK																																																						
Fundamental	 <p>Level (dBuV/m) vs Frequency (MHz) plot for Fundamental polarization. The plot shows a red limit line and a blue signal line. A prominent peak is visible at approximately 5825 MHz.</p> <table border="1"> <thead> <tr> <th>Peak</th> <th>Freq (MHz)</th> <th>Level (dBuV/m)</th> <th>Limit (dBuV/m)</th> <th>Line Margin (dB)</th> <th>Read (dBuV)</th> <th>Ant (dB/m)</th> <th>Cable Loss (dB)</th> <th>Preamp (dB)</th> <th>Aux (dB)</th> <th>APos (cm)</th> <th>TPos (deg)</th> <th>Remark</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>5825.00</td> <td>112.82</td> <td>-----</td> <td>-----</td> <td>103.82</td> <td>34.82</td> <td>11.47</td> <td>37.29</td> <td>0.00</td> <td>100</td> <td>44</td> <td>PEAK</td> </tr> </tbody> </table>	Peak	Freq (MHz)	Level (dBuV/m)	Limit (dBuV/m)	Line Margin (dB)	Read (dBuV)	Ant (dB/m)	Cable Loss (dB)	Preamp (dB)	Aux (dB)	APos (cm)	TPos (deg)	Remark	1	5825.00	112.82	-----	-----	103.82	34.82	11.47	37.29	0.00	100	44	PEAK																																							
Peak	Freq (MHz)	Level (dBuV/m)	Limit (dBuV/m)	Line Margin (dB)	Read (dBuV)	Ant (dB/m)	Cable Loss (dB)	Preamp (dB)	Aux (dB)	APos (cm)	TPos (deg)	Remark																																																						
1	5825.00	112.82	-----	-----	103.82	34.82	11.47	37.29	0.00	100	44	PEAK																																																						
Avg	Blank																																																																	
	 <p>Level (dBuV/m) vs Frequency (MHz) plot for Average (Avg) polarization. The plot shows a red limit line and a blue signal line. A prominent peak is visible at approximately 5825 MHz.</p> <table border="1"> <thead> <tr> <th>Peak</th> <th>Freq (MHz)</th> <th>Level (dBuV/m)</th> <th>Limit (dBuV/m)</th> <th>Line Margin (dB)</th> <th>Read (dBuV)</th> <th>Ant (dB/m)</th> <th>Cable Loss (dB)</th> <th>Preamp (dB)</th> <th>Aux (dB)</th> <th>APos (cm)</th> <th>TPos (deg)</th> <th>Remark</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>5825.00</td> <td>103.74</td> <td>-----</td> <td>-----</td> <td>94.74</td> <td>34.82</td> <td>11.47</td> <td>37.29</td> <td>0.00</td> <td>100</td> <td>44</td> <td>AVERAGE</td> </tr> </tbody> </table>	Peak	Freq (MHz)	Level (dBuV/m)	Limit (dBuV/m)	Line Margin (dB)	Read (dBuV)	Ant (dB/m)	Cable Loss (dB)	Preamp (dB)	Aux (dB)	APos (cm)	TPos (deg)	Remark	1	5825.00	103.74	-----	-----	94.74	34.82	11.47	37.29	0.00	100	44	AVERAGE																																							
Peak	Freq (MHz)	Level (dBuV/m)	Limit (dBuV/m)	Line Margin (dB)	Read (dBuV)	Ant (dB/m)	Cable Loss (dB)	Preamp (dB)	Aux (dB)	APos (cm)	TPos (deg)	Remark																																																						
1	5825.00	103.74	-----	-----	94.74	34.82	11.47	37.29	0.00	100	44	AVERAGE																																																						



	54																																																																																																													
Mode	Band Edge																																																																																																													
ANT	CDD 1+2																																																																																																													
Pol.	Vertical	Fundamental																																																																																																												
Peak	 <table border="1" data-bbox="263 1064 774 1243"> <thead> <tr> <th></th> <th>Limit Freq</th> <th>Limit Level</th> <th>Limit Line Margin</th> <th>Read Level</th> <th>Ant Factor</th> <th>Cable Loss</th> <th>Preamp</th> <th>Aux Factor</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th></th> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> <th></th> </tr> </thead> <tbody> <tr> <td>1</td> <td>5853.60</td> <td>61.41</td> <td>114.09</td> <td>-52.68</td> <td>52.31</td> <td>34.91</td> <td>11.49</td> <td>37.30</td> <td>0.00</td> <td>270</td> <td>31 PEAK</td> </tr> <tr> <td>2</td> <td>5873.60</td> <td>56.34</td> <td>105.69</td> <td>-49.35</td> <td>47.13</td> <td>34.99</td> <td>11.51</td> <td>37.29</td> <td>0.00</td> <td>270</td> <td>31 PEAK</td> </tr> <tr> <td>3</td> <td>5924.80</td> <td>47.37</td> <td>68.35</td> <td>-20.98</td> <td>37.93</td> <td>35.17</td> <td>11.55</td> <td>37.28</td> <td>0.00</td> <td>270</td> <td>31 PEAK</td> </tr> <tr> <td>4</td> <td>5945.60</td> <td>52.07</td> <td>68.20</td> <td>-16.13</td> <td>42.53</td> <td>35.24</td> <td>11.57</td> <td>37.27</td> <td>0.00</td> <td>270</td> <td>31 PEAK</td> </tr> </tbody> </table>		Limit Freq	Limit Level	Limit Line Margin	Read Level	Ant Factor	Cable Loss	Preamp	Aux Factor	APos	TPos	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg		1	5853.60	61.41	114.09	-52.68	52.31	34.91	11.49	37.30	0.00	270	31 PEAK	2	5873.60	56.34	105.69	-49.35	47.13	34.99	11.51	37.29	0.00	270	31 PEAK	3	5924.80	47.37	68.35	-20.98	37.93	35.17	11.55	37.28	0.00	270	31 PEAK	4	5945.60	52.07	68.20	-16.13	42.53	35.24	11.57	37.27	0.00	270	31 PEAK	 <table border="1" data-bbox="901 1064 1412 1243"> <thead> <tr> <th></th> <th>Limit Freq</th> <th>Limit Level</th> <th>Limit Line Margin</th> <th>Read Level</th> <th>Ant Factor</th> <th>Cable Loss</th> <th>Preamp</th> <th>Aux Factor</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th></th> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> <th></th> </tr> </thead> <tbody> <tr> <td>1</td> <td>5825.00</td> <td>119.19</td> <td>-----</td> <td>110.19</td> <td>34.82</td> <td>11.47</td> <td>37.29</td> <td>0.00</td> <td>270</td> <td>31</td> <td>PEAK</td> </tr> </tbody> </table>		Limit Freq	Limit Level	Limit Line Margin	Read Level	Ant Factor	Cable Loss	Preamp	Aux Factor	APos	TPos	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg		1	5825.00	119.19	-----	110.19	34.82	11.47	37.29	0.00	270	31	PEAK
	Limit Freq	Limit Level	Limit Line Margin	Read Level	Ant Factor	Cable Loss	Preamp	Aux Factor	APos	TPos	Remark																																																																																																			
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																				
1	5853.60	61.41	114.09	-52.68	52.31	34.91	11.49	37.30	0.00	270	31 PEAK																																																																																																			
2	5873.60	56.34	105.69	-49.35	47.13	34.99	11.51	37.29	0.00	270	31 PEAK																																																																																																			
3	5924.80	47.37	68.35	-20.98	37.93	35.17	11.55	37.28	0.00	270	31 PEAK																																																																																																			
4	5945.60	52.07	68.20	-16.13	42.53	35.24	11.57	37.27	0.00	270	31 PEAK																																																																																																			
	Limit Freq	Limit Level	Limit Line Margin	Read Level	Ant Factor	Cable Loss	Preamp	Aux Factor	APos	TPos	Remark																																																																																																			
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																				
1	5825.00	119.19	-----	110.19	34.82	11.47	37.29	0.00	270	31	PEAK																																																																																																			
Avg	Blank																																																																																																													
	 <table border="1" data-bbox="901 2027 1412 2072"> <thead> <tr> <th></th> <th>Limit Freq</th> <th>Limit Level</th> <th>Limit Line Margin</th> <th>Read Level</th> <th>Ant Factor</th> <th>Cable Loss</th> <th>Preamp</th> <th>Aux Factor</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th></th> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> <th></th> </tr> </thead> <tbody> <tr> <td>1</td> <td>5825.00</td> <td>111.73</td> <td>-----</td> <td>102.73</td> <td>34.82</td> <td>11.47</td> <td>37.29</td> <td>0.00</td> <td>270</td> <td>31</td> <td>AVERAGE</td> </tr> </tbody> </table>			Limit Freq	Limit Level	Limit Line Margin	Read Level	Ant Factor	Cable Loss	Preamp	Aux Factor	APos	TPos	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg		1	5825.00	111.73	-----	102.73	34.82	11.47	37.29	0.00	270	31	AVERAGE																																																																								
	Limit Freq	Limit Level	Limit Line Margin	Read Level	Ant Factor	Cable Loss	Preamp	Aux Factor	APos	TPos	Remark																																																																																																			
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																				
1	5825.00	111.73	-----	102.73	34.82	11.47	37.29	0.00	270	31	AVERAGE																																																																																																			



55																																																																															
Mode	Band Edge																																																																														
	U-NII-3_5.725-5.85_802.11ax HE20_CH149_RU106/53_5745MHz																																																																														
ANT	CDD 1+2																																																																														
Pol.	Horizontal																																																																														
Peak	<p>Level (dBuV/m) vs Frequency (MHz) plot showing a peak at 5745.00 MHz. The plot includes a red limit line and a blue signal line. The peak level is 113.04 dBuV/m.</p> <table border="1"> <thead> <tr> <th>Peak</th> <th>Freq</th> <th>Level</th> <th>Limit</th> <th>Line Margin</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Aux</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th></th> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> <th></th> </tr> </thead> <tbody> <tr> <td>1</td> <td>5635.60</td> <td>49.01</td> <td>68.20</td> <td>-19.19</td> <td>40.59</td> <td>34.44</td> <td>11.20</td> <td>37.22</td> <td>0.00</td> <td>100</td> <td>43</td> <td>PEAK</td> </tr> <tr> <td>2</td> <td>5658.00</td> <td>44.98</td> <td>68.20</td> <td>-23.22</td> <td>36.53</td> <td>34.45</td> <td>11.22</td> <td>37.22</td> <td>0.00</td> <td>100</td> <td>43</td> <td>PEAK</td> </tr> <tr> <td>3</td> <td>5717.60</td> <td>56.89</td> <td>110.23</td> <td>-53.34</td> <td>48.28</td> <td>34.54</td> <td>11.32</td> <td>37.25</td> <td>0.00</td> <td>100</td> <td>43</td> <td>PEAK</td> </tr> <tr> <td>4</td> <td>5721.20</td> <td>60.94</td> <td>113.64</td> <td>-52.70</td> <td>52.33</td> <td>34.54</td> <td>11.32</td> <td>37.25</td> <td>0.00</td> <td>100</td> <td>43</td> <td>PEAK</td> </tr> </tbody> </table>	Peak	Freq	Level	Limit	Line Margin	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg		1	5635.60	49.01	68.20	-19.19	40.59	34.44	11.20	37.22	0.00	100	43	PEAK	2	5658.00	44.98	68.20	-23.22	36.53	34.45	11.22	37.22	0.00	100	43	PEAK	3	5717.60	56.89	110.23	-53.34	48.28	34.54	11.32	37.25	0.00	100	43	PEAK	4	5721.20	60.94	113.64	-52.70	52.33	34.54	11.32	37.25	0.00	100	43	PEAK
	Peak	Freq	Level	Limit	Line Margin	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																		
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																				
1	5635.60	49.01	68.20	-19.19	40.59	34.44	11.20	37.22	0.00	100	43	PEAK																																																																			
2	5658.00	44.98	68.20	-23.22	36.53	34.45	11.22	37.22	0.00	100	43	PEAK																																																																			
3	5717.60	56.89	110.23	-53.34	48.28	34.54	11.32	37.25	0.00	100	43	PEAK																																																																			
4	5721.20	60.94	113.64	-52.70	52.33	34.54	11.32	37.25	0.00	100	43	PEAK																																																																			
Fundamental	<p>Level (dBuV/m) vs Frequency (MHz) plot showing a peak at 5745.00 MHz. The plot includes a red limit line and a blue signal line. The peak level is 113.04 dBuV/m.</p> <table border="1"> <thead> <tr> <th>Peak</th> <th>Freq</th> <th>Level</th> <th>Limit</th> <th>Line Margin</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Aux</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th></th> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> <th></th> </tr> </thead> <tbody> <tr> <td>1</td> <td>5745.00</td> <td>113.04</td> <td>-----</td> <td>-----</td> <td>104.35</td> <td>34.59</td> <td>11.36</td> <td>37.26</td> <td>0.00</td> <td>100</td> <td>43</td> <td>PEAK</td> </tr> </tbody> </table>	Peak	Freq	Level	Limit	Line Margin	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg		1	5745.00	113.04	-----	-----	104.35	34.59	11.36	37.26	0.00	100	43	PEAK																																							
Peak	Freq	Level	Limit	Line Margin	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																			
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																				
1	5745.00	113.04	-----	-----	104.35	34.59	11.36	37.26	0.00	100	43	PEAK																																																																			
Avg	Blank																																																																														
	<p>Level (dBuV/m) vs Frequency (MHz) plot showing a peak at 5745.00 MHz. The plot includes a red limit line and a blue signal line. The peak level is 102.31 dBuV/m.</p> <table border="1"> <thead> <tr> <th>Peak</th> <th>Freq</th> <th>Level</th> <th>Limit</th> <th>Line Margin</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Aux</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th></th> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> <th></th> </tr> </thead> <tbody> <tr> <td>1</td> <td>5745.00</td> <td>102.31</td> <td>-----</td> <td>-----</td> <td>93.64</td> <td>34.58</td> <td>11.35</td> <td>37.26</td> <td>0.00</td> <td>100</td> <td>43</td> <td>AVERAGE</td> </tr> </tbody> </table>	Peak	Freq	Level	Limit	Line Margin	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg		1	5745.00	102.31	-----	-----	93.64	34.58	11.35	37.26	0.00	100	43	AVERAGE																																							
Peak	Freq	Level	Limit	Line Margin	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																			
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																				
1	5745.00	102.31	-----	-----	93.64	34.58	11.35	37.26	0.00	100	43	AVERAGE																																																																			






Mode	55																																																																																																																										
	Band Edge																																																																																																																										
	U-NII-3_5.725-5.85_802.11ax HE20_CH149_RU106/53_5745MHz																																																																																																																										
ANT	CDD 1+2																																																																																																																										
Pol.	Vertical	Fundamental																																																																																																																									
Peak	<table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Aux</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>Margin</th> <th>Level</th> <th>Factor</th> <th>Loss</th> <th>Factor</th> <th>Factor</th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>5614.00</td> <td>48.60</td> <td>68.20</td> <td>-19.60</td> <td>40.25</td> <td>34.41</td> <td>11.17</td> <td>37.23</td> <td>0.00</td> <td>300</td> <td>175</td> <td>PEAK</td> </tr> <tr> <td>2</td> <td>5658.80</td> <td>47.98</td> <td>68.80</td> <td>-20.82</td> <td>39.53</td> <td>34.45</td> <td>11.22</td> <td>37.22</td> <td>0.00</td> <td>300</td> <td>175</td> <td>PEAK</td> </tr> <tr> <td>3</td> <td>5720.00</td> <td>68.56</td> <td>110.90</td> <td>-42.34</td> <td>59.95</td> <td>34.54</td> <td>11.32</td> <td>37.25</td> <td>0.00</td> <td>300</td> <td>175</td> <td>PEAK</td> </tr> <tr> <td>4</td> <td>5720.00</td> <td>68.56</td> <td>110.90</td> <td>-42.34</td> <td>59.95</td> <td>34.54</td> <td>11.32</td> <td>37.25</td> <td>0.00</td> <td>300</td> <td>175</td> <td>PEAK</td> </tr> </tbody> </table>	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5614.00	48.60	68.20	-19.60	40.25	34.41	11.17	37.23	0.00	300	175	PEAK	2	5658.80	47.98	68.80	-20.82	39.53	34.45	11.22	37.22	0.00	300	175	PEAK	3	5720.00	68.56	110.90	-42.34	59.95	34.54	11.32	37.25	0.00	300	175	PEAK	4	5720.00	68.56	110.90	-42.34	59.95	34.54	11.32	37.25	0.00	300	175	PEAK	<table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Aux</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>Margin</th> <th>Level</th> <th>Factor</th> <th>Loss</th> <th>Factor</th> <th>Factor</th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>5745.00</td> <td>117.53</td> <td>-----</td> <td>-----</td> <td>108.86</td> <td>34.58</td> <td>11.35</td> <td>37.26</td> <td>0.00</td> <td>300</td> <td>175</td> <td>PEAK</td> </tr> </tbody> </table>	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5745.00	117.53	-----	-----	108.86	34.58	11.35	37.26	0.00	300	175	PEAK
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																																																		
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																																																																																																			
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																																		
1	5614.00	48.60	68.20	-19.60	40.25	34.41	11.17	37.23	0.00	300	175	PEAK																																																																																																															
2	5658.80	47.98	68.80	-20.82	39.53	34.45	11.22	37.22	0.00	300	175	PEAK																																																																																																															
3	5720.00	68.56	110.90	-42.34	59.95	34.54	11.32	37.25	0.00	300	175	PEAK																																																																																																															
4	5720.00	68.56	110.90	-42.34	59.95	34.54	11.32	37.25	0.00	300	175	PEAK																																																																																																															
Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																																																			
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																																																																																																			
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																																		
1	5745.00	117.53	-----	-----	108.86	34.58	11.35	37.26	0.00	300	175	PEAK																																																																																																															
Avg	Blank	<table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Aux</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>Margin</th> <th>Level</th> <th>Factor</th> <th>Loss</th> <th>Factor</th> <th>Factor</th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>5745.00</td> <td>108.54</td> <td>-----</td> <td>-----</td> <td>99.85</td> <td>34.59</td> <td>11.36</td> <td>37.26</td> <td>0.00</td> <td>300</td> <td>175</td> <td>AVERAGE</td> </tr> </tbody> </table>	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5745.00	108.54	-----	-----	99.85	34.59	11.36	37.26	0.00	300	175	AVERAGE																																																																																
Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																																																			
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																																																																																																			
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																																		
1	5745.00	108.54	-----	-----	99.85	34.59	11.36	37.26	0.00	300	175	AVERAGE																																																																																																															



56																																																																																
Mode	Band Edge																																																																															
	U-NII-3_5.725-5.85_802.11ax HE20_CH165_RU106/54_5825MHz																																																																															
ANT	CDD 1+2																																																																															
Pol.	Horizontal																																																																															
Peak	<table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Aux</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>Margin</th> <th>Level</th> <th>Factor</th> <th>Loss</th> <th>Factor</th> <th>Factor</th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>cm</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>5854.00</td> <td>49.77</td> <td>113.18</td> <td>-63.41</td> <td>40.66</td> <td>34.92</td> <td>11.49</td> <td>37.30</td> <td>0.00</td> <td>112</td> <td>46</td> <td>PEAK</td> </tr> <tr> <td>2</td> <td>5872.80</td> <td>48.96</td> <td>105.92</td> <td>-56.96</td> <td>39.75</td> <td>34.99</td> <td>11.51</td> <td>37.29</td> <td>0.00</td> <td>112</td> <td>46</td> <td>PEAK</td> </tr> <tr> <td>3</td> <td>5921.20</td> <td>49.61</td> <td>71.01</td> <td>-21.40</td> <td>40.18</td> <td>35.16</td> <td>11.55</td> <td>37.28</td> <td>0.00</td> <td>112</td> <td>46</td> <td>PEAK</td> </tr> <tr> <td>4</td> <td>5960.00</td> <td>50.63</td> <td>68.20</td> <td>-17.57</td> <td>41.04</td> <td>35.28</td> <td>11.58</td> <td>37.27</td> <td>0.00</td> <td>112</td> <td>46</td> <td>PEAK</td> </tr> </tbody> </table>	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	1	5854.00	49.77	113.18	-63.41	40.66	34.92	11.49	37.30	0.00	112	46	PEAK	2	5872.80	48.96	105.92	-56.96	39.75	34.99	11.51	37.29	0.00	112	46	PEAK	3	5921.20	49.61	71.01	-21.40	40.18	35.16	11.55	37.28	0.00	112	46	PEAK	4	5960.00	50.63	68.20	-17.57	41.04	35.28	11.58	37.27	0.00	112	46	PEAK
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																							
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																																																								
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm																																																																								
1	5854.00	49.77	113.18	-63.41	40.66	34.92	11.49	37.30	0.00	112	46	PEAK																																																																				
2	5872.80	48.96	105.92	-56.96	39.75	34.99	11.51	37.29	0.00	112	46	PEAK																																																																				
3	5921.20	49.61	71.01	-21.40	40.18	35.16	11.55	37.28	0.00	112	46	PEAK																																																																				
4	5960.00	50.63	68.20	-17.57	41.04	35.28	11.58	37.27	0.00	112	46	PEAK																																																																				
Fundamental	<table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Aux</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>Margin</th> <th>Level</th> <th>Factor</th> <th>Loss</th> <th>Factor</th> <th>Factor</th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>cm</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>5825.00</td> <td>109.05</td> <td>-----</td> <td>-----</td> <td>100.05</td> <td>34.82</td> <td>11.47</td> <td>37.29</td> <td>0.00</td> <td>112</td> <td>46</td> <td>PEAK</td> </tr> </tbody> </table>	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	1	5825.00	109.05	-----	-----	100.05	34.82	11.47	37.29	0.00	112	46	PEAK																																							
Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																								
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																																																								
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm																																																																								
1	5825.00	109.05	-----	-----	100.05	34.82	11.47	37.29	0.00	112	46	PEAK																																																																				
Avg	Blank																																																																															
	<table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Aux</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>Margin</th> <th>Level</th> <th>Factor</th> <th>Loss</th> <th>Factor</th> <th>Factor</th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>cm</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>5825.00</td> <td>101.84</td> <td>-----</td> <td>-----</td> <td>92.84</td> <td>34.82</td> <td>11.47</td> <td>37.29</td> <td>0.00</td> <td>112</td> <td>46</td> <td>AVERAGE</td> </tr> </tbody> </table>	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	1	5825.00	101.84	-----	-----	92.84	34.82	11.47	37.29	0.00	112	46	AVERAGE																																							
Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																								
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																																																								
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm																																																																								
1	5825.00	101.84	-----	-----	92.84	34.82	11.47	37.29	0.00	112	46	AVERAGE																																																																				



Mode	56																																																																																																																						
	Band Edge																																																																																																																						
	U-NII-3_5.725-5.85_802.11ax HE20_CH165_RU106/54_5825MHz																																																																																																																						
ANT	CDD 1+2																																																																																																																						
Pol.	Vertical	Fundamental																																																																																																																					
Peak	 <table border="1"> <thead> <tr> <th>Peak</th> <th>Freq</th> <th>Level</th> <th>Limit</th> <th>Line Margin</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Aux</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th></th> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>5854.80</td> <td>63.44</td> <td>111.36</td> <td>-47.92</td> <td>54.33</td> <td>34.92</td> <td>11.49</td> <td>37.30</td> <td>0.00</td> <td>270</td> <td>31</td> <td>PEAK</td> </tr> <tr> <td>2</td> <td>5855.20</td> <td>62.22</td> <td>110.84</td> <td>-48.62</td> <td>53.11</td> <td>34.92</td> <td>11.49</td> <td>37.30</td> <td>0.00</td> <td>270</td> <td>31</td> <td>PEAK</td> </tr> <tr> <td>3</td> <td>5924.80</td> <td>48.04</td> <td>68.35</td> <td>-20.31</td> <td>38.60</td> <td>35.17</td> <td>11.55</td> <td>37.28</td> <td>0.00</td> <td>270</td> <td>31</td> <td>PEAK</td> </tr> <tr> <td>4</td> <td>5938.40</td> <td>50.01</td> <td>68.20</td> <td>-18.19</td> <td>40.51</td> <td>35.22</td> <td>11.56</td> <td>37.28</td> <td>0.00</td> <td>270</td> <td>31</td> <td>PEAK</td> </tr> </tbody> </table>	Peak	Freq	Level	Limit	Line Margin	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	dB	cm	deg	1	5854.80	63.44	111.36	-47.92	54.33	34.92	11.49	37.30	0.00	270	31	PEAK	2	5855.20	62.22	110.84	-48.62	53.11	34.92	11.49	37.30	0.00	270	31	PEAK	3	5924.80	48.04	68.35	-20.31	38.60	35.17	11.55	37.28	0.00	270	31	PEAK	4	5938.40	50.01	68.20	-18.19	40.51	35.22	11.56	37.28	0.00	270	31	PEAK	 <table border="1"> <thead> <tr> <th>Peak</th> <th>Freq</th> <th>Level</th> <th>Limit</th> <th>Line Margin</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Aux</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th></th> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>5825.00</td> <td>116.76</td> <td>-----</td> <td>-----</td> <td>107.76</td> <td>34.82</td> <td>11.47</td> <td>37.29</td> <td>0.00</td> <td>270</td> <td>31</td> <td>PEAK</td> </tr> </tbody> </table>	Peak	Freq	Level	Limit	Line Margin	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	dB	cm	deg	1	5825.00	116.76	-----	-----	107.76	34.82	11.47	37.29	0.00	270	31	PEAK
	Peak	Freq	Level	Limit	Line Margin	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																																										
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	dB	cm	deg																																																																																																											
1	5854.80	63.44	111.36	-47.92	54.33	34.92	11.49	37.30	0.00	270	31	PEAK																																																																																																											
2	5855.20	62.22	110.84	-48.62	53.11	34.92	11.49	37.30	0.00	270	31	PEAK																																																																																																											
3	5924.80	48.04	68.35	-20.31	38.60	35.17	11.55	37.28	0.00	270	31	PEAK																																																																																																											
4	5938.40	50.01	68.20	-18.19	40.51	35.22	11.56	37.28	0.00	270	31	PEAK																																																																																																											
Peak	Freq	Level	Limit	Line Margin	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																																											
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	dB	cm	deg																																																																																																											
1	5825.00	116.76	-----	-----	107.76	34.82	11.47	37.29	0.00	270	31	PEAK																																																																																																											
Avg	Blank	 <table border="1"> <thead> <tr> <th>Peak</th> <th>Freq</th> <th>Level</th> <th>Limit</th> <th>Line Margin</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Aux</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th></th> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>5825.00</td> <td>108.92</td> <td>-----</td> <td>-----</td> <td>99.92</td> <td>34.82</td> <td>11.47</td> <td>37.29</td> <td>0.00</td> <td>270</td> <td>31</td> <td>AVERAGE</td> </tr> </tbody> </table>	Peak	Freq	Level	Limit	Line Margin	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	dB	cm	deg	1	5825.00	108.92	-----	-----	99.92	34.82	11.47	37.29	0.00	270	31	AVERAGE																																																																														
Peak	Freq	Level	Limit	Line Margin	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																																											
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	dB	cm	deg																																																																																																											
1	5825.00	108.92	-----	-----	99.92	34.82	11.47	37.29	0.00	270	31	AVERAGE																																																																																																											



Mode	57																																																																																																																																	
	Harmonic																																																																																																																																	
	U-NII-2C_5.47-5.85_802.11a_CH144_5720MHz																																																																																																																																	
ANT	CDD 1+2																																																																																																																																	
Pol.	Horizontal	Vertical																																																																																																																																
Peak Avg	<table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Aux</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line Margin</th> <th>Level</th> <th>Factor</th> <th>Loss Factor</th> <th>Factor</th> <th></th> <th></th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1 11440.00</td> <td>53.91</td> <td>74.00</td> <td>-20.09</td> <td>61.26</td> <td>38.25</td> <td>16.08</td> <td>61.68</td> <td>0.00</td> <td>381</td> <td>63</td> <td>PEAK</td> </tr> <tr> <td>2 11440.00</td> <td>44.34</td> <td>54.00</td> <td>-9.66</td> <td>51.69</td> <td>38.25</td> <td>16.08</td> <td>61.68</td> <td>0.00</td> <td>381</td> <td>63</td> <td>AVERAGE</td> </tr> <tr> <td>3 17160.00</td> <td>65.22</td> <td>68.20</td> <td>-2.98</td> <td>66.85</td> <td>41.23</td> <td>20.12</td> <td>62.98</td> <td>0.00</td> <td>375</td> <td>48</td> <td>PEAK</td> </tr> </tbody> </table>	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line Margin	Level	Factor	Loss Factor	Factor			MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1 11440.00	53.91	74.00	-20.09	61.26	38.25	16.08	61.68	0.00	381	63	PEAK	2 11440.00	44.34	54.00	-9.66	51.69	38.25	16.08	61.68	0.00	381	63	AVERAGE	3 17160.00	65.22	68.20	-2.98	66.85	41.23	20.12	62.98	0.00	375	48	PEAK	<table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Aux</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line Margin</th> <th>Level</th> <th>Factor</th> <th>Loss Factor</th> <th>Factor</th> <th></th> <th></th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1 11440.00</td> <td>57.80</td> <td>74.00</td> <td>-16.20</td> <td>65.15</td> <td>38.25</td> <td>16.08</td> <td>61.68</td> <td>0.00</td> <td>256</td> <td>325</td> <td>PEAK</td> </tr> <tr> <td>2 11440.00</td> <td>50.69</td> <td>54.00</td> <td>-3.31</td> <td>58.04</td> <td>38.25</td> <td>16.08</td> <td>61.68</td> <td>0.00</td> <td>256</td> <td>325</td> <td>AVERAGE</td> </tr> <tr> <td>3 17160.00</td> <td>67.31</td> <td>68.20</td> <td>-0.89</td> <td>68.94</td> <td>41.23</td> <td>20.12</td> <td>62.98</td> <td>0.00</td> <td>301</td> <td>332</td> <td>PEAK</td> </tr> </tbody> </table>	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line Margin	Level	Factor	Loss Factor	Factor			MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1 11440.00	57.80	74.00	-16.20	65.15	38.25	16.08	61.68	0.00	256	325	PEAK	2 11440.00	50.69	54.00	-3.31	58.04	38.25	16.08	61.68	0.00	256	325	AVERAGE	3 17160.00	67.31	68.20	-0.89	68.94	41.23	20.12	62.98	0.00	301	332	PEAK
Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																																																										
Freq	Level	Line Margin	Level	Factor	Loss Factor	Factor																																																																																																																												
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																																									
1 11440.00	53.91	74.00	-20.09	61.26	38.25	16.08	61.68	0.00	381	63	PEAK																																																																																																																							
2 11440.00	44.34	54.00	-9.66	51.69	38.25	16.08	61.68	0.00	381	63	AVERAGE																																																																																																																							
3 17160.00	65.22	68.20	-2.98	66.85	41.23	20.12	62.98	0.00	375	48	PEAK																																																																																																																							
Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																																																										
Freq	Level	Line Margin	Level	Factor	Loss Factor	Factor																																																																																																																												
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																																									
1 11440.00	57.80	74.00	-16.20	65.15	38.25	16.08	61.68	0.00	256	325	PEAK																																																																																																																							
2 11440.00	50.69	54.00	-3.31	58.04	38.25	16.08	61.68	0.00	256	325	AVERAGE																																																																																																																							
3 17160.00	67.31	68.20	-0.89	68.94	41.23	20.12	62.98	0.00	301	332	PEAK																																																																																																																							



Mode	58																																																																				
	Harmonic																																																																				
	U-NII-2C_5.47-5.85_802.11ax HE20_CH144_5720MHz																																																																				
ANT	CDD 1+2																																																																				
Pol.	Horizontal	Vertical																																																																			
Peak Avg																																																																					
	<table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Aux</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line Margin</th> <th>Level</th> <th>Factor</th> <th>Loss Factor</th> <th>Factor</th> <th></th> <th></th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>11440.00</td> <td>45.77</td> <td>74.00</td> <td>-28.23</td> <td>53.12</td> <td>38.25</td> <td>16.08</td> <td>61.68</td> <td>0.00</td> <td>--</td> <td>--</td> <td>PEAK</td> </tr> <tr> <td>2</td> <td>17156.30</td> <td>55.73</td> <td>68.20</td> <td>-12.47</td> <td>57.36</td> <td>41.23</td> <td>20.12</td> <td>62.98</td> <td>0.00</td> <td>--</td> <td>--</td> <td>Peak</td> </tr> </tbody> </table>		Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line Margin	Level	Factor	Loss Factor	Factor			MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	11440.00	45.77	74.00	-28.23	53.12	38.25	16.08	61.68	0.00	--	--	PEAK	2	17156.30	55.73	68.20	-12.47	57.36	41.23	20.12	62.98	0.00	--	--	Peak													
Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																													
Freq	Level	Line Margin	Level	Factor	Loss Factor	Factor																																																															
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																												
1	11440.00	45.77	74.00	-28.23	53.12	38.25	16.08	61.68	0.00	--	--	PEAK																																																									
2	17156.30	55.73	68.20	-12.47	57.36	41.23	20.12	62.98	0.00	--	--	Peak																																																									
		<table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Aux</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line Margin</th> <th>Level</th> <th>Factor</th> <th>Loss Factor</th> <th>Factor</th> <th></th> <th></th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>11440.00</td> <td>57.79</td> <td>74.00</td> <td>-16.21</td> <td>65.14</td> <td>38.25</td> <td>16.08</td> <td>61.68</td> <td>0.00</td> <td>286</td> <td>328</td> <td>PEAK</td> </tr> <tr> <td>2</td> <td>11440.00</td> <td>48.98</td> <td>54.00</td> <td>-5.02</td> <td>56.33</td> <td>38.25</td> <td>16.08</td> <td>61.68</td> <td>0.00</td> <td>286</td> <td>328</td> <td>AVERAGE</td> </tr> <tr> <td>3</td> <td>17155.20</td> <td>67.26</td> <td>68.20</td> <td>-0.94</td> <td>68.89</td> <td>41.23</td> <td>20.12</td> <td>62.98</td> <td>0.00</td> <td>302</td> <td>330</td> <td>Peak</td> </tr> </tbody> </table>	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line Margin	Level	Factor	Loss Factor	Factor			MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	11440.00	57.79	74.00	-16.21	65.14	38.25	16.08	61.68	0.00	286	328	PEAK	2	11440.00	48.98	54.00	-5.02	56.33	38.25	16.08	61.68	0.00	286	328	AVERAGE	3	17155.20	67.26	68.20	-0.94	68.89	41.23	20.12	62.98	0.00	302	330	Peak
Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																													
Freq	Level	Line Margin	Level	Factor	Loss Factor	Factor																																																															
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																												
1	11440.00	57.79	74.00	-16.21	65.14	38.25	16.08	61.68	0.00	286	328	PEAK																																																									
2	11440.00	48.98	54.00	-5.02	56.33	38.25	16.08	61.68	0.00	286	328	AVERAGE																																																									
3	17155.20	67.26	68.20	-0.94	68.89	41.23	20.12	62.98	0.00	302	330	Peak																																																									



Mode	59																																																																																																													
	Harmonic																																																																																																													
	U-NII-2C_5.47-5.85_802.11ax HE40_CH142_5710MHz																																																																																																													
ANT	CDD 1+2																																																																																																													
Pol.	Horizontal	Vertical																																																																																																												
Peak Avg	<table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Aux</th> <th>APos</th> <th>TPos</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line Margin</th> <th>Level</th> <th>Factor</th> <th>Loss Factor</th> <th>Factor</th> <th>Remark</th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> </tr> </thead> <tbody> <tr> <td>1 11420.00</td> <td>45.15</td> <td>74.00</td> <td>-28.85</td> <td>52.53</td> <td>38.24</td> <td>16.07</td> <td>61.69</td> <td>0.00</td> <td>--</td> <td>--</td> <td>PEAK</td> </tr> <tr> <td>2 17137.60</td> <td>55.73</td> <td>68.20</td> <td>-12.47</td> <td>57.38</td> <td>41.23</td> <td>20.10</td> <td>62.98</td> <td>0.00</td> <td>--</td> <td>--</td> <td>Peak</td> </tr> </tbody> </table>	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Freq	Level	Line Margin	Level	Factor	Loss Factor	Factor	Remark	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	1 11420.00	45.15	74.00	-28.85	52.53	38.24	16.07	61.69	0.00	--	--	PEAK	2 17137.60	55.73	68.20	-12.47	57.38	41.23	20.10	62.98	0.00	--	--	Peak	<table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Aux</th> <th>APos</th> <th>TPos</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line Margin</th> <th>Level</th> <th>Factor</th> <th>Loss Factor</th> <th>Factor</th> <th>Remark</th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> </tr> </thead> <tbody> <tr> <td>1 11420.00</td> <td>54.31</td> <td>74.00</td> <td>-19.69</td> <td>61.69</td> <td>38.24</td> <td>16.07</td> <td>61.69</td> <td>0.00</td> <td>310</td> <td>328</td> <td>PEAK</td> </tr> <tr> <td>2 11420.00</td> <td>45.81</td> <td>54.00</td> <td>-8.19</td> <td>53.18</td> <td>38.24</td> <td>16.07</td> <td>61.68</td> <td>0.00</td> <td>310</td> <td>328</td> <td>AVERAGE</td> </tr> <tr> <td>3 17137.60</td> <td>67.23</td> <td>68.20</td> <td>-0.97</td> <td>68.88</td> <td>41.23</td> <td>20.10</td> <td>62.98</td> <td>0.00</td> <td>300</td> <td>210</td> <td>Peak</td> </tr> </tbody> </table>	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Freq	Level	Line Margin	Level	Factor	Loss Factor	Factor	Remark	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	1 11420.00	54.31	74.00	-19.69	61.69	38.24	16.07	61.69	0.00	310	328	PEAK	2 11420.00	45.81	54.00	-8.19	53.18	38.24	16.07	61.68	0.00	310	328	AVERAGE	3 17137.60	67.23	68.20	-0.97	68.88	41.23	20.10	62.98	0.00	300	210	Peak
Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																																							
Freq	Level	Line Margin	Level	Factor	Loss Factor	Factor	Remark																																																																																																							
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB																																																																																																							
1 11420.00	45.15	74.00	-28.85	52.53	38.24	16.07	61.69	0.00	--	--	PEAK																																																																																																			
2 17137.60	55.73	68.20	-12.47	57.38	41.23	20.10	62.98	0.00	--	--	Peak																																																																																																			
Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																																							
Freq	Level	Line Margin	Level	Factor	Loss Factor	Factor	Remark																																																																																																							
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB																																																																																																							
1 11420.00	54.31	74.00	-19.69	61.69	38.24	16.07	61.69	0.00	310	328	PEAK																																																																																																			
2 11420.00	45.81	54.00	-8.19	53.18	38.24	16.07	61.68	0.00	310	328	AVERAGE																																																																																																			
3 17137.60	67.23	68.20	-0.97	68.88	41.23	20.10	62.98	0.00	300	210	Peak																																																																																																			







Mode	60																																																																																																																		
	Harmonic																																																																																																																		
	U-NII-2C_5.47-5.85_802.11ax HE80_CH138_5690MHz																																																																																																																		
ANT	CDD 1+2																																																																																																																		
Pol.	Horizontal	Vertical																																																																																																																	
Peak Avg	<table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Aux</th> <th>APos</th> <th>TPos</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line Margin</th> <th>Level</th> <th>Factor</th> <th>Loss Factor</th> <th>Factor</th> <th>Remark</th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>11380.00</td> <td>44.83</td> <td>74.00</td> <td>-29.17</td> <td>52.29</td> <td>38.20</td> <td>16.04</td> <td>61.70</td> <td>0.00</td> <td>--</td> <td>--</td> <td>PEAK</td> </tr> <tr> <td>2</td> <td>17070.00</td> <td>58.74</td> <td>68.20</td> <td>-9.46</td> <td>60.49</td> <td>41.21</td> <td>20.04</td> <td>63.00</td> <td>0.00</td> <td>390</td> <td>51</td> <td>PEAK</td> </tr> </tbody> </table>	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Freq	Level	Line Margin	Level	Factor	Loss Factor	Factor	Remark	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	1	11380.00	44.83	74.00	-29.17	52.29	38.20	16.04	61.70	0.00	--	--	PEAK	2	17070.00	58.74	68.20	-9.46	60.49	41.21	20.04	63.00	0.00	390	51	PEAK	<table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Aux</th> <th>APos</th> <th>TPos</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line Margin</th> <th>Level</th> <th>Factor</th> <th>Loss Factor</th> <th>Factor</th> <th>Remark</th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>11380.20</td> <td>55.11</td> <td>74.00</td> <td>-18.89</td> <td>62.57</td> <td>38.20</td> <td>16.04</td> <td>61.70</td> <td>0.00</td> <td>328</td> <td>110</td> <td>Peak</td> </tr> <tr> <td>2</td> <td>11380.20</td> <td>51.16</td> <td>54.00</td> <td>-2.84</td> <td>58.62</td> <td>38.20</td> <td>16.04</td> <td>61.70</td> <td>0.00</td> <td>328</td> <td>110</td> <td>Average</td> </tr> <tr> <td>3</td> <td>17070.00</td> <td>62.81</td> <td>68.20</td> <td>-5.39</td> <td>64.57</td> <td>41.21</td> <td>20.03</td> <td>63.00</td> <td>0.00</td> <td>300</td> <td>328</td> <td>PEAK</td> </tr> </tbody> </table>	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Freq	Level	Line Margin	Level	Factor	Loss Factor	Factor	Remark	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	1	11380.20	55.11	74.00	-18.89	62.57	38.20	16.04	61.70	0.00	328	110	Peak	2	11380.20	51.16	54.00	-2.84	58.62	38.20	16.04	61.70	0.00	328	110	Average	3	17070.00	62.81	68.20	-5.39	64.57	41.21	20.03	63.00	0.00	300	328	PEAK
Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																																												
Freq	Level	Line Margin	Level	Factor	Loss Factor	Factor	Remark																																																																																																												
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB																																																																																																												
1	11380.00	44.83	74.00	-29.17	52.29	38.20	16.04	61.70	0.00	--	--	PEAK																																																																																																							
2	17070.00	58.74	68.20	-9.46	60.49	41.21	20.04	63.00	0.00	390	51	PEAK																																																																																																							
Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																																												
Freq	Level	Line Margin	Level	Factor	Loss Factor	Factor	Remark																																																																																																												
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB																																																																																																												
1	11380.20	55.11	74.00	-18.89	62.57	38.20	16.04	61.70	0.00	328	110	Peak																																																																																																							
2	11380.20	51.16	54.00	-2.84	58.62	38.20	16.04	61.70	0.00	328	110	Average																																																																																																							
3	17070.00	62.81	68.20	-5.39	64.57	41.21	20.03	63.00	0.00	300	328	PEAK																																																																																																							



Co-location

Mode	61																																																																																																	
	Band Edge																																																																																																	
	2400-2483.5_2400-2483.5_Bluetooth-LE_CH39_Full_2480MHz																																																																																																	
ANT	0																																																																																																	
Pol.	Horizontal	Fundamental																																																																																																
Peak	<table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Aux</th> <th>APos</th> <th>TPos</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>Margin</th> <th>Level</th> <th>Factor</th> <th>Loss</th> <th>Factor</th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> </tr> </thead> <tbody> <tr> <td>1 2483.68</td> <td>50.53</td> <td>74.00</td> <td>-23.47</td> <td>41.82</td> <td>32.23</td> <td>7.33</td> <td>36.85</td> </tr> <tr> <td></td> <td></td> <td></td> <td></td> <td></td> <td></td> <td>6.00</td> <td>131</td> </tr> <tr> <td></td> <td></td> <td></td> <td></td> <td></td> <td></td> <td></td> <td>341 PEAK</td> </tr> </tbody> </table>	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	1 2483.68	50.53	74.00	-23.47	41.82	32.23	7.33	36.85							6.00	131								341 PEAK	<table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Aux</th> <th>APos</th> <th>TPos</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>Margin</th> <th>Level</th> <th>Factor</th> <th>Loss</th> <th>Factor</th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> </tr> </thead> <tbody> <tr> <td>1 2480.00</td> <td>97.25</td> <td>-----</td> <td>-----</td> <td>88.56</td> <td>32.22</td> <td>7.32</td> <td>36.85</td> </tr> <tr> <td></td> <td></td> <td></td> <td></td> <td></td> <td></td> <td>6.00</td> <td>131</td> </tr> <tr> <td></td> <td></td> <td></td> <td></td> <td></td> <td></td> <td></td> <td>341 PEAK</td> </tr> </tbody> </table>	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	1 2480.00	97.25	-----	-----	88.56	32.22	7.32	36.85							6.00	131								341 PEAK
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																										
Freq	Level	Line	Margin	Level	Factor	Loss	Factor																																																																																											
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB																																																																																											
1 2483.68	50.53	74.00	-23.47	41.82	32.23	7.33	36.85																																																																																											
						6.00	131																																																																																											
							341 PEAK																																																																																											
Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																											
Freq	Level	Line	Margin	Level	Factor	Loss	Factor																																																																																											
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB																																																																																											
1 2480.00	97.25	-----	-----	88.56	32.22	7.32	36.85																																																																																											
						6.00	131																																																																																											
							341 PEAK																																																																																											
Avg	<table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Aux</th> <th>APos</th> <th>TPos</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>Margin</th> <th>Level</th> <th>Factor</th> <th>Loss</th> <th>Factor</th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> </tr> </thead> <tbody> <tr> <td>1 2483.62</td> <td>38.58</td> <td>54.00</td> <td>-15.42</td> <td>29.87</td> <td>32.23</td> <td>7.33</td> <td>36.85</td> </tr> <tr> <td></td> <td></td> <td></td> <td></td> <td></td> <td></td> <td>6.00</td> <td>131</td> </tr> <tr> <td></td> <td></td> <td></td> <td></td> <td></td> <td></td> <td></td> <td>341 AVERAGE</td> </tr> </tbody> </table>	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	1 2483.62	38.58	54.00	-15.42	29.87	32.23	7.33	36.85							6.00	131								341 AVERAGE	<table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Aux</th> <th>APos</th> <th>TPos</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>Margin</th> <th>Level</th> <th>Factor</th> <th>Loss</th> <th>Factor</th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> </tr> </thead> <tbody> <tr> <td>1 2480.00</td> <td>96.11</td> <td>-----</td> <td>-----</td> <td>87.42</td> <td>32.22</td> <td>7.32</td> <td>36.85</td> </tr> <tr> <td></td> <td></td> <td></td> <td></td> <td></td> <td></td> <td>6.00</td> <td>131</td> </tr> <tr> <td></td> <td></td> <td></td> <td></td> <td></td> <td></td> <td></td> <td>341 AVERAGE</td> </tr> </tbody> </table>	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	1 2480.00	96.11	-----	-----	87.42	32.22	7.32	36.85							6.00	131								341 AVERAGE
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																										
Freq	Level	Line	Margin	Level	Factor	Loss	Factor																																																																																											
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB																																																																																											
1 2483.62	38.58	54.00	-15.42	29.87	32.23	7.33	36.85																																																																																											
						6.00	131																																																																																											
							341 AVERAGE																																																																																											
Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																											
Freq	Level	Line	Margin	Level	Factor	Loss	Factor																																																																																											
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB																																																																																											
1 2480.00	96.11	-----	-----	87.42	32.22	7.32	36.85																																																																																											
						6.00	131																																																																																											
							341 AVERAGE																																																																																											



Mode	61																																																																																			
	Band Edge																																																																																			
	2400-2483.5_2400-2483.5_Bluetooth-LE_CH39_Full_2480MHz																																																																																			
ANT	0																																																																																			
Pol.	Vertical	Fundamental																																																																																		
Peak	 <table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Aux</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line Margin</th> <th>Level Factor</th> <th>Loss Factor</th> <th>Factor</th> <th>Factor</th> <th>Factor</th> <th></th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>2485.00</td> <td>52.19</td> <td>74.00</td> <td>-21.81</td> <td>43.47</td> <td>32.24</td> <td>7.33</td> <td>36.85</td> <td>6.00</td> <td>336</td> <td>234</td> <td>PEAK</td> </tr> </tbody> </table>	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line Margin	Level Factor	Loss Factor	Factor	Factor	Factor		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	2485.00	52.19	74.00	-21.81	43.47	32.24	7.33	36.85	6.00	336	234	PEAK	 <table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Aux</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line Margin</th> <th>Level Factor</th> <th>Loss Factor</th> <th>Factor</th> <th>Factor</th> <th>Factor</th> <th></th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>2480.00</td> <td>101.20</td> <td>-----</td> <td>-----</td> <td>92.59</td> <td>32.22</td> <td>7.32</td> <td>36.85</td> <td>6.00</td> <td>336</td> <td>234</td> <td>PEAK</td> </tr> </tbody> </table>	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line Margin	Level Factor	Loss Factor	Factor	Factor	Factor		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	2480.00	101.20	-----	-----	92.59	32.22	7.32	36.85	6.00	336	234	PEAK
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																											
Freq	Level	Line Margin	Level Factor	Loss Factor	Factor	Factor	Factor																																																																													
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																											
1	2485.00	52.19	74.00	-21.81	43.47	32.24	7.33	36.85	6.00	336	234	PEAK																																																																								
Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																												
Freq	Level	Line Margin	Level Factor	Loss Factor	Factor	Factor	Factor																																																																													
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																											
1	2480.00	101.20	-----	-----	92.59	32.22	7.32	36.85	6.00	336	234	PEAK																																																																								
Avg	 <table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Aux</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line Margin</th> <th>Level Factor</th> <th>Loss Factor</th> <th>Factor</th> <th>Factor</th> <th>Factor</th> <th></th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>2484.10</td> <td>39.80</td> <td>54.00</td> <td>-14.20</td> <td>31.08</td> <td>32.24</td> <td>7.33</td> <td>36.85</td> <td>6.00</td> <td>336</td> <td>234</td> <td>AVERAGE</td> </tr> </tbody> </table>	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line Margin	Level Factor	Loss Factor	Factor	Factor	Factor		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	2484.10	39.80	54.00	-14.20	31.08	32.24	7.33	36.85	6.00	336	234	AVERAGE	 <table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Aux</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line Margin</th> <th>Level Factor</th> <th>Loss Factor</th> <th>Factor</th> <th>Factor</th> <th>Factor</th> <th></th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>2480.00</td> <td>100.03</td> <td>-----</td> <td>-----</td> <td>91.34</td> <td>32.22</td> <td>7.32</td> <td>36.85</td> <td>6.00</td> <td>336</td> <td>234</td> <td>AVERAGE</td> </tr> </tbody> </table>	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line Margin	Level Factor	Loss Factor	Factor	Factor	Factor		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	2480.00	100.03	-----	-----	91.34	32.22	7.32	36.85	6.00	336	234	AVERAGE
Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																												
Freq	Level	Line Margin	Level Factor	Loss Factor	Factor	Factor	Factor																																																																													
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																											
1	2484.10	39.80	54.00	-14.20	31.08	32.24	7.33	36.85	6.00	336	234	AVERAGE																																																																								
Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																												
Freq	Level	Line Margin	Level Factor	Loss Factor	Factor	Factor	Factor																																																																													
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																											
1	2480.00	100.03	-----	-----	91.34	32.22	7.32	36.85	6.00	336	234	AVERAGE																																																																								







Mode	61																																																																																																									
	Harmonic																																																																																																									
	2400-2483.5_2400-2483.5_Bluetooth-LE_CH39_Full_2480MHz																																																																																																									
ANT	0																																																																																																									
Pol.	Horizontal	Vertical																																																																																																								
Peak Avg	<table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Aux</th> <th>APos</th> <th>TPos</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line Margin</th> <th>Level</th> <th>Factor</th> <th>Loss Factor</th> <th>Factor</th> <th>Remark</th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>4960.00</td> <td>41.96</td> <td>74.00</td> <td>-32.04</td> <td>61.04</td> <td>33.96</td> <td>10.44</td> <td>63.48</td> <td>0.00</td> <td>--</td> <td>--</td> <td>PEAK</td> </tr> <tr> <td>2</td> <td>7440.00</td> <td>41.90</td> <td>74.00</td> <td>-32.10</td> <td>57.00</td> <td>35.64</td> <td>12.93</td> <td>63.75</td> <td>0.00</td> <td>--</td> <td>--</td> <td>PEAK</td> </tr> </tbody> </table>	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Freq	Level	Line Margin	Level	Factor	Loss Factor	Factor	Remark	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	4960.00	41.96	74.00	-32.04	61.04	33.96	10.44	63.48	0.00	--	--	PEAK	2	7440.00	41.90	74.00	-32.10	57.00	35.64	12.93	63.75	0.00	--	--	PEAK	<table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Aux</th> <th>APos</th> <th>TPos</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line Margin</th> <th>Level</th> <th>Factor</th> <th>Loss Factor</th> <th>Factor</th> <th>Remark</th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>4960.00</td> <td>42.86</td> <td>74.00</td> <td>-31.14</td> <td>61.94</td> <td>33.96</td> <td>10.44</td> <td>63.48</td> <td>0.00</td> <td>--</td> <td>--</td> <td>PEAK</td> </tr> <tr> <td>2</td> <td>7440.00</td> <td>42.10</td> <td>74.00</td> <td>-31.90</td> <td>57.28</td> <td>35.64</td> <td>12.93</td> <td>63.75</td> <td>0.00</td> <td>--</td> <td>--</td> <td>PEAK</td> </tr> </tbody> </table>	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Freq	Level	Line Margin	Level	Factor	Loss Factor	Factor	Remark	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	4960.00	42.86	74.00	-31.14	61.94	33.96	10.44	63.48	0.00	--	--	PEAK	2	7440.00	42.10	74.00	-31.90	57.28	35.64	12.93	63.75	0.00	--	--	PEAK
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																																		
Freq	Level	Line Margin	Level	Factor	Loss Factor	Factor	Remark																																																																																																			
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																	
1	4960.00	41.96	74.00	-32.04	61.04	33.96	10.44	63.48	0.00	--	--	PEAK																																																																																														
2	7440.00	41.90	74.00	-32.10	57.00	35.64	12.93	63.75	0.00	--	--	PEAK																																																																																														
Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																																			
Freq	Level	Line Margin	Level	Factor	Loss Factor	Factor	Remark																																																																																																			
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																	
1	4960.00	42.86	74.00	-31.14	61.94	33.96	10.44	63.48	0.00	--	--	PEAK																																																																																														
2	7440.00	42.10	74.00	-31.90	57.28	35.64	12.93	63.75	0.00	--	--	PEAK																																																																																														



Mode	61																																																																																																			
	Band Edge - L																																																																																																			
	U-NII-2A_5.25-5.35_802.11ax HE20_CH64_Full_5320MHz																																																																																																			
ANT	CDD 1+2																																																																																																			
Pol.	Horizontal	Fundamental																																																																																																		
Peak	<table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Aux</th> <th>APos</th> <th>TPos</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>Margin</th> <th>Level</th> <th>Factor</th> <th>Loss</th> <th>Factor</th> <th>Factor</th> <th>Factor</th> <th>Factor</th> <th>Factor</th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> <th>Remark</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>5350.40</td> <td>53.41</td> <td>74.00</td> <td>-20.59</td> <td>45.36</td> <td>34.50</td> <td>10.84</td> <td>37.29</td> <td>0.00</td> <td>100</td> <td>39 PEAK</td> </tr> </tbody> </table>	Limit	Read	Ant	Cable	Aux	APos	TPos	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Factor	Factor	Factor	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	Remark	1	5350.40	53.41	74.00	-20.59	45.36	34.50	10.84	37.29	0.00	100	39 PEAK	<table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Aux</th> <th>APos</th> <th>TPos</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>Margin</th> <th>Level</th> <th>Factor</th> <th>Loss</th> <th>Factor</th> <th>Factor</th> <th>Factor</th> <th>Factor</th> <th>Factor</th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> <th>Remark</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>2480.00</td> <td>77.35</td> <td>-----</td> <td>74.64</td> <td>32.23</td> <td>7.33</td> <td>36.85</td> <td>0.00</td> <td>100</td> <td>39</td> <td>Peak</td> </tr> <tr> <td>2</td> <td>5320.00</td> <td>104.89</td> <td>-----</td> <td>96.94</td> <td>34.44</td> <td>10.81</td> <td>37.30</td> <td>0.00</td> <td>100</td> <td>39</td> <td>PEAK</td> </tr> </tbody> </table>	Limit	Read	Ant	Cable	Aux	APos	TPos	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Factor	Factor	Factor	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	Remark	1	2480.00	77.35	-----	74.64	32.23	7.33	36.85	0.00	100	39	Peak	2	5320.00	104.89	-----	96.94	34.44	10.81	37.30	0.00	100	39	PEAK
	Limit	Read	Ant	Cable	Aux	APos	TPos																																																																																													
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Factor	Factor	Factor																																																																																									
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	Remark																																																																																									
1	5350.40	53.41	74.00	-20.59	45.36	34.50	10.84	37.29	0.00	100	39 PEAK																																																																																									
Limit	Read	Ant	Cable	Aux	APos	TPos																																																																																														
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Factor	Factor	Factor																																																																																									
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	Remark																																																																																									
1	2480.00	77.35	-----	74.64	32.23	7.33	36.85	0.00	100	39	Peak																																																																																									
2	5320.00	104.89	-----	96.94	34.44	10.81	37.30	0.00	100	39	PEAK																																																																																									
Avg	<table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Aux</th> <th>APos</th> <th>TPos</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>Margin</th> <th>Level</th> <th>Factor</th> <th>Loss</th> <th>Factor</th> <th>Factor</th> <th>Factor</th> <th>Factor</th> <th>Factor</th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> <th>Remark</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>5350.00</td> <td>42.31</td> <td>54.00</td> <td>-11.69</td> <td>34.26</td> <td>34.50</td> <td>10.84</td> <td>37.29</td> <td>0.00</td> <td>100</td> <td>39 AVERAGE</td> </tr> </tbody> </table>	Limit	Read	Ant	Cable	Aux	APos	TPos	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Factor	Factor	Factor	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	Remark	1	5350.00	42.31	54.00	-11.69	34.26	34.50	10.84	37.29	0.00	100	39 AVERAGE	<table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Aux</th> <th>APos</th> <th>TPos</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>Margin</th> <th>Level</th> <th>Factor</th> <th>Loss</th> <th>Factor</th> <th>Factor</th> <th>Factor</th> <th>Factor</th> <th>Factor</th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> <th>Remark</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>2480.00</td> <td>76.72</td> <td>-----</td> <td>74.01</td> <td>32.23</td> <td>7.33</td> <td>36.85</td> <td>0.00</td> <td>100</td> <td>39</td> <td>Average</td> </tr> <tr> <td>2</td> <td>5320.00</td> <td>94.66</td> <td>-----</td> <td>86.71</td> <td>34.44</td> <td>10.81</td> <td>37.30</td> <td>0.00</td> <td>100</td> <td>39</td> <td>AVERAGE</td> </tr> </tbody> </table>	Limit	Read	Ant	Cable	Aux	APos	TPos	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Factor	Factor	Factor	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	Remark	1	2480.00	76.72	-----	74.01	32.23	7.33	36.85	0.00	100	39	Average	2	5320.00	94.66	-----	86.71	34.44	10.81	37.30	0.00	100	39	AVERAGE
Limit	Read	Ant	Cable	Aux	APos	TPos																																																																																														
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Factor	Factor	Factor																																																																																									
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	Remark																																																																																									
1	5350.00	42.31	54.00	-11.69	34.26	34.50	10.84	37.29	0.00	100	39 AVERAGE																																																																																									
Limit	Read	Ant	Cable	Aux	APos	TPos																																																																																														
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Factor	Factor	Factor																																																																																									
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	Remark																																																																																									
1	2480.00	76.72	-----	74.01	32.23	7.33	36.85	0.00	100	39	Average																																																																																									
2	5320.00	94.66	-----	86.71	34.44	10.81	37.30	0.00	100	39	AVERAGE																																																																																									



Mode	61																																																																																											
	Band Edge - L																																																																																											
	U-NII-2A_5.25-5.35_802.11ax HE20_CH64_Full_5320MHz																																																																																											
ANT	CDD 1+2																																																																																											
Pol.	Vertical	Fundamental																																																																																										
Peak	 <p>Level (dBuV/m) vs Frequency (MHz) for Vertical. Shows a signal between 5300 and 5320 MHz. A red line indicates the limit at 67.00 dBuV/m.</p> <table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Aux</th> <th>APos</th> <th>TPos</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>Margin</th> <th>Level</th> <th>Factor</th> <th>Loss</th> <th>Factor</th> <th>Factor</th> <th>Remark</th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>5350.50</td> <td>67.00</td> <td>74.00</td> <td>-7.00</td> <td>58.95</td> <td>34.50</td> <td>10.84</td> <td>37.29</td> <td>0.00</td> <td>291</td> <td>79 PEAK</td> </tr> </tbody> </table>	Limit	Read	Ant	Cable	Aux	APos	TPos	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1	5350.50	67.00	74.00	-7.00	58.95	34.50	10.84	37.29	0.00	291	79 PEAK	 <p>Level (dBuV/m) vs Frequency (MHz) for Fundamental. Shows a signal at 5320 MHz. A red line indicates the limit at 115.82 dBuV/m.</p> <table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Aux</th> <th>APos</th> <th>TPos</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>Margin</th> <th>Level</th> <th>Factor</th> <th>Loss</th> <th>Factor</th> <th>Factor</th> <th>Remark</th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>2480.00</td> <td>93.18</td> <td>-----</td> <td>90.47</td> <td>32.23</td> <td>7.33</td> <td>36.85</td> <td>0.00</td> <td>291</td> <td>79 Peak</td> </tr> <tr> <td>2</td> <td>5320.00</td> <td>115.82</td> <td>-----</td> <td>107.87</td> <td>34.44</td> <td>10.81</td> <td>37.30</td> <td>0.00</td> <td>291</td> <td>79 PEAK</td> </tr> </tbody> </table>	Limit	Read	Ant	Cable	Aux	APos	TPos	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1	2480.00	93.18	-----	90.47	32.23	7.33	36.85	0.00	291	79 Peak	2	5320.00	115.82	-----	107.87	34.44	10.81	37.30	0.00	291	79 PEAK
	Limit	Read	Ant	Cable	Aux	APos	TPos																																																																																					
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark																																																																																			
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																																		
1	5350.50	67.00	74.00	-7.00	58.95	34.50	10.84	37.29	0.00	291	79 PEAK																																																																																	
Limit	Read	Ant	Cable	Aux	APos	TPos																																																																																						
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark																																																																																			
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																																		
1	2480.00	93.18	-----	90.47	32.23	7.33	36.85	0.00	291	79 Peak																																																																																		
2	5320.00	115.82	-----	107.87	34.44	10.81	37.30	0.00	291	79 PEAK																																																																																		
Avg	 <p>Level (dBuV/m) vs Frequency (MHz) for Vertical. Shows a signal between 5300 and 5320 MHz. A red line indicates the limit at 53.37 dBuV/m.</p> <table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Aux</th> <th>APos</th> <th>TPos</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>Margin</th> <th>Level</th> <th>Factor</th> <th>Loss</th> <th>Factor</th> <th>Factor</th> <th>Remark</th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>5350.10</td> <td>53.37</td> <td>54.00</td> <td>-0.63</td> <td>45.32</td> <td>34.50</td> <td>10.84</td> <td>37.29</td> <td>0.00</td> <td>291</td> <td>79 AVERAGE</td> </tr> </tbody> </table>	Limit	Read	Ant	Cable	Aux	APos	TPos	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1	5350.10	53.37	54.00	-0.63	45.32	34.50	10.84	37.29	0.00	291	79 AVERAGE	 <p>Level (dBuV/m) vs Frequency (MHz) for Fundamental. Shows a signal at 5320 MHz. A red line indicates the limit at 106.51 dBuV/m.</p> <table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Aux</th> <th>APos</th> <th>TPos</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>Margin</th> <th>Level</th> <th>Factor</th> <th>Loss</th> <th>Factor</th> <th>Factor</th> <th>Remark</th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>2480.00</td> <td>92.57</td> <td>-----</td> <td>89.86</td> <td>32.23</td> <td>7.33</td> <td>36.85</td> <td>0.00</td> <td>291</td> <td>79 Average</td> </tr> <tr> <td>2</td> <td>5320.00</td> <td>106.51</td> <td>-----</td> <td>98.58</td> <td>34.43</td> <td>10.80</td> <td>37.30</td> <td>0.00</td> <td>291</td> <td>79 AVERAGE</td> </tr> </tbody> </table>	Limit	Read	Ant	Cable	Aux	APos	TPos	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1	2480.00	92.57	-----	89.86	32.23	7.33	36.85	0.00	291	79 Average	2	5320.00	106.51	-----	98.58	34.43	10.80	37.30	0.00	291	79 AVERAGE
Limit	Read	Ant	Cable	Aux	APos	TPos																																																																																						
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark																																																																																			
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																																		
1	5350.10	53.37	54.00	-0.63	45.32	34.50	10.84	37.29	0.00	291	79 AVERAGE																																																																																	
Limit	Read	Ant	Cable	Aux	APos	TPos																																																																																						
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark																																																																																			
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																																		
1	2480.00	92.57	-----	89.86	32.23	7.33	36.85	0.00	291	79 Average																																																																																		
2	5320.00	106.51	-----	98.58	34.43	10.80	37.30	0.00	291	79 AVERAGE																																																																																		



Mode	61																																																																																																																													
	Harmonic																																																																																																																													
	U-NII-2A_5.25-5.35_802.11ax HE20_CH64_Full_5320MHZ																																																																																																																													
ANT	CDD 1+2																																																																																																																													
Pol.	Horizontal	Vertical																																																																																																																												
Peak Avg	<table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Aux</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line Margin</th> <th>Level</th> <th>Factor</th> <th>Loss Factor</th> <th>Factor</th> <th></th> <th></th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>cm</th> </tr> </thead> <tbody> <tr> <td>1 10640.00</td> <td>45.04</td> <td>74.00</td> <td>-28.96</td> <td>53.96</td> <td>37.61</td> <td>15.50</td> <td>62.03</td> <td>0.00</td> <td>-- -- PEAK</td> </tr> <tr> <td>2 15960.00</td> <td>59.27</td> <td>74.00</td> <td>-14.73</td> <td>61.28</td> <td>40.66</td> <td>19.39</td> <td>62.06</td> <td>0.00</td> <td>331 288 PEAK</td> </tr> <tr> <td>3 15960.00</td> <td>50.73</td> <td>54.00</td> <td>-3.27</td> <td>52.74</td> <td>40.66</td> <td>19.39</td> <td>62.06</td> <td>0.00</td> <td>331 288 AVERAGE</td> </tr> </tbody> </table>	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line Margin	Level	Factor	Loss Factor	Factor			MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	1 10640.00	45.04	74.00	-28.96	53.96	37.61	15.50	62.03	0.00	-- -- PEAK	2 15960.00	59.27	74.00	-14.73	61.28	40.66	19.39	62.06	0.00	331 288 PEAK	3 15960.00	50.73	54.00	-3.27	52.74	40.66	19.39	62.06	0.00	331 288 AVERAGE	<table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Aux</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line Margin</th> <th>Level</th> <th>Factor</th> <th>Loss Factor</th> <th>Factor</th> <th></th> <th></th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>cm</th> </tr> </thead> <tbody> <tr> <td>1 10640.00</td> <td>56.99</td> <td>74.00</td> <td>-17.01</td> <td>65.91</td> <td>37.61</td> <td>15.50</td> <td>62.03</td> <td>0.00</td> <td>269 347 PEAK</td> </tr> <tr> <td>2 10640.00</td> <td>49.33</td> <td>54.00</td> <td>-4.67</td> <td>58.25</td> <td>37.61</td> <td>15.50</td> <td>62.03</td> <td>0.00</td> <td>269 347 AVERAGE</td> </tr> <tr> <td>3 15960.00</td> <td>62.60</td> <td>74.00</td> <td>-11.40</td> <td>64.61</td> <td>40.66</td> <td>19.39</td> <td>62.06</td> <td>0.00</td> <td>300 292 PEAK</td> </tr> <tr> <td>4 15960.00</td> <td>53.23</td> <td>54.00</td> <td>-0.77</td> <td>55.24</td> <td>40.66</td> <td>19.39</td> <td>62.06</td> <td>0.00</td> <td>300 292 AVERAGE</td> </tr> </tbody> </table>	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line Margin	Level	Factor	Loss Factor	Factor			MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	1 10640.00	56.99	74.00	-17.01	65.91	37.61	15.50	62.03	0.00	269 347 PEAK	2 10640.00	49.33	54.00	-4.67	58.25	37.61	15.50	62.03	0.00	269 347 AVERAGE	3 15960.00	62.60	74.00	-11.40	64.61	40.66	19.39	62.06	0.00	300 292 PEAK	4 15960.00	53.23	54.00	-0.77	55.24	40.66	19.39	62.06	0.00	300 292 AVERAGE
Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																																																						
Freq	Level	Line Margin	Level	Factor	Loss Factor	Factor																																																																																																																								
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm																																																																																																																						
1 10640.00	45.04	74.00	-28.96	53.96	37.61	15.50	62.03	0.00	-- -- PEAK																																																																																																																					
2 15960.00	59.27	74.00	-14.73	61.28	40.66	19.39	62.06	0.00	331 288 PEAK																																																																																																																					
3 15960.00	50.73	54.00	-3.27	52.74	40.66	19.39	62.06	0.00	331 288 AVERAGE																																																																																																																					
Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																																																						
Freq	Level	Line Margin	Level	Factor	Loss Factor	Factor																																																																																																																								
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm																																																																																																																						
1 10640.00	56.99	74.00	-17.01	65.91	37.61	15.50	62.03	0.00	269 347 PEAK																																																																																																																					
2 10640.00	49.33	54.00	-4.67	58.25	37.61	15.50	62.03	0.00	269 347 AVERAGE																																																																																																																					
3 15960.00	62.60	74.00	-11.40	64.61	40.66	19.39	62.06	0.00	300 292 PEAK																																																																																																																					
4 15960.00	53.23	54.00	-0.77	55.24	40.66	19.39	62.06	0.00	300 292 AVERAGE																																																																																																																					


Note: For all plots above, the over limit line signals are Fundamental signal which can be ignored.



Appendix D. Duty Cycle Plots


Band	Duty Cycle(%)	T(ms)	1/T(kHz)	VBW Setting
802.11a	86.57	0.336	2.974	3KHZ
802.11ax HE20	83.18	0.272	3.670	3.9KHZ
802.11ax HE40	75.00	0.165	6.053	6.2KHZ
802.11ax HE80	68.42	0.113	8.846	9.1KHZ
802.11ax HE20 RU26	90.54	2.565	0.390	0.43KHZ
802.11ax HE20 RU52	83.87	1.319	0.758	0.82KHZ
802.11ax HE20 RU106	72.22	0.659	1.516	1.6KHZ

802.11a






802.11ax HE20




802.11ax HE40






802.11ax HE80




802.11ax HE20 RU26





802.11ax HE20 RU52



802.11ax HE20 RU106

