



Project Information			
Mode:	802.11a	Band:	/
Bandwidth	20MHz	Channel	7115
SN:	D1Y24EB28000030	Engineer:	申状
Remark:	Polarity: X		

Test Graph**Data List**

NO.	Freq. [MHz]	Reading [dBμV]	Factor [dB]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Polarity	Verdict
1	7112.05	34.45	19.46	53.91	-	-	Vertical	NA
2	7445.60	27.92	18.73	46.65	54.00	7.35	Vertical	PASS
3	12058.00	36.26	5.58	41.84	54.00	12.16	Vertical	PASS
4	17874.00	33.28	13.61	46.89	54.00	7.11	Vertical	PASS
5	7112.40	40.94	19.46	60.40	-	-	Vertical	NA
6	7432.30	35.04	18.75	53.79	74.00	20.21	Vertical	PASS
7	12028.33	42.36	5.57	47.93	74.00	26.07	Vertical	PASS
8	17848.00	39.42	13.97	53.39	74.00	20.61	Vertical	PASS

Project Information			
Mode:	802.11be20	Band:	/
Bandwidth	20MHz	Channel	6875
SN:	D1Y24EB28000030	Engineer:	申状
Remark:	Polarity: X		


Test Graph



Data List


NO.	Freq. [MHz]	Reading [dBμV]	Factor [dB]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Polarity	Verdict
1	6866.35	47.36	18.99	66.35	-	-	Horizontal	NA
2	7526.80	28.02	18.81	46.83	54.00	7.17	Horizontal	PASS
3	11322.67	36.90	4.93	41.83	54.00	12.17	Horizontal	PASS
4	17851.67	32.53	13.99	46.52	54.00	7.48	Horizontal	PASS
5	6865.65	52.50	18.98	71.48	-	-	Horizontal	NA
6	7476.05	35.36	18.80	54.16	74.00	19.84	Horizontal	PASS
7	11363.67	43.26	5.40	48.66	74.00	25.34	Horizontal	PASS
8	17851.33	39.34	13.99	53.33	74.00	20.67	Horizontal	PASS

Project Information			
Mode:	802.11be20	Band:	/
Bandwidth	20MHz	Channel	6875
SN:	D1Y24EB28000030	Engineer:	申状
Remark:	Polarity: X		

Test Graph**Data List**


NO.	Freq. [MHz]	Reading [dBμV]	Factor [dB]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Polarity	Verdict
1	6866.35	51.72	18.99	70.71	-	-	Vertical	NA
2	7486.55	28.14	18.83	46.97	54.00	7.03	Vertical	PASS
3	12003.67	36.00	5.42	41.42	54.00	12.58	Vertical	PASS
4	17860.67	32.65	13.84	46.49	54.00	7.51	Vertical	PASS
5	6866.00	58.50	18.98	77.48	-	-	Vertical	NA
6	7491.80	35.64	18.85	54.49	74.00	19.51	Vertical	PASS
7	12061.00	43.22	5.54	48.76	74.00	25.24	Vertical	PASS
8	17858.67	39.35	13.88	53.23	74.00	20.77	Vertical	PASS

Project Information			
Mode:	802.11be20	Band:	/
Bandwidth	20MHz	Channel	6895
SN:	D1Y24EB28000030	Engineer:	申状
Remark:	Polarity: X		

Test Graph**Data List**


NO.	Freq. [MHz]	Reading [dBμV]	Factor [dB]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Polarity	Verdict
1	7405.70	27.54	18.81	46.35	54.00	7.65	Horizontal	PASS
2	12408.33	35.46	5.85	41.31	54.00	12.69	Horizontal	PASS
3	17848.00	32.60	13.97	46.57	54.00	7.43	Horizontal	PASS
4	7476.75	35.81	18.80	54.61	74.00	19.39	Horizontal	PASS
5	12334.00	43.69	4.96	48.65	74.00	25.35	Horizontal	PASS
6	17862.00	38.98	13.81	52.79	74.00	21.21	Horizontal	PASS

Project Information			
Mode:	802.11be20	Band:	/
Bandwidth	20MHz	Channel	6895
SN:	D1Y24EB28000030	Engineer:	申状
Remark:	Polarity: X		

Test Graph


Data List								
NO.	Freq. [MHz]	Reading [dBμV]	Factor [dB]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Polarity	Verdict
1	6904.15	29.89	19.13	49.02	-	-	Vertical	NA
2	7441.40	27.92	18.73	46.65	54.00	7.35	Vertical	PASS
3	12007.33	35.29	5.45	40.74	54.00	13.26	Vertical	PASS
4	17831.00	33.08	13.50	46.58	54.00	7.42	Vertical	PASS
5	6903.80	36.36	19.13	55.49	-	-	Vertical	NA
6	7450.85	35.44	18.72	54.16	74.00	19.84	Vertical	PASS
7	12052.33	42.87	5.66	48.53	74.00	25.47	Vertical	PASS
8	17993.00	39.38	13.98	53.36	74.00	20.64	Vertical	PASS

Project Information			
Mode:	802.11be20	Band:	/
Bandwidth	20MHz	Channel	6995
SN:	D1Y24EB28000030	Engineer:	申状
Remark:	Polarity: X		

Test Graph**Data List**

NO.	Freq. [MHz]	Reading [dBμV]	Factor [dB]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Polarity	Verdict
1	6995.85	29.24	19.31	48.55	-	-	Horizontal	NA
2	7463.10	27.83	18.77	46.60	54.00	7.40	Horizontal	PASS
3	11991.67	35.98	5.31	41.29	54.00	12.71	Horizontal	PASS
4	17984.00	33.15	13.92	47.07	54.00	6.93	Horizontal	PASS
5	6995.85	37.81	19.31	57.12	-	-	Horizontal	NA
6	7482.35	36.64	18.82	55.46	74.00	18.54	Horizontal	PASS
7	12079.00	43.17	5.27	48.44	74.00	25.56	Horizontal	PASS
8	17888.67	40.73	13.37	54.10	74.00	19.90	Horizontal	PASS


Project Information			
Mode:	802.11be20	Band:	/
Bandwidth	20MHz	Channel	6995
SN:	D1Y24EB28000030	Engineer:	申状
Remark:	Polarity: X		

Test Graph**Data List**

NO.	Freq. [MHz]	Reading [dBμV]	Factor [dB]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Polarity	Verdict
1	6997.60	32.01	19.32	51.33	-	-	Vertical	NA
2	7487.60	28.27	18.85	47.12	54.00	6.88	Vertical	PASS
3	11998.33	35.90	5.38	41.28	54.00	12.72	Vertical	PASS
4	17845.33	32.76	13.89	46.65	54.00	7.35	Vertical	PASS
5	6998.30	38.28	19.32	57.60	-	-	Vertical	NA
6	7476.75	35.56	18.80	54.36	74.00	19.64	Vertical	PASS
7	11936.67	43.46	4.96	48.42	74.00	25.58	Vertical	PASS
8	17999.67	39.39	14.04	53.43	74.00	20.57	Vertical	PASS

Project Information			
Mode:	802.11be20	Band:	/
Bandwidth	20MHz	Channel	7115
SN:	D1Y24EB28000030	Engineer:	申状
Remark:	Polarity: X		


Test Graph



Data List

NO.	Freq. [MHz]	Reading [dBμV]	Factor [dB]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Polarity	Verdict
1	7114.50	29.92	19.47	49.39	-	-	Horizontal	NA
2	7437.55	27.89	18.75	46.64	54.00	7.36	Horizontal	PASS
3	11482.67	36.73	5.04	41.77	54.00	12.23	Horizontal	PASS
4	17848.33	32.60	13.98	46.58	54.00	7.42	Horizontal	PASS
5	7113.80	37.00	19.47	56.47	-	-	Horizontal	NA
6	7437.20	37.02	18.74	55.76	74.00	18.24	Horizontal	PASS
7	11507.00	42.95	5.06	48.01	74.00	25.99	Horizontal	PASS
8	17871.67	40.02	13.65	53.67	74.00	20.33	Horizontal	PASS

Project Information			
Mode:	802.11be20	Band:	/
Bandwidth	20MHz	Channel	7115
SN:	D1Y24EB28000030	Engineer:	申状
Remark:	Polarity: X		


Test Graph**Data List**

NO.	Freq. [MHz]	Reading [dBμV]	Factor [dB]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Polarity	Verdict
1	7114.15	33.77	19.47	53.24	-	-	Vertical	NA
2	7486.20	27.68	18.83	46.51	54.00	7.49	Vertical	PASS
3	12051.67	36.15	5.67	41.82	54.00	12.18	Vertical	PASS
4	17981.67	32.68	13.90	46.58	54.00	7.42	Vertical	PASS
5	7113.80	43.10	19.47	62.57	-	-	Vertical	NA
6	7491.45	35.75	18.85	54.60	74.00	19.40	Vertical	PASS
7	12021.67	42.79	5.53	48.32	74.00	25.68	Vertical	PASS
8	17858.67	40.11	13.88	53.99	74.00	20.01	Vertical	PASS

Project Information

Mode:	802.11be40	Band:	/
Bandwidth	40MHz	Channel	6885
SN:	D1Y24EB28000030	Engineer:	申状
Remark:	Polarity: X		


Test Graph



Data List

NO.	Freq. [MHz]	Reading [dBμV]	Factor [dB]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Polarity	Verdict
1	6866.35	45.05	18.99	64.04	-	-	Horizontal	NA
2	7414.45	27.63	18.79	46.42	54.00	7.58	Horizontal	PASS
3	12386.33	35.27	5.76	41.03	54.00	12.97	Horizontal	PASS
4	17844.00	32.32	13.86	46.18	54.00	7.82	Horizontal	PASS
5	6866.00	51.15	18.98	70.13	-	-	Horizontal	NA
6	7387.15	35.23	18.79	54.02	74.00	19.98	Horizontal	PASS
7	12405.33	42.25	5.92	48.17	74.00	25.83	Horizontal	PASS
8	17860.33	39.41	13.84	53.25	74.00	20.75	Horizontal	PASS


Project Information			
Mode:	802.11be40	Band:	/
Bandwidth	40MHz	Channel	6885
SN:	D1Y24EB28000030	Engineer:	申状
Remark:	Polarity: X		

Test Graph**Data List**

NO.	Freq. [MHz]	Reading [dBμV]	Factor [dB]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Polarity	Verdict
1	6866.35	50.01	18.99	69.00	-	-	Vertical	NA
2	7492.50	27.90	18.86	46.76	54.00	7.24	Vertical	PASS
3	12007.33	35.68	5.45	41.13	54.00	12.87	Vertical	PASS
4	17886.67	33.22	13.39	46.61	54.00	7.39	Vertical	PASS
5	6867.05	58.90	18.99	77.89	-	-	Vertical	NA
6	7523.65	34.97	18.82	53.79	74.00	20.21	Vertical	PASS
7	11984.33	42.68	5.23	47.91	74.00	26.09	Vertical	PASS
8	17964.33	39.55	13.76	53.31	74.00	20.69	Vertical	PASS

Project Information			
Mode:	802.11be40	Band:	/
Bandwidth	40MHz	Channel	6925
SN:	D1Y24EB28000030	Engineer:	申状
Remark:	Polarity: X		


Test Graph



Data List


NO.	Freq. [MHz]	Reading [dBμV]	Factor [dB]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Polarity	Verdict
1	6933.55	31.61	19.19	50.80	-	-	Horizontal	NA
2	7555.85	27.80	18.70	46.50	54.00	7.50	Horizontal	PASS
3	11423.00	35.80	5.26	41.06	54.00	12.94	Horizontal	PASS
4	17852.00	33.08	13.98	47.06	54.00	6.94	Horizontal	PASS
5	6933.20	38.28	19.19	57.47	-	-	Horizontal	NA
6	7519.10	35.75	18.83	54.58	74.00	19.42	Horizontal	PASS
7	11411.33	43.43	5.36	48.79	74.00	25.21	Horizontal	PASS
8	17858.33	39.33	13.88	53.21	74.00	20.79	Horizontal	PASS

Project Information			
Mode:	802.11be40	Band:	/
Bandwidth	40MHz	Channel	6925
SN:	D1Y24EB28000030	Engineer:	申状
Remark:	Polarity: X		

Test Graph**Data List**


NO.	Freq. [MHz]	Reading [dBμV]	Factor [dB]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Polarity	Verdict
1	6933.20	37.03	19.19	56.22	-	-	Vertical	NA
2	7496.00	27.84	18.87	46.71	54.00	7.29	Vertical	PASS
3	11486.33	36.17	5.04	41.21	54.00	12.79	Vertical	PASS
4	17991.67	32.50	13.98	46.48	54.00	7.52	Vertical	PASS
5	6933.55	43.45	19.19	62.64	-	-	Vertical	NA
6	7408.15	34.94	18.81	53.75	74.00	20.25	Vertical	PASS
7	11486.00	44.10	5.04	49.14	74.00	24.86	Vertical	PASS
8	17855.00	39.29	13.93	53.22	74.00	20.78	Vertical	PASS

Project Information			
Mode:	802.11be40	Band:	/
Bandwidth	40MHz	Channel	6965
SN:	D1Y24EB28000030	Engineer:	申状
Remark:	Polarity: X		

Test Graph


Data List								
NO.	Freq. [MHz]	Reading [dBμV]	Factor [dB]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Polarity	Verdict
1	7367.55	27.65	18.74	46.39	54.00	7.61	Horizontal	PASS
2	12051.00	35.43	5.68	41.11	54.00	12.89	Horizontal	PASS
3	17855.00	32.87	13.93	46.80	54.00	7.20	Horizontal	PASS
4	7389.25	36.43	18.79	55.22	74.00	18.78	Horizontal	PASS
5	12009.67	42.69	5.46	48.15	74.00	25.85	Horizontal	PASS
6	17844.00	39.42	13.86	53.28	74.00	20.72	Horizontal	PASS

Project Information			
Mode:	802.11be40	Band:	/
Bandwidth	40MHz	Channel	6965
SN:	D1Y24EB28000030	Engineer:	申状
Remark:	Polarity: X		

Test Graph


Data List								
NO.	Freq. [MHz]	Reading [dBμV]	Factor [dB]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Polarity	Verdict
1	6974.15	33.12	19.27	52.39	-	-	Vertical	NA
2	7400.10	27.80	18.82	46.62	54.00	7.38	Vertical	PASS
3	12050.33	35.45	5.69	41.14	54.00	12.86	Vertical	PASS
4	17860.67	32.75	13.84	46.59	54.00	7.41	Vertical	PASS
5	6973.10	40.43	19.27	59.70	-	-	Vertical	NA
6	7498.45	35.56	18.88	54.44	74.00	19.56	Vertical	PASS
7	11906.00	42.93	5.27	48.20	74.00	25.80	Vertical	PASS
8	17960.33	39.60	13.73	53.33	74.00	20.67	Vertical	PASS

Project Information			
Mode:	802.11be40	Band:	/
Bandwidth	40MHz	Channel	7085
SN:	D1Y24EB28000030	Engineer:	申状
Remark:	Polarity: X		

Test Graph**Data List**


NO.	Freq. [MHz]	Reading [dBμV]	Factor [dB]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Polarity	Verdict
1	7467.65	27.54	18.78	46.32	54.00	7.68	Horizontal	PASS
2	12413.33	35.20	5.74	40.94	54.00	13.06	Horizontal	PASS
3	17852.00	32.54	13.98	46.52	54.00	7.48	Horizontal	PASS
4	7373.85	35.58	18.76	54.34	74.00	19.66	Horizontal	PASS
5	12404.67	42.36	5.94	48.30	74.00	25.70	Horizontal	PASS
6	17863.67	39.54	13.79	53.33	74.00	20.67	Horizontal	PASS

Project Information			
Mode:	802.11be40	Band:	/
Bandwidth	40MHz	Channel	7085
SN:	D1Y24EB28000030	Engineer:	申状
Remark:	Polarity: X		

Test Graph**Data List**


NO.	Freq. [MHz]	Reading [dBμV]	Factor [dB]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Polarity	Verdict
1	7722.80	27.17	19.25	46.42	54.00	7.58	Vertical	PASS
2	12048.00	35.44	5.69	41.13	54.00	12.87	Vertical	PASS
3	17847.67	32.83	13.96	46.79	54.00	7.21	Vertical	PASS
4	7708.10	35.32	19.14	54.46	74.00	19.54	Vertical	PASS
5	12022.67	42.30	5.53	47.83	74.00	26.17	Vertical	PASS
6	17998.67	39.06	14.02	53.08	74.00	20.92	Vertical	PASS

Project Information			
Mode:	802.11be80	Band:	/
Bandwidth	80MHz	Channel	6865
SN:	D1Y24EB28000030	Engineer:	申状
Remark:	Polarity: X		

Test Graph


Data List								
NO.	Freq. [MHz]	Reading [dBμV]	Factor [dB]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Polarity	Verdict
1	6895.75	56.50	18.65	75.15	-	-	Horizontal	NA
2	7436.15	27.47	18.81	46.28	54.00	7.72	Horizontal	PASS
3	12391.00	35.30	5.85	41.15	54.00	12.85	Horizontal	PASS
4	17849.00	32.55	13.99	46.54	54.00	7.46	Horizontal	PASS
5	6895.05	65.39	18.65	84.04	-	-	Horizontal	NA
6	7454.35	35.48	18.78	54.26	74.00	19.74	Horizontal	PASS
7	12408.33	42.25	5.85	48.10	74.00	25.90	Horizontal	PASS
8	17868.67	40.13	13.71	53.84	74.00	20.16	Horizontal	PASS

Project Information			
Mode:	802.11be80	Band:	/
Bandwidth	80MHz	Channel	6865
SN:	D1Y24EB28000030	Engineer:	申状
Remark:	Polarity: X		

Test Graph**Data List**

NO.	Freq. [MHz]	Reading [dBμV]	Factor [dB]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Polarity	Verdict
1	6893.65	61.86	18.64	80.50	-	-	Vertical	NA
2	7445.95	27.94	18.79	46.73	54.00	7.27	Vertical	PASS
3	12400.67	35.29	6.03	41.32	54.00	12.68	Vertical	PASS
4	17868.33	33.05	13.71	46.76	54.00	7.24	Vertical	PASS
5	6895.05	70.13	18.65	88.78	-	-	Vertical	NA
6	7492.85	35.79	18.80	54.59	74.00	19.41	Vertical	PASS
7	12357.33	43.39	5.16	48.55	74.00	25.45	Vertical	PASS
8	17868.33	40.14	13.71	53.85	74.00	20.15	Vertical	PASS

Project Information			
Mode:	802.11be80	Band:	/
Bandwidth	80MHz	Channel	6945
SN:	D1Y24EB28000030	Engineer:	申状
Remark:	Polarity: X		


Test Graph**Data List**

NO.	Freq. [MHz]	Reading [dBμV]	Factor [dB]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Polarity	Verdict
1	6934.25	32.66	19.19	51.85	-	-	Horizontal	NA
2	7458.55	28.02	18.75	46.77	54.00	7.23	Horizontal	PASS
3	12400.00	35.80	6.04	41.84	54.00	12.16	Horizontal	PASS
4	17849.00	32.58	13.99	46.57	54.00	7.43	Horizontal	PASS
5	6934.60	39.92	19.19	59.11	-	-	Horizontal	NA
6	7477.80	35.66	18.81	54.47	74.00	19.53	Horizontal	PASS
7	12380.67	42.36	5.64	48.00	74.00	26.00	Horizontal	PASS
8	17997.33	39.15	14.02	53.17	74.00	20.83	Horizontal	PASS

Project Information

Mode:	802.11be80	Band:	/
Bandwidth	80MHz	Channel	6945
SN:	D1Y24EB28000030	Engineer:	申状
Remark:	Polarity: X		

Test Graph




Data List

NO.	Freq. [MHz]	Reading [dBμV]	Factor [dB]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Polarity	Verdict
1	6934.25	38.70	19.19	57.89	-	-	Vertical	NA
2	7465.20	27.58	18.77	46.35	54.00	7.65	Vertical	PASS
3	12403.67	35.19	5.96	41.15	54.00	12.85	Vertical	PASS
4	17860.00	32.71	13.85	46.56	54.00	7.44	Vertical	PASS
5	6934.25	45.81	19.19	65.00	-	-	Vertical	NA
6	7433.70	35.72	18.76	54.48	74.00	19.52	Vertical	PASS
7	12437.67	43.30	5.20	48.50	74.00	25.50	Vertical	PASS
8	17856.67	39.23	13.90	53.13	74.00	20.87	Vertical	PASS

Project Information

Mode:	802.11be80	Band:	/
Bandwidth	80MHz	Channel	7025
SN:	D1Y24EB28000030	Engineer:	申状
Remark:	Polarity: X		


Test Graph



Data List

NO.	Freq. [MHz]	Reading [dBμV]	Factor [dB]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Polarity	Verdict
1	7450.50	27.74	18.72	46.46	54.00	7.54	Horizontal	PASS
2	11481.00	36.15	5.04	41.19	54.00	12.81	Horizontal	PASS
3	17991.67	32.75	13.98	46.73	54.00	7.27	Horizontal	PASS
4	7454.00	35.42	18.73	54.15	74.00	19.85	Horizontal	PASS
5	11582.33	42.54	5.39	47.93	74.00	26.07	Horizontal	PASS
6	17848.33	40.40	13.98	54.38	74.00	19.62	Horizontal	PASS

Project Information			
Mode:	802.11be80	Band:	/
Bandwidth	80MHz	Channel	7025
SN:	D1Y24EB28000030	Engineer:	申状
Remark:	Polarity: X		


Test Graph**Data List**

NO.	Freq. [MHz]	Reading [dBμV]	Factor [dB]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Polarity	Verdict
1	7055.70	31.68	19.41	51.09	-	-	Vertical	NA
2	12402.33	35.53	5.99	41.52	54.00	12.48	Vertical	PASS
3	17865.67	32.66	13.75	46.41	54.00	7.59	Vertical	PASS
4	7054.30	38.89	19.41	58.30	-	-	Vertical	NA
5	12388.00	42.77	5.80	48.57	74.00	25.43	Vertical	PASS
6	17848.33	40.05	13.98	54.03	74.00	19.97	Vertical	PASS

Project Information

Mode:	802.11be160	Band:	/
Bandwidth	160MHz	Channel	6825
SN:	D1Y24EB28000030	Engineer:	申状
Remark:	Polarity: X		

Test Graph




Data List

NO.	Freq. [MHz]	Reading [dBμV]	Factor [dB]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Polarity	Verdict
1	6903.80	58.30	18.68	76.98	-	-	Horizontal	NA
2	7478.15	27.56	18.79	46.35	54.00	7.65	Horizontal	PASS
3	12406.33	35.95	5.90	41.85	54.00	12.15	Horizontal	PASS
4	17851.67	32.68	13.99	46.67	54.00	7.33	Horizontal	PASS
5	6893.30	65.85	18.64	84.49	-	-	Horizontal	NA
6	7479.20	36.34	18.79	55.13	74.00	18.87	Horizontal	PASS
7	12415.00	42.08	5.71	47.79	74.00	26.21	Horizontal	PASS
8	17998.00	39.35	14.02	53.37	74.00	20.63	Horizontal	PASS

Project Information

Mode:	802.11be160	Band:	/
Bandwidth	160MHz	Channel	6825
SN:	D1Y24EB28000030	Engineer:	申状
Remark:	Polarity: X		


Test Graph



Data List

NO.	Freq. [MHz]	Reading [dBμV]	Factor [dB]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Polarity	Verdict
1	6893.65	62.57	18.64	81.21	-	-	Vertical	NA
2	7399.05	27.54	18.86	46.40	54.00	7.60	Vertical	PASS
3	12370.33	36.27	5.43	41.70	54.00	12.30	Vertical	PASS
4	17856.00	32.52	13.92	46.44	54.00	7.56	Vertical	PASS
5	6895.05	70.69	18.65	89.34	-	-	Vertical	NA
6	7394.85	35.59	18.81	54.40	74.00	19.60	Vertical	PASS
7	12398.67	42.68	6.02	48.70	74.00	25.30	Vertical	PASS
8	17855.67	39.60	13.92	53.52	74.00	20.48	Vertical	PASS

Project Information			
Mode:	802.11be160	Band:	/
Bandwidth	160MHz	Channel	6985
SN:	D1Y24EB28000030	Engineer:	申状
Remark:	Polarity: X		


Test Graph

Data List								
NO.	Freq. [MHz]	Reading [dBμV]	Factor [dB]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Polarity	Verdict
1	6934.25	32.66	19.19	51.85	-	-	Horizontal	NA
2	7460.30	27.50	18.75	46.25	54.00	7.75	Horizontal	PASS
3	12046.33	34.90	5.68	40.58	54.00	13.42	Horizontal	PASS
4	17865.33	32.60	13.76	46.36	54.00	7.64	Horizontal	PASS
5	6933.90	39.59	19.19	58.78	-	-	Horizontal	NA
6	7485.50	35.37	18.83	54.20	74.00	19.80	Horizontal	PASS
7	12053.33	42.62	5.65	48.27	74.00	25.73	Horizontal	PASS
8	17987.67	39.74	13.94	53.68	74.00	20.32	Horizontal	PASS

Project Information

Mode:	802.11be160	Band:	/
Bandwidth	160MHz	Channel	6985
SN:	D1Y24EB28000030	Engineer:	申状
Remark:	Polarity: X		


Test Graph



Data List


NO.	Freq. [MHz]	Reading [dBuV]	Factor [dB]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Polarity	Verdict
1	6934.25	37.50	19.19	56.69	-	-	Vertical	NA
2	7484.10	27.56	18.83	46.39	54.00	7.61	Vertical	PASS
3	12050.00	35.24	5.70	40.94	54.00	13.06	Vertical	PASS
4	17862.00	32.82	13.81	46.63	54.00	7.37	Vertical	PASS
5	6933.90	46.20	19.19	65.39	-	-	Vertical	NA
6	7483.75	35.28	18.83	54.11	74.00	19.89	Vertical	PASS
7	12111.33	43.55	4.84	48.39	74.00	25.61	Vertical	PASS
8	17862.67	39.54	13.81	53.35	74.00	20.65	Vertical	PASS

Project Information			
Mode:	802.11be20 26t-0	Band:	/
Bandwidth	20MHz	Channel	5955
SN:	D1Y24EB28000030	Engineer:	申状
Remark:	Polarity: X		

Test Graph**Data List**


NO.	Freq. [MHz]	Reading [dBμV]	Factor [dB]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Polarity	Verdict
1	7494.25	27.41	19.03	46.44	54.00	7.56	Horizontal	PASS
2	12416.00	35.14	5.69	40.83	54.00	13.17	Horizontal	PASS
3	17844.67	33.00	13.88	46.88	54.00	7.12	Horizontal	PASS
4	7529.25	35.34	19.07	54.41	74.00	19.59	Horizontal	PASS
5	12405.67	42.61	5.92	48.53	74.00	25.47	Horizontal	PASS
6	17912.67	39.82	13.29	53.11	74.00	20.89	Horizontal	PASS

Project Information			
Mode:	802.11be20 26t-0	Band:	/
Bandwidth	20MHz	Channel	5955
SN:	D1Y24EB28000030	Engineer:	申状
Remark:	Polarity: X		

Test Graph**Data List**


NO.	Freq. [MHz]	Reading [dBμV]	Factor [dB]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Polarity	Verdict
1	7535.55	27.65	19.07	46.72	54.00	7.28	Vertical	PASS
2	12404.00	35.08	5.95	41.03	54.00	12.97	Vertical	PASS
3	17859.00	32.68	13.87	46.55	54.00	7.45	Vertical	PASS
4	7457.15	35.99	18.89	54.88	74.00	19.12	Vertical	PASS
5	12083.67	42.95	5.20	48.15	74.00	25.85	Vertical	PASS
6	17853.33	39.41	13.97	53.38	74.00	20.62	Vertical	PASS

Project Information			
Mode:	802.11be20 26t-0	Band:	/
Bandwidth	20MHz	Channel	6175
SN:	D1Y24EB28000030	Engineer:	申状
Remark:	Polarity: X		

Test Graph**Data List**


NO.	Freq. [MHz]	Reading [dBμV]	Factor [dB]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Polarity	Verdict
1	7410.95	27.66	18.97	46.63	54.00	7.37	Horizontal	PASS
2	11577.33	35.48	5.34	40.82	54.00	13.18	Horizontal	PASS
3	17846.67	33.04	13.93	46.97	54.00	7.03	Horizontal	PASS
4	7465.90	35.59	18.93	54.52	74.00	19.48	Horizontal	PASS
5	11599.33	42.74	5.55	48.29	74.00	25.71	Horizontal	PASS
6	17846.33	40.45	13.92	54.37	74.00	19.63	Horizontal	PASS

Project Information			
Mode:	802.11be20 26t-0	Band:	/
Bandwidth	20MHz	Channel	6175
SN:	D1Y24EB28000030	Engineer:	申状
Remark:	Polarity: X		

Test Graph**Data List**


NO.	Freq. [MHz]	Reading [dBμV]	Factor [dB]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Polarity	Verdict
1	7461.35	27.64	18.91	46.55	54.00	7.45	Vertical	PASS
2	12023.00	35.60	5.54	41.14	54.00	12.86	Vertical	PASS
3	17851.67	32.41	13.99	46.40	54.00	7.60	Vertical	PASS
4	7400.10	35.42	18.99	54.41	74.00	19.59	Vertical	PASS
5	11866.00	42.29	5.24	47.53	74.00	26.47	Vertical	PASS
6	17932.33	40.38	13.48	53.86	74.00	20.14	Vertical	PASS

Project Information			
Mode:	802.11be20 26t-0	Band:	/
Bandwidth	20MHz	Channel	6415
SN:	D1Y24EB28000030	Engineer:	申状
Remark:	Polarity: X		

Test Graph**Data List**


NO.	Freq. [MHz]	Reading [dBμV]	Factor [dB]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Polarity	Verdict
1	7507.55	27.59	19.06	46.65	54.00	7.35	Horizontal	PASS
2	11417.00	35.87	5.31	41.18	54.00	12.82	Horizontal	PASS
3	17852.67	32.75	13.98	46.73	54.00	7.27	Horizontal	PASS
4	7535.20	35.14	19.07	54.21	74.00	19.79	Horizontal	PASS
5	11376.33	43.35	5.42	48.77	74.00	25.23	Horizontal	PASS
6	17847.33	40.14	13.94	54.08	74.00	19.92	Horizontal	PASS

Project Information			
Mode:	802.11be20 26t-0	Band:	/
Bandwidth	160MHz	Channel	6415
SN:	D1Y24EB28000030	Engineer:	申状
Remark:	Polarity: X		

Test Graph**Data List**


NO.	Freq. [MHz]	Reading [dBμV]	Factor [dB]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Polarity	Verdict
1	7425.65	27.80	18.93	46.73	54.00	7.27	Vertical	PASS
2	12085.00	35.83	5.19	41.02	54.00	12.98	Vertical	PASS
3	17852.00	32.03	13.98	46.01	54.00	7.99	Vertical	PASS
4	7464.50	35.42	18.92	54.34	74.00	19.66	Vertical	PASS
5	12040.00	42.21	5.64	47.85	74.00	26.15	Vertical	PASS
6	17851.67	39.12	13.99	53.11	74.00	20.89	Vertical	PASS

Project Information			
Mode:	802.11be40 242t-61	Band:	/
Bandwidth	40MHz	Channel	5965
SN:	D1Y24EB28000030	Engineer:	申状
Remark:	Polarity: X		

Test Graph**Data List**


NO.	Freq. [MHz]	Reading [dBμV]	Factor [dB]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Polarity	Verdict
1	7474.65	27.64	18.96	46.60	54.00	7.40	Horizontal	PASS
2	12007.67	35.36	5.45	40.81	54.00	13.19	Horizontal	PASS
3	17934.00	32.62	13.50	46.12	54.00	7.88	Horizontal	PASS
4	7461.70	35.59	18.91	54.50	74.00	19.50	Horizontal	PASS
5	12057.00	42.42	5.60	48.02	74.00	25.98	Horizontal	PASS
6	17955.00	39.38	13.69	53.07	74.00	20.93	Horizontal	PASS

Project Information			
Mode:	802.11be40 242t-61	Band:	/
Bandwidth	40MHz	Channel	5965
SN:	D1Y24EB28000030	Engineer:	申状
Remark:	Polarity: X		

Test Graph**Data List**


NO.	Freq. [MHz]	Reading [dBμV]	Factor [dB]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Polarity	Verdict
1	7479.55	28.11	18.98	47.09	54.00	6.91	Vertical	PASS
2	12416.00	35.42	5.69	41.11	54.00	12.89	Vertical	PASS
3	17996.00	32.79	14.00	46.79	54.00	7.21	Vertical	PASS
4	7436.15	35.58	18.91	54.49	74.00	19.51	Vertical	PASS
5	12340.00	43.39	4.98	48.37	74.00	25.63	Vertical	PASS
6	17849.67	39.55	14.01	53.56	74.00	20.44	Vertical	PASS

Project Information			
Mode:	802.11be40 242t-61	Band:	/
Bandwidth	40MHz	Channel	6165
SN:	D1Y24EB28000030	Engineer:	申状
Remark:	Polarity: X		

Test Graph**Data List**


NO.	Freq. [MHz]	Reading [dBμV]	Factor [dB]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Polarity	Verdict
1	7582.10	27.36	18.79	46.15	54.00	7.85	Horizontal	PASS
2	12038.33	35.18	5.63	40.81	54.00	13.19	Horizontal	PASS
3	17859.33	32.67	13.86	46.53	54.00	7.47	Horizontal	PASS
4	7489.70	35.51	19.01	54.52	74.00	19.48	Horizontal	PASS
5	12072.67	42.82	5.36	48.18	74.00	25.82	Horizontal	PASS
6	17857.00	39.99	13.90	53.89	74.00	20.11	Horizontal	PASS

Project Information			
Mode:	802.11be40 242t-61	Band:	/
Bandwidth	40MHz	Channel	6165
SN:	D1Y24EB28000030	Engineer:	申状
Remark:	Polarity: X		

Test Graph**Data List**


NO.	Freq. [MHz]	Reading [dBμV]	Factor [dB]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Polarity	Verdict
1	7637.75	27.44	19.06	46.50	54.00	7.50	Vertical	PASS
2	11384.00	35.63	5.44	41.07	54.00	12.93	Vertical	PASS
3	17840.33	33.08	13.76	46.84	54.00	7.16	Vertical	PASS
4	7637.40	35.34	19.06	54.40	74.00	19.60	Vertical	PASS
5	11354.67	42.94	5.38	48.32	74.00	25.68	Vertical	PASS
6	17849.33	39.20	14.00	53.20	74.00	20.80	Vertical	PASS

Project Information			
Mode:	802.11be40 242t-61	Band:	/
Bandwidth	40MHz	Channel	6405
SN:	D1Y24EB28000030	Engineer:	申状
Remark:	Polarity: X		

Test Graph**Data List**

NO.	Freq. [MHz]	Reading [dBμV]	Factor [dB]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Polarity	Verdict
1	7485.50	27.64	19.00	46.64	54.00	7.36	Horizontal	PASS
2	12026.33	35.21	5.56	40.77	54.00	13.23	Horizontal	PASS
3	17839.67	32.51	13.74	46.25	54.00	7.75	Horizontal	PASS
4	7396.60	35.12	18.96	54.08	74.00	19.92	Horizontal	PASS
5	12027.00	42.20	5.57	47.77	74.00	26.23	Horizontal	PASS
6	17858.33	39.56	13.88	53.44	74.00	20.56	Horizontal	PASS

Project Information			
Mode:	802.11be40 242t-61	Band:	/
Bandwidth	40MHz	Channel	6405
SN:	D1Y24EB28000030	Engineer:	申状
Remark:	Polarity: X		


Test Graph**Data List**

NO.	Freq. [MHz]	Reading [dBμV]	Factor [dB]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Polarity	Verdict
1	7577.55	27.45	18.84	46.29	54.00	7.71	Vertical	PASS
2	12410.33	34.94	5.81	40.75	54.00	13.25	Vertical	PASS
3	17864.67	32.43	13.77	46.20	54.00	7.80	Vertical	PASS
4	7512.80	34.58	19.06	53.64	74.00	20.36	Vertical	PASS
5	12423.33	42.53	5.52	48.05	74.00	25.95	Vertical	PASS
6	17862.33	39.32	13.81	53.13	74.00	20.87	Vertical	PASS

Project Information

Mode:	802.11be80 484t-65	Band:	/
Bandwidth	80MHz	Channel	5985
SN:	D1Y24EB28000030	Engineer:	申状
Remark:	Polarity: X		


Test Graph



Data List


NO.	Freq. [MHz]	Reading [dBμV]	Factor [dB]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Polarity	Verdict
1	7368.95	27.67	18.74	46.41	54.00	7.59	Horizontal	PASS
2	12402.33	35.32	5.99	41.31	54.00	12.69	Horizontal	PASS
3	17855.33	32.56	13.93	46.49	54.00	7.51	Horizontal	PASS
4	7485.15	35.60	19.00	54.60	74.00	19.40	Horizontal	PASS
5	12186.67	43.86	4.80	48.66	74.00	25.34	Horizontal	PASS
6	17989.67	39.48	13.96	53.44	74.00	20.56	Horizontal	PASS

Project Information			
Mode:	802.11be80 484t-65	Band:	/
Bandwidth	80MHz	Channel	5985
SN:	D1Y24EB28000030	Engineer:	申状
Remark:	Polarity: X		

Test Graph**Data List**


NO.	Freq. [MHz]	Reading [dBμV]	Factor [dB]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Polarity	Verdict
1	7491.10	27.91	19.02	46.93	54.00	7.07	Vertical	PASS
2	12401.33	35.22	6.01	41.23	54.00	12.77	Vertical	PASS
3	17843.00	32.85	13.83	46.68	54.00	7.32	Vertical	PASS
4	7490.75	36.25	19.02	55.27	74.00	18.73	Vertical	PASS
5	12396.67	42.29	5.97	48.26	74.00	25.74	Vertical	PASS
6	17856.00	39.14	13.92	53.06	74.00	20.94	Vertical	PASS

Project Information			
Mode:	802.11be80 484t-65	Band:	/
Bandwidth	80MHz	Channel	6145
SN:	D1Y24EB28000030	Engineer:	申状
Remark:	Polarity: X		

Test Graph**Data List**


NO.	Freq. [MHz]	Reading [dBμV]	Factor [dB]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Polarity	Verdict
1	7535.55	27.48	19.07	46.55	54.00	7.45	Horizontal	PASS
2	11450.00	35.90	5.00	40.90	54.00	13.10	Horizontal	PASS
3	17981.33	32.60	13.90	46.50	54.00	7.50	Horizontal	PASS
4	7532.40	35.19	19.06	54.25	74.00	19.75	Horizontal	PASS
5	11474.67	43.91	5.03	48.94	74.00	25.06	Horizontal	PASS
6	17877.67	39.89	13.55	53.44	74.00	20.56	Horizontal	PASS

Project Information			
Mode:	802.11be80 484t-65	Band:	/
Bandwidth	80MHz	Channel	6145
SN:	D1Y24EB28000030	Engineer:	申状
Remark:	Polarity: X		

Test Graph**Data List**


NO.	Freq. [MHz]	Reading [dBμV]	Factor [dB]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Polarity	Verdict
1	7436.15	27.71	18.91	46.62	54.00	7.38	Vertical	PASS
2	12375.00	35.92	5.53	41.45	54.00	12.55	Vertical	PASS
3	17859.67	33.82	13.86	47.68	54.00	6.32	Vertical	PASS
4	7455.40	35.64	18.89	54.53	74.00	19.47	Vertical	PASS
5	12417.00	42.55	5.67	48.22	74.00	25.78	Vertical	PASS
6	17943.00	39.77	13.58	53.35	74.00	20.65	Vertical	PASS

Project Information			
Mode:	802.11be80 484t-65	Band:	/
Bandwidth	80MHz	Channel	6385
SN:	D1Y24EB28000030	Engineer:	申状
Remark:	Polarity: X		

Test Graph**Data List**


NO.	Freq. [MHz]	Reading [dBμV]	Factor [dB]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Polarity	Verdict
1	7442.45	27.63	18.89	46.52	54.00	7.48	Horizontal	PASS
2	11420.00	36.24	5.28	41.52	54.00	12.48	Horizontal	PASS
3	17846.67	32.39	13.93	46.32	54.00	7.68	Horizontal	PASS
4	7485.15	35.79	19.00	54.79	74.00	19.21	Horizontal	PASS
5	11412.33	42.45	5.36	47.81	74.00	26.19	Horizontal	PASS
6	17991.33	39.31	13.98	53.29	74.00	20.71	Horizontal	PASS

Project Information			
Mode:	802.11be80 484t-65	Band:	/
Bandwidth	80MHz	Channel	6385
SN:	D1Y24EB28000030	Engineer:	申状
Remark:	Polarity: X		

Test Graph**Data List**

NO.	Freq. [MHz]	Reading [dBμV]	Factor [dB]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Polarity	Verdict
1	7560.40	27.70	18.99	46.69	54.00	7.31	Vertical	PASS
2	11616.33	35.89	5.21	41.10	54.00	12.90	Vertical	PASS
3	17915.00	32.96	13.31	46.27	54.00	7.73	Vertical	PASS
4	7478.50	35.72	18.98	54.70	74.00	19.30	Vertical	PASS
5	11418.67	42.77	5.29	48.06	74.00	25.94	Vertical	PASS
6	17819.00	39.92	13.18	53.10	74.00	20.90	Vertical	PASS

Project Information			
Mode:	802.11be160 996t-67	Band:	/
Bandwidth	160MHz	Channel	6025
SN:	D1Y24EB28000030	Engineer:	申状
Remark:	Polarity: X		


Test Graph**Data List**

NO.	Freq. [MHz]	Reading [dBμV]	Factor [dB]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Polarity	Verdict
1	7470.45	27.40	18.94	46.34	54.00	7.66	Horizontal	PASS
2	11448.67	36.12	5.01	41.13	54.00	12.87	Horizontal	PASS
3	17848.67	32.47	13.99	46.46	54.00	7.54	Horizontal	PASS
4	7482.35	35.45	18.98	54.43	74.00	19.57	Horizontal	PASS
5	11587.33	42.69	5.43	48.12	74.00	25.88	Horizontal	PASS
6	17852.00	40.06	13.98	54.04	74.00	19.96	Horizontal	PASS

Project Information

Mode:	802.11be160 996t-67	Band:	/
Bandwidth	160MHz	Channel	6025
SN:	D1Y24EB28000030	Engineer:	申状
Remark:	Polarity: X		


Test Graph



Data List


NO.	Freq. [MHz]	Reading [dBμV]	Factor [dB]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Polarity	Verdict
1	7488.65	27.46	19.01	46.47	54.00	7.53	Vertical	PASS
2	12053.67	35.69	5.64	41.33	54.00	12.67	Vertical	PASS
3	17856.67	32.40	13.90	46.30	54.00	7.70	Vertical	PASS
4	7416.90	35.18	18.95	54.13	74.00	19.87	Vertical	PASS
5	12045.67	42.45	5.68	48.13	74.00	25.87	Vertical	PASS
6	17932.00	39.41	13.48	52.89	74.00	21.11	Vertical	PASS

Project Information			
Mode:	802.11be160 996t-67	Band:	/
Bandwidth	160MHz	Channel	6345
SN:	D1Y24EB28000030	Engineer:	申状
Remark:	Polarity: X		

Test Graph**Data List**


NO.	Freq. [MHz]	Reading [dBμV]	Factor [dB]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Polarity	Verdict
1	7472.20	27.57	18.95	46.52	54.00	7.48	Horizontal	PASS
2	11430.00	36.17	5.19	41.36	54.00	12.64	Horizontal	PASS
3	17853.00	32.30	13.97	46.27	54.00	7.73	Horizontal	PASS
4	7448.40	35.26	18.88	54.14	74.00	19.86	Horizontal	PASS
5	11570.67	42.87	5.28	48.15	74.00	25.85	Horizontal	PASS
6	17846.67	38.92	13.93	52.85	74.00	21.15	Horizontal	PASS

Project Information			
Mode:	802.11be160 996t-67	Band:	/
Bandwidth	160MHz	Channel	6345
SN:	D1Y24EB28000030	Engineer:	申状
Remark:	Polarity: X		

Test Graph**Data List**


NO.	Freq. [MHz]	Reading [dBμV]	Factor [dB]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Polarity	Verdict
1	7538.35	27.60	19.08	46.68	54.00	7.32	Vertical	PASS
2	12424.67	35.40	5.49	40.89	54.00	13.11	Vertical	PASS
3	17994.33	32.30	14.00	46.30	54.00	7.70	Vertical	PASS
4	7561.80	35.13	18.97	54.10	74.00	19.90	Vertical	PASS
5	12381.00	42.78	5.65	48.43	74.00	25.57	Vertical	PASS
6	17996.33	39.18	14.02	53.20	74.00	20.80	Vertical	PASS

Project Information			
Mode:	802.11be20 26t-0	Band:	/
Bandwidth	20MHz	Channel	6435
SN:	D1Y24EB28000030	Engineer:	申状
Remark:	Polarity: X		

Test Graph**Data List**


NO.	Freq. [MHz]	Reading [dBμV]	Factor [dB]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Polarity	Verdict
1	7725.60	27.00	19.62	46.62	54.00	7.38	Horizontal	PASS
2	11366.00	35.10	5.40	40.50	54.00	13.50	Horizontal	PASS
3	17958.33	32.86	13.71	46.57	54.00	7.43	Horizontal	PASS
4	7660.50	34.81	19.38	54.19	74.00	19.81	Horizontal	PASS
5	11407.67	43.14	5.40	48.54	74.00	25.46	Horizontal	PASS
6	17854.00	39.85	13.95	53.80	74.00	20.20	Horizontal	PASS

Project Information			
Mode:	802.11be20 26t-0	Band:	/
Bandwidth	20MHz	Channel	6435
SN:	D1Y24EB28000030	Engineer:	申状
Remark:	Polarity: X		

Test Graph**Data List**


NO.	Freq. [MHz]	Reading [dBμV]	Factor [dB]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Polarity	Verdict
1	7416.90	27.72	18.92	46.64	54.00	7.36	Vertical	PASS
2	12001.33	35.68	5.41	41.09	54.00	12.91	Vertical	PASS
3	17993.33	32.95	13.98	46.93	54.00	7.07	Vertical	PASS
4	7468.35	35.30	18.88	54.18	74.00	19.82	Vertical	PASS
5	12053.67	42.43	5.64	48.07	74.00	25.93	Vertical	PASS
6	17843.67	39.42	13.85	53.27	74.00	20.73	Vertical	PASS

Project Information			
Mode:	802.11be20 26t-0	Band:	/
Bandwidth	20MHz	Channel	6475
SN:	D1Y24EB28000030	Engineer:	申状
Remark:	Polarity: X		

Test Graph**Data List**


NO.	Freq. [MHz]	Reading [dBμV]	Factor [dB]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Polarity	Verdict
1	7435.80	27.56	18.90	46.46	54.00	7.54	Horizontal	PASS
2	12028.00	35.29	5.57	40.86	54.00	13.14	Horizontal	PASS
3	17847.33	33.33	13.94	47.27	54.00	6.73	Horizontal	PASS
4	7456.80	35.57	18.88	54.45	74.00	19.55	Horizontal	PASS
5	12017.00	42.67	5.51	48.18	74.00	25.82	Horizontal	PASS
6	17840.67	39.44	13.76	53.20	74.00	20.80	Horizontal	PASS

Project Information			
Mode:	802.11be20 26t-0	Band:	/
Bandwidth	20MHz	Channel	6475
SN:	D1Y24EB28000030	Engineer:	申状
Remark:	Polarity: X		

Test Graph**Data List**


NO.	Freq. [MHz]	Reading [dBμV]	Factor [dB]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Polarity	Verdict
1	7759.90	27.03	19.83	46.86	-	-	Vertical	NA
2	12399.00	35.60	6.02	41.62	54.00	12.38	Vertical	PASS
3	17852.00	32.54	13.98	46.52	54.00	7.48	Vertical	PASS
4	7750.45	34.98	19.92	54.90	68.20	13.30	Vertical	PASS
5	12636.67	42.98	5.24	48.22	74.00	25.78	Vertical	PASS
6	17847.33	39.28	13.94	53.22	74.00	20.78	Vertical	PASS

Project Information			
Mode:	802.11be20 26t-0	Band:	/
Bandwidth	20MHz	Channel	6515
SN:	D1Y24EB28000030	Engineer:	申状
Remark:	Polarity: X		

Test Graph**Data List**


NO.	Freq. [MHz]	Reading [dBμV]	Factor [dB]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Polarity	Verdict
1	7661.20	27.18	19.38	46.56	54.00	7.44	Horizontal	PASS
2	11464.33	35.74	5.02	40.76	54.00	13.24	Horizontal	PASS
3	17854.67	33.18	13.94	47.12	54.00	6.88	Horizontal	PASS
4	7533.10	35.89	18.87	54.76	74.00	19.24	Horizontal	PASS
5	11470.00	43.08	5.02	48.10	74.00	25.90	Horizontal	PASS
6	17857.67	39.60	13.89	53.49	74.00	20.51	Horizontal	PASS

Project Information			
Mode:	802.11be20 26t-0	Band:	/
Bandwidth	20MHz	Channel	6515
SN:	D1Y24EB28000030	Engineer:	申状
Remark:	Polarity: X		

Test Graph**Data List**


NO.	Freq. [MHz]	Reading [dBμV]	Factor [dB]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Polarity	Verdict
1	7450.15	28.45	18.88	47.33	54.00	6.67	Vertical	PASS
2	12400.33	35.19	6.03	41.22	54.00	12.78	Vertical	PASS
3	17852.33	32.24	13.98	46.22	54.00	7.78	Vertical	PASS
4	7413.75	35.55	18.93	54.48	74.00	19.52	Vertical	PASS
5	12400.67	41.95	6.03	47.98	74.00	26.02	Vertical	PASS
6	17853.00	40.06	13.97	54.03	74.00	19.97	Vertical	PASS

Project Information			
Mode:	802.11be40 242t-61	Band:	/
Bandwidth	40MHz	Channel	6445
SN:	D1Y24EB28000030	Engineer:	申状
Remark:	Polarity: X		

Test Graph**Data List**


NO.	Freq. [MHz]	Reading [dBμV]	Factor [dB]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Polarity	Verdict
1	7566.70	27.88	18.77	46.65	54.00	7.35	Horizontal	PASS
2	12385.33	35.57	5.74	41.31	54.00	12.69	Horizontal	PASS
3	17840.00	32.94	13.75	46.69	54.00	7.31	Horizontal	PASS
4	7397.65	35.26	18.92	54.18	74.00	19.82	Horizontal	PASS
5	12400.67	42.32	6.03	48.35	74.00	25.65	Horizontal	PASS
6	17999.67	39.88	14.04	53.92	74.00	20.08	Horizontal	PASS

Project Information			
Mode:	802.11be40 242t-61	Band:	/
Bandwidth	40MHz	Channel	6445
SN:	D1Y24EB28000030	Engineer:	申状
Remark:	Polarity: X		

Test Graph**Data List**


NO.	Freq. [MHz]	Reading [dBμV]	Factor [dB]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Polarity	Verdict
1	7743.10	27.03	19.84	46.87	54.00	7.13	Vertical	PASS
2	12611.67	36.41	4.83	41.24	54.00	12.76	Vertical	PASS
3	17849.00	32.36	13.99	46.35	54.00	7.65	Vertical	PASS
4	7715.10	35.07	19.49	54.56	74.00	19.44	Vertical	PASS
5	12410.33	42.91	5.81	48.72	74.00	25.28	Vertical	PASS
6	17847.67	39.34	13.96	53.30	74.00	20.70	Vertical	PASS

Project Information			
Mode:	802.11be40 242t-61	Band:	/
Bandwidth	40MHz	Channel	6485
SN:	D1Y24EB28000030	Engineer:	申状
Remark:	Polarity: X		

Test Graph**Data List**


NO.	Freq. [MHz]	Reading [dBμV]	Factor [dB]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Polarity	Verdict
1	7672.40	27.41	19.35	46.76	54.00	7.24	Horizontal	PASS
2	11605.00	36.00	5.45	41.45	54.00	12.55	Horizontal	PASS
3	17837.67	32.67	13.69	46.36	54.00	7.64	Horizontal	PASS
4	7657.35	35.01	19.38	54.39	74.00	19.61	Horizontal	PASS
5	11496.67	43.03	5.05	48.08	74.00	25.92	Horizontal	PASS
6	17846.33	39.56	13.92	53.48	74.00	20.52	Horizontal	PASS

Project Information			
Mode:	802.11be40 242t-61	Band:	/
Bandwidth	40MHz	Channel	6485
SN:	D1Y24EB28000030	Engineer:	申状
Remark:	Polarity: X		

Test Graph**Data List**

NO.	Freq. [MHz]	Reading [dBμV]	Factor [dB]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Polarity	Verdict
1	7492.50	27.86	18.88	46.74	54.00	7.26	Vertical	PASS
2	11583.00	35.88	5.40	41.28	54.00	12.72	Vertical	PASS
3	17843.33	32.93	13.84	46.77	54.00	7.23	Vertical	PASS
4	7480.95	36.09	18.87	54.96	74.00	19.04	Vertical	PASS
5	11691.00	43.44	5.01	48.45	74.00	25.55	Vertical	PASS
6	17998.33	39.14	14.02	53.16	74.00	20.84	Vertical	PASS

Project Information			
Mode:	802.11be80 484t-65	Band:	/
Bandwidth	80MHz	Channel	6465
SN:	D1Y24EB28000030	Engineer:	申状
Remark:	Polarity: X		


Test Graph**Data List**

NO.	Freq. [MHz]	Reading [dBμV]	Factor [dB]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Polarity	Verdict
1	7445.95	28.30	18.89	47.19	54.00	6.81	Horizontal	PASS
2	12407.00	35.94	5.89	41.83	54.00	12.17	Horizontal	PASS
3	17996.33	32.48	14.02	46.50	54.00	7.50	Horizontal	PASS
4	7427.75	35.22	18.91	54.13	74.00	19.87	Horizontal	PASS
5	12407.33	42.81	5.88	48.69	74.00	25.31	Horizontal	PASS
6	17995.33	39.82	14.00	53.82	74.00	20.18	Horizontal	PASS

Project Information

Mode:	802.11be80 484t-65	Band:	/
Bandwidth	80MHz	Channel	6465
SN:	D1Y24EB28000030	Engineer:	申状
Remark:	Polarity: X		


Test Graph



Data List

NO.	Freq. [MHz]	Reading [dBμV]	Factor [dB]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Polarity	Verdict
1	7487.25	27.82	18.87	46.69	54.00	7.31	Vertical	PASS
2	12051.67	35.59	5.67	41.26	54.00	12.74	Vertical	PASS
3	17996.00	32.88	14.00	46.88	54.00	7.12	Vertical	PASS
4	7444.55	35.79	18.88	54.67	74.00	19.33	Vertical	PASS
5	12013.33	42.65	5.48	48.13	74.00	25.87	Vertical	PASS
6	17965.67	40.09	13.77	53.86	74.00	20.14	Vertical	PASS

Project Information			
Mode:	802.11be80 484t-65	Band:	/
Bandwidth	80MHz	Channel	6545
SN:	D1Y24EB28000030	Engineer:	申状
Remark:	Polarity: X		


Test Graph**Data List**

NO.	Freq. [MHz]	Reading [dBμV]	Factor [dB]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Polarity	Verdict
1	6506.90	47.33	17.73	65.06	-	-	Horizontal	NA
2	7489.35	27.86	18.80	46.66	54.00	7.34	Horizontal	PASS
3	12005.33	36.37	5.44	41.81	54.00	12.19	Horizontal	PASS
4	17875.33	32.84	13.59	46.43	54.00	7.57	Horizontal	PASS
5	6506.55	53.98	17.73	71.71	-	-	Horizontal	NA
6	7401.50	36.10	18.86	54.96	74.00	19.04	Horizontal	PASS
7	11933.67	43.11	5.00	48.11	74.00	25.89	Horizontal	PASS
8	17870.33	39.62	13.67	53.29	74.00	20.71	Horizontal	PASS

Project Information

Mode:	802.11be80 484t-65	Band:	/
Bandwidth	80MHz	Channel	6545
SN:	D1Y24EB28000030	Engineer:	申状
Remark:	Polarity: X		

Test Graph




Data List

NO.	Freq. [MHz]	Reading [dBμV]	Factor [dB]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Polarity	Verdict
1	6506.90	53.44	17.73	71.17	-	-	Vertical	NA
2	7399.40	27.66	18.86	46.52	54.00	7.48	Vertical	PASS
3	11366.33	35.90	5.40	41.30	54.00	12.70	Vertical	PASS
4	17871.67	32.55	13.65	46.20	54.00	7.80	Vertical	PASS
5	6506.20	59.78	17.73	77.51	-	-	Vertical	NA
6	7470.10	34.87	18.79	53.66	74.00	20.34	Vertical	PASS
7	11379.33	42.41	5.43	47.84	74.00	26.16	Vertical	PASS
8	17793.67	41.19	12.52	53.71	74.00	20.29	Vertical	PASS

Project Information			
Mode:	802.11be160 996t-67	Band:	/
Bandwidth	160MHz	Channel	6505
SN:	D1Y24EB28000030	Engineer:	申状
Remark:	Polarity: X		


Test Graph



Data List


NO.	Freq. [MHz]	Reading [dBμV]	Factor [dB]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Polarity	Verdict
1	6556.60	34.85	18.08	52.93	-	-	Horizontal	NA
2	7658.05	27.68	19.39	47.07	54.00	6.93	Horizontal	PASS
3	11488.67	35.80	5.05	40.85	54.00	13.15	Horizontal	PASS
4	17849.00	32.89	13.99	46.88	54.00	7.12	Horizontal	PASS
5	6556.25	44.73	18.09	62.82	-	-	Horizontal	NA
6	7690.60	35.77	19.33	55.10	74.00	18.90	Horizontal	PASS
7	11587.67	42.74	5.45	48.19	74.00	25.81	Horizontal	PASS
8	17992.33	39.72	13.98	53.70	74.00	20.30	Horizontal	PASS

Project Information			
Mode:	802.11be160 996t-67	Band:	/
Bandwidth	160MHz	Channel	6505
SN:	D1Y24EB28000030	Engineer:	申状
Remark:	Polarity: X		

Test Graph


Data List								
NO.	Freq. [MHz]	Reading [dBμV]	Factor [dB]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Polarity	Verdict
1	6555.90	39.23	18.09	57.32	-	-	Vertical	NA
2	7577.20	27.84	18.71	46.55	54.00	7.45	Vertical	PASS
3	11343.67	35.65	5.27	40.92	54.00	13.08	Vertical	PASS
4	17847.33	32.71	13.94	46.65	54.00	7.35	Vertical	PASS
5	6555.55	49.51	18.09	67.60	-	-	Vertical	NA
6	7639.50	35.07	19.23	54.30	74.00	19.70	Vertical	PASS
7	11465.67	42.92	5.01	47.93	74.00	26.07	Vertical	PASS
8	17847.67	40.03	13.96	53.99	74.00	20.01	Vertical	PASS

Project Information			
Mode:	802.11be20 26t-0	Band:	/
Bandwidth	20MHz	Channel	6535
SN:	D1Y24EB28000030	Engineer:	申状
Remark:	Polarity: X		

Test Graph


Data List								
NO.	Freq. [MHz]	Reading [dBμV]	Factor [dB]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Polarity	Verdict
1	7505.80	27.60	18.82	46.42	54.00	7.58	Horizontal	PASS
2	12046.33	35.26	5.68	40.94	54.00	13.06	Horizontal	PASS
3	17871.67	33.19	13.65	46.84	54.00	7.16	Horizontal	PASS
4	7442.45	35.94	18.79	54.73	74.00	19.27	Horizontal	PASS
5	12049.00	42.71	5.70	48.41	74.00	25.59	Horizontal	PASS
6	17966.67	39.53	13.78	53.31	74.00	20.69	Horizontal	PASS

Project Information			
Mode:	802.11be20 26t-0	Band:	/
Bandwidth	20MHz	Channel	6535
SN:	D1Y24EB28000030	Engineer:	申状
Remark:	Polarity: X		

Test Graph**Data List**


NO.	Freq. [MHz]	Reading [dBμV]	Factor [dB]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Polarity	Verdict
1	7626.55	27.42	18.92	46.34	54.00	7.66	Vertical	PASS
2	11372.33	35.50	5.42	40.92	54.00	13.08	Vertical	PASS
3	17840.33	32.82	13.76	46.58	54.00	7.42	Vertical	PASS
4	7624.80	35.76	18.89	54.65	74.00	19.35	Vertical	PASS
5	11232.67	43.48	4.71	48.19	74.00	25.81	Vertical	PASS
6	17842.00	39.41	13.80	53.21	74.00	20.79	Vertical	PASS

Project Information			
Mode:	802.11be20 26t-0	Band:	/
Bandwidth	20MHz	Channel	6695
SN:	D1Y24EB28000030	Engineer:	申状
Remark:	Polarity: X		

Test Graph**Data List**


NO.	Freq. [MHz]	Reading [dBμV]	Factor [dB]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Polarity	Verdict
1	7521.55	27.65	18.86	46.51	54.00	7.49	Horizontal	PASS
2	12080.33	35.61	5.25	40.86	54.00	13.14	Horizontal	PASS
3	17856.33	32.93	13.91	46.84	54.00	7.16	Horizontal	PASS
4	7569.50	35.58	18.76	54.34	74.00	19.66	Horizontal	PASS
5	12097.00	42.99	5.01	48.00	74.00	26.00	Horizontal	PASS
6	17354.00	42.19	11.93	54.12	68.20	14.08	Horizontal	PASS

Project Information			
Mode:	802.11be20 26t-0	Band:	/
Bandwidth	20MHz	Channel	6695
SN:	D1Y24EB28000030	Engineer:	申状
Remark:	Polarity: X		

Test Graph**Data List**

NO.	Freq. [MHz]	Reading [dBμV]	Factor [dB]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Polarity	Verdict
1	7438.60	27.56	18.80	46.36	54.00	7.64	Vertical	PASS
2	12032.33	35.75	5.59	41.34	54.00	12.66	Vertical	PASS
3	17855.33	32.59	13.93	46.52	54.00	7.48	Vertical	PASS
4	7385.75	35.72	18.72	54.44	74.00	19.56	Vertical	PASS
5	11990.00	42.81	5.29	48.10	74.00	25.90	Vertical	PASS
6	17857.67	39.29	13.89	53.18	74.00	20.82	Vertical	PASS

Project Information			
Mode:	802.11be20 26t-0	Band:	/
Bandwidth	20MHz	Channel	6855
SN:	D1Y24EB28000030	Engineer:	申状
Remark:	Polarity: X		

Test Graph**Data List**

NO.	Freq. [MHz]	Reading [dBμV]	Factor [dB]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Polarity	Verdict
1	7387.50	27.82	18.73	46.55	54.00	7.45	Horizontal	PASS
2	11403.33	36.19	5.44	41.63	54.00	12.37	Horizontal	PASS
3	17858.00	32.77	13.89	46.66	54.00	7.34	Horizontal	PASS
4	7484.80	35.38	18.79	54.17	74.00	19.83	Horizontal	PASS
5	11403.00	42.69	5.44	48.13	74.00	25.87	Horizontal	PASS
6	17889.67	39.89	13.35	53.24	74.00	20.76	Horizontal	PASS