



| Project Information |                 |           |           |
|---------------------|-----------------|-----------|-----------|
| Mode:               | 802.11be        | Band:     | U-UNII-2A |
| Bandwidth           | 80MHz           | Channel   | 42        |
| SN:                 | D1Y24EB28000030 | Engineer: | 申状        |
| Remark:             | Power:13        |           |           |

**Test Graph****Data List**


| NO. | Freq. [MHz] | Reading [dBμV] | Factor [dB] | Level [dBμV/m] | Limit [dBμV/m] | Margin [dB] | Polarity | Verdict |
|-----|-------------|----------------|-------------|----------------|----------------|-------------|----------|---------|
| 1   | 5176.91     | 40.65          | 15.39       | 56.04          | -              | -           | Vertical | NA      |
| 2   | 10898.90    | 42.74          | 4.76        | 47.50          | 74.00          | 26.50       | Vertical | PASS    |
| 3   | 12650.02    | 42.74          | 6.18        | 48.92          | 74.00          | 25.08       | Vertical | PASS    |
| 4   | 17848.58    | 38.77          | 13.93       | 52.70          | 74.00          | 21.30       | Vertical | PASS    |
| 5   | 5176.08     | 32.07          | 15.39       | 47.46          | -              | -           | Vertical | NA      |
| 6   | 10899.28    | 34.57          | 4.77        | 39.34          | 54.00          | 14.66       | Vertical | PASS    |
| 7   | 12654.62    | 34.01          | 6.15        | 40.16          | 54.00          | 13.84       | Vertical | PASS    |
| 8   | 17995.78    | 31.51          | 13.73       | 45.24          | 54.00          | 8.76        | Vertical | PASS    |

| Project Information |                 |           |    |
|---------------------|-----------------|-----------|----|
| Mode:               | 802.11be        | Band:     | /  |
| Bandwidth           | 160MHz          | Channel   | 50 |
| SN:                 | D1Y24EB28000030 | Engineer: | 申状 |
| Remark:             | Power:13        |           |    |

**Test Graph****Data List**


| NO. | Freq. [MHz] | Reading [dBμV] | Factor [dB] | Level [dBμV/m] | Limit [dBμV/m] | Margin [dB] | Polarity   | Verdict |
|-----|-------------|----------------|-------------|----------------|----------------|-------------|------------|---------|
| 1   | 11458.20    | 42.22          | 5.03        | 47.25          | 74.00          | 26.75       | Horizontal | PASS    |
| 2   | 12528.12    | 42.65          | 5.32        | 47.97          | 74.00          | 26.03       | Horizontal | PASS    |
| 3   | 17991.18    | 39.90          | 13.66       | 53.56          | 74.00          | 20.44       | Horizontal | PASS    |
| 4   | 11406.45    | 34.77          | 5.35        | 40.12          | 54.00          | 13.88       | Horizontal | PASS    |
| 5   | 12642.74    | 34.41          | 6.01        | 40.42          | 54.00          | 13.58       | Horizontal | PASS    |
| 6   | 17845.13    | 31.67          | 13.78       | 45.45          | 54.00          | 8.55        | Horizontal | PASS    |

| Project Information |                 |           |    |
|---------------------|-----------------|-----------|----|
| Mode:               | 802.11be        | Band:     | /  |
| Bandwidth           | 160MHz          | Channel   | 50 |
| SN:                 | D1Y24EB28000030 | Engineer: | 申状 |
| Remark:             | Power:13        |           |    |

**Test Graph****Data List**


| NO. | Freq. [MHz] | Reading [dBμV] | Factor [dB] | Level [dBμV/m] | Limit [dBμV/m] | Margin [dB] | Polarity | Verdict |
|-----|-------------|----------------|-------------|----------------|----------------|-------------|----------|---------|
| 1   | 5402.42     | 43.28          | 16.35       | 59.63          | -              | -           | Vertical | NA      |
| 2   | 11449.00    | 43.17          | 5.08        | 48.25          | 74.00          | 25.75       | Vertical | PASS    |
| 3   | 12406.98    | 41.73          | 6.12        | 47.85          | 74.00          | 26.15       | Vertical | PASS    |
| 4   | 17354.06    | 41.11          | 12.22       | 53.33          | 68.20          | 14.87       | Vertical | PASS    |
| 5   | 5397.47     | 37.19          | 16.37       | 53.56          | -              | -           | Vertical | NA      |
| 6   | 11489.25    | 35.04          | 4.87        | 39.91          | 54.00          | 14.09       | Vertical | PASS    |
| 7   | 12057.75    | 34.79          | 5.40        | 40.19          | 54.00          | 13.81       | Vertical | PASS    |
| 8   | 17915.66    | 32.20          | 13.25       | 45.45          | 54.00          | 8.55        | Vertical | PASS    |

| Project Information |                 |           |           |
|---------------------|-----------------|-----------|-----------|
| Mode:               | 802.11be        | Band:     | U-UNII-2C |
| Bandwidth           | 20MHz           | Channel   | 100       |
| SN:                 | D1Y24EB28000030 | Engineer: | 申状        |
| Remark:             | Power:18        |           |           |

**Test Graph****Data List**


| NO. | Freq. [MHz] | Reading [dBμV] | Factor [dB] | Level [dBμV/m] | Limit [dBμV/m] | Margin [dB] | Polarity   | Verdict |
|-----|-------------|----------------|-------------|----------------|----------------|-------------|------------|---------|
| 1   | 11625.34    | 42.72          | 4.92        | 47.64          | 74.00          | 26.36       | Horizontal | PASS    |
| 2   | 12379.00    | 42.42          | 5.83        | 48.25          | 74.00          | 25.75       | Horizontal | PASS    |
| 3   | 17989.27    | 39.41          | 13.64       | 53.05          | 74.00          | 20.95       | Horizontal | PASS    |
| 4   | 11445.55    | 34.80          | 5.09        | 39.89          | 54.00          | 14.11       | Horizontal | PASS    |
| 5   | 12409.66    | 34.71          | 6.06        | 40.77          | 54.00          | 13.23       | Horizontal | PASS    |
| 6   | 17997.70    | 31.83          | 13.76       | 45.59          | 54.00          | 8.41        | Horizontal | PASS    |

| Project Information |                 |           |           |
|---------------------|-----------------|-----------|-----------|
| Mode:               | 802.11be        | Band:     | U-UNII-2C |
| Bandwidth           | 20MHz           | Channel   | 100       |
| SN:                 | D1Y24EB28000030 | Engineer: | 申状        |
| Remark:             | Power:18        |           |           |

**Test Graph****Data List**

| NO. | Freq. [MHz] | Reading [dBμV] | Factor [dB] | Level [dBμV/m] | Limit [dBμV/m] | Margin [dB] | Polarity | Verdict |
|-----|-------------|----------------|-------------|----------------|----------------|-------------|----------|---------|
| 1   | 5500.60     | 49.10          | 16.44       | 65.54          | -              | -           | Vertical | NA      |
| 2   | 10936.46    | 42.97          | 5.04        | 48.01          | 74.00          | 25.99       | Vertical | PASS    |
| 3   | 12653.86    | 42.21          | 6.16        | 48.37          | 74.00          | 25.63       | Vertical | PASS    |
| 4   | 17995.02    | 39.44          | 13.72       | 53.16          | 74.00          | 20.84       | Vertical | PASS    |
| 5   | 5500.88     | 40.56          | 16.44       | 57.00          | -              | -           | Vertical | NA      |
| 6   | 10922.66    | 35.06          | 4.94        | 40.00          | 54.00          | 14.00       | Vertical | PASS    |
| 7   | 12651.56    | 34.30          | 6.17        | 40.47          | 54.00          | 13.53       | Vertical | PASS    |
| 8   | 17881.55    | 32.04          | 13.58       | 45.62          | 54.00          | 8.38        | Vertical | PASS    |


| Project Information |                 |           |           |
|---------------------|-----------------|-----------|-----------|
| Mode:               | 802.11be        | Band:     | U-UNII-2C |
| Bandwidth           | 20MHz           | Channel   | 120       |
| SN:                 | D1Y24EB28000030 | Engineer: | 申状        |
| Remark:             | Power:18        |           |           |

**Test Graph**

| Data List |             |                |             |                |                |             |            |         |
|-----------|-------------|----------------|-------------|----------------|----------------|-------------|------------|---------|
| NO.       | Freq. [MHz] | Reading [dBμV] | Factor [dB] | Level [dBμV/m] | Limit [dBμV/m] | Margin [dB] | Polarity   | Verdict |
| 1         | 11577.80    | 42.15          | 5.37        | 47.52          | 74.00          | 26.48       | Horizontal | PASS    |
| 2         | 12651.94    | 43.63          | 6.17        | 49.80          | 74.00          | 24.20       | Horizontal | PASS    |
| 3         | 17985.05    | 39.40          | 13.57       | 52.97          | 74.00          | 21.03       | Horizontal | PASS    |
| 4         | 10947.96    | 35.05          | 5.12        | 40.17          | 54.00          | 13.83       | Horizontal | PASS    |
| 5         | 12640.44    | 34.83          | 5.97        | 40.80          | 54.00          | 13.20       | Horizontal | PASS    |
| 6         | 17849.73    | 31.58          | 13.98       | 45.56          | 54.00          | 8.44        | Horizontal | PASS    |

| Project Information |                 |           |           |
|---------------------|-----------------|-----------|-----------|
| Mode:               | 802.11be        | Band:     | U-UNII-2C |
| Bandwidth           | 20MHz           | Channel   | 120       |
| SN:                 | D1Y24EB28000030 | Engineer: | 申状        |
| Remark:             | Power:18        |           |           |


## Test Graph



## Data List


| NO. | Freq. [MHz] | Reading [dBμV] | Factor [dB] | Level [dBμV/m] | Limit [dBμV/m] | Margin [dB] | Polarity | Verdict |
|-----|-------------|----------------|-------------|----------------|----------------|-------------|----------|---------|
| 1   | 5600.98     | 45.28          | 16.76       | 62.04          | -              | -           | Vertical | NA      |
| 2   | 11589.30    | 42.52          | 5.57        | 48.09          | 74.00          | 25.91       | Vertical | PASS    |
| 3   | 12646.95    | 41.97          | 6.11        | 48.08          | 74.00          | 25.92       | Vertical | PASS    |
| 4   | 17853.56    | 39.66          | 13.95       | 53.61          | 74.00          | 20.39       | Vertical | PASS    |
| 5   | 5598.78     | 37.75          | 16.75       | 54.50          | -              | -           | Vertical | NA      |
| 6   | 11612.30    | 34.82          | 5.35        | 40.17          | 54.00          | 13.83       | Vertical | PASS    |
| 7   | 12401.23    | 34.29          | 6.24        | 40.53          | 54.00          | 13.47       | Vertical | PASS    |
| 8   | 17995.40    | 32.11          | 13.72       | 45.83          | 54.00          | 8.17        | Vertical | PASS    |

| Project Information |                 |           |           |
|---------------------|-----------------|-----------|-----------|
| Mode:               | 802.11be        | Band:     | U-UNII-2C |
| Bandwidth           | 20MHz           | Channel   | 140       |
| SN:                 | D1Y24EB28000030 | Engineer: | 申状        |
| Remark:             | Power:18        |           |           |

**Test Graph****Data List**


| NO. | Freq. [MHz] | Reading [dBμV] | Factor [dB] | Level [dBμV/m] | Limit [dBμV/m] | Margin [dB] | Polarity   | Verdict |
|-----|-------------|----------------|-------------|----------------|----------------|-------------|------------|---------|
| 1   | 11574.74    | 43.33          | 5.32        | 48.65          | 74.00          | 25.35       | Horizontal | PASS    |
| 2   | 12200.36    | 42.71          | 5.27        | 47.98          | 74.00          | 26.02       | Horizontal | PASS    |
| 3   | 17845.51    | 39.86          | 13.80       | 53.66          | 74.00          | 20.34       | Horizontal | PASS    |
| 4   | 11373.86    | 34.59          | 5.21        | 39.80          | 54.00          | 14.20       | Horizontal | PASS    |
| 5   | 12390.50    | 34.07          | 6.06        | 40.13          | 54.00          | 13.87       | Horizontal | PASS    |
| 6   | 17990.03    | 31.97          | 13.65       | 45.62          | 54.00          | 8.38        | Horizontal | PASS    |

| Project Information |                 |           |           |
|---------------------|-----------------|-----------|-----------|
| Mode:               | 802.11be        | Band:     | U-UNII-2C |
| Bandwidth           | 20MHz           | Channel   | 140       |
| SN:                 | D1Y24EB28000030 | Engineer: | 申状        |
| Remark:             | Power:18        |           |           |

**Test Graph****Data List**


| NO. | Freq. [MHz] | Reading [dBμV] | Factor [dB] | Level [dBμV/m] | Limit [dBμV/m] | Margin [dB] | Polarity | Verdict |
|-----|-------------|----------------|-------------|----------------|----------------|-------------|----------|---------|
| 1   | 5700.81     | 44.78          | 17.17       | 61.95          | -              | -           | Vertical | NA      |
| 2   | 11339.74    | 42.94          | 4.95        | 47.89          | 74.00          | 26.11       | Vertical | PASS    |
| 3   | 12378.23    | 42.76          | 5.82        | 48.58          | 74.00          | 25.42       | Vertical | PASS    |
| 4   | 17979.68    | 39.67          | 13.50       | 53.17          | 74.00          | 20.83       | Vertical | PASS    |
| 5   | 5701.09     | 37.56          | 17.18       | 54.74          | -              | -           | Vertical | NA      |
| 6   | 11470.08    | 34.93          | 4.97        | 39.90          | 54.00          | 14.10       | Vertical | PASS    |
| 7   | 12412.35    | 34.42          | 6.01        | 40.43          | 54.00          | 13.57       | Vertical | PASS    |
| 8   | 17997.32    | 31.97          | 13.75       | 45.72          | 54.00          | 8.28        | Vertical | PASS    |

| Project Information |                 |           |           |
|---------------------|-----------------|-----------|-----------|
| Mode:               | 802.11be        | Band:     | U-UNII-2C |
| Bandwidth           | 40MHz           | Channel   | 102       |
| SN:                 | D1Y24EB28000030 | Engineer: | 申状        |
| Remark:             | Power:17        |           |           |

**Test Graph****Data List**


| NO. | Freq. [MHz] | Reading [dBμV] | Factor [dB] | Level [dBμV/m] | Limit [dBμV/m] | Margin [dB] | Polarity   | Verdict |
|-----|-------------|----------------|-------------|----------------|----------------|-------------|------------|---------|
| 1   | 11444.40    | 42.62          | 5.11        | 47.73          | 74.00          | 26.27       | Horizontal | PASS    |
| 2   | 12087.27    | 42.86          | 5.25        | 48.11          | 74.00          | 25.89       | Horizontal | PASS    |
| 3   | 17996.17    | 40.16          | 13.73       | 53.89          | 74.00          | 20.11       | Horizontal | PASS    |
| 4   | 11581.25    | 34.42          | 5.43        | 39.85          | 54.00          | 14.15       | Horizontal | PASS    |
| 5   | 12393.18    | 34.52          | 6.12        | 40.64          | 54.00          | 13.36       | Horizontal | PASS    |
| 6   | 17860.08    | 31.68          | 13.86       | 45.54          | 54.00          | 8.46        | Horizontal | PASS    |

| Project Information |                 |           |           |
|---------------------|-----------------|-----------|-----------|
| Mode:               | 802.11be        | Band:     | U-UNII-2C |
| Bandwidth           | 40MHz           | Channel   | 102       |
| SN:                 | D1Y24EB28000030 | Engineer: | 申状        |
| Remark:             | Power:17        |           |           |

**Test Graph****Data List**


| NO. | Freq. [MHz] | Reading [dBμV] | Factor [dB] | Level [dBμV/m] | Limit [dBμV/m] | Margin [dB] | Polarity | Verdict |
|-----|-------------|----------------|-------------|----------------|----------------|-------------|----------|---------|
| 1   | 5506.38     | 41.85          | 16.45       | 58.30          | -              | -           | Vertical | NA      |
| 2   | 11467.02    | 42.99          | 4.98        | 47.97          | 74.00          | 26.03       | Vertical | PASS    |
| 3   | 12406.21    | 42.10          | 6.13        | 48.23          | 74.00          | 25.77       | Vertical | PASS    |
| 4   | 17988.50    | 40.13          | 13.62       | 53.75          | 74.00          | 20.25       | Vertical | PASS    |
| 5   | 5504.45     | 33.66          | 16.44       | 50.10          | -              | -           | Vertical | NA      |
| 6   | 11480.43    | 35.02          | 4.91        | 39.93          | 54.00          | 14.07       | Vertical | PASS    |
| 7   | 12371.33    | 35.00          | 5.67        | 40.67          | 54.00          | 13.33       | Vertical | PASS    |
| 8   | 17840.14    | 32.21          | 13.57       | 45.78          | 54.00          | 8.22        | Vertical | PASS    |

| Project Information |                 |           |           |
|---------------------|-----------------|-----------|-----------|
| Mode:               | 802.11be        | Band:     | U-UNII-2C |
| Bandwidth           | 40MHz           | Channel   | 118       |
| SN:                 | D1Y24EB28000030 | Engineer: | 申状        |
| Remark:             | Power:17        |           |           |

**Test Graph****Data List**


| NO. | Freq. [MHz] | Reading [dBμV] | Factor [dB] | Level [dBμV/m] | Limit [dBμV/m] | Margin [dB] | Polarity   | Verdict |
|-----|-------------|----------------|-------------|----------------|----------------|-------------|------------|---------|
| 1   | 10775.84    | 42.31          | 4.35        | 46.66          | 74.00          | 27.34       | Horizontal | PASS    |
| 2   | 12376.70    | 42.51          | 5.78        | 48.29          | 74.00          | 25.71       | Horizontal | PASS    |
| 3   | 17852.03    | 39.41          | 13.96       | 53.37          | 74.00          | 20.63       | Horizontal | PASS    |
| 4   | 10929.56    | 35.65          | 4.99        | 40.64          | 54.00          | 13.36       | Horizontal | PASS    |
| 5   | 12405.06    | 35.05          | 6.16        | 41.21          | 54.00          | 12.79       | Horizontal | PASS    |
| 6   | 17886.91    | 33.34          | 13.51       | 46.85          | 54.00          | 7.15        | Horizontal | PASS    |

| Project Information |                 |           |           |
|---------------------|-----------------|-----------|-----------|
| Mode:               | 802.11be        | Band:     | U-UNII-2C |
| Bandwidth           | 40MHz           | Channel   | 118       |
| SN:                 | D1Y24EB28000030 | Engineer: | 申状        |
| Remark:             | Power:17        |           |           |

**Test Graph****Data List**

| NO. | Freq. [MHz] | Reading [dBμV] | Factor [dB] | Level [dBμV/m] | Limit [dBμV/m] | Margin [dB] | Polarity | Verdict |
|-----|-------------|----------------|-------------|----------------|----------------|-------------|----------|---------|
| 1   | 5595.20     | 41.50          | 16.73       | 58.23          | -              | -           | Vertical | NA      |
| 2   | 11361.60    | 43.20          | 5.12        | 48.32          | 74.00          | 25.68       | Vertical | PASS    |
| 3   | 12642.74    | 42.27          | 6.01        | 48.28          | 74.00          | 25.72       | Vertical | PASS    |
| 4   | 17991.57    | 40.26          | 13.67       | 53.93          | 74.00          | 20.07       | Vertical | PASS    |
| 5   | 5594.38     | 33.02          | 16.73       | 49.75          | -              | -           | Vertical | NA      |
| 6   | 11603.10    | 34.06          | 5.65        | 39.71          | 54.00          | 14.29       | Vertical | PASS    |
| 7   | 12409.28    | 34.72          | 6.07        | 40.79          | 54.00          | 13.21       | Vertical | PASS    |
| 8   | 17998.85    | 32.58          | 13.78       | 46.36          | 54.00          | 7.64        | Vertical | PASS    |


| Project Information |                 |           |           |
|---------------------|-----------------|-----------|-----------|
| Mode:               | 802.11be        | Band:     | U-UNII-2C |
| Bandwidth           | 40MHz           | Channel   | 134       |
| SN:                 | D1Y24EB28000030 | Engineer: | 申状        |
| Remark:             | Power:17        |           |           |

**Test Graph****Data List**

| NO. | Freq. [MHz] | Reading [dBμV] | Factor [dB] | Level [dBμV/m] | Limit [dBμV/m] | Margin [dB] | Polarity   | Verdict |
|-----|-------------|----------------|-------------|----------------|----------------|-------------|------------|---------|
| 1   | 10913.85    | 42.96          | 4.88        | 47.84          | 74.00          | 26.16       | Horizontal | PASS    |
| 2   | 12395.86    | 42.63          | 6.17        | 48.80          | 74.00          | 25.20       | Horizontal | PASS    |
| 3   | 17872.73    | 39.92          | 13.70       | 53.62          | 74.00          | 20.38       | Horizontal | PASS    |
| 4   | 10784.28    | 35.58          | 4.36        | 39.94          | 54.00          | 14.06       | Horizontal | PASS    |
| 5   | 12241.37    | 35.29          | 5.35        | 40.64          | 54.00          | 13.36       | Horizontal | PASS    |
| 6   | 17839.76    | 31.97          | 13.55       | 45.52          | 54.00          | 8.48        | Horizontal | PASS    |

| Project Information |                 |           |           |
|---------------------|-----------------|-----------|-----------|
| Mode:               | 802.11be        | Band:     | U-UNII-2C |
| Bandwidth           | 40MHz           | Channel   | 134       |
| SN:                 | D1Y24EB28000030 | Engineer: | 申状        |
| Remark:             | Power:17        |           |           |


## Test Graph



## Data List


| NO. | Freq. [MHz] | Reading [dBμV] | Factor [dB] | Level [dBμV/m] | Limit [dBμV/m] | Margin [dB] | Polarity | Verdict |
|-----|-------------|----------------|-------------|----------------|----------------|-------------|----------|---------|
| 1   | 5670.56     | 44.58          | 17.14       | 61.72          | -              | -           | Vertical | NA      |
| 2   | 10922.28    | 43.24          | 4.94        | 48.18          | 74.00          | 25.82       | Vertical | PASS    |
| 3   | 12397.01    | 41.82          | 6.19        | 48.01          | 74.00          | 25.99       | Vertical | PASS    |
| 4   | 17979.68    | 40.04          | 13.50       | 53.54          | 74.00          | 20.46       | Vertical | PASS    |
| 5   | 5671.11     | 36.52          | 17.14       | 53.66          | -              | -           | Vertical | NA      |
| 6   | 10964.07    | 34.14          | 5.11        | 39.25          | 54.00          | 14.75       | Vertical | PASS    |
| 7   | 12399.31    | 34.43          | 6.25        | 40.68          | 54.00          | 13.32       | Vertical | PASS    |
| 8   | 17999.23    | 32.59          | 13.78       | 46.37          | 54.00          | 7.63        | Vertical | PASS    |

| Project Information |                 |           |           |
|---------------------|-----------------|-----------|-----------|
| Mode:               | 802.11be        | Band:     | U-UNII-2C |
| Bandwidth           | 80MHz           | Channel   | 106       |
| SN:                 | D1Y24EB28000030 | Engineer: | 申状        |
| Remark:             | Power:15        |           |           |

**Test Graph****Data List**


| NO. | Freq. [MHz] | Reading [dBμV] | Factor [dB] | Level [dBμV/m] | Limit [dBμV/m] | Margin [dB] | Polarity   | Verdict |
|-----|-------------|----------------|-------------|----------------|----------------|-------------|------------|---------|
| 1   | 11465.48    | 42.62          | 4.98        | 47.60          | 74.00          | 26.40       | Horizontal | PASS    |
| 2   | 12719.41    | 42.09          | 5.78        | 47.87          | 68.20          | 20.33       | Horizontal | PASS    |
| 3   | 17974.32    | 39.32          | 13.42       | 52.74          | 74.00          | 21.26       | Horizontal | PASS    |
| 4   | 11483.88    | 35.22          | 4.90        | 40.12          | 54.00          | 13.88       | Horizontal | PASS    |
| 5   | 12646.19    | 33.85          | 6.10        | 39.95          | 54.00          | 14.05       | Horizontal | PASS    |
| 6   | 17885.76    | 32.24          | 13.52       | 45.76          | 54.00          | 8.24        | Horizontal | PASS    |

| Project Information |                 |           |           |
|---------------------|-----------------|-----------|-----------|
| Mode:               | 802.11be        | Band:     | U-UNII-2C |
| Bandwidth           | 80MHz           | Channel   | 106       |
| SN:                 | D1Y24EB28000030 | Engineer: | 申状        |
| Remark:             | Power:15        |           |           |

**Test Graph****Data List**


| NO. | Freq. [MHz] | Reading [dBμV] | Factor [dB] | Level [dBμV/m] | Limit [dBμV/m] | Margin [dB] | Polarity | Verdict |
|-----|-------------|----------------|-------------|----------------|----------------|-------------|----------|---------|
| 1   | 5465.12     | 39.67          | 16.12       | 55.79          | -              | -           | Vertical | NA      |
| 2   | 11578.95    | 42.11          | 5.39        | 47.50          | 74.00          | 26.50       | Vertical | PASS    |
| 3   | 12652.32    | 42.07          | 6.17        | 48.24          | 74.00          | 25.76       | Vertical | PASS    |
| 4   | 17988.12    | 39.59          | 13.62       | 53.21          | 74.00          | 20.79       | Vertical | PASS    |
| 5   | 5461.55     | 28.34          | 16.08       | 44.42          | -              | -           | Vertical | NA      |
| 6   | 11549.43    | 34.29          | 4.89        | 39.18          | 54.00          | 14.82       | Vertical | PASS    |
| 7   | 12655.77    | 33.19          | 6.16        | 39.35          | 54.00          | 14.65       | Vertical | PASS    |
| 8   | 17993.48    | 31.43          | 13.69       | 45.12          | 54.00          | 8.88        | Vertical | PASS    |

| Project Information |                 |           |           |
|---------------------|-----------------|-----------|-----------|
| Mode:               | 802.11be        | Band:     | U-UNII-2C |
| Bandwidth           | 80MHz           | Channel   | 122       |
| SN:                 | D1Y24EB28000030 | Engineer: | 申状        |
| Remark:             | Power:15        |           |           |

**Test Graph****Data List**


| NO. | Freq. [MHz] | Reading [dBμV] | Factor [dB] | Level [dBμV/m] | Limit [dBμV/m] | Margin [dB] | Polarity   | Verdict |
|-----|-------------|----------------|-------------|----------------|----------------|-------------|------------|---------|
| 1   | 11481.20    | 43.04          | 4.91        | 47.95          | 74.00          | 26.05       | Horizontal | PASS    |
| 2   | 12399.70    | 42.38          | 6.25        | 48.63          | 74.00          | 25.37       | Horizontal | PASS    |
| 3   | 17851.65    | 39.08          | 13.97       | 53.05          | 74.00          | 20.95       | Horizontal | PASS    |
| 4   | 11467.02    | 34.55          | 4.98        | 39.53          | 54.00          | 14.47       | Horizontal | PASS    |
| 5   | 12374.40    | 33.98          | 5.73        | 39.71          | 54.00          | 14.29       | Horizontal | PASS    |
| 6   | 17991.57    | 31.49          | 13.67       | 45.16          | 54.00          | 8.84        | Horizontal | PASS    |

| Project Information |                 |           |           |
|---------------------|-----------------|-----------|-----------|
| Mode:               | 802.11be        | Band:     | U-UNII-2C |
| Bandwidth           | 80MHz           | Channel   | 122       |
| SN:                 | D1Y24EB28000030 | Engineer: | 申状        |
| Remark:             | Power:15        |           |           |

**Test Graph****Data List**


| NO. | Freq. [MHz] | Reading [dBμV] | Factor [dB] | Level [dBμV/m] | Limit [dBμV/m] | Margin [dB] | Polarity | Verdict |
|-----|-------------|----------------|-------------|----------------|----------------|-------------|----------|---------|
| 1   | 5646.91     | 35.50          | 17.09       | 52.59          | -              | -           | Vertical | NA      |
| 2   | 10952.95    | 42.12          | 5.13        | 47.25          | 74.00          | 26.75       | Vertical | PASS    |
| 3   | 12750.46    | 42.02          | 5.53        | 47.55          | 68.20          | 20.65       | Vertical | PASS    |
| 4   | 17985.82    | 39.28          | 13.58       | 52.86          | 74.00          | 21.14       | Vertical | PASS    |
| 5   | 5646.91     | 27.91          | 17.09       | 45.00          | -              | -           | Vertical | NA      |
| 6   | 11374.63    | 34.87          | 5.21        | 40.08          | 54.00          | 13.92       | Vertical | PASS    |
| 7   | 12657.69    | 33.91          | 6.14        | 40.05          | 54.00          | 13.95       | Vertical | PASS    |
| 8   | 17998.47    | 32.36          | 13.76       | 46.12          | 54.00          | 7.88        | Vertical | PASS    |

| Project Information |                 |           |           |
|---------------------|-----------------|-----------|-----------|
| Mode:               | 802.11be        | Band:     | U-UNII-2C |
| Bandwidth           | 160MHz          | Channel   | 155       |
| SN:                 | D1Y24EB28000030 | Engineer: | 申状        |
| Remark:             | Power:15.5      |           |           |

**Test Graph****Data List**


| NO. | Freq. [MHz] | Reading [dBμV] | Factor [dB] | Level [dBμV/m] | Limit [dBμV/m] | Margin [dB] | Polarity   | Verdict |
|-----|-------------|----------------|-------------|----------------|----------------|-------------|------------|---------|
| 1   | 5748.39     | 38.16          | 17.33       | 55.49          | -              | -           | Horizontal | NA      |
| 2   | 11503.43    | 42.16          | 4.82        | 46.98          | 74.00          | 27.02       | Horizontal | PASS    |
| 3   | 12398.16    | 42.60          | 6.23        | 48.83          | 74.00          | 25.17       | Horizontal | PASS    |
| 4   | 17988.88    | 39.64          | 13.63       | 53.27          | 74.00          | 20.73       | Horizontal | PASS    |
| 5   | 5747.01     | 28.88          | 17.32       | 46.20          | -              | -           | Horizontal | NA      |
| 6   | 11530.27    | 34.87          | 4.86        | 39.73          | 54.00          | 14.27       | Horizontal | PASS    |
| 7   | 12395.10    | 33.98          | 6.16        | 40.14          | 54.00          | 13.86       | Horizontal | PASS    |
| 8   | 17985.82    | 32.17          | 13.58       | 45.75          | 54.00          | 8.25        | Horizontal | PASS    |

| Project Information |                 |           |           |
|---------------------|-----------------|-----------|-----------|
| Mode:               | 802.11be        | Band:     | U-UNII-2C |
| Bandwidth           | 160MHz          | Channel   | 155       |
| SN:                 | D1Y24EB28000030 | Engineer: | 申状        |
| Remark:             | Power:15.5      |           |           |

**Test Graph****Data List**


| NO. | Freq. [MHz] | Reading [dBμV] | Factor [dB] | Level [dBμV/m] | Limit [dBμV/m] | Margin [dB] | Polarity | Verdict |
|-----|-------------|----------------|-------------|----------------|----------------|-------------|----------|---------|
| 1   | 5749.21     | 45.57          | 17.33       | 62.90          | -              | -           | Vertical | NA      |
| 2   | 11447.85    | 42.82          | 5.08        | 47.90          | 74.00          | 26.10       | Vertical | PASS    |
| 3   | 12396.25    | 42.90          | 6.18        | 49.08          | 74.00          | 24.92       | Vertical | PASS    |
| 4   | 17986.97    | 40.89          | 13.60       | 54.49          | 74.00          | 19.51       | Vertical | PASS    |
| 5   | 5751.69     | 38.91          | 17.35       | 56.26          | -              | -           | Vertical | NA      |
| 6   | 11472.38    | 35.25          | 4.96        | 40.21          | 54.00          | 13.79       | Vertical | PASS    |
| 7   | 12682.22    | 34.53          | 6.02        | 40.55          | 54.00          | 13.45       | Vertical | PASS    |
| 8   | 17977.38    | 31.89          | 13.46       | 45.35          | 54.00          | 8.65        | Vertical | PASS    |

| Project Information |                 |           |          |
|---------------------|-----------------|-----------|----------|
| Mode:               | 802.11be        | Band:     | U-UNII-3 |
| Bandwidth           | 20MHz           | Channel   | 149      |
| SN:                 | D1Y24EB28000030 | Engineer: | 申状       |
| Remark:             | Power:19        |           |          |

**Test Graph****Data List**

| NO. | Freq. [MHz] | Reading [dBμV] | Factor [dB] | Level [dBμV/m] | Limit [dBμV/m] | Margin [dB] | Polarity   | Verdict |
|-----|-------------|----------------|-------------|----------------|----------------|-------------|------------|---------|
| 1   | 11377.31    | 42.54          | 5.22        | 47.76          | 74.00          | 26.24       | Horizontal | PASS    |
| 2   | 12649.64    | 41.73          | 6.17        | 47.90          | 74.00          | 26.10       | Horizontal | PASS    |
| 3   | 17392.40    | 40.84          | 12.09       | 52.93          | 68.20          | 15.27       | Horizontal | PASS    |
| 4   | 11460.12    | 35.91          | 5.02        | 40.93          | 54.00          | 13.07       | Horizontal | PASS    |
| 5   | 12650.02    | 34.52          | 6.18        | 40.70          | 54.00          | 13.30       | Horizontal | PASS    |
| 6   | 17850.50    | 31.60          | 13.98       | 45.58          | 54.00          | 8.42        | Horizontal | PASS    |


| Project Information |                 |           |          |
|---------------------|-----------------|-----------|----------|
| Mode:               | 802.11be        | Band:     | U-UNII-3 |
| Bandwidth           | 20MHz           | Channel   | 149      |
| SN:                 | D1Y24EB28000030 | Engineer: | 申状       |
| Remark:             | Power:19        |           |          |

**Test Graph****Data List**

| NO. | Freq. [MHz] | Reading [dBμV] | Factor [dB] | Level [dBμV/m] | Limit [dBμV/m] | Margin [dB] | Polarity | Verdict |
|-----|-------------|----------------|-------------|----------------|----------------|-------------|----------|---------|
| 1   | 5715.66     | 49.82          | 17.32       | 67.14          | -              | -           | Vertical | NA      |
| 2   | 10757.44    | 43.37          | 4.33        | 47.70          | 74.00          | 26.30       | Vertical | PASS    |
| 3   | 12385.13    | 42.90          | 5.95        | 48.85          | 74.00          | 25.15       | Vertical | PASS    |
| 4   | 17977.38    | 39.80          | 13.46       | 53.26          | 74.00          | 20.74       | Vertical | PASS    |
| 5   | 5717.86     | 39.04          | 17.33       | 56.37          | -              | -           | Vertical | NA      |
| 6   | 10767.79    | 35.60          | 4.35        | 39.95          | 54.00          | 14.05       | Vertical | PASS    |
| 7   | 12549.97    | 35.06          | 5.19        | 40.25          | 54.00          | 13.75       | Vertical | PASS    |
| 8   | 17996.17    | 31.84          | 13.73       | 45.57          | 54.00          | 8.43        | Vertical | PASS    |

| Project Information |                 |           |          |
|---------------------|-----------------|-----------|----------|
| Mode:               | 802.11be        | Band:     | U-UNII-3 |
| Bandwidth           | 20MHz           | Channel   | 157      |
| SN:                 | D1Y24EB28000030 | Engineer: | 申状       |
| Remark:             | Power:19        |           |          |


## Test Graph



## Data List


| NO. | Freq. [MHz] | Reading [dBμV] | Factor [dB] | Level [dBμV/m] | Limit [dBμV/m] | Margin [dB] | Polarity   | Verdict |
|-----|-------------|----------------|-------------|----------------|----------------|-------------|------------|---------|
| 1   | 11588.15    | 42.17          | 5.55        | 47.72          | 74.00          | 26.28       | Horizontal | PASS    |
| 2   | 12405.06    | 42.48          | 6.16        | 48.64          | 74.00          | 25.36       | Horizontal | PASS    |
| 3   | 17352.15    | 40.88          | 12.23       | 53.11          | 68.20          | 15.09       | Horizontal | PASS    |
| 4   | 11490.78    | 35.22          | 4.86        | 40.08          | 54.00          | 13.92       | Horizontal | PASS    |
| 5   | 12403.53    | 34.42          | 6.18        | 40.60          | 54.00          | 13.40       | Horizontal | PASS    |
| 6   | 17998.85    | 31.81          | 13.78       | 45.59          | 54.00          | 8.41        | Horizontal | PASS    |

| Project Information |                 |           |          |
|---------------------|-----------------|-----------|----------|
| Mode:               | 802.11be        | Band:     | U-UNII-3 |
| Bandwidth           | 20MHz           | Channel   | 157      |
| SN:                 | D1Y24EB28000030 | Engineer: | 申状       |
| Remark:             | Power:19        |           |          |

**Test Graph****Data List**


| NO. | Freq. [MHz] | Reading [dBμV] | Factor [dB] | Level [dBμV/m] | Limit [dBμV/m] | Margin [dB] | Polarity | Verdict |
|-----|-------------|----------------|-------------|----------------|----------------|-------------|----------|---------|
| 1   | 4627.98     | 35.67          | 13.32       | 48.99          | 74.00          | 25.01       | Vertical | PASS    |
| 2   | 5785.24     | 41.23          | 17.52       | 58.75          | -              | -           | Vertical | NA      |
| 3   | 11568.22    | 42.91          | 5.21        | 48.12          | 74.00          | 25.88       | Vertical | PASS    |
| 4   | 17990.42    | 39.30          | 13.65       | 52.95          | 74.00          | 21.05       | Vertical | PASS    |
| 5   | 4628.26     | 31.52          | 13.32       | 44.84          | 54.00          | 9.16        | Vertical | PASS    |
| 6   | 5784.69     | 34.03          | 17.52       | 51.55          | -              | -           | Vertical | NA      |
| 7   | 11442.48    | 34.96          | 5.12        | 40.08          | 54.00          | 13.92       | Vertical | PASS    |
| 8   | 17980.45    | 32.31          | 13.51       | 45.82          | 54.00          | 8.18        | Vertical | PASS    |

| Project Information |                 |           |          |
|---------------------|-----------------|-----------|----------|
| Mode:               | 802.11be        | Band:     | U-UNII-3 |
| Bandwidth           | 20MHz           | Channel   | 165      |
| SN:                 | D1Y24EB28000030 | Engineer: | 申状       |
| Remark:             | Power:19        |           |          |

**Test Graph****Data List**

| NO. | Freq. [MHz] | Reading [dBuV] | Factor [dB] | Level [dBμV/m] | Limit [dBμV/m] | Margin [dB] | Polarity   | Verdict |
|-----|-------------|----------------|-------------|----------------|----------------|-------------|------------|---------|
| 1   | 5824.02     | 36.07          | 17.67       | 53.74          | -              | -           | Horizontal | NA      |
| 2   | 11392.65    | 42.35          | 5.34        | 47.69          | 74.00          | 26.31       | Horizontal | PASS    |
| 3   | 12643.89    | 42.40          | 6.04        | 48.44          | 74.00          | 25.56       | Horizontal | PASS    |
| 4   | 17844.36    | 39.06          | 13.75       | 52.81          | 74.00          | 21.19       | Horizontal | PASS    |
| 5   | 5824.29     | 28.11          | 17.67       | 45.78          | -              | -           | Horizontal | NA      |
| 6   | 11472.77    | 34.94          | 4.95        | 39.89          | 54.00          | 14.11       | Horizontal | PASS    |
| 7   | 12655.01    | 33.98          | 6.16        | 40.14          | 54.00          | 13.86       | Horizontal | PASS    |
| 8   | 17941.35    | 31.90          | 13.12       | 45.02          | 54.00          | 8.98        | Horizontal | PASS    |


| Project Information |                 |           |          |
|---------------------|-----------------|-----------|----------|
| Mode:               | 802.11be        | Band:     | U-UNII-3 |
| Bandwidth           | 20MHz           | Channel   | 165      |
| SN:                 | D1Y24EB28000030 | Engineer: | 申状       |
| Remark:             | Power:19        |           |          |

**Test Graph****Data List**

| NO. | Freq. [MHz] | Reading [dBuV] | Factor [dB] | Level [dBμV/m] | Limit [dBμV/m] | Margin [dB] | Polarity | Verdict |
|-----|-------------|----------------|-------------|----------------|----------------|-------------|----------|---------|
| 1   | 4659.61     | 36.99          | 13.26       | 50.25          | 74.00          | 23.75       | Vertical | PASS    |
| 2   | 5824.29     | 45.83          | 17.67       | 63.50          | -              | -           | Vertical | NA      |
| 3   | 12024.78    | 42.12          | 5.32        | 47.44          | 74.00          | 26.56       | Vertical | PASS    |
| 4   | 17839.76    | 39.57          | 13.55       | 53.12          | 74.00          | 20.88       | Vertical | PASS    |
| 5   | 4660.16     | 33.37          | 13.25       | 46.62          | 54.00          | 7.38        | Vertical | PASS    |
| 6   | 5824.29     | 37.43          | 17.67       | 55.10          | -              | -           | Vertical | NA      |
| 7   | 12245.97    | 34.83          | 5.36        | 40.19          | 54.00          | 13.81       | Vertical | PASS    |
| 8   | 17880.78    | 31.59          | 13.59       | 45.18          | 54.00          | 8.82        | Vertical | PASS    |

| Project Information |                 |           |          |
|---------------------|-----------------|-----------|----------|
| Mode:               | 802.11be        | Band:     | U-UNII-3 |
| Bandwidth           | 40MHz           | Channel   | 151      |
| SN:                 | D1Y24EB28000030 | Engineer: | 申状       |
| Remark:             | Power:18.5      |           |          |


### Test Graph



### Data List


| NO. | Freq. [MHz] | Reading [dBμV] | Factor [dB] | Level [dBμV/m] | Limit [dBμV/m] | Margin [dB] | Polarity   | Verdict |
|-----|-------------|----------------|-------------|----------------|----------------|-------------|------------|---------|
| 1   | 5701.64     | 42.45          | 17.31       | 59.76          | -              | -           | Horizontal | NA      |
| 2   | 11304.09    | 43.11          | 4.68        | 47.79          | 74.00          | 26.21       | Horizontal | PASS    |
| 3   | 12047.40    | 42.60          | 5.42        | 48.02          | 74.00          | 25.98       | Horizontal | PASS    |
| 4   | 17930.61    | 40.04          | 13.17       | 53.21          | 74.00          | 20.79       | Horizontal | PASS    |
| 5   | 5713.74     | 32.01          | 17.32       | 49.33          | -              | -           | Horizontal | NA      |
| 6   | 11469.32    | 34.99          | 4.97        | 39.96          | 54.00          | 14.04       | Horizontal | PASS    |
| 7   | 12432.66    | 34.59          | 5.58        | 40.17          | 54.00          | 13.83       | Horizontal | PASS    |
| 8   | 17850.11    | 31.66          | 13.99       | 45.65          | 54.00          | 8.35        | Horizontal | PASS    |

| Project Information |                 |           |          |
|---------------------|-----------------|-----------|----------|
| Mode:               | 802.11be        | Band:     | U-UNII-3 |
| Bandwidth           | 40MHz           | Channel   | 151      |
| SN:                 | D1Y24EB28000030 | Engineer: | 申状       |
| Remark:             | Power:18.5      |           |          |

**Test Graph****Data List**


| NO. | Freq. [MHz] | Reading [dBμV] | Factor [dB] | Level [dBμV/m] | Limit [dBμV/m] | Margin [dB] | Polarity | Verdict |
|-----|-------------|----------------|-------------|----------------|----------------|-------------|----------|---------|
| 1   | 5713.19     | 52.93          | 17.32       | 70.25          | -              | -           | Vertical | NA      |
| 2   | 11499.98    | 42.57          | 4.81        | 47.38          | 74.00          | 26.62       | Vertical | PASS    |
| 3   | 12730.52    | 42.62          | 5.69        | 48.31          | 68.20          | 19.89       | Vertical | PASS    |
| 4   | 17907.61    | 40.10          | 13.30       | 53.40          | 74.00          | 20.60       | Vertical | PASS    |
| 5   | 5713.46     | 43.68          | 17.32       | 61.00          | -              | -           | Vertical | NA      |
| 6   | 11370.41    | 34.32          | 5.18        | 39.50          | 54.00          | 14.50       | Vertical | PASS    |
| 7   | 12662.67    | 34.40          | 6.11        | 40.51          | 54.00          | 13.49       | Vertical | PASS    |
| 8   | 17992.33    | 32.13          | 13.68       | 45.81          | 54.00          | 8.19        | Vertical | PASS    |

| Project Information |                 |           |          |
|---------------------|-----------------|-----------|----------|
| Mode:               | 802.11be        | Band:     | U-UNII-3 |
| Bandwidth           | 40MHz           | Channel   | 159      |
| SN:                 | D1Y24EB28000030 | Engineer: | 申状       |
| Remark:             | Power:18.5      |           |          |

**Test Graph****Data List**


| NO. | Freq. [MHz] | Reading [dBμV] | Factor [dB] | Level [dBμV/m] | Limit [dBμV/m] | Margin [dB] | Polarity   | Verdict |
|-----|-------------|----------------|-------------|----------------|----------------|-------------|------------|---------|
| 1   | 5811.37     | 34.82          | 17.62       | 52.44          | -              | -           | Horizontal | NA      |
| 2   | 11404.15    | 42.13          | 5.37        | 47.50          | 74.00          | 26.50       | Horizontal | PASS    |
| 3   | 12420.78    | 42.04          | 5.83        | 47.87          | 74.00          | 26.13       | Horizontal | PASS    |
| 4   | 17960.90    | 40.41          | 13.22       | 53.63          | 74.00          | 20.37       | Horizontal | PASS    |
| 5   | 5794.31     | 26.68          | 17.57       | 44.25          | -              | -           | Horizontal | NA      |
| 6   | 11372.33    | 34.50          | 5.19        | 39.69          | 54.00          | 14.31       | Horizontal | PASS    |
| 7   | 12406.21    | 34.34          | 6.13        | 40.47          | 54.00          | 13.53       | Horizontal | PASS    |
| 8   | 17974.32    | 31.94          | 13.42       | 45.36          | 54.00          | 8.64        | Horizontal | PASS    |

| Project Information |                 |           |          |
|---------------------|-----------------|-----------|----------|
| Mode:               | 802.11be        | Band:     | U-UNII-3 |
| Bandwidth           | 40MHz           | Channel   | 159      |
| SN:                 | D1Y24EB28000030 | Engineer: | 申状       |
| Remark:             | Power:18.5      |           |          |

**Test Graph****Data List**


| NO. | Freq. [MHz] | Reading [dBμV] | Factor [dB] | Level [dBμV/m] | Limit [dBμV/m] | Margin [dB] | Polarity | Verdict |
|-----|-------------|----------------|-------------|----------------|----------------|-------------|----------|---------|
| 1   | 4635.96     | 35.65          | 13.33       | 48.98          | 74.00          | 25.02       | Vertical | PASS    |
| 2   | 5791.56     | 42.07          | 17.56       | 59.63          | -              | -           | Vertical | NA      |
| 3   | 10919.98    | 43.16          | 4.92        | 48.08          | 74.00          | 25.92       | Vertical | PASS    |
| 4   | 17883.46    | 39.60          | 13.56       | 53.16          | 74.00          | 20.84       | Vertical | PASS    |
| 5   | 4636.23     | 31.15          | 13.33       | 44.48          | 54.00          | 9.52        | Vertical | PASS    |
| 6   | 5793.76     | 34.25          | 17.57       | 51.82          | -              | -           | Vertical | NA      |
| 7   | 10948.73    | 34.53          | 5.12        | 39.65          | 54.00          | 14.35       | Vertical | PASS    |
| 8   | 17997.32    | 31.65          | 13.75       | 45.40          | 54.00          | 8.60        | Vertical | PASS    |

| Project Information |                 |           |          |
|---------------------|-----------------|-----------|----------|
| Mode:               | 802.11be        | Band:     | U-UNII-3 |
| Bandwidth           | 80MHz           | Channel   | 155      |
| SN:                 | D1Y24EB28000030 | Engineer: | 申状       |
| Remark:             | Power:18.5      |           |          |

**Test Graph****Data List**


| NO. | Freq. [MHz] | Reading [dBμV] | Factor [dB] | Level [dBμV/m] | Limit [dBμV/m] | Margin [dB] | Polarity   | Verdict |
|-----|-------------|----------------|-------------|----------------|----------------|-------------|------------|---------|
| 1   | 5714.84     | 45.15          | 17.32       | 62.47          | -              | -           | Horizontal | NA      |
| 2   | 11123.15    | 44.21          | 4.11        | 48.32          | 74.00          | 25.68       | Horizontal | PASS    |
| 3   | 12058.14    | 42.76          | 5.39        | 48.15          | 74.00          | 25.85       | Horizontal | PASS    |
| 4   | 17862.38    | 39.43          | 13.82       | 53.25          | 74.00          | 20.75       | Horizontal | PASS    |
| 5   | 5715.39     | 35.09          | 17.32       | 52.41          | -              | -           | Horizontal | NA      |
| 6   | 11173.76    | 34.97          | 4.36        | 39.33          | 54.00          | 14.67       | Horizontal | PASS    |
| 7   | 12144.39    | 35.32          | 4.80        | 40.12          | 54.00          | 13.88       | Horizontal | PASS    |
| 8   | 17985.05    | 31.69          | 13.57       | 45.26          | 54.00          | 8.74        | Horizontal | PASS    |

| Project Information |                 |           |          |
|---------------------|-----------------|-----------|----------|
| Mode:               | 802.11be        | Band:     | U-UNII-3 |
| Bandwidth           | 80MHz           | Channel   | 155      |
| SN:                 | D1Y24EB28000030 | Engineer: | 申状       |
| Remark:             | Power:18.5      |           |          |

**Test Graph****Data List**


| NO. | Freq. [MHz] | Reading [dBuV] | Factor [dB] | Level [dBμV/m] | Limit [dBμV/m] | Margin [dB] | Polarity | Verdict |
|-----|-------------|----------------|-------------|----------------|----------------|-------------|----------|---------|
| 1   | 4619.73     | 34.37          | 13.30       | 47.67          | 74.00          | 26.33       | Vertical | PASS    |
| 2   | 5709.61     | 54.62          | 17.32       | 71.94          | -              | -           | Vertical | NA      |
| 3   | 12465.63    | 43.34          | 5.31        | 48.65          | 74.00          | 25.35       | Vertical | PASS    |
| 4   | 17845.13    | 39.55          | 13.78       | 53.33          | 74.00          | 20.67       | Vertical | PASS    |
| 5   | 4620.28     | 30.27          | 13.30       | 43.57          | 54.00          | 10.43       | Vertical | PASS    |
| 6   | 5709.89     | 47.32          | 17.32       | 64.64          | -              | -           | Vertical | NA      |
| 7   | 12381.68    | 34.09          | 5.88        | 39.97          | 54.00          | 14.03       | Vertical | PASS    |
| 8   | 18000.00    | 32.44          | 13.79       | 46.23          | 54.00          | 7.77        | Vertical | PASS    |

| Project Information |                  |           |          |
|---------------------|------------------|-----------|----------|
| Mode:               | 802.11be20 26t-0 | Band:     | U-UNII-1 |
| Bandwidth           | 20MHz            | Channel   | 36       |
| SN:                 | D1Y24EB28000030  | Engineer: | 申状       |
| Remark:             | Polarity: X      |           |          |

**Test Graph****Data List**


| NO. | Freq. [MHz] | Reading [dBμV] | Factor [dB] | Level [dBμV/m] | Limit [dBμV/m] | Margin [dB] | Polarity   | Verdict |
|-----|-------------|----------------|-------------|----------------|----------------|-------------|------------|---------|
| 1   | 5171.96     | 31.24          | 13.90       | 45.14          | -              | -           | Horizontal | NA      |
| 2   | 11437.50    | 35.96          | 5.15        | 41.11          | 54.00          | 12.89       | Horizontal | PASS    |
| 3   | 12407.75    | 34.98          | 6.10        | 41.08          | 54.00          | 12.92       | Horizontal | PASS    |
| 4   | 17841.68    | 32.71          | 13.63       | 46.34          | 54.00          | 7.66        | Horizontal | PASS    |
| 5   | 5171.96     | 37.28          | 13.90       | 51.18          | -              | -           | Horizontal | NA      |
| 6   | 11373.10    | 42.47          | 5.20        | 47.67          | 74.00          | 26.33       | Horizontal | PASS    |
| 7   | 12478.28    | 43.17          | 5.37        | 48.54          | 74.00          | 25.46       | Horizontal | PASS    |
| 8   | 17837.08    | 39.98          | 13.44       | 53.42          | 74.00          | 20.58       | Horizontal | PASS    |

| Project Information |                  |           |          |
|---------------------|------------------|-----------|----------|
| Mode:               | 802.11be20 26t-0 | Band:     | U-UNII-1 |
| Bandwidth           | 20MHz            | Channel   | 36       |
| SN:                 | D1Y24EB28000030  | Engineer: | 申状       |
| Remark:             | Polarity: X      |           |          |

**Test Graph**

| Data List |             |                |             |                |                |             |          |         |
|-----------|-------------|----------------|-------------|----------------|----------------|-------------|----------|---------|
| NO.       | Freq. [MHz] | Reading [dBμV] | Factor [dB] | Level [dBμV/m] | Limit [dBμV/m] | Margin [dB] | Polarity | Verdict |
| 1         | 5171.41     | 40.90          | 13.90       | 54.80          | -              | -           | Vertical | NA      |
| 2         | 11591.99    | 36.00          | 5.61        | 41.61          | 54.00          | 12.39       | Vertical | PASS    |
| 3         | 12422.31    | 35.92          | 5.80        | 41.72          | 54.00          | 12.28       | Vertical | PASS    |
| 4         | 17992.33    | 32.58          | 13.68       | 46.26          | 54.00          | 7.74        | Vertical | PASS    |
| 5         | 5170.86     | 48.24          | 13.90       | 62.14          | -              | -           | Vertical | NA      |
| 6         | 11586.24    | 42.58          | 5.51        | 48.09          | 74.00          | 25.91       | Vertical | PASS    |
| 7         | 12214.92    | 42.53          | 5.30        | 47.83          | 74.00          | 26.17       | Vertical | PASS    |
| 8         | 17862.00    | 39.59          | 13.83       | 53.42          | 74.00          | 20.58       | Vertical | PASS    |

| Project Information |                  |           |          |
|---------------------|------------------|-----------|----------|
| Mode:               | 802.11be20 26t-0 | Band:     | U-UNII-1 |
| Bandwidth           | 20MHz            | Channel   | 40       |
| SN:                 | D1Y24EB28000030  | Engineer: | 申状       |
| Remark:             | Polarity: X      |           |          |


**Test Graph****Data List**

| NO. | Freq. [MHz] | Reading [dBμV] | Factor [dB] | Level [dBμV/m] | Limit [dBμV/m] | Margin [dB] | Polarity   | Verdict |
|-----|-------------|----------------|-------------|----------------|----------------|-------------|------------|---------|
| 1   | 11281.48    | 35.70          | 4.73        | 40.43          | 54.00          | 13.57       | Horizontal | PASS    |
| 2   | 12651.17    | 35.58          | 6.17        | 41.75          | 54.00          | 12.25       | Horizontal | PASS    |
| 3   | 17975.08    | 32.75          | 13.43       | 46.18          | 54.00          | 7.82        | Horizontal | PASS    |
| 4   | 11421.78    | 42.82          | 5.25        | 48.07          | 74.00          | 25.93       | Horizontal | PASS    |
| 5   | 12408.51    | 41.65          | 6.08        | 47.73          | 74.00          | 26.27       | Horizontal | PASS    |
| 6   | 17980.45    | 39.98          | 13.51       | 53.49          | 74.00          | 20.51       | Horizontal | PASS    |

## Project Information

|           |                  |           |          |
|-----------|------------------|-----------|----------|
| Mode:     | 802.11be20 26t-0 | Band:     | U-UNII-1 |
| Bandwidth | 20MHz            | Channel   | 40       |
| SN:       | D1Y24EB28000030  | Engineer: | 申状       |
| Remark:   | Polarity: X      |           |          |


## Test Graph



## Data List


| NO. | Freq. [MHz] | Reading [dBμV] | Factor [dB] | Level [dBμV/m] | Limit [dBμV/m] | Margin [dB] | Polarity | Verdict |
|-----|-------------|----------------|-------------|----------------|----------------|-------------|----------|---------|
| 1   | 5191.21     | 36.44          | 13.92       | 50.36          | -              | -           | Vertical | NA      |
| 2   | 11598.89    | 34.89          | 5.73        | 40.62          | 54.00          | 13.38       | Vertical | PASS    |
| 3   | 12241.37    | 35.16          | 5.35        | 40.51          | 54.00          | 13.49       | Vertical | PASS    |
| 4   | 17987.35    | 32.56          | 13.61       | 46.17          | 54.00          | 7.83        | Vertical | PASS    |
| 5   | 5190.93     | 43.36          | 13.92       | 57.28          | -              | -           | Vertical | NA      |
| 6   | 11590.45    | 42.31          | 5.58        | 47.89          | 74.00          | 26.11       | Vertical | PASS    |
| 7   | 12385.51    | 42.15          | 5.96        | 48.11          | 74.00          | 25.89       | Vertical | PASS    |
| 8   | 17963.20    | 39.84          | 13.26       | 53.10          | 74.00          | 20.90       | Vertical | PASS    |

| Project Information |                  |           |          |
|---------------------|------------------|-----------|----------|
| Mode:               | 802.11be20 26t-0 | Band:     | U-UNII-1 |
| Bandwidth           | 20MHz            | Channel   | 48       |
| SN:                 | D1Y24EB28000030  | Engineer: | 申状       |
| Remark:             | Polarity: X      |           |          |

**Test Graph**


| Data List |             |                |             |                |                |             |            |         |
|-----------|-------------|----------------|-------------|----------------|----------------|-------------|------------|---------|
| NO.       | Freq. [MHz] | Reading [dBμV] | Factor [dB] | Level [dBμV/m] | Limit [dBμV/m] | Margin [dB] | Polarity   | Verdict |
| 1         | 11580.49    | 35.75          | 5.41        | 41.16          | 54.00          | 12.84       | Horizontal | PASS    |
| 2         | 12400.85    | 34.42          | 6.24        | 40.66          | 54.00          | 13.34       | Horizontal | PASS    |
| 3         | 17996.55    | 33.41          | 13.74       | 47.15          | 54.00          | 6.85        | Horizontal | PASS    |
| 4         | 11358.91    | 42.30          | 5.09        | 47.39          | 74.00          | 26.61       | Horizontal | PASS    |
| 5         | 12391.26    | 41.53          | 6.08        | 47.61          | 74.00          | 26.39       | Horizontal | PASS    |
| 6         | 17988.88    | 39.51          | 13.63       | 53.14          | 74.00          | 20.86       | Horizontal | PASS    |

| Project Information |                  |           |          |
|---------------------|------------------|-----------|----------|
| Mode:               | 802.11be20 26t-0 | Band:     | U-UNII-1 |
| Bandwidth           | 20MHz            | Channel   | 48       |
| SN:                 | D1Y24EB28000030  | Engineer: | 申状       |
| Remark:             | Polarity: X      |           |          |

**Test Graph****Data List**


| NO. | Freq. [MHz] | Reading [dBμV] | Factor [dB] | Level [dBμV/m] | Limit [dBμV/m] | Margin [dB] | Polarity | Verdict |
|-----|-------------|----------------|-------------|----------------|----------------|-------------|----------|---------|
| 1   | 7344.51     | 43.07          | -1.20       | 41.87          | 54.00          | 12.13       | Vertical | PASS    |
| 2   | 12013.28    | 35.32          | 5.28        | 40.60          | 54.00          | 13.40       | Vertical | PASS    |
| 3   | 17841.68    | 32.33          | 13.63       | 45.96          | 54.00          | 8.04        | Vertical | PASS    |
| 4   | 7345.28     | 49.19          | -1.19       | 48.00          | 74.00          | 26.00       | Vertical | PASS    |
| 5   | 12021.33    | 42.47          | 5.31        | 47.78          | 74.00          | 26.22       | Vertical | PASS    |
| 6   | 17985.05    | 39.63          | 13.57       | 53.20          | 74.00          | 20.80       | Vertical | PASS    |

| Project Information |                  |           |           |
|---------------------|------------------|-----------|-----------|
| Mode:               | 802.11be20 26t-0 | Band:     | U-UNII-2A |
| Bandwidth           | 20MHz            | Channel   | 52        |
| SN:                 | D1Y24EB28000030  | Engineer: | 申状        |
| Remark:             | Polarity: X      |           |           |

**Test Graph****Data List**


| NO. | Freq. [MHz] | Reading [dBμV] | Factor [dB] | Level [dBμV/m] | Limit [dBμV/m] | Margin [dB] | Polarity   | Verdict |
|-----|-------------|----------------|-------------|----------------|----------------|-------------|------------|---------|
| 1   | 11612.69    | 35.57          | 5.33        | 40.90          | 54.00          | 13.10       | Horizontal | PASS    |
| 2   | 12388.96    | 35.34          | 6.03        | 41.37          | 54.00          | 12.63       | Horizontal | PASS    |
| 3   | 17844.74    | 32.38          | 13.77       | 46.15          | 54.00          | 7.85        | Horizontal | PASS    |
| 4   | 11538.32    | 42.40          | 4.87        | 47.27          | 74.00          | 26.73       | Horizontal | PASS    |
| 5   | 12400.46    | 41.67          | 6.25        | 47.92          | 74.00          | 26.08       | Horizontal | PASS    |
| 6   | 17992.33    | 39.21          | 13.68       | 52.89          | 74.00          | 21.11       | Horizontal | PASS    |

| Project Information |                  |           |           |
|---------------------|------------------|-----------|-----------|
| Mode:               | 802.11be20 26t-0 | Band:     | U-UNII-2A |
| Bandwidth           | 20MHz            | Channel   | 52        |
| SN:                 | D1Y24EB28000030  | Engineer: | 申状        |
| Remark:             | Polarity: X      |           |           |

**Test Graph****Data List**


| NO. | Freq. [MHz] | Reading [dBμV] | Factor [dB] | Level [dBμV/m] | Limit [dBμV/m] | Margin [dB] | Polarity | Verdict |
|-----|-------------|----------------|-------------|----------------|----------------|-------------|----------|---------|
| 1   | 5252.26     | 30.82          | 14.17       | 44.99          | -              | -           | Vertical | NA      |
| 2   | 7355.25     | 44.94          | -1.10       | 43.84          | 54.00          | 10.16       | Vertical | PASS    |
| 3   | 12094.94    | 35.25          | 5.21        | 40.46          | 54.00          | 13.54       | Vertical | PASS    |
| 4   | 17998.85    | 32.73          | 13.78       | 46.51          | 54.00          | 7.49        | Vertical | PASS    |
| 5   | 5251.71     | 38.30          | 14.17       | 52.47          | -              | -           | Vertical | NA      |
| 6   | 7354.86     | 50.91          | -1.11       | 49.80          | 74.00          | 24.20       | Vertical | PASS    |
| 7   | 11892.15    | 42.33          | 5.41        | 47.74          | 74.00          | 26.26       | Vertical | PASS    |
| 8   | 17998.47    | 39.26          | 13.76       | 53.02          | 74.00          | 20.98       | Vertical | PASS    |

| Project Information |                  |           |           |
|---------------------|------------------|-----------|-----------|
| Mode:               | 802.11be20 26t-0 | Band:     | U-UNII-2A |
| Bandwidth           | 20MHz            | Channel   | 60        |
| SN:                 | D1Y24EB28000030  | Engineer: | 申状        |
| Remark:             | Polarity: X      |           |           |

**Test Graph****Data List**


| NO. | Freq. [MHz] | Reading [dBμV] | Factor [dB] | Level [dBμV/m] | Limit [dBμV/m] | Margin [dB] | Polarity   | Verdict |
|-----|-------------|----------------|-------------|----------------|----------------|-------------|------------|---------|
| 1   | 11534.87    | 35.94          | 4.87        | 40.81          | 54.00          | 13.19       | Horizontal | PASS    |
| 2   | 12383.60    | 34.90          | 5.92        | 40.82          | 54.00          | 13.18       | Horizontal | PASS    |
| 3   | 17997.70    | 32.82          | 13.76       | 46.58          | 54.00          | 7.42        | Horizontal | PASS    |
| 4   | 11409.13    | 42.51          | 5.33        | 47.84          | 74.00          | 26.16       | Horizontal | PASS    |
| 5   | 12398.93    | 41.81          | 6.24        | 48.05          | 74.00          | 25.95       | Horizontal | PASS    |
| 6   | 17849.34    | 39.48          | 13.96       | 53.44          | 74.00          | 20.56       | Horizontal | PASS    |

| Project Information |                  |           |           |
|---------------------|------------------|-----------|-----------|
| Mode:               | 802.11be20 26t-0 | Band:     | U-UNII-2A |
| Bandwidth           | 20MHz            | Channel   | 60        |
| SN:                 | D1Y24EB28000030  | Engineer: | 申状        |
| Remark:             | Polarity: X      |           |           |

**Test Graph**


| Data List |             |                |             |                |                |             |          |         |
|-----------|-------------|----------------|-------------|----------------|----------------|-------------|----------|---------|
| NO.       | Freq. [MHz] | Reading [dBμV] | Factor [dB] | Level [dBμV/m] | Limit [dBμV/m] | Margin [dB] | Polarity | Verdict |
| 1         | 7411.60     | 43.79          | -0.59       | 43.20          | 54.00          | 10.80       | Vertical | PASS    |
| 2         | 11350.10    | 35.99          | 5.03        | 41.02          | 54.00          | 12.98       | Vertical | PASS    |
| 3         | 17982.37    | 32.41          | 13.54       | 45.95          | 54.00          | 8.05        | Vertical | PASS    |
| 4         | 7411.60     | 49.41          | -0.59       | 48.82          | 74.00          | 25.18       | Vertical | PASS    |
| 5         | 11349.71    | 43.18          | 5.03        | 48.21          | 74.00          | 25.79       | Vertical | PASS    |
| 6         | 17980.07    | 40.03          | 13.50       | 53.53          | 74.00          | 20.47       | Vertical | PASS    |

| Project Information |                  |           |           |
|---------------------|------------------|-----------|-----------|
| Mode:               | 802.11be20 26t-0 | Band:     | U-UNII-2A |
| Bandwidth           | 20MHz            | Channel   | 64        |
| SN:                 | D1Y24EB28000030  | Engineer: | 申状        |
| Remark:             | Polarity: X      |           |           |

**Test Graph****Data List**


| NO. | Freq. [MHz] | Reading [dBμV] | Factor [dB] | Level [dBμV/m] | Limit [dBμV/m] | Margin [dB] | Polarity   | Verdict |
|-----|-------------|----------------|-------------|----------------|----------------|-------------|------------|---------|
| 1   | 11416.80    | 35.18          | 5.28        | 40.46          | 54.00          | 13.54       | Horizontal | PASS    |
| 2   | 12411.96    | 34.89          | 6.02        | 40.91          | 54.00          | 13.09       | Horizontal | PASS    |
| 3   | 17988.88    | 32.99          | 13.63       | 46.62          | 54.00          | 7.38        | Horizontal | PASS    |
| 4   | 11456.67    | 43.16          | 5.03        | 48.19          | 74.00          | 25.81       | Horizontal | PASS    |
| 5   | 12383.60    | 42.20          | 5.92        | 48.12          | 74.00          | 25.88       | Horizontal | PASS    |
| 6   | 17858.16    | 39.54          | 13.89       | 53.43          | 74.00          | 20.57       | Horizontal | PASS    |

| Project Information |                  |           |           |
|---------------------|------------------|-----------|-----------|
| Mode:               | 802.11be20 26t-0 | Band:     | U-UNII-2A |
| Bandwidth           | 20MHz            | Channel   | 64        |
| SN:                 | D1Y24EB28000030  | Engineer: | 申状        |
| Remark:             | Polarity: X      |           |           |

**Test Graph****Data List**


| NO. | Freq. [MHz] | Reading [dBμV] | Factor [dB] | Level [dBμV/m] | Limit [dBμV/m] | Margin [dB] | Polarity | Verdict |
|-----|-------------|----------------|-------------|----------------|----------------|-------------|----------|---------|
| 1   | 5311.67     | 32.66          | 14.52       | 47.18          | -              | -           | Vertical | NA      |
| 2   | 7457.22     | 42.78          | -1.58       | 41.20          | 54.00          | 12.80       | Vertical | PASS    |
| 3   | 12042.03    | 35.67          | 5.40        | 41.07          | 54.00          | 12.93       | Vertical | PASS    |
| 4   | 17996.17    | 32.93          | 13.73       | 46.66          | 54.00          | 7.34        | Vertical | PASS    |
| 5   | 5322.39     | 39.06          | 14.55       | 53.61          | -              | -           | Vertical | NA      |
| 6   | 7456.83     | 47.74          | -1.58       | 46.16          | 74.00          | 27.84       | Vertical | PASS    |
| 7   | 12043.57    | 41.77          | 5.40        | 47.17          | 74.00          | 26.83       | Vertical | PASS    |
| 8   | 17983.13    | 40.19          | 13.54       | 53.73          | 74.00          | 20.27       | Vertical | PASS    |

| Project Information |                    |           |          |
|---------------------|--------------------|-----------|----------|
| Mode:               | 802.11be40 246t-61 | Band:     | U-UNII-1 |
| Bandwidth           | 40MHz              | Channel   | 38       |
| SN:                 | D1Y24EB28000030    | Engineer: | 申状       |
| Remark:             | Polarity: X        |           |          |

**Test Graph****Data List**

| NO. | Freq. [MHz] | Reading [dBμV] | Factor [dB] | Level [dBμV/m] | Limit [dBμV/m] | Margin [dB] | Polarity   | Verdict |
|-----|-------------|----------------|-------------|----------------|----------------|-------------|------------|---------|
| 1   | 5177.18     | 32.57          | 13.91       | 46.48          | -              | -           | Horizontal | NA      |
| 2   | 11455.90    | 35.92          | 5.04        | 40.96          | 54.00          | 13.04       | Horizontal | PASS    |
| 3   | 12399.31    | 34.62          | 6.25        | 40.87          | 54.00          | 13.13       | Horizontal | PASS    |
| 4   | 17878.86    | 32.47          | 13.62       | 46.09          | 54.00          | 7.91        | Horizontal | PASS    |
| 5   | 5177.73     | 39.65          | 13.90       | 53.55          | -              | -           | Horizontal | NA      |
| 6   | 11462.80    | 42.86          | 5.01        | 47.87          | 74.00          | 26.13       | Horizontal | PASS    |
| 7   | 12420.78    | 42.04          | 5.83        | 47.87          | 74.00          | 26.13       | Horizontal | PASS    |
| 8   | 17975.47    | 39.90          | 13.43       | 53.33          | 74.00          | 20.67       | Horizontal | PASS    |

| Project Information |                    |           |          |
|---------------------|--------------------|-----------|----------|
| Mode:               | 802.11be40 246t-61 | Band:     | U-UNII-1 |
| Bandwidth           | 40MHz              | Channel   | 38       |
| SN:                 | D1Y24EB28000030    | Engineer: | 申状       |
| Remark:             | Polarity: X        |           |          |


**Test Graph****Data List**

| NO. | Freq. [MHz] | Reading [dBμV] | Factor [dB] | Level [dBμV/m] | Limit [dBμV/m] | Margin [dB] | Polarity | Verdict |
|-----|-------------|----------------|-------------|----------------|----------------|-------------|----------|---------|
| 1   | 5189.56     | 41.44          | 13.91       | 55.35          | -              | -           | Vertical | NA      |
| 2   | 11406.06    | 35.54          | 5.35        | 40.89          | 54.00          | 13.11       | Vertical | PASS    |
| 3   | 12408.13    | 35.22          | 6.09        | 41.31          | 54.00          | 12.69       | Vertical | PASS    |
| 4   | 17863.15    | 32.29          | 13.82       | 46.11          | 54.00          | 7.89        | Vertical | PASS    |
| 5   | 5189.01     | 50.08          | 13.91       | 63.99          | -              | -           | Vertical | NA      |
| 6   | 11394.56    | 42.23          | 5.36        | 47.59          | 74.00          | 26.41       | Vertical | PASS    |
| 7   | 12394.71    | 42.38          | 6.15        | 48.53          | 74.00          | 25.47       | Vertical | PASS    |
| 8   | 17851.65    | 39.32          | 13.97       | 53.29          | 74.00          | 20.71       | Vertical | PASS    |

## Project Information

|           |                    |           |          |
|-----------|--------------------|-----------|----------|
| Mode:     | 802.11be40 246t-61 | Band:     | U-UNII-1 |
| Bandwidth | 40MHz              | Channel   | 46       |
| SN:       | D1Y24EB28000030    | Engineer: | 申状       |
| Remark:   | Polarity: X        |           |          |


## Test Graph



## Data List


| NO. | Freq. [MHz] | Reading [dBμV] | Factor [dB] | Level [dBμV/m] | Limit [dBμV/m] | Margin [dB] | Polarity   | Verdict |
|-----|-------------|----------------|-------------|----------------|----------------|-------------|------------|---------|
| 1   | 11517.23    | 36.34          | 4.83        | 41.17          | 54.00          | 12.83       | Horizontal | PASS    |
| 2   | 12397.78    | 34.77          | 6.22        | 40.99          | 54.00          | 13.01       | Horizontal | PASS    |
| 3   | 17837.08    | 32.89          | 13.44       | 46.33          | 54.00          | 7.67        | Horizontal | PASS    |
| 4   | 11589.69    | 43.00          | 5.57        | 48.57          | 74.00          | 25.43       | Horizontal | PASS    |
| 5   | 12418.48    | 42.13          | 5.88        | 48.01          | 74.00          | 25.99       | Horizontal | PASS    |
| 6   | 17862.00    | 39.37          | 13.83       | 53.20          | 74.00          | 20.80       | Horizontal | PASS    |

| Project Information |                    |           |          |
|---------------------|--------------------|-----------|----------|
| Mode:               | 802.11be40 246t-61 | Band:     | U-UNII-1 |
| Bandwidth           | 40MHz              | Channel   | 46       |
| SN:                 | D1Y24EB28000030    | Engineer: | 申状       |
| Remark:             | Polarity: X        |           |          |

**Test Graph****Data List**

| NO. | Freq. [MHz] | Reading [dBμV] | Factor [dB] | Level [dBμV/m] | Limit [dBμV/m] | Margin [dB] | Polarity | Verdict |
|-----|-------------|----------------|-------------|----------------|----------------|-------------|----------|---------|
| 1   | 5212.22     | 30.69          | 13.97       | 44.66          | -              | -           | Vertical | NA      |
| 2   | 11381.91    | 36.08          | 5.26        | 41.34          | 54.00          | 12.66       | Vertical | PASS    |
| 3   | 11966.13    | 35.65          | 5.06        | 40.71          | 54.00          | 13.29       | Vertical | PASS    |
| 4   | 17978.15    | 32.71          | 13.47       | 46.18          | 54.00          | 7.82        | Vertical | PASS    |
| 5   | 5212.59     | 36.93          | 13.98       | 50.91          | -              | -           | Vertical | NA      |
| 6   | 11412.20    | 42.48          | 5.31        | 47.79          | 74.00          | 26.21       | Vertical | PASS    |
| 7   | 12056.22    | 43.40          | 5.40        | 48.80          | 74.00          | 25.20       | Vertical | PASS    |
| 8   | 17411.18    | 41.20          | 12.04       | 53.24          | 68.20          | 14.96       | Vertical | PASS    |


| Project Information |                    |           |           |
|---------------------|--------------------|-----------|-----------|
| Mode:               | 802.11be40 246t-61 | Band:     | U-UNII-2A |
| Bandwidth           | 40MHz              | Channel   | 54        |
| SN:                 | D1Y24EB28000030    | Engineer: | 申状        |
| Remark:             | Polarity: X        |           |           |

**Test Graph****Data List**

| NO. | Freq. [MHz] | Reading [dBμV] | Factor [dB] | Level [dBμV/m] | Limit [dBμV/m] | Margin [dB] | Polarity   | Verdict |
|-----|-------------|----------------|-------------|----------------|----------------|-------------|------------|---------|
| 1   | 11400.70    | 35.55          | 5.39        | 40.94          | 54.00          | 13.06       | Horizontal | PASS    |
| 2   | 12377.85    | 35.07          | 5.81        | 40.88          | 54.00          | 13.12       | Horizontal | PASS    |
| 3   | 17838.61    | 33.14          | 13.51       | 46.65          | 54.00          | 7.35        | Horizontal | PASS    |
| 4   | 11384.21    | 42.90          | 5.28        | 48.18          | 74.00          | 25.82       | Horizontal | PASS    |
| 5   | 12403.15    | 41.89          | 6.19        | 48.08          | 74.00          | 25.92       | Horizontal | PASS    |
| 6   | 17863.53    | 39.04          | 13.82       | 52.86          | 74.00          | 21.14       | Horizontal | PASS    |

| Project Information |                    |           |           |
|---------------------|--------------------|-----------|-----------|
| Mode:               | 802.11be40 246t-61 | Band:     | U-UNII-2A |
| Bandwidth           | 40MHz              | Channel   | 54        |
| SN:                 | D1Y24EB28000030    | Engineer: | 申状        |
| Remark:             | Polarity: X        |           |           |


### Test Graph



### Data List

| NO. | Freq. [MHz] | Reading [dBμV] | Factor [dB] | Level [dBμV/m] | Limit [dBμV/m] | Margin [dB] | Polarity | Verdict |
|-----|-------------|----------------|-------------|----------------|----------------|-------------|----------|---------|
| 1   | 5268.69     | 36.92          | 14.28       | 51.20          | -              | -           | Vertical | NA      |
| 2   | 7387.45     | 39.88          | -0.50       | 39.38          | 54.00          | 14.62       | Vertical | PASS    |
| 3   | 11462.80    | 35.86          | 5.01        | 40.87          | 54.00          | 13.13       | Vertical | PASS    |
| 4   | 17983.52    | 32.31          | 13.55       | 45.86          | 54.00          | 8.14        | Vertical | PASS    |
| 5   | 5268.14     | 43.47          | 14.27       | 57.74          | -              | -           | Vertical | NA      |
| 6   | 7383.23     | 46.64          | -0.58       | 46.06          | 74.00          | 27.94       | Vertical | PASS    |
| 7   | 11458.97    | 43.13          | 5.02        | 48.15          | 74.00          | 25.85       | Vertical | PASS    |
| 8   | 17862.00    | 39.39          | 13.83       | 53.22          | 74.00          | 20.78       | Vertical | PASS    |

| Project Information |                    |           |           |
|---------------------|--------------------|-----------|-----------|
| Mode:               | 802.11be40 246t-61 | Band:     | U-UNII-2A |
| Bandwidth           | 40MHz              | Channel   | 62        |
| SN:                 | D1Y24EB28000030    | Engineer: | 申状        |
| Remark:             | Polarity: X        |           |           |


**Test Graph****Data List**

| NO. | Freq. [MHz] | Reading [dBμV] | Factor [dB] | Level [dBμV/m] | Limit [dBμV/m] | Margin [dB] | Polarity   | Verdict |
|-----|-------------|----------------|-------------|----------------|----------------|-------------|------------|---------|
| 1   | 11462.80    | 35.60          | 5.01        | 40.61          | 54.00          | 13.39       | Horizontal | PASS    |
| 2   | 12403.53    | 35.07          | 6.18        | 41.25          | 54.00          | 12.75       | Horizontal | PASS    |
| 3   | 17968.57    | 32.79          | 13.33       | 46.12          | 54.00          | 7.88        | Horizontal | PASS    |
| 4   | 11549.43    | 42.89          | 4.89        | 47.78          | 74.00          | 26.22       | Horizontal | PASS    |
| 5   | 12400.85    | 41.56          | 6.24        | 47.80          | 74.00          | 26.20       | Horizontal | PASS    |
| 6   | 17988.50    | 40.21          | 13.62       | 53.83          | 74.00          | 20.17       | Horizontal | PASS    |

## Project Information

|           |                    |           |           |
|-----------|--------------------|-----------|-----------|
| Mode:     | 802.11be40 246t-61 | Band:     | U-UNII-2A |
| Bandwidth | 40MHz              | Channel   | 62        |
| SN:       | D1Y24EB28000030    | Engineer: | 申状        |
| Remark:   | Polarity: X        |           |           |


## Test Graph



## Data List


| NO. | Freq. [MHz] | Reading [dBμV] | Factor [dB] | Level [dBμV/m] | Limit [dBμV/m] | Margin [dB] | Polarity | Verdict |
|-----|-------------|----------------|-------------|----------------|----------------|-------------|----------|---------|
| 1   | 5296.74     | 34.08          | 14.47       | 48.55          | -              | -           | Vertical | NA      |
| 2   | 11258.86    | 35.87          | 4.84        | 40.71          | 54.00          | 13.29       | Vertical | PASS    |
| 3   | 12393.18    | 35.22          | 6.12        | 41.34          | 54.00          | 12.66       | Vertical | PASS    |
| 4   | 17851.26    | 32.32          | 13.97       | 46.29          | 54.00          | 7.71        | Vertical | PASS    |
| 5   | 5296.56     | 40.67          | 14.47       | 55.14          | -              | -           | Vertical | NA      |
| 6   | 11416.03    | 42.59          | 5.28        | 47.87          | 74.00          | 26.13       | Vertical | PASS    |
| 7   | 12383.98    | 42.72          | 5.93        | 48.65          | 74.00          | 25.35       | Vertical | PASS    |
| 8   | 17859.31    | 39.59          | 13.87       | 53.46          | 74.00          | 20.54       | Vertical | PASS    |

| Project Information |                    |           |          |
|---------------------|--------------------|-----------|----------|
| Mode:               | 802.11be80 484t-65 | Band:     | U-UNII-1 |
| Bandwidth           | 80MHz              | Channel   | 42       |
| SN:                 | D1Y24EB28000030    | Engineer: | 申状       |
| Remark:             | Polarity: X        |           |          |

**Test Graph****Data List**


| NO. | Freq. [MHz] | Reading [dBμV] | Factor [dB] | Level [dBμV/m] | Limit [dBμV/m] | Margin [dB] | Polarity   | Verdict |
|-----|-------------|----------------|-------------|----------------|----------------|-------------|------------|---------|
| 1   | 5177.02     | 31.14          | 13.91       | 45.05          | -              | -           | Horizontal | NA      |
| 2   | 11587.77    | 35.30          | 5.54        | 40.84          | 54.00          | 13.16       | Horizontal | PASS    |
| 3   | 12405.83    | 35.37          | 6.14        | 41.51          | 54.00          | 12.49       | Horizontal | PASS    |
| 4   | 17847.04    | 32.36          | 13.86       | 46.22          | 54.00          | 7.78        | Horizontal | PASS    |
| 5   | 5179.04     | 38.00          | 13.90       | 51.90          | -              | -           | Horizontal | NA      |
| 6   | 11595.44    | 42.30          | 5.67        | 47.97          | 74.00          | 26.03       | Horizontal | PASS    |
| 7   | 12450.30    | 42.78          | 5.23        | 48.01          | 74.00          | 25.99       | Horizontal | PASS    |
| 8   | 17838.61    | 39.63          | 13.51       | 53.14          | 74.00          | 20.86       | Horizontal | PASS    |

| Project Information |                    |           |          |
|---------------------|--------------------|-----------|----------|
| Mode:               | 802.11be80 484t-65 | Band:     | U-UNII-1 |
| Bandwidth           | 80MHz              | Channel   | 42       |
| SN:                 | D1Y24EB28000030    | Engineer: | 申状       |
| Remark:             | Polarity: X        |           |          |

**Test Graph****Data List**


| NO. | Freq. [MHz] | Reading [dBμV] | Factor [dB] | Level [dBμV/m] | Limit [dBμV/m] | Margin [dB] | Polarity | Verdict |
|-----|-------------|----------------|-------------|----------------|----------------|-------------|----------|---------|
| 1   | 5177.94     | 39.66          | 13.90       | 53.56          | -              | -           | Vertical | NA      |
| 2   | 10924.58    | 35.74          | 4.95        | 40.69          | 54.00          | 13.31       | Vertical | PASS    |
| 3   | 12391.26    | 35.09          | 6.08        | 41.17          | 54.00          | 12.83       | Vertical | PASS    |
| 4   | 17886.15    | 32.92          | 13.52       | 46.44          | 54.00          | 7.56        | Vertical | PASS    |
| 5   | 5176.29     | 47.00          | 13.91       | 60.91          | -              | -           | Vertical | NA      |
| 6   | 10815.33    | 43.58          | 4.19        | 47.77          | 74.00          | 26.23       | Vertical | PASS    |
| 7   | 12413.88    | 42.57          | 5.97        | 48.54          | 74.00          | 25.46       | Vertical | PASS    |
| 8   | 17834.01    | 39.80          | 13.31       | 53.11          | 74.00          | 20.89       | Vertical | PASS    |

| Project Information |                    |           |           |
|---------------------|--------------------|-----------|-----------|
| Mode:               | 802.11be80 484t-65 | Band:     | U-UNII-2A |
| Bandwidth           | 80MHz              | Channel   | 58        |
| SN:                 | D1Y24EB28000030    | Engineer: | 申状        |
| Remark:             | Polarity: X        |           |           |

**Test Graph****Data List**


| NO. | Freq. [MHz] | Reading [dBμV] | Factor [dB] | Level [dBμV/m] | Limit [dBμV/m] | Margin [dB] | Polarity   | Verdict |
|-----|-------------|----------------|-------------|----------------|----------------|-------------|------------|---------|
| 1   | 11608.09    | 35.75          | 5.48        | 41.23          | 54.00          | 12.77       | Horizontal | PASS    |
| 2   | 12390.11    | 35.86          | 6.06        | 41.92          | 54.00          | 12.08       | Horizontal | PASS    |
| 3   | 17978.53    | 32.62          | 13.48       | 46.10          | 54.00          | 7.90        | Horizontal | PASS    |
| 4   | 11479.28    | 42.97          | 4.92        | 47.89          | 74.00          | 26.11       | Horizontal | PASS    |
| 5   | 12388.96    | 42.67          | 6.03        | 48.70          | 74.00          | 25.30       | Horizontal | PASS    |
| 6   | 17843.21    | 39.89          | 13.70       | 53.59          | 74.00          | 20.41       | Horizontal | PASS    |

| Project Information |                    |           |           |
|---------------------|--------------------|-----------|-----------|
| Mode:               | 802.11be80 484t-65 | Band:     | U-UNII-2A |
| Bandwidth           | 80MHz              | Channel   | 58        |
| SN:                 | D1Y24EB28000030    | Engineer: | 申状        |
| Remark:             | Polarity: X        |           |           |

**Test Graph****Data List**

| NO. | Freq. [MHz] | Reading [dBμV] | Factor [dB] | Level [dBμV/m] | Limit [dBμV/m] | Margin [dB] | Polarity | Verdict |
|-----|-------------|----------------|-------------|----------------|----------------|-------------|----------|---------|
| 1   | 5272.36     | 32.82          | 14.31       | 47.13          | -              | -           | Vertical | NA      |
| 2   | 11399.93    | 35.81          | 5.39        | 41.20          | 54.00          | 12.80       | Vertical | PASS    |
| 3   | 12393.95    | 35.21          | 6.14        | 41.35          | 54.00          | 12.65       | Vertical | PASS    |
| 4   | 17988.12    | 33.10          | 13.62       | 46.72          | 54.00          | 7.28        | Vertical | PASS    |
| 5   | 5273.28     | 39.59          | 14.31       | 53.90          | -              | -           | Vertical | NA      |
| 6   | 11485.80    | 42.86          | 4.88        | 47.74          | 74.00          | 26.26       | Vertical | PASS    |
| 7   | 12402.38    | 42.09          | 6.22        | 48.31          | 74.00          | 25.69       | Vertical | PASS    |
| 8   | 17834.39    | 40.39          | 13.33       | 53.72          | 74.00          | 20.28       | Vertical | PASS    |

| Project Information |                      |           |    |
|---------------------|----------------------|-----------|----|
| Mode:               | 802.11be160 996t-67  | Band:     | /  |
| Bandwidth           | 160MHz               | Channel   | 50 |
| SN:                 | D1Y24EB28000030      | Engineer: | 申状 |
| Remark:             | Polarity: X Power:13 |           |    |


**Test Graph**

| Data List |             |                |             |                |                |             |            |         |
|-----------|-------------|----------------|-------------|----------------|----------------|-------------|------------|---------|
| NO.       | Freq. [MHz] | Reading [dBμV] | Factor [dB] | Level [dBμV/m] | Limit [dBμV/m] | Margin [dB] | Polarity   | Verdict |
| 1         | 11445.16    | 35.84          | 5.10        | 40.94          | 54.00          | 13.06       | Horizontal | PASS    |
| 2         | 12425.00    | 35.48          | 5.75        | 41.23          | 54.00          | 12.77       | Horizontal | PASS    |
| 3         | 17973.17    | 33.56          | 13.40       | 46.96          | 54.00          | 7.04        | Horizontal | PASS    |
| 4         | 11614.60    | 42.83          | 5.27        | 48.10          | 74.00          | 25.90       | Horizontal | PASS    |
| 5         | 12553.42    | 43.06          | 5.18        | 48.24          | 74.00          | 25.76       | Horizontal | PASS    |
| 6         | 17994.63    | 38.99          | 13.71       | 52.70          | 74.00          | 21.30       | Horizontal | PASS    |

## Project Information

|           |                      |           |    |
|-----------|----------------------|-----------|----|
| Mode:     | 802.11be160 996t-67  | Band:     | /  |
| Bandwidth | 160MHz               | Channel   | 50 |
| SN:       | D1Y24EB28000030      | Engineer: | 申状 |
| Remark:   | Polarity: X Power:13 |           |    |

## Test Graph




## Data List

| NO. | Freq. [MHz] | Reading [dBμV] | Factor [dB] | Level [dBμV/m] | Limit [dBμV/m] | Margin [dB] | Polarity | Verdict |
|-----|-------------|----------------|-------------|----------------|----------------|-------------|----------|---------|
| 1   | 5119.82     | 41.09          | 13.68       | 54.77          | -              | -           | Vertical | NA      |
| 2   | 11590.45    | 35.31          | 5.58        | 40.89          | 54.00          | 13.11       | Vertical | PASS    |
| 3   | 12357.91    | 36.06          | 5.40        | 41.46          | 54.00          | 12.54       | Vertical | PASS    |
| 4   | 17855.48    | 32.54          | 13.92       | 46.46          | 54.00          | 7.54        | Vertical | PASS    |
| 5   | 5119.64     | 48.94          | 13.68       | 62.62          | -              | -           | Vertical | NA      |
| 6   | 11485.03    | 43.25          | 4.88        | 48.13          | 74.00          | 25.87       | Vertical | PASS    |
| 7   | 12401.23    | 41.81          | 6.24        | 48.05          | 74.00          | 25.95       | Vertical | PASS    |
| 8   | 17975.47    | 39.81          | 13.43       | 53.24          | 74.00          | 20.76       | Vertical | PASS    |

## Project Information

|           |                  |           |           |
|-----------|------------------|-----------|-----------|
| Mode:     | 802.11be20 26t-0 | Band:     | U-UNII-2C |
| Bandwidth | 20MHz            | Channel   | 100       |
| SN:       | D1Y24EB28000030  | Engineer: | 申状        |
| Remark:   | Polarity: X      |           |           |

## Test Graph




## Data List

| NO. | Freq. [MHz] | Reading [dBμV] | Factor [dB] | Level [dBμV/m] | Limit [dBμV/m] | Margin [dB] | Polarity   | Verdict |
|-----|-------------|----------------|-------------|----------------|----------------|-------------|------------|---------|
| 1   | 5492.18     | 32.82          | 14.63       | 47.45          | -              | -           | Horizontal | NA      |
| 2   | 11605.40    | 35.27          | 5.57        | 40.84          | 54.00          | 13.16       | Horizontal | PASS    |
| 3   | 12400.46    | 36.54          | 6.25        | 42.79          | 54.00          | 11.21       | Horizontal | PASS    |
| 4   | 17832.48    | 33.08          | 13.24       | 46.32          | 54.00          | 7.68        | Horizontal | PASS    |
| 5   | 5491.82     | 37.65          | 14.63       | 52.28          | -              | -           | Horizontal | NA      |
| 6   | 11605.02    | 42.76          | 5.59        | 48.35          | 74.00          | 25.65       | Horizontal | PASS    |
| 7   | 12415.03    | 42.46          | 5.95        | 48.41          | 74.00          | 25.59       | Horizontal | PASS    |
| 8   | 17994.63    | 39.40          | 13.71       | 53.11          | 74.00          | 20.89       | Horizontal | PASS    |

## Project Information

|           |                  |           |           |
|-----------|------------------|-----------|-----------|
| Mode:     | 802.11be20 26t-0 | Band:     | U-UNII-2C |
| Bandwidth | 20MHz            | Channel   | 100       |
| SN:       | D1Y24EB28000030  | Engineer: | 申状        |
| Remark:   | Polarity: X      |           |           |


## Test Graph



## Data List

| NO. | Freq. [MHz] | Reading [dBμV] | Factor [dB] | Level [dBμV/m] | Limit [dBμV/m] | Margin [dB] | Polarity | Verdict |
|-----|-------------|----------------|-------------|----------------|----------------|-------------|----------|---------|
| 1   | 5492.18     | 39.79          | 14.63       | 54.42          | -              | -           | Vertical | NA      |
| 2   | 10926.50    | 35.86          | 4.97        | 40.83          | 54.00          | 13.17       | Vertical | PASS    |
| 3   | 12388.58    | 35.60          | 6.03        | 41.63          | 54.00          | 12.37       | Vertical | PASS    |
| 4   | 17984.67    | 32.92          | 13.57       | 46.49          | 54.00          | 7.51        | Vertical | PASS    |
| 5   | 5492.00     | 46.57          | 14.63       | 61.20          | -              | -           | Vertical | NA      |
| 6   | 10790.79    | 43.17          | 4.36        | 47.53          | 74.00          | 26.47       | Vertical | PASS    |
| 7   | 12375.93    | 43.42          | 5.76        | 49.18          | 74.00          | 24.82       | Vertical | PASS    |
| 8   | 17891.90    | 40.12          | 13.44       | 53.56          | 74.00          | 20.44       | Vertical | PASS    |


| Project Information |                  |           |           |
|---------------------|------------------|-----------|-----------|
| Mode:               | 802.11be20 26t-0 | Band:     | U-UNII-2C |
| Bandwidth           | 20MHz            | Channel   | 120       |
| SN:                 | D1Y24EB28000030  | Engineer: | 申状        |
| Remark:             | Polarity: X      |           |           |

**Test Graph****Data List**

| NO. | Freq. [MHz] | Reading [dBμV] | Factor [dB] | Level [dBμV/m] | Limit [dBμV/m] | Margin [dB] | Polarity   | Verdict |
|-----|-------------|----------------|-------------|----------------|----------------|-------------|------------|---------|
| 1   | 11304.09    | 36.93          | 4.68        | 41.61          | 54.00          | 12.39       | Horizontal | PASS    |
| 2   | 12393.18    | 35.42          | 6.12        | 41.54          | 54.00          | 12.46       | Horizontal | PASS    |
| 3   | 17992.72    | 32.35          | 13.68       | 46.03          | 54.00          | 7.97        | Horizontal | PASS    |
| 4   | 11409.90    | 42.55          | 5.33        | 47.88          | 74.00          | 26.12       | Horizontal | PASS    |
| 5   | 12277.41    | 43.48          | 5.13        | 48.61          | 74.00          | 25.39       | Horizontal | PASS    |
| 6   | 17924.48    | 40.20          | 13.21       | 53.41          | 74.00          | 20.59       | Horizontal | PASS    |

| Project Information |                  |           |           |
|---------------------|------------------|-----------|-----------|
| Mode:               | 802.11be20 26t-0 | Band:     | U-UNII-2C |
| Bandwidth           | 20MHz            | Channel   | 120       |
| SN:                 | D1Y24EB28000030  | Engineer: | 申状        |
| Remark:             | Polarity: X      |           |           |


### Test Graph



### Data List


| NO. | Freq. [MHz] | Reading [dBμV] | Factor [dB] | Level [dBμV/m] | Limit [dBμV/m] | Margin [dB] | Polarity | Verdict |
|-----|-------------|----------------|-------------|----------------|----------------|-------------|----------|---------|
| 1   | 5592.10     | 36.40          | 14.71       | 51.11          | -              | -           | Vertical | NA      |
| 2   | 11578.95    | 35.50          | 5.39        | 40.89          | 54.00          | 13.11       | Vertical | PASS    |
| 3   | 12401.23    | 35.59          | 6.24        | 41.83          | 54.00          | 12.17       | Vertical | PASS    |
| 4   | 17977.77    | 32.66          | 13.47       | 46.13          | 54.00          | 7.87        | Vertical | PASS    |
| 5   | 5592.10     | 42.59          | 14.71       | 57.30          | -              | -           | Vertical | NA      |
| 6   | 11585.85    | 42.31          | 5.50        | 47.81          | 74.00          | 26.19       | Vertical | PASS    |
| 7   | 12377.85    | 43.97          | 5.81        | 49.78          | 74.00          | 24.22       | Vertical | PASS    |
| 8   | 17972.40    | 40.08          | 13.39       | 53.47          | 74.00          | 20.53       | Vertical | PASS    |

| Project Information |                  |           |           |
|---------------------|------------------|-----------|-----------|
| Mode:               | 802.11be20 26t-0 | Band:     | U-UNII-2C |
| Bandwidth           | 20MHz            | Channel   | 140       |
| SN:                 | D1Y24EB28000030  | Engineer: | 申状        |
| Remark:             | Polarity: X      |           |           |

**Test Graph****Data List**

| NO. | Freq. [MHz] | Reading [dBμV] | Factor [dB] | Level [dBμV/m] | Limit [dBμV/m] | Margin [dB] | Polarity   | Verdict |
|-----|-------------|----------------|-------------|----------------|----------------|-------------|------------|---------|
| 1   | 11479.67    | 35.58          | 4.92        | 40.50          | 54.00          | 13.50       | Horizontal | PASS    |
| 2   | 12390.11    | 35.19          | 6.06        | 41.25          | 54.00          | 12.75       | Horizontal | PASS    |
| 3   | 17993.10    | 32.71          | 13.69       | 46.40          | 54.00          | 7.60        | Horizontal | PASS    |
| 4   | 11458.20    | 42.99          | 5.03        | 48.02          | 74.00          | 25.98       | Horizontal | PASS    |
| 5   | 12401.23    | 41.61          | 6.24        | 47.85          | 74.00          | 26.15       | Horizontal | PASS    |
| 6   | 17980.45    | 39.63          | 13.51       | 53.14          | 74.00          | 20.86       | Horizontal | PASS    |

| Project Information |                  |           |           |
|---------------------|------------------|-----------|-----------|
| Mode:               | 802.11be20 26t-0 | Band:     | U-UNII-2C |
| Bandwidth           | 20MHz            | Channel   | 140       |
| SN:                 | D1Y24EB28000030  | Engineer: | 申状        |
| Remark:             | Polarity: X      |           |           |


**Test Graph****Data List**

| NO. | Freq. [MHz] | Reading [dBuV] | Factor [dB] | Level [dBμV/m] | Limit [dBμV/m] | Margin [dB] | Polarity | Verdict |
|-----|-------------|----------------|-------------|----------------|----------------|-------------|----------|---------|
| 1   | 5690.92     | 34.20          | 14.91       | 49.11          | -              | -           | Vertical | NA      |
| 2   | 11462.03    | 36.63          | 5.01        | 41.64          | 54.00          | 12.36       | Vertical | PASS    |
| 3   | 12028.23    | 35.77          | 5.34        | 41.11          | 54.00          | 12.89       | Vertical | PASS    |
| 4   | 17802.96    | 34.33          | 11.99       | 46.32          | 54.00          | 7.68        | Vertical | PASS    |
| 5   | 5691.11     | 40.67          | 14.91       | 55.58          | -              | -           | Vertical | NA      |
| 6   | 11587.77    | 42.20          | 5.54        | 47.74          | 74.00          | 26.26       | Vertical | PASS    |
| 7   | 12115.25    | 42.70          | 5.06        | 47.76          | 74.00          | 26.24       | Vertical | PASS    |
| 8   | 17859.70    | 39.09          | 13.86       | 52.95          | 74.00          | 21.05       | Vertical | PASS    |

## Project Information

|           |                    |           |           |
|-----------|--------------------|-----------|-----------|
| Mode:     | 802.11be40 242t-61 | Band:     | U-UNII-2C |
| Bandwidth | 40MHz              | Channel   | 102       |
| SN:       | D1Y24EB28000030    | Engineer: | 申状        |
| Remark:   | Polarity: X        |           |           |

## Test Graph



## Data List

| NO. | Freq. [MHz] | Reading [dBμV] | Factor [dB] | Level [dBμV/m] | Limit [dBμV/m] | Margin [dB] | Polarity   | Verdict |
|-----|-------------|----------------|-------------|----------------|----------------|-------------|------------|---------|
| 1   | 5501.17     | 32.81          | 14.68       | 47.49          | -              | -           | Horizontal | NA      |
| 2   | 11447.08    | 35.64          | 5.09        | 40.73          | 54.00          | 13.27       | Horizontal | PASS    |
| 3   | 13703.84    | 34.63          | 9.22        | 43.85          | -              | -           | Horizontal | NA      |
| 4   | 17843.98    | 33.03          | 13.74       | 46.77          | 54.00          | 7.23        | Horizontal | PASS    |
| 5   | 5499.70     | 39.51          | 14.68       | 54.19          | -              | -           | Horizontal | NA      |
| 6   | 11581.25    | 42.60          | 5.43        | 48.03          | 74.00          | 25.97       | Horizontal | PASS    |
| 7   | 13463.87    | 41.90          | 7.29        | 49.19          | 68.20          | 19.01       | Horizontal | PASS    |
| 8   | 17840.91    | 40.10          | 13.60       | 53.70          | 74.00          | 20.30       | Horizontal | PASS    |