



Project Information			
Mode:	802.11be40 242t-61	Band:	U-UNII-2C
Bandwidth	40MHz	Channel	102
SN:	D1Y24EB28000030	Engineer:	申状
Remark:	Polarity: X		

Test Graph**Data List**

NO.	Freq. [MHz]	Reading [dBμV]	Factor [dB]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Polarity	Verdict
1	5505.20	40.96	14.68	55.64	-	-	Vertical	NA
2	11347.79	35.97	5.01	40.98	54.00	13.02	Vertical	PASS
3	12387.81	34.94	6.01	40.95	54.00	13.05	Vertical	PASS
4	17870.05	32.58	13.73	46.31	54.00	7.69	Vertical	PASS
5	5508.68	47.94	14.67	62.61	-	-	Vertical	NA
6	11535.25	43.13	4.87	48.00	74.00	26.00	Vertical	PASS
7	12277.79	43.35	5.13	48.48	74.00	25.52	Vertical	PASS
8	17997.32	39.11	13.75	52.86	74.00	21.14	Vertical	PASS

Project Information			
Mode:	802.11be40 242t-61	Band:	U-UNII-3
Bandwidth	40MHz	Channel	118
SN:	D1Y24EB28000030	Engineer:	申状
Remark:	Polarity: X		


Test Graph**Data List**

NO.	Freq. [MHz]	Reading [dBμV]	Factor [dB]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Polarity	Verdict
1	10921.51	35.94	4.93	40.87	54.00	13.13	Horizontal	PASS
2	12055.84	35.82	5.41	41.23	54.00	12.77	Horizontal	PASS
3	17877.33	32.99	13.63	46.62	54.00	7.38	Horizontal	PASS
4	10921.13	43.02	4.93	47.95	74.00	26.05	Horizontal	PASS
5	12010.60	42.52	5.27	47.79	74.00	26.21	Horizontal	PASS
6	17371.70	41.04	12.16	53.20	68.20	15.00	Horizontal	PASS

Project Information

Mode:	802.11be40 242t-61	Band:	U-UNII-2C
Bandwidth	40MHz	Channel	118
SN:	D1Y24EB28000030	Engineer:	申状
Remark:	Polarity: X		


Test Graph



Data List

NO.	Freq. [MHz]	Reading [dBμV]	Factor [dB]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Polarity	Verdict
1	5588.80	38.17	14.71	52.88	-	-	Vertical	NA
2	11460.12	35.88	5.02	40.90	54.00	13.10	Vertical	PASS
3	12408.90	35.43	6.07	41.50	54.00	12.50	Vertical	PASS
4	17850.88	32.41	13.98	46.39	54.00	7.61	Vertical	PASS
5	5584.95	44.45	14.70	59.15	-	-	Vertical	NA
6	11465.48	42.69	4.98	47.67	74.00	26.33	Vertical	PASS
7	12408.51	42.24	6.08	48.32	74.00	25.68	Vertical	PASS
8	17385.11	41.01	12.13	53.14	68.20	15.06	Vertical	PASS


Project Information			
Mode:	802.11be40 242t-61	Band:	U-UNII-2C
Bandwidth	40MHz	Channel	134
SN:	D1Y24EB28000030	Engineer:	申状
Remark:	Polarity: X		

Test Graph**Data List**

NO.	Freq. [MHz]	Reading [dBμV]	Factor [dB]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Polarity	Verdict
1	10926.88	35.69	4.97	40.66	54.00	13.34	Horizontal	PASS
2	12356.00	36.01	5.35	41.36	54.00	12.64	Horizontal	PASS
3	17893.05	33.53	13.43	46.96	54.00	7.04	Horizontal	PASS
4	10919.60	43.58	4.92	48.50	74.00	25.50	Horizontal	PASS
5	12375.16	42.86	5.75	48.61	74.00	25.39	Horizontal	PASS
6	17837.84	40.05	13.48	53.53	74.00	20.47	Horizontal	PASS

Project Information			
Mode:	802.11be40 242t-61	Band:	U-UNII-2C
Bandwidth	40MHz	Channel	134
SN:	D1Y24EB28000030	Engineer:	申状
Remark:	Polarity: X		


Test Graph



Data List


NO.	Freq. [MHz]	Reading [dBμV]	Factor [dB]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Polarity	Verdict
1	5669.29	41.63	14.94	56.57	-	-	Vertical	NA
2	11196.37	36.81	4.56	41.37	54.00	12.63	Vertical	PASS
3	12402.38	35.47	6.22	41.69	54.00	12.31	Vertical	PASS
4	17860.46	32.58	13.85	46.43	54.00	7.57	Vertical	PASS
5	5669.47	48.16	14.94	63.10	-	-	Vertical	NA
6	11192.92	42.86	4.54	47.40	74.00	26.60	Vertical	PASS
7	12379.38	42.43	5.84	48.27	74.00	25.73	Vertical	PASS
8	17854.71	39.24	13.93	53.17	74.00	20.83	Vertical	PASS

Project Information			
Mode:	802.11be80 484t-65	Band:	U-UNII-2C
Bandwidth	80MHz	Channel	106
SN:	D1Y24EB28000030	Engineer:	申状
Remark:	Polarity: X		

Test Graph**Data List**


NO.	Freq. [MHz]	Reading [dBμV]	Factor [dB]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Polarity	Verdict
1	11481.97	36.20	4.91	41.11	54.00	12.89	Horizontal	PASS
2	12643.89	35.13	6.04	41.17	54.00	12.83	Horizontal	PASS
3	17845.13	32.71	13.78	46.49	54.00	7.51	Horizontal	PASS
4	11369.26	42.85	5.17	48.02	74.00	25.98	Horizontal	PASS
5	12663.44	41.94	6.11	48.05	74.00	25.95	Horizontal	PASS
6	17980.45	39.72	13.51	53.23	74.00	20.77	Horizontal	PASS

Project Information			
Mode:	802.11be80 484t-65	Band:	U-UNII-2C
Bandwidth	80MHz	Channel	106
SN:	D1Y24EB28000030	Engineer:	申状
Remark:	Polarity: X		

Test Graph**Data List**

NO.	Freq. [MHz]	Reading [dBuV]	Factor [dB]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Polarity	Verdict
1	5464.32	35.63	14.45	50.08	-	-	Vertical	NA
2	11439.03	36.86	5.14	42.00	54.00	12.00	Vertical	PASS
3	12403.15	35.47	6.19	41.66	54.00	12.34	Vertical	PASS
4	17854.33	32.34	13.94	46.28	54.00	7.72	Vertical	PASS
5	5496.03	43.51	14.66	58.17	-	-	Vertical	NA
6	11481.97	42.93	4.91	47.84	74.00	26.16	Vertical	PASS
7	12332.61	42.77	5.13	47.90	74.00	26.10	Vertical	PASS
8	17980.07	39.46	13.50	52.96	74.00	21.04	Vertical	PASS

Project Information			
Mode:	802.11be80 484t-65	Band:	U-UNII-2C
Bandwidth	80MHz	Channel	122
SN:	D1Y24EB28000030	Engineer:	申状
Remark:	Polarity: X		


Test Graph**Data List**

NO.	Freq. [MHz]	Reading [dBμV]	Factor [dB]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Polarity	Verdict
1	10954.87	36.00	5.12	41.12	54.00	12.88	Horizontal	PASS
2	12187.71	36.37	5.15	41.52	54.00	12.48	Horizontal	PASS
3	17982.75	32.74	13.54	46.28	54.00	7.72	Horizontal	PASS
4	10897.36	43.82	4.72	48.54	74.00	25.46	Horizontal	PASS
5	12061.97	42.60	5.37	47.97	74.00	26.03	Horizontal	PASS
6	17974.32	39.68	13.42	53.10	74.00	20.90	Horizontal	PASS

Project Information

Mode:	802.11be80 484t-65	Band:	U-UNII-2C
Bandwidth	80MHz	Channel	122
SN:	D1Y24EB28000030	Engineer:	申状
Remark:	Polarity: X		

Test Graph




Data List

NO.	Freq. [MHz]	Reading [dBμV]	Factor [dB]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Polarity	Verdict
1	5604.02	36.91	14.76	51.67	-	-	Vertical	NA
2	10965.60	35.76	5.11	40.87	54.00	13.13	Vertical	PASS
3	12358.68	35.86	5.41	41.27	54.00	12.73	Vertical	PASS
4	17986.97	32.89	13.60	46.49	54.00	7.51	Vertical	PASS
5	5604.75	43.82	14.76	58.58	-	-	Vertical	NA
6	10954.10	42.05	5.12	47.17	74.00	26.83	Vertical	PASS
7	12385.90	42.10	5.97	48.07	74.00	25.93	Vertical	PASS
8	17989.65	40.03	13.64	53.67	74.00	20.33	Vertical	PASS

Project Information

Mode:	802.11be160 996t-67	Band:	U-UNII-2C
Bandwidth	160MHz	Channel	114
SN:	D1Y24EB28000030	Engineer:	申状
Remark:	Polarity: X		

Test Graph




Data List

NO.	Freq. [MHz]	Reading [dBμV]	Factor [dB]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Polarity	Verdict
1	5459.00	32.21	14.41	46.62	-	-	Horizontal	NA
2	11348.18	35.72	5.01	40.73	54.00	13.27	Horizontal	PASS
3	12373.25	35.45	5.71	41.16	54.00	12.84	Horizontal	PASS
4	17829.03	33.21	13.10	46.31	54.00	7.69	Horizontal	PASS
5	5458.82	41.14	14.41	55.55	-	-	Horizontal	NA
6	11573.20	42.32	5.29	47.61	74.00	26.39	Horizontal	PASS
7	12391.26	41.88	6.08	47.96	74.00	26.04	Horizontal	PASS
8	17839.38	39.49	13.54	53.03	74.00	20.97	Horizontal	PASS

Project Information

Mode:	802.11be160 996t-67	Band:	U-UNII-2C
Bandwidth	160MHz	Channel	114
SN:	D1Y24EB28000030	Engineer:	申状
Remark:	Polarity: X		


Test Graph



Data List


NO.	Freq. [MHz]	Reading [dBμV]	Factor [dB]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Polarity	Verdict
1	5439.75	41.76	14.33	56.09	-	-	Vertical	NA
2	11366.20	35.77	5.14	40.91	54.00	13.09	Vertical	PASS
3	12369.41	36.24	5.63	41.87	54.00	12.13	Vertical	PASS
4	17855.86	32.29	13.91	46.20	54.00	7.80	Vertical	PASS
5	5439.56	49.55	14.33	63.88	-	-	Vertical	NA
6	11469.32	43.11	4.97	48.08	74.00	25.92	Vertical	PASS
7	12384.75	41.91	5.95	47.86	74.00	26.14	Vertical	PASS
8	17855.48	39.59	13.92	53.51	74.00	20.49	Vertical	PASS

Project Information			
Mode:	802.11be20 26t-0	Band:	U-UNII-3
Bandwidth	20MHz	Channel	149
SN:	D1Y24EB28000030	Engineer:	申状
Remark:	Polarity: X		

Test Graph**Data List**


NO.	Freq. [MHz]	Reading [dBμV]	Factor [dB]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Polarity	Verdict
1	10819.16	43.63	4.15	47.78	74.00	26.22	Horizontal	PASS
2	12652.32	42.40	6.17	48.57	74.00	25.43	Horizontal	PASS
3	17987.73	41.09	13.61	54.70	74.00	19.30	Horizontal	PASS
4	10751.31	35.74	4.33	40.07	54.00	13.93	Horizontal	PASS
5	12653.09	34.38	6.16	40.54	54.00	13.46	Horizontal	PASS
6	17977.77	31.87	13.47	45.34	54.00	8.66	Horizontal	PASS

Project Information			
Mode:	802.11be20 26t-0	Band:	U-UNII-3
Bandwidth	20MHz	Channel	149
SN:	D1Y24EB28000030	Engineer:	申状
Remark:	Polarity: X		

Test Graph**Data List**


NO.	Freq. [MHz]	Reading [dBμV]	Factor [dB]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Polarity	Verdict
1	4595.80	36.49	13.21	49.70	74.00	24.30	Vertical	PASS
2	5737.11	38.98	17.34	56.32	-	-	Vertical	NA
3	12420.40	42.80	5.84	48.64	74.00	25.36	Vertical	PASS
4	17373.61	40.95	12.16	53.11	68.20	15.09	Vertical	PASS
5	4596.08	27.34	13.21	40.55	54.00	13.45	Vertical	PASS
6	5737.11	31.08	17.34	48.42	-	-	Vertical	NA
7	12383.98	34.22	5.93	40.15	54.00	13.85	Vertical	PASS
8	17831.71	32.16	13.21	45.37	54.00	8.63	Vertical	PASS

Project Information			
Mode:	802.11be20 52t-37	Band:	U-UNII-3
Bandwidth	20MHz	Channel	149
SN:	D1Y24EB28000030	Engineer:	申状
Remark:	Polarity: X		

Test Graph**Data List**


NO.	Freq. [MHz]	Reading [dBμV]	Factor [dB]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Polarity	Verdict
1	11521.07	42.87	4.84	47.71	74.00	26.29	Horizontal	PASS
2	12643.12	42.74	6.02	48.76	74.00	25.24	Horizontal	PASS
3	17987.73	39.93	13.61	53.54	74.00	20.46	Horizontal	PASS
4	11463.18	34.97	5.00	39.97	54.00	14.03	Horizontal	PASS
5	12649.25	34.84	6.16	41.00	54.00	13.00	Horizontal	PASS
6	17996.55	31.85	13.74	45.59	54.00	8.41	Horizontal	PASS

Project Information			
Mode:	802.11be20 52t-37	Band:	U-UNII-3
Bandwidth	20MHz	Channel	149
SN:	D1Y24EB28000030	Engineer:	申状
Remark:	Polarity: X		

Test Graph**Data List**


NO.	Freq. [MHz]	Reading [dBμV]	Factor [dB]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Polarity	Verdict
1	5738.21	39.98	17.34	57.32	-	-	Vertical	NA
2	11419.48	42.37	5.26	47.63	74.00	26.37	Vertical	PASS
3	12645.04	42.10	6.07	48.17	74.00	25.83	Vertical	PASS
4	17862.76	39.07	13.83	52.90	74.00	21.10	Vertical	PASS
5	5739.04	31.33	17.34	48.67	-	-	Vertical	NA
6	11612.69	34.36	5.33	39.69	54.00	14.31	Vertical	PASS
7	12409.28	35.30	6.07	41.37	54.00	12.63	Vertical	PASS
8	17991.18	31.86	13.66	45.52	54.00	8.48	Vertical	PASS

Project Information			
Mode:	802.11be20 106t-53	Band:	U-UNII-3
Bandwidth	20MHz	Channel	149
SN:	D1Y24EB28000030	Engineer:	申状
Remark:	Polarity: X		

Test Graph**Data List**


NO.	Freq. [MHz]	Reading [dBμV]	Factor [dB]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Polarity	Verdict
1	5714.01	38.24	17.32	55.56	-	-	Horizontal	NA
2	11483.12	42.83	4.90	47.73	74.00	26.27	Horizontal	PASS
3	12262.08	42.91	5.27	48.18	74.00	25.82	Horizontal	PASS
4	17877.71	39.71	13.63	53.34	74.00	20.66	Horizontal	PASS
5	5742.34	26.25	17.35	43.60	-	-	Horizontal	NA
6	11376.55	35.10	5.22	40.32	54.00	13.68	Horizontal	PASS
7	12057.75	35.31	5.40	40.71	54.00	13.29	Horizontal	PASS
8	17855.48	31.99	13.92	45.91	54.00	8.09	Horizontal	PASS

Project Information			
Mode:	802.11be20 106t-53	Band:	U-UNII-3
Bandwidth	20MHz	Channel	149
SN:	D1Y24EB28000030	Engineer:	申状
Remark:	Polarity: X		

Test Graph**Data List**


NO.	Freq. [MHz]	Reading [dBμV]	Factor [dB]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Polarity	Verdict
1	4595.80	36.20	13.21	49.41	74.00	24.59	Vertical	PASS
2	5715.11	44.96	17.32	62.28	-	-	Vertical	NA
3	11472.77	42.80	4.95	47.75	74.00	26.25	Vertical	PASS
4	18000.00	39.47	13.79	53.26	74.00	20.74	Vertical	PASS
5	4596.08	27.60	13.21	40.81	54.00	13.19	Vertical	PASS
6	5742.34	34.45	17.35	51.80	-	-	Vertical	NA
7	11430.21	35.19	5.20	40.39	54.00	13.61	Vertical	PASS
8	17842.83	32.05	13.69	45.74	54.00	8.26	Vertical	PASS

Project Information			
Mode:	802.11be20 26t-0	Band:	U-UNII-3
Bandwidth	20MHz	Channel	157
SN:	D1Y24EB28000030	Engineer:	申状
Remark:	Polarity: X		

Test Graph**Data List**


NO.	Freq. [MHz]	Reading [dBμV]	Factor [dB]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Polarity	Verdict
1	11478.90	42.79	4.92	47.71	74.00	26.29	Horizontal	PASS
2	12693.34	42.67	5.96	48.63	74.00	25.37	Horizontal	PASS
3	17980.45	39.58	13.51	53.09	74.00	20.91	Horizontal	PASS
4	11608.85	34.72	5.46	40.18	54.00	13.82	Horizontal	PASS
5	12387.05	34.58	5.99	40.57	54.00	13.43	Horizontal	PASS
6	17872.73	32.10	13.70	45.80	54.00	8.20	Horizontal	PASS

Project Information			
Mode:	802.11be20 26t-0	Band:	U-UNII-3
Bandwidth	20MHz	Channel	157
SN:	D1Y24EB28000030	Engineer:	申状
Remark:	Polarity: X		

Test Graph**Data List**

NO.	Freq. [MHz]	Reading [dBμV]	Factor [dB]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Polarity	Verdict
1	4627.98	36.96	13.32	50.28	74.00	23.72	Vertical	PASS
2	5776.71	40.90	17.49	58.39	-	-	Vertical	NA
3	12411.20	42.51	6.03	48.54	74.00	25.46	Vertical	PASS
4	17979.30	40.36	13.49	53.85	74.00	20.15	Vertical	PASS
5	4628.26	29.50	13.32	42.82	54.00	11.18	Vertical	PASS
6	5777.26	33.66	17.49	51.15	-	-	Vertical	NA
7	12397.78	34.79	6.22	41.01	54.00	12.99	Vertical	PASS
8	17993.10	32.01	13.69	45.70	54.00	8.30	Vertical	PASS


Project Information			
Mode:	802.11be20 52t-37	Band:	U-UNII-3
Bandwidth	20MHz	Channel	157
SN:	D1Y24EB28000030	Engineer:	申状
Remark:	Polarity: X		

Test Graph**Data List**

NO.	Freq. [MHz]	Reading [dBμV]	Factor [dB]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Polarity	Verdict
1	11467.02	43.23	4.98	48.21	74.00	25.79	Horizontal	PASS
2	12604.40	43.69	5.15	48.84	74.00	25.16	Horizontal	PASS
3	17835.93	40.71	13.39	54.10	74.00	19.90	Horizontal	PASS
4	11371.56	34.81	5.19	40.00	54.00	14.00	Horizontal	PASS
5	12421.16	34.90	5.83	40.73	54.00	13.27	Horizontal	PASS
6	17994.63	31.93	13.71	45.64	54.00	8.36	Horizontal	PASS


Project Information			
Mode:	802.11be20 52t-37	Band:	U-UNII-3
Bandwidth	20MHz	Channel	157
SN:	D1Y24EB28000030	Engineer:	申状
Remark:	Polarity: X		

Test Graph



Data List								
NO.	Freq. [MHz]	Reading [dBμV]	Factor [dB]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Polarity	Verdict
1	4627.98	35.38	13.32	48.70	74.00	25.30	Vertical	PASS
2	5778.09	40.46	17.49	57.95	-	-	Vertical	NA
3	12381.30	42.87	5.87	48.74	74.00	25.26	Vertical	PASS
4	17862.00	39.07	13.83	52.90	74.00	21.10	Vertical	PASS
5	4628.26	28.21	13.32	41.53	54.00	12.47	Vertical	PASS
6	5778.36	33.02	17.49	50.51	-	-	Vertical	NA
7	12404.30	34.58	6.17	40.75	54.00	13.25	Vertical	PASS
8	17862.00	32.56	13.83	46.39	54.00	7.61	Vertical	PASS

Project Information			
Mode:	802.11be20 106t-53	Band:	U-UNII-3
Bandwidth	20MHz	Channel	157
SN:	D1Y24EB28000030	Engineer:	申状
Remark:	Polarity: X		


Test Graph**Data List**

NO.	Freq. [MHz]	Reading [dBμV]	Factor [dB]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Polarity	Verdict
1	11554.42	42.98	4.97	47.95	74.00	26.05	Horizontal	PASS
2	12394.71	41.52	6.15	47.67	74.00	26.33	Horizontal	PASS
3	17913.36	40.61	13.26	53.87	74.00	20.13	Horizontal	PASS
4	11557.10	35.06	5.01	40.07	54.00	13.93	Horizontal	PASS
5	12416.18	34.27	5.93	40.20	54.00	13.80	Horizontal	PASS
6	17856.63	32.14	13.90	46.04	54.00	7.96	Horizontal	PASS

Project Information

Mode:	802.11be20 106t-53	Band:	U-UNII-3
Bandwidth	20MHz	Channel	157
SN:	D1Y24EB28000030	Engineer:	申状
Remark:	Polarity: X		


Test Graph



Data List


NO.	Freq. [MHz]	Reading [dBμV]	Factor [dB]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Polarity	Verdict
1	4627.98	35.88	13.32	49.20	74.00	24.80	Vertical	PASS
2	5783.04	42.06	17.51	59.57	-	-	Vertical	NA
3	12196.91	42.93	5.23	48.16	74.00	25.84	Vertical	PASS
4	17843.59	40.07	13.72	53.79	74.00	20.21	Vertical	PASS
5	4627.98	28.94	13.32	42.26	54.00	11.74	Vertical	PASS
6	5783.04	34.16	17.51	51.67	-	-	Vertical	NA
7	11536.78	35.34	4.87	40.21	54.00	13.79	Vertical	PASS
8	17982.37	31.93	13.54	45.47	54.00	8.53	Vertical	PASS

Project Information			
Mode:	802.11be20 26t-0	Band:	U-UNII-3
Bandwidth	20MHz	Channel	165
SN:	D1Y24EB28000030	Engineer:	申状
Remark:	Polarity: X		

Test Graph**Data List**


NO.	Freq. [MHz]	Reading [dBuV]	Factor [dB]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Polarity	Verdict
1	5815.77	41.59	17.64	59.23	-	-	Horizontal	NA
2	11538.32	42.43	4.87	47.30	74.00	26.70	Horizontal	PASS
3	12788.41	42.24	5.92	48.16	68.20	20.04	Horizontal	PASS
4	17995.40	39.22	13.72	52.94	74.00	21.06	Horizontal	PASS
5	5816.59	33.22	17.64	50.86	-	-	Horizontal	NA
6	11500.37	35.50	4.81	40.31	54.00	13.69	Horizontal	PASS
7	12660.37	34.57	6.13	40.70	54.00	13.30	Horizontal	PASS
8	17851.26	31.60	13.97	45.57	54.00	8.43	Horizontal	PASS

Project Information			
Mode:	802.11be20 26t-0	Band:	U-UNII-3
Bandwidth	20MHz	Channel	165
SN:	D1Y24EB28000030	Engineer:	申状
Remark:	Polarity: X		

Test Graph**Data List**

NO.	Freq. [MHz]	Reading [dBμV]	Factor [dB]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Polarity	Verdict
1	4659.88	37.32	13.26	50.58	74.00	23.42	Vertical	PASS
2	5815.77	49.27	17.64	66.91	-	-	Vertical	NA
3	12373.25	42.45	5.71	48.16	74.00	25.84	Vertical	PASS
4	17991.57	40.00	13.67	53.67	74.00	20.33	Vertical	PASS
5	4660.16	28.31	13.25	41.56	54.00	12.44	Vertical	PASS
6	5817.14	41.44	17.64	59.08	-	-	Vertical	NA
7	12393.95	33.97	6.14	40.11	54.00	13.89	Vertical	PASS
8	17989.27	32.22	13.64	45.86	54.00	8.14	Vertical	PASS

Project Information			
Mode:	802.11be20 52t-37	Band:	U-UNII-3
Bandwidth	20MHz	Channel	165
SN:	D1Y24EB28000030	Engineer:	申状
Remark:	Polarity: X		


Test Graph**Data List**

NO.	Freq. [MHz]	Reading [dBμV]	Factor [dB]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Polarity	Verdict
1	5818.24	39.26	17.65	56.91	-	-	Horizontal	NA
2	10652.02	42.95	3.99	46.94	74.00	27.06	Horizontal	PASS
3	12220.67	42.93	5.31	48.24	74.00	25.76	Horizontal	PASS
4	17862.38	39.89	13.82	53.71	74.00	20.29	Horizontal	PASS
5	5817.69	30.59	17.65	48.24	-	-	Horizontal	NA
6	10729.84	36.13	4.02	40.15	54.00	13.85	Horizontal	PASS
7	12364.81	34.74	5.54	40.28	54.00	13.72	Horizontal	PASS
8	17865.45	31.77	13.79	45.56	54.00	8.44	Horizontal	PASS

Project Information

Mode:	802.11be20 52t-37	Band:	U-UNII-3
Bandwidth	20MHz	Channel	165
SN:	D1Y24EB28000030	Engineer:	申状
Remark:	Polarity: X		


Test Graph



Data List


NO.	Freq. [MHz]	Reading [dBμV]	Factor [dB]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Polarity	Verdict
1	4659.88	37.60	13.26	50.86	74.00	23.14	Vertical	PASS
2	12336.06	43.55	5.15	48.70	74.00	25.30	Vertical	PASS
3	17992.72	39.62	13.68	53.30	74.00	20.70	Vertical	PASS
4	4660.16	28.97	13.25	42.22	54.00	11.78	Vertical	PASS
5	12399.70	33.79	6.25	40.04	54.00	13.96	Vertical	PASS
6	17874.26	31.74	13.68	45.42	54.00	8.58	Vertical	PASS

Project Information			
Mode:	802.11be20 106t-53	Band:	U-UNII-3
Bandwidth	20MHz	Channel	165
SN:	D1Y24EB28000030	Engineer:	申状
Remark:	Polarity: X		

Test Graph**Data List**

NO.	Freq. [MHz]	Reading [dBμV]	Factor [dB]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Polarity	Verdict
1	5816.32	37.93	17.64	55.57	-	-	Horizontal	NA
2	11449.38	42.41	5.07	47.48	74.00	26.52	Horizontal	PASS
3	12652.32	41.91	6.17	48.08	74.00	25.92	Horizontal	PASS
4	17857.40	39.71	13.89	53.60	74.00	20.40	Horizontal	PASS
5	5822.09	28.56	17.65	46.21	-	-	Horizontal	NA
6	11384.60	34.77	5.28	40.05	54.00	13.95	Horizontal	PASS
7	12640.05	34.85	5.96	40.81	54.00	13.19	Horizontal	PASS
8	17977.00	32.51	13.46	45.97	54.00	8.03	Horizontal	PASS
9	17977.00	32.51	13.46	45.97	54.00	8.03	Horizontal	PASS


Project Information			
Mode:	802.11be20 106t-53	Band:	U-UNII-3
Bandwidth	20MHz	Channel	165
SN:	D1Y24EB28000030	Engineer:	申状
Remark:	Polarity: X		

Test Graph**Data List**

NO.	Freq. [MHz]	Reading [dBμV]	Factor [dB]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Polarity	Verdict
1	4660.16	36.30	13.25	49.55	74.00	24.45	Vertical	PASS
2	5822.92	48.53	17.66	66.19	-	-	Vertical	NA
3	12263.99	42.37	5.25	47.62	74.00	26.38	Vertical	PASS
4	17992.33	39.37	13.68	53.05	74.00	20.95	Vertical	PASS
5	4660.16	30.70	13.25	43.95	54.00	10.05	Vertical	PASS
6	5821.82	39.42	17.65	57.07	-	-	Vertical	NA
7	12207.26	35.15	5.28	40.43	54.00	13.57	Vertical	PASS
8	17978.53	32.57	13.48	46.05	54.00	7.95	Vertical	PASS


Project Information			
Mode:	802.11be40 242t-61	Band:	U-UNII-3
Bandwidth	40MHz	Channel	151
SN:	D1Y24EB28000030	Engineer:	申状
Remark:	Polarity: X		

Test Graph



Data List								
NO.	Freq. [MHz]	Reading [dBμV]	Factor [dB]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Polarity	Verdict
1	5706.86	37.53	17.32	54.85	-	-	Horizontal	NA
2	11361.21	42.38	5.11	47.49	74.00	26.51	Horizontal	PASS
3	12406.98	41.70	6.12	47.82	74.00	26.18	Horizontal	PASS
4	17859.31	39.30	13.87	53.17	74.00	20.83	Horizontal	PASS
5	5701.64	26.18	17.31	43.49	-	-	Horizontal	NA
6	11486.18	35.13	4.88	40.01	54.00	13.99	Horizontal	PASS
7	12363.66	34.86	5.51	40.37	54.00	13.63	Horizontal	PASS
8	17977.38	32.14	13.46	45.60	54.00	8.40	Horizontal	PASS


Project Information			
Mode:	802.11be40 242t-61	Band:	U-UNII-3
Bandwidth	40MHz	Channel	151
SN:	D1Y24EB28000030	Engineer:	申状
Remark:	Polarity: X		

Test Graph**Data List**

NO.	Freq. [MHz]	Reading [dBuV]	Factor [dB]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Polarity	Verdict
1	5710.44	45.39	17.32	62.71	-	-	Vertical	NA
2	10923.05	42.75	4.94	47.69	74.00	26.31	Vertical	PASS
3	12413.11	41.93	5.99	47.92	74.00	26.08	Vertical	PASS
4	17976.62	39.80	13.46	53.26	74.00	20.74	Vertical	PASS
5	5712.09	33.77	17.32	51.09	-	-	Vertical	NA
6	10919.98	35.44	4.92	40.36	54.00	13.64	Vertical	PASS
7	12400.85	34.25	6.24	40.49	54.00	13.51	Vertical	PASS
8	17995.02	32.08	13.72	45.80	54.00	8.20	Vertical	PASS

Project Information			
Mode:	802.11be40 242t-61	Band:	U-UNII-3
Bandwidth	40MHz	Channel	159
SN:	D1Y24EB28000030	Engineer:	申状
Remark:	Polarity: X		

Test Graph




Data List

NO.	Freq. [MHz]	Reading [dBμV]	Factor [dB]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Polarity	Verdict
1	1003.58	38.75	-0.57	38.18	74.00	35.82	Horizontal	PASS
2	5794.04	34.98	17.57	52.55	-	-	Horizontal	NA
3	10889.70	44.15	4.58	48.73	74.00	25.27	Horizontal	PASS
4	12372.86	42.58	5.71	48.29	74.00	25.71	Horizontal	PASS
5	17990.03	39.88	13.65	53.53	74.00	20.47	Horizontal	PASS
6	5794.04	27.37	17.57	44.94	-	-	Horizontal	NA
7	10960.62	34.64	5.11	39.75	54.00	14.25	Horizontal	PASS
8	12391.26	33.82	6.08	39.90	54.00	14.10	Horizontal	PASS
9	17993.10	32.52	13.69	46.21	54.00	7.79	Horizontal	PASS

Project Information			
Mode:	802.11be40 242t-61	Band:	U-UNII-3
Bandwidth	40MHz	Channel	159
SN:	D1Y24EB28000030	Engineer:	申状
Remark:	Polarity: X		


Test Graph



Data List


NO.	Freq. [MHz]	Reading [dBμV]	Factor [dB]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Polarity	Verdict
1	4635.68	34.32	13.33	47.65	74.00	26.35	Vertical	PASS
2	5793.49	45.36	17.56	62.92	-	-	Vertical	NA
3	11399.93	42.67	5.39	48.06	74.00	25.94	Vertical	PASS
4	17986.97	40.13	13.60	53.73	74.00	20.27	Vertical	PASS
5	4636.23	28.34	13.33	41.67	54.00	12.33	Vertical	PASS
6	5794.59	35.75	17.57	53.32	-	-	Vertical	NA
7	11446.70	34.84	5.09	39.93	54.00	14.07	Vertical	PASS
8	17976.62	31.91	13.46	45.37	54.00	8.63	Vertical	PASS

Project Information			
Mode:	802.11be80 484t-65	Band:	U-UNII-3
Bandwidth	80MHz	Channel	155
SN:	D1Y24EB28000030	Engineer:	申状
Remark:	Polarity: X		

Test Graph**Data List**

NO.	Freq. [MHz]	Reading [dBμV]	Factor [dB]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Polarity	Verdict
1	10729.46	43.59	4.01	47.60	74.00	26.40	Horizontal	PASS
2	12364.81	42.29	5.54	47.83	74.00	26.17	Horizontal	PASS
3	17976.62	40.18	13.46	53.64	74.00	20.36	Horizontal	PASS
4	10933.01	34.29	5.01	39.30	54.00	14.70	Horizontal	PASS
5	12375.16	34.19	5.75	39.94	54.00	14.06	Horizontal	PASS
6	17996.93	32.13	13.75	45.88	54.00	8.12	Horizontal	PASS

Project Information			
Mode:	802.11be80 484t-65	Band:	U-UNII-3
Bandwidth	80MHz	Channel	155
SN:	D1Y24EB28000030	Engineer:	申状
Remark:	Polarity: X		

Test Graph**Data List**


NO.	Freq. [MHz]	Reading [dBμV]	Factor [dB]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Polarity	Verdict
1	5709.06	43.82	17.32	61.14	-	-	Vertical	NA
2	11601.19	41.93	5.71	47.64	74.00	26.36	Vertical	PASS
3	12374.01	42.11	5.73	47.84	74.00	26.16	Vertical	PASS
4	17995.78	39.36	13.73	53.09	74.00	20.91	Vertical	PASS
5	5792.39	32.31	17.56	49.87	-	-	Vertical	NA
6	11548.28	35.17	4.89	40.06	54.00	13.94	Vertical	PASS
7	12410.81	34.20	6.04	40.24	54.00	13.76	Vertical	PASS
8	17858.16	31.50	13.89	45.39	54.00	8.61	Vertical	PASS

Radiated Band Edge

Test Result

Project Information			
Mode:	802.11a	Band:	U-UNII-1
Bandwidth	20MHz	Channel	36
SN:	D1Y24EB28000030	Engineer:	申状
Remark:	Power:18.5		

Test Graph




Data List

NO.	Freq. [MHz]	Reading [dBμV]	Factor [dB]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Polarity	Verdict
1	5141.88	27.21	13.82	41.03	54.00	12.97	Horizontal	PASS
2	5146.95	26.96	13.90	40.86	54.00	13.14	Horizontal	PASS
3	5149.81	27.08	13.95	41.03	54.00	12.97	Horizontal	PASS
4	5141.71	37.31	13.82	51.13	74.00	22.87	Horizontal	PASS
5	5146.92	36.94	13.90	50.84	74.00	23.16	Horizontal	PASS
6	5149.78	37.82	13.95	51.77	74.00	22.23	Horizontal	PASS

Project Information

Mode:	802.11a	Band:	U-UNII-1
Bandwidth	20MHz	Channel	36
SN:	D1Y24EB28000030	Engineer:	申状
Remark:	Power:18.5		

Test Graph




Data List

NO.	Freq. [MHz]	Reading [dBμV]	Factor [dB]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Polarity	Verdict
1	5141.42	28.99	13.82	42.81	54.00	11.19	Vertical	PASS
2	5146.72	31.35	13.90	45.25	54.00	8.75	Vertical	PASS
3	5149.58	32.67	13.94	46.61	54.00	7.39	Vertical	PASS
4	5141.10	40.71	13.80	54.51	74.00	19.49	Vertical	PASS
5	5146.40	44.09	13.90	57.99	74.00	16.01	Vertical	PASS
6	5149.65	44.04	13.95	57.99	74.00	16.01	Vertical	PASS

Project Information

Mode:	802.11a	Band:	U-UNII-2A
Bandwidth	20MHz	Channel	64
SN:	D1Y24EB28000030	Engineer:	申状
Remark:	Power:16.5		


Test Graph



Data List

NO.	Freq. [MHz]	Reading [dBμV]	Factor [dB]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Polarity	Verdict
1	5350.58	28.84	14.05	42.89	54.00	11.11	Horizontal	PASS
2	5356.82	28.35	14.10	42.45	54.00	11.55	Horizontal	PASS
3	5362.19	28.25	14.14	42.39	54.00	11.61	Horizontal	PASS
4	5350.26	39.29	14.04	53.33	74.00	20.67	Horizontal	PASS
5	5355.85	38.63	14.09	52.72	74.00	21.28	Horizontal	PASS
6	5361.80	38.83	14.14	52.97	74.00	21.03	Horizontal	PASS

Project Information			
Mode:	802.11a	Band:	U-UNII-2A
Bandwidth	20MHz	Channel	64
SN:	D1Y24EB28000030	Engineer:	申状
Remark:	Power:16.5		


Test Graph**Data List**

NO.	Freq. [MHz]	Reading [dBμV]	Factor [dB]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Polarity	Verdict
1	5350.68	34.13	14.05	48.18	54.00	5.82	Vertical	PASS
2	5353.83	32.14	14.07	46.21	54.00	7.79	Vertical	PASS
3	5359.52	29.65	14.12	43.77	54.00	10.23	Vertical	PASS
4	5350.39	46.77	14.04	60.81	74.00	13.19	Vertical	PASS
5	5354.09	43.65	14.07	57.72	74.00	16.28	Vertical	PASS
6	5360.08	40.96	14.12	55.08	74.00	18.92	Vertical	PASS

Project Information

Mode:	802.11a	Band:	U-UNII-2C
Bandwidth	20MHz	Channel	100
SN:	D1Y24EB28000030	Engineer:	申状
Remark:	Power:19		


Test Graph



Data List


NO.	Freq. [MHz]	Reading [dBμV]	Factor [dB]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Polarity	Verdict
1	5460.78	39.10	14.24	53.34	68.20	14.86	Horizontal	PASS
2	5466.99	39.28	14.28	53.56	68.20	14.64	Horizontal	PASS
3	5469.30	38.43	14.30	52.73	68.20	15.47	Horizontal	PASS
4	5452.94	26.94	14.20	41.14	54.00	12.86	Horizontal	PASS
5	5456.87	26.88	14.22	41.10	54.00	12.90	Horizontal	PASS
6	5459.42	26.58	14.24	40.82	54.00	13.18	Horizontal	PASS

Project Information			
Mode:	802.11a	Band:	U-UNII-2C
Bandwidth	20MHz	Channel	100
SN:	D1Y24EB28000030	Engineer:	申状
Remark:	Power:19		

Test Graph**Data List**


NO.	Freq. [MHz]	Reading [dBμV]	Factor [dB]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Polarity	Verdict
1	5463.45	43.12	14.26	57.38	68.20	10.82	Vertical	PASS
2	5465.97	46.58	14.28	60.86	68.20	7.34	Vertical	PASS
3	5469.69	46.62	14.30	60.92	68.20	7.28	Vertical	PASS
4	5455.61	28.70	14.21	42.91	54.00	11.09	Vertical	PASS
5	5458.10	28.92	14.23	43.15	54.00	10.85	Vertical	PASS
6	5459.51	29.36	14.24	43.60	54.00	10.40	Vertical	PASS

Project Information			
Mode:	802.11a	Band:	U-UNII-2C
Bandwidth	20MHz	Channel	140
SN:	D1Y24EB28000030	Engineer:	申状
Remark:	Power:19		

Test Graph**Data List**


NO.	Freq. [MHz]	Reading [dBμV]	Factor [dB]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Polarity	Verdict
1	5858.72	39.04	15.55	54.59	68.20	13.61	Horizontal	PASS
2	5872.22	38.44	15.64	54.08	68.20	14.12	Horizontal	PASS
3	5914.71	38.48	15.81	54.29	68.20	13.91	Horizontal	PASS

Project Information			
Mode:	802.11a	Band:	U-UNII-2C
Bandwidth	20MHz	Channel	140
SN:	D1Y24EB28000030	Engineer:	申状
Remark:	Power:19		


Test Graph

Data List								
NO.	Freq. [MHz]	Reading [dBuV]	Factor [dB]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Polarity	Verdict
1	5868.96	39.09	15.62	54.71	68.20	13.49	Vertical	PASS
2	5910.21	38.69	15.81	54.50	68.20	13.70	Vertical	PASS
3	5923.08	38.92	15.82	54.74	68.20	13.46	Vertical	PASS


Project Information			
Mode:	802.11a	Band:	U-UNII-3
Bandwidth	20MHz	Channel	149
SN:	D1Y24EB28000030	Engineer:	申状
Remark:	Power:19.5		

Test Graph


Project Information			
Mode:	802.11a	Band:	U-UNII-3
Bandwidth	20MHz	Channel	149
SN:	D1Y24EB28000030	Engineer:	申状
Remark:	Power:19.5		

Test Graph

Project Information			
Mode:	802.11a	Band:	U-UNII-3
Bandwidth	20MHz	Channel	165
SN:	D1Y24EB28000030	Engineer:	申状
Remark:	Power:19.5		

Test Graph


Project Information			
Mode:	802.11a	Band:	U-UNII-3
Bandwidth	20MHz	Channel	165
SN:	D1Y24EB28000030	Engineer:	申状
Remark:	Power:19.5		

Test Graph

Project Information

Mode:	802.11be	Band:	U-UNII-1
Bandwidth	20MHz	Channel	36
SN:	D1Y24EB28000030	Engineer:	申状
Remark:	Power:18		

Test Graph




Data List

NO.	Freq. [MHz]	Reading [dBμV]	Factor [dB]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Polarity	Verdict
1	5140.77	27.60	13.80	41.40	54.00	12.60	Horizontal	PASS
2	5146.85	28.13	13.90	42.03	54.00	11.97	Horizontal	PASS
3	5149.58	28.33	13.94	42.27	54.00	11.73	Horizontal	PASS
4	5139.18	38.19	13.78	51.97	74.00	22.03	Horizontal	PASS
5	5142.59	38.70	13.83	52.53	74.00	21.47	Horizontal	PASS
6	5149.68	38.72	13.95	52.67	74.00	21.33	Horizontal	PASS

Project Information			
Mode:	802.11be	Band:	U-UNII-1
Bandwidth	20MHz	Channel	36
SN:	D1Y24EB28000030	Engineer:	申状
Remark:	Power:18		

Test Graph




Data List

NO.	Freq. [MHz]	Reading [dBμV]	Factor [dB]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Polarity	Verdict
1	5143.79	32.74	13.86	46.60	54.00	7.40	Vertical	PASS
2	5146.46	34.40	13.90	48.30	54.00	5.70	Vertical	PASS
3	5149.94	35.93	13.95	49.88	54.00	4.12	Vertical	PASS
4	5144.54	45.61	13.86	59.47	74.00	14.53	Vertical	PASS
5	5147.34	47.08	13.91	60.99	74.00	13.01	Vertical	PASS
6	5149.58	47.70	13.94	61.64	74.00	12.36	Vertical	PASS

Project Information

Mode:	802.11be	Band:	U-UNII-2A
Bandwidth	20MHz	Channel	64
SN:	D1Y24EB28000030	Engineer:	申状
Remark:	Power:17		


Test Graph



Data List

NO.	Freq. [MHz]	Reading [dBμV]	Factor [dB]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Polarity	Verdict
1	5350.61	29.77	14.05	43.82	54.00	10.18	Horizontal	PASS
2	5353.54	28.57	14.07	42.64	54.00	11.36	Horizontal	PASS
3	5362.81	28.45	14.14	42.59	54.00	11.41	Horizontal	PASS
4	5350.29	40.44	14.04	54.48	74.00	19.52	Horizontal	PASS
5	5353.08	39.86	14.06	53.92	74.00	20.08	Horizontal	PASS
6	5367.72	39.21	14.18	53.39	74.00	20.61	Horizontal	PASS

Project Information			
Mode:	802.11be	Band:	U-UNII-2A
Bandwidth	20MHz	Channel	64
SN:	D1Y24EB28000030	Engineer:	申状
Remark:	Power:17		


Test Graph**Data List**

NO.	Freq. [MHz]	Reading [dBμV]	Factor [dB]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Polarity	Verdict
1	5350.52	36.10	14.05	50.15	54.00	3.85	Vertical	PASS
2	5353.21	35.13	14.06	49.19	54.00	4.81	Vertical	PASS
3	5355.69	34.46	14.09	48.55	54.00	5.45	Vertical	PASS
4	5351.33	49.42	14.05	63.47	74.00	10.53	Vertical	PASS
5	5356.04	47.90	14.09	61.99	74.00	12.01	Vertical	PASS
6	5357.05	48.56	14.10	62.66	74.00	11.34	Vertical	PASS

Project Information

Mode:	802.11be	Band:	U-UNII-1
Bandwidth	40MHz	Channel	38
SN:	D1Y24EB28000030	Engineer:	申状
Remark:	Power:17.5		

Test Graph




Data List

NO.	Freq. [MHz]	Reading [dBμV]	Factor [dB]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Polarity	Verdict
1	5140.35	27.60	13.79	41.39	54.00	12.61	Horizontal	PASS
2	5144.43	27.45	13.86	41.31	54.00	12.69	Horizontal	PASS
3	5149.15	27.32	13.94	41.26	54.00	12.74	Horizontal	PASS
4	5135.76	38.18	13.72	51.90	74.00	22.10	Horizontal	PASS
5	5143.79	37.90	13.86	51.76	74.00	22.24	Horizontal	PASS
6	5148.30	38.92	13.92	52.84	74.00	21.16	Horizontal	PASS

Project Information

Mode:	802.11be	Band:	U-UNII-1
Bandwidth	40MHz	Channel	38
SN:	D1Y24EB28000030	Engineer:	申状
Remark:	Power:17.5		


Test Graph



Data List

NO.	Freq. [MHz]	Reading [dBμV]	Factor [dB]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Polarity	Verdict
1	5144.90	33.93	13.87	47.80	54.00	6.20	Vertical	PASS
2	5147.54	34.45	13.91	48.36	54.00	5.64	Vertical	PASS
3	5149.79	33.84	13.95	47.79	54.00	6.21	Vertical	PASS
4	5144.26	46.90	13.86	60.76	74.00	13.24	Vertical	PASS
5	5146.77	48.72	13.90	62.62	74.00	11.38	Vertical	PASS
6	5149.87	55.31	13.95	69.26	74.00	4.74	Vertical	PASS


Project Information			
Mode:	802.11be	Band:	U-UNII-2A
Bandwidth	40MHz	Channel	62
SN:	D1Y24EB28000030	Engineer:	申状
Remark:	Power:15		

Test Graph**Data List**

NO.	Freq. [MHz]	Reading [dBμV]	Factor [dB]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Polarity	Verdict
1	5350.25	28.19	14.04	42.23	54.00	11.77	Horizontal	PASS
2	5358.20	28.71	14.10	42.81	54.00	11.19	Horizontal	PASS
3	5362.84	28.07	14.14	42.21	54.00	11.79	Horizontal	PASS
4	5351.91	38.42	14.06	52.48	74.00	21.52	Horizontal	PASS
5	5355.53	38.83	14.09	52.92	74.00	21.08	Horizontal	PASS
6	5364.24	38.90	14.16	53.06	74.00	20.94	Horizontal	PASS

Project Information			
Mode:	802.11be	Band:	U-UNII-2A
Bandwidth	40MHz	Channel	62
SN:	D1Y24EB28000030	Engineer:	申状
Remark:	Power:15		


Test Graph



Data List

NO.	Freq. [MHz]	Reading [dBμV]	Factor [dB]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Polarity	Verdict
1	5351.06	36.02	14.05	50.07	54.00	3.93	Vertical	PASS
2	5355.87	33.97	14.09	48.06	54.00	5.94	Vertical	PASS
3	5360.59	32.61	14.13	46.74	54.00	7.26	Vertical	PASS
4	5350.34	46.26	14.04	60.30	74.00	13.70	Vertical	PASS
5	5355.78	46.12	14.09	60.21	74.00	13.79	Vertical	PASS
6	5358.20	44.65	14.10	58.75	74.00	15.25	Vertical	PASS

Project Information			
Mode:	802.11be	Band:	U-UNII-1
Bandwidth	80MHz	Channel	42
SN:	D1Y24EB28000030	Engineer:	申状
Remark:	Power:15.5		


Test Graph**Data List**

NO.	Freq. [MHz]	Reading [dBμV]	Factor [dB]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Polarity	Verdict
1	5140.76	27.34	13.80	41.14	54.00	12.86	Horizontal	PASS
2	5145.76	27.33	13.88	41.21	54.00	12.79	Horizontal	PASS
3	5148.76	26.98	13.94	40.92	54.00	13.08	Horizontal	PASS
4	5135.76	38.05	13.72	51.77	74.00	22.23	Horizontal	PASS
5	5146.14	38.47	13.88	52.35	74.00	21.65	Horizontal	PASS
6	5149.57	37.99	13.94	51.93	74.00	22.07	Horizontal	PASS

Project Information

Mode:	802.11be	Band:	U-UNII-1
Bandwidth	80MHz	Channel	42
SN:	D1Y24EB28000030	Engineer:	申状
Remark:	Power:15.5		


Test Graph



Data List

NO.	Freq. [MHz]	Reading [dBμV]	Factor [dB]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Polarity	Verdict
1	5143.45	36.10	13.84	49.94	54.00	4.06	Vertical	PASS
2	5147.14	36.45	13.91	50.36	54.00	3.64	Vertical	PASS
3	5149.01	36.48	13.94	50.42	54.00	3.58	Vertical	PASS
4	5140.20	46.57	13.79	60.36	74.00	13.64	Vertical	PASS
5	5144.82	48.09	13.87	61.96	74.00	12.04	Vertical	PASS
6	5149.45	53.17	13.94	67.11	74.00	6.89	Vertical	PASS

Project Information			
Mode:	802.11be	Band:	U-UNII-2A
Bandwidth	80MHz	Channel	58
SN:	D1Y24EB28000030	Engineer:	申状
Remark:	Power:13		


Test Graph

Data List								
NO.	Freq. [MHz]	Reading [dBμV]	Factor [dB]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Polarity	Verdict
1	5351.24	27.83	14.05	41.88	54.00	12.12	Horizontal	PASS
2	5358.80	28.55	14.11	42.66	54.00	11.34	Horizontal	PASS
3	5364.93	28.31	14.16	42.47	54.00	11.53	Horizontal	PASS
4	5350.68	38.31	14.05	52.36	74.00	21.64	Horizontal	PASS
5	5357.30	38.99	14.10	53.09	74.00	20.91	Horizontal	PASS
6	5364.24	38.91	14.16	53.07	74.00	20.93	Horizontal	PASS

Project Information

Mode:	802.11be	Band:	U-UNII-2A
Bandwidth	80MHz	Channel	58
SN:	D1Y24EB28000030	Engineer:	申状
Remark:	Power:13		

Test Graph




Data List

NO.	Freq. [MHz]	Reading [dBμV]	Factor [dB]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Polarity	Verdict
1	5350.74	35.40	14.05	49.45	54.00	4.55	Vertical	PASS
2	5361.62	35.19	14.14	49.33	54.00	4.67	Vertical	PASS
3	5368.00	35.29	14.18	49.47	54.00	4.53	Vertical	PASS
4	5350.68	44.57	14.05	58.62	74.00	15.38	Vertical	PASS
5	5356.05	45.49	14.09	59.58	74.00	14.42	Vertical	PASS
6	5367.68	46.00	14.18	60.18	74.00	13.82	Vertical	PASS

Project Information

Mode:	802.11be	Band:	/
Bandwidth	160MHz	Channel	50
SN:	D1Y24EB28000030	Engineer:	申状
Remark:	Power:13		

Test Graph




Data List

NO.	Freq. [MHz]	Reading [dBμV]	Factor [dB]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Polarity	Verdict
1	5130.63	27.20	13.64	40.84	54.00	13.16	Horizontal	PASS
2	5140.01	27.46	13.79	41.25	54.00	12.75	Horizontal	PASS
3	5148.14	27.32	13.92	41.24	54.00	12.76	Horizontal	PASS
4	5352.86	28.47	14.06	42.53	54.00	11.47	Horizontal	PASS
5	5363.87	28.75	14.15	42.90	54.00	11.10	Horizontal	PASS
6	5370.37	28.53	14.21	42.74	54.00	11.26	Horizontal	PASS
7	5126.75	38.28	13.58	51.86	74.00	22.14	Horizontal	PASS
8	5137.63	38.36	13.75	52.11	74.00	21.89	Horizontal	PASS
9	5147.01	38.05	13.90	51.95	74.00	22.05	Horizontal	PASS
10	5354.49	38.84	14.08	52.92	74.00	21.08	Horizontal	PASS
11	5360.37	39.22	14.13	53.35	74.00	20.65	Horizontal	PASS
12	5365.25	39.17	14.17	53.34	74.00	20.66	Horizontal	PASS

Project Information

Mode:	802.11be	Band:	/
Bandwidth	160MHz	Channel	50
SN:	D1Y24EB28000030	Engineer:	申状
Remark:	Power:13		

Test Graph




Data List

NO.	Freq. [MHz]	Reading [dBμV]	Factor [dB]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Polarity	Verdict
1	5130.38	30.49	13.63	44.12	54.00	9.88	Vertical	PASS
2	5134.50	29.71	13.70	43.41	54.00	10.59	Vertical	PASS
3	5146.01	29.03	13.88	42.91	54.00	11.09	Vertical	PASS
4	5363.87	34.17	14.15	48.32	54.00	5.68	Vertical	PASS
5	5367.87	34.96	14.18	49.14	54.00	4.86	Vertical	PASS
6	5372.87	36.36	14.22	50.58	54.00	3.42	Vertical	PASS
7	5135.88	43.56	13.72	57.28	74.00	16.72	Vertical	PASS
8	5143.76	44.10	13.86	57.96	74.00	16.04	Vertical	PASS
9	5148.51	45.35	13.92	59.27	74.00	14.73	Vertical	PASS
10	5350.99	46.10	14.05	60.15	74.00	13.85	Vertical	PASS
11	5366.12	45.29	14.17	59.46	74.00	14.54	Vertical	PASS
12	5372.37	46.21	14.23	60.44	74.00	13.56	Vertical	PASS

Project Information

Mode:	802.11be	Band:	U-UNII-2C
Bandwidth	20MHz	Channel	100
SN:	D1Y24EB28000030	Engineer:	申状
Remark:	Power:18		


Test Graph



Data List


NO.	Freq. [MHz]	Reading [dBμV]	Factor [dB]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Polarity	Verdict
1	5458.10	39.23	14.23	53.46	74.00	20.54	Horizontal	PASS
2	5464.02	39.28	14.26	53.54	68.20	14.66	Horizontal	PASS
3	5468.97	39.40	14.29	53.69	68.20	14.51	Horizontal	PASS
4	5453.12	26.87	14.20	41.07	54.00	12.93	Horizontal	PASS
5	5457.08	26.80	14.22	41.02	54.00	12.98	Horizontal	PASS
6	5459.72	26.73	14.24	40.97	54.00	13.03	Horizontal	PASS

Project Information			
Mode:	802.11be	Band:	U-UNII-2C
Bandwidth	20MHz	Channel	100
SN:	D1Y24EB28000030	Engineer:	申状
Remark:	Power:18		

Test Graph**Data List**


NO.	Freq. [MHz]	Reading [dBuV]	Factor [dB]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Polarity	Verdict
1	5465.91	45.63	14.28	59.91	68.20	8.29	Vertical	PASS
2	5468.31	46.04	14.29	60.33	68.20	7.87	Vertical	PASS
3	5469.87	46.53	14.30	60.83	68.20	7.37	Vertical	PASS
4	5454.29	29.06	14.21	43.27	54.00	10.73	Vertical	PASS
5	5456.96	29.23	14.22	43.45	54.00	10.55	Vertical	PASS
6	5458.97	29.59	14.23	43.82	54.00	10.18	Vertical	PASS

Project Information			
Mode:	802.11be	Band:	U-UNII-2C
Bandwidth	20MHz	Channel	140
SN:	D1Y24EB28000030	Engineer:	申状
Remark:	Power:18.5		

Test Graph**Data List**

NO.	Freq. [MHz]	Reading [dBμV]	Factor [dB]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Polarity	Verdict
1	5861.52	39.12	15.57	54.69	68.20	13.51	Horizontal	PASS
2	5890.21	38.74	15.75	54.49	68.20	13.71	Horizontal	PASS
3	5922.00	38.80	15.81	54.61	68.20	13.59	Horizontal	PASS

Project Information			
Mode:	802.11be	Band:	U-UNII-2C
Bandwidth	20MHz	Channel	140
SN:	D1Y24EB28000030	Engineer:	申状
Remark:	Power:18.5		


Test Graph

Data List								
NO.	Freq. [MHz]	Reading [dBμV]	Factor [dB]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Polarity	Verdict
1	5863.38	39.20	15.58	54.78	68.20	13.42	Vertical	PASS
2	5890.21	38.82	15.75	54.57	68.20	13.63	Vertical	PASS
3	5951.93	38.77	15.80	54.57	68.20	13.63	Vertical	PASS

Project Information

Mode:	802.11be	Band:	U-UNII-2C
Bandwidth	40MHz	Channel	102
SN:	D1Y24EB28000030	Engineer:	申状
Remark:	Power:17		

Test Graph




Data List

NO.	Freq. [MHz]	Reading [dBμV]	Factor [dB]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Polarity	Verdict
1	5462.73	38.44	14.26	52.70	68.20	15.50	Horizontal	PASS
2	5466.21	38.79	14.28	53.07	68.20	15.13	Horizontal	PASS
3	5469.13	38.36	14.29	52.65	68.20	15.55	Horizontal	PASS
4	5450.52	27.16	14.18	41.34	54.00	12.66	Horizontal	PASS
5	5457.68	27.20	14.23	41.43	54.00	12.57	Horizontal	PASS
6	5459.76	26.75	14.24	40.99	54.00	13.01	Horizontal	PASS

Project Information			
Mode:	802.11be	Band:	U-UNII-2C
Bandwidth	40MHz	Channel	102
SN:	D1Y24EB28000030	Engineer:	申状
Remark:	Power:17		


Test Graph



Data List


NO.	Freq. [MHz]	Reading [dBuV]	Factor [dB]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Polarity	Verdict
1	5465.13	46.38	14.27	60.65	68.20	7.55	Vertical	PASS
2	5468.17	45.86	14.29	60.15	68.20	8.05	Vertical	PASS
3	5469.77	46.23	14.30	60.53	68.20	7.67	Vertical	PASS
4	5451.76	30.67	14.19	44.86	54.00	9.14	Vertical	PASS
5	5453.24	30.48	14.20	44.68	54.00	9.32	Vertical	PASS
6	5457.52	29.80	14.23	44.03	54.00	9.97	Vertical	PASS

Project Information			
Mode:	802.11be	Band:	U-UNII-2C
Bandwidth	40MHz	Channel	134
SN:	D1Y24EB28000030	Engineer:	申状
Remark:	Power:17.5		

Test Graph**Data List**

NO.	Freq. [MHz]	Reading [dBμV]	Factor [dB]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Polarity	Verdict
1	5856.25	38.62	15.54	54.16	68.20	14.04	Horizontal	PASS
2	5889.17	38.97	15.74	54.71	68.20	13.49	Horizontal	PASS
3	5912.63	38.91	15.82	54.73	68.20	13.47	Horizontal	PASS

Project Information			
Mode:	802.11be	Band:	U-UNII-2C
Bandwidth	40MHz	Channel	134
SN:	D1Y24EB28000030	Engineer:	申状
Remark:	Power:17.5		


Test Graph**Data List**

NO.	Freq. [MHz]	Reading [dBuV]	Factor [dB]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Polarity	Verdict
1	5858.00	39.08	15.55	54.63	68.20	13.57	Vertical	PASS
2	5887.42	38.87	15.73	54.60	68.20	13.60	Vertical	PASS
3	5912.63	38.11	15.82	53.93	68.20	14.27	Vertical	PASS

Project Information

Mode:	802.11be	Band:	U-UNII-2C
Bandwidth	80MHz	Channel	106
SN:	D1Y24EB28000030	Engineer:	申状
Remark:	Power:15		

Test Graph




Data List

NO.	Freq. [MHz]	Reading [dBμV]	Factor [dB]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Polarity	Verdict
1	5459.96	38.46	14.24	52.70	74.00	21.30	Horizontal	PASS
2	5462.73	38.33	14.26	52.59	68.20	15.61	Horizontal	PASS
3	5468.43	38.15	14.29	52.44	68.20	15.76	Horizontal	PASS
4	5450.42	26.46	14.18	40.64	54.00	13.36	Horizontal	PASS
5	5457.08	26.47	14.22	40.69	54.00	13.31	Horizontal	PASS
6	5459.54	26.19	14.24	40.43	54.00	13.57	Horizontal	PASS

Project Information

Mode:	802.11be	Band:	U-UNII-2C
Bandwidth	80MHz	Channel	106
SN:	D1Y24EB28000030	Engineer:	申状
Remark:	Power:15		


Test Graph



Data List


NO.	Freq. [MHz]	Reading [dBμV]	Factor [dB]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Polarity	Verdict
1	5465.97	44.11	14.28	58.39	68.20	9.81	Vertical	PASS
2	5468.25	45.63	14.29	59.92	68.20	8.28	Vertical	PASS
3	5469.39	46.91	14.30	61.21	68.20	6.99	Vertical	PASS
4	5452.16	28.49	14.19	42.68	54.00	11.32	Vertical	PASS
5	5457.38	28.69	14.22	42.91	54.00	11.09	Vertical	PASS
6	5459.36	29.31	14.24	43.55	54.00	10.45	Vertical	PASS

Project Information			
Mode:	802.11be	Band:	U-UNII-2C
Bandwidth	80MHz	Channel	122
SN:	D1Y24EB28000030	Engineer:	申状
Remark:	Power:17.5		

Test Graph

Data List								
NO.	Freq. [MHz]	Reading [dBμV]	Factor [dB]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Polarity	Verdict
1	5853.94	38.10	15.52	53.62	68.20	14.58	Horizontal	PASS
2	5875.24	38.16	15.66	53.82	68.20	14.38	Horizontal	PASS
3	5917.83	38.08	15.82	53.90	68.20	14.30	Horizontal	PASS

Project Information			
Mode:	802.11be	Band:	U-UNII-2C
Bandwidth	80MHz	Channel	122
SN:	D1Y24EB28000030	Engineer:	申状
Remark:	Power:17.5		

Test Graph

Data List								
NO.	Freq. [MHz]	Reading [dBμV]	Factor [dB]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Polarity	Verdict
1	5851.79	39.33	15.51	54.84	68.20	13.36	Vertical	PASS
2	5890.30	38.41	15.75	54.16	68.20	14.04	Vertical	PASS
3	5938.05	37.99	15.82	53.81	68.20	14.39	Vertical	PASS