


Project Information			
Mode:	802.11be	Band:	U-UNII-2C
Bandwidth	160MHz	Channel	155
SN:	D1Y24EB28000030	Engineer:	申状
Remark:	Power:15		


Test Graph**Data List**

NO.	Freq. [MHz]	Reading [dBμV]	Factor [dB]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Polarity	Verdict
1	5462.01	38.56	14.25	52.81	68.20	15.39	Horizontal	PASS
2	5465.11	38.31	14.27	52.58	68.20	15.62	Horizontal	PASS
3	5468.51	38.17	14.29	52.46	68.20	15.74	Horizontal	PASS
4	5452.50	27.56	14.20	41.76	54.00	12.24	Horizontal	PASS
5	5456.80	27.15	14.22	41.37	54.00	12.63	Horizontal	PASS
6	5458.50	27.56	14.23	41.79	54.00	12.21	Horizontal	PASS

Project Information

Mode:	802.11be	Band:	U-UNII-2C
Bandwidth	160MHz	Channel	155
SN:	D1Y24EB28000030	Engineer:	申状
Remark:	Power:15		


Test Graph



Data List


NO.	Freq. [MHz]	Reading [dBμV]	Factor [dB]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Polarity	Verdict
1	5462.61	45.81	14.26	60.07	68.20	8.13	Vertical	PASS
2	5466.41	45.26	14.28	59.54	68.20	8.66	Vertical	PASS
3	5468.91	46.82	14.29	61.11	68.20	7.09	Vertical	PASS
4	5451.10	34.00	14.19	48.19	54.00	5.81	Vertical	PASS
5	5455.20	33.91	14.21	48.12	54.00	5.88	Vertical	PASS
6	5457.30	34.00	14.22	48.22	54.00	5.78	Vertical	PASS

Project Information			
Mode:	802.11be	Band:	U-UNII-2C
Bandwidth	160MHz	Channel	155
SN:	D1Y24EB28000030	Engineer:	申状
Remark:	Power:16.5		

Test Graph


Data List								
NO.	Freq. [MHz]	Reading [dBμV]	Factor [dB]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Polarity	Verdict
1	5856.11	39.14	15.54	54.68	68.20	13.52	Horizontal	PASS
2	5876.77	38.97	15.67	54.64	68.20	13.56	Horizontal	PASS
3	5935.71	38.52	15.82	54.34	68.20	13.86	Horizontal	PASS

Project Information			
Mode:	802.11be	Band:	U-UNII-2C
Bandwidth	160MHz	Channel	155
SN:	D1Y24EB28000030	Engineer:	申状
Remark:	Power:16.5		


Test Graph**Data List**

NO.	Freq. [MHz]	Reading [dBμV]	Factor [dB]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Polarity	Verdict
1	5854.58	39.81	15.53	55.34	68.20	12.86	Vertical	PASS
2	5902.03	38.61	15.81	54.42	68.20	13.78	Vertical	PASS
3	5933.92	38.06	15.82	53.88	68.20	14.32	Vertical	PASS

Project Information			
Mode:	802.11be	Band:	U-UNII-3
Bandwidth	20MHz	Channel	149
SN:	D1Y24EB28000030	Engineer:	申状
Remark:	Power:19		


Test Graph

Project Information			
Mode:	802.11be	Band:	U-UNII-3
Bandwidth	20MHz	Channel	149
SN:	D1Y24EB28000030	Engineer:	申状
Remark:	Power:19		


Test Graph

Project Information			
Mode:	802.11be	Band:	U-UNII-3
Bandwidth	20MHz	Channel	165
SN:	D1Y24EB28000030	Engineer:	申状
Remark:	Power:19		


Test Graph




Project Information			
Mode:	802.11be	Band:	U-UNII-3
Bandwidth	20MHz	Channel	165
SN:	D1Y24EB28000030	Engineer:	申状
Remark:	Power:19		

Test Graph


Project Information			
Mode:	802.11be	Band:	U-UNII-3
Bandwidth	40MHz	Channel	151
SN:	D1Y24EB28000030	Engineer:	申状
Remark:	Power:18.5		

Test Graph


Project Information			
Mode:	802.11be	Band:	U-UNII-3
Bandwidth	40MHz	Channel	151
SN:	D1Y24EB28000030	Engineer:	申状
Remark:	Power:18.5		

Test Graph


Project Information			
Mode:	802.11be	Band:	U-UNII-3
Bandwidth	80MHz	Channel	155
SN:	D1Y24EB28000030	Engineer:	申状
Remark:	Power:18.5		

Test Graph


Project Information			
Mode:	802.11be	Band:	U-UNII-3
Bandwidth	80MHz	Channel	155
SN:	D1Y24EB28000030	Engineer:	申状
Remark:	Power:18.5		

Test Graph


Project Information			
Mode:	802.11be20 26t-0	Band:	U-UNII-3
Bandwidth	20MHz	Channel	149
SN:	D1Y24EB28000030	Engineer:	申状
Remark:	Power:17		

Test Graph


Project Information			
Mode:	802.11be20 26t-0	Band:	U-UNII-3
Bandwidth	20MHz	Channel	149
SN:	D1Y24EB28000030	Engineer:	申状
Remark:	Power:17		

Test Graph


Project Information			
Mode:	802.11be20 52t-37	Band:	U-UNII-3
Bandwidth	20MHz	Channel	149
SN:	D1Y24EB28000030	Engineer:	申状
Remark:	Power:17		

Test Graph


Project Information			
Mode:	802.11be20 52t-37	Band:	U-UNII-3
Bandwidth	20MHz	Channel	149
SN:	D1Y24EB28000030	Engineer:	申状
Remark:	Power:17		

Test Graph


Project Information			
Mode:	802.11be20 106t-53	Band:	U-UNII-3
Bandwidth	20MHz	Channel	149
SN:	D1Y24EB28000030	Engineer:	申状
Remark:	Power:17		

Test Graph


Project Information			
Mode:	802.11be20 106t-53	Band:	U-UNII-3
Bandwidth	20MHz	Channel	149
SN:	D1Y24EB28000030	Engineer:	申状
Remark:	Power:17		

Test Graph


Project Information			
Mode:	802.11be20 26t-8	Band:	U-UNII-3
Bandwidth	20MHz	Channel	165
SN:	D1Y24EB28000030	Engineer:	申状
Remark:	Power:17		

Test Graph


Project Information			
Mode:	802.11be20 26t-8	Band:	U-UNII-3
Bandwidth	20MHz	Channel	165
SN:	D1Y24EB28000030	Engineer:	申状
Remark:	Power:17		

Test Graph


Project Information			
Mode:	802.11be20 52t-40	Band:	U-UNII-3
Bandwidth	20MHz	Channel	165
SN:	D1Y24EB28000030	Engineer:	申状
Remark:	Power:17		

Test Graph


Project Information			
Mode:	802.11be20 52t-40	Band:	U-UNII-3
Bandwidth	20MHz	Channel	165
SN:	D1Y24EB28000030	Engineer:	申状
Remark:	Power:17		

Test Graph


Project Information			
Mode:	802.11be20 106t-54	Band:	U-UNII-3
Bandwidth	20MHz	Channel	165
SN:	D1Y24EB28000030	Engineer:	申状
Remark:	Power:17		

Test Graph


Project Information			
Mode:	802.11be20 106t-54	Band:	U-UNII-3
Bandwidth	20MHz	Channel	165
SN:	D1Y24EB28000030	Engineer:	申状
Remark:	Power:17		

Test Graph


Project Information			
Mode:	802.11be40 242t-61	Band:	U-UNII-3
Bandwidth	40MHz	Channel	151
SN:	D1Y24EB28000030	Engineer:	申状
Remark:	Power:16.5		

Test Graph


Project Information			
Mode:	802.11be40 242t-61	Band:	U-UNII-3
Bandwidth	40MHz	Channel	151
SN:	D1Y24EB28000030	Engineer:	申状
Remark:	Power:16.5		

Test Graph


Project Information			
Mode:	802.11be40 242t-62	Band:	U-UNII-3
Bandwidth	40MHz	Channel	159
SN:	D1Y24EB28000030	Engineer:	申状
Remark:	Power:16.5		

Test Graph

Project Information			
Mode:	802.11be40 242t-62	Band:	U-UNII-3
Bandwidth	40MHz	Channel	159
SN:	D1Y24EB28000030	Engineer:	申状
Remark:	Power:16.5		

Test Graph


Project Information			
Mode:	802.11be80 484t-65	Band:	U-UNII-3
Bandwidth	80MHz	Channel	155
SN:	D1Y24EB28000030	Engineer:	申状
Remark:	Power:16		

Test Graph

Project Information			
Mode:	802.11be80 484t-65	Band:	U-UNII-3
Bandwidth	80MHz	Channel	155
SN:	D1Y24EB28000030	Engineer:	申状
Remark:	Power:16		

Test Graph


Project Information			
Mode:	802.11be80 484t-66	Band:	U-UNII-3
Bandwidth	80MHz	Channel	155
SN:	D1Y24EB28000030	Engineer:	申状
Remark:	Power:16		

Test Graph

Project Information			
Mode:	802.11be80 484t-66	Band:	U-UNII-3
Bandwidth	80MHz	Channel	155
SN:	D1Y24EB28000030	Engineer:	申状
Remark:	Power:16		

Test Graph

Project Information			
Mode:	802.11be20 26t-0	Band:	U-UNII-1
Bandwidth	20MHz	Channel	36
SN:	D1Y24EB28000030	Engineer:	申状
Remark:	Polarity: X		


Test Graph**Data List**

NO.	Freq. [MHz]	Reading [dBμV]	Factor [dB]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Polarity	Verdict
1	5141.26	32.15	12.42	44.57	54.00	9.43	Horizontal	PASS
2	5144.54	32.42	12.44	44.86	54.00	9.14	Horizontal	PASS
3	5148.74	32.15	12.47	44.62	54.00	9.38	Horizontal	PASS
4	5141.42	43.22	12.42	55.64	74.00	18.36	Horizontal	PASS
5	5143.96	43.32	12.44	55.76	74.00	18.24	Horizontal	PASS
6	5148.70	43.90	12.47	56.37	74.00	17.63	Horizontal	PASS

Project Information

Mode:	802.11be20 26t-0	Band:	U-UNII-1
Bandwidth	20MHz	Channel	36
SN:	D1Y24EB28000030	Engineer:	申状
Remark:	Polarity: X		

Test Graph




Data List

NO.	Freq. [MHz]	Reading [dBμV]	Factor [dB]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Polarity	Verdict
1	5140.25	32.20	12.41	44.61	54.00	9.39	Vertical	PASS
2	5144.93	32.28	12.44	44.72	54.00	9.28	Vertical	PASS
3	5149.03	32.12	12.48	44.60	54.00	9.40	Vertical	PASS
4	5139.92	43.32	12.41	55.73	74.00	18.27	Vertical	PASS
5	5144.61	43.21	12.44	55.65	74.00	18.35	Vertical	PASS
6	5149.06	43.04	12.48	55.52	74.00	18.48	Vertical	PASS

Project Information

Mode:	802.11be20 52t-37	Band:	U-UNII-1
Bandwidth	20MHz	Channel	36
SN:	D1Y24EB28000030	Engineer:	申状
Remark:	Polarity: X		


Test Graph



Data List


NO.	Freq. [MHz]	Reading [dBμV]	Factor [dB]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Polarity	Verdict
1	5138.75	32.28	12.41	44.69	54.00	9.31	Horizontal	PASS
2	5144.90	32.32	12.44	44.76	54.00	9.24	Horizontal	PASS
3	5148.57	32.40	12.47	44.87	54.00	9.13	Horizontal	PASS
4	5138.66	43.73	12.40	56.13	74.00	17.87	Horizontal	PASS
5	5144.96	44.61	12.44	57.05	74.00	16.95	Horizontal	PASS
6	5148.93	42.88	12.48	55.36	74.00	18.64	Horizontal	PASS

Project Information			
Mode:	802.11be20 52t-37	Band:	U-UNII-1
Bandwidth	20MHz	Channel	36
SN:	D1Y24EB28000030	Engineer:	申状
Remark:	Polarity: X		

Test Graph**Data List**


NO.	Freq. [MHz]	Reading [dBμV]	Factor [dB]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Polarity	Verdict
1	5139.86	32.53	12.41	44.94	54.00	9.06	Vertical	PASS
2	5144.02	32.48	12.44	44.92	54.00	9.08	Vertical	PASS
3	5149.61	32.54	12.48	45.02	54.00	8.98	Vertical	PASS
4	5140.09	43.99	12.41	56.40	74.00	17.60	Vertical	PASS
5	5144.70	43.21	12.44	55.65	74.00	18.35	Vertical	PASS
6	5149.42	43.47	12.48	55.95	74.00	18.05	Vertical	PASS

Project Information			
Mode:	802.11be20 106t-53	Band:	U-UNII-1
Bandwidth	20MHz	Channel	36
SN:	D1Y24EB28000030	Engineer:	申状
Remark:	Polarity: X		

Test Graph**Data List**

NO.	Freq. [MHz]	Reading [dBμV]	Factor [dB]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Polarity	Verdict
1	5141.45	32.30	12.42	44.72	54.00	9.28	Horizontal	PASS
2	5145.19	32.38	12.45	44.83	54.00	9.17	Horizontal	PASS
3	5149.26	32.53	12.48	45.01	54.00	8.99	Horizontal	PASS
4	5141.55	43.67	12.42	56.09	74.00	17.91	Horizontal	PASS
5	5144.90	43.35	12.44	55.79	74.00	18.21	Horizontal	PASS
6	5149.39	42.81	12.48	55.29	74.00	18.71	Horizontal	PASS

Project Information			
Mode:	802.11be20 106t-53	Band:	U-UNII-1
Bandwidth	20MHz	Channel	36
SN:	D1Y24EB28000030	Engineer:	申状
Remark:	Polarity: X		


Test Graph

Data List								
NO.	Freq. [MHz]	Reading [dBμV]	Factor [dB]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Polarity	Verdict
1	5141.42	32.45	12.42	44.87	54.00	9.13	Vertical	PASS
2	5145.06	32.34	12.45	44.79	54.00	9.21	Vertical	PASS
3	5149.03	32.34	12.48	44.82	54.00	9.18	Vertical	PASS
4	5141.13	43.21	12.41	55.62	74.00	18.38	Vertical	PASS
5	5145.10	44.05	12.45	56.50	74.00	17.50	Vertical	PASS
6	5149.03	43.33	12.48	55.81	74.00	18.19	Vertical	PASS

Project Information

Mode:	802.11be20 26t-8	Band:	U-UNII-2A
Bandwidth	20MHz	Channel	64
SN:	D1Y24EB28000030	Engineer:	申状
Remark:	Polarity: X		


Test Graph



Data List


NO.	Freq. [MHz]	Reading [dBμV]	Factor [dB]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Polarity	Verdict
1	5350.68	33.11	12.69	45.80	54.00	8.20	Horizontal	PASS
2	5355.88	33.23	12.72	45.95	54.00	8.05	Horizontal	PASS
3	5360.99	33.21	12.75	45.96	54.00	8.04	Horizontal	PASS
4	5350.29	44.70	12.68	57.38	74.00	16.62	Horizontal	PASS
5	5355.56	43.77	12.71	56.48	74.00	17.52	Horizontal	PASS
6	5360.95	44.44	12.75	57.19	74.00	16.81	Horizontal	PASS

Project Information			
Mode:	802.11be20 26t-8	Band:	U-UNII-2A
Bandwidth	20MHz	Channel	64
SN:	D1Y24EB28000030	Engineer:	申状
Remark:	Polarity: X		

Test Graph**Data List**


NO.	Freq. [MHz]	Reading [dBμV]	Factor [dB]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Polarity	Verdict
1	5351.88	33.37	12.69	46.06	54.00	7.94	Vertical	PASS
2	5356.40	33.42	12.72	46.14	54.00	7.86	Vertical	PASS
3	5359.52	33.29	12.73	46.02	54.00	7.98	Vertical	PASS
4	5351.39	43.96	12.69	56.65	74.00	17.35	Vertical	PASS
5	5356.76	44.00	12.72	56.72	74.00	17.28	Vertical	PASS
6	5359.36	44.35	12.73	57.08	74.00	16.92	Vertical	PASS

Project Information			
Mode:	802.11be20 52t-40	Band:	U-UNII-2A
Bandwidth	20MHz	Channel	64
SN:	D1Y24EB28000030	Engineer:	申状
Remark:	Polarity: X		

Test Graph**Data List**

NO.	Freq. [MHz]	Reading [dBμV]	Factor [dB]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Polarity	Verdict
1	5350.55	33.39	12.68	46.07	54.00	7.93	Horizontal	PASS
2	5354.16	33.31	12.70	46.01	54.00	7.99	Horizontal	PASS
3	5362.38	33.27	12.76	46.03	54.00	7.97	Horizontal	PASS
4	5350.32	44.59	12.68	57.27	74.00	16.73	Horizontal	PASS
5	5354.45	44.35	12.70	57.05	74.00	16.95	Horizontal	PASS
6	5362.64	44.44	12.75	57.19	74.00	16.81	Horizontal	PASS

Project Information			
Mode:	802.11be20 52t-40	Band:	U-UNII-2A
Bandwidth	20MHz	Channel	64
SN:	D1Y24EB28000030	Engineer:	申状
Remark:	Polarity: X		


Test Graph**Data List**

NO.	Freq. [MHz]	Reading [dBμV]	Factor [dB]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Polarity	Verdict
1	5351.30	33.49	12.69	46.18	54.00	7.82	Vertical	PASS
2	5355.85	33.36	12.72	46.08	54.00	7.92	Vertical	PASS
3	5362.25	33.42	12.76	46.18	54.00	7.82	Vertical	PASS
4	5350.94	43.99	12.69	56.68	74.00	17.32	Vertical	PASS
5	5356.04	45.16	12.72	57.88	74.00	16.12	Vertical	PASS
6	5361.83	44.33	12.75	57.08	74.00	16.92	Vertical	PASS

Project Information

Mode:	802.11be20 106t-54	Band:	U-UNII-2A
Bandwidth	20MHz	Channel	64
SN:	D1Y24EB28000030	Engineer:	申状
Remark:	Polarity: X		

Test Graph




Data List

NO.	Freq. [MHz]	Reading [dBμV]	Factor [dB]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Polarity	Verdict
1	5351.72	33.37	12.69	46.06	54.00	7.94	Horizontal	PASS
2	5354.55	33.15	12.71	45.86	54.00	8.14	Horizontal	PASS
3	5357.12	33.30	12.73	46.03	54.00	7.97	Horizontal	PASS
4	5351.75	44.73	12.69	57.42	74.00	16.58	Horizontal	PASS
5	5354.94	44.35	12.71	57.06	74.00	16.94	Horizontal	PASS
6	5356.69	44.45	12.72	57.17	74.00	16.83	Horizontal	PASS

Project Information

Mode:	802.11be20 106t-54	Band:	U-UNII-2A
Bandwidth	20MHz	Channel	64
SN:	D1Y24EB28000030	Engineer:	申状
Remark:	Polarity: X		


Test Graph



Data List


NO.	Freq. [MHz]	Reading [dBμV]	Factor [dB]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Polarity	Verdict
1	5351.69	33.56	12.69	46.25	54.00	7.75	Vertical	PASS
2	5356.21	33.55	12.72	46.27	54.00	7.73	Vertical	PASS
3	5358.38	33.58	12.73	46.31	54.00	7.69	Vertical	PASS
4	5351.56	44.33	12.69	57.02	74.00	16.98	Vertical	PASS
5	5355.59	44.48	12.71	57.19	74.00	16.81	Vertical	PASS
6	5359.07	44.84	12.73	57.57	74.00	16.43	Vertical	PASS

Project Information			
Mode:	802.11be40 246t-61	Band:	U-UNII-1
Bandwidth	40MHz	Channel	38
SN:	D1Y24EB28000030	Engineer:	申状
Remark:	Polarity: X		

Test Graph**Data List**


NO.	Freq. [MHz]	Reading [dBμV]	Factor [dB]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Polarity	Verdict
1	5141.37	28.02	12.42	40.44	54.00	13.56	Horizontal	PASS
2	5146.52	28.34	12.46	40.80	54.00	13.20	Horizontal	PASS
3	5149.58	28.21	12.48	40.69	54.00	13.31	Horizontal	PASS
4	5141.71	38.66	12.43	51.09	74.00	22.91	Horizontal	PASS
5	5147.54	39.82	12.46	52.28	74.00	21.72	Horizontal	PASS
6	5149.87	38.20	12.48	50.68	74.00	23.32	Horizontal	PASS

Project Information			
Mode:	802.11be40 246t-61	Band:	U-UNII-1
Bandwidth	40MHz	Channel	38
SN:	D1Y24EB28000030	Engineer:	申状
Remark:	Polarity: X		

Test Graph


Data List								
NO.	Freq. [MHz]	Reading [dBμV]	Factor [dB]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Polarity	Verdict
1	5141.84	29.87	12.43	42.30	54.00	11.70	Vertical	PASS
2	5145.79	30.71	12.45	43.16	54.00	10.84	Vertical	PASS
3	5149.87	31.98	12.48	44.46	54.00	9.54	Vertical	PASS
4	5141.71	41.16	12.43	53.59	74.00	20.41	Vertical	PASS
5	5145.92	41.32	12.45	53.77	74.00	20.23	Vertical	PASS
6	5149.41	43.12	12.48	55.60	74.00	18.40	Vertical	PASS

Project Information			
Mode:	802.11be40 246t-62	Band:	U-UNII-2A
Bandwidth	40MHz	Channel	62
SN:	D1Y24EB28000030	Engineer:	申状
Remark:	Polarity: X		

Test Graph**Data List**


NO.	Freq. [MHz]	Reading [dBμV]	Factor [dB]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Polarity	Verdict
1	5350.21	28.64	12.68	41.32	54.00	12.68	Horizontal	PASS
2	5355.57	28.64	12.71	41.35	54.00	12.65	Horizontal	PASS
3	5361.56	28.35	12.75	41.10	54.00	12.90	Horizontal	PASS
4	5350.51	39.33	12.68	52.01	74.00	21.99	Horizontal	PASS
5	5355.19	39.83	12.71	52.54	74.00	21.46	Horizontal	PASS
6	5361.52	39.79	12.75	52.54	74.00	21.46	Horizontal	PASS

Project Information			
Mode:	802.11be40 246t-62	Band:	U-UNII-2A
Bandwidth	40MHz	Channel	62
SN:	D1Y24EB28000030	Engineer:	申状
Remark:	Polarity: X		

Test Graph**Data List**

NO.	Freq. [MHz]	Reading [dBμV]	Factor [dB]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Polarity	Verdict
1	5350.64	33.90	12.68	46.58	54.00	7.42	Vertical	PASS
2	5352.68	33.10	12.69	45.79	54.00	8.21	Vertical	PASS
3	5355.36	31.47	12.71	44.18	54.00	9.82	Vertical	PASS
4	5350.30	45.25	12.68	57.93	74.00	16.07	Vertical	PASS
5	5352.89	44.57	12.69	57.26	74.00	16.74	Vertical	PASS
6	5355.57	43.93	12.71	56.64	74.00	17.36	Vertical	PASS

Project Information			
Mode:	802.11be80 484t-65	Band:	U-UNII-1
Bandwidth	80MHz	Channel	42
SN:	D1Y24EB28000030	Engineer:	申状
Remark:	Polarity: X Power:13		


Test Graph

Data List								
NO.	Freq. [MHz]	Reading [dBμV]	Factor [dB]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Polarity	Verdict
1	5142.95	28.88	12.43	41.31	54.00	12.69	Horizontal	PASS
2	5145.45	28.98	12.45	41.43	54.00	12.57	Horizontal	PASS
3	5149.26	28.74	12.48	41.22	54.00	12.78	Horizontal	PASS
4	5142.51	39.75	12.43	52.18	74.00	21.82	Horizontal	PASS
5	5146.57	40.13	12.46	52.59	74.00	21.41	Horizontal	PASS
6	5148.45	40.33	12.47	52.80	74.00	21.20	Horizontal	PASS

Project Information

Mode:	802.11be80 484t-65	Band:	U-UNII-1
Bandwidth	80MHz	Channel	42
SN:	D1Y24EB28000030	Engineer:	申状
Remark:	Polarity: X Power:13		


Test Graph



Data List


NO.	Freq. [MHz]	Reading [dBμV]	Factor [dB]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Polarity	Verdict
1	5143.45	35.25	12.43	47.68	54.00	6.32	Vertical	PASS
2	5145.82	35.63	12.45	48.08	54.00	5.92	Vertical	PASS
3	5149.64	36.68	12.48	49.16	54.00	4.84	Vertical	PASS
4	5143.70	48.79	12.43	61.22	74.00	12.78	Vertical	PASS
5	5146.07	49.69	12.45	62.14	74.00	11.86	Vertical	PASS
6	5149.39	48.16	12.48	60.64	74.00	13.36	Vertical	PASS

Project Information			
Mode:	802.11be80 484t-66	Band:	U-UNII-2A
Bandwidth	80MHz	Channel	58
SN:	D1Y24EB28000030	Engineer:	申状
Remark:	Polarity: X Power:10.5		

Test Graph**Data List**


NO.	Freq. [MHz]	Reading [dBμV]	Factor [dB]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Polarity	Verdict
1	5350.80	29.18	12.69	41.87	54.00	12.13	Horizontal	PASS
2	5354.80	30.01	12.71	42.72	54.00	11.28	Horizontal	PASS
3	5358.62	29.08	12.73	41.81	54.00	12.19	Horizontal	PASS
4	5350.99	41.77	12.69	54.46	74.00	19.54	Horizontal	PASS
5	5354.99	40.93	12.71	53.64	74.00	20.36	Horizontal	PASS
6	5358.55	39.93	12.73	52.66	74.00	21.34	Horizontal	PASS

Project Information			
Mode:	802.11be80 484t-66	Band:	U-UNII-2A
Bandwidth	80MHz	Channel	58
SN:	D1Y24EB28000030	Engineer:	申状
Remark:	Polarity: X Power:10.5		

Test Graph**Data List**

NO.	Freq. [MHz]	Reading [dBuV]	Factor [dB]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Polarity	Verdict
1	5350.05	37.87	12.68	50.55	54.00	3.45	Vertical	PASS
2	5352.74	36.42	12.69	49.11	54.00	4.89	Vertical	PASS
3	5356.30	34.53	12.72	47.25	54.00	6.75	Vertical	PASS
4	5350.43	50.01	12.68	62.69	74.00	11.31	Vertical	PASS
5	5354.55	48.79	12.71	61.50	74.00	12.50	Vertical	PASS
6	5356.49	45.25	12.72	57.97	74.00	16.03	Vertical	PASS

Project Information			
Mode:	802.11be160 996t-67	Band:	/
Bandwidth	160MHz	Channel	50
SN:	D1Y24EB28000030	Engineer:	申状
Remark:	Polarity: X Power:13		


Test Graph**Data List**

NO.	Freq. [MHz]	Reading [dBμV]	Factor [dB]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Polarity	Verdict
1	5137.31	29.96	12.39	42.35	54.00	11.65	Horizontal	PASS
2	5145.61	30.02	12.45	42.47	54.00	11.53	Horizontal	PASS
3	5147.56	29.46	12.46	41.92	54.00	12.08	Horizontal	PASS
4	5137.20	42.19	12.39	54.58	74.00	19.42	Horizontal	PASS
5	5145.00	42.05	12.44	54.49	74.00	19.51	Horizontal	PASS
6	5147.97	41.99	12.46	54.45	74.00	19.55	Horizontal	PASS

Project Information

Mode:	802.11be160 996t-67	Band:	/
Bandwidth	160MHz	Channel	50
SN:	D1Y24EB28000030	Engineer:	申状
Remark:	Polarity: X Power:13		


Test Graph



Data List


NO.	Freq. [MHz]	Reading [dBμV]	Factor [dB]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Polarity	Verdict
1	5138.84	36.81	12.41	49.22	54.00	4.78	Vertical	PASS
2	5145.82	38.06	12.45	50.51	54.00	3.29	Vertical	PASS
3	5149.82	38.44	12.48	50.92	54.00	3.08	Vertical	PASS
4	5138.54	52.00	12.40	64.40	74.00	9.60	Vertical	PASS
5	5145.20	51.59	12.45	64.04	74.00	9.96	Vertical	PASS
6	5148.79	52.50	12.48	64.98	74.00	9.02	Vertical	PASS

Project Information			
Mode:	802.11be160 996t-68	Band:	/
Bandwidth	160MHz	Channel	50
SN:	D1Y24EB28000030	Engineer:	申状
Remark:	Polarity: X Power:10		

Test Graph**Data List**

NO.	Freq. [MHz]	Reading [dBμV]	Factor [dB]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Polarity	Verdict
1	5351.41	29.77	12.69	42.46	54.00	11.54	Horizontal	PASS
2	5355.00	30.29	12.71	43.00	54.00	11.00	Horizontal	PASS
3	5361.77	30.37	12.75	43.12	54.00	10.88	Horizontal	PASS
4	5351.52	40.06	12.69	52.75	74.00	21.25	Horizontal	PASS
5	5355.21	41.18	12.71	53.89	74.00	20.11	Horizontal	PASS
6	5362.90	40.87	12.75	53.62	74.00	20.38	Horizontal	PASS

Project Information			
Mode:	802.11be160 996t-68	Band:	/
Bandwidth	160MHz	Channel	50
SN:	D1Y24EB28000030	Engineer:	申状
Remark:	Polarity: X Power:10		


Test Graph**Data List**

NO.	Freq. [MHz]	Reading [dBμV]	Factor [dB]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Polarity	Verdict
1	5351.41	37.81	12.69	50.50	54.00	3.50	Vertical	PASS
2	5354.08	37.24	12.70	49.94	54.00	4.06	Vertical	PASS
3	5371.00	35.95	12.80	48.75	54.00	5.25	Vertical	PASS
4	5350.80	48.77	12.69	61.46	74.00	12.54	Vertical	PASS
5	5353.98	49.01	12.70	61.71	74.00	12.29	Vertical	PASS
6	5371.62	49.22	12.81	62.03	74.00	11.97	Vertical	PASS

Project Information

Mode:	802.11be20 26t-0	Band:	U-UNII-3
Bandwidth	20MHz	Channel	100
SN:	D1Y24EB28000030	Engineer:	申状
Remark:	Polarity: X		

Test Graph




Data List

NO.	Freq. [MHz]	Reading [dBμV]	Factor [dB]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Polarity	Verdict
1	5455.34	33.10	12.72	45.82	54.00	8.18	Horizontal	PASS
2	5457.74	32.79	12.77	45.56	54.00	8.44	Horizontal	PASS
3	5459.09	32.88	12.78	45.66	54.00	8.34	Horizontal	PASS
4	5462.16	43.99	12.83	56.82	68.20	11.38	Horizontal	PASS
5	5466.27	43.21	12.91	56.12	68.20	12.08	Horizontal	PASS
6	5469.15	43.76	12.95	56.71	68.20	11.49	Horizontal	PASS

Project Information

Mode:	802.11be20 26t-0	Band:	U-UNII-3
Bandwidth	20MHz	Channel	100
SN:	D1Y24EB28000030	Engineer:	申状
Remark:	Polarity: X		


Test Graph



Data List

NO.	Freq. [MHz]	Reading [dBμV]	Factor [dB]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Polarity	Verdict
1	5452.67	33.16	12.69	45.85	54.00	8.15	Vertical	PASS
2	5456.48	33.13	12.75	45.88	54.00	8.12	Vertical	PASS
3	5459.60	33.03	12.80	45.83	54.00	8.17	Vertical	PASS
4	5463.60	43.72	12.86	56.58	68.20	11.62	Vertical	PASS
5	5465.88	43.94	12.90	56.84	68.20	11.36	Vertical	PASS
6	5469.36	43.85	12.96	56.81	68.20	11.39	Vertical	PASS

Project Information			
Mode:	802.11be20 52t-37	Band:	U-UNII-3
Bandwidth	20MHz	Channel	100
SN:	D1Y24EB28000030	Engineer:	申状
Remark:	Polarity: X		


Test Graph**Data List**

NO.	Freq. [MHz]	Reading [dBμV]	Factor [dB]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Polarity	Verdict
1	5452.25	32.91	12.67	45.58	54.00	8.42	Horizontal	PASS
2	5456.72	32.92	12.75	45.67	54.00	8.33	Horizontal	PASS
3	5458.88	33.01	12.78	45.79	54.00	8.21	Horizontal	PASS
4	5462.97	43.52	12.85	56.37	68.20	11.83	Horizontal	PASS
5	5465.97	43.51	12.90	56.41	68.20	11.79	Horizontal	PASS
6	5469.42	43.58	12.96	56.54	68.20	11.66	Horizontal	PASS

Project Information

Mode:	802.11be20 52t-37	Band:	U-UNII-3
Bandwidth	20MHz	Channel	100
SN:	D1Y24EB28000030	Engineer:	申状
Remark:	Polarity: X		

Test Graph




Data List

NO.	Freq. [MHz]	Reading [dBμV]	Factor [dB]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Polarity	Verdict
1	5451.86	33.72	12.67	46.39	54.00	7.61	Vertical	PASS
2	5457.26	33.58	12.75	46.33	54.00	7.67	Vertical	PASS
3	5459.51	33.47	12.80	46.27	54.00	7.73	Vertical	PASS
4	5463.30	44.75	12.86	57.61	68.20	10.59	Vertical	PASS
5	5467.02	44.16	12.91	57.07	68.20	11.13	Vertical	PASS
6	5469.21	43.82	12.96	56.78	68.20	11.42	Vertical	PASS

Project Information			
Mode:	802.11be20 106t-53	Band:	U-UNII-3
Bandwidth	20MHz	Channel	100
SN:	D1Y24EB28000030	Engineer:	申状
Remark:	Polarity: X		

Test Graph




Data List

NO.	Freq. [MHz]	Reading [dBμV]	Factor [dB]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Polarity	Verdict
1	5450.24	33.12	12.64	45.76	54.00	8.24	Horizontal	PASS
2	5455.13	32.85	12.72	45.57	54.00	8.43	Horizontal	PASS
3	5458.79	32.81	12.78	45.59	54.00	8.41	Horizontal	PASS
4	5463.45	44.51	12.86	57.37	68.20	10.83	Horizontal	PASS
5	5466.75	43.91	12.91	56.82	68.20	11.38	Horizontal	PASS
6	5469.42	44.23	12.96	57.19	68.20	11.01	Horizontal	PASS

Project Information

Mode:	802.11be20 106t-53	Band:	U-UNII-3
Bandwidth	20MHz	Channel	100
SN:	D1Y24EB28000030	Engineer:	申状
Remark:	Polarity: X		


Test Graph



Data List


NO.	Freq. [MHz]	Reading [dBuV]	Factor [dB]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Polarity	Verdict
1	5451.26	33.33	12.66	45.99	54.00	8.01	Vertical	PASS
2	5455.10	33.39	12.72	46.11	54.00	7.89	Vertical	PASS
3	5458.46	33.35	12.78	46.13	54.00	7.87	Vertical	PASS
4	5463.18	44.04	12.85	56.89	68.20	11.31	Vertical	PASS
5	5466.99	44.69	12.91	57.60	68.20	10.60	Vertical	PASS
6	5469.33	44.01	12.96	56.97	68.20	11.23	Vertical	PASS

Project Information			
Mode:	802.11be20 26t-8	Band:	U-UNII-3
Bandwidth	20MHz	Channel	140
SN:	D1Y24EB28000030	Engineer:	申状
Remark:	Polarity: X		

Test Graph**Data List**


NO.	Freq. [MHz]	Reading [dBuV]	Factor [dB]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Polarity	Verdict
1	5852.68	39.44	13.27	52.71	68.20	15.49	Horizontal	PASS
2	5867.56	39.74	13.41	53.15	68.20	15.05	Horizontal	PASS
3	5883.07	39.67	13.56	53.23	68.20	14.97	Horizontal	PASS

Project Information			
Mode:	802.11be20 26t-8	Band:	U-UNII-3
Bandwidth	20MHz	Channel	140
SN:	D1Y24EB28000030	Engineer:	申状
Remark:	Polarity: X		

Test Graph


Data List								
NO.	Freq. [MHz]	Reading [dBμV]	Factor [dB]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Polarity	Verdict
1	5854.69	39.53	13.29	52.82	68.20	15.38	Vertical	PASS
2	5901.84	39.54	13.74	53.28	68.20	14.92	Vertical	PASS
3	5927.42	39.99	13.92	53.91	68.20	14.29	Vertical	PASS

Project Information			
Mode:	802.11be20 52t-40	Band:	U-UNII-3
Bandwidth	20MHz	Channel	140
SN:	D1Y24EB28000030	Engineer:	申状
Remark:	Polarity: X		

Test Graph**Data List**


NO.	Freq. [MHz]	Reading [dBμV]	Factor [dB]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Polarity	Verdict
1	5853.76	39.85	13.28	53.13	68.20	15.07	Horizontal	PASS
2	5889.27	39.94	13.62	53.56	68.20	14.64	Horizontal	PASS
3	5922.00	38.82	13.88	52.70	68.20	15.50	Horizontal	PASS

Project Information			
Mode:	802.11be20 52t-40	Band:	U-UNII-3
Bandwidth	20MHz	Channel	140
SN:	D1Y24EB28000030	Engineer:	申状
Remark:	Polarity: X		

Test Graph**Data List**

NO.	Freq. [MHz]	Reading [dBμV]	Factor [dB]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Polarity	Verdict
1	5852.68	40.31	13.27	53.58	68.20	14.62	Vertical	PASS
2	5879.66	39.00	13.53	52.53	68.20	15.67	Vertical	PASS
3	5918.43	39.48	13.87	53.35	68.20	14.85	Vertical	PASS

Project Information			
Mode:	802.11be20 106t-54	Band:	U-UNII-3
Bandwidth	20MHz	Channel	140
SN:	D1Y24EB28000030	Engineer:	申状
Remark:	Polarity: X		


Test Graph

Data List								
NO.	Freq. [MHz]	Reading [dBμV]	Factor [dB]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Polarity	Verdict
1	5860.59	39.28	13.34	52.62	68.20	15.58	Horizontal	PASS
2	5887.41	39.50	13.61	53.11	68.20	15.09	Horizontal	PASS
3	5901.68	39.43	13.74	53.17	68.20	15.03	Horizontal	PASS

Project Information

Mode:	802.11be20 106t-54	Band:	U-UNII-3
Bandwidth	20MHz	Channel	140
SN:	D1Y24EB28000030	Engineer:	申状
Remark:	Polarity: X		

Test Graph




Data List

NO.	Freq. [MHz]	Reading [dBμV]	Factor [dB]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Polarity	Verdict
1	5857.17	39.17	13.31	52.48	68.20	15.72	Vertical	PASS
2	5882.14	39.26	13.55	52.81	68.20	15.39	Vertical	PASS
3	5899.82	39.52	13.73	53.25	68.20	14.95	Vertical	PASS

Project Information

Mode:	802.11be40 242t-61	Band:	U-UNII-3
Bandwidth	40MHz	Channel	102
SN:	D1Y24EB28000030	Engineer:	申状
Remark:	Polarity: X		

Test Graph




Data List

NO.	Freq. [MHz]	Reading [dBμV]	Factor [dB]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Polarity	Verdict
1	5454.88	28.53	12.72	41.25	54.00	12.75	Horizontal	PASS
2	5455.96	28.67	12.74	41.41	54.00	12.59	Horizontal	PASS
3	5459.60	28.82	12.80	41.62	54.00	12.38	Horizontal	PASS
4	5459.76	39.63	12.80	52.43	74.00	21.57	Horizontal	PASS
5	5465.37	39.53	12.89	52.42	68.20	15.78	Horizontal	PASS
6	5469.01	39.20	12.94	52.14	68.20	16.06	Horizontal	PASS

Project Information

Mode:	802.11be40 242t-61	Band:	U-UNII-3
Bandwidth	40MHz	Channel	102
SN:	D1Y24EB28000030	Engineer:	申状
Remark:	Polarity: X		

Test Graph




Data List

NO.	Freq. [MHz]	Reading [dBμV]	Factor [dB]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Polarity	Verdict
1	5455.20	30.31	12.72	43.03	54.00	10.97	Vertical	PASS
2	5456.84	30.12	12.75	42.87	54.00	11.13	Vertical	PASS
3	5459.72	30.90	12.80	43.70	54.00	10.30	Vertical	PASS
4	5465.65	45.21	12.89	58.10	68.20	10.10	Vertical	PASS
5	5467.77	45.26	12.93	58.19	68.20	10.01	Vertical	PASS
6	5469.49	47.53	12.96	60.49	68.20	7.71	Vertical	PASS


Project Information			
Mode:	802.11be40 242t-62	Band:	U-UNII-3
Bandwidth	40MHz	Channel	134
SN:	D1Y24EB28000030	Engineer:	申状
Remark:	Polarity: X		

Test Graph



Data List								
NO.	Freq. [MHz]	Reading [dBuV]	Factor [dB]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Polarity	Verdict
1	5852.23	38.87	13.26	52.13	68.20	16.07	Horizontal	PASS
2	5873.06	39.41	13.47	52.88	68.20	15.32	Horizontal	PASS
3	5910.88	39.24	13.81	53.05	68.20	15.15	Horizontal	PASS

Project Information			
Mode:	802.11be40 242t-62	Band:	U-UNII-3
Bandwidth	40MHz	Channel	134
SN:	D1Y24EB28000030	Engineer:	申状
Remark:	Polarity: X		


Test Graph

Data List								
NO.	Freq. [MHz]	Reading [dBμV]	Factor [dB]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Polarity	Verdict
1	5862.03	40.90	13.36	54.26	68.20	13.94	Vertical	PASS
2	5883.92	39.60	13.57	53.17	68.20	15.03	Vertical	PASS
3	5922.44	39.56	13.89	53.45	68.20	14.75	Vertical	PASS

Project Information

Mode:	802.11be80 484t-65	Band:	U-UNII-3
Bandwidth	80MHz	Channel	106
SN:	D1Y24EB28000030	Engineer:	申状
Remark:	Polarity: X Power: 12.5		

Test Graph




Data List

NO.	Freq. [MHz]	Reading [dBμV]	Factor [dB]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Polarity	Verdict
1	5452.82	28.47	12.69	41.16	54.00	12.84	Horizontal	PASS
2	5457.02	28.69	12.75	41.44	54.00	12.56	Horizontal	PASS
3	5459.96	28.92	12.80	41.72	54.00	12.28	Horizontal	PASS
4	5463.63	41.03	12.86	53.89	68.20	14.31	Horizontal	PASS
5	5466.15	41.22	12.90	54.12	68.20	14.08	Horizontal	PASS
6	5469.45	40.30	12.96	53.26	68.20	14.94	Horizontal	PASS

Project Information			
Mode:	802.11be80 484t-65	Band:	U-UNII-3
Bandwidth	80MHz	Channel	106
SN:	D1Y24EB28000030	Engineer:	申状
Remark:	Polarity: X Power: 12.5		

Test Graph




Data List

NO.	Freq. [MHz]	Reading [dBμV]	Factor [dB]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Polarity	Verdict
1	5452.28	31.26	12.67	43.93	54.00	10.07	Vertical	PASS
2	5458.16	32.13	12.77	44.90	54.00	9.10	Vertical	PASS
3	5459.78	32.64	12.80	45.44	54.00	8.56	Vertical	PASS
4	5463.75	49.55	12.86	62.41	68.20	5.79	Vertical	PASS
5	5466.51	51.04	12.91	63.95	68.20	4.25	Vertical	PASS
6	5469.21	51.20	12.96	64.16	68.20	4.04	Vertical	PASS

Project Information

Mode:	802.11be80 484t-65	Band:	U-UNII-3
Bandwidth	80MHz	Channel	122
SN:	D1Y24EB28000030	Engineer:	申状
Remark:	Polarity: X		

Test Graph




Data List

NO.	Freq. [MHz]	Reading [dBμV]	Factor [dB]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Polarity	Verdict
1	5860.61	39.90	13.34	53.24	68.20	14.96	Horizontal	PASS
2	5889.86	39.28	13.63	52.91	68.20	15.29	Horizontal	PASS
3	5926.43	39.13	13.92	53.05	68.20	15.15	Horizontal	PASS

Project Information

Mode:	802.11be80 484t-65	Band:	U-UNII-3
Bandwidth	80MHz	Channel	122
SN:	D1Y24EB28000030	Engineer:	申状
Remark:	Polarity: X		


Test Graph



Data List

NO.	Freq. [MHz]	Reading [dBμV]	Factor [dB]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Polarity	Verdict
1	5870.08	40.28	13.44	53.72	68.20	14.48	Vertical	PASS
2	5895.67	39.84	13.69	53.53	68.20	14.67	Vertical	PASS
3	5939.98	38.91	14.02	52.93	68.20	15.27	Vertical	PASS

Project Information			
Mode:	802.11be160 996t-67	Band:	U-UNII-3
Bandwidth	160MHz	Channel	114
SN:	D1Y24EB28000030	Engineer:	申状
Remark:	Polarity: X Power: 12.5		


Test Graph

Data List								
NO.	Freq. [MHz]	Reading [dBμV]	Factor [dB]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Polarity	Verdict
1	5455.50	30.14	12.73	42.87	54.00	11.13	Horizontal	PASS
2	5457.40	31.55	12.76	44.31	54.00	9.69	Horizontal	PASS
3	5459.90	31.58	12.80	44.38	54.00	9.62	Horizontal	PASS
4	5458.50	43.20	12.78	55.98	74.00	18.02	Horizontal	PASS
5	5466.81	42.59	12.91	55.50	68.20	12.70	Horizontal	PASS
6	5469.21	42.58	12.96	55.54	68.20	12.66	Horizontal	PASS

Project Information

Mode:	802.11be160 996t-67	Band:	U-UNII-3
Bandwidth	160MHz	Channel	114
SN:	D1Y24EB28000030	Engineer:	申状
Remark:	Polarity: X Power: 12.5		

Test Graph




Data List

NO.	Freq. [MHz]	Reading [dBμV]	Factor [dB]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Polarity	Verdict
1	5451.80	38.09	12.67	50.76	54.00	3.24	Vertical	PASS
2	5454.40	37.27	12.71	49.98	54.00	4.02	Vertical	PASS
3	5458.90	37.17	12.78	49.95	54.00	4.05	Vertical	PASS
4	5454.20	51.73	12.71	64.44	74.00	9.56	Vertical	PASS
5	5464.81	51.37	12.88	64.25	68.20	3.95	Vertical	PASS
6	5468.81	52.02	12.94	64.96	68.20	3.24	Vertical	PASS

Project Information

Mode:	802.11be160 996t-68	Band:	U-UNII-3
Bandwidth	160MHz	Channel	114
SN:	D1Y24EB28000030	Engineer:	申状
Remark:	Polarity: X		


Test Graph



Data List

NO.	Freq. [MHz]	Reading [dBμV]	Factor [dB]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Polarity	Verdict
1	5863.51	39.93	13.37	53.30	68.20	14.90	Horizontal	PASS
2	5901.78	39.13	13.74	52.87	68.20	15.33	Horizontal	PASS
3	5949.23	39.39	14.09	53.48	68.20	14.72	Horizontal	PASS

Project Information			
Mode:	802.11be160 996t-68	Band:	U-UNII-3
Bandwidth	160MHz	Channel	114
SN:	D1Y24EB28000030	Engineer:	申状
Remark:	Polarity: X		

Test Graph

Data List								
NO.	Freq. [MHz]	Reading [dBμV]	Factor [dB]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Polarity	Verdict
1	5850.75	39.58	13.25	52.83	68.20	15.37	Vertical	PASS
2	5891.83	39.51	13.65	53.16	68.20	15.04	Vertical	PASS
3	5946.42	39.36	14.06	53.42	68.20	14.78	Vertical	PASS

~The End~