




11G-Ant1-2412-30~1000-PASS




11G-Ant1-2412-1000~26500-PASS



11G-Ant1-2437-0~Reference-PASS




11G-Ant1-2437-30~1000-PASS




11G-Ant1-2437-1000~26500-PASS



11G-Ant1-2462-0~Reference-PASS




11G-Ant1-2462-30~1000-PASS




11G-Ant1-2462-1000~26500-PASS



11N20SISO-Ant1-2412-0~Reference-PASS




11N20SISO-Ant1-2412-30~1000-PASS




11N20SISO-Ant1-2412-1000~26500-PASS



11N20SISO-Ant1-2437-0~Reference-PASS




11N20SISO-Ant1-2437-30~1000-PASS




11N20SISO-Ant1-2437-1000~26500-PASS



11N20SISO-Ant1-2462-0~Reference-PASS




11N20SISO-Ant1-2462-30~1000-PASS




11N20SISO-Ant1-2462-1000~26500-PASS




11AX20SISO-Ant1-2412-0~Reference-PASS




11AX20SISO-Ant1-2412-30~1000-PASS




11AX20SISO-Ant1-2412-1000~26500-PASS



11AX20SISO-Ant1-2437-0~Reference-PASS





11AX20SISO-Ant1-2437-30~1000-PASS



11AX20SISO-Ant1-2437-1000~26500-PASS









11AX20SISO-Ant1-2462-0~Reference-PASS




Duty Cycle Test Result


TestMode	Antenna	Frequency[MHz]	Transmission Duration [ms]	Transmission Period [ms]	Duty Cycle [%]	Factor
11B	Ant1	2412	8.39	8.48	98.94	0.05
11B	Ant1	2437	8.38	8.48	98.82	0.05
11B	Ant1	2462	8.38	8.47	98.94	0.05
11G	Ant1	2412	1.39	1.41	98.58	0.06
11G	Ant1	2437	1.40	1.41	99.29	0.03
11G	Ant1	2462	1.39	1.41	98.58	0.06
11N20SISO	Ant1	2412	1.30	1.32	98.48	0.07
11N20SISO	Ant1	2437	1.30	1.32	98.48	0.07
11N20SISO	Ant1	2462	1.30	1.32	98.48	0.07
11AX20SISO	Ant1	2412	1.07	1.12	95.54	0.20
11AX20SISO	Ant1	2437	1.06	1.12	94.64	0.24
11AX20SISO	Ant1	2462	1.07	1.12	95.54	0.20

Test Graphs






NTNV-11N20SISO-Ant1-2412




NTNV-11N20SISO-Ant1-2437




NTNV-11N20SISO-Ant1-2462



NTNV-11AX20SISO-Ant1-2412



NTNV-11AX20SISO-Ant1-2437




NTNV-11AX20SISO-Ant1-2462

Radiated Spurious Emissions Test Result

Project Information			
Mode:	802.11 b	Voltage:	DC 5V
SN:	E1824G21X000002	Engineer:	申状
Remark:	Polarity: X		
Test Standard: FCC PART 15 C			


Test Graph



Data List									
NO.	Freq. [MHz]	Reading [dBuV]	Factor [dB]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Trace	Polarity	Verdict
1	84.029	57.35	-26.72	30.63	40.00	9.37	PK	Horizontal	PASS
2	96.0085	51.81	-24.43	27.38	43.50	16.12	PK	Horizontal	PASS
3	107.988	47.12	-22.78	24.34	43.50	19.16	PK	Horizontal	PASS
4	240.0535	46.74	-21.43	25.31	46.00	20.69	PK	Horizontal	PASS
5	486.191	40.55	-8.49	32.06	46.00	13.94	PK	Horizontal	PASS
6	997.4295	37.05	-5.74	31.31	54.00	22.69	PK	Horizontal	PASS

Project Information			
Mode:	802.11 b	Voltage:	DC 5V
SN:	E1824G21X000002	Engineer:	申状
Remark:	Polarity: X		
Test Standard: FCC PART 15 C			

Test Graph




Data List

NO.	Freq. [MHz]	Reading [dBuV]	Factor [dB]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Trace	Polarity	Verdict
1	84.029	50.68	-26.26	24.42	40.00	15.58	PK	Vertical	PASS
2	96.0085	45.00	-24.04	20.96	43.50	22.54	PK	Vertical	PASS
3	158.137	47.54	-26.44	21.10	43.50	22.40	PK	Vertical	PASS
4	443.608	38.82	-8.94	29.88	46.00	16.12	PK	Vertical	PASS
5	482.02	38.34	-8.36	29.98	46.00	16.02	PK	Vertical	PASS
6	946.7955	37.76	-6.69	31.07	46.00	14.93	PK	Vertical	PASS

Project Information			
Mode:	802.11b	Band:	/
Bandwidth	20MHz	Channel	1
SN.:	E1824G21X000002	Engineer:	申状
Remark:	Polarity: X		
Test Standard: FCC PART 15 C			


Test Graph



NO.	Freq. [MHz]	Reading [dBµV]	Factor [dB]	Level [dBµV/m]	Limit [dBµV/m]	Margin [dB]	Polarity	Verdict
1	2948.8	35.01	7.03	42.04	74.00	31.96	Horizontal	PASS
2	15073	40.52	8.97	49.49	74.00	24.51	Horizontal	PASS
3	17353	38.92	12.74	51.66	74.00	22.34	Horizontal	PASS
4	2999.4	24.99	7.50	32.49	54.00	21.51	Horizontal	PASS
5	15087.5	33.98	9.02	43.00	54.00	11.00	Horizontal	PASS
6	17991	31.40	12.71	44.11	54.00	9.89	Horizontal	PASS

Project Information			
Mode:	802.11b	Band:	/
Bandwidth	20MHz	Channel	1
SN.:	E1824G21X000002	Engineer:	申状
Remark:	Polarity: X		
Test Standard: FCC PART 15 C			


Test Graph



NO.	Freq. [MHz]	Reading [dBuV]	Factor [dB]	Level [dBµV/m]	Limit [dBµV/m]	Margin [dB]	Polarity	Verdict
1	2999.8	34.54	7.51	42.05	74.00	31.95	Vertical	PASS
2	15116.5	40.80	8.83	49.63	74.00	24.37	Vertical	PASS
3	17851	39.33	12.79	52.12	74.00	21.88	Vertical	PASS
4	2974	24.99	7.26	32.25	54.00	21.75	Vertical	PASS
5	15244.5	32.65	9.22	41.87	54.00	12.13	Vertical	PASS
6	17345	31.77	12.64	44.41	54.00	9.59	Vertical	PASS

Project Information			
Mode:	802.11b	Band:	/
Bandwidth	20MHz	Channel	6
SN.:	E1824G21X000002	Engineer:	申状
Remark:	Polarity: X		
Test Standard: FCC PART 15 C			


Test Graph



NO.	Freq. [MHz]	Reading [dBuV]	Factor [dB]	Level [dBµV/m]	Limit [dBµV/m]	Margin [dB]	Polarity	Verdict
1	2437	37.98	4.64	42.62	-	-	Horizontal	NA
2	10047.5	43.90	3.74	47.64	74.00	26.36	Horizontal	PASS
3	14664	41.61	9.53	51.14	74.00	22.86	Horizontal	PASS
4	17349.5	39.42	12.84	52.26	74.00	21.74	Horizontal	PASS
5	2433.2	32.64	4.61	37.25	-	-	Horizontal	NA
6	11449.5	35.15	5.00	40.15	54.00	13.85	Horizontal	PASS
7	15064.5	33.55	8.94	42.49	54.00	11.51	Horizontal	PASS
8	17338	33.04	12.31	45.35	54.00	8.65	Horizontal	PASS

Project Information			
Mode:	802.11b	Band:	/
Bandwidth	20MHz	Channel	6
SN.:	E1824G21X000002	Engineer:	申状
Remark:	Polarity: X		
Test Standard: FCC PART 15 C			


Test Graph



NO.	Freq. [MHz]	Reading [dBuV]	Factor [dB]	Level [dBµV/m]	Limit [dBµV/m]	Margin [dB]	Polarity	Verdict
1	11479.5	43.00	4.93	47.93	74.00	26.07	Vertical	PASS
2	13845.5	41.65	8.66	50.31	74.00	23.69	Vertical	PASS
3	17816	40.22	12.30	52.52	74.00	21.48	Vertical	PASS
4	12093.5	35.31	4.86	40.17	54.00	13.83	Vertical	PASS
5	15066.5	33.91	8.95	42.86	54.00	11.14	Vertical	PASS
6	17359.5	32.43	12.49	44.92	54.00	9.08	Vertical	PASS

Project Information			
Mode:	802.11b	Band:	/
Bandwidth	20MHz	Channel	11
SN.:	E1824G21X000002	Engineer:	申状
Remark:	Polarity: X		
Test Standard: FCC PART 15 C			


Test Graph



NO.	Freq. [MHz]	Reading [dBuV]	Factor [dB]	Level [dBµV/m]	Limit [dBµV/m]	Margin [dB]	Polarity	Verdict
1	2461.4	38.20	4.78	42.98	-	-	Horizontal	NA
2	11448.5	42.76	5.01	47.77	74.00	26.23	Horizontal	PASS
3	14662	40.93	9.59	50.52	74.00	23.48	Horizontal	PASS
4	17042	42.09	10.17	52.26	74.00	21.74	Horizontal	PASS
5	2459.8	30.58	4.77	35.35	-	-	Horizontal	NA
6	10456	35.25	4.18	39.43	54.00	14.57	Horizontal	PASS
7	14082.5	34.21	8.07	42.28	54.00	11.72	Horizontal	PASS
8	17357	31.89	12.59	44.48	54.00	9.52	Horizontal	PASS

Project Information			
Mode:	802.11b	Band:	/
Bandwidth	20MHz	Channel	11
SN.:	E1824G21X000002	Engineer:	申状
Remark:	Polarity: X		
Test Standard: FCC PART 15 C			


Test Graph



NO.	Freq. [MHz]	Reading [dBuV]	Factor [dB]	Level [dBµV/m]	Limit [dBµV/m]	Margin [dB]	Polarity	Verdict
1	11389	41.85	5.24	47.09	74.00	26.91	Vertical	PASS
2	15079	41.06	8.99	50.05	74.00	23.95	Vertical	PASS
3	17363.5	40.19	12.33	52.52	74.00	21.48	Vertical	PASS
4	11991	34.56	5.41	39.97	54.00	14.03	Vertical	PASS
5	14639	32.76	9.66	42.42	54.00	11.58	Vertical	PASS
6	17355	31.96	12.67	44.63	54.00	9.37	Vertical	PASS

Project Information			
Mode:	802.11g	Band:	/
Bandwidth	20MHz	Channel	1
SN.:	E1824G21X000002	Engineer:	申状
Remark:	Polarity: X		
Test Standard: FCC PART 15 C			


Test Graph



NO.	Freq. [MHz]	Reading [dBuV]	Factor [dB]	Level [dBµV/m]	Limit [dBµV/m]	Margin [dB]	Polarity	Verdict
1	2391.4	40.31	4.40	44.71	74.00	29.29	Horizontal	PASS
2	11451	42.69	5.00	47.69	74.00	26.31	Horizontal	PASS
3	13821.5	41.69	8.27	49.96	74.00	24.04	Horizontal	PASS
4	17345.5	40.34	12.66	53.00	74.00	21.00	Horizontal	PASS
5	11570.5	34.82	4.99	39.81	54.00	14.19	Horizontal	PASS
6	14665	33.30	9.51	42.81	54.00	11.19	Horizontal	PASS
7	17348.5	32.00	12.79	44.79	54.00	9.21	Horizontal	PASS

Project Information			
Mode:	802.11g	Band:	/
Bandwidth	20MHz	Channel	1
SN.:	E1824G21X000002	Engineer:	申状
Remark:	Polarity: X		
Test Standard: FCC PART 15 C			


Test Graph



NO.	Freq. [MHz]	Reading [dBuV]	Factor [dB]	Level [dBµV/m]	Limit [dBµV/m]	Margin [dB]	Polarity	Verdict
1	11552.5	42.68	4.71	47.39	74.00	26.61	Vertical	PASS
2	14065	41.79	7.98	49.77	74.00	24.23	Vertical	PASS
3	17832.5	39.55	12.55	52.10	74.00	21.90	Vertical	PASS
4	9648.5	37.87	2.85	40.72	54.00	13.28	Vertical	PASS
5	15039.5	33.75	8.41	42.16	54.00	11.84	Vertical	PASS
6	17357	32.22	12.59	44.81	54.00	9.19	Vertical	PASS

Project Information			
Mode:	802.11g	Band:	/
Bandwidth	20MHz	Channel	6
SN.:	E1824G21X000002	Engineer:	申状
Remark:	Polarity: X		
Test Standard: FCC PART 15 C			


Test Graph



NO.	Freq. [MHz]	Reading [dBuV]	Factor [dB]	Level [dBµV/m]	Limit [dBµV/m]	Margin [dB]	Polarity	Verdict
1	2429.2	40.23	4.60	44.83	-	-	Horizontal	NA
2	11494.5	43.13	4.90	48.03	74.00	25.97	Horizontal	PASS
3	14332	42.23	8.91	51.14	74.00	22.86	Horizontal	PASS
4	17351	39.64	12.82	52.46	74.00	21.54	Horizontal	PASS
5	2429.6	33.06	4.60	37.66	-	-	Horizontal	NA
6	12022.5	34.34	5.27	39.61	54.00	14.39	Horizontal	PASS
7	15233.5	33.80	8.96	42.76	54.00	11.24	Horizontal	PASS
8	17351.5	32.47	12.80	45.27	54.00	8.73	Horizontal	PASS

Project Information			
Mode:	802.11g	Band:	/
Bandwidth	20MHz	Channel	6
SN.:	E1824G21X000002	Engineer:	申状
Remark:	Polarity: X		
Test Standard: FCC PART 15 C			


Test Graph



NO.	Freq. [MHz]	Reading [dBuV]	Factor [dB]	Level [dBµV/m]	Limit [dBµV/m]	Margin [dB]	Polarity	Verdict
1	11975.5	42.29	5.45	47.74	74.00	26.26	Vertical	PASS
2	15280	41.41	8.85	50.26	74.00	23.74	Vertical	PASS
3	17370	40.59	12.08	52.67	74.00	21.33	Vertical	PASS
4	11524.5	34.98	4.78	39.76	54.00	14.24	Vertical	PASS
5	15261	33.48	9.17	42.65	54.00	11.35	Vertical	PASS
6	17361	32.93	12.43	45.36	54.00	8.64	Vertical	PASS

Project Information			
Mode:	802.11g	Band:	/
Bandwidth	20MHz	Channel	11
SN.:	E1824G21X000002	Engineer:	申状
Remark:	Polarity: X		
Test Standard: FCC PART 15 C			


Test Graph



NO.	Freq. [MHz]	Reading [dBuV]	Factor [dB]	Level [dBµV/m]	Limit [dBµV/m]	Margin [dB]	Polarity	Verdict
1	11540.5	43.12	4.71	47.83	74.00	26.17	Horizontal	PASS
2	14346	41.18	9.25	50.43	74.00	23.57	Horizontal	PASS
3	17338	40.13	12.31	52.44	74.00	21.56	Horizontal	PASS
4	11969	34.75	5.47	40.22	54.00	13.78	Horizontal	PASS
5	15067	34.02	8.95	42.97	54.00	11.03	Horizontal	PASS
6	17354.5	32.31	12.68	44.99	54.00	9.01	Horizontal	PASS

Project Information			
Mode:	802.11g	Band:	/
Bandwidth	20MHz	Channel	11
SN.:	E1824G21X000002	Engineer:	申状
Remark:	Polarity: X		
Test Standard: FCC PART 15 C			


Test Graph



NO.	Freq. [MHz]	Reading [dBuV]	Factor [dB]	Level [dBµV/m]	Limit [dBµV/m]	Margin [dB]	Polarity	Verdict
1	12109.5	43.26	4.73	47.99	74.00	26.01	Vertical	PASS
2	15235	40.93	9.00	49.93	74.00	24.07	Vertical	PASS
3	17350.5	39.22	12.84	52.06	74.00	21.94	Vertical	PASS
4	11611.5	34.65	5.13	39.78	54.00	14.22	Vertical	PASS
5	15248	33.21	9.30	42.51	54.00	11.49	Vertical	PASS
6	17359	33.08	12.51	45.59	54.00	8.41	Vertical	PASS

Project Information			
Mode:	802.11n20	Band:	/
Bandwidth	20MHz	Channel	1
SN.:	E1824G21X000002	Engineer:	申状
Remark:	Polarity: X		
Test Standard: FCC PART 15 C			


Test Graph



NO.	Freq. [MHz]	Reading [dBuV]	Factor [dB]	Level [dBµV/m]	Limit [dBµV/m]	Margin [dB]	Polarity	Verdict
1	2390.2	40.33	4.39	44.72	74.00	29.28	Horizontal	NA
2	10433	43.53	3.95	47.48	74.00	26.52	Horizontal	PASS
3	15133.5	41.12	8.59	49.71	74.00	24.29	Horizontal	PASS
4	17348.5	39.91	12.79	52.70	74.00	21.30	Horizontal	PASS
5	11305.5	34.94	4.60	39.54	54.00	14.46	Horizontal	PASS
6	15245	33.47	9.24	42.71	54.00	11.29	Horizontal	PASS
7	17353	32.11	12.74	44.85	54.00	9.15	Horizontal	PASS

Project Information			
Mode:	802.11n20	Band:	/
Bandwidth	20MHz	Channel	1
SN.:	E1824G21X000002	Engineer:	申状
Remark:	Polarity: X		
Test Standard: FCC PART 15 C			


Test Graph



NO.	Freq. [MHz]	Reading [dBuV]	Factor [dB]	Level [dBµV/m]	Limit [dBµV/m]	Margin [dB]	Polarity	Verdict
1	12018.5	42.61	5.30	47.91	74.00	26.09	Vertical	PASS
2	15134	41.33	8.59	49.92	74.00	24.08	Vertical	PASS
3	17340.5	39.54	12.42	51.96	74.00	22.04	Vertical	PASS
4	12664.5	35.18	5.41	40.59	54.00	13.41	Vertical	PASS
5	13818.5	34.77	8.23	43.00	54.00	11.00	Vertical	PASS
6	17350	32.10	12.86	44.96	54.00	9.04	Vertical	PASS

Project Information			
Mode:	802.11n20	Band:	/
Bandwidth	20MHz	Channel	6
SN.:	E1824G21X000002	Engineer:	申状
Remark:	Polarity: X		
Test Standard: FCC PART 15 C			


Test Graph



NO.	Freq. [MHz]	Reading [dBuV]	Factor [dB]	Level [dBµV/m]	Limit [dBµV/m]	Margin [dB]	Polarity	Verdict
1	2429.4	40.14	4.60	44.74	-	-	Horizontal	NA
2	10780	43.63	4.32	47.95	74.00	26.05	Horizontal	PASS
3	15237.5	41.09	9.05	50.14	74.00	23.86	Horizontal	PASS
4	17362.5	40.06	12.37	52.43	74.00	21.57	Horizontal	PASS
5	2429.4	31.82	4.60	36.42	-	-	Horizontal	NA
6	11415	34.73	5.24	39.97	54.00	14.03	Horizontal	PASS
7	14661	33.01	9.62	42.63	54.00	11.37	Horizontal	PASS
8	17357	32.98	12.59	45.57	54.00	8.43	Horizontal	PASS

Project Information			
Mode:	802.11n20	Band:	/
Bandwidth	20MHz	Channel	6
SN.:	E1824G21X000002	Engineer:	申状
Remark:	Polarity: X		
Test Standard: FCC PART 15 C			


Test Graph



NO.	Freq. [MHz]	Reading [dBuV]	Factor [dB]	Level [dBµV/m]	Limit [dBµV/m]	Margin [dB]	Polarity	Verdict
1	10907.5	42.95	4.76	47.71	74.00	26.29	Vertical	PASS
2	14341.5	41.36	9.14	50.50	74.00	23.50	Vertical	PASS
3	17343	40.17	12.54	52.71	74.00	21.29	Vertical	PASS
4	9748.5	37.75	2.83	40.58	54.00	13.42	Vertical	PASS
5	15063.5	33.44	8.94	42.38	54.00	11.62	Vertical	PASS
6	17340.5	33.07	12.42	45.49	54.00	8.51	Vertical	PASS

Project Information			
Mode:	802.11n20	Band:	/
Bandwidth	20MHz	Channel	11
SN.:	E1824G21X000002	Engineer:	申状
Remark:	Polarity: X		
Test Standard: FCC PART 15 C			


Test Graph



NO.	Freq. [MHz]	Reading [dBuV]	Factor [dB]	Level [dBµV/m]	Limit [dBµV/m]	Margin [dB]	Polarity	Verdict
1	11934	42.48	5.46	47.94	74.00	26.06	Horizontal	PASS
2	13830.5	41.91	8.42	50.33	74.00	23.67	Horizontal	PASS
3	17351.5	39.87	12.80	52.67	74.00	21.33	Horizontal	PASS
4	12056	35.28	5.11	40.39	54.00	13.61	Horizontal	PASS
5	15251.5	32.97	9.33	42.30	54.00	11.70	Horizontal	PASS
6	17340.5	32.84	12.42	45.26	54.00	8.74	Horizontal	PASS

Project Information			
Mode:	802.11ax20	Band:	/
Bandwidth	20MHz	Channel	1
SN.:	E1824G21X000002	Engineer:	申状
Remark:	Polarity: X		
Test Standard: FCC PART 15 C			


Test Graph



NO.	Freq. [MHz]	Reading [dBuV]	Factor [dB]	Level [dBµV/m]	Limit [dBµV/m]	Margin [dB]	Polarity	Verdict
1	11424	42.17	5.18	47.35	74.00	26.65	Vertical	PASS
2	14361	41.30	9.12	50.42	74.00	23.58	Vertical	PASS
3	17845	39.56	12.73	52.29	74.00	21.71	Vertical	PASS
4	9848.5	36.61	3.29	39.90	54.00	14.10	Vertical	PASS
5	14637	32.84	9.61	42.45	54.00	11.55	Vertical	PASS
6	17349.5	32.00	12.84	44.84	54.00	9.16	Vertical	PASS

Project Information			
Mode:	802.11ax20	Band:	/
Bandwidth	20MHz	Channel	1
SN.:	E1824G21X000002	Engineer:	申状
Remark:	Polarity: X		
Test Standard: FCC PART 15 C			


Test Graph



NO.	Freq. [MHz]	Reading [dBuV]	Factor [dB]	Level [dBµV/m]	Limit [dBµV/m]	Margin [dB]	Polarity	Verdict
1	2390	40.98	4.39	45.37	-	-	Horizontal	NA
2	11559	42.64	4.81	47.45	74.00	26.55	Horizontal	PASS
3	14868.5	42.77	8.03	50.80	74.00	23.20	Horizontal	PASS
4	17365.5	40.86	12.26	53.12	74.00	20.88	Horizontal	PASS
5	2390.6	28.66	4.39	33.05	-	-	Horizontal	NA
6	11403.5	35.36	5.31	40.67	54.00	13.33	Horizontal	PASS
7	15072	33.49	8.96	42.45	54.00	11.55	Horizontal	PASS
8	17353.5	32.61	12.72	45.33	54.00	8.67	Horizontal	PASS

Project Information			
Mode:	802.11ax20	Band:	/
Bandwidth	20MHz	Channel	1
SN.:	E1824G21X000002	Engineer:	申状
Remark:	Polarity: X		
Test Standard: FCC PART 15 C			

Test Graph



NO.	Freq. [MHz]	Reading [dBuV]	Factor [dB]	Level [dBµV/m]	Limit [dBµV/m]	Margin [dB]	Polarity	Verdict
1	10162.5	43.90	3.31	47.21	74.00	26.79	Vertical	PASS
2	15252	40.66	9.32	49.98	74.00	24.02	Vertical	PASS
3	17349	40.11	12.82	52.93	74.00	21.07	Vertical	PASS
4	11983	34.29	5.44	39.73	54.00	14.27	Vertical	PASS
5	15252.5	33.11	9.31	42.42	54.00	11.58	Vertical	PASS
6	17363.5	33.06	12.33	45.39	54.00	8.61	Vertical	PASS