


Project Information			
Mode:	802.11ax20	Band:	/
Bandwidth	20MHz	Channel	6
SN.:	E1824G21X000002	Engineer:	申状
Remark:	Polarity: X		
Test Standard: FCC PART 15 C			


### Test Graph



NO.	Freq. [MHz]	Reading [dBuV]	Factor [dB]	Level [dBµV/m]	Limit [dBµV/m]	Margin [dB]	Polarity	Verdict
1	2429.6	42.07	4.60	46.67	-	-	Horizontal	NA
2	11497.5	42.91	4.88	47.79	74.00	26.21	Horizontal	PASS
3	15250	41.08	9.35	50.43	74.00	23.57	Horizontal	PASS
4	17881	39.98	12.43	52.41	74.00	21.59	Horizontal	PASS
5	2429.6	32.36	4.60	36.96	-	-	Horizontal	NA
6	11584	34.50	5.20	39.70	54.00	14.30	Horizontal	PASS
7	15075	33.51	8.97	42.48	54.00	11.52	Horizontal	PASS
8	17351	31.97	12.82	44.79	54.00	9.21	Horizontal	PASS

Project Information			
Mode:	802.11ax20	Band:	/
Bandwidth	20MHz	Channel	6
SN.:	E1824G21X000002	Engineer:	申状
Remark:	Polarity: X		
Test Standard: FCC PART 15 C			


### Test Graph



NO.	Freq. [MHz]	Reading [dBuV]	Factor [dB]	Level [dBµV/m]	Limit [dBµV/m]	Margin [dB]	Polarity	Verdict
1	11923.5	42.61	5.42	48.03	74.00	25.97	Vertical	PASS
2	15071	40.93	8.96	49.89	74.00	24.11	Vertical	PASS
3	17346.5	40.52	12.70	53.22	74.00	20.78	Vertical	PASS
4	12616	35.60	4.84	40.44	54.00	13.56	Vertical	PASS
5	15238.5	34.07	9.08	43.15	54.00	10.85	Vertical	PASS
6	17343.5	32.36	12.56	44.92	54.00	9.08	Vertical	PASS

Project Information			
Mode:	802.11ax20	Band:	/
Bandwidth	20MHz	Channel	11
SN.:	E1824G21X000002	Engineer:	申状
Remark:	Polarity: X		
Test Standard: FCC PART 15 C			


### Test Graph



NO.	Freq. [MHz]	Reading [dBuV]	Factor [dB]	Level [dBµV/m]	Limit [dBµV/m]	Margin [dB]	Polarity	Verdict
1	10733.5	43.48	4.03	47.51	74.00	26.49	Horizontal	PASS
2	14421.5	42.19	7.95	50.14	74.00	23.86	Horizontal	PASS
3	17354	39.62	12.70	52.32	74.00	21.68	Horizontal	PASS
4	12356	34.80	4.94	39.74	54.00	14.26	Horizontal	PASS
5	14336.5	33.70	9.01	42.71	54.00	11.29	Horizontal	PASS
6	17348	32.35	12.77	45.12	54.00	8.88	Horizontal	PASS

Project Information			
Mode:	802.11ax20	Band:	/
Bandwidth	20MHz	Channel	11
SN.:	E1824G21X000002	Engineer:	申状
Remark:	Polarity: X		
Test Standard: FCC PART 15 C			

### Test Graph




NO.	Freq. [MHz]	Reading [dBuV]	Factor [dB]	Level [dBµV/m]	Limit [dBµV/m]	Margin [dB]	Polarity	Verdict
1	12239	42.73	4.85	47.58	74.00	26.42	Vertical	PASS
2	14662	41.03	9.59	50.62	74.00	23.38	Vertical	PASS
3	17961	40.63	12.30	52.93	74.00	21.07	Vertical	PASS
4	9848.5	37.31	3.29	40.60	54.00	13.40	Vertical	PASS
5	14621	33.52	9.24	42.76	54.00	11.24	Vertical	PASS
6	17362.5	32.91	12.37	45.28	54.00	8.72	Vertical	PASS

## Radiated Band Edge Test Result

Project Information			
Mode:	802.11b	Band:	/
Bandwidth	20MHz	Channel	1
SN.:	E1824G21X000002	Engineer:	申状
Remark:	Polarity: X		
Test Standard: FCC PART 15 C			


### Test Graph



NO.	Freq. [MHz]	Reading [dBμV]	Factor [dB]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Polarity	Verdict
1	2371.695232	28.87	3.32	32.19	54.00	21.81	Horizontal	PASS
2	2381.965322	28.99	3.36	32.35	54.00	21.65	Horizontal	PASS
3	2386.40947	29.64	3.38	33.02	54.00	20.98	Horizontal	PASS
4	2360.752918	39.80	3.27	43.07	74.00	30.93	Horizontal	PASS
5	2377.894632	39.89	3.35	43.24	74.00	30.76	Horizontal	PASS
6	2389.695899	39.18	3.40	42.58	74.00	31.42	Horizontal	PASS

Project Information			
Mode:	802.11b	Band:	/
Bandwidth	20MHz	Channel	1
SN.:	E1824G21X000002	Engineer:	申状
Remark:	Polarity: X		
Test Standard: FCC PART 15 C			


### Test Graph



NO.	Freq. [MHz]	Reading [dBuV]	Factor [dB]	Level [dBuV/m]	Limit [dBuV/m]	Margin [dB]	Polarity	Verdict
1	2360.080694	28.86	3.27	32.13	54.00	21.87	Vertical	PASS
2	2381.666556	28.85	3.36	32.21	54.00	21.79	Vertical	PASS
3	2385.6999	28.91	3.38	32.29	54.00	21.71	Vertical	PASS
4	2368.371457	39.29	3.31	42.60	74.00	31.40	Vertical	PASS
5	2382.040013	39.53	3.36	42.89	74.00	31.11	Vertical	PASS
6	2389.882628	38.96	3.40	42.36	74.00	31.64	Vertical	PASS

Project Information			
Mode:	802.11b	Band:	/
Bandwidth	20MHz	Channel	11
SN.:	E1824G21X000002	Engineer:	申状
Remark:	Polarity: X		
Test Standard: FCC Part 15C			


### Test Graph



NO.	Freq. [MHz]	Reading [dBuV]	Factor [dB]	Level [dBµV/m]	Limit [dBµV/m]	Margin [dB]	Polarity	Verdict
1	2484.68034	29.14	4.26	33.40	54.00	20.60	Horizontal	PASS
2	2487.897949	28.97	4.27	33.24	54.00	20.76	Horizontal	PASS
3	2491.307654	29.06	4.29	33.35	54.00	20.65	Horizontal	PASS
4	2484.008004	40.51	4.26	44.77	74.00	29.23	Horizontal	PASS
5	2488.378189	40.49	4.27	44.76	74.00	29.24	Horizontal	PASS
6	2491.37969	40.49	4.29	44.78	74.00	29.22	Horizontal	PASS

Project Information			
Mode:	802.11b	Band:	/
Bandwidth	20MHz	Channel	11
SN.:	E1824G21X000002	Engineer:	申状
Remark:	Polarity: X		
Test Standard: FCC Part 15C			

### Test Graph




NO.	Freq. [MHz]	Reading [dBuV]	Factor [dB]	Level [dBuV/m]	Limit [dBuV/m]	Margin [dB]	Polarity	Verdict
1	2484.08004	28.74	4.26	33.00	54.00	21.00	Vertical	PASS
2	2488.426213	28.81	4.27	33.08	54.00	20.92	Vertical	PASS
3	2493.324662	28.86	4.29	33.15	54.00	20.85	Vertical	PASS
4	2483.647824	39.61	4.25	43.86	74.00	30.14	Vertical	PASS
5	2487.705853	39.54	4.27	43.81	74.00	30.19	Vertical	PASS
6	2498.607304	39.63	4.31	43.94	74.00	30.06	Vertical	PASS



Project Information			
Mode:	802.11g	Band:	/
Bandwidth	20MHz	Channel	1
SN.:	E1824G21X000002	Engineer:	申状
Remark:	Polarity: X		
Test Standard: FCC PART 15 C			


### Test Graph



NO.	Freq. [MHz]	Reading [dBµV]	Factor [dB]	Level [dBµV/m]	Limit [dBµV/m]	Margin [dB]	Polarity	Verdict
1	2378.79093	29.93	3.35	33.28	54.00	20.72	Horizontal	PASS
2	2385.214405	30.95	3.38	34.33	54.00	19.67	Horizontal	PASS
3	2389.807936	32.65	3.40	36.05	54.00	17.95	Horizontal	PASS
4	2377.11037	40.03	3.34	43.37	74.00	30.63	Horizontal	PASS
5	2385.251751	41.56	3.38	44.94	74.00	29.06	Horizontal	PASS
6	2389.06102	44.78	3.40	48.18	74.00	25.82	Horizontal	PASS

Project Information			
Mode:	802.11g	Band:	/
Bandwidth	20MHz	Channel	1
SN.:	E1824G21X000002	Engineer:	申状
Remark:	Polarity: X		
Test Standard: FCC PART 15 C			


### Test Graph



NO.	Freq. [MHz]	Reading [dBµV]	Factor [dB]	Level [dBµV/m]	Limit [dBµV/m]	Margin [dB]	Polarity	Verdict
1	2365.981327	28.71	3.30	32.01	54.00	21.99	Vertical	PASS
2	2381.18106	29.00	3.36	32.36	54.00	21.64	Vertical	PASS
3	2389.882628	28.83	3.40	32.23	54.00	21.77	Vertical	PASS
4	2370.276092	39.64	3.31	42.95	74.00	31.05	Vertical	PASS
5	2377.035679	39.41	3.34	42.75	74.00	31.25	Vertical	PASS
6	2389.322441	39.40	3.40	42.80	74.00	31.20	Vertical	PASS

Project Information			
Mode:	802.11g	Band:	/
Bandwidth	20MHz	Channel	11
SN.:	E1824G21X000002	Engineer:	申状
Remark:	Polarity: X		
Test Standard: FCC Part 15C			


### Test Graph



NO.	Freq. [MHz]	Reading [dBuV]	Factor [dB]	Level [dBµV/m]	Limit [dBµV/m]	Margin [dB]	Polarity	Verdict
1	2483.623812	32.78	4.25	37.03	54.00	16.97	Horizontal	PASS
2	2485.784892	31.51	4.26	35.77	54.00	18.23	Horizontal	PASS
3	2488.426213	30.65	4.27	34.92	54.00	19.08	Horizontal	PASS
4	2483.575788	44.72	4.25	48.97	74.00	25.03	Horizontal	PASS
5	2484.968484	44.12	4.26	48.38	74.00	25.62	Horizontal	PASS
6	2487.897949	43.11	4.27	47.38	74.00	26.62	Horizontal	PASS

Project Information			
Mode:	802.11g	Band:	/
Bandwidth	20MHz	Channel	11
SN.:	E1824G21X000002	Engineer:	申状
Remark:	Polarity: X		
Test Standard: FCC Part 15C			


### Test Graph



NO.	Freq. [MHz]	Reading [dBuV]	Factor [dB]	Level [dBµV/m]	Limit [dBµV/m]	Margin [dB]	Polarity	Verdict
1	2483.671836	28.88	4.25	33.13	54.00	20.87	Vertical	PASS
2	2487.993997	28.72	4.27	32.99	54.00	21.01	Vertical	PASS
3	2497.310655	28.76	4.31	33.07	54.00	20.93	Vertical	PASS
4	2484.008004	40.29	4.26	44.55	74.00	29.45	Vertical	PASS
5	2490.53927	39.16	4.28	43.44	74.00	30.56	Vertical	PASS
6	2494.237119	40.46	4.30	44.76	74.00	29.24	Vertical	PASS

Project Information			
Mode:	802.11n20	Band:	/
Bandwidth	20MHz	Channel	1
SN.:	E1824G21X000002	Engineer:	申状
Remark:	Polarity: X		
Test Standard: FCC PART 15 C			


### Test Graph



NO.	Freq. [MHz]	Reading [dBuV]	Factor [dB]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Polarity	Verdict
1	2380.098033	29.33	3.36	32.69	54.00	21.31	Horizontal	PASS
2	2386.334778	30.22	3.38	33.60	54.00	20.40	Horizontal	PASS
3	2389.733244	32.15	3.40	35.55	54.00	18.45	Horizontal	PASS
4	2380.508836	40.67	3.36	44.03	74.00	29.97	Horizontal	PASS
5	2387.044348	43.17	3.38	46.55	74.00	27.45	Horizontal	PASS
6	2389.50917	46.45	3.40	49.85	74.00	24.15	Horizontal	PASS

Project Information			
Mode:	802.11n20	Band:	/
Bandwidth	20MHz	Channel	1
SN.:	E1824G21X000002	Engineer:	申状
Remark:	Polarity: X		
Test Standard: FCC PART 15 C			


### Test Graph



NO.	Freq. [MHz]	Reading [dBuV]	Factor [dB]	Level [dBµV/m]	Limit [dBµV/m]	Margin [dB]	Polarity	Verdict
1	2373.338446	28.97	3.33	32.30	54.00	21.70	Vertical	PASS
2	2380.844948	28.94	3.36	32.30	54.00	21.70	Vertical	PASS
3	2389.397132	28.76	3.40	32.16	54.00	21.84	Vertical	PASS
4	2370.126709	39.96	3.31	43.27	74.00	30.73	Vertical	PASS
5	2382.33878	39.81	3.36	43.17	74.00	30.83	Vertical	PASS
6	2389.434478	38.92	3.40	42.32	74.00	31.68	Vertical	PASS

Project Information			
Mode:	802.11n20	Band:	/
Bandwidth	20MHz	Channel	11
SN.:	E1824G21X000002	Engineer:	申状
Remark:	Polarity: X		
Test Standard: FCC Part 15C			


### Test Graph



NO.	Freq. [MHz]	Reading [dBµV]	Factor [dB]	Level [dBµV/m]	Limit [dBµV/m]	Margin [dB]	Polarity	Verdict
1	2483.575788	31.47	4.25	35.72	54.00	18.28	Horizontal	PASS
2	2485.424712	31.06	4.26	35.32	54.00	18.68	Horizontal	PASS
3	2487.105553	30.47	4.27	34.74	54.00	19.26	Horizontal	PASS
4	2483.5998	44.70	4.25	48.95	74.00	25.05	Horizontal	PASS
5	2485.928965	43.06	4.26	47.32	74.00	26.68	Horizontal	PASS
6	2487.249625	41.22	4.27	45.49	74.00	28.51	Horizontal	PASS

Project Information			
Mode:	802.11n20	Band:	/
Bandwidth	20MHz	Channel	11
SN.:	E1824G21X000002	Engineer:	申状
Remark:	Polarity: X		
Test Standard: FCC Part 15C			

### Test Graph




NO.	Freq. [MHz]	Reading [dBuV]	Factor [dB]	Level [dBµV/m]	Limit [dBµV/m]	Margin [dB]	Polarity	Verdict
1	2483.647824	28.35	4.25	32.60	54.00	21.40	Vertical	PASS
2	2485.304652	28.64	4.26	32.90	54.00	21.10	Vertical	PASS
3	2486.865433	28.46	4.27	32.73	54.00	21.27	Vertical	PASS
4	2483.791896	38.73	4.26	42.99	74.00	31.01	Vertical	PASS
5	2485.976989	39.94	4.26	44.20	74.00	29.80	Vertical	PASS
6	2489.026513	39.09	4.28	43.37	74.00	30.63	Vertical	PASS



Project Information			
Mode:	802.11ax20	Band:	/
Bandwidth	20MHz	Channel	1
SN.:	E1824G21X000002	Engineer:	申状
Remark:	Polarity: X		
Test Standard: FCC PART 15 C			


### Test Graph



NO.	Freq. [MHz]	Reading [dBuV]	Factor [dB]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Polarity	Verdict
1	2365.309103	28.78	3.29	32.07	54.00	21.93	Horizontal	PASS
2	2384.99033	29.76	3.38	33.14	54.00	20.86	Horizontal	PASS
3	2389.919973	32.32	3.40	35.72	54.00	18.28	Horizontal	PASS
4	2357.98933	39.43	3.27	42.70	74.00	31.30	Horizontal	PASS
5	2381.815939	40.90	3.36	44.26	74.00	29.74	Horizontal	PASS
6	2389.546516	46.14	3.40	49.54	74.00	24.46	Horizontal	PASS

Project Information			
Mode:	802.11ax20	Band:	/
Bandwidth	20MHz	Channel	1
SN.:	E1824G21X000002	Engineer:	申状
Remark:	Polarity: X		
Test Standard: FCC PART 15 C			


### Test Graph



NO.	Freq. [MHz]	Reading [dBuV]	Factor [dB]	Level [dBµV/m]	Limit [dBµV/m]	Margin [dB]	Polarity	Verdict
1	2364.487496	28.89	3.29	32.18	54.00	21.82	Vertical	PASS
2	2374.608203	28.71	3.33	32.04	54.00	21.96	Vertical	PASS
3	2389.77059	28.79	3.40	32.19	54.00	21.81	Vertical	PASS
4	2375.803268	39.26	3.34	42.60	74.00	31.40	Vertical	PASS
5	2384.355452	39.59	3.38	42.97	74.00	31.03	Vertical	PASS
6	2389.807936	38.31	3.40	41.71	74.00	32.29	Vertical	PASS

Project Information			
Mode:	802.11ax20	Band:	/
Bandwidth	20MHz	Channel	11
SN.:	E1824G21X000002	Engineer:	申状
Remark:	Polarity: X		
Test Standard: FCC Part 15C			


### Test Graph



NO.	Freq. [MHz]	Reading [dBµV]	Factor [dB]	Level [dBµV/m]	Limit [dBµV/m]	Margin [dB]	Polarity	Verdict
1	2483.5998	32.28	4.25	36.53	54.00	17.47	Horizontal	PASS
2	2484.992496	31.13	4.26	35.39	54.00	18.61	Horizontal	PASS
3	2486.841421	30.44	4.27	34.71	54.00	19.29	Horizontal	PASS
4	2484.032016	45.28	4.26	49.54	74.00	24.46	Horizontal	PASS
5	2484.944472	44.03	4.26	48.29	74.00	25.71	Horizontal	PASS
6	2486.865433	42.57	4.27	46.84	74.00	27.16	Horizontal	PASS

Project Information			
Mode:	802.11ax20	Band:	/
Bandwidth	20MHz	Channel	11
SN.:	E1824G21X000002	Engineer:	申状
Remark:	Polarity: X		
Test Standard: FCC Part 15C			

### Test Graph



NO.	Freq. [MHz]	Reading [dBuV]	Factor [dB]	Level [dBµV/m]	Limit [dBµV/m]	Margin [dB]	Polarity	Verdict
1	2484.464232	28.57	4.26	32.83	54.00	21.17	Vertical	PASS
2	2488.690345	28.56	4.27	32.83	54.00	21.17	Vertical	PASS
3	2495.293647	28.54	4.30	32.84	54.00	21.16	Vertical	PASS
4	2483.863932	38.58	4.26	42.84	74.00	31.16	Vertical	PASS
5	2488.690345	39.67	4.27	43.94	74.00	30.06	Vertical	PASS
6	2491.763882	39.16	4.29	43.45	74.00	30.55	Vertical	PASS

~The End~