1. Effective (Isotropic) Radiated Power Output Data

1.1 B26a_1.4MHz_ERP

1.1.1 Test Result

Band: 26a / Bandwidth: 1.4MHz / NTNV								
Modulation	Frequency (MHz)	RB Allocation		Conducted Power (dBm)	Gain (dBi)	ERP (dBm)		Verdict
		Size	Offset			Result	Limit	
QPSK	814.7	1	0	23.46	0.3	21.61	<=50	Pass
			2	23.47	0.3	21.62	<=50	Pass
			5	23.49	0.3	21.64	<=50	Pass
		3	0	23.48	0.3	21.63	<=50	Pass
			2	23.5	0.3	21.65	<=50	Pass
			3	23.49	0.3	21.64	<=50	Pass
		6	0	22.49	0.3	20.64	<=50	Pass
	819	1	0	23.43	0.3	21.58	<=50	Pass
			2	23.47	0.3	21.62	<=50	Pass
			5	23.44	0.3	21.59	<=50	Pass
		3	0	23.45	0.3	21.6	<=50	Pass
			2	23.45	0.3	21.6	<=50	Pass
			3	23.49	0.3	21.64	<=50	Pass
		6	0	22.45	0.3	20.6	<=50	Pass
	823.3	1	0	23.49	0.3	21.64	<=50	Pass
			2	23.48	0.3	21.63	<=50	Pass
			5	23.48	0.3	21.63	<=50	Pass
		3	0	23.49	0.3	21.64	<=50	Pass
			2	23.48	0.3	21.63	<=50	Pass
			3	23.46	0.3	21.61	<=50	Pass
		6	0	22.49	0.3	20.64	<=50	Pass
16QAM	814.7	1	0	22.57	0.3	20.72	<=50	Pass
			2	22.65	0.3	20.8	<=50	Pass
			5	22.62	0.3	20.77	<=50	Pass
		3	0	22.54	0.3	20.69	<=50	Pass
			2	22.53	0.3	20.68	<=50	Pass
			3	22.55	0.3	20.7	<=50	Pass
		6	0	21.55	0.3	19.7	<=50	Pass
	819	1	0	22.59	0.3	20.74	<=50	Pass
			2	22.59	0.3	20.74	<=50	Pass
			5	22.62	0.3	20.77	<=50	Pass
		3	0	22.55	0.3	20.7	<=50	Pass

			2	22.49	0.3	20.64	<=50	Pass
			3	22.57	0.3	20.72	<=50	Pass
		6	0	21.56	0.3	19.71	<=50	Pass
	823.3	1	0	22.66	0.3	20.81	<=50	Pass
			2	22.66	0.3	20.81	<=50	Pass
			5	22.62	0.3	20.77	<=50	Pass
		3	0	22.59	0.3	20.74	<=50	Pass
			2	22.6	0.3	20.75	<=50	Pass
			3	22.56	0.3	20.71	<=50	Pass
		6	0	21.57	0.3	19.72	<=50	Pass
Note1: ERP=Conducted Power+Antenna Gain-2.15								

1.2 B26a_3MHz_ERP

1.2.1 Test Result

Band: 26a / Bandwidth: 3MHz / NTNV								
Modulation	Frequency (MHz)	RB Allocation		Conducted Power (dBm)	Gain (dBi)	ERP (dBm)		Verdict
		Size	Offset			Result	Limit	
QPSK	815.5	1	0	23.45	0.3	21.6	<=50	Pass
			7	23.45	0.3	21.6	<=50	Pass
			14	23.4	0.3	21.55	<=50	Pass
		8	0	22.5	0.3	20.65	<=50	Pass
			4	22.56	0.3	20.71	<=50	Pass
			7	22.52	0.3	20.67	<=50	Pass
		15	0	22.49	0.3	20.64	<=50	Pass
	819	1	0	23.43	0.3	21.58	<=50	Pass
			7	23.49	0.3	21.64	<=50	Pass
			14	23.44	0.3	21.59	<=50	Pass
		8	0	22.55	0.3	20.7	<=50	Pass
			4	22.57	0.3	20.72	<=50	Pass
			7	22.51	0.3	20.66	<=50	Pass
		15	0	22.5	0.3	20.65	<=50	Pass
	822.5	1	0	23.44	0.3	21.59	<=50	Pass
			7	24.03	0.3	22.18	<=50	Pass
			14	23.89	0.3	22.04	<=50	Pass
		8	0	22.98	0.3	21.13	<=50	Pass
			4	23.03	0.3	21.18	<=50	Pass
			7	22.98	0.3	21.13	<=50	Pass
		15	0	23.01	0.3	21.16	<=50	Pass

16QAM	815.5	1	0	22.58	0.3	20.73	<=50	Pass
			7	22.64	0.3	20.79	<=50	Pass
			14	22.52	0.3	20.67	<=50	Pass
		8	0	21.52	0.3	19.67	<=50	Pass
			4	21.57	0.3	19.72	<=50	Pass
			7	21.58	0.3	19.73	<=50	Pass
		15	0	21.55	0.3	19.7	<=50	Pass
	819	1	0	22.58	0.3	20.73	<=50	Pass
			7	22.57	0.3	20.72	<=50	Pass
			14	22.61	0.3	20.76	<=50	Pass
		8	0	21.56	0.3	19.71	<=50	Pass
			4	21.58	0.3	19.73	<=50	Pass
			7	21.6	0.3	19.75	<=50	Pass
		15	0	21.61	0.3	19.76	<=50	Pass
	822.5	1	0	23.03	0.3	21.18	<=50	Pass
			7	23.11	0.3	21.26	<=50	Pass
			14	23.02	0.3	21.17	<=50	Pass
		8	0	22	0.3	20.15	<=50	Pass
			4	22.02	0.3	20.17	<=50	Pass
			7	22	0.3	20.15	<=50	Pass
		15	0	22.02	0.3	20.17	<=50	Pass
Note1: ERP=Conducted Power+Antenna Gain-2.15								

1.3 B26a_5MHz_ERP

1.3.1 Test Result

Band: 26a / Bandwidth: 5MHz / NTNV								
Modulation	Frequency (MHz)	RB Allocation		Conducted Power (dBm)	Gain (dBi)	ERP (dBm)		Verdict
		Size	Offset			Result	Limit	
QPSK	816.5	1	0	23.9	0.3	22.05	<=50	Pass
			13	23.97	0.3	22.12	<=50	Pass
			24	23.93	0.3	22.08	<=50	Pass
		12	0	22.92	0.3	21.07	<=50	Pass
			6	22.99	0.3	21.14	<=50	Pass
			13	23.01	0.3	21.16	<=50	Pass
		25	0	22.97	0.3	21.12	<=50	Pass
	819	1	0	23.95	0.3	22.1	<=50	Pass
			13	23.97	0.3	22.12	<=50	Pass
			24	23.97	0.3	22.12	<=50	Pass

		12	0	22.9	0.3	21.05	<=50	Pass
			6	22.98	0.3	21.13	<=50	Pass
			13	23.01	0.3	21.16	<=50	Pass
		25	0	22.99	0.3	21.14	<=50	Pass
	821.5	1	0	23.91	0.3	22.06	<=50	Pass
			13	24.01	0.3	22.16	<=50	Pass
			24	23.98	0.3	22.13	<=50	Pass
		12	0	22.88	0.3	21.03	<=50	Pass
			6	23	0.3	21.15	<=50	Pass
			13	22.97	0.3	21.12	<=50	Pass
		25	0	22.95	0.3	21.1	<=50	Pass
16QAM	816.5	1	0	22.96	0.3	21.11	<=50	Pass
			13	23.13	0.3	21.28	<=50	Pass
			24	23.09	0.3	21.24	<=50	Pass
		12	0	21.97	0.3	20.12	<=50	Pass
			6	22.05	0.3	20.2	<=50	Pass
			13	22.04	0.3	20.19	<=50	Pass
		25	0	22	0.3	20.15	<=50	Pass
	819	1	0	22.99	0.3	21.14	<=50	Pass
			13	23.08	0.3	21.23	<=50	Pass
			24	23.05	0.3	21.2	<=50	Pass
		12	0	21.88	0.3	20.03	<=50	Pass
			6	22	0.3	20.15	<=50	Pass
			13	22.01	0.3	20.16	<=50	Pass
		25	0	22	0.3	20.15	<=50	Pass
	821.5	1	0	23.01	0.3	21.16	<=50	Pass
			13	23.01	0.3	21.16	<=50	Pass
			24	23.16	0.3	21.31	<=50	Pass
		12	0	21.92	0.3	20.07	<=50	Pass
			6	22	0.3	20.15	<=50	Pass
			13	22.03	0.3	20.18	<=50	Pass
		25	0	21.99	0.3	20.14	<=50	Pass
Note1: ERP=Conducted Power+Antenna Gain-2.15								

1.4 B26a_10MHz_ERP

1.4.1 Test Result

Band: 26a / Bandwidth: 10MHz / NTNV						
Modulation	Frequency	RB Allocation	Conducted Power	Gain	ERP (dBm)	Verdict

	(MHz)	Size	Offset	(dBm)	(dBi)	Result	Limit	
QPSK	819	1	0	23.84	0.3	21.99	<=50	Pass
			25	23.93	0.3	22.08	<=50	Pass
			49	23.95	0.3	22.1	<=50	Pass
		25	0	22.9	0.3	21.05	<=50	Pass
			13	23.03	0.3	21.18	<=50	Pass
			25	23	0.3	21.15	<=50	Pass
		50	0	23.12	0.3	21.27	<=50	Pass
16QAM	819	1	0	23.04	0.3	21.19	<=50	Pass
			25	23.12	0.3	21.27	<=50	Pass
			49	23.11	0.3	21.26	<=50	Pass
		25	0	21.96	0.3	20.11	<=50	Pass
			13	22.1	0.3	20.25	<=50	Pass
			25	22.05	0.3	20.2	<=50	Pass
		50	0	22.12	0.3	20.27	<=50	Pass
Note1: ERP=Conducted Power+Antenna Gain-2.15								

2. Frequency Stability

2.1 B26a_10MHz

2.1.1 Test Result

Band: 26a / Bandwidth: 10MHz									
Modulation	Frequency (MHz)	RB Allocation		Temp. (°C)	Voltage (VDC)	Freq. Error (Hz)	Freq. vs. Rated (ppm)		Verdict
		Size	Offset				Result	Limit	
QPSK	819	50	0	20	3.27	-0.154	-0.0002	-2.5 to 2.5	Pass
					3.85	-0.379	-0.0005	-2.5 to 2.5	Pass
					4.43	-0.378	-0.0005	-2.5 to 2.5	Pass
				-30	3.85	-0.726	-0.0009	-2.5 to 2.5	Pass
				-20	3.85	-0.656	-0.0008	-2.5 to 2.5	Pass
				-10	3.85	-0.147	-0.0002	-2.5 to 2.5	Pass
				0	3.85	-0.367	-0.0004	-2.5 to 2.5	Pass
				10	3.85	-0.438	-0.0005	-2.5 to 2.5	Pass
				30	3.85	-0.175	-0.0002	-2.5 to 2.5	Pass
				40	3.85	-0.557	-0.0007	-2.5 to 2.5	Pass
				50	3.85	0.010	0.0000	-2.5 to 2.5	Pass

3. 99% & 26dB Bandwidth

3.1 Band26a_OBW

3.1.1 Test Result

Band: 26a / NTNV							
Bandwidth (MHz)	Modulation	Frequency (MHz)	RB Allocation		99% Occupied Bandwidth (MHz)		Verdict
			Size	Offset	Result	Limit	
1.4	QPSK	814.7	6	0	1.122	/	Pass
		819	6	0	1.128	/	Pass
		823.3	6	0	1.118	/	Pass
	16QAM	814.7	6	0	1.123	/	Pass
		819	6	0	1.116	/	Pass
		823.3	6	0	1.125	/	Pass
3	QPSK	815.5	15	0	2.744	/	Pass
		819	15	0	2.760	/	Pass
		822.5	15	0	2.754	/	Pass
	16QAM	815.5	15	0	2.748	/	Pass
		819	15	0	2.754	/	Pass
		822.5	15	0	2.770	/	Pass
5	QPSK	816.5	25	0	4.569	/	Pass
		819	25	0	4.568	/	Pass
		821.5	25	0	4.584	/	Pass
	16QAM	816.5	25	0	4.560	/	Pass
		819	25	0	4.570	/	Pass
		821.5	25	0	4.556	/	Pass
10	QPSK	819	50	0	9.097	/	Pass
	16QAM	819	50	0	9.080	/	Pass

3.1.2 Test Graph

Band26a_1.4MHz_QPSK_LCH_814.7MHz_RB_6_0_NTNV



Band26a_1.4MHz_QPSK_MCH_819MHz_RB_6_0_NTNV



Band26a_1.4MHz_QPSK_HCH_823.3MHz_RB_6_0_NTNV



Band26a_1.4MHz_16QAM_LCH_814.7MHz_RB_6_0_NTNV



Band26a_1.4MHz_16QAM_MCH_819MHz_RB_6_0_NTNV



Band26a_1.4MHz_16QAM_HCH_823.3MHz_RB_6_0_NTNV



Band26a_3MHz_QPSK_LCH_815.5MHz_RB_15_0_NTNV



Band26a_3MHz_QPSK_MCH_819MHz_RB_15_0_NTNV



Band26a_3MHz_QPSK_HCH_822.5MHz_RB_15_0_NTNV



Band26a_3MHz_16QAM_LCH_815.5MHz_RB_15_0_NTNV



Band26a_3MHz_16QAM_MCH_819MHz_RB_15_0_NTNV



Band26a_3MHz_16QAM_HCH_822.5MHz_RB_15_0_NTNV



Band26a_5MHz_QPSK_LCH_816.5MHz_RB_25_0_NTNV



Band26a_5MHz_QPSK_MCH_819MHz_RB_25_0_NTNV



Band26a_5MHz_QPSK_HCH_821.5MHz_RB_25_0_NTNV



Band26a_5MHz_16QAM_LCH_816.5MHz_RB_25_0_NTNV



Band26a_5MHz_16QAM_MCH_819MHz_RB_25_0_NTNV



Band26a_5MHz_16QAM_HCH_821.5MHz_RB_25_0_NTNV



Band26a_10MHz_QPSK_MCH_819MHz_RB_50_0_NTNV



Band26a_10MHz_16QAM_MCH_819MHz_RB_50_0_NTNV



3.2 Band26a_XDB

3.2.1 Test Result

Band: 26a / NTNV							
Bandwidth (MHz)	Modulation	Frequency (MHz)	RB Allocation		26dB Bandwidth (MHz)		Verdict
			Size	Offset	Result	Limit	
1.4	QPSK	814.7	6	0	1.436	/	Pass
		819	6	0	1.402	/	Pass
		823.3	6	0	1.409	/	Pass
	16QAM	814.7	6	0	1.414	/	Pass
		819	6	0	1.391	/	Pass
		823.3	6	0	1.408	/	Pass
3	QPSK	815.5	15	0	3.114	/	Pass
		819	15	0	3.157	/	Pass
		822.5	15	0	3.109	/	Pass
	16QAM	815.5	15	0	3.124	/	Pass
		819	15	0	3.139	/	Pass
		822.5	15	0	3.150	/	Pass
5	QPSK	816.5	25	0	5.242	/	Pass
		819	25	0	5.257	/	Pass
		821.5	25	0	5.223	/	Pass
	16QAM	816.5	25	0	5.248	/	Pass
		819	25	0	5.235	/	Pass
		821.5	25	0	5.272	/	Pass
10	QPSK	819	50	0	10.189	/	Pass
	16QAM	819	50	0	10.241	/	Pass

3.2.2 Test Graph

Band26a_1.4MHz_QPSK_LCH_814.7MHz_RB_6_0_NTNV



Band26a_1.4MHz_QPSK_MCH_819MHz_RB_6_0_NTNV



Band26a_1.4MHz_QPSK_HCH_823.3MHz_RB_6_0_NTNV



Band26a_1.4MHz_16QAM_LCH_814.7MHz_RB_6_0_NTNV



Band26a_1.4MHz_16QAM_MCH_819MHz_RB_6_0_NTNV



Band26a_1.4MHz_16QAM_HCH_823.3MHz_RB_6_0_NTNV



Band26a_3MHz_QPSK_LCH_815.5MHz_RB_15_0_NTNV



Band26a_3MHz_QPSK_MCH_819MHz_RB_15_0_NTNV



Band26a_3MHz_QPSK_HCH_822.5MHz_RB_15_0_NTNV



Band26a_3MHz_16QAM_LCH_815.5MHz_RB_15_0_NTNV



Band26a_3MHz_16QAM_MCH_819MHz_RB_15_0_NTNV



Band26a_3MHz_16QAM_HCH_822.5MHz_RB_15_0_NTNV



Band26a_5MHz_QPSK_LCH_816.5MHz_RB_25_0_NTNV



Band26a_5MHz_QPSK_MCH_819MHz_RB_25_0_NTNV



Band26a_5MHz_QPSK_HCH_821.5MHz_RB_25_0_NTNV



Band26a_5MHz_16QAM_LCH_816.5MHz_RB_25_0_NTNV



Band26a_5MHz_16QAM_MCH_819MHz_RB_25_0_NTNV



Band26a_5MHz_16QAM_HCH_821.5MHz_RB_25_0_NTNV



Band26a_10MHz_QPSK_MCH_819MHz_RB_50_0_NTNV



Band26a_10MHz_16QAM_MCH_819MHz_RB_50_0_NTNV



4. Peak-Average Ratio

4.1 B26a_10MHz

4.1.1 Test Result

Band: 26a / Bandwidth: 10MHz / NTNV						
Modulation	Frequency (MHz)	RB Allocation		Peak-Average Ratio (dB)		Verdict
		Size	Offset	Result	Limit	
QPSK	819	50	0	5.41	<=13	Pass
16QAM	819	50	0	6.20	<=13	Pass

4.1.2 Test Graph

Band26a_10MHz_QPSK_MCH_819MHz_RB_50_0_NTNV



Band26a_10MHz_16QAM_MCH_819MHz_RB_50_0_NTNV



5. Spurious Emission

5.1 B26a_1.4MHz

5.1.1 Test Result

Band: 26a / Bandwidth: 1.4MHz / NTNV						
Modulation	Frequency (MHz)	RB Allocation		Spurious Emission		Verdict
		Size	Offset	Result	Limit	
QPSK	814.7	1	0	Refer To Test Graph		Pass
		6	0	Refer To Test Graph		Pass
	819	1	0	Refer To Test Graph		Pass
	823.3	1	0	Refer To Test Graph		Pass
			5	Refer To Test Graph		Pass
		6	0	Refer To Test Graph		Pass

5.1.2 Test Graph

Band26a_1.4MHz_QPSK_LCH_814.7MHz_RB_1_0_NTNV



Start (MHz)	Stop (MHz)	RBW (MHz)	Method	Marker No.	Freq (MHz)	Level (dBm)	Limit (dBm)	Result
812.5	813	0.1	CHP	1	812.948	-51.65	-13	Pass
813	814	0.003	/	2	813.994	-26.81	-20	Pass
814	815.5	0.003	/	/	/	/	/	/

Band26a_1.4MHz_QPSK_LCH_814.7MHz_RB_1_0_NTNV



Band26a_1.4MHz_QPSK_LCH_814.7MHz_RB_6_0_NTNV



Start (MHz)	Stop (MHz)	RBW (MHz)	Method	Marker No.	Freq (MHz)	Level (dBm)	Limit (dBm)	Result
812.5	813	0.1	CHP	1	812.938	-33.96	-13	Pass
813	814	0.015	/	2	813.979	-26.90	-20	Pass
814	815.5	0.015	/	/	/	/	/	/

Band26a_1.4MHz_QPSK_MCH_819MHz_RB_1_0_NTNV



Band26a_1.4MHz_QPSK_HCH_823.3MHz_RB_1_0_NTNV



Band26a_1.4MHz_QPSK_HCH_823.3MHz_RB_1_5_NTNV



Start (MHz)	Stop (MHz)	RBW (MHz)	Method	Marker No.	Freq (MHz)	Level (dBm)	Limit (dBm)	Result
822.5	824	0.003	/	/	/	/	/	/
824	825	0.003	/	1	824.021	-26.73	-20	Pass
825	825.5	0.1	CHP	2	825.065	-51.16	-13	Pass

Band26a_1.4MHz_QPSK_HCH_823.3MHz_RB_6_0_NTNV



Start (MHz)	Stop (MHz)	RBW (MHz)	Method	Marker No.	Freq (MHz)	Level (dBm)	Limit (dBm)	Result
822.5	824	0.015	/	/	/	/	/	/
824	825	0.015	/	1	824.000	-26.55	-20	Pass
825	825.5	0.1	CHP	2	825.053	-34.51	-13	Pass

5.2 B26a_3MHz

5.2.1 Test Result

Band: 26a / Bandwidth: 3MHz / NTNV						
Modulation	Frequency (MHz)	RB Allocation		Spurious Emission		Verdict
		Size	Offset	Result	Limit	
QPSK	815.5	1	0	Refer To Test Graph		Pass
		15	0	Refer To Test Graph		Pass
	819	1	0	Refer To Test Graph		Pass
	822.5	1	0	Refer To Test Graph		Pass
			14	Refer To Test Graph		Pass
		15	0	Refer To Test Graph		Pass

5.2.2 Test Graph

Band26a_3MHz_QPSK_LCH_815.5MHz_RB_1_0_NTNV



Start (MHz)	Stop (MHz)	RBW (MHz)	Method	Marker No.	Freq (MHz)	Level (dBm)	Limit (dBm)	Result
811	813	0.1	CHP	1	812.942	-52.28	-13	Pass
813	814	0.003	/	2	813.988	-31.67	-20	Pass
814	817	0.003	/	/	/	/	/	/

Band26a_3MHz_QPSK_LCH_815.5MHz_RB_1_0_NTNV



Band26a_3MHz_QPSK_LCH_815.5MHz_RB_15_0_NTNV



Start (MHz)	Stop (MHz)	RBW (MHz)	Method	Marker No.	Freq (MHz)	Level (dBm)	Limit (dBm)	Result
811	813	0.1	CHP	1	812.944	-32.04	-13	Pass
813	814	0.033	/	2	813.988	-22.76	-20	Pass
814	817	0.033	/	/	/	/	/	/

Band26a_3MHz_QPSK_MCH_819MHz_RB_1_0_NTNV



Band26a_3MHz_QPSK_HCH_822.5MHz_RB_1_0_NTNV



Band26a_3MHz_QPSK_HCH_822.5MHz_RB_1_14_NTNV



Start (MHz)	Stop (MHz)	RBW (MHz)	Method	Marker No.	Freq (MHz)	Level (dBm)	Limit (dBm)	Result
821	824	0.003	/	/	/	/	/	/
824	825	0.003	/	1	824.003	-30.68	-20	Pass
825	827	0.1	CHP	2	825.061	-51.87	-13	Pass

Band26a_3MHz_QPSK_HCH_822.5MHz_RB_15_0_NTNV



Start (MHz)	Stop (MHz)	RBW (MHz)	Method	Marker No.	Freq (MHz)	Level (dBm)	Limit (dBm)	Result
821	824	0.033	/	/	/	/	/	/
824	825	0.033	/	1	824.030	-26.83	-20	Pass
825	827	0.1	CHP	2	825.266	-32.51	-13	Pass

5.3 B26a_5MHz

5.3.1 Test Result

Band: 26a / Bandwidth: 5MHz / NTNV						
Modulation	Frequency (MHz)	RB Allocation		Spurious Emission		Verdict
		Size	Offset	Result	Limit	
QPSK	816.5	1	0	Refer To Test Graph		Pass
		25	0	Refer To Test Graph		Pass
	819	1	0	Refer To Test Graph		Pass
	821.5	1	0	Refer To Test Graph		Pass
			24	Refer To Test Graph		Pass
		25	0	Refer To Test Graph		Pass

5.3.2 Test Graph

Band26a_5MHz_QPSK_LCH_816.5MHz_RB_1_0_NTNV



Start (MHz)	Stop (MHz)	RBW (MHz)	Method	Marker No.	Freq (MHz)	Level (dBm)	Limit (dBm)	Result
809	813	0.1	CHP	1	812.950	-48.64	-13	Pass
813	814	0.003	/	2	813.999	-32.56	-20	Pass
814	819	0.003	/	/	/	/	/	/

Band26a_5MHz_QPSK_LCH_816.5MHz_RB_1_0_NTNV



Band26a_5MHz_QPSK_LCH_816.5MHz_RB_25_0_NTNV



Start (MHz)	Stop (MHz)	RBW (MHz)	Method	Marker No.	Freq (MHz)	Level (dBm)	Limit (dBm)	Result
809	813	0.1	CHP	1	812.940	-33.63	-13	Pass
813	814	0.056	/	2	814.000	-24.06	-20	Pass
814	819	0.056	/	/	/	/	/	/

Band26a_5MHz_QPSK_MCH_819MHz_RB_1_0_NTNV



Band26a_5MHz_QPSK_HCH_821.5MHz_RB_1_0_NTNV



Band26a_5MHz_QPSK_HCH_821.5MHz_RB_1_24_NTNV



Start (MHz)	Stop (MHz)	RBW (MHz)	Method	Marker No.	Freq (MHz)	Level (dBm)	Limit (dBm)	Result
819	824	0.003	/	/	/	/	/	/
824	825	0.003	/	1	824.001	-33.43	-20	Pass
825	829	0.1	CHP	2	825.050	-47.71	-13	Pass

Band26a_5MHz_QPSK_HCH_821.5MHz_RB_25_0_NTNV



Start (MHz)	Stop (MHz)	RBW (MHz)	Method	Marker No.	Freq (MHz)	Level (dBm)	Limit (dBm)	Result
819	824	0.056	/	/	/	/	/	/
824	825	0.056	/	1	824.030	-25.50	-20	Pass
825	829	0.1	CHP	2	825.470	-32.65	-13	Pass

5.4 B26a_10MHz

5.4.1 Test Result

Band: 26a / Bandwidth: 10MHz / NTNV						
Modulation	Frequency (MHz)	RB Allocation		Spurious Emission		Verdict
		Size	Offset	Result	Limit	
QPSK	819	1	0	Refer To Test Graph		Pass
		50	0	Refer To Test Graph		Pass
	819	1	49	Refer To Test Graph		Pass
		50	0	Refer To Test Graph		Pass

5.4.2 Test Graph

Band26a_10MHz_QPSK_LCH_819MHz_RB_1_0_NTNV



Start (MHz)	Stop (MHz)	RBW (MHz)	Method	Marker No.	Freq (MHz)	Level (dBm)	Limit (dBm)	Result
804	813	0.1	CHP	1	812.949	-52.68	-13	Pass
813	814	0.003	/	2	813.996	-47.37	-20	Pass
814	824	0.003	/	3	824.000	-73.78	-13	Pass

Band26a_10MHz_QPSK_LCH_819MHz_RB_1_0_NTNV



Band26a_10MHz_QPSK_LCH_819MHz_RB_50_0_NTNV



Start (MHz)	Stop (MHz)	RBW (MHz)	Method	Marker No.	Freq (MHz)	Level (dBm)	Limit (dBm)	Result
804	813	0.1	/	1	812.320	-34.56	-13	Pass
813	814	0.102	/	2	814.000	-31.81	-20	Pass
814	824	0.102	/	3	824.000	-27.54	-13	Pass

Band26a_10MHz_QPSK_HCH_819MHz_RB_1_49_NTNV



Start (MHz)	Stop (MHz)	RBW (MHz)	Method	Marker No.	Freq (MHz)	Level (dBm)	Limit (dBm)	Result
814	824	0.003	/	1	814.000	-74.99	-13	Pass
824	824	0.003	/	/	/	/	/	/
824	825	0.003	/	2	824.001	-47.26	-20	Pass
825	834	0.1	CHP	3	825.051	-52.34	-13	Pass

Band26a_10MHz_QPSK_HCH_819MHz_RB_50_0_NTNV



Start (MHz)	Stop (MHz)	RBW (MHz)	Method	Marker No.	Freq (MHz)	Level (dBm)	Limit (dBm)	Result
814	824	0.102	/	1	814.000	-30.28	-13	Pass
824	824	0.102	/	/	/	/	/	/
824	825	0.102	/	2	824.020	-28.89	-20	Pass
825	834	0.1	/	3	825.580	-32.90	-13	Pass