

99% & 26dB Bandwidth

Test Result


N5-5M-OBW-L-DFT-s-OFDM-Pi2 BPSK						
Modulation	CH	RB Allocation	99% Bandwidth (MHz)	26dB Bandwidth (MHz)	Limit (MHz)	Verdict
DFT-s-OFDM PI/2 BPSK	Low CH	Outer_Full	4.488	5.189	/	Pass
DFT-s-OFDM QPSK		Outer_Full	4.527	5.251	/	Pass
DFT-s-OFDM 16QAM		Outer_Full	4.497	5.309	/	Pass
DFT-s-OFDM 64QAM		Outer_Full	4.494	5.225	/	Pass
DFT-s-OFDM 256QAM		Outer_Full	4.495	5.181	/	Pass
CP-OFDM QPSK		Outer_Full	4.526	5.328	/	Pass
CP-OFDM 16QAM		Outer_Full	4.493	5.237	/	Pass
CP-OFDM 64QAM		Outer_Full	4.494	5.122	/	Pass
CP-OFDM 256QAM		Outer_Full	4.492	5.228	/	Pass
DFT-s-OFDM PI/2 BPSK		Middle CH	Outer_Full	4.481	5.094	/
DFT-s-OFDM QPSK	Outer_Full		4.509	5.247	/	Pass
DFT-s-OFDM 16QAM	Outer_Full		4.491	5.163	/	Pass
DFT-s-OFDM 64QAM	Outer_Full		5.000	5.144	/	Pass
DFT-s-OFDM 256QAM	Outer_Full		4.492	5.145	/	Pass
CP-OFDM QPSK	Outer_Full		4.521	5.203	/	Pass
CP-OFDM 16QAM	Outer_Full		4.493	5.035	/	Pass
CP-OFDM 64QAM	Outer_Full		4.526	5.201	/	Pass
CP-OFDM 256QAM	Outer_Full		4.499	5.124	/	Pass
DFT-s-OFDM PI/2 BPSK	High CH		Outer_Full	4.485	5.157	/
DFT-s-OFDM QPSK		Outer_Full	4.532	5.278	/	Pass
DFT-s-OFDM 16QAM		Outer_Full	4.504	5.154	/	Pass
DFT-s-OFDM 64QAM		Outer_Full	4.493	5.172	/	Pass
DFT-s-OFDM 256QAM		Outer_Full	4.489	5.173	/	Pass
CP-OFDM QPSK		Outer_Full	4.498	5.241	/	Pass
CP-OFDM 16QAM		Outer_Full	4.482	5.091	/	Pass
CP-OFDM 64QAM		Outer_Full	4.502	5.12	/	Pass
CP-OFDM 256QAM		Outer_Full	4.497	5.111	/	Pass

5G NR n5 SCS=15kHz 10MHz						
Modulation	CH	RB Allocation	99% Bandwidth (MHz)	26dB Bandwidth (MHz)	Limit (MHz)	Verdict
DFT-s-OFDM PI/2 BPSK	Low CH	Outer_Full	8.965	9.701	/	Pass
DFT-s-OFDM QPSK		Outer_Full	8.943	9.706	/	Pass
DFT-s-OFDM 16QAM		Outer_Full	8.951	9.747	/	Pass
DFT-s-OFDM 64QAM		Outer_Full	8.946	9.646	/	Pass
DFT-s-OFDM 256QAM		Outer_Full	8.955	9.777	/	Pass
CP-OFDM QPSK		Outer_Full	9.324	10.01	/	Pass
CP-OFDM 16QAM		Outer_Full	9.318	10.12	/	Pass
CP-OFDM 64QAM		Outer_Full	9.296	10.16	/	Pass
CP-OFDM 256QAM		Outer_Full	9.296	10.16	/	Pass
DFT-s-OFDM PI/2 BPSK	Middle CH	Outer_Full	8.961	9.753	/	Pass
DFT-s-OFDM QPSK		Outer_Full	8.944	9.77	/	Pass
DFT-s-OFDM 16QAM		Outer_Full	8.964	9.762	/	Pass
DFT-s-OFDM 64QAM		Outer_Full	8.942	9.757	/	Pass
DFT-s-OFDM 256QAM		Outer_Full	8.955	9.720	/	Pass
CP-OFDM QPSK		Outer_Full	9.317	10.11	/	Pass
CP-OFDM 16QAM		Outer_Full	9.305	10.11	/	Pass
CP-OFDM 64QAM		Outer_Full	9.294	10.04	/	Pass
CP-OFDM 256QAM		Outer_Full	9.305	10.15	/	Pass
DFT-s-OFDM PI/2 BPSK	High CH	Outer_Full	8.964	9.612	/	Pass
DFT-s-OFDM QPSK		Outer_Full	8.945	9.74	/	Pass
DFT-s-OFDM 16QAM		Outer_Full	8.969	9.77	/	Pass
DFT-s-OFDM 64QAM		Outer_Full	8.948	9.784	/	Pass
DFT-s-OFDM 256QAM		Outer_Full	8.953	9.71	/	Pass
CP-OFDM QPSK		Outer_Full	9.326	10.07	/	Pass
CP-OFDM 16QAM		Outer_Full	9.334	10.10	/	Pass
CP-OFDM 64QAM		Outer_Full	9.292	10.03	/	Pass
CP-OFDM 256QAM		Outer_Full	9.291	10.11	/	Pass

5G NR n5 SCS=15kHz 15MHz						
Modulation	CH	RB Allocation	99% Bandwidth (MHz)	26dB Bandwidth (MHz)	Limit (MHz)	Verdict
DFT-s-OFDM PI/2 BPSK	Low CH	Outer_Full	13.432	14.57	/	Pass
DFT-s-OFDM QPSK		Outer_Full	13.462	14.54	/	Pass
DFT-s-OFDM 16QAM		Outer_Full	13.475	14.59	/	Pass
DFT-s-OFDM 64QAM		Outer_Full	13.449	14.45	/	Pass
DFT-s-OFDM 256QAM		Outer_Full	13.462	14.43	/	Pass
CP-OFDM QPSK		Outer_Full	14.132	15.15	/	Pass
CP-OFDM 16QAM		Outer_Full	14.173	15.23	/	Pass
CP-OFDM 64QAM		Outer_Full	14.170	15.24	/	Pass
CP-OFDM 256QAM		Outer_Full	14.158	15.23	/	Pass
DFT-s-OFDM PI/2 BPSK	Middle CH	Outer_Full	13.417	14.47	/	Pass
DFT-s-OFDM QPSK		Outer_Full	13.437	14.49	/	Pass
DFT-s-OFDM 16QAM		Outer_Full	13.481	14.67	/	Pass
DFT-s-OFDM 64QAM		Outer_Full	13.446	14.48	/	Pass
DFT-s-OFDM 256QAM		Outer_Full	13.46	14.48	/	Pass
CP-OFDM QPSK		Outer_Full	14.116	15.18	/	Pass
CP-OFDM 16QAM		Outer_Full	14.095	15.11	/	Pass
CP-OFDM 64QAM		Outer_Full	14.158	15.21	/	Pass
CP-OFDM 256QAM		Outer_Full	14.146	15.32	/	Pass
DFT-s-OFDM PI/2 BPSK	High CH	Outer_Full	13.415	14.46	/	Pass
DFT-s-OFDM QPSK		Outer_Full	13.439	14.51	/	Pass
DFT-s-OFDM 16QAM		Outer_Full	13.459	14.58	/	Pass
DFT-s-OFDM 64QAM		Outer_Full	13.453	14.43	/	Pass
DFT-s-OFDM 256QAM		Outer_Full	13.454	14.51	/	Pass
CP-OFDM QPSK		Outer_Full	14.148	15.29	/	Pass
CP-OFDM 16QAM		Outer_Full	14.113	15.22	/	Pass
CP-OFDM 64QAM		Outer_Full	14.175	15.34	/	Pass
CP-OFDM 256QAM		Outer_Full	14.152	15.24	/	Pass

5G NR n5 SCS=15kHz 20MHz						
Modulation	CH	RB Allocation	99% Bandwidth (MHz)	26dB Bandwidth (MHz)	Limit (MHz)	Verdict
DFT-s-OFDM PI/2 BPSK	Low CH	Outer_Full	17.914	19.04	/	Pass
DFT-s-OFDM QPSK		Outer_Full	17.887	19.07	/	Pass
DFT-s-OFDM 16QAM		Outer_Full	17.894	19.11	/	Pass
DFT-s-OFDM 64QAM		Outer_Full	17.865	19.03	/	Pass
DFT-s-OFDM 256QAM		Outer_Full	17.892	19.01	/	Pass
CP-OFDM QPSK		Outer_Full	18.873	19.99	/	Pass
CP-OFDM 16QAM		Outer_Full	18.899	20.17	/	Pass
CP-OFDM 64QAM		Outer_Full	18.943	19.94	/	Pass
CP-OFDM 256QAM		Outer_Full	18.889	20.03	/	Pass
DFT-s-OFDM PI/2 BPSK	Middle CH	Outer_Full	17.869	18.96	/	Pass
DFT-s-OFDM QPSK		Outer_Full	17.853	18.91	/	Pass
DFT-s-OFDM 16QAM		Outer_Full	17.889	19.03	/	Pass
DFT-s-OFDM 64QAM		Outer_Full	17.866	18.94	/	Pass
DFT-s-OFDM 256QAM		Outer_Full	17.866	19.06	/	Pass
CP-OFDM QPSK		Outer_Full	18.853	20.02	/	Pass
CP-OFDM 16QAM		Outer_Full	18.899	20.10	/	Pass
CP-OFDM 64QAM		Outer_Full	18.881	20.00	/	Pass
CP-OFDM 256QAM		Outer_Full	18.891	19.99	/	Pass
DFT-s-OFDM PI/2 BPSK	High CH	Outer_Full	17.923	19.09	/	Pass
DFT-s-OFDM QPSK		Outer_Full	17.875	19.03	/	Pass
DFT-s-OFDM 16QAM		Outer_Full	17.891	18.98	/	Pass
DFT-s-OFDM 64QAM		Outer_Full	17.863	19.00	/	Pass
DFT-s-OFDM 256QAM		Outer_Full	17.888	18.96	/	Pass
CP-OFDM QPSK		Outer_Full	18.873	19.96	/	Pass
CP-OFDM 16QAM		Outer_Full	18.909	20.08	/	Pass
CP-OFDM 64QAM		Outer_Full	18.891	19.97	/	Pass
CP-OFDM 256QAM		Outer_Full	18.897	20.09	/	Pass

Test graph



N5-5M-OBW-L-DFT-s-OFDM-QPSK

Spectrum Analyzer 1
Occupied BW

KEYSIGHT Input RF Input Z: 50 Ω Atten: 36 dB Trig: Free Run Center Freq: 826.500000 MHz
 RL Coupling: DC Corr: C Corr Preamp: Off Gate: Off Avg/Hold: 1000/1000
 Align: Light Freq Ref: Int (S) #F Gain: Low Radio Std: None

1 Graph
 Scale/Div 10.0 dB
 Log
 Ref Lvl Offset 5.50 dB Mkr1 824.340000 MHz
 Ref Value 30.00 dBm 17.29 dBm

Center 826.500 MHz #Video BW 300.00 kHz Span 15 MHz
 #Res BW 100.00 kHz #Sweep 10.0 ms (1001 pts)

2 Metrics

Measure Trace		Trace 1	
Occupied Bandwidth	4.5270 MHz	Total Power	31.9 dBm
Transmit Freq Error	-22.722 kHz	% of OBW Power	99.00 %
x dB Bandwidth	5.251 MHz	x dB	-26.00 dB

May 18, 2024 9:55:30 AM

N5-5M-OBW-L-DFT-s-OFDM-16QAM

Spectrum Analyzer 1
Occupied BW

KEYSIGHT Input RF Input Z: 50 Ω Atten: 36 dB Trig: Free Run Center Freq: 826.500000 MHz
 RL Coupling: DC Corr: C Corr Preamp: Off Gate: Off Avg/Hold: 1000/1000
 Align: Auto Freq Ref: Int (S) #F Gain: Low Radio Std: None

1 Graph
 Scale/Div 10.0 dB
 Log
 Ref Lvl Offset 5.50 dB Mkr1 828.480000 MHz
 Ref Value 30.00 dBm 18.41 dBm


Center 826.500 MHz #Video BW 300.00 kHz Span 15 MHz
 #Res BW 100.00 kHz #Sweep 10.0 ms (1001 pts)

2 Metrics


Measure Trace		Trace 1	
Occupied Bandwidth	4.4971 MHz	Total Power	33.2 dBm
Transmit Freq Error	-7.387 kHz	% of OBW Power	99.00 %
x dB Bandwidth	5.309 MHz	x dB	-26.00 dB

May 20, 2024 5:09:03 PM


N5-5M-OBW-L-DFT-s-OFDM-64QAM




N5-5M-OBW-L-DFT-s-OFDM-256QAM



N5-5M-OBW-L-CP-OFDM-QPSK




N5-5M-OBW-L-CP-OFDM-16QAM




N5-5M-OBW-L-CP-OFDM-64QAM




N5-5M-OBW-L-CP-OFDM-256QAM




N5-5M-OBW-M-DFT-s-OFDM-Pi2 BPSK




N5-5M-OBW-M-DFT-s-OFDM-QPSK




N5-5M-OBW-M-DFT-s-OFDM-16QAM




N5-5M-OBW-M-DFT-s-OFDM-64QAM



N5-5M-OBW-M-DFT-s-OFDM-256QAM



N5-5M-OBW-M-CP-OFDM-QPSK



N5-5M-OBW-M-CP-OFDM-16QAM

Spectrum Analyzer 1
Occupied BW

KEYSIGHT Input RF Input Z: 50 Ω Atten: 36 dB Trig: Free Run Center Freq: 836.500000 MHz
 R.L. Coupling: DC Corr: CCorr Preamp: Off Gate: Off Avg/Hold: 1000/1000
 Align: Light Freq Ref: Int (S) #F Gain: Low Radio Std: None

1 Graph
 Scale/Div 10.0 dB
 Log
 20.0
 10.0
 0.00
 -10.0
 -20.0
 -30.0
 -40.0
 -50.0
 -60.0

Ref Lvl Offset 5.50 dB
 Ref Value 30.00 dBm
 Mkr1 836.830000 MHz
 15.63 dBm

Center 836.500 MHz #Video BW 300.00 kHz Span 15 MHz
 #Res BW 100.00 kHz #Sweep 10.0 ms (1001 pts)

2 Metrics

Measure Trace		Trace 1	
Occupied Bandwidth	4.4933 MHz	Total Power	29.4 dBm
Transmit Freq Error	-25.870 kHz	% of OBW Power	99.00 %
x dB Bandwidth	5.035 MHz	x dB	-26.00 dB

May 18, 2024 10:13:04 AM

N5-5M-OBW-M-CP-OFDM-64QAM

Spectrum Analyzer 1
Occupied BW

KEYSIGHT Input RF Input Z: 50 Ω Atten: 36 dB Trig: Free Run Center Freq: 836.500000 MHz
 R.L. Coupling: DC Corr: CCorr Preamp: Off Gate: Off Avg/Hold: 1000/1000
 Align: Light Freq Ref: Int (S) #F Gain: Low Radio Std: None

1 Graph
 Scale/Div 10.0 dB
 Log
 20.0
 10.0
 0.00
 -10.0
 -20.0
 -30.0
 -40.0
 -50.0
 -60.0

Ref Lvl Offset 5.50 dB
 Ref Value 30.00 dBm
 Mkr1 834.730000 MHz
 15.06 dBm


Center 836.500 MHz #Video BW 300.00 kHz Span 15 MHz
 #Res BW 100.00 kHz #Sweep 10.0 ms (1001 pts)

2 Metrics


Measure Trace		Trace 1	
Occupied Bandwidth	4.5255 MHz	Total Power	29.0 dBm
Transmit Freq Error	-15.158 kHz	% of OBW Power	99.00 %
x dB Bandwidth	5.201 MHz	x dB	-26.00 dB

May 18, 2024 10:13:55 AM

N5-5M-OBW-M-CP-OFDM-256QAM



N5-5M-OBW-H-DFT-s-OFDM-Pi2 BPSK



N5-5M-OBW-H-DFT-s-OFDM-QPSK

Spectrum Analyzer 1 Occupied BW

KEYSIGHT Input RF Input Z: 50 Ω Atten: 36 dB Trig: Free Run Center Freq: 846.500000 MHz
 R.L. Coupling: DC Corr: C Corr Preamp: Off Gate: Off Avg/Hold: 1000/1000
 Align: Light Freq Ref: Int (S) #F Gain: Low Radio Std: None

1 Graph Scale/Div 10.0 dB Ref Lvl Offset 5.50 dB Mkr1 844.325000 MHz
 Ref Value 30.00 dBm 17.59 dBm

Center 846.500 MHz #Video BW 300.00 kHz Span 15 MHz
 #Res BW 100.00 kHz #Sweep 10.0 ms (1001 pts)

2 Metrics

Measure Trace		Trace 1	
Occupied Bandwidth	4.5318 MHz	Total Power	32.0 dBm
Transmit Freq Error	-25.118 kHz	% of OBW Power	99.00 %
x dB Bandwidth	5.278 MHz	x dB	-26.00 dB

May 18, 2024 10:15:59 AM

N5-5M-OBW-H-DFT-s-OFDM-16QAM

Spectrum Analyzer 1 Occupied BW

KEYSIGHT Input RF Input Z: 50 Ω Atten: 36 dB Trig: Free Run Center Freq: 846.500000 MHz
 R.L. Coupling: DC Corr: C Corr Preamp: Off Gate: Off Avg/Hold: 1000/1000
 Align: Light Freq Ref: Int (S) #F Gain: Low Radio Std: None

1 Graph Scale/Div 10.0 dB Ref Lvl Offset 5.50 dB Mkr1 845.315000 MHz
 Ref Value 30.00 dBm 17.10 dBm


Center 846.500 MHz #Video BW 300.00 kHz Span 15 MHz
 #Res BW 100.00 kHz #Sweep 10.0 ms (1001 pts)

2 Metrics


Measure Trace		Trace 1	
Occupied Bandwidth	4.5043 MHz	Total Power	30.9 dBm
Transmit Freq Error	3.448 kHz	% of OBW Power	99.00 %
x dB Bandwidth	5.154 MHz	x dB	-26.00 dB

May 18, 2024 10:16:46 AM


N5-5M-OBW-H-DFT-s-OFDM-64QAM




N5-5M-OBW-H-DFT-s-OFDM-256QAM



N5-5M-OBW-H-CP-OFDM-QPSK




N5-5M-OBW-H-CP-OFDM-16QAM




N5-5M-OBW-H-CP-OFDM-64QAM




N5-5M-OBW-H-CP-OFDM-256QAM




N5-10M-OBW-L-DFT-s-OFDM-Pi2 BPSK




N5-10M-OBW-L-DFT-s-OFDM-QPSK




N5-10M-OBW-L-DFT-s-OFDM-16QAM




N5-10M-OBW-L-DFT-s-OFDM-64QAM




N5-10M-OBW-L-DFT-s-OFDM-256QAM




N5-10M-OBW-L-CP-OFDM-QPSK




N5-10M-OBW-L-CP-OFDM-16QAM




N5-10M-OBW-L-CP-OFDM-64QAM




N5-10M-OBW-L-CP-OFDM-256QAM




N5-10M-OBW-M-DFT-s-OFDM-Pi2 BPSK




N5-10M-OBW-M-DFT-s-OFDM-QPSK




N5-10M-OBW-M-DFT-s-OFDM-16QAM




N5-10M-OBW-M-DFT-s-OFDM-64QAM




N5-10M-OBW-M-DFT-s-OFDM-256QAM




N5-10M-OBW-M-CP-OFDM-QPSK




N5-10M-OBW-M-CP-OFDM-16QAM




N5-10M-OBW-M-CP-OFDM-64QAM




N5-10M-OBW-M-CP-OFDM-256QAM




N5-10M-OBW-H-DFT-s-OFDM-Pi2 BPSK




N5-10M-OBW-H-DFT-s-OFDM-QPSK




N5-10M-OBW-H-DFT-s-OFDM-16QAM




N5-10M-OBW-H-DFT-s-OFDM-64QAM




N5-10M-OBW-H-DFT-s-OFDM-256QAM




N5-10M-OBW-H-CP-OFDM-QPSK




N5-10M-OBW-H-CP-OFDM-16QAM




N5-10M-OBW-H-CP-OFDM-64QAM



N5-10M-OBW-H-CP-OFDM-256QAM




N5-15M-OBW-L-DFT-s-OFDM-Pi2 BPSK




N5-15M-OBW-L-DFT-s-OFDM-QPSK




N5-15M-OBW-L-DFT-s-OFDM-16QAM



N5-15M-OBW-L-DFT-s-OFDM-64QAM



N5-15M-OBW-L-DFT-s-OFDM-256QAM



N5-15M-OBW-L-CP-OFDM-QPSK

Spectrum Analyzer 1 Occupied BW

KEYSIGHT Input RF Input Z: 50 Ω Atten: 36 dB Trig: Free Run Center Freq: 831.500000 MHz
 RL Coupling: DC Corr: CCorr Gate: Off Avg/Hold: 1000/1000
 Align: Light Freq Ref: Int (S) Preamp: Off #F Gain: Low Radio Std: None

1 Graph Scale/Div 10.0 dB Ref Lvl Offset 5.50 dB Mkr1 826.235000 MHz
 Ref Value 30.00 dBm 16.56 dBm

Center 831.50 MHz #Video BW 1.0000 MHz Span 45 MHz
 #Res BW 300.00 kHz #Sweep 10.0 ms (1001 pts)

2 Metrics

Measure Trace		Trace 1	
Occupied Bandwidth	14.132 MHz	Total Power	30.6 dBm
Transmit Freq Error	-7.743 kHz	% of OBW Power	99.00 %
x dB Bandwidth	15.15 MHz	x dB	-26.00 dB

May 18, 2024 1:01:18 PM

N5-15M-OBW-L-CP-OFDM-16QAM

Spectrum Analyzer 1 Occupied BW

KEYSIGHT Input RF Input Z: 50 Ω Atten: 36 dB Trig: Free Run Center Freq: 831.500000 MHz
 RL Coupling: DC Corr: CCorr Gate: Off Avg/Hold: 1000/1000
 Align: Light Freq Ref: Int (S) Preamp: Off #F Gain: Low Radio Std: None

1 Graph Scale/Div 10.0 dB Ref Lvl Offset 5.50 dB Mkr1 827.360000 MHz
 Ref Value 30.00 dBm 15.79 dBm


Center 831.50 MHz #Video BW 1.0000 MHz Span 45 MHz
 #Res BW 300.00 kHz #Sweep 10.0 ms (1001 pts)

2 Metrics


Measure Trace		Trace 1	
Occupied Bandwidth	14.173 MHz	Total Power	30.5 dBm
Transmit Freq Error	6.485 kHz	% of OBW Power	99.00 %
x dB Bandwidth	15.23 MHz	x dB	-26.00 dB

May 18, 2024 11:48:41 AM


N5-15M-OBW-L-CP-OFDM-64QAM



N5-15M-OBW-L-CP-OFDM-256QAM



N5-15M-OBW-M-DFT-s-OFDM-Pi2 BPSK



N5-15M-OBW-M-DFT-s-OFDM-QPSK

