

N7-5M-CSE-M-CP-OFDM-QPSK-1RB0-10GHz-26GHz

Spectrum Analyzer 1 Swept SA

KEYSIGHT Input RF Coupling: DC Align: Auto

Input Z: 50 Ω Corr: C Corr Freq Ref: Int (S) #Atten: 20 dB Preamp: Off Source: Off PNO: Fast Gate: Off IF Gain: Low Sig Track: Off #Avg Type: Power (RMS) Avg/Hold: 100/100 Trig: Free Run

Center Frequency: 18.000000000 GHz

Span: 16.000000000 GHz

Start Freq: 10.000000000 GHz

Stop Freq: 26.000000000 GHz

Scale/Div 10 dB

Ref Lvl Offset 15.50 dB

Ref Level 20.00 dBm

Mkr1 25.562 2 GHz -45.645 dBm

Start 10.000 GHz #Res BW 1.0 MHz #Video BW 3.0 MHz* Stop 26.000 GHz Sweep ~32.1 ms (36001 pts)

| Mode | Trace | Scale | X | Y | Function | Function Width | Function Value |
|------|-------|-------|---|--------------|----------|----------------|----------------|
| 1 | N | 1 | f | 25.562 2 GHz | | | -45.64 dBm |
| 2 | | | | | | | |
| 3 | | | | | | | |
| 4 | | | | | | | |
| 5 | | | | | | | |
| 6 | | | | | | | |

May 21, 2024 8:58:11 AM

N7-5M-CSE-H-DFT-s-OFDM-Pi2 BPSK-1RB0-30MHz-10GHz

Spectrum Analyzer 1 Swept SA

KEYSIGHT Input RF Coupling: DC Align: Auto

Input Z: 50 Ω Corr: C Corr Freq Ref: Int (S) #Atten: 30 dB Preamp: Off Source: Off PNO: Fast Gate: Off IF Gain: Low Sig Track: Off #Avg Type: Power (RMS) Avg/Hold: 100/100 Trig: Free Run

Center Frequency: 5.015000000 GHz

Span: 9.970000000 GHz

Start Freq: 30.000000000 MHz

Stop Freq: 10.000000000 GHz

Scale/Div 10 dB

Ref Lvl Offset 15.50 dB

Ref Level 30.00 dBm

Mkr2 2.688 0 GHz -36.374 dBm

Start 30 MHz #Res BW 1.0 MHz #Video BW 3.0 MHz* Stop 10.000 GHz Sweep ~18.5 ms (25001 pts)

| Mode | Trace | Scale | X | Y | Function | Function Width | Function Value |
|------|-------|-------|---|-------------|----------|----------------|----------------|
| 1 | N | 1 | f | 2.471 1 GHz | | | -42.52 dBm |
| 2 | N | 1 | f | 2.688 0 GHz | | | -36.37 dBm |
| 3 | | | | | | | |
| 4 | | | | | | | |
| 5 | | | | | | | |
| 6 | | | | | | | |

May 21, 2024 8:46:29 AM

N7-5M-CSE-H-DFT-s-OFDM-Pi2 BPSK-1RB0-10GHz-26GHz

Spectrum Analyzer 1 Swept SA

KEYSIGHT Input RF Coupling: DC Align: Auto Input Z: 50 Ω Corr: C Corr Freq Ref: Int (S) #Atten: 20 dB Preamp: Off Source: Off PNO: Fast Gate: Off IF Gain: Low Sig Track: Off #Avg Type: Power (RMS) Avg/Hold: 100/100 Trig: Free Run

Center Frequency: 18.000000000 GHz

Span: 16.000000000 GHz

Scale/Div 10 dB

Ref Lvl Offset 15.50 dB Ref Level 20.00 dBm

Mkr1 25.573 3 GHz -45.667 dBm

Start 10.000 GHz Stop 26.000 GHz #Video BW 3.0 MHz* Sweep ~32.1 ms (36001 pts)

| Mode | Trace | Scale | X | Y | Function | Function Width | Function Value |
|------|-------|-------|---|--------------|----------|----------------|----------------|
| 1 | N | 1 | f | 25.573 3 GHz | | | -45.67 dBm |
| 2 | | | | | | | |
| 3 | | | | | | | |
| 4 | | | | | | | |
| 5 | | | | | | | |
| 6 | | | | | | | |

May 21, 2024 8:47:08 AM

N7-5M-CSE-H-CP-OFDM-QPSK-1RB0-30MHz-10GHz

Spectrum Analyzer 1 Swept SA

KEYSIGHT Input RF Coupling: DC Align: Auto Input Z: 50 Ω Corr: C Corr Freq Ref: Int (S) #Atten: 30 dB Preamp: Off Source: Off PNO: Fast Gate: Off IF Gain: Low Sig Track: Off #Avg Type: Power (RMS) Avg/Hold: 100/100 Trig: Free Run

Center Frequency: 5.015000000 GHz

Span: 9.970000000 GHz

Scale/Div 10 dB

Ref Lvl Offset 15.50 dB Ref Level 30.00 dBm

Mkr2 2.687 6 GHz -37.152 dBm

Start 30 MHz Stop 10.000 GHz #Video BW 3.0 MHz* Sweep ~18.5 ms (25001 pts)

| Mode | Trace | Scale | X | Y | Function | Function Width | Function Value |
|------|-------|-------|---|-------------|----------|----------------|----------------|
| 1 | N | 1 | f | 2.392 5 GHz | | | -42.41 dBm |
| 2 | N | 1 | f | 2.687 6 GHz | | | -37.15 dBm |
| 3 | | | | | | | |
| 4 | | | | | | | |
| 5 | | | | | | | |
| 6 | | | | | | | |

May 21, 2024 9:00:52 AM

N7-5M-CSE-H-CP-OFDM-QPSK-1RB0-10GHz-26GHz

Spectrum Analyzer 1 Swept SA

KEYSIGHT Input RF Coupling: DC Align: Auto Input Z: 50 Ω Corr: CCorr Freq Ref: Int (S) #Atten: 20 dB Preamp: Off Source: Off PNO: Fast Gate: Off IF Gain: Low Sig Track: Off #Avg Type: Power (RMS) AvglHold: 100/100 Trig: Free Run

Center Frequency: 18.000000000 GHz

Span: 16.000000000 GHz

Start Freq: 10.000000000 GHz

Stop Freq: 26.000000000 GHz

AUTO TUNE

CF Step: 1.600000000 GHz

Freq Offset: 0 Hz

X Axis Scale: Lin

Signal Track (Span Zoom)

Ref Lvl Offset 15.50 dB

Ref Level 20.00 dBm

Mkr1 25.850 2 GHz -45.799 dBm

Scale/Div 10 dB

Log

Start 10.000 GHz #Res BW 1.0 MHz #Video BW 3.0 MHz* Stop 26.000 GHz Sweep ~32.1 ms (36001 pts)

5 Marker Table

| Mode | Trace | Scale | X | Y | Function | Function Width | Function Value |
|------|-------|-------|---|--------------|------------|----------------|----------------|
| 1 | N | 1 | f | 25.850 2 GHz | -45.80 dBm | | |
| 2 | | | | | | | |
| 3 | | | | | | | |
| 4 | | | | | | | |
| 5 | | | | | | | |
| 6 | | | | | | | |

May 21, 2024 9:01:31 AM

N7-10M-CSE-L-DFT-s-OFDM-Pi2 BPSK-1RB0-30MHz-10GHz

Spectrum Analyzer 1 Swept SA

KEYSIGHT Input RF Coupling: DC Align: Auto Input Z: 50 Ω Corr: CCorr Freq Ref: Int (S) #Atten: 30 dB Preamp: Off Source: Off PNO: Fast Gate: Off IF Gain: Low Sig Track: Off #Avg Type: Power (RMS) AvglHold: 100/100 Trig: Free Run

Center Frequency: 5.015000000 GHz

Span: 9.970000000 GHz

Start Freq: 30.000000000 MHz

Stop Freq: 10.000000000 GHz

AUTO TUNE

CF Step: 997.0000000 MHz

Freq Offset: 0 Hz

X Axis Scale: Lin

Signal Track (Span Zoom)

Ref Lvl Offset 15.50 dB

Ref Level 30.00 dBm

Mkr2 2.622 6 GHz -38.864 dBm

Scale/Div 10 dB

Log

Start 30 MHz #Res BW 1.0 MHz #Video BW 3.0 MHz* Stop 10.000 GHz Sweep ~18.5 ms (25001 pts)

5 Marker Table

| Mode | Trace | Scale | X | Y | Function | Function Width | Function Value |
|------|-------|-------|---|-------------|------------|----------------|----------------|
| 1 | N | 1 | f | 2.351 4 GHz | -42.39 dBm | | |
| 2 | N | 1 | f | 2.622 6 GHz | -38.86 dBm | | |
| 3 | | | | | | | |
| 4 | | | | | | | |
| 5 | | | | | | | |
| 6 | | | | | | | |

May 21, 2024 9:11:14 AM

N7-10M-CSE-L-DFT-s-OFDM-Pi2 BPSK-1RB0-10GHz-26GHz

Spectrum Analyzer 1 Swept SA

KEYSIGHT Input RF Coupling: DC Align: Auto Input Z: 50 Ω Corr: C Corr Freq Ref: Int (S) #Atten: 20 dB Preamp: Off Source: Off PNO: Fast Gate: Off IF Gain: Low Sig Track: Off #Avg Type: Power (RMS) Avg/Hold: 100/100 Trig: Free Run

Center Frequency: 18.000000000 GHz

Span: 16.000000000 GHz

Start Freq: 10.000000000 GHz

Stop Freq: 26.000000000 GHz

Scale/Div 10 dB

Ref Lvl Offset 15.50 dB

Ref Level 20.00 dBm

Mkr1 25.552 4 GHz -45.670 dBm

Log

Start 10.000 GHz #Res BW 1.0 MHz #Video BW 3.0 MHz* Stop 26.000 GHz Sweep ~32.1 ms (36001 pts)

5 Marker Table

| Mode | Trace | Scale | X | Y | Function | Function Width | Function Value |
|------|-------|-------|---|--------------|------------|----------------|----------------|
| 1 | N | 1 | f | 25.552 4 GHz | -45.67 dBm | | |
| 2 | | | | | | | |
| 3 | | | | | | | |
| 4 | | | | | | | |
| 5 | | | | | | | |
| 6 | | | | | | | |

May 21, 2024 9:11:53 AM

N7-10M-CSE-L-CP-OFDM-QPSK-1RB0-30MHz-10GHz

Spectrum Analyzer 1 Swept SA

KEYSIGHT Input RF Coupling: DC Align: Auto Input Z: 50 Ω Corr: C Corr Freq Ref: Int (S) #Atten: 30 dB Preamp: Off Source: Off PNO: Fast Gate: Off IF Gain: Low Sig Track: Off #Avg Type: Power (RMS) Avg/Hold: 100/100 Trig: Free Run

Center Frequency: 5.015000000 GHz

Span: 9.970000000 GHz

Start Freq: 30.000000000 MHz

Stop Freq: 10.000000000 GHz

Scale/Div 10 dB

Ref Lvl Offset 15.50 dB

Ref Level 30.00 dBm

Mkr2 2.623 0 GHz -39.247 dBm

Log

Start 30 MHz #Res BW 1.0 MHz #Video BW 3.0 MHz* Stop 10.000 GHz Sweep ~18.5 ms (25001 pts)

5 Marker Table

| Mode | Trace | Scale | X | Y | Function | Function Width | Function Value |
|------|-------|-------|---|-------------|------------|----------------|----------------|
| 1 | N | 1 | f | 2.486 6 GHz | -42.27 dBm | | |
| 2 | N | 1 | f | 2.623 0 GHz | -39.25 dBm | | |
| 3 | | | | | | | |
| 4 | | | | | | | |
| 5 | | | | | | | |
| 6 | | | | | | | |

May 21, 2024 9:21:48 AM

N7-10M-CSE-L-CP-OFDM-QPSK-1RB0-10GHz-26GHz

Spectrum Analyzer 1 Swept SA

KEYSIGHT Input RF Coupling: DC Align: Auto Input Z: 50 Ω Corr: C Corr Freq Ref: Int (S) #Atten: 20 dB Preamp: Off Source: Off PNO: Fast Gate: Off IF Gain: Low Sig Track: Off #Avg Type: Power (RMS) Avg/Hold: 100/100 Trig: Free Run

Center Frequency: 18.000000000 GHz

Span: 16.000000000 GHz

Start Freq: 10.000000000 GHz

Stop Freq: 26.000000000 GHz

AUTO TUNE

CF Step: 1.600000000 GHz

Freq Offset: 0 Hz

X Axis Scale: Lin

Signal Track (Span Zoom)

Ref Lvl Offset 15.50 dB
Ref Level 20.00 dBm

Mkr1 25.692 4 GHz
-45.710 dBm

Scale/Div 10 dB

Log

Start 10.000 GHz #Res BW 1.0 MHz #Video BW 3.0 MHz* Stop 26.000 GHz Sweep ~32.1 ms (36001 pts)

5 Marker Table

| Mode | Trace | Scale | X | Y | Function | Function Width | Function Value |
|------|-------|-------|---|--------------|----------|----------------|----------------|
| 1 | N | 1 | f | 25.692 4 GHz | | | -45.71 dBm |
| 2 | | | | | | | |
| 3 | | | | | | | |
| 4 | | | | | | | |
| 5 | | | | | | | |
| 6 | | | | | | | |

May 21, 2024 9:22:30 AM

N7-10M-CSE-M-DFT-s-OFDM-Pi2 BPSK-1RB0-30MHz-10GHz

Spectrum Analyzer 1 Swept SA

KEYSIGHT Input RF Coupling: DC Align: Auto Input Z: 50 Ω Corr: C Corr Freq Ref: Int (S) #Atten: 30 dB Preamp: Off Source: Off PNO: Fast Gate: Off IF Gain: Low Sig Track: Off #Avg Type: Power (RMS) Avg/Hold: 100/100 Trig: Free Run

Center Frequency: 5.015000000 GHz

Span: 9.970000000 GHz

Start Freq: 30.000000000 MHz

Stop Freq: 10.000000000 GHz

AUTO TUNE

CF Step: 997.0000000 MHz

Freq Offset: 0 Hz

X Axis Scale: Lin

Signal Track (Span Zoom)

Ref Lvl Offset 15.50 dB
Ref Level 30.00 dBm

Mkr2 2.653 7 GHz
-39.469 dBm

Scale/Div 10 dB

Log

Start 30 MHz #Res BW 1.0 MHz #Video BW 3.0 MHz* Stop 10.000 GHz Sweep ~18.5 ms (25001 pts)

5 Marker Table

| Mode | Trace | Scale | X | Y | Function | Function Width | Function Value |
|------|-------|-------|---|-------------|----------|----------------|----------------|
| 1 | N | 1 | f | 2.447 1 GHz | | | -42.36 dBm |
| 2 | N | 1 | f | 2.653 7 GHz | | | -39.47 dBm |
| 3 | | | | | | | |
| 4 | | | | | | | |
| 5 | | | | | | | |
| 6 | | | | | | | |

May 21, 2024 9:13:13 AM

N7-10M-CSE-M-DFT-s-OFDM-Pi2 BPSK-1RB0-10GHz-26GHz

Spectrum Analyzer 1 Swept SA

KEYSIGHT Input RF Coupling: DC Align: Auto Input Z: 50 Ω Corr: CCorr Freq Ref: Int (S) #Atten: 20 dB Preamp: Off Source: Off PNO: Fast Gate: Off IF Gain: Low Sig Track: Off #Avg Type: Power (RMS) AvglHold: 100/100 Trig: Free Run

Center Frequency: 18.000000000 GHz

Span: 16.000000000 GHz

Scale/Div 10 dB

Ref Lvl Offset 15.50 dB Ref Level 20.00 dBm

Mkr1 25.908 0 GHz -45.744 dBm

Start 10.000 GHz Stop 26.000 GHz

#Res BW 1.0 MHz #Video BW 3.0 MHz* Sweep ~32.1 ms (36001 pts)

| Mode | Trace | Scale | X | Y | Function | Function Width | Function Value |
|------|-------|-------|---|--------------|------------|----------------|----------------|
| 1 | N | 1 | f | 25.908 0 GHz | -45.74 dBm | | |
| 2 | | | | | | | |
| 3 | | | | | | | |
| 4 | | | | | | | |
| 5 | | | | | | | |
| 6 | | | | | | | |

May 21, 2024 9:13:52 AM

N7-10M-CSE-M-CP-OFDM-QPSK-1RB0-30MHz-10GHz

Spectrum Analyzer 1 Swept SA

KEYSIGHT Input RF Coupling: DC Align: Auto Input Z: 50 Ω Corr: CCorr Freq Ref: Int (S) #Atten: 30 dB Preamp: Off Source: Off PNO: Fast Gate: Off IF Gain: Low Sig Track: Off #Avg Type: Power (RMS) AvglHold: 100/100 Trig: Free Run

Center Frequency: 5.015000000 GHz

Span: 9.970000000 GHz

Scale/Div 10 dB

Ref Lvl Offset 15.50 dB Ref Level 30.00 dBm

Mkr2 2.652 9 GHz -39.554 dBm


Start 30 MHz Stop 10.000 GHz

#Res BW 1.0 MHz #Video BW 3.0 MHz* Sweep ~18.5 ms (25001 pts)


| Mode | Trace | Scale | X | Y | Function | Function Width | Function Value |
|------|-------|-------|---|-------------|------------|----------------|----------------|
| 1 | N | 1 | f | 2.488 6 GHz | -42.54 dBm | | |
| 2 | N | 1 | f | 2.652 9 GHz | -39.55 dBm | | |
| 3 | | | | | | | |
| 4 | | | | | | | |
| 5 | | | | | | | |
| 6 | | | | | | | |

May 21, 2024 9:23:58 AM


N7-10M-CSE-M-CP-OFDM-QPSK-1RB0-10GHz-26GHz




N7-10M-CSE-H-DFT-s-OFDM-Pi2 BPSK-1RB0-30MHz-10GHz



N7-10M-CSE-H-DFT-s-OFDM-Pi2 BPSK-1RB0-10GHz-26GHz



N7-10M-CSE-H-CP-OFDM-QPSK-1RB0-30MHz-10GHz



N7-10M-CSE-H-CP-OFDM-QPSK-1RB0-10GHz-26GHz

Spectrum Analyzer 1 Swept SA

KEYSIGHT Input RF Coupling: DC Align: Auto Input Z: 50 Ω Corr: C Corr Freq Ref: Int (S) #Atten: 20 dB Preamp: Off Source: Off PNO: Fast Gate: Off IF Gain: Low Sig Track: Off #Avg Type: Power (RMS) Avg/Hold: 100/100 Trig: Free Run

Center Frequency: 18.000000000 GHz

Span: 16.000000000 GHz

Start Freq: 10.000000000 GHz

Stop Freq: 26.000000000 GHz

Scale/Div 10 dB

Ref Lvl Offset 15.50 dB

Ref Level 20.00 dBm

Mkr1 25.593 8 GHz -45.701 dBm

Start 10.000 GHz #Res BW 1.0 MHz #Video BW 3.0 MHz* Stop 26.000 GHz Sweep ~32.1 ms (36001 pts)

| Mode | Trace | Scale | X | Y | Function | Function Width | Function Value |
|------|-------|-------|---|--------------|------------|----------------|----------------|
| 1 | N | 1 | f | 25.593 8 GHz | -45.70 dBm | | |
| 2 | | | | | | | |
| 3 | | | | | | | |
| 4 | | | | | | | |
| 5 | | | | | | | |
| 6 | | | | | | | |

May 21, 2024 9:28:12 AM

N7-15M-CSE-L-DFT-s-OFDM-Pi2 BPSK-1RB0-30MHz-10GHz

Spectrum Analyzer 1 Swept SA

KEYSIGHT Input RF Coupling: DC Align: Auto Input Z: 50 Ω Corr: C Corr Freq Ref: Int (S) #Atten: 30 dB Preamp: Off Source: Off PNO: Fast Gate: Off IF Gain: Low Sig Track: Off #Avg Type: Power (RMS) Avg/Hold: 100/100 Trig: Free Run

Center Frequency: 5.015000000 GHz

Span: 9.970000000 GHz

Start Freq: 30.000000000 MHz

Stop Freq: 10.000000000 GHz

Scale/Div 10 dB

Ref Lvl Offset 15.50 dB

Ref Level 30.00 dBm

Mkr2 2.623 0 GHz -39.048 dBm

Start 30 MHz #Res BW 1.0 MHz #Video BW 3.0 MHz* Stop 10.000 GHz Sweep ~18.5 ms (25001 pts)

| Mode | Trace | Scale | X | Y | Function | Function Width | Function Value |
|------|-------|-------|---|-------------|------------|----------------|----------------|
| 1 | N | 1 | f | 2.431 6 GHz | -42.44 dBm | | |
| 2 | N | 1 | f | 2.623 0 GHz | -39.05 dBm | | |
| 3 | | | | | | | |
| 4 | | | | | | | |
| 5 | | | | | | | |
| 6 | | | | | | | |

May 21, 2024 9:31:32 AM

N7-15M-CSE-L-DFT-s-OFDM-Pi2 BPSK-1RB0-10GHz-26GHz

Spectrum Analyzer 1 Swept SA

KEYSIGHT Input RF Coupling: DC Align: Auto Input Z: 50 Ω Corr: C Corr Freq Ref: Int (S) #Atten: 20 dB Preamp: Off Source: Off PNO: Fast Gate: Off IF Gain: Low Sig Track: Off #Avg Type: Power (RMS) AvglHold: 100/100 Trig: Free Run

Center Frequency: 18.000000000 GHz

Span: 16.000000000 GHz

Start Freq: 10.000000000 GHz

Stop Freq: 26.000000000 GHz

Scale/Div 10 dB

Ref Lvl Offset 15.50 dB

Ref Level 20.00 dBm

Mkr1 25.556 0 GHz -45.721 dBm

Start 10.000 GHz #Res BW 1.0 MHz #Video BW 3.0 MHz* Stop 26.000 GHz Sweep ~32.1 ms (36001 pts)

| Mode | Trace | Scale | X | Y | Function | Function Width | Function Value |
|------|-------|-------|---|--------------|----------|----------------|----------------|
| 1 | N | 1 | f | 25.556 0 GHz | | | -45.72 dBm |
| 2 | | | | | | | |
| 3 | | | | | | | |
| 4 | | | | | | | |
| 5 | | | | | | | |
| 6 | | | | | | | |

May 21, 2024 9:32:14 AM

N7-15M-CSE-L-CP-OFDM-QPSK-1RB0-30MHz-10GHz

Spectrum Analyzer 1 Swept SA

KEYSIGHT Input RF Coupling: DC Align: Auto Input Z: 50 Ω Corr: C Corr Freq Ref: Int (S) #Atten: 30 dB Preamp: Off Source: Off PNO: Fast Gate: Off IF Gain: Low Sig Track: Off #Avg Type: Power (RMS) AvglHold: 100/100 Trig: Free Run

Center Frequency: 5.015000000 GHz

Span: 9.970000000 GHz

Start Freq: 30.000000000 MHz

Stop Freq: 10.000000000 GHz

Scale/Div 10 dB

Ref Lvl Offset 15.50 dB

Ref Level 30.00 dBm

Mkr2 3.855 7 GHz -40.231 dBm

Start 30 MHz #Res BW 1.0 MHz #Video BW 3.0 MHz* Stop 10.000 GHz Sweep ~18.5 ms (25001 pts)

| Mode | Trace | Scale | X | Y | Function | Function Width | Function Value |
|------|-------|-------|---|-------------|----------|----------------|----------------|
| 1 | N | 1 | f | 2.449 1 GHz | | | -42.35 dBm |
| 2 | N | 1 | f | 3.855 7 GHz | | | -40.23 dBm |
| 3 | | | | | | | |
| 4 | | | | | | | |
| 5 | | | | | | | |
| 6 | | | | | | | |

May 21, 2024 9:41:19 AM

N7-15M-CSE-L-CP-OFDM-QPSK-1RB0-10GHz-26GHz

Spectrum Analyzer 1 Swept SA

KEYSIGHT Input RF Coupling: DC Align: Auto Input Z: 50 Ω Corr: C Corr Freq Ref: Int (S) #Atten: 20 dB Preamp: Off Source: Off PNO: Fast Gate: Off IF Gain: Low Sig Track: Off #Avg Type: Power (RMS) Avg/Hold: 100/100 Trig: Free Run

Center Frequency: 18.000000000 GHz

Span: 16.000000000 GHz

Start Freq: 10.000000000 GHz

Stop Freq: 26.000000000 GHz

Scale/Div 10 dB

Ref Lvl Offset 15.50 dB

Ref Level 20.00 dBm

Mkr1 25.574 2 GHz -45.853 dBm

Start 10.000 GHz #Res BW 1.0 MHz #Video BW 3.0 MHz* Stop 26.000 GHz Sweep ~32.1 ms (36001 pts)

| Mode | Trace | Scale | X | Y | Function | Function Width | Function Value |
|------|-------|-------|---|--------------|----------|----------------|----------------|
| 1 | N | 1 | f | 25.574 2 GHz | | | -45.85 dBm |
| 2 | | | | | | | |
| 3 | | | | | | | |
| 4 | | | | | | | |
| 5 | | | | | | | |
| 6 | | | | | | | |

May 21, 2024 9:42:00 AM

N7-15M-CSE-M-DFT-s-OFDM-Pi2 BPSK-1RB0-30MHz-10GHz

Spectrum Analyzer 1 Swept SA

KEYSIGHT Input RF Coupling: DC Align: Auto Input Z: 50 Ω Corr: C Corr Freq Ref: Int (S) #Atten: 30 dB Preamp: Off Source: Off PNO: Fast Gate: Off IF Gain: Low Sig Track: Off #Avg Type: Power (RMS) Avg/Hold: 100/100 Trig: Free Run

Center Frequency: 5.015000000 GHz

Span: 9.970000000 GHz

Start Freq: 30.000000000 MHz

Stop Freq: 10.000000000 GHz

Scale/Div 10 dB

Ref Lvl Offset 15.50 dB

Ref Level 30.00 dBm

Mkr2 2.649 3 GHz -35.868 dBm

Start 30 MHz #Res BW 1.0 MHz #Video BW 3.0 MHz* Stop 10.000 GHz Sweep ~18.5 ms (25001 pts)

| Mode | Trace | Scale | X | Y | Function | Function Width | Function Value |
|------|-------|-------|---|-------------|----------|----------------|----------------|
| 1 | N | 1 | f | 2.483 4 GHz | | | -42.55 dBm |
| 2 | N | 1 | f | 2.649 3 GHz | | | -35.87 dBm |
| 3 | | | | | | | |
| 4 | | | | | | | |
| 5 | | | | | | | |
| 6 | | | | | | | |

May 21, 2024 9:33:33 AM

N7-15M-CSE-M-DFT-s-OFDM-Pi2 BPSK-1RB0-10GHz-26GHz

Spectrum Analyzer 1 Swept SA

KEYSIGHT Input RF Input Z: 50 Ω #Atten: 20 dB PNO: Fast #Avg Type: Power (RMS) 1 2 3 4 5 6
 RL Coupling: DC Corr: C Corr Freq Ref: Int (S) Preamp: Off Gate: Off Avg/Hold: 100/100 A www www www
 Align: Auto Source: Off IF Gain: Low Trig: Free Run A A A A A A

Center Frequency 18.000000000 GHz Settings

Span 16.00000000 GHz
 Swept Span
 Zero Span
 Full Span

Start Freq 10.000000000 GHz
 Stop Freq 26.000000000 GHz

AUTO TUNE

CF Step 1.600000000 GHz
 Auto
 Man

Freq Offset 0 Hz

X Axis Scale Log Lin

Signal Track (Span Zoom)

1 Spectrum Ref Lvl Offset 15.50 dB Mkr1 25.585 3 GHz
 Scale/Div 10 dB Ref Level 20.00 dBm -45.585 dBm

Start 10.000 GHz #Video BW 3.0 MHz* Stop 26.000 GHz
 #Res BW 1.0 MHz Sweep ~32.1 ms (36001 pts)

5 Marker Table

| Mode | Trace | Scale | X | Y | Function | Function Width | Function Value |
|------|-------|-------|---|--------------|------------|----------------|----------------|
| 1 | N | 1 | f | 25.585 3 GHz | -45.58 dBm | | |
| 2 | | | | | | | |
| 3 | | | | | | | |
| 4 | | | | | | | |
| 5 | | | | | | | |
| 6 | | | | | | | |

May 21, 2024 9:34:13 AM

N7-15M-CSE-M-CP-OFDM-QPSK-1RB0-30MHz-10GHz

Spectrum Analyzer 1 Swept SA

KEYSIGHT Input RF Input Z: 50 Ω #Atten: 30 dB PNO: Fast #Avg Type: Power (RMS) 1 2 3 4 5 6
 RL Coupling: DC Corr: C Corr Freq Ref: Int (S) Preamp: Off Gate: Off Avg/Hold: 100/100 A www www www
 Align: Auto Source: Off IF Gain: Low Trig: Free Run A A A A A A

Center Frequency 5.015000000 GHz Settings

Span 9.970000000 GHz
 Swept Span
 Zero Span
 Full Span

Start Freq 30.000000000 MHz
 Stop Freq 10.000000000 GHz

AUTO TUNE

CF Step 997.0000000 MHz
 Auto
 Man

Freq Offset 0 Hz

X Axis Scale Log Lin

Signal Track (Span Zoom)

1 Spectrum Ref Lvl Offset 15.50 dB Mkr2 2.649 3 GHz
 Scale/Div 10 dB Ref Level 30.00 dBm -39.710 dBm

Start 30 MHz #Video BW 3.0 MHz* Stop 10.000 GHz
 #Res BW 1.0 MHz Sweep ~18.5 ms (25001 pts)

5 Marker Table

| Mode | Trace | Scale | X | Y | Function | Function Width | Function Value |
|------|-------|-------|---|-------------|------------|----------------|----------------|
| 1 | N | 1 | f | 2.484 6 GHz | -42.46 dBm | | |
| 2 | N | 1 | f | 2.649 3 GHz | -39.71 dBm | | |
| 3 | | | | | | | |
| 4 | | | | | | | |
| 5 | | | | | | | |
| 6 | | | | | | | |

May 21, 2024 9:43:28 AM

N7-15M-CSE-M-CP-OFDM-QPSK-1RB0-10GHz-26GHz

Spectrum Analyzer 1 Swept SA

KEYSIGHT Input RF Coupling: DC Align: Auto Input Z: 50 Ω Corr: C Corr Freq Ref: Int (S) #Atten: 20 dB Preamp: Off Source: Off PNO: Fast Gate: Off IF Gain: Low Sig Track: Off #Avg Type: Power (RMS) AvglHold: 100/100 Trig: Free Run

Center Frequency: 18.000000000 GHz

Span: 16.000000000 GHz

Start Freq: 10.000000000 GHz

Stop Freq: 26.000000000 GHz

Scale/Div 10 dB

Ref Lvl Offset 15.50 dB

Ref Level 20.00 dBm

Mkr1 25.524 9 GHz -45.581 dBm

Start 10.000 GHz #Res BW 1.0 MHz #Video BW 3.0 MHz* Stop 26.000 GHz Sweep ~32.1 ms (36001 pts)

| Mode | Trace | Scale | X | Y | Function | Function Width | Function Value |
|------|-------|-------|---|--------------|------------|----------------|----------------|
| 1 | N | 1 | f | 25.524 9 GHz | -45.58 dBm | | |
| 2 | | | | | | | |
| 3 | | | | | | | |
| 4 | | | | | | | |
| 5 | | | | | | | |
| 6 | | | | | | | |

May 21, 2024 9:44:06 AM

N7-15M-CSE-H-DFT-s-OFDM-Pi2 BPSK-1RB0-30MHz-10GHz

Spectrum Analyzer 1 Swept SA

KEYSIGHT Input RF Coupling: DC Align: Auto Input Z: 50 Ω Corr: C Corr Freq Ref: Int (S) #Atten: 30 dB Preamp: Off Source: Off PNO: Fast Gate: Off IF Gain: Low Sig Track: Off #Avg Type: Power (RMS) AvglHold: 100/100 Trig: Free Run

Center Frequency: 5.015000000 GHz

Span: 9.970000000 GHz

Start Freq: 30.000000000 MHz

Stop Freq: 10.000000000 GHz

Scale/Div 10 dB

Ref Lvl Offset 15.50 dB

Ref Level 30.00 dBm

Mkr2 2.679 6 GHz -38.466 dBm

Start 30 MHz #Res BW 1.0 MHz #Video BW 3.0 MHz* Stop 10.000 GHz Sweep ~18.5 ms (25001 pts)

| Mode | Trace | Scale | X | Y | Function | Function Width | Function Value |
|------|-------|-------|---|-------------|------------|----------------|----------------|
| 1 | N | 1 | f | 2.409 2 GHz | -42.13 dBm | | |
| 2 | N | 1 | f | 2.679 6 GHz | -38.47 dBm | | |
| 3 | | | | | | | |
| 4 | | | | | | | |
| 5 | | | | | | | |
| 6 | | | | | | | |

May 21, 2024 9:36:32 AM

N7-15M-CSE-H-DFT-s-OFDM-Pi2 BPSK-1RB0-10GHz-26GHz

Spectrum Analyzer 1 Swept SA

KEYSIGHT Input RF Coupling: DC Align: Auto Input Z: 50 Ω Corr: C Corr Freq Ref: Int (S) #Atten: 20 dB Preamp: Off Source: Off PNO: Fast Gate: Off IF Gain: Low Sig Track: Off #Avg Type: Power (RMS) AvglHold: 100/100 Trig: Free Run

Center Frequency: 18.000000000 GHz

Span: 16.000000000 GHz

Start Freq: 10.000000000 GHz

Stop Freq: 26.000000000 GHz

Scale/Div 10 dB

Ref Lvl Offset 15.50 dB

Ref Level 20.00 dBm

Mkr1 25.695 1 GHz -45.837 dBm

Start 10.000 GHz #Res BW 1.0 MHz #Video BW 3.0 MHz* Stop 26.000 GHz Sweep ~32.1 ms (36001 pts)

| Mode | Trace | Scale | X | Y | Function | Function Width | Function Value |
|------|-------|-------|---|--------------|----------|----------------|----------------|
| 1 | N | 1 | f | 25.695 1 GHz | | | -45.84 dBm |
| 2 | | | | | | | |
| 3 | | | | | | | |
| 4 | | | | | | | |
| 5 | | | | | | | |
| 6 | | | | | | | |

May 21, 2024 9:37:12 AM

N7-15M-CSE-H-CP-OFDM-QPSK-1RB0-30MHz-10GHz

Spectrum Analyzer 1 Swept SA

KEYSIGHT Input RF Coupling: DC Align: Auto Input Z: 50 Ω Corr: C Corr Freq Ref: Int (S) #Atten: 30 dB Preamp: Off Source: Off PNO: Fast Gate: Off IF Gain: Low Sig Track: Off #Avg Type: Power (RMS) AvglHold: 100/100 Trig: Free Run

Center Frequency: 5.015000000 GHz

Span: 9.970000000 GHz

Start Freq: 30.000000000 MHz

Stop Freq: 10.000000000 GHz

Scale/Div 10 dB

Ref Lvl Offset 15.50 dB

Ref Level 30.00 dBm


Mkr2 2.679 2 GHz -39.621 dBm

Start 30 MHz #Res BW 1.0 MHz #Video BW 3.0 MHz* Stop 10.000 GHz Sweep ~18.5 ms (25001 pts)


| Mode | Trace | Scale | X | Y | Function | Function Width | Function Value |
|------|-------|-------|---|-------------|----------|----------------|----------------|
| 1 | N | 1 | f | 2.371 4 GHz | | | -42.34 dBm |
| 2 | N | 1 | f | 2.679 2 GHz | | | -39.62 dBm |
| 3 | | | | | | | |
| 4 | | | | | | | |
| 5 | | | | | | | |
| 6 | | | | | | | |

May 21, 2024 9:47:20 AM

N7-15M-CSE-H-CP-OFDM-QPSK-1RB0-10GHz-26GHz



N7-20M-CSE-L-DFT-s-OFDM-Pi2 BPSK-1RB0-30MHz-10GHz



N7-20M-CSE-L-DFT-s-OFDM-Pi2 BPSK-1RB0-10GHz-26GHz

Spectrum Analyzer 1 Swept SA

KEYSIGHT Input RF Coupling: DC Align: Auto Input Z: 50 Ω Corr: C Corr Freq Ref: Int (S) #Atten: 20 dB Preamp: Off Source: Off PNO: Fast Gate: Off IF Gain: Low Sig Track: Off #Avg Type: Power (RMS) Avg/Hold: 100/100 Trig: Free Run

Center Frequency: 18.000000000 GHz

Span: 16.000000000 GHz

Start Freq: 10.000000000 GHz

Stop Freq: 26.000000000 GHz

Scale/Div 10 dB

Ref Lvl Offset 15.50 dB

Ref Level 20.00 dBm

Mkr1 25.603 1 GHz -45.645 dBm

Log

Start 10.000 GHz #Res BW 1.0 MHz #Video BW 3.0 MHz* Stop 26.000 GHz Sweep ~32.1 ms (36001 pts)

5 Marker Table

| Mode | Trace | Scale | X | Y | Function | Function Width | Function Value |
|------|-------|-------|---|--------------|----------|----------------|----------------|
| 1 | N | 1 | f | 25.603 1 GHz | | | -45.65 dBm |
| 2 | | | | | | | |
| 3 | | | | | | | |
| 4 | | | | | | | |
| 5 | | | | | | | |
| 6 | | | | | | | |

May 21, 2024 9:51:52 AM

N7-20M-CSE-L-CP-OFDM-QPSK-1RB0-30MHz-10GHz

Spectrum Analyzer 1 Swept SA

KEYSIGHT Input RF Coupling: DC Align: Auto Input Z: 50 Ω Corr: C Corr Freq Ref: Int (S) #Atten: 30 dB Preamp: Off Source: Off PNO: Fast Gate: Off IF Gain: Low Sig Track: Off #Avg Type: Power (RMS) Avg/Hold: 100/100 Trig: Free Run

Center Frequency: 5.015000000 GHz

Span: 9.970000000 GHz

Start Freq: 30.000000000 MHz

Stop Freq: 10.000000000 GHz

Scale/Div 10 dB

Ref Lvl Offset 15.50 dB

Ref Level 30.00 dBm

Mkr2 3.856 5 GHz -40.208 dBm

Log

Start 30 MHz #Res BW 1.0 MHz #Video BW 3.0 MHz* Stop 10.000 GHz Sweep ~18.5 ms (25001 pts)

5 Marker Table

| Mode | Trace | Scale | X | Y | Function | Function Width | Function Value |
|------|-------|-------|---|-------------|----------|----------------|----------------|
| 1 | N | 1 | f | 2.471 9 GHz | | | -42.46 dBm |
| 2 | N | 1 | f | 3.856 5 GHz | | | -40.21 dBm |
| 3 | | | | | | | |
| 4 | | | | | | | |
| 5 | | | | | | | |
| 6 | | | | | | | |

May 21, 2024 10:00:52 AM

N7-20M-CSE-L-CP-OFDM-QPSK-1RB0-10GHz-26GHz

Spectrum Analyzer 1 Swept SA

KEYSIGHT Input RF Coupling: DC Align: Auto Input Z: 50 Ω Corr: C Corr Freq Ref: Int (S) #Atten: 20 dB Preamp: Off Source: Off PNO: Fast Gate: Off IF Gain: Low Sig Track: Off #Avg Type: Power (RMS) Avg/Hold: 100/100 Trig: Free Run

Center Frequency: 18.000000000 GHz

Span: 16.000000000 GHz

Start Freq: 10.000000000 GHz

Stop Freq: 26.000000000 GHz

Scale/Div 10 dB

Ref Lvl Offset 15.50 dB

Ref Level 20.00 dBm

Mkr1 25.653 3 GHz -45.859 dBm

Start 10.000 GHz #Res BW 1.0 MHz #Video BW 3.0 MHz* Stop 26.000 GHz Sweep ~32.1 ms (36001 pts)

| Mode | Trace | Scale | X | Y | Function | Function Width | Function Value |
|------|-------|-------|---|--------------|----------|----------------|----------------|
| 1 | N | 1 | f | 25.653 3 GHz | | | -45.86 dBm |
| 2 | | | | | | | |
| 3 | | | | | | | |
| 4 | | | | | | | |
| 5 | | | | | | | |
| 6 | | | | | | | |

May 21, 2024 10:01:35 AM

N7-20M-CSE-M-DFT-s-OFDM-Pi2 BPSK-1RB0-30MHz-10GHz

Spectrum Analyzer 1 Swept SA

KEYSIGHT Input RF Coupling: DC Align: Auto Input Z: 50 Ω Corr: C Corr Freq Ref: Int (S) #Atten: 30 dB Preamp: Off Source: Off PNO: Fast Gate: Off IF Gain: Low Sig Track: Off #Avg Type: Power (RMS) Avg/Hold: 100/100 Trig: Free Run

Center Frequency: 5.015000000 GHz

Span: 9.970000000 GHz

Start Freq: 30.000000000 MHz

Stop Freq: 10.000000000 GHz

Scale/Div 10 dB

Ref Lvl Offset 15.50 dB

Ref Level 30.00 dBm

Mkr2 2.650 5 GHz -38.090 dBm

Start 30 MHz #Res BW 1.0 MHz #Video BW 3.0 MHz* Stop 10.000 GHz Sweep ~18.5 ms (25001 pts)

| Mode | Trace | Scale | X | Y | Function | Function Width | Function Value |
|------|-------|-------|---|-------------|----------|----------------|----------------|
| 1 | N | 1 | f | 2.382 5 GHz | | | -42.37 dBm |
| 2 | N | 1 | f | 2.650 5 GHz | | | -38.09 dBm |
| 3 | | | | | | | |
| 4 | | | | | | | |
| 5 | | | | | | | |
| 6 | | | | | | | |

May 21, 2024 9:53:12 AM

N7-20M-CSE-M-DFT-s-OFDM-Pi2 BPSK-1RB0-10GHz-26GHz

Spectrum Analyzer 1 Swept SA

KEYSIGHT Input RF Coupling: DC Align: Auto Input Z: 50 Ω Corr: C Corr Freq Ref: Int (S) #Atten: 20 dB Preamp: Off Source: Off PNO: Fast Gate: Off IF Gain: Low Sig Track: Off #Avg Type: Power (RMS) Avg/Hold: 100/100 Trig: Free Run

Center Frequency: 18.000000000 GHz

Span: 16.000000000 GHz

Scale/Div 10 dB

Ref Lvl Offset 15.50 dB Ref Level 20.00 dBm

Mkr1 25.625 8 GHz -45.769 dBm

Start 10.000 GHz Stop 26.000 GHz

#Res BW 1.0 MHz #Video BW 3.0 MHz* Sweep ~32.1 ms (36001 pts)

| Mode | Trace | Scale | X | Y | Function | Function Width | Function Value |
|------|-------|-------|---|--------------|----------|----------------|----------------|
| 1 | N | 1 | f | 25.625 8 GHz | | | -45.77 dBm |
| 2 | | | | | | | |
| 3 | | | | | | | |
| 4 | | | | | | | |
| 5 | | | | | | | |
| 6 | | | | | | | |

May 21, 2024 9:53:51 AM

N7-20M-CSE-M-CP-OFDM-QPSK-1RB0-30MHz-10GHz

Spectrum Analyzer 1 Swept SA

KEYSIGHT Input RF Coupling: DC Align: Auto Input Z: 50 Ω Corr: C Corr Freq Ref: Int (S) #Atten: 30 dB Preamp: Off Source: Off PNO: Fast Gate: Off IF Gain: Low Sig Track: Off #Avg Type: Power (RMS) Avg/Hold: 100/100 Trig: Free Run

Center Frequency: 5.015000000 GHz

Span: 9.970000000 GHz

Scale/Div 10 dB

Ref Lvl Offset 15.50 dB Ref Level 30.00 dBm

Mkr2 2.647 7 GHz -39.913 dBm

Start 30 MHz Stop 10.000 GHz

#Res BW 1.0 MHz #Video BW 3.0 MHz* Sweep ~18.5 ms (25001 pts)

| Mode | Trace | Scale | X | Y | Function | Function Width | Function Value |
|------|-------|-------|---|-------------|----------|----------------|----------------|
| 1 | N | 1 | f | 2.463 5 GHz | | | -42.49 dBm |
| 2 | N | 1 | f | 2.647 7 GHz | | | -39.91 dBm |
| 3 | | | | | | | |
| 4 | | | | | | | |
| 5 | | | | | | | |
| 6 | | | | | | | |

May 21, 2024 10:03:02 AM

N7-20M-CSE-M-CP-OFDM-QPSK-1RB0-10GHz-26GHz

Spectrum Analyzer 1 Swept SA

KEYSIGHT Input RF Coupling: DC Align: Auto

Input Z: 50 Ω Corr: C Corr Freq Ref: Int (S) #Atten: 20 dB Preamp: Off Source: Off PNO: Fast Gate: Off IF Gain: Low Sig Track: Off #Avg Type: Power (RMS) Avg/Hold: 100/100 Trig: Free Run

Center Frequency: 18.000000000 GHz

Span: 16.000000000 GHz

Start Freq: 10.000000000 GHz

Stop Freq: 26.000000000 GHz

Scale/Div 10 dB

Ref Lvl Offset 15.50 dB

Ref Level 20.00 dBm

Mkr1 25.708 0 GHz -45.694 dBm

Log

Start 10.000 GHz #Res BW 1.0 MHz #Video BW 3.0 MHz* Stop 26.000 GHz Sweep ~32.1 ms (36001 pts)

5 Marker Table

| Mode | Trace | Scale | X | Y | Function | Function Width | Function Value |
|------|-------|-------|---|--------------|----------|----------------|----------------|
| 1 | N | 1 | f | 25.708 0 GHz | | | -45.69 dBm |
| 2 | | | | | | | |
| 3 | | | | | | | |
| 4 | | | | | | | |
| 5 | | | | | | | |
| 6 | | | | | | | |

May 21, 2024 10:03:41 AM

N7-20M-CSE-H-DFT-s-OFDM-Pi2 BPSK-1RB0-30MHz-10GHz

Spectrum Analyzer 1 Swept SA

KEYSIGHT Input RF Coupling: DC Align: Auto

Input Z: 50 Ω Corr: C Corr Freq Ref: Int (S) #Atten: 30 dB Preamp: Off Source: Off PNO: Fast Gate: Off IF Gain: Low Sig Track: Off #Avg Type: Power (RMS) Avg/Hold: 100/100 Trig: Free Run

Center Frequency: 5.015000000 GHz

Span: 9.970000000 GHz

Start Freq: 30.000000000 MHz

Stop Freq: 10.000000000 GHz

Scale/Div 10 dB

Ref Lvl Offset 15.50 dB

Ref Level 30.00 dBm

Mkr2 3.889 2 GHz -40.484 dBm

Log


Start 30 MHz #Res BW 1.0 MHz #Video BW 3.0 MHz* Stop 10.000 GHz Sweep ~18.5 ms (25001 pts)

5 Marker Table


| Mode | Trace | Scale | X | Y | Function | Function Width | Function Value |
|------|-------|-------|---|-------------|----------|----------------|----------------|
| 1 | N | 1 | f | 2.410 4 GHz | | | -42.38 dBm |
| 2 | N | 1 | f | 3.889 2 GHz | | | -40.48 dBm |
| 3 | | | | | | | |
| 4 | | | | | | | |
| 5 | | | | | | | |
| 6 | | | | | | | |

May 21, 2024 9:56:13 AM

N7-20M-CSE-H-DFT-s-OFDM-Pi2 BPSK-1RB0-10GHz-26GHz



N7-20M-CSE-H-CP-OFDM-QPSK-1RB0-30MHz-10GHz




N7-20M-CSE-H-CP-OFDM-QPSK-1RB0-10GHz-26GHz

Spectrum Analyzer 1
Swept SA

KEYSIGHT Input RF
R.L. Coupling: DC Align: Auto
Input Z: 50 Ω Corr: CCorr Freq Ref: Int (S)
#Atten: 20 dB Preamp: Off Source: Off
PNO: Fast Gate: Off IF Gain: Low Sig Track: Off
#Avg Type: Power (RMS) 1 2 3 4 5 6
Avg/Hold: 100/100 Trig: Free Run
A www www w
A A A A A A

Frequency Settings

1 Spectrum Ref Lvl Offset 15.50 dB Mkr1 25.556 4 GHz
Scale/Div 10 dB Ref Level 20.00 dBm -45.650 dBm



Center Frequency 18.000000000 GHz

Span 16.0000000 GHz

Swept Span
Zero Span

Full Span

Start Freq 10.000000000 GHz

Stop Freq 26.000000000 GHz

AUTO TUNE

CF Step 1.600000000 GHz

Auto
Man

Freq Offset 0 Hz

X Axis Scale
Log
Lin

Signal Track (Span Zoom)

Local

Start 10.000 GHz #Video BW 3.0 MHz* Stop 26.000 GHz
#Res BW 1.0 MHz Sweep ~32.1 ms (36001 pts)

5 Marker Table

| Mode | Trace | Scale | X | Y | Function | Function Width | Function Value |
|------|-------|-------|---|--------------|------------|----------------|----------------|
| 1 | N | 1 | f | 25.556 4 GHz | -45.65 dBm | | |
| 2 | | | | | | | |
| 3 | | | | | | | |
| 4 | | | | | | | |
| 5 | | | | | | | |
| 6 | | | | | | | |

Windows navigation icons, May 21, 2024 10:07:19 AM, and utility icons.