

N38-10M-CSE-L-DFT-s-OFDM-Pi2 BPSK-1RB0-10GHz-27GHz

Spectrum Analyzer 1 Swept SA

KEYSIGHT Input RF Coupling: DC Align: Off

Input Z: 50 Ω Corr: C Corr Freq Ref: Int (S) #Atten: 20 dB Preamp: Off Source: Off PNO: Fast Gate: Off IF Gain: Low Sig Track: Off #Avg Type: Power (RMS) Avg/Hold: 100/100 Trig: Free Run

Center Frequency: 18.500000000 GHz

Span: 17.000000000 GHz

Start Freq: 10.000000000 GHz

Stop Freq: 27.000000000 GHz

Scale/Div 10 dB

Ref Lvl Offset 18.55 dB

Ref Level 20.00 dBm

Mkr1 26.460 3 GHz -42.237 dBm

Log

Start 10.000 GHz #Res BW 1.0 MHz #Video BW 3.0 MHz* Stop 27.000 GHz Sweep ~33.2 ms (36001 pts)

5 Marker Table

Mode	Trace	Scale	X	Y	Function	Function Width	Function Value
1	N	1	f	26.460 3 GHz			-42.24 dBm
2							
3							
4							
5							
6							

May 23, 2024 2:11:13 PM

N38-10M-CSE-L-CP-OFDM-QPSK-1RB0-30MHz-10GHz

Spectrum Analyzer 1 Swept SA

KEYSIGHT Input RF Coupling: DC Align: Off

Input Z: 50 Ω Corr: C Corr Freq Ref: Int (S) #Atten: 30 dB Preamp: Off Source: Off PNO: Fast Gate: Off IF Gain: Low Sig Track: Off #Avg Type: Power (RMS) Avg/Hold: 100/100 Trig: Free Run

Center Frequency: 5.015000000 GHz

Span: 9.970000000 GHz

Start Freq: 30.000000000 MHz

Stop Freq: 10.000000000 GHz

Scale/Div 10 dB

Ref Lvl Offset 18.55 dB

Ref Level 30.00 dBm

Mkr2 3.894 0 GHz -34.880 dBm

Log


Start 30 MHz #Res BW 1.0 MHz #Video BW 3.0 MHz* Stop 10.000 GHz Sweep ~18.8 ms (25001 pts)

5 Marker Table


Mode	Trace	Scale	X	Y	Function	Function Width	Function Value
1	N	1	f	2.435 2 GHz			-38.14 dBm
2	N	1	f	3.894 0 GHz			-34.88 dBm
3							
4							
5							
6							

May 23, 2024 3:26:18 PM

N38-10M-CSE-L-CP-OFDM-QPSK-1RB0-10GHz-27GHz



N38-10M-CSE-M-DFT-s-OFDM-Pi2 BPSK-1RB0-30MHz-10GHz



N38-10M-CSE-M-DFT-s-OFDM-Pi2 BPSK-1RB0-10GHz-27GHz

Spectrum Analyzer 1 Swept SA

KEYSIGHT Input RF Input Z: 50 Ω #Atten: 20 dB PNO: Fast #Avg Type: Power (RMS) 1 2 3 4 5 6
 RL Coupling: DC Corr CCorr Preamp: Off Gate: Off Avg/Hold: 100/100 A www www www
 Align: Off Freq Ref: Int (S) Source: Off IF Gain: Low Trig: Free Run A A A A A A

Center Frequency 18.500000000 GHz Settings

Span 17.00000000 GHz
 Swept Span
 Zero Span
 Full Span

Start Freq 10.000000000 GHz
 Stop Freq 27.000000000 GHz

AUTO TUNE

CF Step 1.700000000 GHz
 Auto
 Man

Freq Offset 0 Hz

X Axis Scale Log
 Lin

Signal Track (Span Zoom)

Local

1 Spectrum Ref Lvl Offset 18.55 dB Mkr1 26.464 5 GHz
 Scale/Div 10 dB Ref Level 20.00 dBm -42.237 dBm

Start 10.000 GHz #Video BW 3.0 MHz* Stop 27.000 GHz
 #Res BW 1.0 MHz Sweep ~33.2 ms (36001 pts)

5 Marker Table

Mode	Trace	Scale	X	Y	Function	Function Width	Function Value
1	N	1	f	26.464 5 GHz			-42.24 dBm
2							
3							
4							
5							
6							

May 23, 2024 2:15:08 PM

N38-10M-CSE-M-CP-OFDM-QPSK-1RB0-30MHz-10GHz

Spectrum Analyzer 1 Swept SA

KEYSIGHT Input RF Input Z: 50 Ω #Atten: 30 dB PNO: Fast #Avg Type: Power (RMS) 1 2 3 4 5 6
 RL Coupling: DC Corr CCorr Preamp: Off Gate: Off Avg/Hold: 100/100 A www www www
 Align: Off Freq Ref: Int (S) Source: Off IF Gain: Low Trig: Free Run A A A A A A

Center Frequency 5.015000000 GHz Settings

Span 9.970000000 GHz
 Swept Span
 Zero Span
 Full Span

Start Freq 30.000000000 MHz
 Stop Freq 10.000000000 GHz

AUTO TUNE

CF Step 997.0000000 MHz
 Auto
 Man

Freq Offset 0 Hz

X Axis Scale Log
 Lin

Signal Track (Span Zoom)

Local

1 Spectrum Ref Lvl Offset 18.55 dB Mkr2 3.827 0 GHz
 Scale/Div 10 dB Ref Level 30.00 dBm -34.716 dBm

Start 30 MHz #Video BW 3.0 MHz* Stop 10.000 GHz
 #Res BW 1.0 MHz Sweep ~18.8 ms (25001 pts)

5 Marker Table

Mode	Trace	Scale	X	Y	Function	Function Width	Function Value
1	N	1	f	2.500 6 GHz			-38.42 dBm
2	N	1	f	3.827 0 GHz			-34.72 dBm
3							
4							
5							
6							

May 23, 2024 3:28:55 PM

N38-10M-CSE-M-CP-OFDM-QPSK-1RB0-10GHz-27GHz

Spectrum Analyzer 1 Swept SA

KEYSIGHT Input RF Input Z: 50 Ω #Atten: 20 dB PNO: Fast #Avg Type: Power (RMS) 1 2 3 4 5 6
 RL Coupling: DC Corr C/Corr Preamp: Off Gate: Off Avg/Hold: 100/100 A www www www
 Align: Off Freq Ref: Int (S) Source: Off IF Gain: Low Trig: Free Run A A A A A A

Center Frequency 18.500000000 GHz Settings

Span 17.00000000 GHz
 Swept Span
 Zero Span
 Full Span

Start Freq 10.000000000 GHz
 Stop Freq 27.000000000 GHz

AUTO TUNE

CF Step 1.700000000 GHz
 Auto
 Man

Freq Offset 0 Hz

X Axis Scale Log
 Lin

Signal Track (Span Zoom)

Local

1 Spectrum Ref Lvl Offset 18.55 dB Mkr1 26.513 1 GHz
 Scale/Div 10 dB Ref Level 20.00 dBm -42.172 dBm

Log

Start 10.000 GHz #Video BW 3.0 MHz* Stop 27.000 GHz
 #Res BW 1.0 MHz Sweep ~33.2 ms (36001 pts)

5 Marker Table

Mode	Trace	Scale	X	Y	Function	Function Width	Function Value
1	N	1	f	26.513 1 GHz	-42.17 dBm		
2							
3							
4							
5							
6							

May 23, 2024 3:29:38 PM

N38-10M-CSE-H-DFT-s-OFDM-Pi2 BPSK-1RB0-30MHz-10GHz

Spectrum Analyzer 1 Swept SA

KEYSIGHT Input RF Input Z: 50 Ω #Atten: 30 dB PNO: Fast #Avg Type: Power (RMS) 1 2 3 4 5 6
 RL Coupling: DC Corr C/Corr Preamp: Off Gate: Off Avg/Hold: 100/100 A www www www
 Align: Off Freq Ref: Int (S) Source: Off IF Gain: Low Trig: Free Run A A A A A A

Center Frequency 5.015000000 GHz Settings

Span 9.970000000 GHz
 Swept Span
 Zero Span
 Full Span

Start Freq 30.000000000 MHz
 Stop Freq 10.000000000 GHz

AUTO TUNE

CF Step 997.0000000 MHz
 Auto
 Man

Freq Offset 0 Hz

X Axis Scale Log
 Lin

Signal Track (Span Zoom)

Local

1 Spectrum Ref Lvl Offset 18.55 dB Mkr2 3.853 3 GHz
 Scale/Div 10 dB Ref Level 30.00 dBm -34.804 dBm

Log


Start 30 MHz #Video BW 3.0 MHz* Stop 10.000 GHz
 #Res BW 1.0 MHz Sweep ~18.8 ms (25001 pts)

5 Marker Table


Mode	Trace	Scale	X	Y	Function	Function Width	Function Value
1	N	1	f	2.518 9 GHz	-38.19 dBm		
2	N	1	f	3.853 3 GHz	-34.80 dBm		
3							
4							
5							
6							

May 23, 2024 2:19:37 PM

N38-10M-CSE-H-DFT-s-OFDM-Pi2 BPSK-1RB0-10GHz-27GHz



N38-10M-CSE-H-CP-OFDM-QPSK-1RB0-30MHz-10GHz



N38-10M-CSE-H-CP-OFDM-QPSK-1RB0-10GHz-27GHz

Spectrum Analyzer 1 Swept SA

KEYSIGHT Input RF Coupling: DC Align: Off

Input Z: 50 Ω Corr: C Corr Freq Ref: Int (S) #Atten: 20 dB Preamp: Off Source: Off PNO: Fast Gate: Off IF Gain: Low Sig Track: Off #Avg Type: Power (RMS) Avg/Hold: 100/100 Trig: Free Run

Center Frequency 18.500000000 GHz

Span 17.00000000 GHz

Start Freq 10.000000000 GHz

Stop Freq 27.000000000 GHz

Scale/Div 10 dB

Ref Lvl Offset 18.55 dB Ref Level 20.00 dBm

Mkr1 26.457 4 GHz -42.168 dBm

Log

Start 10.000 GHz #Res BW 1.0 MHz #Video BW 3.0 MHz* Stop 27.000 GHz Sweep ~33.2 ms (36001 pts)

5 Marker Table

Mode	Trace	Scale	X	Y	Function	Function Width	Function Value
1	N	1	f	26.457 4 GHz			-42.17 dBm
2							
3							
4							
5							
6							

May 23, 2024 3:33:34 PM

N38-15M-CSE-L-DFT-s-OFDM-Pi2 BPSK-1RB0-30MHz-10GHz

Spectrum Analyzer 1 Swept SA

KEYSIGHT Input RF Coupling: DC Align: Off

Input Z: 50 Ω Corr: C Corr Freq Ref: Int (S) #Atten: 30 dB Preamp: Off Source: Off PNO: Fast Gate: Off IF Gain: Low Sig Track: Off #Avg Type: Power (RMS) Avg/Hold: 100/100 Trig: Free Run

Center Frequency 5.015000000 GHz

Span 9.970000000 GHz

Start Freq 30.000000000 MHz

Stop Freq 10.000000000 GHz

Scale/Div 10 dB

Ref Lvl Offset 18.55 dB Ref Level 30.00 dBm

Mkr2 3.852 9 GHz -34.903 dBm

Log


Start 30 MHz #Res BW 1.0 MHz #Video BW 3.0 MHz* Stop 10.000 GHz Sweep ~18.8 ms (25001 pts)

5 Marker Table


Mode	Trace	Scale	X	Y	Function	Function Width	Function Value
1	N	1	f	2.538 5 GHz			-38.16 dBm
2	N	1	f	3.852 9 GHz			-34.90 dBm
3							
4							
5							
6							

May 23, 2024 2:28:16 PM


N38-15M-CSE-L-DFT-s-OFDM-Pi2 BPSK-1RB0-10GHz-27GHz




N38-15M-CSE-L-CP-OFDM-QPSK-1RB0-30MHz-10GHz



N38-15M-CSE-L-CP-OFDM-QPSK-1RB0-10GHz-27GHz



N38-15M-CSE-M-DFT-s-OFDM-Pi2 BPSK-1RB0-30MHz-10GHz



N38-15M-CSE-M-DFT-s-OFDM-Pi2 BPSK-1RB0-10GHz-27GHz

Spectrum Analyzer 1 Swept SA

KEYSIGHT Input RF Coupling: DC Align: Off

Input Z: 50 Ω Corr: C Corr Freq Ref: Int (S) #Atten: 20 dB Preamp: Off Source: Off PNO: Fast Gate: Off IF Gain: Low Sig Track: Off #Avg Type: Power (RMS) AvgHold: 100/100 Trig: Free Run

Center Frequency 18.500000000 GHz

Span 17.000000000 GHz

Start Freq 10.000000000 GHz

Stop Freq 27.000000000 GHz

Scale/Div 10 dB

Ref Lvl Offset 18.55 dB

Ref Level 20.00 dBm

Mkr1 26.452 7 GHz -42.151 dBm

Log

Start 10.000 GHz #Res BW 1.0 MHz #Video BW 3.0 MHz* Stop 27.000 GHz Sweep ~33.2 ms (36001 pts)

5 Marker Table

Mode	Trace	Scale	X	Y	Function	Function Width	Function Value
1	N	1	f	26.452 7 GHz			-42.15 dBm
2							
3							
4							
5							
6							

May 23, 2024 2:31:08 PM

N38-15M-CSE-M-CP-OFDM-QPSK-1RB0-30MHz-10GHz

Spectrum Analyzer 1 Swept SA

KEYSIGHT Input RF Coupling: DC Align: Off

Input Z: 50 Ω Corr: C Corr Freq Ref: Int (S) #Atten: 30 dB Preamp: Off Source: Off PNO: Fast Gate: Off IF Gain: Low Sig Track: Off #Avg Type: Power (RMS) AvgHold: 100/100 Trig: Free Run

Center Frequency 5.015000000 GHz

Span 9.970000000 GHz

Start Freq 30.000000000 MHz

Stop Freq 10.000000000 GHz

Scale/Div 10 dB

Ref Lvl Offset 18.55 dB

Ref Level 30.00 dBm

Mkr2 3.855 3 GHz -35.004 dBm

Log

Start 30 MHz #Res BW 1.0 MHz #Video BW 3.0 MHz* Stop 10.000 GHz Sweep ~18.8 ms (25001 pts)

5 Marker Table

Mode	Trace	Scale	X	Y	Function	Function Width	Function Value
1	N	1	f	2.358 6 GHz			-38.38 dBm
2	N	1	f	3.855 3 GHz			-35.00 dBm
3							
4							
5							
6							

May 23, 2024 3:18:11 PM

N38-15M-CSE-M-CP-OFDM-QPSK-1RB0-10GHz-27GHz

Spectrum Analyzer 1 Swept SA

KEYSIGHT Input RF Input Z: 50 Ω #Atten: 20 dB PNO: Fast #Avg Type: Power (RMS) 1 2 3 4 5 6
 RL Coupling: DC Corr CCorr Preamp: Off Gate: Off Avg/Hold: 100/100 A www www www
 Align: Off Freq Ref: Int (S) Source: Off IF Gain: Low Trig: Free Run A A A A A A

Center Frequency 18.500000000 GHz Settings

Span 17.00000000 GHz
 Swept Span
 Zero Span
 Full Span

Start Freq 10.000000000 GHz
 Stop Freq 27.000000000 GHz

AUTO TUNE

CF Step 1.700000000 GHz
 Auto
 Man

Freq Offset 0 Hz

X Axis Scale Log
 Lin

Signal Track (Span Zoom)

Local

1 Spectrum Ref Lvl Offset 18.55 dB Mkr1 26.510 3 GHz
 Scale/Div 10 dB Ref Level 20.00 dBm -42.505 dBm

Log

Start 10.000 GHz #Video BW 3.0 MHz* Stop 27.000 GHz
 #Res BW 1.0 MHz Sweep ~33.2 ms (36001 pts)

5 Marker Table

Mode	Trace	Scale	X	Y	Function	Function Width	Function Value
1	N	1	f	26.510 3 GHz			-42.51 dBm
2							
3							
4							
5							
6							

May 23, 2024 3:18:53 PM

N38-15M-CSE-H-DFT-s-OFDM-Pi2 BPSK-1RB0-30MHz-10GHz

Spectrum Analyzer 1 Swept SA

KEYSIGHT Input RF Input Z: 50 Ω #Atten: 30 dB PNO: Fast #Avg Type: Power (RMS) 1 2 3 4 5 6
 RL Coupling: DC Corr CCorr Preamp: Off Gate: Off Avg/Hold: 100/100 A www www www
 Align: Off Freq Ref: Int (S) Source: Off IF Gain: Low Trig: Free Run A A A A A A

Center Frequency 5.015000000 GHz Settings

Span 9.970000000 GHz
 Swept Span
 Zero Span
 Full Span

Start Freq 30.000000000 MHz
 Stop Freq 10.000000000 GHz

AUTO TUNE

CF Step 997.0000000 MHz
 Auto
 Man

Freq Offset 0 Hz

X Axis Scale Log
 Lin

Signal Track (Span Zoom)

Local

1 Spectrum Ref Lvl Offset 18.55 dB Mkr2 3.825 4 GHz
 Scale/Div 10 dB Ref Level 30.00 dBm -34.838 dBm

Log


Start 30 MHz #Video BW 3.0 MHz* Stop 10.000 GHz
 #Res BW 1.0 MHz Sweep ~18.8 ms (25001 pts)

5 Marker Table


Mode	Trace	Scale	X	Y	Function	Function Width	Function Value
1	N	1	f	2.526 1 GHz			-38.32 dBm
2	N	1	f	3.825 4 GHz			-34.84 dBm
3							
4							
5							
6							

May 23, 2024 2:34:17 PM


N38-15M-CSE-H-DFT-s-OFDM-Pi2 BPSK-1RB0-10GHz-27GHz




N38-15M-CSE-H-CP-OFDM-QPSK-1RB0-30MHz-10GHz




N38-15M-CSE-H-CP-OFDM-QPSK-1RB0-10GHz-27GHz




N38-20M-CSE-L-DFT-s-OFDM-Pi2 BPSK-1RB0-30MHz-10GHz




N38-20M-CSE-L-DFT-s-OFDM-Pi2 BPSK-1RB0-10GHz-27GHz




N38-20M-CSE-L-CP-OFDM-QPSK-1RB0-30MHz-10GHz



N38-20M-CSE-L-CP-OFDM-QPSK-1RB0-10GHz-27GHz



N38-20M-CSE-M-DFT-s-OFDM-Pi2 BPSK-1RB0-30MHz-10GHz



N38-20M-CSE-M-DFT-s-OFDM-Pi2 BPSK-1RB0-10GHz-27GHz

Spectrum Analyzer 1 Swept SA

KEYSIGHT Input RF: Coupling: DC, Align: Off

Input Z: 50 Ω, Corr: CCorr, Freq Ref: Int (S)

#Atten: 20 dB, Preamp: Off, Source: Off

PNO: Fast Gate: Off, IF Gain: Low, Sig Track: Off

#Avg Type: Power (RMS), Avg/Hold: 100/100, Trig: Free Run

Center Frequency: 18.500000000 GHz

Span: 17.000000000 GHz

Start Freq: 10.000000000 GHz

Stop Freq: 27.000000000 GHz

Scale/Div 10 dB, Ref Lvl Offset 18.55 dB, Ref Level 20.00 dBm

Mkr1 26.477 7 GHz, -42.210 dBm

Start 10.000 GHz, #Res BW 1.0 MHz, #Video BW 3.0 MHz*, Stop 27.000 GHz, Sweep ~33.2 ms (36001 pts)

Mode	Trace	Scale	X	Y	Function	Function Width	Function Value
1	N	1	f	26.477 7 GHz			-42.210 dBm
2							
3							
4							
5							
6							

May 23, 2024 2:57:37 PM

N38-20M-CSE-M-CP-OFDM-QPSK-1RB0-30MHz-10GHz

Spectrum Analyzer 1 Swept SA

KEYSIGHT Input RF: Coupling: DC, Align: Off

Input Z: 50 Ω, Corr: CCorr, Freq Ref: Int (S)

#Atten: 30 dB, Preamp: Off, Source: Off

PNO: Fast Gate: Off, IF Gain: Low, Sig Track: Off

#Avg Type: Power (RMS), Avg/Hold: 100/100, Trig: Free Run

Center Frequency: 5.015000000 GHz

Span: 9.970000000 GHz

Start Freq: 30.0000000 MHz

Stop Freq: 10.000000000 GHz

Scale/Div 10 dB, Ref Lvl Offset 18.55 dB, Ref Level 30.00 dBm

Mkr2 3.926 7 GHz, -34.834 dBm

Start 30 MHz, #Res BW 1.0 MHz, #Video BW 3.0 MHz*, Stop 10.000 GHz, Sweep ~18.8 ms (25001 pts)

Mode	Trace	Scale	X	Y	Function	Function Width	Function Value
1	N	1	f	2.461 5 GHz			-38.41 dBm
2	N	1	f	3.926 7 GHz			-34.83 dBm
3							
4							
5							
6							

May 23, 2024 3:07:24 PM

N38-20M-CSE-M-CP-OFDM-QPSK-1RB0-10GHz-27GHz

Spectrum Analyzer 1 Swept SA

KEYSIGHT Input RF Input Z: 50 Ω #Atten: 20 dB PNO: Fast #Avg Type: Power (RMS) 1 2 3 4 5 6
 RL Coupling: DC Corr CCorr Preamp: Off Gate: Off Avg/Hold: 100/100 A www www www
 Align: Off Freq Ref: Int (S) Source: Off IF Gain: Low Trig: Free Run A A A A A A

Center Frequency 18.500000000 GHz Settings

Span 17.00000000 GHz
 Swept Span
 Zero Span
 Full Span

Start Freq 10.000000000 GHz
 Stop Freq 27.000000000 GHz

AUTO TUNE

CF Step 1.700000000 GHz
 Auto
 Man

Freq Offset 0 Hz

X Axis Scale Log
 Lin

Signal Track (Span Zoom)

Local

1 Spectrum Ref Lvl Offset 18.55 dB Mkr1 26.442 3 GHz
 Scale/Div 10 dB Ref Level 20.00 dBm -42.265 dBm

Log

Start 10.000 GHz #Video BW 3.0 MHz* Stop 27.000 GHz
 #Res BW 1.0 MHz Sweep ~33.2 ms (36001 pts)

5 Marker Table

Mode	Trace	Scale	X	Y	Function	Function Width	Function Value
1	N	1	f	26.442 3 GHz			-42.27 dBm
2							
3							
4							
5							
6							

May 23, 2024 3:08:06 PM

N38-20M-CSE-H-DFT-s-OFDM-Pi2 BPSK-1RB0-30MHz-10GHz

Spectrum Analyzer 1 Swept SA

KEYSIGHT Input RF Input Z: 50 Ω #Atten: 30 dB PNO: Fast #Avg Type: Power (RMS) 1 2 3 4 5 6
 RL Coupling: DC Corr CCorr Preamp: Off Gate: Off Avg/Hold: 100/100 A www www www
 Align: Off Freq Ref: Int (S) Source: Off IF Gain: Low Trig: Free Run A A A A A A

Center Frequency 5.015000000 GHz Settings

Span 9.970000000 GHz
 Swept Span
 Zero Span
 Full Span

Start Freq 30.000000000 MHz
 Stop Freq 10.000000000 GHz

AUTO TUNE

CF Step 997.0000000 MHz
 Auto
 Man

Freq Offset 0 Hz

X Axis Scale Log
 Lin

Signal Track (Span Zoom)

Local

1 Spectrum Ref Lvl Offset 18.55 dB Mkr2 3.853 3 GHz
 Scale/Div 10 dB Ref Level 30.00 dBm -34.700 dBm

Log


Start 30 MHz #Video BW 3.0 MHz* Stop 10.000 GHz
 #Res BW 1.0 MHz Sweep ~18.8 ms (25001 pts)

5 Marker Table


Mode	Trace	Scale	X	Y	Function	Function Width	Function Value
1	N	1	f	2.516 5 GHz			-38.29 dBm
2	N	1	f	3.853 3 GHz			-34.70 dBm
3							
4							
5							
6							

May 23, 2024 3:01:00 PM

N38-20M-CSE-H-DFT-s-OFDM-Pi2 BPSK-1RB0-10GHz-27GHz



N38-20M-CSE-H-CP-OFDM-QPSK-1RB0-30MHz-10GHz



N38-20M-CSE-H-CP-OFDM-QPSK-1RB0-10GHz-27GHz

Spectrum Analyzer 1
Swept SA

KEYSIGHT Input: RF
 RL → Coupling: DC
 Align: Off

Input Z: 50 Ω #Atten: 20 dB PNO: Fast #Avg Type: Power (RMS) 1 2 3 4 5 6
 Corr: C Corr Preamp: Off Gate: Off Avg/Hold: 100/100
 Freq Ref: Int (S) Source: Off IF Gain: Low Trig: Free Run A www www w
 Sig Track: Off A A A A A A

1 Spectrum Ref Lvl Offset 18.55 dB **Mkr1 26.491 4 GHz**
 Scale/Div 10 dB Ref Level 20.00 dBm **-42.269 dBm**

Start 10.000 GHz #Video BW 3.0 MHz* Stop 27.000 GHz
 #Res BW 1.0 MHz Sweep ~33.2 ms (36001 pts)

5 Marker Table

Mode	Trace	Scale	X	Y	Function	Function Width	Function Value
1	N	1	f	26.491 4 GHz	-42.27 dBm		
2							
3							
4							
5							
6							

Frequency

Center Frequency
18.500000000 GHz

Span
17.0000000 GHz

Swept Span
Zero Span

Full Span

Start Freq
10.000000000 GHz

Stop Freq
27.000000000 GHz

AUTO TUNE

CF Step
1.700000000 GHz

Auto
Man

Freq Offset
0 Hz

X Axis Scale
Log
Lin

Signal Track
(Span Zoom)

Settings

Local

May 23, 2024 3:12:35 PM