

N66-20M-PAPR-L-CP-OFDM-16QAM-Outer\_Full

Spectrum Analyzer 1  
Power Stat CCDF

KEYSIGHT Input RF  
R.L. Coupling: DC  
Align: Off

Input Z: 50 Ω  
Corr: CCorr  
Freq Ref: Int (S)

Atten: 40 dB  
Preamp: Off

Trig: RF Burst  
#IF Gain: Low

Center Freq: 1.720000000 GHz  
Counts: 10.0 M/10.0 Mpt  
Radio Std: None

Center Frequency: 1.720000000 GHz

CF Step: 5.000000 MHz

Freq Offset: 0 Hz

1 Metrics

Average Power

21.67 dBm

36.82 % at 0 dB

10.0 %	3.71 dB
1.0 %	6.48 dB
0.1 %	7.30 dB
0.01 %	7.51 dB
0.001 %	7.66 dB
0.0001 %	7.83 dB

Peak

7.84 dB

29.51 dBm

2 Graph

Gaussian

0.0001 %

0.00 dB

20.00 dB

Info BW 20.000 MHz

May 20, 2024 10:59:49 PM

Local

N66-20M-PAPR-L-CP-OFDM-64QAM-Outer\_Full

Spectrum Analyzer 1  
Power Stat CCDF

KEYSIGHT Input RF  
R.L. Coupling: DC  
Align: Off

Input Z: 50 Ω  
Corr: CCorr  
Freq Ref: Int (S)

Atten: 40 dB  
Preamp: Off

Trig: RF Burst  
#IF Gain: Low

Center Freq: 1.720000000 GHz  
Counts: 10.0 M/10.0 Mpt  
Radio Std: None

Center Frequency: 1.720000000 GHz

CF Step: 5.000000 MHz

Freq Offset: 0 Hz

1 Metrics

Average Power

21.09 dBm

36.39 % at 0 dB

10.0 %	3.68 dB
1.0 %	6.68 dB
0.1 %	7.87 dB
0.01 %	8.14 dB
0.001 %	8.28 dB
0.0001 %	8.33 dB

Peak

8.35 dB

29.44 dBm

2 Graph

Gaussian

0.0001 %

0.00 dB

20.00 dB

Info BW 20.000 MHz

May 20, 2024 11:02:23 PM

Local


N66-20M-PAPR-L-CP-OFDM-256QAM-Outer\_Full




N66-20M-PAPR-M-DFT-s-OFDM-Pi2 BPSK-Outer\_Full




N66-20M-PAPR-M-DFT-s-OFDM-QPSK-Outer\_Full




N66-20M-PAPR-M-DFT-s-OFDM-16QAM-Outer\_Full



N66-20M-PAPR-M-DFT-s-OFDM-64QAM-Outer\_Full




N66-20M-PAPR-M-DFT-s-OFDM-256QAM-Outer\_Full




N66-20M-PAPR-M-CP-OFDM-QPSK-Outer\_Full



N66-20M-PAPR-M-CP-OFDM-16QAM-Outer\_Full




N66-20M-PAPR-M-CP-OFDM-64QAM-Outer\_Full




N66-20M-PAPR-M-CP-OFDM-256QAM-Outer\_Full




N66-20M-PAPR-H-DFT-s-OFDM-Pi2 BPSK-Outer\_Full



N66-20M-PAPR-H-DFT-s-OFDM-QPSK-Outer\_Full



N66-20M-PAPR-H-DFT-s-OFDM-16QAM-Outer\_Full




N66-20M-PAPR-H-DFT-s-OFDM-64QAM-Outer\_Full






N66-20M-PAPR-H-DFT-s-OFDM-256QAM-Outer\_Full



N66-20M-PAPR-H-CP-OFDM-QPSK-Outer\_Full



N66-20M-PAPR-H-CP-OFDM-16QAM-Outer\_Full



N66-20M-PAPR-H-CP-OFDM-64QAM-Outer\_Full



N66-20M-PAPR-H-CP-OFDM-256QAM-Outer\_Full

Spectrum Analyzer 1  
Power Stat CCDF

KEYSIGHT Input RF  
RL Coupling: DC  
Align: Off

Input Z: 50 Ω  
Corr: C Corr  
Freq Ref: Int (S)

Atten: 40 dB  
Preamp: Off

Trig: RF Burst  
#F Gain: Low

Center Freq: 1.770000000 GHz  
Counts: 10.0 M/10.0 Mpt  
Radio Std: None

Center Frequency  
1.770000000 GHz

CF Step  
5.000000 MHz

Auto  
Man

Freq Offset  
0 Hz

Settings

1 Metrics

Average Power

18.25 dBm

36.48 % at 0 dB

10.0 %	3.62 dB
1.0 %	6.70 dB
0.1 %	8.57 dB
0.01 %	9.70 dB
0.001 %	10.23 dB
0.0001 %	10.34 dB

Peak

10.36 dB

28.61 dBm

2 Graph

Gaussian

0.0001 %  
0.001 %  
0.01 %  
0.1 %  
1 %  
10 %  
100 %

0.00 dB  
20.00 dB

Info BW 20.000 MHz


Local

May 20, 2024  
11:06:55 PM


Bandedge test graph




N66-5M-Bandedge-L-DFT-s-OFDM-Pi2 BPSK-1RB0




N66-5M-Bandedge-L-CP-OFDM-QPSK-Outer\_Full



N66-5M-Bandedge-L-CP-OFDM-QPSK-1RB0



N66-5M-Bandedge-H-DFT-s-OFDM-Pi2 BPSK-Outer\_Full



N66-5M-Bandedge-H-DFT-s-OFDM-Pi2 BPSK-1RB\_MAX

**Spectrum Analyzer 1**  
Swept SA

**KEYSIGHT** Input RF  
RL ➔ Coupling: DC  
Align: Off

Input Z: 50 Ω #Atten: 36 dB PNO: Best Wide #Avg Type: Power (RMS) 1 2 3 4 5 6  
Corr: C Corr Preamp: Off Gate: Off Avg/Hold: 1000/1000 A www www www  
Freq Ref: Int (S) Source: Off IF Gain: Low Trig: Free Run A A A A A A A

Frequency ⊗

Center Frequency  
1.780000000 GHz

Span  
10.0000000 MHz

Swept Span  
Zero Span

Full Span

Start Freq  
1.775000000 GHz

Stop Freq  
1.785000000 GHz

AUTO TUNE

CF Step  
1.000000 MHz

Auto  
Man

Freq Offset  
0 Hz

X Axis Scale  
Log  
Lin

Signal Track  
(Span Zoom)

Settings

Local

1 Spectrum Mkr2 1.780 00 GHz  
Scale/Div 10 dB Ref Lvl Offset 15.50 dB Ref Level 30.00 dBm -18.603 dBm

Center 1.780000 GHz #Video BW 100 kHz\* Span 10.00 MHz  
#Res BW 30 kHz Sweep 13.7 ms (1001 pts)

5 Marker Table

Mode	Trace	Scale	X	Y	Function	Function Width	Function Value
1	N	1	f	1.780 02 GHz	-20.17 dBm		
2	N	1	f	1.780 00 GHz	-18.60 dBm		
3							
4							
5							
6							

May 20, 2024 11:25:55 PM

N66-5M-Bandedge-H-CP-OFDM-QPSK-Outer\_Full

**Spectrum Analyzer 1**  
Swept SA

**KEYSIGHT** Input RF  
RL ➔ Coupling: DC  
Align: Off

Input Z: 50 Ω #Atten: 36 dB PNO: Best Wide #Avg Type: Power (RMS) 1 2 3 4 5 6  
Corr: C Corr Preamp: Off Gate: Off Avg/Hold: 1000/1000 A www www www  
Freq Ref: Int (S) Source: Off IF Gain: Low Trig: Free Run A A A A A A A

Frequency ⊗

Center Frequency  
1.780000000 GHz

Span  
10.0000000 MHz

Swept Span  
Zero Span

Full Span

Start Freq  
1.775000000 GHz

Stop Freq  
1.785000000 GHz

AUTO TUNE

CF Step  
1.000000 MHz

Auto  
Man

Freq Offset  
0 Hz

X Axis Scale  
Log  
Lin

Signal Track  
(Span Zoom)

Settings

Local

1 Spectrum Mkr2 1.780 00 GHz  
Scale/Div 10 dB Ref Lvl Offset 15.50 dB Ref Level 30.00 dBm -20.888 dBm

Center 1.780000 GHz #Video BW 300 kHz\* Span 10.00 MHz  
#Res BW 100 kHz Sweep 1.27 ms (1001 pts)

5 Marker Table

Mode	Trace	Scale	X	Y	Function	Function Width	Function Value
1	N	1	f	1.780 02 GHz	-22.55 dBm		
2	N	1	f	1.780 00 GHz	-20.89 dBm		
3							
4							
5							
6							

May 20, 2024 11:59:56 PM

N66-5M-Bandedge-H-CP-OFDM-QPSK-1RB\_MAX

Spectrum Analyzer 1 Swept SA

KEYSIGHT Input RF Coupling: DC Align: Off

Input Z: 50 Ω Corr: C Corr Freq Ref: Int (S) #Atten: 36 dB Preamp: Off Source: Off PNO: Best Wide Gate: Off IF Gain: Low Sig Track: Off #Avg Type: Power (RMS) Avg/Hold: 1000/1000 Trig: Free Run

Center Frequency 1.78000000 GHz

Span 10.00 MHz

Start Freq 1.77500000 GHz

Stop Freq 1.78500000 GHz

Scale/Div 10 dB

Ref Lvl Offset 15.50 dB

Ref Level 30.00 dBm

Mkr2 1.780 00 GHz -20.522 dBm

DL1 -13.00 dBm

Center 1.780000 GHz #Res BW 30 kHz #Video BW 100 kHz\* Sweep 13.7 ms (1001 pts)

Mode	Trace	Scale	X	Y	Function	Function Width	Function Value
1	N	1	f	1.780 02 GHz	-22.03 dBm		
2	N	1	f	1.780 00 GHz	-20.52 dBm		
3							
4							
5							
6							

May 21, 2024 12:00:39 AM

N66-10M-Bandedge-L-DFT-s-OFDM-Pi2 BPSK-Outer\_Full

Spectrum Analyzer 1 Swept SA

KEYSIGHT Input RF Coupling: DC Align: Off

Input Z: 50 Ω Corr: C Corr Freq Ref: Int (S) #Atten: 36 dB Preamp: Off Source: Off PNO: Best Wide Gate: Off IF Gain: Low Sig Track: Off #Avg Type: Power (RMS) Avg/Hold: 1000/1000 Trig: Free Run

Center Frequency 1.71000000 GHz

Span 20.00 MHz

Start Freq 1.70000000 GHz

Stop Freq 1.72000000 GHz

Scale/Div 10 dB

Ref Lvl Offset 15.50 dB

Ref Level 30.00 dBm

Mkr2 1.710 00 GHz -23.234 dBm

DL1 -13.00 dBm


Center 1.710000 GHz #Res BW 150 kHz #Video BW 470 kHz\* Sweep 1.13 ms (1001 pts)

Mode	Trace	Scale	X	Y	Function	Function Width	Function Value
1	N	1	f	1.709 98 GHz	-23.91 dBm		
2	N	1	f	1.710 00 GHz	-23.23 dBm		
3							
4							
5							
6							


May 20, 2024 11:36:56 PM




N66-10M-Bandedge-L-DFT-s-OFDM-Pi2 BPSK-1RB0




N66-10M-Bandedge-L-CP-OFDM-QPSK-Outer\_Full




N66-10M-Bandedge-L-CP-OFDM-QPSK-1RB0




N66-10M-Bandedge-H-DFT-s-OFDM-Pi2 BPSK-Outer\_Full



N66-10M-Bandedge-H-DFT-s-OFDM-Pi2 BPSK-1RB\_MAX



N66-10M-Bandedge-H-CP-OFDM-QPSK-Outer\_Full



N66-10M-Bandedge-H-CP-OFDM-QPSK-1RB\_MAX

Spectrum Analyzer 1 Swept SA

KEYSIGHT Input RF Coupling: DC Align: Off

Input Z: 50 Ω Corr: C Corr Freq Ref: Int (S) #Atten: 36 dB Preamp: Off Source: Off PNO: Best Wide Gate: Off IF Gain: Low Sig Track: Off #Avg Type: Power (RMS) AvglHold: 1000/1000 Trig: Free Run

Center Frequency 1.78000000 GHz

Span 10.00 MHz

Start Freq 1.77500000 GHz

Stop Freq 1.78500000 GHz

Scale/Div 10 dB

Ref Lvl Offset 15.50 dB Ref Level 30.00 dBm

Mkr2 1.780 00 GHz -22.076 dBm

DL1 -13.00 dBm

Center 1.780000 GHz #Video BW 100 kHz\* Span 10.00 MHz #Res BW 30 kHz Sweep 13.7 ms (1001 pts)

Mode	Trace	Scale	X	Y	Function	Function Width	Function Value
1	N	1	f	1.780 02 GHz	-21.95 dBm		
2	N	1	f	1.780 00 GHz	-22.08 dBm		
3							
4							
5							
6							

May 21, 2024 12:09:58 AM

N66-15M-Bandedge-L-DFT-s-OFDM-Pi2 BPSK-Outer\_Full

Spectrum Analyzer 1 Swept SA

KEYSIGHT Input RF Coupling: DC Align: Off

Input Z: 50 Ω Corr: C Corr Freq Ref: Int (S) #Atten: 36 dB Preamp: Off Source: Off PNO: Fast Gate: Off IF Gain: Low Sig Track: Off #Avg Type: Power (RMS) AvglHold: 1000/1000 Trig: Free Run

Center Frequency 1.71000000 GHz

Span 30.00 MHz

Start Freq 1.69500000 GHz

Stop Freq 1.72500000 GHz

Scale/Div 10 dB

Ref Lvl Offset 15.50 dB Ref Level 30.00 dBm

Mkr2 1.710 00 GHz -25.995 dBm


DL1 -13.00 dBm

Center 1.710000 GHz #Video BW 1.0 MHz\* Span 30.00 MHz #Res BW 300 kHz Sweep 1.00 ms (1001 pts)


Mode	Trace	Scale	X	Y	Function	Function Width	Function Value
1	N	1	f	1.709 97 GHz	-29.02 dBm		
2	N	1	f	1.710 00 GHz	-26.00 dBm		
3							
4							
5							
6							

May 20, 2024 11:45:49 PM


N66-15M-Bandedge-L-DFT-s-OFDM-Pi2 BPSK-1RB0




N66-15M-Bandedge-L-CP-OFDM-QPSK-Outer\_Full



N66-15M-Bandedge-L-CP-OFDM-QPSK-1RB0



N66-15M-Bandedge-H-DFT-s-OFDM-Pi2 BPSK-Outer\_Full



N66-15M-Bandedge-H-DFT-s-OFDM-Pi2 BPSK-1RB\_MAX

Spectrum Analyzer 1 Swept SA

**KEYSIGHT** Input RF Coupling: DC Align: Off

Input Z: 50 Ω #Atten: 36 dB PNO: Best Wide #Avg Type: Power (RMS) 1 2 3 4 5 6  
 Corr: C Corr Preamp: Off Gate: Off Avg/Hold: 1000/1000  
 Freq Ref: Int (S) Source: Off IF Gain: Low Trig: Free Run A www www www  
 Sig Track: Off A A A A A A

Center Frequency 1.78000000 GHz

Span 10.000000 MHz

Scale/Div 10 dB Ref Lvl Offset 15.50 dB Mkr2 1.780 00 GHz  
 Ref Level 30.00 dBm -25.443 dBm

Center 1.780000 GHz #Video BW 100 kHz\* Span 10.00 MHz  
 #Res BW 30 kHz Sweep 13.7 ms (1001 pts)

5 Marker Table

Mode	Trace	Scale	X	Y	Function	Function Width	Function Value
1	N	1	f	1.780 02 GHz	-25.04 dBm		
2	N	1	f	1.780 00 GHz	-25.44 dBm		
3							
4							
5							
6							

May 20, 2024 11:51:32 PM

Settings: Frequency, Center Frequency, Span, Start Freq, Stop Freq, AUTO TUNE, CF Step, Freq Offset, X Axis Scale, Signal Track

N66-15M-Bandedge-H-CP-OFDM-QPSK-Outer\_Full

Spectrum Analyzer 1 Swept SA

**KEYSIGHT** Input RF Coupling: DC Align: Off

Input Z: 50 Ω #Atten: 36 dB PNO: Fast #Avg Type: Power (RMS) 1 2 3 4 5 6  
 Corr: C Corr Preamp: Off Gate: Off Avg/Hold: 1000/1000  
 Freq Ref: Int (S) Source: Off IF Gain: Low Trig: Free Run A www www www  
 Sig Track: Off A A A A A A

Center Frequency 1.78000000 GHz

Span 30.000000 MHz

Scale/Div 10 dB Ref Lvl Offset 15.50 dB Mkr2 1.780 00 GHz  
 Ref Level 30.00 dBm -19.968 dBm

Center 1.78000 GHz #Video BW 1.0 MHz\* Span 30.00 MHz  
 #Res BW 300 kHz Sweep 1.00 ms (1001 pts)


5 Marker Table

Mode	Trace	Scale	X	Y	Function	Function Width	Function Value
1	N	1	f	1.780 03 GHz	-22.06 dBm		
2	N	1	f	1.780 00 GHz	-19.97 dBm		
3							
4							
5							
6							


May 21, 2024 12:21:36 AM

Settings: Frequency, Center Frequency, Span, Start Freq, Stop Freq, AUTO TUNE, CF Step, Freq Offset, X Axis Scale, Signal Track

N66-15M-Bandedge-H-CP-OFDM-QPSK-1RB\_MAX




N66-20M-Bandedge-L-DFT-s-OFDM-Pi2 BPSK-Outer\_Full







N66-20M-Bandedge-L-DFT-s-OFDM-Pi2 BPSK-1RB0




N66-20M-Bandedge-L-CP-OFDM-QPSK-Outer\_Full



N66-20M-Bandedge-L-CP-OFDM-QPSK-1RB0



N66-20M-Bandedge-H-DFT-s-OFDM-Pi2 BPSK-Outer\_Full



N66-20M-Bandedge-H-DFT-s-OFDM-Pi2 BPSK-1RB\_MAX

Spectrum Analyzer 1 Swept SA

KEYSIGHT Input RF Coupling: DC Align: Off

Input Z: 50 Ω Corr: C Corr Freq Ref: Int (S) #Atten: 36 dB Preamp: Off Source: Off PNO: Best Wide Gate: Off IF Gain: Low Sig Track: Off #Avg Type: Power (RMS) Avg/Hold: 1000/1000 Trig: Free Run

Center Frequency 1.780000000 GHz

Span 10.00 MHz

Start Freq 1.775000000 GHz

Stop Freq 1.785000000 GHz

AUTO TUNE

CF Step 1.000000 MHz

Freq Offset 0 Hz

X Axis Scale Log

Signal Track (Span Zoom)

Ref Lvl Offset 15.50 dB Ref Level 30.00 dBm

Mkr2 1.780 00 GHz -28.221 dBm

DL1 -13.00 dBm

Scale/Div 10 dB

Log

Center 1.780000 GHz #Res BW 30 kHz #Video BW 100 kHz\* Sweep 13.7 ms (1001 pts)

5 Marker Table

Mode	Trace	Scale	X	Y	Function	Function Width	Function Value
1	N	1	f	1.780 03 GHz	-29.83 dBm		
2	N	1	f	1.780 00 GHz	-28.22 dBm		
3							
4							
5							
6							

May 20, 2024 11:15:12 PM

N66-20M-Bandedge-H-CP-OFDM-QPSK-Outer\_Full

Spectrum Analyzer 1 Swept SA

KEYSIGHT Input RF Coupling: DC Align: Off

Input Z: 50 Ω Corr: C Corr Freq Ref: Int (S) #Atten: 36 dB Preamp: Off Source: Off PNO: Fast Gate: Off IF Gain: Low Sig Track: Off #Avg Type: Power (RMS) Avg/Hold: 1000/1000 Trig: Free Run

Center Frequency 1.780000000 GHz

Span 40.00 MHz

Start Freq 1.760000000 GHz

Stop Freq 1.800000000 GHz

AUTO TUNE

CF Step 4.000000 MHz

Freq Offset 0 Hz

X Axis Scale Log

Signal Track (Span Zoom)

Ref Lvl Offset 15.50 dB Ref Level 30.00 dBm

Mkr2 1.780 00 GHz -23.653 dBm

DL1 -13.00 dBm

Scale/Div 10 dB

Log

Center 1.780000 GHz #Res BW 300 kHz #Video BW 1.0 MHz\* Sweep 1.00 ms (1001 pts)

5 Marker Table

Mode	Trace	Scale	X	Y	Function	Function Width	Function Value
1	N	1	f	1.780 04 GHz	-24.88 dBm		
2	N	1	f	1.780 00 GHz	-23.65 dBm		
3							
4							
5							
6							

May 21, 2024 12:31:11 AM

N66-20M-Bandedge-H-CP-OFDM-QPSK-1RB\_MAX

Spectrum Analyzer 1  
Swept SA

KEYSIGHT  
RL

Input RF  
Coupling: DC  
Align: Off

Input Z: 50 Ω  
Corr: CCorr  
Freq Ref: Int (S)

#Atten: 36 dB  
Preamp: Off  
Source: Off

PNO: Best Wide  
Gate: Off  
IF Gain: Low  
Sig Track: Off

#Avg Type: Power (RMS)  
Avg/Hold: 1000/1000  
Trig: Free Run

Frequency


Center Frequency  
1.780000000 GHz

Settings

1 Spectrum  
Scale/Div 10 dB

Ref Lvl Offset 15.50 dB  
Ref Level 30.00 dBm

Mkr2 1.780 00 GHz  
-29.045 dBm



Span  
10.0000000 MHz

Swept Span  
Zero Span

Full Span

Start Freq  
1.775000000 GHz

Stop Freq  
1.785000000 GHz

AUTO TUNE

CF Step  
1.000000 MHz

Auto  
Man

Freq Offset  
0 Hz

X Axis Scale  
Log  
Lin

Signal Track  
(Span Zoom)

5 Marker Table

Mode	Trace	Scale	X	Y	Function	Function Width	Function Value
1	N	1	f	1.780 03 GHz	-30.47 dBm		
2	N	1	f	1.780 00 GHz	-29.04 dBm		
3							
4							
5							
6							

Windows taskbar: May 21, 2024 12:32:36 AM

Local

Conducted spurious emissions test graph



N66-5M-CSE-L-DFT-s-OFDM-Pi2 BPSK-1RB0-10GHz-20GHz

Spectrum Analyzer 1 Swept SA

KEYSIGHT Input RF Input Z: 50 Ω #Atten: 36 dB PNO: Fast #Avg Type: Power (RMS) 1 2 3 4 5 6  
 RL Coupling: DC Corr CCorr Preamp: Off Gate: Off Avg/Hold: 100/100 A www www www  
 Align: Off Freq Ref: Int (S) Source: Off IF Gain: Low Trig: Free Run A A A A A A

Center Frequency 15.000000000 GHz Settings

Span 10.0000000 GHz  
 Swept Span  
 Zero Span  
 Full Span

Start Freq 10.000000000 GHz  
 Stop Freq 20.000000000 GHz

AUTO TUNE

CF Step 1.000000000 GHz  
 Auto  
 Man

Freq Offset 0 Hz

X Axis Scale Log  
 Lin

Signal Track (Span Zoom)

Local

1 Spectrum Ref Lvl Offset 15.50 dB Mkr1 19.969 72 GHz  
 Scale/Div 10 dB Ref Level 30.00 dBm -32.391 dBm

Log

Start 10.000 GHz #Video BW 3.0 MHz\* Stop 20.000 GHz  
 #Res BW 1.0 MHz Sweep ~19.7 ms (36001 pts)

5 Marker Table

Mode	Trace	Scale	X	Y	Function	Function Width	Function Value
1	N	1	f	19.969 72 GHz			-32.39 dBm
2							
3							
4							
5							
6							

May 20, 2024 11:22:11 PM

N66-5M-CSE-L-CP-OFDM-QPSK-1RB0-30MHz-10GHz

Spectrum Analyzer 1 Swept SA

KEYSIGHT Input RF Input Z: 50 Ω #Atten: 36 dB PNO: Fast #Avg Type: Power (RMS) 1 2 3 4 5 6  
 RL Coupling: DC Corr CCorr Preamp: Off Gate: Off Avg/Hold: 100/100 A www www www  
 Align: Off Freq Ref: Int (S) Source: Off IF Gain: Low Trig: Free Run A A A A A A

Center Frequency 5.015000000 GHz Settings

Span 9.970000000 GHz  
 Swept Span  
 Zero Span  
 Full Span

Start Freq 30.0000000 MHz  
 Stop Freq 10.000000000 GHz

AUTO TUNE

CF Step 997.0000000 MHz  
 Auto  
 Man

Freq Offset 0 Hz

X Axis Scale Log  
 Lin

Signal Track (Span Zoom)

Local

1 Spectrum Ref Lvl Offset 15.50 dB Mkr2 3.832 6 GHz  
 Scale/Div 10 dB Ref Level 30.00 dBm -31.906 dBm

Log


Start 30 MHz #Video BW 3.0 MHz\* Stop 10.000 GHz  
 #Res BW 1.0 MHz Sweep ~18.8 ms (25001 pts)

5 Marker Table


Mode	Trace	Scale	X	Y	Function	Function Width	Function Value
1	N	1	f	1.675 1 GHz			-38.10 dBm
2	N	1	f	3.832 6 GHz			-31.91 dBm
3							
4							
5							
6							

May 20, 2024 11:56:02 PM


N66-5M-CSE-L-CP-OFDM-QPSK-1RB0-10GHz-20GHz




N66-5M-CSE-M-DFT-s-OFDM-Pi2 BPSK-1RB0-30MHz-10GHz



N66-5M-CSE-M-DFT-s-OFDM-Pi2 BPSK-1RB0-10GHz-20GHz




N66-5M-CSE-M-CP-OFDM-QPSK-1RB0-30MHz-10GHz





N66-5M-CSE-M-CP-OFDM-QPSK-1RB0-10GHz-20GHz



N66-5M-CSE-H-DFT-s-OFDM-Pi2 BPSK-1RB0-30MHz-10GHz

