

# 99% & 26dB Bandwidth

## Test Result


5G NR n71 SCS=15kHz 5MHz						
Modulation	CH	RB Allocation	99% Bandwidth (MHz)	26dB Bandwidth (MHz)	Limit (MHz)	Verdict
DFT-s-OFDM PI/2 BPSK	Low CH	Outer_Full	4.501	5.238	/	Pass
DFT-s-OFDM QPSK		Outer_Full	4.495	5.229	/	Pass
DFT-s-OFDM 16QAM		Outer_Full	4.509	5.170	/	Pass
DFT-s-OFDM 64QAM		Outer_Full	4.478	5.109	/	Pass
DFT-s-OFDM 256QAM		Outer_Full	4.508	5.148	/	Pass
CP-OFDM QPSK		Outer_Full	4.506	5.230	/	Pass
CP-OFDM 16QAM		Outer_Full	4.489	5.176	/	Pass
CP-OFDM 64QAM		Outer_Full	4.500	5.067	/	Pass
CP-OFDM 256QAM		Outer_Full	4.501	5.128	/	Pass
DFT-s-OFDM PI/2 BPSK		Middle CH	Outer_Full	4.507	5.132	/
DFT-s-OFDM QPSK	Outer_Full		4.499	5.155	/	Pass
DFT-s-OFDM 16QAM	Outer_Full		4.509	5.180	/	Pass
DFT-s-OFDM 64QAM	Outer_Full		4.495	5.138	/	Pass
DFT-s-OFDM 256QAM	Outer_Full		4.530	5.267	/	Pass
CP-OFDM QPSK	Outer_Full		4.493	5.203	/	Pass
CP-OFDM 16QAM	Outer_Full		4.484	5.164	/	Pass
CP-OFDM 64QAM	Outer_Full		4.533	5.297	/	Pass
CP-OFDM 256QAM	Outer_Full		4.494	5.146	/	Pass
DFT-s-OFDM PI/2 BPSK	High CH		Outer_Full	4.505	5.079	/
DFT-s-OFDM QPSK		Outer_Full	4.488	5.087	/	Pass
DFT-s-OFDM 16QAM		Outer_Full	4.504	5.121	/	Pass
DFT-s-OFDM 64QAM		Outer_Full	4.490	5.058	/	Pass
DFT-s-OFDM 256QAM		Outer_Full	4.525	5.285	/	Pass
CP-OFDM QPSK		Outer_Full	4.491	5.205	/	Pass
CP-OFDM 16QAM		Outer_Full	4.484	5.082	/	Pass
CP-OFDM 64QAM		Outer_Full	4.526	5.284	/	Pass
CP-OFDM 256QAM		Outer_Full	4.486	5.075	/	Pass

5G NR n71 SCS=15kHz 10MHz						
Modulation	CH	RB Allocation	99% Bandwidth (MHz)	26dB Bandwidth (MHz)	Limit (MHz)	Verdict
DFT-s-OFDM PI/2 BPSK	Low CH	Outer_Full	8.945	9.896	/	Pass
DFT-s-OFDM QPSK		Outer_Full	8.971	9.722	/	Pass
DFT-s-OFDM 16QAM		Outer_Full	8.926	9.624	/	Pass
DFT-s-OFDM 64QAM		Outer_Full	8.939	9.602	/	Pass
DFT-s-OFDM 256QAM		Outer_Full	8.953	9.699	/	Pass
CP-OFDM QPSK		Outer_Full	9.293	10.02	/	Pass
CP-OFDM 16QAM		Outer_Full	9.319	10.14	/	Pass
CP-OFDM 64QAM		Outer_Full	9.285	10.11	/	Pass
CP-OFDM 256QAM		Outer_Full	9.315	10.15	/	Pass
DFT-s-OFDM PI/2 BPSK	Middle CH	Outer_Full	8.963	9.904	/	Pass
DFT-s-OFDM QPSK		Outer_Full	8.970	9.766	/	Pass
DFT-s-OFDM 16QAM		Outer_Full	8.926	9.614	/	Pass
DFT-s-OFDM 64QAM		Outer_Full	8.928	9.626	/	Pass
DFT-s-OFDM 256QAM		Outer_Full	8.945	9.747	/	Pass
CP-OFDM QPSK		Outer_Full	9.305	10.10	/	Pass
CP-OFDM 16QAM		Outer_Full	8.924	9.802	/	Pass
CP-OFDM 64QAM		Outer_Full	8.947	9.735	/	Pass
CP-OFDM 256QAM		Outer_Full	8.919	9.691	/	Pass
DFT-s-OFDM PI/2 BPSK	High CH	Outer_Full	8.956	9.837	/	Pass
DFT-s-OFDM QPSK		Outer_Full	8.971	9.714	/	Pass
DFT-s-OFDM 16QAM		Outer_Full	8.931	9.660	/	Pass
DFT-s-OFDM 64QAM		Outer_Full	8.931	9.725	/	Pass
DFT-s-OFDM 256QAM		Outer_Full	8.931	9.776	/	Pass
CP-OFDM QPSK		Outer_Full	9.302	10.06	/	Pass
CP-OFDM 16QAM		Outer_Full	8.932	9.703	/	Pass
CP-OFDM 64QAM		Outer_Full	8.937	9.644	/	Pass
CP-OFDM 256QAM		Outer_Full	8.912	9.729	/	Pass


5G NR n71 SCS=15kHz 15MHz						
Modulation	CH	RB Allocation	99% Bandwidth (MHz)	26dB Bandwidth (MHz)	Limit (MHz)	Verdict
DFT-s-OFDM PI/2 BPSK	Low CH	Outer_Full	13.500	14.57	/	Pass
DFT-s-OFDM QPSK		Outer_Full	13.510	14.60	/	Pass
DFT-s-OFDM 16QAM		Outer_Full	13.484	14.63	/	Pass
DFT-s-OFDM 64QAM		Outer_Full	13.482	14.58	/	Pass
DFT-s-OFDM 256QAM		Outer_Full	13.541	14.48	/	Pass
CP-OFDM QPSK		Outer_Full	14.148	15.19	/	Pass
CP-OFDM 16QAM		Outer_Full	13.453	14.48	/	Pass
CP-OFDM 64QAM		Outer_Full	14.168	15.26	/	Pass
CP-OFDM 256QAM		Outer_Full	14.164	15.19	/	Pass
DFT-s-OFDM PI/2 BPSK	Middle CH	Outer_Full	13.487	14.57	/	Pass
DFT-s-OFDM QPSK		Outer_Full	13.444	14.51	/	Pass
DFT-s-OFDM 16QAM		Outer_Full	13.445	14.49	/	Pass
DFT-s-OFDM 64QAM		Outer_Full	13.444	14.63	/	Pass
DFT-s-OFDM 256QAM		Outer_Full	13.484	14.56	/	Pass
CP-OFDM QPSK		Outer_Full	14.107	15.16	/	Pass
CP-OFDM 16QAM		Outer_Full	13.438	14.42	/	Pass
CP-OFDM 64QAM		Outer_Full	13.425	14.49	/	Pass
CP-OFDM 256QAM		Outer_Full	13.401	14.61	/	Pass
DFT-s-OFDM PI/2 BPSK	High CH	Outer_Full	13.490	14.57	/	Pass
DFT-s-OFDM QPSK		Outer_Full	13.480	14.58	/	Pass
DFT-s-OFDM 16QAM		Outer_Full	13.485	14.60	/	Pass
DFT-s-OFDM 64QAM		Outer_Full	13.458	14.57	/	Pass
DFT-s-OFDM 256QAM		Outer_Full	13.515	14.44	/	Pass
CP-OFDM QPSK		Outer_Full	14.111	15.12	/	Pass
CP-OFDM 16QAM		Outer_Full	13.444	14.47	/	Pass
CP-OFDM 64QAM		Outer_Full	13.448	14.52	/	Pass
CP-OFDM 256QAM		Outer_Full	13.408	14.48	/	Pass

5G NR n71 SCS=15kHz 20MHz						
Modulation	CH	RB Allocation	99% Bandwidth (MHz)	26dB Bandwidth (MHz)	Limit (MHz)	Verdict
DFT-s-OFDM PI/2 BPSK	Low CH	Outer_Full	17.874	19.01	/	Pass
DFT-s-OFDM QPSK		Outer_Full	17.891	19.15	/	Pass
DFT-s-OFDM 16QAM		Outer_Full	17.908	19.07	/	Pass
DFT-s-OFDM 64QAM		Outer_Full	17.887	19.06	/	Pass
DFT-s-OFDM 256QAM		Outer_Full	17.903	19.10	/	Pass
CP-OFDM QPSK		Outer_Full	18.946	20.05	/	Pass
CP-OFDM 16QAM		Outer_Full	18.943	20.20	/	Pass
CP-OFDM 64QAM		Outer_Full	18.917	20.07	/	Pass
CP-OFDM 256QAM		Outer_Full	18.907	20.08	/	Pass
DFT-s-OFDM PI/2 BPSK	Middle CH	Outer_Full	17.844	19.04	/	Pass
DFT-s-OFDM QPSK		Outer_Full	17.853	19.13	/	Pass
DFT-s-OFDM 16QAM		Outer_Full	17.890	18.99	/	Pass
DFT-s-OFDM 64QAM		Outer_Full	17.857	19.06	/	Pass
DFT-s-OFDM 256QAM		Outer_Full	17.927	19.05	/	Pass
CP-OFDM QPSK		Outer_Full	18.943	20.18	/	Pass
CP-OFDM 16QAM		Outer_Full	17.844	18.89	/	Pass
CP-OFDM 64QAM		Outer_Full	17.808	18.94	/	Pass
CP-OFDM 256QAM		Outer_Full	17.899	19.02	/	Pass
DFT-s-OFDM PI/2 BPSK	High CH	Outer_Full	17.877	19.00	/	Pass
DFT-s-OFDM QPSK		Outer_Full	17.879	19.11	/	Pass
DFT-s-OFDM 16QAM		Outer_Full	17.888	19.01	/	Pass
DFT-s-OFDM 64QAM		Outer_Full	17.908	19.12	/	Pass
DFT-s-OFDM 256QAM		Outer_Full	17.939	19.01	/	Pass
CP-OFDM QPSK		Outer_Full	18.965	20.17	/	Pass
CP-OFDM 16QAM		Outer_Full	17.868	18.83	/	Pass
CP-OFDM 64QAM		Outer_Full	17.834	18.86	/	Pass
CP-OFDM 256QAM		Outer_Full	17.881	18.98	/	Pass


# Test graph




N71-5M-OBW-L-DFT-s-OFDM-QPSK




N71-5M-OBW-L-DFT-s-OFDM-16QAM



N71-5M-OBW-L-DFT-s-OFDM-64QAM



N71-5M-OBW-L-DFT-s-OFDM-256QAM



N71-5M-OBW-L-CP-OFDM-QPSK

Spectrum Analyzer 1 Occupied BW

KEYSIGHT Input RF Input Z: 50 Ω Atten: 36 dB Trig: Free Run Center Freq: 665.500000 MHz  
 RL Coupling: DC Corr: CCorr Gate: Off Avg/Hold: 1000/1000  
 Align: Off Freq Ref: Int (S) Preamp: Off #F Gain: Low Radio Std: None

1 Graph Scale/Div 10.0 dB Ref Lvl Offset 5.50 dB Mkr1 667.435000 MHz  
 Ref Value 30.00 dBm 14.92 dBm

Center 665.500 MHz #Video BW 300.00 kHz Span 15 MHz  
 #Res BW 100.00 kHz #Sweep 10.0 ms (1001 pts)

2 Metrics

Measure Trace		Trace 1	
Occupied Bandwidth	4.5058 MHz	Total Power	29.5 dBm
Transmit Freq Error	-18.647 kHz	% of OBW Power	99.00 %
x dB Bandwidth	5.230 MHz	x dB	-26.00 dB

May 22, 2024 8:29:25 AM

N71-5M-OBW-L-CP-OFDM-16QAM

Spectrum Analyzer 1 Occupied BW

KEYSIGHT Input RF Input Z: 50 Ω Atten: 36 dB Trig: Free Run Center Freq: 665.500000 MHz  
 RL Coupling: DC Corr: CCorr Gate: Off Avg/Hold: 1000/1000  
 Align: Off Freq Ref: Int (S) Preamp: Off #F Gain: Low Radio Std: None

1 Graph Scale/Div 10.0 dB Ref Lvl Offset 5.50 dB Mkr1 667.570000 MHz  
 Ref Value 30.00 dBm 15.20 dBm

Center 665.500 MHz #Video BW 300.00 kHz Span 15 MHz  
 #Res BW 100.00 kHz #Sweep 10.0 ms (1001 pts)


2 Metrics

Measure Trace		Trace 1	
Occupied Bandwidth	4.4887 MHz	Total Power	29.7 dBm
Transmit Freq Error	-8.894 kHz	% of OBW Power	99.00 %
x dB Bandwidth	5.176 MHz	x dB	-26.00 dB


May 22, 2024 8:58:49 AM




N71-5M-OBW-L-CP-OFDM-64QAM




N71-5M-OBW-L-CP-OFDM-256QAM




N71-5M-OBW-M-DFT-s-OFDM-Pi2 BPSK




N71-5M-OBW-M-DFT-s-OFDM-QPSK




N71-5M-OBW-M-DFT-s-OFDM-16QAM




N71-5M-OBW-M-DFT-s-OFDM-64QAM



N71-5M-OBW-M-DFT-s-OFDM-256QAM



N71-5M-OBW-M-CP-OFDM-QPSK



N71-5M-OBW-M-CP-OFDM-16QAM

Spectrum Analyzer 1 Occupied BW

KEYSIGHT Input RF Input Z: 50 Ω Atten: 36 dB Trig: Free Run Center Freq: 680.500000 MHz  
 RL Coupling: DC Corr: CCorr Preamp: Off Gate: Off Avg/Hold: 1000/1000  
 Align: Off Freq Ref: Int (S) #F Gain: Low Radio Std: None

1 Graph Scale/Div 10.0 dB Ref Lvl Offset 5.50 dB Mkr1 681.370000 MHz  
 Ref Value 30.00 dBm 15.54 dBm

Center 680.500 MHz #Res BW 100.00 kHz #Video BW 300.00 kHz Span 15 MHz #Sweep 10.0 ms (1001 pts)

2 Metrics

Measure Trace		Trace 1	
Occupied Bandwidth	4.4851 MHz	Total Power	29.6 dBm
Transmit Freq Error	-3.807 kHz	% of OBW Power	99.00 %
x dB Bandwidth	5.164 MHz	x dB	-26.00 dB

May 22, 2024 8:59:39 AM

N71-5M-OBW-M-CP-OFDM-64QAM

Spectrum Analyzer 1 Occupied BW

KEYSIGHT Input RF Input Z: 50 Ω Atten: 36 dB Trig: Free Run Center Freq: 680.500000 MHz  
 RL Coupling: DC Corr: CCorr Preamp: Off Gate: Off Avg/Hold: 1000/1000  
 Align: Off Freq Ref: Int (S) #F Gain: Low Radio Std: None

1 Graph Scale/Div 10.0 dB Ref Lvl Offset 5.50 dB Mkr1 682.630000 MHz  
 Ref Value 30.00 dBm 15.00 dBm


Center 680.500 MHz #Res BW 100.00 kHz #Video BW 300.00 kHz Span 15 MHz #Sweep 10.0 ms (1001 pts)

2 Metrics


Measure Trace		Trace 1	
Occupied Bandwidth	4.5326 MHz	Total Power	29.0 dBm
Transmit Freq Error	-8.799 kHz	% of OBW Power	99.00 %
x dB Bandwidth	5.297 MHz	x dB	-26.00 dB

May 22, 2024 9:02:14 AM


N71-5M-OBW-M-CP-OFDM-256QAM




N71-5M-OBW-H-DFT-s-OFDM-Pi2 BPSK




N71-5M-OBW-H-DFT-s-OFDM-QPSK




N71-5M-OBW-H-DFT-s-OFDM-16QAM



N71-5M-OBW-H-DFT-s-OFDM-64QAM



N71-5M-OBW-H-DFT-s-OFDM-256QAM





N71-5M-OBW-H-CP-OFDM-QPSK

Spectrum Analyzer 1 Occupied BW

KEYSIGHT Input RF Input Z: 50 Ω Atten: 36 dB Trig: Free Run Center Freq: 695.500000 MHz  
 RL Coupling: DC Corr: CCorr Preamp: Off Gate: Off Avg/Hold: 1000/1000  
 Align: Off Freq Ref: Int (S) #F Gain: Low Radio Std: None

1 Graph Scale/Div 10.0 dB Ref Lvl Offset 5.50 dB Mkr1 696.475000 MHz  
 Ref Value 30.00 dBm 15.25 dBm

Center 695.500 MHz #Res BW 100.00 kHz #Video BW 300.00 kHz Span 15 MHz  
 #Sweep 10.0 ms (1001 pts)

2 Metrics

Measure Trace		Trace 1	
Occupied Bandwidth	4.4908 MHz	Total Power	29.5 dBm
Transmit Freq Error	-1.634 kHz	% of OBW Power	99.00 %
x dB Bandwidth	5.205 MHz	x dB	-26.00 dB

May 22, 2024 8:38:06 AM

N71-5M-OBW-H-CP-OFDM-16QAM

Spectrum Analyzer 1 Occupied BW

KEYSIGHT Input RF Input Z: 50 Ω Atten: 36 dB Trig: Free Run Center Freq: 695.500000 MHz  
 RL Coupling: DC Corr: CCorr Preamp: Off Gate: Off Avg/Hold: 1000/1000  
 Align: Off Freq Ref: Int (S) #F Gain: Low Radio Std: None

1 Graph Scale/Div 10.0 dB Ref Lvl Offset 5.50 dB Mkr1 697.570000 MHz  
 Ref Value 30.00 dBm 15.41 dBm


Center 695.500 MHz #Res BW 100.00 kHz #Video BW 300.00 kHz Span 15 MHz  
 #Sweep 10.0 ms (1001 pts)

2 Metrics


Measure Trace		Trace 1	
Occupied Bandwidth	4.4836 MHz	Total Power	29.6 dBm
Transmit Freq Error	-2.119 kHz	% of OBW Power	99.00 %
x dB Bandwidth	5.082 MHz	x dB	-26.00 dB

May 22, 2024 9:00:31 AM


N71-5M-OBW-H-CP-OFDM-64QAM




N71-5M-OBW-H-CP-OFDM-256QAM




N71-10M-OBW-L-DFT-s-OFDM-Pi2 BPSK




N71-10M-OBW-L-DFT-s-OFDM-QPSK




N71-10M-OBW-L-DFT-s-OFDM-16QAM




N71-10M-OBW-L-DFT-s-OFDM-64QAM




N71-10M-OBW-L-DFT-s-OFDM-256QAM




N71-10M-OBW-L-CP-OFDM-QPSK




N71-10M-OBW-L-CP-OFDM-16QAM




N71-10M-OBW-L-CP-OFDM-64QAM




N71-10M-OBW-L-CP-OFDM-256QAM




N71-10M-OBW-M-DFT-s-OFDM-Pi2 BPSK



N71-10M-OBW-M-DFT-s-OFDM-QPSK




N71-10M-OBW-M-DFT-s-OFDM-16QAM







N71-10M-OBW-M-DFT-s-OFDM-64QAM




N71-10M-OBW-M-DFT-s-OFDM-256QAM



N71-10M-OBW-M-CP-OFDM-QPSK



N71-10M-OBW-M-CP-OFDM-16QAM



N71-10M-OBW-M-CP-OFDM-64QAM

Spectrum Analyzer 1 Occupied BW

KEYSIGHT Input RF Input Z: 50 Ω Atten: 36 dB Trig: Free Run Center Freq: 680.500000 MHz  
 RL Coupling: DC Corr: CCorr Preamp: Off Gate: Off Avg/Hold: 1000/1000  
 Align: Off Freq Ref: Int (S) #F Gain: Low Radio Std: None

1 Graph Ref Lvl Offset 5.50 dB Mkr1 683.860000 MHz  
 Scale/Div 10.0 dB Ref Value 30.00 dBm 14.01 dBm

Center 680.50 MHz #Res BW 150.00 kHz #Video BW 470.00 kHz Span 30 MHz  
 #Sweep 10.0 ms (1001 pts)

2 Metrics

Measure Trace		Trace 1	
Occupied Bandwidth	8.9472 MHz	Total Power	29.3 dBm
Transmit Freq Error	-188.28 kHz	% of OBW Power	99.00 %
x dB Bandwidth	9.735 MHz	x dB	-26.00 dB

May 22, 2024 9:20:59 AM

N71-10M-OBW-M-CP-OFDM-256QAM

Spectrum Analyzer 1 Occupied BW

KEYSIGHT Input RF Input Z: 50 Ω Atten: 36 dB Trig: Free Run Center Freq: 680.500000 MHz  
 RL Coupling: DC Corr: CCorr Preamp: Off Gate: Off Avg/Hold: 1000/1000  
 Align: Off Freq Ref: Int (S) #F Gain: Low Radio Std: None

1 Graph Ref Lvl Offset 5.50 dB Mkr1 679.570000 MHz  
 Scale/Div 10.0 dB Ref Value 30.00 dBm 11.17 dBm

Center 680.50 MHz #Res BW 150.00 kHz #Video BW 470.00 kHz Span 30 MHz  
 #Sweep 10.0 ms (1001 pts)

2 Metrics

Measure Trace		Trace 1	
Occupied Bandwidth	8.9192 MHz	Total Power	26.4 dBm
Transmit Freq Error	-174.56 kHz	% of OBW Power	99.00 %
x dB Bandwidth	9.691 MHz	x dB	-26.00 dB

May 22, 2024 9:23:40 AM

N71-10M-OBW-H-DFT-s-OFDM-Pi2 BPSK

Spectrum Analyzer 1  
Occupied BW

KEYSIGHT Input RF  
RL Coupling: DC  
Align: Off

Input Z: 50 Ω  
Corr CCorr  
Freq Ref: Int (S)

Atten: 36 dB  
Preamp: Off

Trig: Free Run  
Gate: Off  
#F Gain: Low

Center Freq: 693.000000 MHz  
Avg/Hold: 1000/1000  
Radio Std: None

Center Frequency: 693.000000 MHz  
Span: 30.000 MHz  
CF Step: 3.000000 MHz  
Auto Man  
Freq Offset: 0 Hz

1 Graph  
Scale/Div 10.0 dB  
Log  
Ref Lvl Offset 5.50 dB  
Ref Value 30.00 dBm  
Mkr1 695.100000 MHz  
17.38 dBm

Center 693.00 MHz  
#Res BW 150.00 kHz  
#Video BW 470.00 kHz  
Span 30 MHz  
#Sweep 10.0 ms (1001 pts)

2 Metrics

Measure Trace		Trace 1	
Occupied Bandwidth	8.9562 MHz	Total Power	32.6 dBm
Transmit Freq Error	-200.17 kHz	% of OBW Power	99.00 %
x dB Bandwidth	9.837 MHz	x dB	-26.00 dB

May 22, 2024  
9:30:22 AM

Local

N71-10M-OBW-H-DFT-s-OFDM-QPSK

Spectrum Analyzer 1  
Occupied BW

KEYSIGHT Input RF  
RL Coupling: DC  
Align: Off

Input Z: 50 Ω  
Corr CCorr  
Freq Ref: Int (S)

Atten: 36 dB  
Preamp: Off

Trig: Free Run  
Gate: Off  
#F Gain: Low

Center Freq: 693.000000 MHz  
Avg/Hold: 1000/1000  
Radio Std: None

Center Frequency: 693.000000 MHz  
Span: 30.000 MHz  
CF Step: 3.000000 MHz  
Auto Man  
Freq Offset: 0 Hz

1 Graph  
Scale/Div 10.0 dB  
Log  
Ref Lvl Offset 5.50 dB  
Ref Value 30.00 dBm  
Mkr1 696.570000 MHz  
17.55 dBm

Center 693.00 MHz  
#Res BW 150.00 kHz  
#Video BW 470.00 kHz  
Span 30 MHz  
#Sweep 10.0 ms (1001 pts)


2 Metrics

Measure Trace		Trace 1	
Occupied Bandwidth	8.9709 MHz	Total Power	32.0 dBm
Transmit Freq Error	-182.67 kHz	% of OBW Power	99.00 %
x dB Bandwidth	9.714 MHz	x dB	-26.00 dB


May 22, 2024  
9:09:10 AM

Local


N71-10M-OBW-H-DFT-s-OFDM-16QAM




N71-10M-OBW-H-DFT-s-OFDM-64QAM




N71-10M-OBW-H-DFT-s-OFDM-256QAM




N71-10M-OBW-H-CP-OFDM-QPSK




N71-10M-OBW-H-CP-OFDM-16QAM




N71-10M-OBW-H-CP-OFDM-64QAM



N71-10M-OBW-H-CP-OFDM-256QAM




N71-15M-OBW-L-DFT-s-OFDM-Pi2 BPSK







N71-15M-OBW-L-DFT-s-OFDM-QPSK




N71-15M-OBW-L-DFT-s-OFDM-16QAM




N71-15M-OBW-L-DFT-s-OFDM-64QAM




N71-15M-OBW-L-DFT-s-OFDM-256QAM




N71-15M-OBW-L-CP-OFDM-QPSK




N71-15M-OBW-L-CP-OFDM-16QAM




N71-15M-OBW-L-CP-OFDM-64QAM



N71-15M-OBW-L-CP-OFDM-256QAM



N71-15M-OBW-M-DFT-s-OFDM-Pi2 BPSK



N71-15M-OBW-M-DFT-s-OFDM-QPSK

