




N77a(3450-3550MHz)-10M-CSE-L-DFT-s-OFDM-Pi2 BPSK-1RB0-10GHz-40GHz




N77a(3450-3550MHz)-10M-CSE-L-CP-OFDM-QPSK-1RB0-30MHz-10GHz




N77a(3450-3550MHz)-10M-CSE-L-CP-OFDM-QPSK-1RB0-10GHz-40GHz




N77a(3450-3550MHz)-10M-CSE-M-DFT-s-OFDM-Pi2 BPSK-1RB0-30MHz-10GHz



N77a(3450-3550MHz)-10M-CSE-M-DFT-s-OFDM-Pi2 BPSK-1RB0-10GHz-40GHz



N77a(3450-3550MHz)-10M-CSE-M-CP-OFDM-QPSK-1RB0-30MHz-10GHz



N77a(3450-3550MHz)-10M-CSE-M-CP-OFDM-QPSK-1RB0-10GHz-40GHz

Spectrum Analyzer 1 Swept SA

KEYSIGHT Input RF Coupling: DC Align: Off

Input Z: 50 Ω Corr: C Corr Freq Ref: Int (S) #Atten: 36 dB Preamp: Off Source: Off PNO: Fast Gate: Off IF Gain: Low Sig Track: Off #Avg Type: Power (RMS) AvgHold: 100/100 Trig: Free Run

Center Frequency: 25.00000000 GHz

Span: 30.00000000 GHz

Start Freq: 10.00000000 GHz

Stop Freq: 40.00000000 GHz

Scale/Div 10 dB

Ref Lvl Offset 12.58 dB

Ref Level 30.00 dBm

Mkr1 38.338 5 GHz -27.690 dBm

Start 10.00 GHz #Res BW 1.0 MHz #Video BW 3.0 MHz* Stop 40.00 GHz #Sweep ~302 ms (60001 pts)

Mode	Trace	Scale	X	Y	Function	Function Width	Function Value
1	N	1	f	38.338 5 GHz			-27.69 dBm
2							
3							
4							
5							
6							

May 28, 2024 4:11:10 PM

N77a(3450-3550MHz)-10M-CSE-H-DFT-s-OFDM-Pi2 BPSK-1RB0-30MHz-10GHz

Spectrum Analyzer 1 Swept SA

KEYSIGHT Input RF Coupling: DC Align: Off

Input Z: 50 Ω Corr: C Corr Freq Ref: Int (S) #Atten: 36 dB Preamp: Off Source: Off PNO: Fast Gate: Off IF Gain: Low Sig Track: Off #Avg Type: Power (RMS) AvgHold: 100/100 Trig: Free Run

Center Frequency: 5.015000000 GHz

Span: 9.970000000 GHz

Start Freq: 30.00000000 MHz

Stop Freq: 10.000000000 GHz

Scale/Div 10 dB

Ref Lvl Offset 12.58 dB

Ref Level 30.00 dBm


Mkr2 3.859 7 GHz -35.287 dBm

Start 30 MHz #Res BW 1.0 MHz #Video BW 3.0 MHz* Stop 10.000 GHz #Sweep ~302 ms (25001 pts)


Mode	Trace	Scale	X	Y	Function	Function Width	Function Value
1	N	1	f	3.125 1 GHz			-37.86 dBm
2	N	1	f	3.859 7 GHz			-35.29 dBm
3							
4							
5							
6							

May 28, 2024 2:50:17 PM


N77a(3450-3550MHz)-10M-CSE-H-DFT-s-OFDM-Pi2 BPSK-1RB0-10GHz-40GHz




N77a(3450-3550MHz)-10M-CSE-H-CP-OFDM-QPSK-1RB0-30MHz-10GHz



N77a(3450-3550MHz)-10M-CSE-H-CP-OFDM-QPSK-1RB0-10GHz-40GHz



N77a(3450-3550MHz)-15M-CSE-L-DFT-s-OFDM-Pi2 BPSK-1RB0-30MHz-10GHz



N77a(3450-3550MHz)-15M-CSE-L-DFT-s-OFDM-Pi2 BPSK-1RB0-10GHz-40GHz

Spectrum Analyzer 1 Swept SA

KEYSIGHT Input RF Coupling: DC Align: Off

Input Z: 50 Ω Corr: C Corr Freq Ref: Int (S) #Atten: 36 dB Preamp: Off Source: Off PNO: Fast Gate: Off IF Gain: Low Sig Track: Off #Avg Type: Power (RMS) AvgHold: 100/100 Trig: Free Run

Center Frequency: 25.00000000 GHz

Span: 30.00000000 GHz

Start Freq: 10.00000000 GHz

Stop Freq: 40.00000000 GHz

Scale/Div 10 dB

Ref Lvl Offset 12.58 dB

Ref Level 30.00 dBm

Mkr1 38.343 0 GHz -27.907 dBm

Start 10.00 GHz #Res BW 1.0 MHz #Video BW 3.0 MHz* Stop 40.00 GHz #Sweep ~302 ms (60001 pts)

Mode	Trace	Scale	X	Y	Function	Function Width	Function Value
1	N	1	f	38.343 0 GHz			-27.89 dBm
2							
3							
4							
5							
6							

May 28, 2024 2:58:16 PM

N77a(3450-3550MHz)-15M-CSE-L-CP-OFDM-QPSK-1RB0-30MHz-10GHz

Spectrum Analyzer 1 Swept SA

KEYSIGHT Input RF Coupling: DC Align: Off

Input Z: 50 Ω Corr: C Corr Freq Ref: Int (S) #Atten: 36 dB Preamp: Off Source: Off PNO: Fast Gate: Off IF Gain: Low Sig Track: Off #Avg Type: Power (RMS) AvgHold: 100/100 Trig: Free Run

Center Frequency: 5.015000000 GHz

Span: 9.970000000 GHz

Start Freq: 30.000000 MHz

Stop Freq: 10.000000000 GHz

Scale/Div 10 dB

Ref Lvl Offset 12.58 dB

Ref Level 30.00 dBm

Mkr2 3.851 3 GHz -35.169 dBm

Start 30 MHz #Res BW 1.0 MHz #Video BW 3.0 MHz* Stop 10.000 GHz #Sweep ~302 ms (25001 pts)

Mode	Trace	Scale	X	Y	Function	Function Width	Function Value
1	N	1	f	3.233 2 GHz			-37.80 dBm
2	N	1	f	3.851 3 GHz			-35.17 dBm
3							
4							
5							
6							

May 28, 2024 3:53:07 PM

N77a(3450-3550MHz)-15M-CSE-L-CP-OFDM-QPSK-1RB0-10GHz-40GHz

Spectrum Analyzer 1 Swept SA

KEYSIGHT Input RF Coupling: DC Align: Off

Input Z: 50 Ω Corr: C Corr Freq Ref: Int (S) #Atten: 36 dB Preamp: Off Source: Off PNO: Fast Gate: Off IF Gain: Low Sig Track: Off #Avg Type: Power (RMS) 1 2 3 4 5 6 Avg/Hold: 100/100 Trig: Free Run

Center Frequency: 25.000000000 GHz

Span: 30.0000000 GHz

Start Freq: 10.000000000 GHz

Stop Freq: 40.000000000 GHz

Scale/Div 10 dB

Ref Lvl Offset 12.58 dB

Ref Level 30.00 dBm

Mkr1 38.352 5 GHz -27.856 dBm

Start 10.00 GHz #Res BW 1.0 MHz #Video BW 3.0 MHz* Stop 40.00 GHz #Sweep ~302 ms (60001 pts)

Mode	Trace	Scale	X	Y	Function	Function Width	Function Value
1	N	1	f	38.352 5 GHz			-27.83 dBm
2							
3							
4							
5							
6							

May 28, 2024 3:53:53 PM

N77a(3450-3550MHz)-15M-CSE-M-DFT-s-OFDM-Pi2 BPSK-1RB0-30MHz-10GHz

Spectrum Analyzer 1 Swept SA

KEYSIGHT Input RF Coupling: DC Align: Off

Input Z: 50 Ω Corr: C Corr Freq Ref: Int (S) #Atten: 36 dB Preamp: Off Source: Off PNO: Fast Gate: Off IF Gain: Low Sig Track: Off #Avg Type: Power (RMS) 1 2 3 4 5 6 Avg/Hold: 100/100 Trig: Free Run

Center Frequency: 5.015000000 GHz

Span: 9.970000000 GHz

Start Freq: 30.0000000 MHz

Stop Freq: 10.000000000 GHz

Scale/Div 10 dB

Ref Lvl Offset 12.58 dB

Ref Level 30.00 dBm


Mkr2 3.853 7 GHz -35.208 dBm

Start 30 MHz #Res BW 1.0 MHz #Video BW 3.0 MHz* Stop 10.000 GHz #Sweep ~302 ms (25001 pts)


Mode	Trace	Scale	X	Y	Function	Function Width	Function Value
1	N	1	f	3.120 7 GHz			-37.83 dBm
2	N	1	f	3.853 7 GHz			-35.21 dBm
3							
4							
5							
6							

May 28, 2024 3:00:17 PM

N77a(3450-3550MHz)-15M-CSE-M-DFT-s-OFDM-Pi2 BPSK-1RB0-10GHz-40GHz



N77a(3450-3550MHz)-15M-CSE-M-CP-OFDM-QPSK-1RB0-30MHz-10GHz



N77a(3450-3550MHz)-15M-CSE-M-CP-OFDM-QPSK-1RB0-10GHz-40GHz

Spectrum Analyzer 1 Swept SA

KEYSIGHT Input RF Coupling: DC Align: Off

Input Z: 50 Ω Corr: C Corr Freq Ref: Int (S) #Atten: 36 dB Preamp: Off Source: Off PNO: Fast Gate: Off IF Gain: Low Sig Track: Off #Avg Type: Power (RMS) AvgHold: 100/100 Trig: Free Run

Center Frequency: 25.00000000 GHz

Span: 30.00000000 GHz

Start Freq: 10.00000000 GHz

Stop Freq: 40.00000000 GHz

Scale/Div 10 dB

Ref Lvl Offset 12.58 dB

Ref Level 30.00 dBm

Mkr1 38.353 0 GHz -27.502 dBm

Start 10.00 GHz #Res BW 1.0 MHz #Video BW 3.0 MHz* Stop 40.00 GHz #Sweep ~302 ms (60001 pts)

Mode	Trace	Scale	X	Y	Function	Function Width	Function Value
1	N	1	f	38.353 0 GHz			-27.53 dBm
2							
3							
4							
5							
6							

May 28, 2024 3:56:08 PM

N77a(3450-3550MHz)-15M-CSE-H-DFT-s-OFDM-Pi2 BPSK-1RB0-30MHz-10GHz

Spectrum Analyzer 1 Swept SA

KEYSIGHT Input RF Coupling: DC Align: Off

Input Z: 50 Ω Corr: C Corr Freq Ref: Int (S) #Atten: 36 dB Preamp: Off Source: Off PNO: Fast Gate: Off IF Gain: Low Sig Track: Off #Avg Type: Power (RMS) AvgHold: 100/100 Trig: Free Run

Center Frequency: 5.015000000 GHz

Span: 9.970000000 GHz

Start Freq: 30.000000 MHz

Stop Freq: 10.000000000 GHz

Scale/Div 10 dB

Ref Lvl Offset 12.58 dB

Ref Level 30.00 dBm


Mkr2 3.871 2 GHz -35.061 dBm

Start 30 MHz #Res BW 1.0 MHz #Video BW 3.0 MHz* Stop 10.000 GHz #Sweep ~302 ms (25001 pts)


Mode	Trace	Scale	X	Y	Function	Function Width	Function Value
1	N	1	f	3.230 8 GHz			-37.72 dBm
2	N	1	f	3.871 2 GHz			-35.06 dBm
3							
4							
5							
6							

May 28, 2024 3:04:40 PM


N77a(3450-3550MHz)-15M-CSE-H-DFT-s-OFDM-Pi2 BPSK-1RB0-10GHz-40GHz




N77a(3450-3550MHz)-15M-CSE-H-CP-OFDM-QPSK-1RB0-30MHz-10GHz




N77a(3450-3550MHz)-15M-CSE-H-CP-OFDM-QPSK-1RB0-10GHz-40GHz




N77a(3450-3550MHz)-20M-CSE-L-DFT-s-OFDM-Pi2 BPSK-1RB0-30MHz-10GHz




N77a(3450-3550MHz)-20M-CSE-L-DFT-s-OFDM-Pi2 BPSK-1RB0-10GHz-40GHz




N77a(3450-3550MHz)-20M-CSE-L-CP-OFDM-QPSK-1RB0-30MHz-10GHz




N77a(3450-3550MHz)-20M-CSE-L-CP-OFDM-QPSK-1RB0-10GHz-40GHz




N77a(3450-3550MHz)-20M-CSE-M-DFT-s-OFDM-Pi2 BPSK-1RB0-30MHz-10GHz




N77a(3450-3550MHz)-20M-CSE-M-DFT-s-OFDM-Pi2 BPSK-1RB0-10GHz-40GHz




N77a(3450-3550MHz)-20M-CSE-M-CP-OFDM-QPSK-1RB0-30MHz-10GHz




N77a(3450-3550MHz)-20M-CSE-M-CP-OFDM-QPSK-1RB0-10GHz-40GHz




N77a(3450-3550MHz)-20M-CSE-H-DFT-s-OFDM-Pi2 BPSK-1RB0-30MHz-10GHz



N77a(3450-3550MHz)-20M-CSE-H-DFT-s-OFDM-Pi2 BPSK-1RB0-10GHz-40GHz



N77a(3450-3550MHz)-20M-CSE-H-CP-OFDM-QPSK-1RB0-30MHz-10GHz



N77a(3450-3550MHz)-20M-CSE-H-CP-OFDM-QPSK-1RB0-10GHz-40GHz

Spectrum Analyzer 1
Swept SA

KEYSIGHT Input RF
RL → Coupling: DC
Align: Off

Input Z: 50 Ω #Atten: 36 dB PNO: Fast #Avg Type: Power (RMS) 1 2 3 4 5 6
Corr: C Corr Preamp: Off Gate: Off Avg/Hold: 100/100
Freq Ref: Int (S) Source: Off IF Gain: Low Trig: Free Run A www www
Sig Track: Off A A A A A A

1 Spectrum Mkr1 38.350 0 GHz
Scale/Div 10 dB Ref Lvl Offset 12.58 dB
Log Ref Level 30.00 dBm
-20.0
-10.0
-30.0
-40.0
-50.0
-60.0

Start 10.00 GHz #Video BW 3.0 MHz* Stop 40.00 GHz
#Res BW 1.0 MHz #Sweep ~302 ms (60001 pts)

5 Marker Table

Mode	Trace	Scale	X	Y	Function	Function Width	Function Value
1	N	1	f	38.350 0 GHz	-27.67 dBm		
2							
3							
4							
5							
6							

Frequency ⊗

Center Frequency
25.000000000 GHz

Span
30.0000000 GHz

Swept Span
Zero Span

Full Span

Start Freq
10.000000000 GHz

Stop Freq
40.000000000 GHz

AUTO TUNE

CF Step
3.000000000 GHz

Auto
Man

Freq Offset
0 Hz

X Axis Scale
Log
Lin

Signal Track
(Span Zoom)

Settings

Local

May 28, 2024 3:47:38 PM