

Report No.: SEWM2311000473RG02

Rev.: 01

72 of 88 Page:

#### Test Band = SA Band2\_20MHz \_ TM1 Test Channel = High

Final	Final Data List											
NO.	Frequency	Reading	Factor	Λ Γ[dD/m]	Level	Limit	Margin	Height	Angle	Delevity		
NO.	[MHz]	[dBµV]	[dB]	AF[dB/m]	[dBm]	[dBm]	[dB]	[cm]	[°]	Polarity		
1	3782.1800	41.61	-45.85	30.27	-69.23	-13.00	56.23	146	16	Horizontal		
2	5673.2700	40.08	-44.91	33.29	-66.80	-13.00	53.80	175	16	Horizontal		
3	7564.3600	38.65	-43.00	36.41	-63.21	-13.00	50.21	149	268	Horizontal		
4	9455.4500	34.42	-40.05	38.48	-62.42	-13.00	49.42	226	44	Horizontal		
5	11346.5400	32.23	-37.40	39.11	-61.32	-13.00	48.32	258	356	Horizontal		
6	13237.6300	30.34	-37.08	39.96	-62.03	-13.00	49.03	170	225	Horizontal		

Fina	Data List									
NO	Frequency	Reading	Factor	Λ.ΓI.D./1	Level	Limit	Margin	Height	Angle	Dalamiter
NO.	[MHz]	[dBµV]	[dB]	AF[dB/m]	[dBm]	[dBm]	[dB]	[cm]	[°]	Polarity
1	3780.75	51.18	-45.84	30.26	-59.66	-13.00	46.66	145	180	Vertical
2	5671.5	52.03	-44.91	33.28	-54.86	-13.00	41.86	215	30	Vertical
3	7564.3600	38.92	-43.00	36.41	-62.94	-13.00	49.94	265	357	Vertical
4	9455.4500	34.95	-40.05	38.48	-61.89	-13.00	48.89	234	196	Vertical
5	11346.5400	32.39	-37.40	39.11	-61.16	-13.00	48.16	188	346	Vertical
6	13237.6300	29.66	-37.08	39.96	-62.71	-13.00	49.71	192	122	Vertical



Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <a href="http://www.sgs.com/en/Terms-and-Conditions.aspx">http://www.sgs.com/en/Terms-and-Conditions.aspx</a> and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at <a href="http://www.sgs.com/en/Terms-and-Conditions/Terms-e-Document.aspx">http://www.sgs.com/en/Terms-and-Conditions/Terms-e-Document.aspx</a>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document one one excent parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company, Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 30 days only.

Attention: To check the authenticity of testing /inspection report & certificate, please contact us at telephone: (86-755) 8307 1443, or email: CN.Doccheck@ags.com

South of No. 6 Plant, No. 1, Runsheng Road, Suzhou Industrial Park, Suzhou Area, China (Jiangsu) Pilot Free Trade Zone 215000 中国・苏州・中国(江苏)自由贸易试验区苏州片区苏州工业园区润胜路1号的6号厂房南部 邮编: 215000 t (86-512) 62992980 www.sgsgroup.com.cn



Report No.: SEWM2311000473RG02

Rev.: 01

73 of 88 Page:

#### Test Band = SA Band 2 ULMIMO\_ TM1 Test Channel = Low Channel

Final	Data List							
NO.	Frequency	Reading	Factor	Λ Γ[dD/m]	Level	Limit	Margin	Dolority
NO.	[MHz]	[dBµV]	[dB]	AF[dB/m]	[dBm]	[dBm]	[dB]	Polarity
1	3702.18	43.43	-48.50	28.98	-71.35	-13.00	58.35	Horizontal
2	5553.27	42.75	-47.66	32.71	-67.46	-13.00	54.46	Horizontal
3	7404.36	41.52	-46.17	36.57	-63.34	-13.00	50.34	Horizontal
4	9255.45	40.61	-43.17	37.83	-59.99	-13.00	46.99	Horizontal
5	11106.54	36.39	-40.36	39.38	-59.85	-13.00	46.85	Horizontal
6	12957.63	35.43	-39.41	38.63	-60.61	-13.00	47.61	Horizontal

Final	Data List							
NO	Frequency	Reading	Factor	A E[= D/==1	Level	Limit	Margin	Delevite
NO.	[MHz]	[dBµV]	[dB]	AF[dB/m]	[dBm]	[dBm]	[dB]	Polarity
1	3702.18	43.64	-48.50	28.98	-71.14	-13.00	58.14	Vertical
2	5553.27	43.08	-47.66	32.71	-67.13	-13.00	54.13	Vertical
3	7404.36	41.10	-46.17	36.57	-63.76	-13.00	50.76	Vertical
4	9255.45	39.94	-43.17	37.83	-60.66	-13.00	47.66	Vertical
5	11106.54	36.49	-40.36	39.38	-59.75	-13.00	46.75	Vertical
6	12957.63	35.62	-39.41	38.63	-60.42	-13.00	47.42	Vertical



Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <a href="http://www.sgs.com/en/Terms-and-Conditions.aspx">http://www.sgs.com/en/Terms-and-Conditions.aspx</a> and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at <a href="http://www.sgs.com/en/Terms-and-Conditions/Terms-e-Document.aspx">http://www.sgs.com/en/Terms-and-Conditions/Terms-e-Document.aspx</a>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document one one excent parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company, Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 30 days only.

Attention: To check the authenticity of testing /inspection report & certificate, please contact us at telephone: (86-755) 8307 1443, or email: CN.Doccheck@ags.com

South of No. 6 Plant, No. 1, Runsheng Road, Suzhou Industrial Park, Suzhou Area, China (Jiangsu) Pilot Free Trade Zone 215000 中国・苏州・中国(江苏)自由贸易试验区苏州片区苏州工业园区润胜路1号的6号厂房南部 邮编: 215000 t (86-512) 62992980 www.sgsgroup.com.cn



Report No.: SEWM2311000473RG02

Rev.: 01

74 of 88 Page:

#### Test Band = SA Band 2 ULMIMO\_ TM1 Test Channel = Mid Channel

Final	Data List							
NO.	Frequency	Reading	Factor	Λ Γ[dD/m]	Level	Limit	Margin	Delerity
NO.	[MHz]	[dBµV]	[dB]	AF[dB/m]	[dBm]	[dBm]	[dB]	Polarity
1	3742.18	44.48	-48.37	29.04	-70.11	-13.00	57.11	Horizontal
2	5613.27	42.24	-47.67	32.72	-67.97	-13.00	54.97	Horizontal
3	7484.36	40.53	-46.17	36.76	-64.14	-13.00	51.14	Horizontal
4	9355.45	39.93	-42.97	37.92	-60.38	-13.00	47.38	Horizontal
5	11226.54	36.63	-40.37	39.35	-59.65	-13.00	46.65	Horizontal
6	13097.63	36.40	-38.42	38.83	-58.45	-13.00	45.45	Horizontal

Final	Data List							
NO.	Frequency	Reading	Factor	Λ Γ[dD/m]	Level	Limit	Margin	Dolority
NO.	[MHz]	[dBµV]	[dB]	AF[dB/m]	[dBm]	[dBm]	[dB]	Polarity
1	3742.18	44.32	-48.37	29.04	-70.27	-13.00	57.27	Vertical
2	5613.27	42.12	-47.67	32.72	-68.09	-13.00	55.09	Vertical
3	7484.36	40.06	-46.17	36.76	-64.61	-13.00	51.61	Vertical
4	9355.45	40.47	-42.97	37.92	-59.84	-13.00	46.84	Vertical
5	11226.54	37.19	-40.37	39.35	-59.09	-13.00	46.09	Vertical
6	13097.63	35.95	-38.42	38.83	-58.90	-13.00	45.90	Vertical



Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <a href="http://www.sgs.com/en/Terms-and-Conditions.aspx">http://www.sgs.com/en/Terms-and-Conditions.aspx</a> and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at <a href="http://www.sgs.com/en/Terms-and-Conditions/Terms-e-Document.aspx">http://www.sgs.com/en/Terms-and-Conditions/Terms-e-Document.aspx</a>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document one one excent parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company, Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 30 days only.

Attention: To check the authenticity of testing /inspection report & certificate, please contact us at telephone: (86-755) 8307 1443, or email: CN.Doccheck@ags.com

South of No. 6 Plant, No. 1, Runsheng Road, Suzhou Industrial Park, Suzhou Area, China (Jiangsu) Pilot Free Trade Zone 215000 中国・苏州・中国(江苏)自由贸易试验区苏州片区苏州工业园区润胜路1号的6号厂房南部 邮编: 215000



Report No.: SEWM2311000473RG02

Rev.: 01

75 of 88 Page:

#### Test Band = SA Band 2 ULMIMO\_ TM1 **Test Channel = High Channel**

Final	Data List							
NO.	Frequency	Reading	Factor	VE[4D/m]	Level	Limit	Margin	Polarity
NO.	[MHz]	[dBµV]	[dB]	AF[dB/m]	[dBm]	[dBm]	[dB]	Polanty
1	3782.18	44.43	-48.24	29.10	-69.97	-13.00	56.97	Horizontal
2	5673.27	42.39	-47.55	32.73	-67.68	-13.00	54.68	Horizontal
3	7564.36	39.66	-45.14	36.72	-64.02	-13.00	51.02	Horizontal
4	9455.45	38.57	-42.67	38.01	-61.35	-13.00	48.35	Horizontal
5	11346.54	36.49	-40.28	39.33	-59.72	-13.00	46.72	Horizontal
6	13237.63	35.80	-38.85	39.15	-59.16	-13.00	46.16	Horizontal

Final	Data List							
NO.	Frequency	Reading	Factor	Λ Γ[dD/m]	Level	Limit	Margin	Dolority
NO.	[MHz]	[dBµV]	[dB]	AF[dB/m]	[dBm]	[dBm]	[dB]	Polarity
1	3782.18	43.51	-48.24	29.10	-70.89	-13.00	57.89	Vertical
2	5673.27	42.03	-47.55	32.73	-68.04	-13.00	55.04	Vertical
3	7564.36	40.33	-45.14	36.72	-63.35	-13.00	50.35	Vertical
4	9455.45	38.44	-42.67	38.01	-61.48	-13.00	48.48	Vertical
5	11346.54	36.52	-40.28	39.33	-59.69	-13.00	46.69	Vertical
6	13237.63	35.93	-38.85	39.15	-59.03	-13.00	46.03	Vertical



Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <a href="http://www.sgs.com/en/Terms-and-Conditions.aspx">http://www.sgs.com/en/Terms-and-Conditions.aspx</a> and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at <a href="http://www.sgs.com/en/Terms-and-Conditions/Terms-e-Document.aspx">http://www.sgs.com/en/Terms-and-Conditions/Terms-e-Document.aspx</a>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document one one excent parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company, Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 30 days only.

Attention: To check the authenticity of testing /inspection report & certificate, please contact us at telephone: (86-755) 8307 1443, or email: CN.Doccheck@ags.com

South of No. 6 Plant, No. 1, Runsheng Road, Suzhou Industrial Park, Suzhou Area, China (Jiangsu) Pilot Free Trade Zone 215000 中国・苏州・中国(江苏)自由贸易试验区苏州片区苏州工业园区润胜路1号的6号厂房南部 邮编: 215000 t (86-512) 62992980 www.sgsgroup.com.cn



Report No.: SEWM2311000473RG02

Rev.: 01

76 of 88 Page:

#### Test Band = NSA 2A\_n2A\_ TM1 **Test Channel = Low**

Final	Data List									
NO.	Frequency	Reading	Factor	Λ Γ[dD/m]	Level	Limit	Margin	Height	Angle	Delority
NO.	[MHz]	[dBµV]	[dB]	AF[dB/m]	[dBm]	[dBm]	[dB]	[cm]	[°]	Polarity
1	3741	44.15	-45.67	30.12	-66.66	-13.00	53.66	246	108	Horizontal
2	4843.5	42.84	-45.54	32.44	-65.51	-13.00	52.51	189	0	Horizontal
3	5611.5	42.07	-45.04	33.06	-65.17	-13.00	52.17	216	93	Horizontal
4	8409.75	34.33	-41.47	37.35	-65.05	-13.00	52.05	277	20	Horizontal
5	11213.25	24.18	-37.39	39.11	-69.36	-13.00	56.36	134	0	Horizontal
6	13839.75	23.09	-36.02	40.00	-68.20	-13.00	55.20	151	212	Horizontal

Final	l Data List									
NO	Frequency	Reading	Factor	Λ Γ[-ID/]	Level	Limit	Margin	Height	Angle	Dalanitu
NO.	[MHz]	[dBµV]	[dB]	AF[dB/m]	[dBm]	[dBm]	[dB]	[cm]	[°]	Polarity
1	3741	50.55	-45.67	30.12	-60.26	-13.00	47.26	216	64	Vertical
2	4843.5	44.85	-45.54	32.44	-63.50	-13.00	50.50	294	49	Vertical
3	5611.5	48.24	-45.04	33.06	-59.00	-13.00	46.00	148	95	Vertical
4	8403	34.51	-41.46	37.34	-64.87	-13.00	51.87	215	244	Vertical
5	10098	26.75	-39.12	38.65	-68.99	-13.00	55.99	205	123	Vertical
6	13847.25	23.03	-35.95	40.00	-68.18	-13.00	55.18	163	35	Vertical



Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <a href="http://www.sgs.com/en/Terms-and-Conditions.aspx">http://www.sgs.com/en/Terms-and-Conditions.aspx</a> and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at <a href="http://www.sgs.com/en/Terms-and-Conditions/Terms-e-Document.aspx">http://www.sgs.com/en/Terms-and-Conditions/Terms-e-Document.aspx</a>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document one one excent parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company, Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 30 days only.

Attention: To check the authenticity of testing /inspection report & certificate, please contact us at telephone: (86-755) 8307 1443, or email: CN.Doccheck@ags.com

South of No. 6 Plant, No. 1, Runsheng Road, Suzhou Industrial Park, Suzhou Area, China (Jiangsu) Pilot Free Trade Zone 215000 中国・苏州・中国(江苏)自由贸易试验区苏州片区苏州工业园区润胜路1号的6号厂房南部 邮编: 215000



Report No.: SEWM2311000473RG02

Rev.: 01

Page: 77 of 88

## Test Band = NSA 2A\_n2A\_ TM1 Test Channel = Mid

Final	Data List									
NO.	Frequency	Reading	Factor	Λ Γ[dD/m]	Level	Limit	Margin	Height	Angle	Dolority
NO.	[MHz]	[dBµV]	[dB]	AF[dB/m]	[dBm]	[dBm]	[dB]	[cm]	[°]	Polarity
1	3741	44.58	-45.67	30.12	-66.23	-13.00	53.23	224	44	Horizontal
2	4843.5	43.06	-45.54	32.44	-65.29	-13.00	52.29	177	360	Horizontal
3	5611.5	43.46	-45.04	33.06	-63.78	-13.00	50.78	185	104	Horizontal
4	6984	38.00	-43.64	36.06	-64.84	-13.00	51.84	165	60	Horizontal
5	8409	34.95	-41.47	37.35	-64.43	-13.00	51.43	258	163	Horizontal
6	9489	31.08	-40.19	38.47	-65.90	-13.00	52.90	196	30	Horizontal

Final	Data List									
NO.	Frequency	Reading	Factor	Λ Γ[dD/m]	Level	Limit	Margin	Height	Angle	Delerity
NO.	[MHz]	[dBµV]	[dB]	AF[dB/m]	[dBm]	[dBm]	[dB]	[cm]	[°]	Polarity
1	3741	51.90	-45.67	30.12	-58.91	-13.00	45.91	144	25	Vertical
2	4843.5	45.38	-45.54	32.44	-62.97	-13.00	49.97	203	162	Vertical
3	5611.5	49.05	-45.04	33.06	-58.19	-13.00	45.19	298	65	Vertical
4	7012.5	37.65	-43.63	36.11	-65.13	-13.00	52.13	274	227	Vertical
5	8428.5	34.28	-41.50	37.39	-65.09	-13.00	52.09	156	1	Vertical
6	9464.25	30.85	-40.09	38.47	-66.02	-13.00	53.02	241	274	Vertical



Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <a href="http://www.sgs.com/en/Terms-and-Conditions.aspx">http://www.sgs.com/en/Terms-and-Conditions.aspx</a> and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at <a href="http://www.sgs.com/en/Terms-and-Conditions/Terms-e-Document.aspx">http://www.sgs.com/en/Terms-and-Conditions/Terms-e-Document.aspx</a>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document one one excent parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company, Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 30 days only.

Attention: To check the authenticity of testing /inspection report & certificate, please contact us at telephone: (86-755) 8307 1443, or email: CN.Doccheck@ags.com

South of No. 6 Plant, No. 1, Runsheng Road, Suchou Industrial Park, Suchou Area, China (Jiangsu) Pilot Fee Trade Zone 中国 - 苏州 - 中国(江苏)自由贸易试验区苏州片区苏州工业园区润胜路1号的6号厂房南部 邮编: 215000 t (86–512) 62992980 www.sgsgroup.com.cn t (86–512) 62992980 sgs.china@sgs.com



Report No.: SEWM2311000473RG02

Rev.: 01

Page: 78 of 88

# Test Band = NSA 2A\_n2A\_ TM1 Test Channel = High

Final	Data List									
NO.	Frequency	Reading	Factor	Λ Γ[dD/m]	Level	Limit	Margin	Height	Angle	Delevity
NO.	[MHz]	[dBµV]	[dB]	AF[dB/m]	[dBm]	[dBm]	[dB]	[cm]	[°]	Polarity
1	3124.5	47.61	-46.15	29.56	-64.24	-13.00	51.24	289	177	Horizontal
2	3741	44.54	-45.67	30.12	-66.27	-13.00	53.27	168	44	Horizontal
3	4843.5	43.02	-45.54	32.44	-65.33	-13.00	52.33	245	356	Horizontal
4	5611.5	42.84	-45.04	33.06	-64.40	-13.00	51.40	156	103	Horizontal
5	6990	38.10	-43.61	36.07	-64.70	-13.00	51.70	235	310	Horizontal
6	8407.5	34.35	-41.46	37.35	-65.03	-13.00	52.03	166	295	Horizontal

Final	Data List									
NO.	Frequency	Reading	Factor	Λ Γ[dD/m]	Level	Limit	Margin	Height	Angle	Dolority
NO.	[MHz]	[dBµV]	[dB]	AF[dB/m]	[dBm]	[dBm]	[dB]	[cm]	[°]	Polarity
1	3741	52.00	-45.67	30.12	-58.81	-13.00	45.81	168	67	Vertical
2	4843.5	46.03	-45.54	32.44	-62.32	-13.00	49.32	241	154	Vertical
3	5611.5	48.64	-45.04	33.06	-58.60	-13.00	45.60	192	96	Vertical
4	8403.75	34.40	-41.46	37.34	-64.98	-13.00	51.98	244	82	Vertical
5	9484.5	31.72	-40.17	38.47	-65.24	-13.00	52.24	153	332	Vertical
6	11311.5	24.08	-37.41	39.11	-69.48	-13.00	56.48	209	5	Vertical



Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <a href="http://www.sgs.com/en/Terms-and-Conditions.aspx">http://www.sgs.com/en/Terms-and-Conditions.aspx</a> and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at <a href="http://www.sgs.com/en/Terms-and-Conditions/Terms-e-Document.aspx">http://www.sgs.com/en/Terms-and-Conditions/Terms-e-Document.aspx</a>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document one one excent parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company, Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 30 days only.

Attention: To check the authenticity of testing /inspection report & certificate, please contact us at telephone: (86-755) 8307 1443, or email: CN.Doccheck@ags.com

South of No. 6 Pfart, No. 1, Runsheng Read, Suchou Industrial Park, Suchou Area, China (Jiangsu) Pilot Fee Trade Zone 中国 - 苏州 - 中国(江苏)自由贸易试验区苏州片区苏州工业园区润胜路1号的6号厂房南部 邮编: 215000



Report No.: SEWM2311000473RG02

Rev.: 01

79 of 88 Page:

#### Test Band = NSA 5A\_n2A\_ TM1 Test Channel = Low

Final	Data List									
NO.	Frequency	Reading	Factor	Λ Γ[dD/m]	Level	Limit	Margin	Height	Angle	Dolority
NO.	[MHz]	[dBµV]	[dB]	AF[dB/m]	[dBm]	[dBm]	[dB]	[cm]	[°]	Polarity
1	3741	45.38	-45.67	30.12	-65.43	-13.00	52.43	204	153	Horizontal
2	5611.5	42.02	-45.04	33.06	-65.22	-13.00	52.22	185	123	Horizontal
3	8412	34.75	-41.47	37.36	-64.63	-13.00	51.63	294	227	Horizontal
4	9423	31.03	-39.92	38.48	-65.67	-13.00	52.67	231	168	Horizontal
5	11284.5	24.51	-37.42	39.11	-69.06	-13.00	56.06	175	331	Horizontal
6	15799.5	22.64	-33.02	38.20	-67.44	-13.00	54.44	213	316	Horizontal

Fina	l Data List									
NO	Frequency	Reading	Factor	A [[dD/m]	Level	Limit	Margin	Height	Angle	Dalanitu
NO.	[MHz]	[dBµV]	[dB]	AF[dB/m]	[dBm]	[dBm]	[dB]	[cm]	[°]	Polarity
1	3741	52.51	-45.67	30.12	-58.30	-13.00	45.30	149	65	Vertical
2	5611.5	48.63	-45.04	33.06	-58.61	-13.00	45.61	238	93	Vertical
3	8403.75	34.18	-41.46	37.34	-65.20	-13.00	52.20	211	356	Vertical
4	9461.25	31.20	-40.08	38.47	-65.66	-13.00	52.66	169	0	Vertical
5	11278.5	24.43	-37.41	39.11	-69.13	-13.00	56.13	157	286	Vertical
6	14505	22.14	-34.86	40.01	-67.98	-13.00	54.98	132	108	Vertical



Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <a href="http://www.sgs.com/en/Terms-and-Conditions.aspx">http://www.sgs.com/en/Terms-and-Conditions.aspx</a> and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at <a href="http://www.sgs.com/en/Terms-and-Conditions/Terms-e-Document.aspx">http://www.sgs.com/en/Terms-and-Conditions/Terms-e-Document.aspx</a>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document one one excent parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company, Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 30 days only.

Attention: To check the authenticity of testing /inspection report & certificate, please contact us at telephone: (86-755) 8307 1443, or email: CN.Doccheck@ags.com

South of No. 6 Plant, No. 1, Runsheng Road, Suzhou Industrial Park, Suzhou Area, China (Jiangsu) Pilot Free Trade Zone 215000

t (86-512) 62992980 www.sgsgroup.com.cn

中国・苏州・中国(江苏)自由贸易试验区苏州片区苏州工业园区润胜路1号的6号厂房南部 邮编: 215000 t (86-512) 62992980 sgs.china@sgs.com



Report No.: SEWM2311000473RG02

Rev.: 01

Page: 80 of 88

## Test Band = NSA 5A\_n2A\_ TM1 Test Channel = Mid

Final	Data List									
NO.	Frequency	Reading	Factor	Λ Γ[dD/m]	Level	Limit	Margin	Height	Angle	Dolority
NO.	[MHz]	[dBµV]	[dB]	AF[dB/m]	[dBm]	[dBm]	[dB]	[cm]	[°]	Polarity
1	3741	46.19	-45.67	30.12	-64.62	-13.00	51.62	214	44	Horizontal
2	4843.5	42.81	-45.54	32.44	-65.54	-13.00	52.54	189	282	Horizontal
3	5611.5	44.49	-45.04	33.06	-62.75	-13.00	49.75	166	104	Horizontal
4	7012.5	37.99	-43.63	36.11	-64.79	-13.00	51.79	231	4	Horizontal
5	8405.25	34.61	-41.46	37.34	-64.77	-13.00	51.77	142	359	Horizontal
6	9426	30.61	-39.93	38.48	-66.10	-13.00	53.10	284	133	Horizontal

Final	Data List									
NO.	Frequency	Reading	Factor	Λ Γ[dD/m]	Level	Limit	Margin	Height	Angle	Delerity
NO.	[MHz]	[dBµV]	[dB]	AF[dB/m]	[dBm]	[dBm]	[dB]	[cm]	[°]	Polarity
1	3741	52.92	-45.67	30.12	-57.89	-13.00	44.89	255	62	Vertical
2	4843.5	46.43	-45.54	32.44	-61.92	-13.00	48.92	141	62	Vertical
3	5611.5	47.67	-45.04	33.06	-59.57	-13.00	46.57	281	93	Vertical
4	7013.25	37.79	-43.64	36.11	-64.99	-13.00	51.99	169	48	Vertical
5	8424	34.06	-41.49	37.38	-65.31	-13.00	52.31	233	19	Vertical
6	9475.5	30.80	-40.13	38.47	-66.12	-13.00	53.12	152	346	Vertical



Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <a href="http://www.sgs.com/en/Terms-and-Conditions.aspx">http://www.sgs.com/en/Terms-and-Conditions.aspx</a> and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at <a href="http://www.sgs.com/en/Terms-and-Conditions/Terms-e-Document.aspx">http://www.sgs.com/en/Terms-and-Conditions/Terms-e-Document.aspx</a>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document one one excent parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company, Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 30 days only.

Attention: To check the authenticity of testing /inspection report & certificate, please contact us at telephone: (86-755) 8307 1443, or email: CN.Doccheck@ags.com

South of No. 6 Plant, No. 1, Runsheng Read, Suzhou Industrial Park, Suzhou Area, China (Jiangsu) Pllot Free Trade Zone 215000 中国 - 苏州 - 中国(江苏)自由贸易试验区苏州广区苏州工业园区测胜路(号龄6号广房南部 鄉編: 215000



Report No.: SEWM2311000473RG02

Rev.: 01

Page: 81 of 88

# Test Band = NSA 5A\_n2A\_ TM1 Test Channel = High

Final	Data List									
NO.	Frequency	Reading	Factor	Λ Γ[dD/m]	Level	Limit	Margin	Height	Angle	Dolority
NO.	[MHz]	[dBµV]	[dB]	AF[dB/m]	[dBm]	[dBm]	[dB]	[cm]	[°]	Polarity
1	3741	45.11	-45.67	30.12	-65.70	-13.00	52.70	241	59	Horizontal
2	4843.5	43.41	-45.54	32.44	-64.94	-13.00	51.94	189	283	Horizontal
3	5611.5	42.97	-45.04	33.06	-64.27	-13.00	51.27	256	104	Horizontal
4	6996	37.73	-43.57	36.08	-65.03	-13.00	52.03	233	134	Horizontal
5	8412	34.24	-41.47	37.36	-65.14	-13.00	52.14	124	283	Horizontal
6	9436.5	30.84	-39.98	38.48	-65.92	-13.00	52.92	181	118	Horizontal

Final	Data List									
NO.	Frequency	Reading	Factor	Λ Γ[dD/m]	Level	Limit	Margin	Height	Angle	Delerity
NO.	[MHz]	[dBµV]	[dB]	AF[dB/m]	[dBm]	[dBm]	[dB]	[cm]	[°]	Polarity
1	3741	51.87	-45.67	30.12	-58.94	-13.00	45.94	157	62	Vertical
2	4843.5	45.52	-45.54	32.44	-62.83	-13.00	49.83	284	62	Vertical
3	5611.5	48.93	-45.04	33.06	-58.31	-13.00	45.31	156	48	Vertical
4	7023.75	38.28	-43.71	36.14	-64.55	-13.00	51.55	289	151	Vertical
5	8410.5	34.44	-41.47	37.35	-64.94	-13.00	51.94	124	8	Vertical
6	9477	31.44	-40.14	38.47	-65.49	-13.00	52.49	255	3	Vertical



Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <a href="http://www.sgs.com/en/Terms-and-Conditions.aspx">http://www.sgs.com/en/Terms-and-Conditions.aspx</a> and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at <a href="http://www.sgs.com/en/Terms-and-Conditions/Terms-e-Document.aspx">http://www.sgs.com/en/Terms-and-Conditions/Terms-e-Document.aspx</a>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document one one excent parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company, Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 30 days only.

Attention: To check the authenticity of testing /inspection report & certificate, please contact us at telephone: (86-755) 8307 1443, or email: CN.Doccheck@ags.com

South of No. 6 Plant, No. 1, Runsheng Road, Suzhou Industrial Park, Suzhou Area, China (Jiangsu) Plot Free Trade Zone 215000 中国 - 苏州 - 中国(江苏)自由贸易试验区苏州片区苏州工业园区河胜路(号给6号)房南部 鄉編: 215000



Report No.: SEWM2311000473RG02

Rev.: 01

Page: 82 of 88

#### Test Band = NSA 7A\_n2A\_ TM1 **Test Channel = Low**

Final	Data List									
NO.	Frequency	Reading	Factor	Λ Γ[dD/m]	Level	Limit	Margin	Height	Angle	Delerity
NO.	[MHz]	[dBµV]	[dB]	AF[dB/m]	[dBm]	[dBm]	[dB]	[cm]	[°]	Polarity
1	3741	45.59	-45.67	30.12	-65.22	-13.00	52.22	221	108	Horizontal
2	4843.5	43.80	-45.54	32.44	-64.55	-13.00	51.55	140	93	Horizontal
3	6998.25	37.98	-43.56	36.08	-64.76	-13.00	51.76	199	152	Horizontal
4	8403	34.52	-41.46	37.34	-64.86	-13.00	51.86	153	317	Horizontal
5	11269.5	24.11	-37.41	39.11	-69.45	-13.00	56.45	280	93	Horizontal
6	13713	23.35	-36.19	40.04	-68.06	-13.00	55.06	165	123	Horizontal

Final	Data List									
NO	Frequency	Reading	Factor	Λ Γ[- D/]	Level	Limit	Margin	Height	Angle	Dalavitu
NO.	[MHz]	[dBµV]	[dB]	AF[dB/m]	[dBm]	[dBm]	[dB]	[cm]	[°]	Polarity
1	3741	52.40	-45.67	30.12	-58.41	-13.00	45.41	152	65	Vertical
2	4843.5	45.27	-45.54	32.44	-63.08	-13.00	50.08	136	152	Vertical
3	5611.5	48.03	-45.04	33.06	-59.21	-13.00	46.21	254	95	Vertical
4	8408.25	34.16	-41.46	37.35	-65.22	-13.00	52.22	185	183	Vertical
5	9476.25	30.97	-40.14	38.47	-65.95	-13.00	52.95	169	95	Vertical
6	13842.75	23.40	-35.99	40.00	-67.86	-13.00	54.86	291	330	Vertical



Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <a href="http://www.sgs.com/en/Terms-and-Conditions.aspx">http://www.sgs.com/en/Terms-and-Conditions.aspx</a> and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at <a href="http://www.sgs.com/en/Terms-and-Conditions/Terms-e-Document.aspx">http://www.sgs.com/en/Terms-and-Conditions/Terms-e-Document.aspx</a>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document one one excent parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company, Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 30 days only.

Attention: To check the authenticity of testing /inspection report & certificate, please contact us at telephone: (86-755) 8307 1443, or email: CN.Doccheck@ags.com

South of No. 6 Plant, No. 1, Runsheng Road, Suzhou Industrial Park, Suzhou Area, China (Jiangsu) Pilot Free Trade Zone 215000 中国・苏州・中国(江苏)自由贸易试验区苏州片区苏州工业园区润胜路1号的6号厂房南部 邮编: 215000 t (86-512) 62992980 www.sgsgroup.com.cn



Report No.: SEWM2311000473RG02

Rev.: 01

Page: 83 of 88

## Test Band = NSA 7A\_n2A\_ TM1 Test Channel = Mid

Final	Data List									
NO.	Frequency	Reading	Factor	Λ Γ[dD/m]	Level	Limit	Margin	Height	Angle	Delerity
NO.	[MHz]	[dBµV]	[dB]	AF[dB/m]	[dBm]	[dBm]	[dB]	[cm]	[°]	Polarity
1	3741	44.66	-45.67	30.12	-66.15	-13.00	53.15	224	164	Horizontal
2	4843.5	44.20	-45.54	32.44	-64.15	-13.00	51.15	175	281	Horizontal
3	5611.5	41.92	-45.04	33.06	-65.32	-13.00	52.32	146	104	Horizontal
4	7019.25	38.03	-43.68	36.13	-64.78	-13.00	51.78	265	267	Horizontal
5	8409.75	34.38	-41.47	37.35	-65.00	-13.00	52.00	185	74	Horizontal
6	9478.5	31.02	-40.14	38.47	-65.91	-13.00	52.91	263	3	Horizontal

Final	Data List									
NO.	Frequency	Reading	Factor	Λ Γ[dD/m]	Level	Limit	Margin	Height	Angle	Delerity
NO.	[MHz]	[dBµV]	[dB]	AF[dB/m]	[dBm]	[dBm]	[dB]	[cm]	[°]	Polarity
1	3741	53.28	-45.67	30.12	-57.53	-13.00	44.53	145	62	Vertical
2	4843.5	44.68	-45.54	32.44	-63.67	-13.00	50.67	186	152	Vertical
3	5611.5	50.03	-45.04	33.06	-57.21	-13.00	44.21	291	48	Vertical
4	6999.75	38.05	-43.55	36.08	-64.68	-13.00	51.68	148	1	Vertical
5	8411.25	34.24	-41.47	37.35	-65.14	-13.00	52.14	122	138	Vertical
6	9494.25	31.19	-40.21	38.47	-65.81	-13.00	52.81	261	4	Vertical



Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <a href="http://www.sgs.com/en/Terms-and-Conditions.aspx">http://www.sgs.com/en/Terms-and-Conditions.aspx</a> and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at <a href="http://www.sgs.com/en/Terms-and-Conditions/Terms-e-Document.aspx">http://www.sgs.com/en/Terms-and-Conditions/Terms-e-Document.aspx</a>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document one one excent parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company, Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 30 days only.

Attention: To check the authenticity of testing /inspection report & certificate, please contact us at telephone: (86-755) 8307 1443, or email: CN.Doccheck@ags.com

South of No. 6 Plant, No. 1, Runsheng Road, Suzhou Industrial Park, Suzhou Area, China (Jiangsu) Plot Free Trade Zone 215000 中国 - 苏州 - 中国(江苏)自由贸易试验区苏州片区苏州工业园区河胜路(号给6号)房南部 鄉編: 215000



Report No.: SEWM2311000473RG02

Rev.: 01

Page: 84 of 88

# Test Band = NSA 7A\_n2A\_ TM1 Test Channel = High

Final	Data List									
NO.	Frequency	Reading	Factor	Λ Γ[dD/m]	Level	Limit	Margin	Height	Angle	Delerity
NO.	[MHz]	[dBµV]	[dB]	AF[dB/m]	[dBm]	[dBm]	[dB]	[cm]	[°]	Polarity
1	3741	46.06	-45.67	30.12	-64.75	-13.00	51.75	142	160	Horizontal
2	4843.5	43.68	-45.54	32.44	-64.67	-13.00	51.67	158	280	Horizontal
3	5611.5	42.26	-45.04	33.06	-64.98	-13.00	51.98	174	103	Horizontal
4	6989.25	38.22	-43.61	36.07	-64.58	-13.00	51.58	126	117	Horizontal
5	8410.5	34.43	-41.47	37.35	-64.95	-13.00	51.95	263	360	Horizontal
6	9417.75	31.31	-39.90	38.49	-65.37	-13.00	52.37	251	42	Horizontal

Fina	Final Data List											
NO	Frequency	Reading	Factor	Λ Γ[- D/]	Level	Limit	Margin	Height	Angle	Dalanitu		
NO.	[MHz]	[dBµV]	[dB]	AF[dB/m]	[dBm]	[dBm]	[dB]	[cm]	[°]	Polarity		
1	3741	52.26	-45.67	30.12	-58.55	-13.00	45.55	125	64	Vertical		
2	4843.5	44.93	-45.54	32.44	-63.42	-13.00	50.42	148	156	Vertical		
3	5611.5	49.06	-45.04	33.06	-58.18	-13.00	45.18	175	49	Vertical		
4	6996	37.96	-43.57	36.08	-64.80	-13.00	51.80	146	357	Vertical		
5	8404.5	34.49	-41.46	37.34	-64.89	-13.00	51.89	259	156	Vertical		
6	9485.25	30.98	-40.17	38.47	-65.98	-13.00	52.98	291	273	Vertical		



Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <a href="http://www.sgs.com/en/Terms-and-Conditions.aspx">http://www.sgs.com/en/Terms-and-Conditions.aspx</a> and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at <a href="http://www.sgs.com/en/Terms-and-Conditions/Terms-e-Document.aspx">http://www.sgs.com/en/Terms-and-Conditions/Terms-e-Document.aspx</a>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document one one excent parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company, Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 30 days only.

Attention: To check the authenticity of testing /inspection report & certificate, please contact us at telephone: (86-755) 8307 1443, or email: CN.Doccheck@ags.com

South of No. 6 Plant, No. 1, Runsheng Road, Suzhou Industrial Park, Suzhou Area, China (Jiangsu) Plot Free Trade Zone 215000 中国 - 苏州 - 中国(江苏)自由贸易试验区苏州片区苏州工业园区河胜路(号给6号)房南部 鄉編: 215000



Report No.: SEWM2311000473RG02

Rev.: 01

Page: 85 of 88

#### Test Band = NR CA 2A\_n2A\_ TM1 Test Channel = Low

Final	Data List									
NO.	Frequency	Reading	Factor	Λ Γ[dD/m]	Level	Limit	Margin	Height	Angle	Dolority
NO.	[MHz]	[dBµV]	[dB]	AF[dB/m]	[dBm]	[dBm]	[dB]	[cm]	[°]	Polarity
1	4275.75	42.25	-45.60	31.26	-67.35	-13.00	54.35	144	151	Horizontal
2	5713.5	41.03	-44.84	33.43	-65.63	-13.00	52.63	152	357	Horizontal
3	8410.5	39.19	-41.47	37.35	-60.19	-13.00	47.19	136	346	Horizontal
4	9054	37.30	-40.65	38.24	-60.37	-13.00	47.37	258	0	Horizontal
5	12274.5	32.19	-37.43	39.11	-61.39	-13.00	48.39	194	242	Horizontal
6	16498.5	32.34	-33.85	37.92	-58.85	-13.00	45.85	175	30	Horizontal

Final	Final Data List											
NO.	Frequency	Reading	Factor	Λ Γ[dD/m]	Level	Limit	Margin	Height	Angle	Delevity		
NO.	[MHz]	[dBµV]	[dB]	AF[dB/m]	[dBm]	[dBm]	[dB]	[cm]	[°]	Polarity		
1	3741	46.12	-45.67	30.12	-64.69	-13.00	51.69	125	356	Vertical		
2	4531.5	44.74	-45.70	31.64	-64.58	-13.00	51.58	148	181	Vertical		
3	5156.25	44.53	-45.32	32.97	-63.08	-13.00	50.08	175	195	Vertical		
4	6577.5	40.46	-44.41	35.35	-63.86	-13.00	50.86	156	150	Vertical		
5	9416.25	35.78	-39.90	38.49	-60.89	-13.00	47.89	236	150	Vertical		
6	12297	32.03	-37.41	39.10	-61.54	-13.00	48.54	259	0	Vertical		



Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <a href="http://www.sgs.com/en/Terms-and-Conditions.aspx">http://www.sgs.com/en/Terms-and-Conditions.aspx</a> and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at <a href="http://www.sgs.com/en/Terms-and-Conditions/Terms-e-Document.aspx">http://www.sgs.com/en/Terms-and-Conditions/Terms-e-Document.aspx</a>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document one one excent parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company, Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 30 days only.

Attention: To check the authenticity of testing /inspection report & certificate, please contact us at telephone: (86-755) 8307 1443, or email: CN.Doccheck@ags.com

South of No. 6 Plant, No. 1, Runsheng Road, Suzhou Industrial Park, Suzhou Area, China (Jiangsu) Pilot Free Trade Zone 215000 中国・苏州・中国(江苏)自由贸易试验区苏州片区苏州工业园区润胜路1号的6号厂房南部 邮编: 215000



Report No.: SEWM2311000473RG02

Rev.: 01

Page: 86 of 88

#### Test Band = NR CA 2A\_n2A\_ TM1 Test Channel = Mid

Final	Data List									
NO.	Frequency	Reading	Factor	Λ Γ[dD/m]	Level	Limit	Margin	Height	Angle	Dolority
NO.	[MHz]	[dBµV]	[dB]	AF[dB/m]	[dBm]	[dBm]	[dB]	[cm]	[°]	Polarity
1	3970.5	42.30	-46.11	30.73	-68.34	-13.00	55.34	255	211	Horizontal
2	4941.75	42.07	-45.58	32.72	-66.05	-13.00	53.05	145	2	Horizontal
3	6804	40.67	-44.17	35.84	-62.91	-13.00	49.91	126	256	Horizontal
4	8567.25	38.29	-41.42	37.68	-60.71	-13.00	47.71	158	104	Horizontal
5	11253.75	33.18	-37.41	39.11	-60.38	-13.00	47.38	196	120	Horizontal
6	12918	31.81	-37.15	39.75	-60.85	-13.00	47.85	153	165	Horizontal

Final	Final Data List											
NO.	Frequency	Reading	Factor	Λ Γ[dD/m]	Level	Limit	Margin	Height	Angle	Delevity		
NO.	[MHz]	[dBµV]	[dB]	AF[dB/m]	[dBm]	[dBm]	[dB]	[cm]	[°]	Polarity		
1	4218.75	42.52	-45.73	31.14	-67.33	-13.00	54.33	155	210	Vertical		
2	6045	40.67	-44.66	34.15	-65.10	-13.00	52.10	145	303	Vertical		
3	7656	40.96	-43.04	36.50	-60.84	-13.00	47.84	126	122	Vertical		
4	9646.5	35.65	-39.56	38.39	-60.78	-13.00	47.78	251	122	Vertical		
5	11211	33.28	-37.39	39.11	-60.26	-13.00	47.26	144	182	Vertical		
6	12152.25	31.19	-37.42	39.09	-62.40	-13.00	49.40	192	0	Vertical		



Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <a href="http://www.sgs.com/en/Terms-and-Conditions.aspx">http://www.sgs.com/en/Terms-and-Conditions.aspx</a> and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at <a href="http://www.sgs.com/en/Terms-and-Conditions/Terms-e-Document.aspx">http://www.sgs.com/en/Terms-and-Conditions/Terms-e-Document.aspx</a>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document one one excent parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company, Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 30 days only.

Attention: To check the authenticity of testing /inspection report & certificate, please contact us at telephone: (86-755) 8307 1443, or email: CN.Doccheck@ags.com

South of No. 6 Plant, No. 1, Runsheng Road, Suzhou Industrial Park, Suzhou Area, China (Jiangsu) Pilot Free Trade Zone 215000 中国・苏州・中国(江苏)自由贸易试验区苏州片区苏州工业园区润胜路1号的6号厂房南部 邮编: 215000 t (86-512) 62992980 www.sgsgroup.com.cn



Report No.: SEWM2311000473RG02

Rev.: 01

Page: 87 of 88

# Test Band = NR CA 2A\_n2A\_ TM1 Test Channel = High

Final	Final Data List											
NO.	Frequency	Reading	Factor	Λ Γ[dD/m]	Level	Limit	Margin	Height	Angle	Delerity		
NO.	[MHz]	[dBµV]	[dB]	AF[dB/m]	[dBm]	[dBm]	[dB]	[cm]	[°]	Polarity		
1	3500.25	42.91	-46.26	29.52	-69.09	-13.00	56.09	255	8	Horizontal		
2	5505.75	41.64	-45.23	32.92	-65.93	-13.00	52.93	148	0	Horizontal		
3	7416	40.21	-43.37	36.48	-61.93	-13.00	48.93	126	2	Horizontal		
4	8684.25	38.46	-41.63	37.89	-60.54	-13.00	47.54	153	105	Horizontal		
5	10362	34.76	-39.04	38.85	-60.69	-13.00	47.69	169	136	Horizontal		
6	12759	31.19	-36.77	39.56	-61.28	-13.00	48.28	199	16	Horizontal		

Final	Final Data List											
NO.	Frequency	Reading	Factor	Λ Γ[dD/m]	Level	Limit	Margin	Height	Angle	Delerity		
NO.	[MHz]	[dBµV]	[dB]	AF[dB/m]	[dBm]	[dBm]	[dB]	[cm]	[°]	Polarity		
1	4218.75	42.28	-45.73	31.14	-67.57	-13.00	54.57	125	151	Vertical		
2	5156.25	46.72	-45.32	32.97	-60.89	-13.00	47.89	145	242	Vertical		
3	5611.5	49.64	-45.04	33.06	-57.60	-13.00	44.60	199	1	Vertical		
4	7244.25	40.64	-43.57	36.58	-61.61	-13.00	48.61	156	316	Vertical		
5	9985.5	34.80	-39.25	38.47	-61.24	-13.00	48.24	185	301	Vertical		
6	10587	34.36	-38.51	39.05	-60.37	-13.00	47.37	183	225	Vertical		

#### Remark:

1) The field strength is calculated by adding the Antenna Factor, Cable Factor & AMP. The basic equation with a sample calculation is as follows:

AF = Antenna Factor(dB/m)

Factor = Cable Factor(dB) - Preamplifier (dB)

Level = Reading Level + AF + Factor -95.26

Margin = Limit - Level



Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <a href="http://www.sgs.com/en/Terms-and-Conditions.appx">http://www.sgs.com/en/Terms-and-Conditions.appx</a> and, for electronic Documents at <a href="http://www.sgs.com/en/Terms-and-Conditions/Terms-en-Document.appx">http://www.sgs.com/en/Terms-and-Conditions/Terms-en-Document.appx</a>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawfull and offenders may be prosecuted to the fullest extend of the law Luless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 30 days only.

\*\*Attention:\*\*To check the autherticity of testing (inspection report & certificate, please contact us at telephone: (86-755) 8307 1443,

South of No. 6 Plant, No. 1, Runsheng Road, Suchou Industrial Park, Suzhou Area, China (Jiangsu) Plot Fee Trade Zone 中国 - 苏州 - 中国(江苏)自由贸易试验区苏州片区苏州工业园区润胜路1号的6号厂房南部 邮编: 215000



Report No.: SEWM2311000473RG02

Rev.: 01

Page: 88 of 88

#### Frequency Stability for SA

#### **Test Result**

Frequency Error VS. Voltage

		ucity E	ioi vo. voita	gc						
Band	scs	Bandwidth	Modulation	Channel	RB Config	Voltage	Temperature	Deviation (Hz)	Deviation (ppm)	Verdict
N2	15	20	DFT-PI2BPSK	М	Outer_Full	VH	NT	-0.600000	-0.000319	PASS
N2	15	20	DFT-PI2BPSK	М	Outer_Full	VN	NT	0.500000	0.000266	PASS
N2	15	20	DFT-PI2BPSK	М	Outer_Full	VL	NT	-0.500000	-0.000266	PASS
N2	15	20	CP-QPSK	М	Outer_Full	VH	NT	-1.400000	-0.000745	PASS
N2	15	20	CP-QPSK	М	Outer_Full	VN	NT	0.500000	0.000266	PASS
N2	15	20	CP-QPSK	М	Outer_Full	VL	NT	-3.100000	-0.001649	PASS

Frequency Error VS. Temperature

	1 109	acitoy E	itoi vo. teilip	ciataic						
Band	scs	Bandwidth	Modulation	Channel	RB Config	Voltage	Temperature	Deviation (Hz)	Deviation (ppm)	Verdict
N2	15	20	DFT-PI2BPSK	М	Outer_Full	NV	-30	-3.600000	-0.001915	PASS
N2	15	20	DFT-PI2BPSK	М	Outer_Full	NV	-20	-4.500000	-0.002394	PASS
N2	15	20	DFT-PI2BPSK	М	Outer_Full	NV	-10	-3.800000	-0.002021	PASS
N2	15	20	DFT-PI2BPSK	М	Outer_Full	NV	0	-2.800000	-0.001489	PASS
N2	15	20	DFT-PI2BPSK	М	Outer_Full	NV	10	-4.000000	-0.002128	PASS
N2	15	20	DFT-PI2BPSK	М	Outer_Full	NV	20	-3.200000	-0.001702	PASS
N2	15	20	DFT-PI2BPSK	М	Outer_Full	NV	30	-2.200000	-0.001170	PASS
N2	15	20	DFT-PI2BPSK	М	Outer_Full	NV	40	-0.900000	-0.000479	PASS
N2	15	20	DFT-PI2BPSK	М	Outer_Full	NV	50	-3.000000	-0.001596	PASS
N2	15	20	CP-QPSK	М	Outer_Full	NV	-30	-0.500000	-0.000266	PASS
N2	15	20	CP-QPSK	М	Outer_Full	NV	-20	0.500000	0.000266	PASS
N2	15	20	CP-QPSK	М	Outer_Full	NV	-10	-2.900000	-0.001543	PASS
N2	15	20	CP-QPSK	М	Outer_Full	NV	0	-2.800000	-0.001489	PASS
N2	15	20	CP-QPSK	М	Outer_Full	NV	10	-3.100000	-0.001649	PASS
N2	15	20	CP-QPSK	М	Outer_Full	NV	20	-1.500000	-0.000798	PASS
N2	15	20	CP-QPSK	М	Outer_Full	NV	30	-3.300000	-0.001755	PASS
N2	15	20	CP-QPSK	М	Outer_Full	NV	40	-4.300000	-0.002287	PASS
N2	15	20	CP-QPSK	М	Outer_Full	NV	50	0.000000	0.000000	PASS

#### ---End of Attachment---



Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <a href="http://www.sgs.com/en/Terms-and-Conditions.aspx.and">http://www.sgs.com/en/Terms-and-Conditions.aspx.and</a>, for electronic Documents at <a href="http://www.sgs.com/en/Terms-and-Conditions-And-Conditions-And-Co

South of No. 6 Plant, No. 1, Runsheng Road, Suzhou Industrial Park, Suzhou Area, China (Jiangsu) Pilot Free Trade Zone 215000

t (86-512) 62992980 www.sgsgroup.com.cn

t (86-512) 62992980 sgs.china@sgs.com

中国・苏州・中国(江苏)自由贸易试验区苏州片区苏州工业园区润胜路1号的6号厂房南部 邮编: 215000

Member of the SGS Group (SGS SA)