

Report No.: SEWM2311000473RG02

Rev.: 01

Page: 74 of 93

Test Band = NSA 2A_n5A_ TM1 Test Channel = Low

Final	Data List									
NO.	Frequency	Reading	Factor	Λ Γ[dD/m]	Level	Limit	Margin	Height	Angle	Dolority
NO.	[MHz]	[dBµV]	[dB]	AF[dB/m]	[dBm]	[dBm]	[dB]	[cm]	[°]	Polarity
1	1759.4286	51.28	-48.04	25.41	-66.60	-13.00	53.60	159	41	Horizontal
2	2340.5714	43.54	-47.48	27.41	-71.79	-13.00	58.79	241	360	Horizontal
3	3125.1429	49.96	-46.63	29.56	-62.38	-13.00	49.38	176	67	Horizontal
4	4844	44.85	-45.61	32.44	-63.58	-13.00	50.58	236	105	Horizontal
5	6002.2857	39.81	-44.44	34.13	-65.76	-13.00	52.76	293	360	Horizontal
6	7438.2857	36.52	-43.33	36.47	-65.59	-13.00	52.59	281	302	Horizontal

Final	Data List									
NO.	Frequency	Reading	Factor	Λ Γ[dD/m]	Level	Limit	Margin	Height	Angle	Delerity
NO.	[MHz]	[dBµV]	[dB]	AF[dB/m]	[dBm]	[dBm]	[dB]	[cm]	[°]	Polarity
1	1718.8571	60.59	-48.12	25.40	-57.39	-13.00	44.39	184	191	Vertical
2	3125.1429	48.56	-46.63	29.56	-63.78	-13.00	50.78	150	72	Vertical
3	4218.8571	44.21	-45.93	31.14	-65.84	-13.00	52.84	163	243	Vertical
4	4843.4286	48.18	-45.61	32.44	-60.25	-13.00	47.25	195	46	Vertical
5	7187.4286	38.79	-43.91	36.57	-63.82	-13.00	50.82	175	191	Vertical
6	7656	38.28	-43.17	36.50	-63.65	-13.00	50.65	144	46	Vertical



Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at http://www.sgs.com/en/Terms-and-Conditions.aspx and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at http://www.sgs.com/en/Terms-and-Conditions/Terms-e-Document.aspx. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document one one excent parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company, Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 30 days only.

Attention: To check the authenticity of testing /inspection report & certificate, please contact us at telephone: (86-755) 8307 1443, or email: CN.Doccheck@ags.com

South of No. 6 Pfart, No. 1, Runsheng Read, Suchou Industrial Park, Suchou Area, China (Jiangsu) Pilot Fee Trade Zone 中国 - 苏州 - 中国(江苏)自由贸易试验区苏州片区苏州工业园区润胜路1号的6号厂房南部 邮编: 215000



Report No.: SEWM2311000473RG02

Rev.: 01

75 of 93 Page:

Test Band = NSA 2A_n5A_ TM1 Test Channel = Mid

Final	Data List									
NO.	Frequency	Reading	Factor	Λ Γ[dD/m]	Level	Limit	Margin	Height	Angle	Dolority
NO.	[MHz]	[dBµV]	[dB]	AF[dB/m]	[dBm]	[dBm]	[dB]	[cm]	[°]	Polarity
1	1718.8571	55.96	-48.12	25.40	-62.02	-13.00	49.02	184	66	Horizontal
2	2384	43.44	-47.46	27.43	-71.85	-13.00	58.85	156	158	Horizontal
3	3125.1429	50.45	-46.63	29.56	-61.89	-13.00	48.89	259	171	Horizontal
4	4090.2857	41.34	-45.93	30.94	-68.91	-13.00	55.91	263	236	Horizontal
5	4843.4286	45.63	-45.61	32.44	-62.80	-13.00	49.80	241	105	Horizontal
6	7006.8571	38.25	-43.61	36.10	-64.53	-13.00	51.53	174	236	Horizontal

Final	Data List									
NO.	Frequency	Reading	Factor	Λ Γ[dD/m]	Level	Limit	Margin	Height	Angle	Delevity
NO.	[MHz]	[dBµV]	[dB]	AF[dB/m]	[dBm]	[dBm]	[dB]	[cm]	[°]	Polarity
1	1718.8571	60.15	-48.12	25.40	-57.83	-13.00	44.83	214	178	Vertical
2	2343.4286	43.53	-47.48	27.41	-71.80	-13.00	58.80	189	126	Vertical
3	3125.1429	48.86	-46.63	29.56	-63.48	-13.00	50.48	165	73	Vertical
4	4320	41.24	-45.80	31.35	-68.48	-13.00	55.48	234	203	Vertical
5	4843.4286	48.65	-45.61	32.44	-59.78	-13.00	46.78	174	59	Vertical
6	6624.5714	39.17	-44.38	35.49	-64.99	-13.00	51.99	185	218	Vertical



Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at http://www.sgs.com/en/Terms-and-Conditions.aspx and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at http://www.sgs.com/en/Terms-and-Conditions/Terms-e-Document.aspx. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document one one excent parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company, Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 30 days only.

Attention: To check the authenticity of testing /inspection report & certificate, please contact us at telephone: (86-755) 8307 1443, or email: CN.Doccheck@ags.com

South of No. 6 Plant, No. 1, Runsheng Road, Suzhou Industrial Park, Suzhou Area, China (Jiangsu) Pilot Free Trade Zone 215000 中国・苏州・中国(江苏)自由贸易试验区苏州片区苏州工业园区润胜路1号的6号厂房南部 邮编: 215000



Report No.: SEWM2311000473RG02

Rev.: 01

Page: 76 of 93

Test Band = NSA 2A_n5A_ TM1 Test Channel = High

Final	Data List									
NO.	Frequency	Reading	Factor	Λ Γ[dD/m]	Level	Limit	Margin	Height	Angle	Dolority
NO.	[MHz]	[dBµV]	[dB]	AF[dB/m]	[dBm]	[dBm]	[dB]	[cm]	[°]	Polarity
1	1718.8571	55.53	-48.12	25.40	-62.45	-13.00	49.45	127	65	Horizontal
2	2500	43.57	-47.27	27.77	-71.19	-13.00	58.19	186	209	Horizontal
3	3125.1429	50.42	-46.63	29.56	-61.92	-13.00	48.92	293	65	Horizontal
4	4090.2857	41.30	-45.93	30.94	-68.95	-13.00	55.95	284	360	Horizontal
5	4843.4286	45.00	-45.61	32.44	-63.43	-13.00	50.43	155	261	Horizontal
6	7044.5714	38.53	-43.86	36.20	-64.39	-13.00	51.39	165	222	Horizontal

Final	Data List									
NO.	Frequency	Reading	Factor	Λ Γ[dD/m]	Level	Limit	Margin	Height	Angle	Delevity
NO.	[MHz]	[dBµV]	[dB]	AF[dB/m]	[dBm]	[dBm]	[dB]	[cm]	[°]	Polarity
1	1718.8571	60.61	-48.12	25.40	-57.37	-13.00	44.37	179	190	Vertical
2	2397.1429	43.93	-47.45	27.44	-71.34	-13.00	58.34	245	347	Vertical
3	3016.5714	43.58	-46.56	29.38	-68.86	-13.00	55.86	156	112	Vertical
4	4218.8571	44.10	-45.93	31.14	-65.95	-13.00	52.95	254	165	Vertical
5	4843.4286	47.62	-45.61	32.44	-60.81	-13.00	47.81	122	60	Vertical
6	7656	38.72	-43.17	36.50	-63.21	-13.00	50.21	263	205	Vertical



Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at http://www.sgs.com/en/Terms-and-Conditions.aspx and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at http://www.sgs.com/en/Terms-and-Conditions/Terms-e-Document.aspx. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document one one excent parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company, Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 30 days only.

Attention: To check the authenticity of testing /inspection report & certificate, please contact us at telephone: (86-755) 8307 1443, or email: CN.Doccheck@ags.com

South of No. 6 Plant, No. 1, Runsheng Road, Suchou Industrial Park, Suchou Area, China (Jiangsu) Pilot Fee Trade Zone 中国 - 苏州 - 中国(江苏)自由贸易试验区苏州片区苏州工业园区润胜路1号的6号厂房南部 邮编: 215000



Report No.: SEWM2311000473RG02

Rev.: 01

Page: 77 of 93

Test Band = NSA 13A_n5A_ TM1 Test Channel = Low

Final	Data List									
NO.	Frequency	Reading	Factor	Λ Γ[dD/m]	Level	Limit	Margin	Height	Angle	Dolority
NO.	[MHz]	[dBµV]	[dB]	AF[dB/m]	[dBm]	[dBm]	[dB]	[cm]	[°]	Polarity
1	1718.8571	55.89	-48.12	25.40	-62.09	-13.00	49.09	129	65	Horizontal
2	2673.7143	43.33	-47.02	28.24	-70.71	-13.00	57.71	304	183	Horizontal
3	3125.1429	50.56	-46.63	29.56	-61.78	-13.00	48.78	175	65	Horizontal
4	3981.7143	41.57	-46.21	30.76	-69.14	-13.00	56.14	268	349	Horizontal
5	4843.4286	45.40	-45.61	32.44	-63.03	-13.00	50.03	278	236	Horizontal
6	6198.2857	39.32	-44.89	34.20	-66.63	-13.00	53.63	142	236	Horizontal

Fina	l Data List									
NO	Frequency	Reading	Factor	Λ Γ[dD/m]	Level	Limit	Margin	Height	Angle	Dolority
NO.	[MHz]	[dBµV]	[dB]	AF[dB/m]	[dBm]	[dBm]	[dB]	[cm]	[°]	Polarity
1	1718.8571	60.91	-48.12	25.40	-57.07	-13.00	44.07	246	190	Vertical
2	2187.4286	44.96	-47.68	27.30	-70.69	-13.00	57.69	135	1	Vertical
3	3125.1429	47.87	-46.63	29.56	-64.47	-13.00	51.47	274	58	Vertical
4	4218.8571	44.64	-45.93	31.14	-65.41	-13.00	52.41	185	152	Vertical
5	4843.4286	48.60	-45.61	32.44	-59.83	-13.00	46.83	165	58	Vertical
6	7656	38.92	-43.17	36.50	-63.01	-13.00	50.01	142	205	Vertical



Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at http://www.sgs.com/en/Terms-and-Conditions.aspx and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at http://www.sgs.com/en/Terms-and-Conditions/Terms-e-Document.aspx. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document one one excent parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company, Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 30 days only.

Attention: To check the authenticity of testing /inspection report & certificate, please contact us at telephone: (86-755) 8307 1443, or email: CN.Doccheck@ags.com

South of No. 6 Plant, No. 1, Runshang Read, Suzhou Industrial Park, Suzhou Area, Chine (Jangsu) Pllot Free Trade Zone 215000 中国 - 苏州 - 中国(江苏)自由贸易试验区苏州广区苏州工业园区湖胜路(号龄6号广房南部 鄉編: 215000



Report No.: SEWM2311000473RG02

Rev.: 01

Page: 78 of 93

Test Band = NSA 13A_n5A_ TM1 Test Channel = Mid

Final	Data List									
NO.	Frequency	Reading	Factor	Λ Γ[dD/m]	Level	Limit	Margin	Height	Angle	Delerity
NO.	[MHz]	[dBµV]	[dB]	AF[dB/m]	[dBm]	[dBm]	[dB]	[cm]	[°]	Polarity
1	1718.8571	55.94	-48.12	25.40	-62.04	-13.00	49.04	132	300	Horizontal
2	2031.4286	44.86	-47.84	26.75	-71.49	-13.00	58.49	244	144	Horizontal
3	3125.1429	50.65	-46.63	29.56	-61.69	-13.00	48.69	185	65	Horizontal
4	4843.4286	44.98	-45.61	32.44	-63.45	-13.00	50.45	176	103	Horizontal
5	6122.2857	38.99	-44.73	34.17	-66.83	-13.00	53.83	290	169	Horizontal
6	8407.4286	35.35	-41.68	37.35	-64.25	-13.00	51.25	187	221	Horizontal

Fina	Data List									
NO	Frequency	Reading	Factor	A E[dD/m]	Level	Limit	Margin	Height	Angle	Dolority
NO.	[MHz]	[dBµV]	[dB]	AF[dB/m]	[dBm]	[dBm]	[dB]	[cm]	[°]	Polarity
1	1718.8571	60.27	-48.12	25.40	-57.71	-13.00	44.71	134	191	Vertical
2	2086.2857	43.32	-47.74	26.94	-72.73	-13.00	59.73	278	47	Vertical
3	2812.5714	44.02	-46.88	28.53	-69.58	-13.00	56.58	165	126	Vertical
4	3205.7143	42.56	-46.31	29.67	-69.34	-13.00	56.34	164	244	Vertical
5	4844	48.60	-45.61	32.44	-59.83	-13.00	46.83	244	61	Vertical
6	7656	38.98	-43.17	36.50	-62.95	-13.00	49.95	185	285	Vertical



Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at http://www.sgs.com/en/Terms-and-Conditions.aspx and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at http://www.sgs.com/en/Terms-and-Conditions/Terms-e-Document.aspx. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document one one excent parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company, Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 30 days only.

Attention: To check the authenticity of testing /inspection report & certificate, please contact us at telephone: (86-755) 8307 1443, or email: CN.Doccheck@ags.com

South of No. 6 Plant, No. 1, Runsheng Read, Suchou Industrial Park, Suchou Area, China (Biangsu) Pilot Fee Trade Zone 中国 - 苏州 - 中国(江苏)自由贸易试验区苏州片区苏州工业园区润胜路1号的6号厂房南部 邮编: 215000



Report No.: SEWM2311000473RG02

Rev.: 01

Page: 79 of 93

Test Band = NSA 13A_n5A_ TM1 Test Channel = High

Final	Data List									
NO.	Frequency	Reading	Factor	Λ Γ[dD/m]	Level	Limit	Margin	Height	Angle	Dolority
NO.	[MHz]	[dBµV]	[dB]	AF[dB/m]	[dBm]	[dBm]	[dB]	[cm]	[°]	Polarity
1	1855.4286	44.19	-48.01	25.77	-73.31	-13.00	60.31	139	360	Horizontal
2	2252	43.43	-47.59	27.37	-72.05	-13.00	59.05	182	53	Horizontal
3	3125.1429	50.61	-46.63	29.56	-61.73	-13.00	48.73	175	170	Horizontal
4	3645.7143	41.67	-46.25	29.77	-70.07	-13.00	57.07	156	13	Horizontal
5	4885.1429	41.36	-45.59	32.56	-66.93	-13.00	53.93	238	158	Horizontal
6	6321.1429	39.39	-44.64	34.45	-66.05	-13.00	53.05	159	92	Horizontal

Final	Data List									
NO.	Frequency	Reading	Factor	Λ Γ[dD/m]	Level	Limit	Margin	Height	Angle	Delevity
NO.	[MHz]	[dBµV]	[dB]	AF[dB/m]	[dBm]	[dBm]	[dB]	[cm]	[°]	Polarity
1	1718.8571	60.70	-48.12	25.40	-57.28	-13.00	44.28	248	190	Vertical
2	3125.1429	48.52	-46.63	29.56	-63.82	-13.00	50.82	193	59	Vertical
3	4218.8571	43.99	-45.93	31.14	-66.06	-13.00	53.06	266	230	Vertical
4	4844	48.91	-45.61	32.44	-59.52	-13.00	46.52	124	59	Vertical
5	6084	39.48	-44.65	34.16	-66.27	-13.00	53.27	248	218	Vertical
6	7656	38.55	-43.17	36.50	-63.38	-13.00	50.38	156	47	Vertical



Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at http://www.sgs.com/en/Terms-and-Conditions.aspx and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at http://www.sgs.com/en/Terms-and-Conditions/Terms-e-Document.aspx. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document one one excent parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company, Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 30 days only.

Attention: To check the authenticity of testing /inspection report & certificate, please contact us at telephone: (86-755) 8307 1443, or email: CN.Doccheck@ags.com

South of No. 6 Plant, No. 1, Runsheng Road, Suzhou Industrial Park, Suzhou Area, China (Kangsu) Plot Free Trade Zone 215000 中国 - 苏州 - 中国(江苏)自由贸易试验区苏州片区苏州工业园区河胜路(号给6号)房南部 鄉編: 215000



Report No.: SEWM2311000473RG02

Rev.: 01

80 of 93 Page:

Test Band = NSA 7A_n5A_ TM1 Test Channel = Low

Final	Data List									
NO.	Frequency	Reading	Factor	AF[dB/m]	Level	Limit	Margin	Height	Angle	Polarity
NO.	[MHz]	[dBµV]	[dB]	AF[ub/III]	[dBm]	[dBm]	[dB]	[cm]	[°]	Polatity
1	1594.8571	44.18	-48.28	25.36	-74.01	-13.00	61.01	277	360	Horizontal
2	1978.2857	43.49	-47.93	26.51	-73.19	-13.00	60.19	235	360	Horizontal
3	3125.1429	50.52	-46.63	29.56	-61.82	-13.00	48.82	249	65	Horizontal
4	4843.4286	44.86	-45.61	32.44	-63.57	-13.00	50.57	286	104	Horizontal
5	7000.5714	38.88	-43.57	36.08	-63.87	-13.00	50.87	190	78	Horizontal
6	8407.4286	36.26	-41.68	37.35	-63.34	-13.00	50.34	263	13	Horizontal

Final	Data List									
NO.	Frequency	Reading	Factor	Λ Γ[dD/m]	Level	Limit	Margin	Height	Angle	Delerity
NO.	[MHz]	[dBµV]	[dB]	AF[dB/m]	[dBm]	[dBm]	[dB]	[cm]	[°]	Polarity
1	1760.5714	46.73	-48.03	25.41	-71.15	-13.00	58.15	199	322	Vertical
2	2031.4286	44.90	-47.84	26.75	-71.45	-13.00	58.45	285	34	Vertical
3	2500	45.60	-47.27	27.77	-69.16	-13.00	56.16	164	164	Vertical
4	3125.1429	48.64	-46.63	29.56	-63.70	-13.00	50.70	272	60	Vertical
5	4530.8571	43.55	-45.66	31.64	-65.73	-13.00	52.73	134	178	Vertical
6	6980	38.12	-43.69	36.06	-64.77	-13.00	51.77	195	124	Vertical



Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at http://www.sgs.com/en/Terms-and-Conditions.aspx and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at http://www.sgs.com/en/Terms-and-Conditions/Terms-e-Document.aspx. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document one one excent parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company, Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 30 days only.

Attention: To check the authenticity of testing /inspection report & certificate, please contact us at telephone: (86-755) 8307 1443, or email: CN.Doccheck@ags.com

South of No. 6 Plant, No. 1, Runsheng Road, Suzhou Industrial Park, Suzhou Area, China (Jiangsu) Pilot Free Trade Zone 215000

t (86-512) 62992980 www.sgsgroup.com.cn 中国・苏州・中国(江苏)自由贸易试验区苏州片区苏州工业园区润胜路1号的6号厂房南部 邮编: 215000 t (86-512) 62992980 sgs.china@sgs.com



Report No.: SEWM2311000473RG02

Rev.: 01

Page: 81 of 93

Test Band = NSA 7A_n5A_ TM1 Test Channel = Mid

Final	Data List									
NO.	Frequency	Reading	Factor	Λ Γ[dD/m]	Level	Limit	Margin	Height	Angle	Dolority
NO.	[MHz]	[dBµV]	[dB]	AF[dB/m]	[dBm]	[dBm]	[dB]	[cm]	[°]	Polarity
1	1761.1429	51.21	-48.03	25.41	-66.67	-13.00	53.67	210	40	Horizontal
2	2031.4286	44.94	-47.84	26.75	-71.41	-13.00	58.41	165	145	Horizontal
3	3125.1429	50.29	-46.63	29.56	-62.05	-13.00	49.05	288	66	Horizontal
4	4442.2857	41.06	-45.77	31.55	-68.42	-13.00	55.42	194	289	Horizontal
5	6050.8571	39.70	-44.56	34.15	-65.97	-13.00	52.97	241	92	Horizontal
6	7863.4286	35.90	-42.72	36.85	-65.22	-13.00	52.22	123	105	Horizontal

Fina	l Data List									
NO	Frequency	Reading	Factor	A E[dD/m]	Level	Limit	Margin	Height	Angle	Dolority
NO.	[MHz]	[dBµV]	[dB]	AF[dB/m]	[dBm]	[dBm]	[dB]	[cm]	[°]	Polarity
1	2031.4286	44.54	-47.84	26.75	-71.81	-13.00	58.81	132	46	Vertical
2	2412.5714	43.31	-47.43	27.48	-71.90	-13.00	58.90	124	283	Vertical
3	2725.1429	43.49	-47.02	28.34	-70.45	-13.00	57.45	188	10	Vertical
4	4218.8571	44.74	-45.93	31.14	-65.31	-13.00	52.31	169	231	Vertical
5	5625.1429	40.74	-45.09	33.11	-66.50	-13.00	53.50	256	203	Vertical
6	6996.5714	38.41	-43.59	36.08	-64.36	-13.00	51.36	287	310	Vertical



Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at http://www.sgs.com/en/Terms-and-Conditions.aspx and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at http://www.sgs.com/en/Terms-and-Conditions/Terms-e-Document.aspx. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document one one excent parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company, Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 30 days only.

Attention: To check the authenticity of testing /inspection report & certificate, please contact us at telephone: (86-755) 8307 1443, or email: CN.Doccheck@ags.com

South of No. 6 Plant, No. 1, Runsheng Road, Suzhou Industrial Park, Suzhou Area, China (Jiangsu) Pilot Free Trade Zone 215000 中国・苏州・中国(江苏)自由贸易试验区苏州片区苏州工业园区润胜路1号的6号厂房南部 邮编: 215000 t (86-512) 62992980 www.sgsgroup.com.cn



Report No.: SEWM2311000473RG02

Rev.: 01

Page: 82 of 93

Test Band = NSA 7A_n5A_ TM1 Test Channel = High

Final	Data List									
NO.	Frequency	Reading	Factor	Λ Γ[dD/m]	Level	Limit	Margin	Height	Angle	Delerity
NO.	[MHz]	[dBµV]	[dB]	AF[dB/m]	[dBm]	[dBm]	[dB]	[cm]	[°]	Polarity
1	1456	44.72	-48.18	25.54	-73.17	-13.00	60.17	189	285	Horizontal
2	3125.1429	50.14	-46.63	29.56	-62.20	-13.00	49.20	237	63	Horizontal
3	3974.2857	41.66	-46.21	30.74	-69.07	-13.00	56.07	142	354	Horizontal
4	5462.2857	40.56	-45.08	32.87	-66.91	-13.00	53.91	156	360	Horizontal
5	7045.1429	38.11	-43.86	36.20	-64.82	-13.00	51.82	288	63	Horizontal
6	8429.7143	35.54	-41.69	37.39	-64.01	-13.00	51.01	194	273	Horizontal

Final	Data List									
NO.	Frequency	Reading	Factor	Λ Γ[dD/m]	Level	Limit	Margin	Height	Angle	Delevity
NO.	[MHz]	[dBµV]	[dB]	AF[dB/m]	[dBm]	[dBm]	[dB]	[cm]	[°]	Polarity
1	1406.2857	45.38	-48.02	25.61	-72.29	-13.00	59.29	189	34	Vertical
2	2385.1429	43.56	-47.46	27.43	-71.72	-13.00	58.72	266	126	Vertical
3	3215.4286	42.78	-46.35	29.66	-69.17	-13.00	56.17	175	12	Vertical
4	4531.4286	43.12	-45.66	31.64	-66.16	-13.00	53.16	186	270	Vertical
5	5432.5714	40.26	-45.03	32.84	-67.19	-13.00	54.19	246	243	Vertical
6	7656	38.99	-43.17	36.50	-62.94	-13.00	49.94	126	323	Vertical



Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at http://www.sgs.com/en/Terms-and-Conditions.aspx and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at http://www.sgs.com/en/Terms-and-Conditions/Terms-e-Document.aspx. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document one one excent parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company, Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 30 days only.

Attention: To check the authenticity of testing /inspection report & certificate, please contact us at telephone: (86-755) 8307 1443, or email: CN.Doccheck@ags.com

South of No. 6 Plant, No. 1, Runsheng Road, Suzhou Industrial Park, Suzhou Area, China (Jiangsu) Pilot Free Trade Zone 215000 中国・苏州・中国(江苏)自由贸易试验区苏州片区苏州工业园区润胜路1号的6号厂房南部 邮编: 215000 t (86-512) 62992980 www.sgsgroup.com.cn



Report No.: SEWM2311000473RG02

Rev.: 01

Page: 83 of 93

Test Band = NR CA 2A_n5A_ TM1 Test Channel = Low

Final	Data List									
NO.	Frequency	Reading	Factor	Λ Γ[dD/m]	Level	Limit	Margin	Height	Angle	Dolority
NO.	[MHz]	[dBµV]	[dB]	AF[dB/m]	[dBm]	[dBm]	[dB]	[cm]	[°]	Polarity
1	3741	42.89	-45.67	30.12	-67.92	-13.00	54.92	125	59	Horizontal
2	4531.5	45.26	-45.70	31.64	-64.06	-13.00	51.06	136	285	Horizontal
3	4843.5	45.56	-45.54	32.44	-62.79	-13.00	49.79	155	315	Horizontal
4	5156.25	42.92	-45.32	32.97	-64.69	-13.00	51.69	184	330	Horizontal
5	6628.5	40.89	-44.20	35.50	-63.07	-13.00	50.07	186	180	Horizontal
6	8793	37.92	-41.28	38.07	-60.55	-13.00	47.55	199	0	Horizontal

Final	Data List									
NO.	Frequency	Reading	Factor	Λ Γ[dD/m]	Level	Limit	Margin	Height	Angle	Delerity
NO.	[MHz]	[dBµV]	[dB]	AF[dB/m]	[dBm]	[dBm]	[dB]	[cm]	[°]	Polarity
1	3741	46.84	-45.67	30.12	-63.97	-13.00	50.97	145	346	Vertical
2	4531.5	44.84	-45.70	31.64	-64.48	-13.00	51.48	163	165	Vertical
3	4843.5	44.91	-45.54	32.44	-63.44	-13.00	50.44	258	225	Vertical
4	5156.25	45.60	-45.32	32.97	-62.01	-13.00	49.01	196	180	Vertical
5	5691	41.29	-44.87	33.35	-65.49	-13.00	52.49	184	242	Vertical
6	8802	37.48	-41.25	38.08	-60.95	-13.00	47.95	175	8	Vertical



Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at http://www.sgs.com/en/Terms-and-Conditions.aspx and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at http://www.sgs.com/en/Terms-and-Conditions/Terms-e-Document.aspx. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document one one excent parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company, Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 30 days only.

Attention: To check the authenticity of testing /inspection report & certificate, please contact us at telephone: (86-755) 8307 1443, or email: CN.Doccheck@ags.com

South of No. 6 Plant, No. 1, Runsheng Road, Suzhou Industrial Park, Suzhou Area, China (Jiangsu) Pilot Free Trade Zone 215000 中国・苏州・中国(江苏)自由贸易试验区苏州片区苏州工业园区润胜路1号的6号厂房南部 邮编: 215000 t (86-512) 62992980 www.sgsgroup.com.cn



Report No.: SEWM2311000473RG02

Rev.: 01

Page: 84 of 93

Test Band = NR CA 2A_n5A_ TM1 Test Channel = Mid

Final	Data List									
NO.	Frequency	Reading	Factor	Λ Γ[dD/m]	Level	Limit	Margin	Height	Angle	Delority
NO.	[MHz]	[dBµV]	[dB]	AF[dB/m]	[dBm]	[dBm]	[dB]	[cm]	[°]	Polarity
1	4272.75	42.46	-45.60	31.25	-67.15	-13.00	54.15	145	12	Horizontal
2	5611.5	42.32	-45.04	33.06	-64.92	-13.00	51.92	136	99	Horizontal
3	6809.25	41.71	-44.16	35.85	-61.86	-13.00	48.86	259	357	Horizontal
4	8694	38.86	-41.67	37.91	-60.16	-13.00	47.16	184	0	Horizontal
5	9606	35.90	-39.66	38.43	-60.58	-13.00	47.58	175	357	Horizontal
6	12704.25	31.61	-36.69	39.46	-60.87	-13.00	47.87	146	207	Horizontal

Final	l Data List									
NO.	Frequency	Reading	Factor	Λ Γ[dD/m]	Level	Limit	Margin	Height	Angle	Delerity
NO.	[MHz]	[dBµV]	[dB]	AF[dB/m]	[dBm]	[dBm]	[dB]	[cm]	[°]	Polarity
1	3741	47.57	-45.67	30.12	-63.24	-13.00	50.24	147	344	Vertical
2	4531.5	45.08	-45.70	31.64	-64.24	-13.00	51.24	152	89	Vertical
3	5453.25	41.98	-45.27	32.86	-65.69	-13.00	52.69	136	134	Vertical
4	5853.75	40.88	-44.87	33.85	-65.40	-13.00	52.40	256	315	Vertical
5	7187.25	39.98	-43.52	36.57	-62.23	-13.00	49.23	219	0	Vertical
6	8394.75	38.83	-41.48	37.32	-60.59	-13.00	47.59	184	356	Vertical



Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at http://www.sgs.com/en/Terms-and-Conditions.aspx and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at http://www.sgs.com/en/Terms-and-Conditions/Terms-e-Document.aspx. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document one one excent parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company, Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 30 days only.

Attention: To check the authenticity of testing /inspection report & certificate, please contact us at telephone: (86-755) 8307 1443, or email: CN.Doccheck@ags.com

South of No. 6 Plant, No. 1, Runsheng Road, Suzhou Industrial Park, Suzhou Area, China (Jiangsu) Pilot Free Trade Zone 215000 中国・苏州・中国(江苏)自由贸易试验区苏州片区苏州工业园区润胜路1号的6号厂房南部 邮编: 215000



Report No.: SEWM2311000473RG02

Rev.: 01

Page: 85 of 93

Test Band = NR CA 2A_n5A_ TM1 Test Channel = High

Final	Data List									
NO.	Frequency	Reading	Factor	Λ Γ[dD/m]	Level	Limit	Margin	Height	Angle	Delevity
NO.	[MHz]	[dBµV]	[dB]	AF[dB/m]	[dBm]	[dBm]	[dB]	[cm]	[°]	Polarity
1	3567	42.83	-46.17	29.58	-69.02	-13.00	56.02	255	165	Horizontal
2	4099.5	42.11	-45.76	30.95	-67.96	-13.00	54.96	145	61	Horizontal
3	4915.5	42.76	-45.55	32.64	-65.40	-13.00	52.40	159	30	Horizontal
4	6562.5	40.61	-44.45	35.29	-63.81	-13.00	50.81	169	121	Horizontal
5	8079.75	37.99	-41.56	37.04	-61.79	-13.00	48.79	181	44	Horizontal
6	10288.5	34.51	-39.14	38.83	-61.06	-13.00	48.06	117	7	Horizontal

Final	Data List									
NO.	Frequency	Reading	Factor	Λ Γ[dD/m]	Level	Limit	Margin	Height	Angle	Delerity
NO.	[MHz]	[dBµV]	[dB]	AF[dB/m]	[dBm]	[dBm]	[dB]	[cm]	[°]	Polarity
1	3741	47.66	-45.67	30.12	-63.15	-13.00	50.15	233	0	Vertical
2	4531.5	45.15	-45.70	31.64	-64.17	-13.00	51.17	165	76	Vertical
3	4843.5	45.81	-45.54	32.44	-62.54	-13.00	49.54	145	211	Vertical
4	5156.25	46.07	-45.32	32.97	-61.54	-13.00	48.54	185	182	Vertical
5	5611.5	49.21	-45.04	33.06	-58.03	-13.00	45.03	140	227	Vertical
6	8932.5	38.24	-41.16	38.16	-60.02	-13.00	47.02	160	47	Vertical



Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at http://www.sgs.com/en/Terms-and-Conditions.aspx and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at http://www.sgs.com/en/Terms-and-Conditions/Terms-e-Document.aspx. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document one one excent parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company, Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 30 days only.

Attention: To check the authenticity of testing /inspection report & certificate, please contact us at telephone: (86-755) 8307 1443, or email: CN.Doccheck@ags.com

South of No. 6 Plant, No. 1, Runsheng Road, Suzhou Industrial Park, Suzhou Area, China (Jiangsu) Pilot Free Trade Zone 215000 中国・苏州・中国(江苏)自由贸易试验区苏州片区苏州工业园区润胜路1号的6号厂房南部 邮编: 215000 t (86-512) 62992980 www.sgsgroup.com.cn



Report No.: SEWM2311000473RG02

Rev.: 01

Page: 86 of 93

Test Band = NR CA 5A_n5A_ TM1 Test Channel = Low

Final	Data List									
NO.	Frequency	Reading	Factor	Λ Γ[dD/m]	Level	Limit	Margin	Height	Angle	Dolority
NO.	[MHz]	[dBµV]	[dB]	AF[dB/m]	[dBm]	[dBm]	[dB]	[cm]	[°]	Polarity
1	1650.1800	43.82	-48.22	25.37	-74.29	-13.00	61.29	146	262	Horizontal
2	2475.2700	42.53	-47.31	27.69	-72.36	-13.00	59.36	238	262	Horizontal
3	3300.3600	42.17	-46.68	29.55	-70.21	-13.00	57.21	189	104	Horizontal
4	4125.4500	40.63	-45.92	30.99	-69.56	-13.00	56.56	275	349	Horizontal
5	4950.5400	41.09	-45.70	32.74	-67.12	-13.00	54.12	160	275	Horizontal
6	5775.6300	39.10	-44.64	33.66	-67.14	-13.00	54.14	105	12	Horizontal

Fina	Final Data List												
NO	Frequency	Reading	Factor	A E[dD/m]	Level	Limit	Margin	Height	Angle	Dolority			
NO.	[MHz]	[dBµV]	[dB]	AF[dB/m]	[dBm]	[dBm]	[dB]	[cm]	[°]	Polarity			
1	1650.1800	43.31	-48.22	25.37	-74.80	-13.00	61.80	211	151	Vertical			
2	2475.2700	42.68	-47.31	27.69	-72.21	-13.00	59.21	188	125	Vertical			
3	3300.3600	42.56	-46.68	29.55	-69.82	-13.00	56.82	175	31	Vertical			
4	4125.4500	40.81	-45.92	30.99	-69.38	-13.00	56.38	162	23	Vertical			
5	4950.5400	40.90	-45.70	32.74	-67.31	-13.00	54.31	135	122	Vertical			
6	5775.6300	39.13	-44.64	33.66	-67.11	-13.00	54.11	208	11	Vertical			



Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at http://www.sgs.com/en/Terms-and-Conditions.aspx and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at http://www.sgs.com/en/Terms-and-Conditions/Terms-e-Document.aspx. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document one one excent parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company, Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 30 days only.

Attention: To check the authenticity of testing /inspection report & certificate, please contact us at telephone: (86-755) 8307 1443, or email: CN.Doccheck@ags.com

South of No. 6 Pfart, No. 1, Runsheng Read, Suchou Industrial Park, Suchou Area, China (Jiangsu) Pilot Fee Trade Zone 中国 - 苏州 - 中国(江苏)自由贸易试验区苏州片区苏州工业园区润胜路1号的6号厂房南部 邮编: 215000



Report No.: SEWM2311000473RG02

Rev.: 01

Page: 87 of 93

Test Band = NR CA 5A_n5A_ TM1 Test Channel = Mid

Final	Data List									
NO.	Frequency	Reading	Factor	Λ Γ[dD/m]	Level	Limit	Margin	Height	Angle	Delerity
NO.	[MHz]	[dBµV]	[dB]	AF[dB/m]	[dBm]	[dBm]	[dB]	[cm]	[°]	Polarity
1	1655.1800	43.58	-48.21	25.37	-74.52	-13.00	61.52	289	146	Horizontal
2	2482.7700	42.57	-47.30	27.71	-72.28	-13.00	59.28	186	13	Horizontal
3	3310.3600	42.49	-46.66	29.54	-69.89	-13.00	56.89	186	26	Horizontal
4	4137.9500	40.92	-45.92	31.01	-69.26	-13.00	56.26	174	172	Horizontal
5	4965.5400	40.38	-45.73	32.78	-67.83	-13.00	54.83	216	238	Horizontal
6	5793.1300	39.52	-44.65	33.72	-66.67	-13.00	53.67	295	198	Horizontal

Final Data List												
NO.	Frequency	Reading	Factor	Λ Γ[dD/m]	Level	Limit	Margin	Height	Angle	Delevity		
NO.	[MHz]	[dBµV]	[dB]	AF[dB/m]	[dBm]	[dBm]	[dB]	[cm]	[°]	Polarity		
1	1655.1800	43.47	-48.21	25.37	-74.63	-13.00	61.63	189	98	Vertical		
2	2482.7700	42.73	-47.30	27.71	-72.12	-13.00	59.12	275	0	Vertical		
3	3310.3600	43.08	-46.66	29.54	-69.30	-13.00	56.30	186	72	Vertical		
4	4137.9500	40.73	-45.92	31.01	-69.45	-13.00	56.45	224	163	Vertical		
5	4965.5400	40.70	-45.73	32.78	-67.51	-13.00	54.51	186	1	Vertical		
6	5793.1300	40.40	-44.65	33.72	-65.79	-13.00	52.79	239	177	Vertical		



Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at http://www.sgs.com/en/Terms-and-Conditions.aspx and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at http://www.sgs.com/en/Terms-and-Conditions/Terms-e-Document.aspx. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document one one excent parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company, Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 30 days only.

Attention: To check the authenticity of testing /inspection report & certificate, please contact us at telephone: (86-755) 8307 1443, or email: CN.Doccheck@ags.com

South of No. 6 Plant, No. 1, Runsheng Read, Suchou Industrial Park, Suchou Area, China (Biangsu) Pilot Fee Trade Zone 中国 - 苏州 - 中国(江苏)自由贸易试验区苏州片区苏州工业园区润胜路1号的6号厂房南部 邮编: 215000



Report No.: SEWM2311000473RG02

Rev.: 01

Page: 88 of 93

Test Band = NR CA 5A_n5A_ TM1 Test Channel = High

Final	Data List									
NO.	Frequency	Reading	Factor	Λ Γ[dD/m]	Level	Limit	Margin	Height	Angle	Delerity
NO.	[MHz]	[dBµV]	[dB]	AF[dB/m]	[dBm]	[dBm]	[dB]	[cm]	[°]	Polarity
1	1660.1800	43.55	-48.21	25.37	-74.54	-13.00	61.54	171	78	Horizontal
2	2490.2700	42.49	-47.29	27.74	-72.32	-13.00	59.32	296	313	Horizontal
3	3320.3600	42.36	-46.65	29.53	-70.02	-13.00	57.02	186	358	Horizontal
4	4150.4500	40.78	-45.93	31.03	-69.38	-13.00	56.38	253	360	Horizontal
5	4980.5400	40.35	-45.77	32.83	-67.85	-13.00	54.85	141	288	Horizontal
6	5810.6300	39.64	-44.69	33.77	-66.54	-13.00	53.54	213	275	Horizontal

Final	Final Data List												
NO	Frequency	Reading	Factor	Λ Γ[dD/m]	Level	Limit	Margin	Height	Angle	Dolority			
NO.	[MHz]	[dBµV]	[dB]	AF[dB/m]	[dBm]	[dBm]	[dB]	[cm]	[°]	Polarity			
1	1660.1800	43.07	-48.21	25.37	-75.02	-13.00	62.02	157	321	Vertical			
2	2490.2700	42.24	-47.29	27.74	-72.57	-13.00	59.57	185	136	Vertical			
3	3320.3600	43.12	-46.65	29.53	-69.26	-13.00	56.26	162	0	Vertical			
4	4150.4500	40.70	-45.93	31.03	-69.46	-13.00	56.46	298	2	Vertical			
5	4980.5400	40.49	-45.77	32.83	-67.71	-13.00	54.71	148	31	Vertical			
6	5810.6300	39.54	-44.69	33.77	-66.64	-13.00	53.64	256	334	Vertical			



Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at http://www.sgs.com/en/Terms-and-Conditions.aspx and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at http://www.sgs.com/en/Terms-and-Conditions/Terms-e-Document.aspx. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document one one excent parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company, Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 30 days only.

Attention: To check the authenticity of testing /inspection report & certificate, please contact us at telephone: (86-755) 8307 1443, or email: CN.Doccheck@ags.com

South of No. 6 Plant, No. 1, Runsheng Road, Suchou Industrial Park, Suchou Area, China (Jiangsu) Pilot Fee Trade Zone 中国 - 苏州 - 中国(江苏)自由贸易试验区苏州片区苏州工业园区润胜路1号的6号厂房南部 邮编: 215000



Report No.: SEWM2311000473RG02

Rev.: 01

Page: 89 of 93

Test Band = NSA 14A-n5A_ TM1 Test Channel = Low Channel

Final	Data List							
NO.	Frequency	Reading	Factor	Λ Γ[dD/m]	Level	Limit	Margin	Delerity
NO.	[MHz]	[dBµV]	[dB]	AF[dB/m]	[dBm]	[dBm]	[dB]	Polarity
1	1362.2222	50.01	-50.06	24.38	-70.93	-13.00	57.93	Horizontal
2	1868.8889	45.34	-49.78	26.18	-73.52	-13.00	60.52	Horizontal
3	2491.1111	45.01	-48.95	27.29	-71.91	-13.00	58.91	Horizontal
4	3318.2222	44.92	-48.64	28.63	-70.35	-13.00	57.35	Horizontal
5	4288	44.61	-48.07	29.92	-68.80	-13.00	55.80	Horizontal
6	6873.7778	43.28	-46.60	35.32	-63.26	-13.00	50.26	Horizontal

Final	Final Data List											
NO	Frequency	Reading	Factor	A [[dD/m]	Level	Limit	Margin	Dalamita				
NO.	[MHz]	[dBµV]	[dB]	AF[dB/m]	[dBm]	[dBm]	[dB]	Polarity				
1	1360	47.50	-50.06	24.38	-73.44	-13.00	60.44	Vertical				
2	1907.1111	45.46	-49.74	26.33	-73.22	-13.00	60.22	Vertical				
3	2432.4444	45.28	-49.29	27.22	-72.05	-13.00	59.05	Vertical				
4	3357.3333	45.23	-48.66	28.64	-70.05	-13.00	57.05	Vertical				
5	4680	44.11	-48.07	30.73	-68.49	-13.00	55.49	Vertical				
6	7668.4444	42.08	-45.09	36.60	-61.67	-13.00	48.67	Vertical				



Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at http://www.sgs.com/en/Terms-and-Conditions.aspx and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at http://www.sgs.com/en/Terms-and-Conditions/Terms-e-Document.aspx. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document one one excent parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company, Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 30 days only.

Attention: To check the authenticity of testing /inspection report & certificate, please contact us at telephone: (86-755) 8307 1443, or email: CN.Doccheck@ags.com

South of No. 6 Pfart, No. 1, Runsheng Read, Suchou Industrial Park, Suchou Area, China (Jiangsu) Pilot Fee Trade Zone 中国 - 苏州 - 中国(江苏)自由贸易试验区苏州片区苏州工业园区润胜路1号的6号厂房南部 邮编: 215000



Report No.: SEWM2311000473RG02

Rev.: 01

Page: 90 of 93

Test Band = NSA 14A-n5A_ TM1 Test Channel = Mid Channel

Final	Data List							
NO.	Frequency	Reading	Factor	Λ Γ[dD/m]	Level	Limit	Margin	Delerity
NO.	[MHz]	[dBµV]	[dB]	AF[dB/m]	[dBm]	[dBm]	[dB]	Polarity
1	1284.8889	49.75	-50.15	24.53	-71.12	-13.00	58.12	Horizontal
2	1853.3333	46.17	-49.79	26.11	-72.77	-13.00	59.77	Horizontal
3	2370.2222	45.64	-49.38	27.14	-71.85	-13.00	58.85	Horizontal
4	3427.1111	45.36	-48.62	28.67	-69.85	-13.00	56.85	Horizontal
5	4656.8889	44.15	-48.06	30.68	-68.50	-13.00	55.50	Horizontal
6	6931.1111	42.06	-46.55	35.45	-64.30	-13.00	51.30	Horizontal

Final	Final Data List											
NO.	Frequency	Reading	Factor	A F[dD/m]	Level	Limit	Margin	Dolority				
NO.	[MHz]	[dBµV]	[dB]	AF[dB/m]	[dBm]	[dBm]	[dB]	Polarity				
1	1363.5556	48.22	-50.05	24.37	-72.72	-13.00	59.72	Vertical				
2	1810.2222	45.50	-49.83	25.94	-73.65	-13.00	60.65	Vertical				
3	2612.8889	45.37	-49.15	27.57	-71.47	-13.00	58.47	Vertical				
4	3560.4444	44.75	-48.46	28.78	-70.19	-13.00	57.19	Vertical				
5	5452.4444	43.64	-47.41	32.59	-66.45	-13.00	53.45	Vertical				
6	7194.6667	42.53	-46.17	36.07	-62.83	-13.00	49.83	Vertical				



Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at http://www.sgs.com/en/Terms-and-Conditions.aspx and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at http://www.sgs.com/en/Terms-and-Conditions/Terms-e-Document.aspx. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document one one excent parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company, Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 30 days only.

Attention: To check the authenticity of testing /inspection report & certificate, please contact us at telephone: (86-755) 8307 1443, or email: CN.Doccheck@ags.com

South of No. 6 Plant, No. 1, Runsheng Road, Suchou Industrial Park, Suchou Area, China (Jiangsu) Pilot Fee Trade Zone 中国 - 苏州 - 中国(江苏)自由贸易试验区苏州片区苏州工业园区润胜路1号的6号厂房南部 邮编: 215000



Report No.: SEWM2311000473RG02

Rev.: 01

Page: 91 of 93

Test Band = NSA 14A-n5A_ TM1 Test Channel = High Channel

Final	Data List							
NO.	Frequency	Reading	Factor	ΛΕ[dP/m]	Level	Limit	Margin	Dolority
NO.	[MHz]	[dBµV]	[dB]	AF[dB/m]	[dBm]	[dBm]	[dB]	Polarity
1	1364	49.92	-50.05	24.37	-71.02	-13.00	58.02	Horizontal
2	2360.4444	45.32	-49.34	27.13	-72.15	-13.00	59.15	Horizontal
3	3564.8889	44.48	-48.46	28.79	-70.45	-13.00	57.45	Horizontal
4	4681.7778	43.80	-48.07	30.74	-68.80	-13.00	55.80	Horizontal
5	5887.1111	43.19	-47.11	32.78	-66.40	-13.00	53.40	Horizontal
6	7235.1111	42.53	-46.15	36.16	-62.71	-13.00	49.71	Horizontal

Final	Final Data List											
NO.	Frequency	Reading	Factor	A F[dD/m]	Level	Limit	Margin	Dolority				
NO.	[MHz]	[dBµV]	[dB]	AF[dB/m]	[dBm]	[dBm]	[dB]	Polarity				
1	1397.7778	46.80	-50.01	24.30	-74.17	-13.00	61.17	Vertical				
2	2236.4444	45.31	-49.36	26.98	-72.33	-13.00	59.33	Vertical				
3	2991.5556	44.56	-48.33	28.48	-70.55	-13.00	57.55	Vertical				
4	3581.3333	44.91	-48.47	28.81	-70.01	-13.00	57.01	Vertical				
5	4922.2222	43.33	-48.12	31.31	-68.74	-13.00	55.74	Vertical				
6	7226.2222	42.73	-46.16	36.14	-62.54	-13.00	49.54	Vertical				

Remark:

1) The field strength is calculated by adding the Antenna Factor, Cable Factor & AMP. The basic equation with a sample calculation is as follows:

AF = Antenna Factor(dB/m)

Factor = Cable Factor(dB) - Preamplifier (dB)

Level = Reading Level + AF + Factor -95.26

Margin = Limit - Level



Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at http://www.sgs.com/en/Terms-and-Conditions.aspx.and, for electronic Documents at <a href="http://www.sgs.com/en/Terms-and-Conditions-and-Conditions-and

South of No. 6 Plant, No. 1, Runsheng Road, Suzhou Industrial Park, Suzhou Area, China (Jiangsu) Pilot Free Trade Zone 215000 中国 • 苏州 • 中国(江苏)自由贸易试验区苏州片区苏州工业园区润胜路1号的0号厂房南部 邮编: 215000

t (86-512) 62992980 www.sgsgroup.com.cn t (86-512) 62992980

sgs.china@sgs.com



Report No.: SEWM2311000473RG02

Rev.: 01

Page: 92 of 93

Frequency Stability for SA

Test Result

Frequency Error VS. Voltage

Voltage											
Band	scs	Bandwidth	Modulation	Channel	RB Config	Voltage	Temperature	Deviation (Hz)	Deviation (ppm)	Limit	Verdict
N5	15	20	DFT-PI2BPSK	М	Outer_Full	VH	NT	-5.000000	-0.005977	±2.5	PASS
N5	15	20	DFT-PI2BPSK	М	Outer_Full	VN	NT	-4.300000	-0.005140	±2.5	PASS
N5	15	20	DFT-PI2BPSK	М	Outer_Full	VL	NT	-5.800000	-0.006934	±2.5	PASS
N5	15	20	CP-QPSK	М	Outer_Full	VH	NT	-8.100000	-0.009683	±2.5	PASS
N5	15	20	CP-QPSK	М	Outer_Full	VN	NT	-7.100000	-0.008488	±2.5	PASS
N5	15	20	CP-QPSK	М	Outer_Full	VL	NT	-5.800000	-0.006934	±2.5	PASS



Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at http://www.sgs.com/en/Terms-and-Conditions.aspx and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at http://www.sgs.com/en/Terms-and-Conditions/Terms-e-Document.aspx. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document one one excent parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company, Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 30 days only.

Attention: To check the authenticity of testing /inspection report & certificate, please contact us at telephone: (86-755) 8307 1443, or email: CN.Doccheck@ags.com

South of No. 6 Plant, No. 1, Runsheng Road, Suzhou Industrial Park, Suzhou Area, China (Jiangsu) Pilot Free Trade Zone 215000 中国・苏州・中国(江苏)自由贸易试验区苏州片区苏州工业园区润胜路1号的6号厂房南部 邮编: 215000 t (86-512) 62992980 www.sgsgroup.com.cn



Report No.: SEWM2311000473RG02

Rev.: 01

Page: 93 of 93

Frequency Error VS. Temperature

Tomporeture											
Temperature											
Band	scs	Bandwidth	Modulation	Channel	RB Config	Voltage	Temperature	Deviation (Hz)	Deviation (ppm)	Limit	Verdict
N5	15	20	DFT-PI2BPSK	М	Outer_Full	NV	-30	-6.100000	-0.007292	±2.5	PASS
N5	15	20	DFT-PI2BPSK	М	Outer_Full	NV	-20	-4.400000	-0.005260	±2.5	PASS
N5	15	20	DFT-PI2BPSK	М	Outer_Full	NV	-10	-3.800000	-0.004543	±2.5	PASS
N5	15	20	DFT-PI2BPSK	М	Outer_Full	NV	0	-5.200000	-0.006216	±2.5	PASS
N5	15	20	DFT-PI2BPSK	М	Outer_Full	NV	10	-3.800000	-0.004543	±2.5	PASS
N5	15	20	DFT-PI2BPSK	М	Outer_Full	NV	20	-5.000000	-0.005977	±2.5	PASS
N5	15	20	DFT-PI2BPSK	М	Outer_Full	NV	30	-4.900000	-0.005858	±2.5	PASS
N5	15	20	DFT-PI2BPSK	М	Outer_Full	NV	40	-5.200000	-0.006216	±2.5	PASS
N5	15	20	DFT-PI2BPSK	М	Outer_Full	NV	50	-4.900000	-0.005858	±2.5	PASS
N5	15	20	CP-QPSK	М	Outer_Full	NV	-30	-7.100000	-0.008488	±2.5	PASS
N5	15	20	CP-QPSK	М	Outer_Full	NV	-20	-6.800000	-0.008129	±2.5	PASS
N5	15	20	CP-QPSK	М	Outer_Full	NV	-10	-6.800000	-0.008129	±2.5	PASS
N5	15	20	CP-QPSK	М	Outer_Full	NV	0	-5.100000	-0.006097	±2.5	PASS
N5	15	20	CP-QPSK	М	Outer_Full	NV	10	-4.600000	-0.005499	±2.5	PASS
N5	15	20	CP-QPSK	М	Outer_Full	NV	20	-5.500000	-0.006575	±2.5	PASS
N5	15	20	CP-QPSK	М	Outer_Full	NV	30	-6.200000	-0.007412	±2.5	PASS
N5	15	20	CP-QPSK	М	Outer_Full	NV	40	-7.000000	-0.008368	±2.5	PASS
N5	15	20	CP-QPSK	М	Outer_Full	NV	50	-8.100000	-0.009683	±2.5	PASS

---End of Attachment---



Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at http://www.sgs.com/en/Terms-and-Conditions.aspx and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at http://www.sgs.com/en/Terms-and-Conditions/Terms-e-Document.aspx. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document one one excent parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company, Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 30 days only.

Attention: To check the authenticity of testing /inspection report & certificate, please contact us at telephone: (86-755) 8307 1443, or email: CN.Doccheck@ags.com

South of No. 6 Plant, No. 1, Runsheng Road, Suzhou Industrial Park, Suzhou Area, China (Jiangsu) Plot Free Trade Zone 215000 中国 - 苏州 - 中国(江苏)自由贸易试验区苏州片区苏州工业园区润胜路(号的6号厂房南部 邮编: 215000