

Report No.: SEWM2311000473RG02

Rev.: 01

72 of 94 Page:

#### Test Band = SA Band25\_20MHz \_ TM1 Test Channel = High

| Final | l Data List |         |        |           |        |        |        |        |       |            |
|-------|-------------|---------|--------|-----------|--------|--------|--------|--------|-------|------------|
| NO.   | Frequency   | Reading | Factor | Λ Γ[dD/m] | Level  | Limit  | Margin | Height | Angle | Delevity   |
| NO.   | [MHz]       | [dBµV]  | [dB]   | AF[dB/m]  | [dBm]  | [dBm]  | [dB]   | [cm]   | [°]   | Polarity   |
| 1     | 3754.1800   | 41.45   | -45.73 | 30.17     | -69.37 | -13.00 | 56.37  | 144    | 225   | Horizontal |
| 2     | 5631.2700   | 39.91   | -45.00 | 33.14     | -67.21 | -13.00 | 54.21  | 251    | 0     | Horizontal |
| 3     | 7508.3600   | 39.79   | -43.12 | 36.44     | -62.16 | -13.00 | 49.16  | 186    | 151   | Horizontal |
| 4     | 9385.4500   | 35.36   | -39.89 | 38.48     | -61.31 | -13.00 | 48.31  | 239    | 165   | Horizontal |
| 5     | 11262.5400  | 32.97   | -37.41 | 39.11     | -60.59 | -13.00 | 47.59  | 255    | 151   | Horizontal |
| 6     | 13139.6300  | 31.13   | -37.08 | 39.89     | -61.32 | -13.00 | 48.32  | 184    | 225   | Horizontal |

| Fina | Final Data List |         |        |           |        |        |        |        |       |           |  |  |  |
|------|-----------------|---------|--------|-----------|--------|--------|--------|--------|-------|-----------|--|--|--|
| NO   | Frequency       | Reading | Factor | Λ Γ[-ID/] | Level  | Limit  | Margin | Height | Angle | Dalamiter |  |  |  |
| NO.  | [MHz]           | [dBµV]  | [dB]   | AF[dB/m]  | [dBm]  | [dBm]  | [dB]   | [cm]   | [°]   | Polarity  |  |  |  |
| 1    | 3726            | 44.46   | -45.61 | 30.06     | -66.35 | -13.00 | 53.35  | 288    | 0     | Vertical  |  |  |  |
| 2    | 5589.75         | 46.24   | -45.09 | 33.01     | -61.10 | -13.00 | 48.10  | 197    | 86    | Vertical  |  |  |  |
| 3    | 7508.3600       | 38.31   | -43.12 | 36.44     | -63.64 | -13.00 | 50.64  | 156    | 2     | Vertical  |  |  |  |
| 4    | 9385.4500       | 34.73   | -39.89 | 38.48     | -61.94 | -13.00 | 48.94  | 210    | 208   | Vertical  |  |  |  |
| 5    | 11262.5400      | 32.55   | -37.41 | 39.11     | -61.01 | -13.00 | 48.01  | 162    | 254   | Vertical  |  |  |  |
| 6    | 13139.6300      | 30.41   | -37.08 | 39.89     | -62.04 | -13.00 | 49.04  | 247    | 132   | Vertical  |  |  |  |



Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <a href="http://www.sgs.com/en/Terms-and-Conditions.aspx">http://www.sgs.com/en/Terms-and-Conditions.aspx</a> and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at <a href="http://www.sgs.com/en/Terms-and-Conditions/Terms-e-Document.aspx">http://www.sgs.com/en/Terms-and-Conditions/Terms-e-Document.aspx</a>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document one one excent parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company, Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 30 days only.

Attention: To check the authenticity of testing /inspection report & certificate, please contact us at telephone: (86-755) 8307 1443, or email: CN.Doccheck@ags.com

South of No. 6 Plant, No. 1, Runsheng Road, Suzhou Industrial Park, Suzhou Area, China (Jiangsu) Pilot Free Trade Zone 215000 中国・苏州・中国(江苏)自由贸易试验区苏州片区苏州工业园区润胜路1号的6号厂房南部 邮编: 215000 t (86-512) 62992980 www.sgsgroup.com.cn



Report No.: SEWM2311000473RG02

Rev.: 01

73 of 94 Page:

#### Test Band = SA Band 25 ULMIMO\_ TM1 Test Channel = Low Channel

| Final | Data List |         |        |           |        |        |        |            |
|-------|-----------|---------|--------|-----------|--------|--------|--------|------------|
| NO.   | Frequency | Reading | Factor | Λ Γ[dD/m] | Level  | Limit  | Margin | Dolority   |
| NO.   | [MHz]     | [dBµV]  | [dB]   | AF[dB/m]  | [dBm]  | [dBm]  | [dB]   | Polarity   |
| 1     | 4432.5    | 44.49   | -48.07 | 30.18     | -68.66 | -13.00 | 55.66  | Horizontal |
| 2     | 6473.25   | 43.57   | -46.97 | 34.41     | -64.25 | -13.00 | 51.25  | Horizontal |
| 3     | 8658.75   | 41.17   | -44.06 | 37.12     | -61.03 | -13.00 | 48.03  | Horizontal |
| 4     | 9324      | 41.12   | -42.92 | 37.89     | -59.17 | -13.00 | 46.17  | Horizontal |
| 5     | 13566.75  | 36.76   | -39.10 | 39.90     | -57.69 | -13.00 | 44.69  | Horizontal |
| 6     | 17976.75  | 34.23   | -36.56 | 45.15     | -52.44 | -13.00 | 39.44  | Horizontal |

| Final | Data List |         |        |          |        |        |        |          |
|-------|-----------|---------|--------|----------|--------|--------|--------|----------|
| NO.   | Frequency | Reading | Factor | VE[qD/m] | Level  | Limit  | Margin | Delerity |
| NO.   | [MHz]     | [dBµV]  | [dB]   | AF[dB/m] | [dBm]  | [dBm]  | [dB]   | Polarity |
| 1     | 3909      | 45.41   | -48.28 | 29.27    | -68.86 | -13.00 | 55.86  | Vertical |
| 2     | 5410.5    | 44.37   | -47.71 | 32.49    | -66.11 | -13.00 | 53.11  | Vertical |
| 3     | 6693.75   | 43.47   | -46.58 | 34.93    | -63.45 | -13.00 | 50.45  | Vertical |
| 4     | 7672.5    | 42.40   | -45.03 | 36.59    | -61.30 | -13.00 | 48.30  | Vertical |
| 5     | 9313.5    | 41.11   | -42.90 | 37.88    | -59.17 | -13.00 | 46.17  | Vertical |
| 6     | 13094.25  | 36.74   | -38.46 | 38.82    | -58.16 | -13.00 | 45.16  | Vertical |



Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <a href="http://www.sgs.com/en/Terms-and-Conditions.aspx">http://www.sgs.com/en/Terms-and-Conditions.aspx</a> and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at <a href="http://www.sgs.com/en/Terms-and-Conditions/Terms-e-Document.aspx">http://www.sgs.com/en/Terms-and-Conditions/Terms-e-Document.aspx</a>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document one one excent parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company, Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 30 days only.

Attention: To check the authenticity of testing /inspection report & certificate, please contact us at telephone: (86-755) 8307 1443, or email: CN.Doccheck@ags.com

South of No. 6 Plant, No. 1, Runsheng Road, Suzhou Industrial Park, Suzhou Area, China (Jiangsu) Pilot Free Trade Zone 215000 中国・苏州・中国(江苏)自由贸易试验区苏州片区苏州工业园区润胜路1号的6号厂房南部 邮编: 215000 t (86-512) 62992980 www.sgsgroup.com.cn



Report No.: SEWM2311000473RG02

Rev.: 01

Page: 74 of 94

## Test Band = SA Band 25 ULMIMO\_ TM1 Test Channel = Mid Channel

| Final | Data List |         |        |           |        |        |        |            |
|-------|-----------|---------|--------|-----------|--------|--------|--------|------------|
| NO.   | Frequency | Reading | Factor | Λ Γ[dD/m] | Level  | Limit  | Margin | Delerity   |
| NO.   | [MHz]     | [dBµV]  | [dB]   | AF[dB/m]  | [dBm]  | [dBm]  | [dB]   | Polarity   |
| 1     | 3791.25   | 44.84   | -48.21 | 29.11     | -69.52 | -13.00 | 56.52  | Horizontal |
| 2     | 5241      | 43.71   | -47.84 | 32.08     | -67.32 | -13.00 | 54.32  | Horizontal |
| 3     | 7560      | 41.54   | -45.21 | 36.73     | -62.20 | -13.00 | 49.20  | Horizontal |
| 4     | 8826      | 41.31   | -44.00 | 37.36     | -60.59 | -13.00 | 47.59  | Horizontal |
| 5     | 10741.5   | 38.34   | -40.89 | 39.17     | -58.64 | -13.00 | 45.64  | Horizontal |
| 6     | 14752.5   | 35.86   | -36.77 | 40.30     | -55.87 | -13.00 | 42.87  | Horizontal |

| Final | Data List |         |        |           |        |        |        |          |
|-------|-----------|---------|--------|-----------|--------|--------|--------|----------|
| NO.   | Frequency | Reading | Factor | A F[dD/m] | Level  | Limit  | Margin | Delerity |
| NO.   | [MHz]     | [dBµV]  | [dB]   | AF[dB/m]  | [dBm]  | [dBm]  | [dB]   | Polarity |
| 1     | 3594      | 45.09   | -48.28 | 28.83     | -69.62 | -13.00 | 56.62  | Vertical |
| 2     | 5043.75   | 43.92   | -47.93 | 31.61     | -67.66 | -13.00 | 54.66  | Vertical |
| 3     | 7766.25   | 42.75   | -45.01 | 36.48     | -61.04 | -13.00 | 48.04  | Vertical |
| 4     | 9302.25   | 41.24   | -42.88 | 37.87     | -59.03 | -13.00 | 46.03  | Vertical |
| 5     | 12031.5   | 37.27   | -39.49 | 39.18     | -58.30 | -13.00 | 45.30  | Vertical |
| 6     | 14774.25  | 35.57   | -36.81 | 40.28     | -56.22 | -13.00 | 43.22  | Vertical |



Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <a href="http://www.sgs.com/en/Terms-and-Conditions.aspx">http://www.sgs.com/en/Terms-and-Conditions.aspx</a> and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at <a href="http://www.sgs.com/en/Terms-and-Conditions/Terms-e-Document.aspx">http://www.sgs.com/en/Terms-and-Conditions/Terms-e-Document.aspx</a>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document one one excent parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company, Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 30 days only.

Attention: To check the authenticity of testing /inspection report & certificate, please contact us at telephone: (86-755) 8307 1443, or email: CN.Doccheck@ags.com

South of No. 6 Plant, No. 1, Runsheng Road, Suzhou Industrial Park, Suzhou Area, China (Kangsu) Plot Free Trade Zone 215000 中国 - 苏州 - 中国(江苏)自由贸易试验区苏州片区苏州工业园区河胜路(号给6号)房南部 鄉編: 215000 t (86–512) 62992980 www.sgsgroup.com.cn t (86–512) 62992980 sgs.china@sgs.com

Member of the SGS Group (SGS SA)



Report No.: SEWM2311000473RG02

Rev.: 01

75 of 94 Page:

#### Test Band = SA Band 25 ULMIMO\_ TM1 **Test Channel = High Channel**

| Final | Data List |         |        |           |        |        |        |            |
|-------|-----------|---------|--------|-----------|--------|--------|--------|------------|
| NO.   | Frequency | Reading | Factor | Λ Γ[dD/m] | Level  | Limit  | Margin | Delerity   |
| NO.   | [MHz]     | [dBµV]  | [dB]   | AF[dB/m]  | [dBm]  | [dBm]  | [dB]   | Polarity   |
| 1     | 7713.75   | 42.36   | -45.17 | 36.54     | -61.53 | -13.00 | 48.53  | Horizontal |
| 2     | 11485.5   | 37.87   | -40.06 | 39.30     | -58.15 | -13.00 | 45.15  | Horizontal |
| 3     | 3320.36   | 43.89   | -48.11 | 28.63     | -70.85 | -13.00 | 57.85  | Horizontal |
| 4     | 4150.45   | 42.50   | -48.21 | 29.67     | -71.30 | -13.00 | 58.30  | Horizontal |
| 5     | 4980.54   | 43.76   | -48.01 | 31.45     | -68.06 | -13.00 | 55.06  | Horizontal |
| 6     | 5810.63   | 42.45   | -47.60 | 32.76     | -67.64 | -13.00 | 54.64  | Horizontal |

| Final | Data List |         |        |           |        |        |        |          |
|-------|-----------|---------|--------|-----------|--------|--------|--------|----------|
| NO.   | Frequency | Reading | Factor | A F[dD/m] | Level  | Limit  | Margin | Delerity |
| NO.   | [MHz]     | [dBµV]  | [dB]   | AF[dB/m]  | [dBm]  | [dBm]  | [dB]   | Polarity |
| 1     | 7781.25   | 42.72   | -44.97 | 36.46     | -61.04 | -13.00 | 48.04  | Vertical |
| 2     | 11200.5   | 38.08   | -40.34 | 39.36     | -58.16 | -13.00 | 45.16  | Vertical |
| 3     | 3320.36   | 44.66   | -48.11 | 28.63     | -70.08 | -13.00 | 57.08  | Vertical |
| 4     | 4150.45   | 44.15   | -48.21 | 29.67     | -69.65 | -13.00 | 56.65  | Vertical |
| 5     | 4980.54   | 43.13   | -48.01 | 31.45     | -68.69 | -13.00 | 55.69  | Vertical |
| 6     | 5810.63   | 42.68   | -47.60 | 32.76     | -67.41 | -13.00 | 54.41  | Vertical |



Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <a href="http://www.sgs.com/en/Terms-and-Conditions.aspx">http://www.sgs.com/en/Terms-and-Conditions.aspx</a> and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at <a href="http://www.sgs.com/en/Terms-and-Conditions/Terms-e-Document.aspx">http://www.sgs.com/en/Terms-and-Conditions/Terms-e-Document.aspx</a>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document one one excent parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company, Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 30 days only.

Attention: To check the authenticity of testing /inspection report & certificate, please contact us at telephone: (86-755) 8307 1443, or email: CN.Doccheck@ags.com

South of No. 6 Plant, No. 1, Runsheng Road, Suzhou Industrial Park, Suzhou Area, China (Jiangsu) Pilot Free Trade Zone 215000 中国・苏州・中国(江苏)自由贸易试验区苏州片区苏州工业园区润胜路1号的6号厂房南部 邮编: 215000 t (86-512) 62992980 www.sgsgroup.com.cn



Report No.: SEWM2311000473RG02

Rev.: 01

Page: 76 of 94

## Test Band = NSA 2A\_n25A\_ TM1 Test Channel = Low

| Final | Data List |         |        |           |        |        |        |        |       |            |
|-------|-----------|---------|--------|-----------|--------|--------|--------|--------|-------|------------|
| NO.   | Frequency | Reading | Factor | Λ Γ[dD/m] | Level  | Limit  | Margin | Height | Angle | Dolority   |
| NO.   | [MHz]     | [dBµV]  | [dB]   | AF[dB/m]  | [dBm]  | [dBm]  | [dB]   | [cm]   | [°]   | Polarity   |
| 1     | 4071.75   | 41.14   | -45.84 | 30.91     | -69.05 | -13.00 | 56.05  | 129    | 152   | Horizontal |
| 2     | 5551.5    | 40.05   | -45.15 | 32.97     | -67.40 | -13.00 | 54.40  | 248    | 318   | Horizontal |
| 3     | 7153.5    | 37.74   | -43.79 | 36.48     | -64.83 | -13.00 | 51.83  | 244    | 20    | Horizontal |
| 4     | 9435.75   | 32.56   | -39.97 | 38.48     | -64.19 | -13.00 | 51.19  | 156    | 138   | Horizontal |
| 5     | 11441.25  | 25.53   | -37.35 | 39.06     | -68.01 | -13.00 | 55.01  | 235    | 228   | Horizontal |
| 6     | 14502     | 23.28   | -34.85 | 40.01     | -66.82 | -13.00 | 53.82  | 124    | 152   | Horizontal |

| Fina | l Data List |         |        |             |        |        |        |        |       |          |
|------|-------------|---------|--------|-------------|--------|--------|--------|--------|-------|----------|
| NO   | Frequency   | Reading | Factor | A E[= D/==1 | Level  | Limit  | Margin | Height | Angle | Dalanitu |
| NO.  | [MHz]       | [dBµV]  | [dB]   | AF[dB/m]    | [dBm]  | [dBm]  | [dB]   | [cm]   | [°]   | Polarity |
| 1    | 4109.25     | 41.01   | -45.76 | 30.96       | -69.05 | -13.00 | 56.05  | 213    | 347   | Vertical |
| 2    | 4843.5      | 45.11   | -45.54 | 32.44       | -63.24 | -13.00 | 50.24  | 209    | 50    | Vertical |
| 3    | 7656        | 39.47   | -43.04 | 36.50       | -62.33 | -13.00 | 49.33  | 164    | 274   | Vertical |
| 4    | 9485.25     | 33.09   | -40.17 | 38.47       | -63.87 | -13.00 | 50.87  | 250    | 199   | Vertical |
| 5    | 11224.5     | 26.74   | -37.40 | 39.11       | -66.81 | -13.00 | 53.81  | 134    | 243   | Vertical |
| 6    | 13767.75    | 25.37   | -36.32 | 39.99       | -66.22 | -13.00 | 53.22  | 175    | 257   | Vertical |



Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <a href="http://www.sgs.com/en/Terms-and-Conditions.aspx">http://www.sgs.com/en/Terms-and-Conditions.aspx</a> and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at <a href="http://www.sgs.com/en/Terms-and-Conditions/Terms-e-Document.aspx">http://www.sgs.com/en/Terms-and-Conditions/Terms-e-Document.aspx</a>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document one one excent parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company, Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 30 days only.

Attention: To check the authenticity of testing /inspection report & certificate, please contact us at telephone: (86-755) 8307 1443, or email: CN.Doccheck@ags.com

South of No. 6 Pfart, No. 1, Runsheng Read, Suchou Industrial Park, Suchou Area, China (Jiangsu) Pilot Fee Trade Zone 中国 - 苏州 - 中国(江苏)自由贸易试验区苏州片区苏州工业园区润胜路1号的6号厂房南部 邮编: 215000 t (86–512) 62992980 www.sgsgroup.com.cn t (86–512) 62992980 sgs.china@sgs.com

Member of the SGS Group (SGS SA)



Report No.: SEWM2311000473RG02

Rev.: 01

Page: 77 of 94

## Test Band = NSA 2A\_n25A\_ TM1 Test Channel = Mid

| Final | Data List |         |        |           |        |        |        |        |       |            |
|-------|-----------|---------|--------|-----------|--------|--------|--------|--------|-------|------------|
| NO.   | Frequency | Reading | Factor | Λ Γ[dD/m] | Level  | Limit  | Margin | Height | Angle | Delerity   |
| NO.   | [MHz]     | [dBµV]  | [dB]   | AF[dB/m]  | [dBm]  | [dBm]  | [dB]   | [cm]   | [°]   | Polarity   |
| 1     | 4737      | 39.94   | -45.58 | 32.13     | -68.77 | -13.00 | 55.77  | 169    | 360   | Horizontal |
| 2     | 6631.5    | 39.69   | -44.18 | 35.50     | -64.25 | -13.00 | 51.25  | 240    | 3     | Horizontal |
| 3     | 8448.75   | 35.45   | -41.53 | 37.43     | -63.91 | -13.00 | 50.91  | 132    | 224   | Horizontal |
| 4     | 10834.5   | 25.48   | -38.33 | 39.19     | -68.92 | -13.00 | 55.92  | 142    | 253   | Horizontal |
| 5     | 12927     | 24.72   | -37.17 | 39.76     | -67.95 | -13.00 | 54.95  | 144    | 268   | Horizontal |
| 6     | 15189.75  | 23.06   | -34.03 | 38.96     | -67.26 | -13.00 | 54.26  | 289    | 118   | Horizontal |

| Final | Data List |         |        |           |        |        |        |        |       |          |
|-------|-----------|---------|--------|-----------|--------|--------|--------|--------|-------|----------|
| NO.   | Frequency | Reading | Factor | Λ Γ[dD/m] | Level  | Limit  | Margin | Height | Angle | Delerity |
| NO.   | [MHz]     | [dBµV]  | [dB]   | AF[dB/m]  | [dBm]  | [dBm]  | [dB]   | [cm]   | [°]   | Polarity |
| 1     | 3585.75   | 42.35   | -46.15 | 29.60     | -69.46 | -13.00 | 56.46  | 126    | 1     | Vertical |
| 2     | 4912.5    | 40.94   | -45.54 | 32.64     | -67.23 | -13.00 | 54.23  | 234    | 78    | Vertical |
| 3     | 6579      | 39.67   | -44.40 | 35.35     | -64.64 | -13.00 | 51.64  | 278    | 331   | Vertical |
| 4     | 8937      | 34.36   | -41.15 | 38.16     | -63.89 | -13.00 | 50.89  | 144    | 1     | Vertical |
| 5     | 12207     | 25.17   | -37.48 | 39.13     | -68.45 | -13.00 | 55.45  | 210    | 301   | Vertical |
| 6     | 15157.5   | 23.24   | -34.36 | 39.01     | -67.37 | -13.00 | 54.37  | 235    | 213   | Vertical |



Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <a href="http://www.sgs.com/en/Terms-and-Conditions.aspx">http://www.sgs.com/en/Terms-and-Conditions.aspx</a> and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at <a href="http://www.sgs.com/en/Terms-and-Conditions/Terms-e-Document.aspx">http://www.sgs.com/en/Terms-and-Conditions/Terms-e-Document.aspx</a>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document one one excent parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company, Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 30 days only.

Attention: To check the authenticity of testing /inspection report & certificate, please contact us at telephone: (86-755) 8307 1443, or email: CN.Doccheck@ags.com

South of No. 6 Plant, No. 1, Runshang Read, Suzhou Industrial Park, Suzhou Area, Chine (Jangsu) Pllot Free Trade Zone 215000 中国 - 苏州 - 中国(江苏)自由贸易试验区苏州广区苏州工业园区湖胜路(号龄6号广房南部 鄉編: 215000



Report No.: SEWM2311000473RG02

Rev.: 01

Page: 78 of 94

## Test Band = NSA 2A\_n25A\_ TM1 Test Channel = High

| Final | Data List |         |        |           |        |        |        |        |       |            |
|-------|-----------|---------|--------|-----------|--------|--------|--------|--------|-------|------------|
| NO.   | Frequency | Reading | Factor | Λ Γ[dD/m] | Level  | Limit  | Margin | Height | Angle | Dolority   |
| NO.   | [MHz]     | [dBµV]  | [dB]   | AF[dB/m]  | [dBm]  | [dBm]  | [dB]   | [cm]   | [°]   | Polarity   |
| 1     | 4323      | 41.23   | -45.60 | 31.35     | -68.28 | -13.00 | 55.28  | 124    | 296   | Horizontal |
| 2     | 6273.75   | 38.98   | -44.60 | 34.35     | -66.52 | -13.00 | 53.52  | 189    | 360   | Horizontal |
| 3     | 8064      | 33.88   | -41.72 | 37.03     | -66.06 | -13.00 | 53.06  | 253    | 296   | Horizontal |
| 4     | 9632.25   | 30.74   | -39.60 | 38.40     | -65.71 | -13.00 | 52.71  | 264    | 4     | Horizontal |
| 5     | 12846     | 24.59   | -36.96 | 39.68     | -67.95 | -13.00 | 54.95  | 172    | 237   | Horizontal |
| 6     | 15157.5   | 23.41   | -34.36 | 39.01     | -67.20 | -13.00 | 54.20  | 201    | 74    | Horizontal |

| Final | Data List |         |        |           |        |        |        |        |       |          |
|-------|-----------|---------|--------|-----------|--------|--------|--------|--------|-------|----------|
| NO.   | Frequency | Reading | Factor | Λ Γ[dD/m] | Level  | Limit  | Margin | Height | Angle | Delerity |
| NO.   | [MHz]     | [dBµV]  | [dB]   | AF[dB/m]  | [dBm]  | [dBm]  | [dB]   | [cm]   | [°]   | Polarity |
| 1     | 3762.75   | 40.82   | -45.76 | 30.20     | -70.01 | -13.00 | 57.01  | 219    | 140   | Vertical |
| 2     | 4843.5    | 45.17   | -45.54 | 32.44     | -63.18 | -13.00 | 50.18  | 256    | 50    | Vertical |
| 3     | 7656      | 38.56   | -43.04 | 36.50     | -63.24 | -13.00 | 50.24  | 234    | 274   | Vertical |
| 4     | 9513.75   | 32.99   | -40.15 | 38.46     | -63.96 | -13.00 | 50.96  | 287    | 347   | Vertical |
| 5     | 11448     | 25.94   | -37.34 | 39.06     | -67.60 | -13.00 | 54.60  | 145    | 154   | Vertical |
| 6     | 14625     | 23.74   | -35.13 | 39.91     | -66.75 | -13.00 | 53.75  | 201    | 34    | Vertical |



Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <a href="http://www.sgs.com/en/Terms-and-Conditions.aspx">http://www.sgs.com/en/Terms-and-Conditions.aspx</a> and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at <a href="http://www.sgs.com/en/Terms-and-Conditions/Terms-e-Document.aspx">http://www.sgs.com/en/Terms-and-Conditions/Terms-e-Document.aspx</a>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document one one excent parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company, Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 30 days only.

Attention: To check the authenticity of testing /inspection report & certificate, please contact us at telephone: (86-755) 8307 1443, or email: CN.Doccheck@ags.com

South of No. 6 Plant, No. 1, Runsheng Road, Suzhou Industrial Park, Suzhou Area, China (Kangsu) Plot Free Trade Zone 215000 中国 - 苏州 - 中国(江苏)自由贸易试验区苏州片区苏州工业园区河胜路(号给6号)房南部 鄉編: 215000



Report No.: SEWM2311000473RG02

Rev.: 01

79 of 94 Page:

#### Test Band = NSA 12A\_n25A\_ TM1 **Test Channel = Low**

| Final | Data List |         |        |           |        |        |        |        |       |            |
|-------|-----------|---------|--------|-----------|--------|--------|--------|--------|-------|------------|
| NO.   | Frequency | Reading | Factor | Λ Γ[dD/m] | Level  | Limit  | Margin | Height | Angle | Dolority   |
| NO.   | [MHz]     | [dBµV]  | [dB]   | AF[dB/m]  | [dBm]  | [dBm]  | [dB]   | [cm]   | [°]   | Polarity   |
| 1     | 3578.25   | 42.21   | -46.16 | 29.59     | -69.62 | -13.00 | 56.62  | 297    | 316   | Horizontal |
| 2     | 4737.75   | 40.50   | -45.58 | 32.13     | -68.21 | -13.00 | 55.21  | 248    | 168   | Horizontal |
| 3     | 7147.5    | 37.94   | -43.83 | 36.46     | -64.69 | -13.00 | 51.69  | 256    | 92    | Horizontal |
| 4     | 8930.25   | 34.03   | -41.17 | 38.16     | -64.24 | -13.00 | 51.24  | 123    | 92    | Horizontal |
| 5     | 11142     | 26.60   | -37.73 | 39.10     | -67.29 | -13.00 | 54.29  | 238    | 4     | Horizontal |
| 6     | 13338     | 24.67   | -36.66 | 40.08     | -67.17 | -13.00 | 54.17  | 301    | 152   | Horizontal |

| Fina | l Data List |         |        |           |        |        |        |        |       |          |
|------|-------------|---------|--------|-----------|--------|--------|--------|--------|-------|----------|
| NO   | Frequency   | Reading | Factor | Λ.ΓI.D./1 | Level  | Limit  | Margin | Height | Angle | Dalanitu |
| NO.  | [MHz]       | [dBµV]  | [dB]   | AF[dB/m]  | [dBm]  | [dBm]  | [dB]   | [cm]   | [°]   | Polarity |
| 1    | 4022.25     | 41.66   | -45.98 | 30.83     | -68.74 | -13.00 | 55.74  | 284    | 242   | Vertical |
| 2    | 5704.5      | 39.59   | -44.85 | 33.40     | -67.11 | -13.00 | 54.11  | 172    | 242   | Vertical |
| 3    | 9003        | 33.43   | -40.98 | 38.20     | -64.61 | -13.00 | 51.61  | 216    | 64    | Vertical |
| 4    | 10353.75    | 28.00   | -39.05 | 38.85     | -67.46 | -13.00 | 54.46  | 210    | 136   | Vertical |
| 5    | 12216       | 25.41   | -37.48 | 39.13     | -68.20 | -13.00 | 55.20  | 192    | 182   | Vertical |
| 6    | 13842       | 25.01   | -36.00 | 40.00     | -66.25 | -13.00 | 53.25  | 143    | 256   | Vertical |



Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <a href="http://www.sgs.com/en/Terms-and-Conditions.aspx">http://www.sgs.com/en/Terms-and-Conditions.aspx</a> and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at <a href="http://www.sgs.com/en/Terms-and-Conditions/Terms-e-Document.aspx">http://www.sgs.com/en/Terms-and-Conditions/Terms-e-Document.aspx</a>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document one one excent parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company, Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 30 days only.

Attention: To check the authenticity of testing /inspection report & certificate, please contact us at telephone: (86-755) 8307 1443, or email: CN.Doccheck@ags.com

South of No. 6 Plant, No. 1, Runsheng Road, Suzhou Industrial Park, Suzhou Area, China (Jiangsu) Pilot Free Trade Zone 215000 中国・苏州・中国(江苏)自由贸易试验区苏州片区苏州工业园区润胜路1号的6号厂房南部 邮编: 215000 t (86-512) 62992980 www.sgsgroup.com.cn



Report No.: SEWM2311000473RG02

Rev.: 01

Page: 80 of 94

## Test Band = NSA 12A\_n25A\_ TM1 Test Channel = Mid

| Final | Data List |         |        |           |        |        |        |        |       |            |
|-------|-----------|---------|--------|-----------|--------|--------|--------|--------|-------|------------|
| NO.   | Frequency | Reading | Factor | Λ Γ[dD/m] | Level  | Limit  | Margin | Height | Angle | Delerity   |
| NO.   | [MHz]     | [dBµV]  | [dB]   | AF[dB/m]  | [dBm]  | [dBm]  | [dB]   | [cm]   | [°]   | Polarity   |
| 1     | 6033      | 39.81   | -44.70 | 34.14     | -66.01 | -13.00 | 53.01  | 216    | 59    | Horizontal |
| 2     | 8580      | 33.77   | -41.39 | 37.71     | -65.17 | -13.00 | 52.17  | 239    | 59    | Horizontal |
| 3     | 10288.5   | 28.23   | -39.14 | 38.83     | -67.34 | -13.00 | 54.34  | 277    | 268   | Horizontal |
| 4     | 12212.25  | 25.17   | -37.48 | 39.13     | -68.44 | -13.00 | 55.44  | 145    | 350   | Horizontal |
| 5     | 13824     | 25.15   | -36.17 | 39.98     | -66.30 | -13.00 | 53.30  | 182    | 360   | Horizontal |
| 6     | 15867.75  | 24.26   | -33.88 | 38.08     | -66.80 | -13.00 | 53.80  | 109    | 311   | Horizontal |

| Final | Data List |         |        |           |        |        |        |        |       |          |
|-------|-----------|---------|--------|-----------|--------|--------|--------|--------|-------|----------|
| NO.   | Frequency | Reading | Factor | Λ Γ[dD/m] | Level  | Limit  | Margin | Height | Angle | Delerity |
| NO.   | [MHz]     | [dBµV]  | [dB]   | AF[dB/m]  | [dBm]  | [dBm]  | [dB]   | [cm]   | [°]   | Polarity |
| 1     | 4843.5    | 44.57   | -45.54 | 32.44     | -63.78 | -13.00 | 50.78  | 139    | 49    | Vertical |
| 2     | 6333      | 38.86   | -44.50 | 34.48     | -66.42 | -13.00 | 53.42  | 284    | 185   | Vertical |
| 3     | 9378      | 31.40   | -39.92 | 38.47     | -65.30 | -13.00 | 52.30  | 156    | 0     | Vertical |
| 4     | 11141.25  | 26.53   | -37.73 | 39.10     | -67.36 | -13.00 | 54.36  | 247    | 4     | Vertical |
| 5     | 13363.5   | 24.22   | -36.52 | 40.11     | -67.45 | -13.00 | 54.45  | 144    | 21    | Vertical |
| 6     | 16416.75  | 26.01   | -34.38 | 37.75     | -65.88 | -13.00 | 52.88  | 286    | 154   | Vertical |



Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <a href="http://www.sgs.com/en/Terms-and-Conditions.aspx">http://www.sgs.com/en/Terms-and-Conditions.aspx</a> and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at <a href="http://www.sgs.com/en/Terms-and-Conditions/Terms-e-Document.aspx">http://www.sgs.com/en/Terms-and-Conditions/Terms-e-Document.aspx</a>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document one one excent parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company, Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 30 days only.

Attention: To check the authenticity of testing /inspection report & certificate, please contact us at telephone: (86-755) 8307 1443, or email: CN.Doccheck@ags.com

South of No. 6 Plant, No. 1, Runsheng Read, Suzhou Industrial Park, Suzhou Area, China (Jiangsu) Pllot Free Trade Zone 215000 中国 - 苏州 - 中国(江苏)自由贸易试验区苏州广区苏州工业园区测胜路(号龄6号广房南部 鄉編: 215000



Report No.: SEWM2311000473RG02

Rev.: 01

Page: 81 of 94

#### Test Band = NSA 12A\_n25A\_ TM1 Test Channel = High

| Final | Data List |         |        |           |        |        |        |        |       |            |
|-------|-----------|---------|--------|-----------|--------|--------|--------|--------|-------|------------|
| NO.   | Frequency | Reading | Factor | Λ Γ[dD/m] | Level  | Limit  | Margin | Height | Angle | Delerity   |
| NO.   | [MHz]     | [dBµV]  | [dB]   | AF[dB/m]  | [dBm]  | [dBm]  | [dB]   | [cm]   | [°]   | Polarity   |
| 1     | 4843.5    | 42.11   | -45.54 | 32.44     | -66.24 | -13.00 | 53.24  | 186    | 352   | Horizontal |
| 2     | 6439.5    | 39.39   | -44.49 | 34.78     | -65.58 | -13.00 | 52.58  | 294    | 313   | Horizontal |
| 3     | 8572.5    | 34.06   | -41.41 | 37.69     | -64.92 | -13.00 | 51.92  | 273    | 360   | Horizontal |
| 4     | 10716.75  | 26.65   | -38.00 | 39.15     | -67.46 | -13.00 | 54.46  | 166    | 4     | Horizontal |
| 5     | 13389     | 24.16   | -36.37 | 40.14     | -67.34 | -13.00 | 54.34  | 241    | 165   | Horizontal |
| 6     | 16464     | 26.33   | -34.07 | 37.85     | -65.15 | -13.00 | 52.15  | 215    | 285   | Horizontal |

| Final | Data List |         |        |           |        |        |        |        |       |          |
|-------|-----------|---------|--------|-----------|--------|--------|--------|--------|-------|----------|
| NO    | Frequency | Reading | Factor | Λ Γ[dD/m] | Level  | Limit  | Margin | Height | Angle | Delerity |
| NO.   | [MHz]     | [dBµV]  | [dB]   | AF[dB/m]  | [dBm]  | [dBm]  | [dB]   | [cm]   | [°]   | Polarity |
| 1     | 4407      | 41.35   | -45.81 | 31.52     | -68.21 | -13.00 | 55.21  | 126    | 77    | Vertical |
| 2     | 4843.5    | 44.42   | -45.54 | 32.44     | -63.93 | -13.00 | 50.93  | 263    | 48    | Vertical |
| 3     | 6676.5    | 38.88   | -43.94 | 35.59     | -64.72 | -13.00 | 51.72  | 284    | 91    | Vertical |
| 4     | 8383.5    | 34.52   | -41.54 | 37.31     | -64.97 | -13.00 | 51.97  | 271    | 108   | Vertical |
| 5     | 9673.5    | 29.51   | -39.50 | 38.36     | -66.89 | -13.00 | 53.89  | 244    | 196   | Vertical |
| 6     | 13929     | 23.54   | -35.53 | 40.08     | -67.17 | -13.00 | 54.17  | 150    | 136   | Vertical |



Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <a href="http://www.sgs.com/en/Terms-and-Conditions.aspx">http://www.sgs.com/en/Terms-and-Conditions.aspx</a> and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at <a href="http://www.sgs.com/en/Terms-and-Conditions/Terms-e-Document.aspx">http://www.sgs.com/en/Terms-and-Conditions/Terms-e-Document.aspx</a>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document one one excent parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company, Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 30 days only.

Attention: To check the authenticity of testing /inspection report & certificate, please contact us at telephone: (86-755) 8307 1443, or email: CN.Doccheck@ags.com

South of No. 6 Plant, No. 1, Runsheng Road, Suzhou Industrial Park, Suzhou Area, China (Jiangsu) Pilot Free Trade Zone 215000 中国・苏州・中国(江苏)自由贸易试验区苏州片区苏州工业园区润胜路1号的6号厂房南部 邮编: 215000 t (86-512) 62992980 www.sgsgroup.com.cn



Report No.: SEWM2311000473RG02

Rev.: 01

Page: 82 of 94

## Test Band = NSA 7A\_n25A\_ TM1 Test Channel = Low

| Final | Data List |         |        |           |        |        |        |        |       |            |
|-------|-----------|---------|--------|-----------|--------|--------|--------|--------|-------|------------|
| NO.   | Frequency | Reading | Factor | Λ Γ[dD/m] | Level  | Limit  | Margin | Height | Angle | Dolority   |
| NO.   | [MHz]     | [dBµV]  | [dB]   | AF[dB/m]  | [dBm]  | [dBm]  | [dB]   | [cm]   | [°]   | Polarity   |
| 1     | 4843.5    | 42.28   | -45.54 | 32.44     | -66.07 | -13.00 | 53.07  | 293    | 272   | Horizontal |
| 2     | 7017.75   | 38.94   | -43.67 | 36.13     | -63.86 | -13.00 | 50.86  | 175    | 347   | Horizontal |
| 3     | 8946      | 33.91   | -41.13 | 38.17     | -64.31 | -13.00 | 51.31  | 165    | 331   | Horizontal |
| 4     | 10711.5   | 26.65   | -37.96 | 39.15     | -67.42 | -13.00 | 54.42  | 248    | 122   | Horizontal |
| 5     | 12914.25  | 25.63   | -37.14 | 39.74     | -67.03 | -13.00 | 54.03  | 162    | 4     | Horizontal |
| 6     | 16815.75  | 26.14   | -34.33 | 38.40     | -65.05 | -13.00 | 52.05  | 162    | 258   | Horizontal |

| Final | Data List |         |        |           |        |        |        |        |       |          |
|-------|-----------|---------|--------|-----------|--------|--------|--------|--------|-------|----------|
| NO.   | Frequency | Reading | Factor | Λ Γ[dD/m] | Level  | Limit  | Margin | Height | Angle | Delerity |
| NO.   | [MHz]     | [dBµV]  | [dB]   | AF[dB/m]  | [dBm]  | [dBm]  | [dB]   | [cm]   | [°]   | Polarity |
| 1     | 4432.5    | 40.74   | -45.78 | 31.54     | -68.76 | -13.00 | 55.76  | 196    | 1     | Vertical |
| 2     | 4923.75   | 41.72   | -45.56 | 32.67     | -66.43 | -13.00 | 53.43  | 237    | 316   | Vertical |
| 3     | 7200      | 37.32   | -43.42 | 36.60     | -64.76 | -13.00 | 51.76  | 184    | 169   | Vertical |
| 4     | 8931.75   | 34.56   | -41.16 | 38.16     | -63.70 | -13.00 | 50.70  | 155    | 316   | Vertical |
| 5     | 12795     | 25.55   | -36.82 | 39.62     | -66.91 | -13.00 | 53.91  | 264    | 123   | Vertical |
| 6     | 15156.75  | 24.19   | -34.37 | 39.01     | -66.43 | -13.00 | 53.43  | 174    | 332   | Vertical |



Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <a href="http://www.sgs.com/en/Terms-and-Conditions.aspx">http://www.sgs.com/en/Terms-and-Conditions.aspx</a> and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at <a href="http://www.sgs.com/en/Terms-and-Conditions/Terms-e-Document.aspx">http://www.sgs.com/en/Terms-and-Conditions/Terms-e-Document.aspx</a>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document one one excent parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company, Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 30 days only.

Attention: To check the authenticity of testing /inspection report & certificate, please contact us at telephone: (86-755) 8307 1443, or email: CN.Doccheck@ags.com

South of No. 6 Plant, No. 1, Runsheng Road, Suzhou Industrial Park, Suzhou Area, China (Kangsu) Plot Free Trade Zone 215000 中国 - 苏州 - 中国(江苏)自由贸易试验区苏州片区苏州工业园区河胜路(号给6号)房南部 鄉編: 215000



Report No.: SEWM2311000473RG02

Rev.: 01

Page: 83 of 94

## Test Band = NSA 7A\_n25A\_ TM1 Test Channel = Mid

| Final | Data List |         |        |            |        |        |        |        |       |            |
|-------|-----------|---------|--------|------------|--------|--------|--------|--------|-------|------------|
| NO.   | Frequency | Reading | Factor | AF[dB/m]   | Level  | Limit  | Margin | Height | Angle | Polarity   |
| NO.   | [MHz]     | [dBµV]  | [dB]   | AF[ub/III] | [dBm]  | [dBm]  | [dB]   | [cm]   | [°]   | Polatity   |
| 1     | 3734.25   | 40.59   | -45.64 | 30.09      | -70.22 | -13.00 | 57.22  | 159    | 207   | Horizontal |
| 2     | 4749      | 40.34   | -45.57 | 32.16      | -68.33 | -13.00 | 55.33  | 263    | 28    | Horizontal |
| 3     | 6183      | 39.64   | -44.71 | 34.19      | -66.13 | -13.00 | 53.13  | 274    | 350   | Horizontal |
| 4     | 9094.5    | 31.95   | -40.39 | 38.27      | -65.43 | -13.00 | 52.43  | 185    | 350   | Horizontal |
| 5     | 11346.75  | 26.76   | -37.40 | 39.11      | -66.79 | -13.00 | 53.79  | 151    | 73    | Horizontal |
| 6     | 13701     | 24.79   | -36.16 | 40.05      | -66.58 | -13.00 | 53.58  | 242    | 340   | Horizontal |

| Final | Data List |         |        |           |        |        |        |        |       |          |
|-------|-----------|---------|--------|-----------|--------|--------|--------|--------|-------|----------|
| NO.   | Frequency | Reading | Factor | Λ Γ[dD/m] | Level  | Limit  | Margin | Height | Angle | Delerity |
| NO.   | [MHz]     | [dBµV]  | [dB]   | AF[dB/m]  | [dBm]  | [dBm]  | [dB]   | [cm]   | [°]   | Polarity |
| 1     | 4078.5    | 40.92   | -45.82 | 30.92     | -69.24 | -13.00 | 56.24  | 187    | 303   | Vertical |
| 2     | 5553.75   | 39.96   | -45.15 | 32.97     | -67.48 | -13.00 | 54.48  | 149    | 347   | Vertical |
| 3     | 8856.75   | 33.13   | -41.24 | 38.11     | -65.26 | -13.00 | 52.26  | 256    | 79    | Vertical |
| 4     | 10367.25  | 27.93   | -39.04 | 38.85     | -67.51 | -13.00 | 54.51  | 243    | 317   | Vertical |
| 5     | 12186.75  | 25.60   | -37.47 | 39.12     | -68.01 | -13.00 | 55.01  | 185    | 139   | Vertical |
| 6     | 16323.75  | 25.71   | -34.60 | 37.68     | -66.46 | -13.00 | 53.46  | 162    | 0     | Vertical |



Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <a href="http://www.sgs.com/en/Terms-and-Conditions.aspx">http://www.sgs.com/en/Terms-and-Conditions.aspx</a> and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at <a href="http://www.sgs.com/en/Terms-and-Conditions/Terms-e-Document.aspx">http://www.sgs.com/en/Terms-and-Conditions/Terms-e-Document.aspx</a>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document one one excent parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company, Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 30 days only.

Attention: To check the authenticity of testing /inspection report & certificate, please contact us at telephone: (86-755) 8307 1443, or email: CN.Doccheck@ags.com

South of No. 6 Pfart, No. 1, Runsheng Read, Suchou Industrial Park, Suchou Area, China (Jiangsu) Pilot Fee Trade Zone 中国 - 苏州 - 中国(江苏)自由贸易试验区苏州片区苏州工业园区润胜路1号的6号厂房南部 邮编: 215000



Report No.: SEWM2311000473RG02

Rev.: 01

Page: 84 of 94

# Test Band = NSA 7A\_n25A\_ TM1 Test Channel = High

| Final | Data List |         |        |           |        |        |        |        |       |            |
|-------|-----------|---------|--------|-----------|--------|--------|--------|--------|-------|------------|
| NO    | Frequency | Reading | Factor | Λ Γ[dD/m] | Level  | Limit  | Margin | Height | Angle | Dolority   |
| NO.   | [MHz]     | [dBµV]  | [dB]   | AF[dB/m]  | [dBm]  | [dBm]  | [dB]   | [cm]   | [°]   | Polarity   |
| 1     | 3869.25   | 41.38   | -46.17 | 30.49     | -69.56 | -13.00 | 56.56  | 249    | 296   | Horizontal |
| 2     | 4843.5    | 42.21   | -45.54 | 32.44     | -66.14 | -13.00 | 53.14  | 256    | 44    | Horizontal |
| 3     | 6747.75   | 38.97   | -43.98 | 35.74     | -64.54 | -13.00 | 51.54  | 243    | 74    | Horizontal |
| 4     | 9486.75   | 32.74   | -40.18 | 38.47     | -64.23 | -13.00 | 51.23  | 152    | 147   | Horizontal |
| 5     | 12015     | 24.67   | -37.59 | 38.98     | -69.19 | -13.00 | 56.19  | 175    | 88    | Horizontal |
| 6     | 12782.25  | 25.66   | -36.80 | 39.60     | -66.80 | -13.00 | 53.80  | 250    | 74    | Horizontal |

| Final | Data List |         |        |           |        |        |        |        |       |          |
|-------|-----------|---------|--------|-----------|--------|--------|--------|--------|-------|----------|
| NO    | Frequency | Reading | Factor | Λ Γ[dD/m] | Level  | Limit  | Margin | Height | Angle | Delerity |
| NO.   | [MHz]     | [dBµV]  | [dB]   | AF[dB/m]  | [dBm]  | [dBm]  | [dB]   | [cm]   | [°]   | Polarity |
| 1     | 4005      | 41.26   | -46.03 | 30.81     | -69.22 | -13.00 | 56.22  | 194    | 0     | Vertical |
| 2     | 4926      | 41.43   | -45.56 | 32.67     | -66.72 | -13.00 | 53.72  | 286    | 0     | Vertical |
| 3     | 6997.5    | 38.85   | -43.56 | 36.08     | -63.90 | -13.00 | 50.90  | 235    | 3     | Vertical |
| 4     | 12324     | 24.76   | -37.45 | 39.09     | -68.85 | -13.00 | 55.85  | 302    | 0     | Vertical |
| 5     | 15158.25  | 23.43   | -34.35 | 39.01     | -67.17 | -13.00 | 54.17  | 167    | 244   | Vertical |
| 6     | 16456.5   | 26.69   | -34.12 | 37.84     | -64.86 | -13.00 | 51.86  | 180    | 138   | Vertical |



Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <a href="http://www.sgs.com/en/Terms-and-Conditions.aspx">http://www.sgs.com/en/Terms-and-Conditions.aspx</a> and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at <a href="http://www.sgs.com/en/Terms-and-Conditions/Terms-e-Document.aspx">http://www.sgs.com/en/Terms-and-Conditions/Terms-e-Document.aspx</a>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document one one excent parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company, Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 30 days only.

Attention: To check the authenticity of testing /inspection report & certificate, please contact us at telephone: (86-755) 8307 1443, or email: CN.Doccheck@ags.com

South of No. 6 Pfart, No. 1, Runsheng Read, Suchou Industrial Park, Suchou Area, China (Jiangsu) Pilot Fee Trade Zone 中国 - 苏州 - 中国(江苏)自由贸易试验区苏州片区苏州工业园区润胜路1号的6号厂房南部 邮编: 215000



Report No.: SEWM2311000473RG02

Rev.: 01

Page: 85 of 94

## Test Band = NR CA 7A\_n25A\_ TM1 Test Channel = Low

| Final | Data List |         |        |           |        |        |        |        |       |            |
|-------|-----------|---------|--------|-----------|--------|--------|--------|--------|-------|------------|
| NO.   | Frequency | Reading | Factor | Λ Γ[dD/m] | Level  | Limit  | Margin | Height | Angle | Delerity   |
| NO.   | [MHz]     | [dBµV]  | [dB]   | AF[dB/m]  | [dBm]  | [dBm]  | [dB]   | [cm]   | [°]   | Polarity   |
| 1     | 3954.75   | 43.07   | -46.15 | 30.69     | -67.64 | -25.00 | 42.64  | 155    | 168   | Horizontal |
| 2     | 5001      | 49.48   | -45.64 | 32.88     | -58.54 | -25.00 | 33.54  | 146    | 242   | Horizontal |
| 3     | 7501.5    | 51.33   | -43.14 | 36.44     | -50.63 | -25.00 | 25.63  | 195    | 242   | Horizontal |
| 4     | 8587.5    | 36.29   | -41.37 | 37.72     | -62.61 | -25.00 | 37.61  | 185    | 92    | Horizontal |
| 5     | 11349.75  | 28.76   | -37.40 | 39.11     | -64.79 | -25.00 | 39.79  | 142    | 347   | Horizontal |
| 6     | 13844.25  | 26.59   | -35.98 | 40.00     | -64.65 | -25.00 | 39.65  | 173    | 0     | Horizontal |

| Final | Data List |         |        |           |        |        |        |        |       |          |
|-------|-----------|---------|--------|-----------|--------|--------|--------|--------|-------|----------|
| NO.   | Frequency | Reading | Factor | Λ Γ[dD/m] | Level  | Limit  | Margin | Height | Angle | Delerity |
| NO.   | [MHz]     | [dBµV]  | [dB]   | AF[dB/m]  | [dBm]  | [dBm]  | [dB]   | [cm]   | [°]   | Polarity |
| 1     | 3922.5    | 42.83   | -46.23 | 30.62     | -68.04 | -25.00 | 43.04  | 126    | 0     | Vertical |
| 2     | 4843.5    | 48.69   | -45.54 | 32.44     | -59.66 | -25.00 | 34.66  | 155    | 46    | Vertical |
| 3     | 6011.25   | 41.56   | -44.79 | 34.13     | -64.35 | -25.00 | 39.35  | 142    | 356   | Vertical |
| 4     | 7501.5    | 53.31   | -43.14 | 36.44     | -48.65 | -25.00 | 23.65  | 136    | 182   | Vertical |
| 5     | 9462.75   | 34.40   | -40.08 | 38.47     | -62.47 | -25.00 | 37.47  | 259    | 0     | Vertical |
| 6     | 11406     | 28.14   | -37.37 | 39.10     | -65.38 | -25.00 | 40.38  | 199    | 196   | Vertical |



Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <a href="http://www.sgs.com/en/Terms-and-Conditions.aspx">http://www.sgs.com/en/Terms-and-Conditions.aspx</a> and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at <a href="http://www.sgs.com/en/Terms-and-Conditions/Terms-e-Document.aspx">http://www.sgs.com/en/Terms-and-Conditions/Terms-e-Document.aspx</a>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document one one excent parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company, Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 30 days only.

Attention: To check the authenticity of testing /inspection report & certificate, please contact us at telephone: (86-755) 8307 1443, or email: CN.Doccheck@ags.com

South of No. 6 Plant, No. 1, Runsheng Read, Suzhou Industrial Park, Suzhou Area, China (Jiangsu) Pllot Free Trade Zone 215000 中国 - 苏州 - 中国(江苏)自由贸易试验区苏州广区苏州工业园区测胜路(号龄6号广房南部 鄉編: 215000



Report No.: SEWM2311000473RG02

Rev.: 01

Page: 86 of 94

## Test Band = NR CA 7A\_n25A\_ TM1 Test Channel = Mid

| Final | Data List |         |        |           |        |        |        |        |       |            |
|-------|-----------|---------|--------|-----------|--------|--------|--------|--------|-------|------------|
| NO.   | Frequency | Reading | Factor | Λ Γ[dD/m] | Level  | Limit  | Margin | Height | Angle | Delority   |
| NO.   | [MHz]     | [dBµV]  | [dB]   | AF[dB/m]  | [dBm]  | [dBm]  | [dB]   | [cm]   | [°]   | Polarity   |
| 1     | 3953.25   | 43.06   | -46.15 | 30.69     | -67.66 | -25.00 | 42.66  | 258    | 9     | Horizontal |
| 2     | 4760.25   | 42.16   | -45.56 | 32.20     | -66.47 | -25.00 | 41.47  | 174    | 272   | Horizontal |
| 3     | 8009.25   | 36.94   | -42.26 | 37.01     | -63.57 | -25.00 | 38.57  | 159    | 136   | Horizontal |
| 4     | 10356.75  | 30.05   | -39.04 | 38.85     | -65.41 | -25.00 | 40.41  | 196    | 272   | Horizontal |
| 5     | 11961     | 25.49   | -37.42 | 38.93     | -68.27 | -25.00 | 43.27  | 152    | 9     | Horizontal |
| 6     | 14616     | 24.98   | -35.19 | 39.92     | -65.55 | -25.00 | 40.55  | 153    | 257   | Horizontal |

| Final | Data List |         |        |           |        |        |        |        |       |          |
|-------|-----------|---------|--------|-----------|--------|--------|--------|--------|-------|----------|
| NO    | Frequency | Reading | Factor | Λ Γ[dD/m] | Level  | Limit  | Margin | Height | Angle | Dolority |
| NO.   | [MHz]     | [dBµV]  | [dB]   | AF[dB/m]  | [dBm]  | [dBm]  | [dB]   | [cm]   | [°]   | Polarity |
| 1     | 3975.75   | 42.46   | -46.10 | 30.74     | -68.16 | -25.00 | 43.16  | 125    | 272   | Vertical |
| 2     | 5976.75   | 41.36   | -44.86 | 34.09     | -64.68 | -25.00 | 39.68  | 155    | 314   | Vertical |
| 3     | 7656      | 39.62   | -43.04 | 36.50     | -62.18 | -25.00 | 37.18  | 163    | 224   | Vertical |
| 4     | 9623.25   | 32.49   | -39.62 | 38.41     | -63.97 | -25.00 | 38.97  | 144    | 16    | Vertical |
| 5     | 12884.25  | 26.82   | -37.07 | 39.71     | -65.79 | -25.00 | 40.79  | 199    | 240   | Vertical |
| 6     | 14499     | 24.42   | -34.84 | 40.01     | -65.67 | -25.00 | 40.67  | 182    | 120   | Vertical |



Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <a href="http://www.sgs.com/en/Terms-and-Conditions.aspx">http://www.sgs.com/en/Terms-and-Conditions.aspx</a> and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at <a href="http://www.sgs.com/en/Terms-and-Conditions/Terms-e-Document.aspx">http://www.sgs.com/en/Terms-and-Conditions/Terms-e-Document.aspx</a>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document one one excent parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company, Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 30 days only.

Attention: To check the authenticity of testing /inspection report & certificate, please contact us at telephone: (86-755) 8307 1443, or email: CN.Doccheck@ags.com

South of No. 6 Plant, No. 1, Runsheng Road, Suzhou Industrial Park, Suzhou Area, China (Kangsu) Plot Free Trade Zone 215000 中国 - 苏州 - 中国(江苏)自由贸易试验区苏州片区苏州工业园区河胜路(号给6号)房南部 鄉編: 215000



Report No.: SEWM2311000473RG02

Rev.: 01

Page: 87 of 94

# Test Band = NR CA 7A\_n25A\_ TM1 Test Channel = High

| Final | Data List |         |        |           |        |        |        |        |       |            |
|-------|-----------|---------|--------|-----------|--------|--------|--------|--------|-------|------------|
| NO.   | Frequency | Reading | Factor | Λ Γ[dD/m] | Level  | Limit  | Margin | Height | Angle | Delerity   |
| NO.   | [MHz]     | [dBµV]  | [dB]   | AF[dB/m]  | [dBm]  | [dBm]  | [dB]   | [cm]   | [°]   | Polarity   |
| 1     | 4274.25   | 42.02   | -45.60 | 31.25     | -67.59 | -25.00 | 42.59  | 254    | 77    | Horizontal |
| 2     | 5084.25   | 41.70   | -45.41 | 32.93     | -66.05 | -25.00 | 41.05  | 126    | 0     | Horizontal |
| 3     | 7831.5    | 37.18   | -42.47 | 36.82     | -63.73 | -25.00 | 38.73  | 199    | 183   | Horizontal |
| 4     | 10677     | 27.83   | -38.02 | 39.12     | -66.32 | -25.00 | 41.32  | 148    | 0     | Horizontal |
| 5     | 12192     | 26.43   | -37.48 | 39.12     | -67.18 | -25.00 | 42.18  | 175    | 357   | Horizontal |
| 6     | 15342.75  | 24.99   | -34.02 | 38.78     | -65.51 | -25.00 | 40.51  | 153    | 0     | Horizontal |

| Final | Data List |         |        |           |        |        |        |        |       |          |
|-------|-----------|---------|--------|-----------|--------|--------|--------|--------|-------|----------|
| NO    | Frequency | Reading | Factor | Λ Γ[- D/] | Level  | Limit  | Margin | Height | Angle | Delevite |
| NO.   | [MHz]     | [dBµV]  | [dB]   | AF[dB/m]  | [dBm]  | [dBm]  | [dB]   | [cm]   | [°]   | Polarity |
| 1     | 3213.75   | 43.16   | -45.83 | 29.66     | -68.27 | -25.00 | 43.27  | 245    | 8     | Vertical |
| 2     | 4930.5    | 42.87   | -45.56 | 32.69     | -65.27 | -25.00 | 40.27  | 169    | 151   | Vertical |
| 3     | 6480.75   | 40.59   | -44.57 | 34.95     | -64.29 | -25.00 | 39.29  | 125    | 0     | Vertical |
| 4     | 8498.25   | 36.83   | -41.62 | 37.54     | -62.51 | -25.00 | 37.51  | 188    | 182   | Vertical |
| 5     | 10095     | 30.47   | -39.13 | 38.64     | -65.27 | -25.00 | 40.27  | 149    | 3     | Vertical |
| 6     | 12771.75  | 26.38   | -36.79 | 39.58     | -66.09 | -25.00 | 41.09  | 175    | 122   | Vertical |



Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <a href="http://www.sgs.com/en/Terms-and-Conditions.aspx">http://www.sgs.com/en/Terms-and-Conditions.aspx</a> and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at <a href="http://www.sgs.com/en/Terms-and-Conditions/Terms-e-Document.aspx">http://www.sgs.com/en/Terms-and-Conditions/Terms-e-Document.aspx</a>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document one one excent parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company, Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 30 days only.

Attention: To check the authenticity of testing /inspection report & certificate, please contact us at telephone: (86-755) 8307 1443, or email: CN.Doccheck@ags.com

South of No. 6 Pfart, No. 1, Runsheng Read, Suchou Industrial Park, Suchou Area, China (Jiangsu) Pilot Fee Trade Zone 中国 - 苏州 - 中国(江苏)自由贸易试验区苏州片区苏州工业园区润胜路1号的6号厂房南部 邮编: 215000



Report No.: SEWM2311000473RG02

Rev.: 01

Page: 88 of 94

# Test Band = NR CA 12A\_n25A\_ TM1 Test Channel = Low

| Final | Data List |         |        |           |        |        |        |        |       |            |
|-------|-----------|---------|--------|-----------|--------|--------|--------|--------|-------|------------|
| NO    | Frequency | Reading | Factor | Λ Γ[-ID/] | Level  | Limit  | Margin | Height | Angle | Delevite   |
| NO.   | [MHz]     | [dBµV]  | [dB]   | AF[dB/m]  | [dBm]  | [dBm]  | [dB]   | [cm]   | [°]   | Polarity   |
| 1     | 2085.7143 | 44.52   | -47.74 | 26.94     | -71.54 | -13.00 | 58.54  | 215    | 177   | Horizontal |
| 2     | 3000.5714 | 43.38   | -46.52 | 29.35     | -69.05 | -13.00 | 56.05  | 211    | 151   | Horizontal |
| 3     | 3837.1429 | 41.53   | -46.19 | 30.42     | -69.50 | -13.00 | 56.50  | 136    | 0     | Horizontal |
| 4     | 4719.4286 | 40.92   | -45.77 | 32.07     | -68.03 | -13.00 | 55.03  | 256    | 126   | Horizontal |
| 5     | 6416.5714 | 40.11   | -44.73 | 34.69     | -65.19 | -13.00 | 52.19  | 291    | 20    | Horizontal |
| 6     | 7053.1429 | 38.58   | -43.92 | 36.22     | -64.38 | -13.00 | 51.38  | 147    | 0     | Horizontal |

| Fina | Final Data List |         |        |           |        |        |        |        |       |          |  |  |  |
|------|-----------------|---------|--------|-----------|--------|--------|--------|--------|-------|----------|--|--|--|
| NO   | Frequency       | Reading | Factor | Λ Γ[dD/m] | Level  | Limit  | Margin | Height | Angle | Dolority |  |  |  |
| NO.  | [MHz]           | [dBµV]  | [dB]   | AF[dB/m]  | [dBm]  | [dBm]  | [dB]   | [cm]   | [°]   | Polarity |  |  |  |
| 1    | 1718.8571       | 59.56   | -48.12 | 25.40     | -58.42 | -13.00 | 45.42  | 256    | 182   | Vertical |  |  |  |
| 2    | 1874.8571       | 44.83   | -48.02 | 25.88     | -72.57 | -13.00 | 59.57  | 142    | 196   | Vertical |  |  |  |
| 3    | 2417.1429       | 43.74   | -47.42 | 27.50     | -71.44 | -13.00 | 58.44  | 136    | 360   | Vertical |  |  |  |
| 4    | 3030.8571       | 43.68   | -46.59 | 29.40     | -68.77 | -13.00 | 55.77  | 261    | 221   | Vertical |  |  |  |
| 5    | 3584            | 42.82   | -46.37 | 29.60     | -69.22 | -13.00 | 56.22  | 148    | 221   | Vertical |  |  |  |
| 6    | 4844            | 49.14   | -45.61 | 32.44     | -59.29 | -13.00 | 46.29  | 195    | 50    | Vertical |  |  |  |



Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <a href="http://www.sgs.com/en/Terms-and-Conditions.aspx">http://www.sgs.com/en/Terms-and-Conditions.aspx</a> and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at <a href="http://www.sgs.com/en/Terms-and-Conditions/Terms-e-Document.aspx">http://www.sgs.com/en/Terms-and-Conditions/Terms-e-Document.aspx</a>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document one one excent parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company, Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 30 days only.

Attention: To check the authenticity of testing /inspection report & certificate, please contact us at telephone: (86-755) 8307 1443, or email: CN.Doccheck@ags.com

South of No. 6 Plant, No. 1, Runshang Read, Suzhou Industrial Park, Suzhou Area, Chine (Jangsu) Pllot Free Trade Zone 215000 中国 - 苏州 - 中国(江苏)自由贸易试验区苏州广区苏州工业园区湖胜路(号龄6号广房南部 鄉編: 215000



Report No.: SEWM2311000473RG02

Rev.: 01

Page: 89 of 94

## Test Band = NR CA 12A\_n25A\_ TM1 Test Channel = Mid

| Final | Data List |         |        |           |        |        |        |        |       |            |
|-------|-----------|---------|--------|-----------|--------|--------|--------|--------|-------|------------|
| NO.   | Frequency | Reading | Factor | Λ Γ[dD/m] | Level  | Limit  | Margin | Height | Angle | Delerity   |
| NO.   | [MHz]     | [dBµV]  | [dB]   | AF[dB/m]  | [dBm]  | [dBm]  | [dB]   | [cm]   | [°]   | Polarity   |
| 1     | 1472      | 55.80   | -48.23 | 25.52     | -62.17 | -13.00 | 49.17  | 256    | 32    | Horizontal |
| 2     | 1718.8571 | 56.70   | -48.12 | 25.40     | -61.28 | -13.00 | 48.28  | 136    | 59    | Horizontal |
| 3     | 3125.1429 | 49.73   | -46.63 | 29.56     | -62.61 | -13.00 | 49.61  | 221    | 164   | Horizontal |
| 4     | 4589.1429 | 41.39   | -45.77 | 31.70     | -67.94 | -13.00 | 54.94  | 184    | 216   | Horizontal |
| 5     | 4843.4286 | 45.25   | -45.61 | 32.44     | -63.18 | -13.00 | 50.18  | 185    | 32    | Horizontal |
| 6     | 5762.2857 | 40.57   | -44.63 | 33.61     | -65.70 | -13.00 | 52.70  | 176    | 216   | Horizontal |

| Final | Data List |         |        |           |        |        |        |        |       |          |
|-------|-----------|---------|--------|-----------|--------|--------|--------|--------|-------|----------|
| NO.   | Frequency | Reading | Factor | Λ Γ[dD/m] | Level  | Limit  | Margin | Height | Angle | Delerity |
| NO.   | [MHz]     | [dBµV]  | [dB]   | AF[dB/m]  | [dBm]  | [dBm]  | [dB]   | [cm]   | [°]   | Polarity |
| 1     | 2338.2857 | 43.43   | -47.48 | 27.41     | -71.90 | -13.00 | 58.90  | 254    | 4     | Vertical |
| 2     | 2829.7143 | 43.52   | -46.82 | 28.61     | -69.95 | -13.00 | 56.95  | 136    | 130   | Vertical |
| 3     | 3519.4286 | 43.34   | -46.50 | 29.54     | -68.88 | -13.00 | 55.88  | 288    | 183   | Vertical |
| 4     | 4438.2857 | 41.50   | -45.78 | 31.55     | -67.99 | -13.00 | 54.99  | 142    | 157   | Vertical |
| 5     | 5567.4286 | 40.61   | -45.23 | 32.98     | -66.89 | -13.00 | 53.89  | 199    | 183   | Vertical |
| 6     | 6607.4286 | 39.66   | -44.46 | 35.45     | -64.60 | -13.00 | 51.60  | 144    | 38    | Vertical |



Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <a href="http://www.sgs.com/en/Terms-and-Conditions.aspx">http://www.sgs.com/en/Terms-and-Conditions.aspx</a> and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at <a href="http://www.sgs.com/en/Terms-and-Conditions/Terms-e-Document.aspx">http://www.sgs.com/en/Terms-and-Conditions/Terms-e-Document.aspx</a>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document one one excent parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company, Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 30 days only.

Attention: To check the authenticity of testing /inspection report & certificate, please contact us at telephone: (86-755) 8307 1443, or email: CN.Doccheck@ags.com

South of No. 6 Plant, No. 1, Runsheng Read, Suzhou Industrial Park, Suzhou Area, China (Jiangsu) Pllot Free Trade Zone 215000 中国 - 苏州 - 中国(江苏)自由贸易试验区苏州广区苏州工业园区测胜路(号龄6号广房南部 鄉編: 215000



Report No.: SEWM2311000473RG02

Rev.: 01

90 of 94 Page:

#### Test Band = NR CA 12A\_n25A\_ TM1 Test Channel = High

| Final | Final Data List |         |        |           |        |        |        |        |       |            |  |  |
|-------|-----------------|---------|--------|-----------|--------|--------|--------|--------|-------|------------|--|--|
| NO.   | Frequency       | Reading | Factor | Λ Γ[dD/m] | Level  | Limit  | Margin | Height | Angle | Dolority   |  |  |
| NO.   | [MHz]           | [dBµV]  | [dB]   | AF[dB/m]  | [dBm]  | [dBm]  | [dB]   | [cm]   | [°]   | Polarity   |  |  |
| 1     | 1841.7143       | 44.02   | -47.99 | 25.68     | -73.55 | -13.00 | 60.55  | 216    | 138   | Horizontal |  |  |
| 2     | 2192.5714       | 43.99   | -47.68 | 27.31     | -71.64 | -13.00 | 58.64  | 154    | 138   | Horizontal |  |  |
| 3     | 2870.2857       | 43.46   | -46.67 | 28.79     | -69.69 | -13.00 | 56.69  | 126    | 124   | Horizontal |  |  |
| 4     | 3762.8571       | 41.32   | -46.16 | 30.20     | -69.90 | -13.00 | 56.90  | 136    | 0     | Horizontal |  |  |
| 5     | 5156.5714       | 40.61   | -45.16 | 32.97     | -66.84 | -13.00 | 53.84  | 258    | 307   | Horizontal |  |  |
| 6     | 6416.5714       | 39.39   | -44.73 | 34.69     | -65.91 | -13.00 | 52.91  | 199    | 0     | Horizontal |  |  |

| Final | Final Data List |         |        |           |        |        |        |        |       |          |  |  |
|-------|-----------------|---------|--------|-----------|--------|--------|--------|--------|-------|----------|--|--|
| NO.   | Frequency       | Reading | Factor | Λ Γ[dD/m] | Level  | Limit  | Margin | Height | Angle | Delevity |  |  |
| NO.   | [MHz]           | [dBµV]  | [dB]   | AF[dB/m]  | [dBm]  | [dBm]  | [dB]   | [cm]   | [°]   | Polarity |  |  |
| 1     | 2187.4286       | 44.10   | -47.68 | 27.30     | -71.55 | -13.00 | 58.55  | 255    | 287   | Vertical |  |  |
| 2     | 2730.2857       | 44.01   | -47.01 | 28.35     | -69.91 | -13.00 | 56.91  | 142    | 360   | Vertical |  |  |
| 3     | 3460.5714       | 43.56   | -46.54 | 29.48     | -68.76 | -13.00 | 55.76  | 136    | 117   | Vertical |  |  |
| 4     | 4104.5714       | 41.98   | -45.90 | 30.96     | -68.23 | -13.00 | 55.23  | 256    | 354   | Vertical |  |  |
| 5     | 5840            | 40.21   | -44.78 | 33.83     | -66.01 | -13.00 | 53.01  | 145    | 354   | Vertical |  |  |
| 6     | 6992            | 38.95   | -43.62 | 36.07     | -63.86 | -13.00 | 50.86  | 199    | 234   | Vertical |  |  |



Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <a href="http://www.sgs.com/en/Terms-and-Conditions.aspx">http://www.sgs.com/en/Terms-and-Conditions.aspx</a> and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at <a href="http://www.sgs.com/en/Terms-and-Conditions/Terms-e-Document.aspx">http://www.sgs.com/en/Terms-and-Conditions/Terms-e-Document.aspx</a>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document one one excent parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company, Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 30 days only.

Attention: To check the authenticity of testing /inspection report & certificate, please contact us at telephone: (86-755) 8307 1443, or email: CN.Doccheck@ags.com

South of No. 6 Plant, No. 1, Runsheng Road, Suzhou Industrial Park, Suzhou Area, China (Jiangsu) Pilot Free Trade Zone 215000 中国・苏州・中国(江苏)自由贸易试验区苏州片区苏州工业园区润胜路1号的6号厂房南部 邮编: 215000 t (86-512) 62992980 www.sgsgroup.com.cn



Report No.: SEWM2311000473RG02

Rev.: 01

Page: 91 of 94

#### Test on the worst case:

Test Band = NR CA n7A-n25A\_ TM1
Test Channel = Low Channel

| Final | Final Data List |                   |        |                            |        |        |        |            |  |  |  |  |
|-------|-----------------|-------------------|--------|----------------------------|--------|--------|--------|------------|--|--|--|--|
| NO    | Frequency       | Frequency Reading |        | Λ <b>Γ</b> [-  <b>D</b> /1 | Level  | Limit  | Margin | Dolonitu   |  |  |  |  |
| NO.   | [MHz]           | [dBµV]            | [dB]   | AF[dB/m]                   | [dBm]  | [dBm]  | [dB]   | Polarity   |  |  |  |  |
| 1     | 3952.5          | 46.03             | -48.23 | 29.33                      | -68.13 | -25.00 | 43.13  | Horizontal |  |  |  |  |
| 2     | 5233.5          | 45.06             | -47.85 | 32.06                      | -65.99 | -25.00 | 40.99  | Horizontal |  |  |  |  |
| 3     | 6442            | 44.88             | -46.96 | 34.30                      | -63.03 | -25.00 | 38.03  | Horizontal |  |  |  |  |
| 4     | 9009            | 41.24             | -43.14 | 37.61                      | -59.55 | -25.00 | 34.55  | Horizontal |  |  |  |  |
| 5     | 10926           | 39.01             | -40.19 | 39.33                      | -57.11 | -25.00 | 32.11  | Horizontal |  |  |  |  |
| 6     | 14819.5         | 37.14             | -36.95 | 40.24                      | -54.83 | -25.00 | 29.83  | Horizontal |  |  |  |  |

| Final | Final Data List |         |        |           |        |        |        |          |  |  |  |  |
|-------|-----------------|---------|--------|-----------|--------|--------|--------|----------|--|--|--|--|
| NO.   | Frequency       | Reading | Factor | A F[dD/m] | Level  | Limit  | Margin | Dolority |  |  |  |  |
| NO.   | [MHz]           | [dBµV]  | [dB]   | AF[dB/m]  | [dBm]  | [dBm]  | [dB]   | Polarity |  |  |  |  |
| 1     | 3495.5          | 45.78   | -48.30 | 28.70     | -69.08 | -25.00 | 44.08  | Vertical |  |  |  |  |
| 2     | 5153            | 44.71   | -47.86 | 31.87     | -66.54 | -25.00 | 41.54  | Vertical |  |  |  |  |
| 3     | 7225            | 44.40   | -46.19 | 36.14     | -60.91 | -25.00 | 35.91  | Vertical |  |  |  |  |
| 4     | 9900            | 40.65   | -42.11 | 38.41     | -58.31 | -25.00 | 33.31  | Vertical |  |  |  |  |
| 5     | 14729           | 37.20   | -36.73 | 40.32     | -54.47 | -25.00 | 29.47  | Vertical |  |  |  |  |
| 6     | 17986           | 36.52   | -36.58 | 45.21     | -50.11 | -25.00 | 25.11  | Vertical |  |  |  |  |



Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <a href="http://www.sgs.com/en/Terms-and-Conditions.aspx.and">http://www.sgs.com/en/Terms-and-Conditions.aspx.and</a>, for electronic Documents at <a href="http://www.sgs.com/en/Terms-and-Conditions-And-Conditions-And-Co

South of No. 6 Pfart, No. 1, Runsheng Read, Suchou Industrial Park, Suchou Area, China (Jiangsu) Pilot Fee Trade Zone 中国 - 苏州 - 中国(江苏)自由贸易试验区苏州片区苏州工业园区润胜路1号的6号厂房南部 邮编: 215000



Report No.: SEWM2311000473RG02

Rev.: 01

92 of 94 Page:

#### Test Band = NR CA n7A-n25A\_ TM1 Test Channel = Mid Channel

| Final | Final Data List |         |        |           |        |        |        |            |  |  |  |  |
|-------|-----------------|---------|--------|-----------|--------|--------|--------|------------|--|--|--|--|
| NO.   | Frequency       | Reading | Factor | Λ Γ[dD/m] | Level  | Limit  | Margin | Delerity   |  |  |  |  |
| NO.   | [MHz]           | [dBµV]  | [dB]   | AF[dB/m]  | [dBm]  | [dBm]  | [dB]   | Polarity   |  |  |  |  |
| 1     | 3870            | 46.05   | -48.26 | 29.22     | -68.25 | -25.00 | 43.25  | Horizontal |  |  |  |  |
| 2     | 5351            | 44.97   | -47.75 | 32.34     | -65.70 | -25.00 | 40.70  | Horizontal |  |  |  |  |
| 3     | 6693.5          | 44.54   | -46.58 | 34.93     | -62.38 | -25.00 | 37.38  | Horizontal |  |  |  |  |
| 4     | 8800            | 42.55   | -43.99 | 37.32     | -59.38 | -25.00 | 34.38  | Horizontal |  |  |  |  |
| 5     | 11357           | 39.12   | -40.24 | 39.33     | -57.05 | -25.00 | 32.05  | Horizontal |  |  |  |  |
| 6     | 14783           | 37.06   | -36.82 | 40.27     | -54.75 | -25.00 | 29.75  | Horizontal |  |  |  |  |

| Final | Final Data List |         |        |           |        |        |        |          |  |  |  |  |
|-------|-----------------|---------|--------|-----------|--------|--------|--------|----------|--|--|--|--|
| NO.   | Frequency       | Reading | Factor | A F[dD/m] | Level  | Limit  | Margin | Dolority |  |  |  |  |
| NO.   | [MHz]           | [dBµV]  | [dB]   | AF[dB/m]  | [dBm]  | [dBm]  | [dB]   | Polarity |  |  |  |  |
| 1     | 3818.5          | 45.14   | -48.20 | 29.15     | -69.17 | -25.00 | 44.17  | Vertical |  |  |  |  |
| 2     | 5596            | 45.54   | -47.70 | 32.72     | -64.70 | -25.00 | 39.70  | Vertical |  |  |  |  |
| 3     | 8405.5          | 42.36   | -44.12 | 36.77     | -60.25 | -25.00 | 35.25  | Vertical |  |  |  |  |
| 4     | 11214.5         | 39.10   | -40.36 | 39.36     | -57.16 | -25.00 | 32.16  | Vertical |  |  |  |  |
| 5     | 12751           | 38.62   | -39.29 | 38.75     | -57.18 | -25.00 | 32.18  | Vertical |  |  |  |  |
| 6     | 17976           | 36.23   | -36.56 | 45.15     | -50.45 | -25.00 | 25.45  | Vertical |  |  |  |  |



Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <a href="http://www.sgs.com/en/Terms-and-Conditions.aspx">http://www.sgs.com/en/Terms-and-Conditions.aspx</a> and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at <a href="http://www.sgs.com/en/Terms-and-Conditions/Terms-e-Document.aspx">http://www.sgs.com/en/Terms-and-Conditions/Terms-e-Document.aspx</a>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document one one excent parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company, Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 30 days only.

Attention: To check the authenticity of testing /inspection report & certificate, please contact us at telephone: (86-755) 8307 1443, or email: CN.Doccheck@ags.com

South of No. 6 Plant, No. 1, Runsheng Road, Suzhou Industrial Park, Suzhou Area, China (Jiangsu) Pilot Free Trade Zone 215000 中国・苏州・中国(江苏)自由贸易试验区苏州片区苏州工业园区润胜路1号的6号厂房南部 邮编: 215000



Report No.: SEWM2311000473RG02

Rev.: 01

Page: 93 of 94

## Test Band = NR CA n7A-n25A\_ TM1 Test Channel = High Channel

| Final | Final Data List     |         |                |          |        |        |            |            |  |  |  |  |
|-------|---------------------|---------|----------------|----------|--------|--------|------------|------------|--|--|--|--|
| NO.   | Frequency           | Reading | Reading Factor |          | Level  | Limit  | Margin     | Dolority   |  |  |  |  |
| NO.   | [MHz]               | [dBµV]  | [dB]           | AF[dB/m] | [dBm]  | [dBm]  | [dB]       | Polarity   |  |  |  |  |
| 1     | 4332 45.25 -47.89   |         | 30.00          | -67.90   | -25.00 | 42.90  | Horizontal |            |  |  |  |  |
| 2     | 7058.5 43.95 -46.15 |         | 35.74          | -61.72   | -25.00 | 36.72  | Horizontal |            |  |  |  |  |
| 3     | 9309                | 41.89   | -42.90         | 37.88    | -58.39 | -25.00 | 33.39      | Horizontal |  |  |  |  |
| 4     | 12102.5             | 38.43   | -39.63         | 39.14    | -57.33 | -25.00 | 32.33      | Horizontal |  |  |  |  |
| 5     | 14732               | 37.60   | -36.73         | 40.31    | -54.08 | -25.00 | 29.08      | Horizontal |  |  |  |  |
| 6     | 17826               | 36.74   | -37.17         | 44.19    | -51.50 | -25.00 | 26.50      | Horizontal |  |  |  |  |

| Final | Final Data List  |         |        |           |        |        |        |          |  |  |  |  |
|-------|------------------|---------|--------|-----------|--------|--------|--------|----------|--|--|--|--|
| NO.   | Frequency        | Reading | Factor | Λ Γ[dD/m] | Level  | Limit  | Margin | Dolority |  |  |  |  |
| NO.   | [MHz]            | [dBµV]  | [dB]   | AF[dB/m]  | [dBm]  | [dBm]  | [dB]   | Polarity |  |  |  |  |
| 1     | 3774.5           | 45.30   | -48.26 | 29.08     | -69.14 | -25.00 | 44.14  | Vertical |  |  |  |  |
| 2     | 5436 45.00 -47.6 |         | -47.68 | 32.55     | -65.39 | -25.00 | 40.39  | Vertical |  |  |  |  |
| 3     | 7023             | 44.31   | -46.42 | 35.66     | -61.72 | -25.00 | 36.72  | Vertical |  |  |  |  |
| 4     | 7669             | 43.63   | -45.01 | 36.60     | -60.04 | -25.00 | 35.04  | Vertical |  |  |  |  |
| 5     | 10436            | 39.63   | -41.03 | 38.89     | -57.77 | -25.00 | 32.77  | Vertical |  |  |  |  |
| 6     | 14831            | 37.64   | -37.01 | 40.24     | -54.40 | -25.00 | 29.40  | Vertical |  |  |  |  |

#### Remark:

1) The field strength is calculated by adding the Antenna Factor, Cable Factor & AMP. The basic equation with a sample calculation is as follows:

AF = Antenna Factor(dB/m)

Factor = Cable Factor(dB) - Preamplifier (dB)

Level = Reading Level + AF + Factor -95.26

Margin = Limit - Level



Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <a href="http://www.sgs.com/en/Terms-and-Conditions.appx">http://www.sgs.com/en/Terms-and-Conditions.appx</a> and, for electronic Documents at <a href="http://www.sgs.com/en/Terms-and-Conditions/Terms-en-Document.appx">http://www.sgs.com/en/Terms-and-Conditions/Terms-en-Document.appx</a>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawfull and offenders may be prosecuted to the fullest extend of the law Luless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 30 days only.

\*\*Attention:\*\*To check the authernicity of testing (inspection report & certificate, please contact us at telephone: (86-755) 8307 1443,

South of No. 6 Plant, No. 1, Runsheng Road, Suchou Industrial Park, Suzhou Area, China (Jiangsu) Plot Fee Trade Zone 中国 - 苏州 - 中国(江苏)自由贸易试验区苏州片区苏州工业园区润胜路1号的6号厂房南部 邮编: 215000



Report No.: SEWM2311000473RG02

Rev.: 01

94 of 94 Page:

#### Frequency Stability for SA

#### **Test Result**

Frequency Error VS. Voltage

|      | The quality and the second |           |             |         |            |         |             |               |                 |         |  |  |
|------|----------------------------|-----------|-------------|---------|------------|---------|-------------|---------------|-----------------|---------|--|--|
| Band | scs                        | Bandwidth | Modulation  | Channel | RB Config  | Voltage | Temperature | Deviation(Hz) | Deviation (ppm) | Verdict |  |  |
| N25  | 15                         | 20        | DFT-PI2BPSK | М       | Outer_Full | VH      | NT          | -5.700000     | -0.003028       | PASS    |  |  |
| N25  | 15                         | 20        | DFT-PI2BPSK | М       | Outer_Full | VN      | NT          | 0.600000      | 0.000319        | PASS    |  |  |
| N25  | 15                         | 20        | DFT-PI2BPSK | М       | Outer_Full | VL      | NT          | -3.100000     | -0.001647       | PASS    |  |  |
| N25  | 15                         | 20        | CP-QPSK     | М       | Outer_Full | VH      | NT          | -5.900000     | -0.003134       | PASS    |  |  |
| N25  | 15                         | 20        | CP-QPSK     | М       | Outer_Full | VN      | NT          | -0.600000     | -0.000319       | PASS    |  |  |
| N25  | 15                         | 20        | CP-QPSK     | М       | Outer_Full | VL      | NT          | -4.800000     | -0.002550       | PASS    |  |  |

Frequency Error VS Temperature

|      | Frequency Error vo. Temperature |           |             |         |            |         |             |               |                    |         |  |  |  |
|------|---------------------------------|-----------|-------------|---------|------------|---------|-------------|---------------|--------------------|---------|--|--|--|
| Band | scs                             | Bandwidth | Modulation  | Channel | RB Config  | Voltage | Temperature | Deviation(Hz) | Deviation<br>(ppm) | Verdict |  |  |  |
| N25  | 15                              | 20        | DFT-PI2BPSK | М       | Outer_Full | NV      | -30         | 0.100000      | 0.000053           | PASS    |  |  |  |
| N25  | 15                              | 20        | DFT-PI2BPSK | М       | Outer_Full | NV      | -20         | 2.800000      | 0.001487           | PASS    |  |  |  |
| N25  | 15                              | 20        | DFT-PI2BPSK | М       | Outer_Full | NV      | -10         | 1.300000      | 0.000691           | PASS    |  |  |  |
| N25  | 15                              | 20        | DFT-PI2BPSK | М       | Outer_Full | NV      | 0           | -2.000000     | -0.001062          | PASS    |  |  |  |
| N25  | 15                              | 20        | DFT-PI2BPSK | М       | Outer_Full | NV      | 10          | -2.500000     | -0.001328          | PASS    |  |  |  |
| N25  | 15                              | 20        | DFT-PI2BPSK | М       | Outer_Full | NV      | 20          | -2.900000     | -0.001541          | PASS    |  |  |  |
| N25  | 15                              | 20        | DFT-PI2BPSK | М       | Outer_Full | NV      | 30          | -0.900000     | -0.000478          | PASS    |  |  |  |
| N25  | 15                              | 20        | DFT-PI2BPSK | М       | Outer_Full | NV      | 40          | -0.500000     | -0.000266          | PASS    |  |  |  |
| N25  | 15                              | 20        | DFT-PI2BPSK | М       | Outer_Full | NV      | 50          | -0.200000     | -0.000106          | PASS    |  |  |  |
| N25  | 15                              | 20        | CP-QPSK     | М       | Outer_Full | NV      | -30         | -3.300000     | -0.001753          | PASS    |  |  |  |
| N25  | 15                              | 20        | CP-QPSK     | М       | Outer_Full | NV      | -20         | -8.100000     | -0.004303          | PASS    |  |  |  |
| N25  | 15                              | 20        | CP-QPSK     | М       | Outer_Full | NV      | -10         | -4.300000     | -0.002284          | PASS    |  |  |  |
| N25  | 15                              | 20        | CP-QPSK     | М       | Outer_Full | NV      | 0           | -1.600000     | -0.000850          | PASS    |  |  |  |
| N25  | 15                              | 20        | CP-QPSK     | М       | Outer_Full | NV      | 10          | -4.500000     | -0.002390          | PASS    |  |  |  |
| N25  | 15                              | 20        | CP-QPSK     | М       | Outer_Full | NV      | 20          | -0.900000     | -0.000478          | PASS    |  |  |  |
| N25  | 15                              | 20        | CP-QPSK     | М       | Outer_Full | NV      | 30          | -2.300000     | -0.001222          | PASS    |  |  |  |
| N25  | 15                              | 20        | CP-QPSK     | М       | Outer_Full | NV      | 40          | -3.000000     | -0.001594          | PASS    |  |  |  |
| N25  | 15                              | 20        | CP-QPSK     | М       | Outer_Full | NV      | 50          | -6.000000     | -0.003187          | PASS    |  |  |  |

#### ---End of Attachment---



Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <a href="http://www.sgs.com/en/Terms-and-Conditions.aspx">http://www.sgs.com/en/Terms-and-Conditions.aspx</a> and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at <a href="http://www.sgs.com/en/Terms-and-Conditions/Terms-e-Document.aspx">http://www.sgs.com/en/Terms-and-Conditions/Terms-e-Document.aspx</a>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document one one excent parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company, Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 30 days only.

Attention: To check the authenticity of testing /inspection report & certificate, please contact us at telephone: (86-755) 8307 1443, or email: CN.Doccheck@ags.com

South of No. 6 Plant, No. 1, Runsheng Road, Suzhou Industrial Park, Suzhou Area, China (Jiangsu) Pilot Free Trade Zone 215000

t (86-512) 62992980 www.sgsgroup.com.cn