

Report No.: SUCR240100001704

Rev.: 01 Page: 1 of 12

TEST REPORT

Application No.: SUCR2401000017AT

Applicant: Quectel Wireless Solutions Co., Ltd.

Address of Applicant: Building 5, Shanghai Business Park Phase III (Area B), No.1016 Tianlin

Road, Minhang District, Shanghai 200233, China

Manufacturer: Quectel Wireless Solutions Co., Ltd.

Address of Manufacturer: Building 5, Shanghai Business Park Phase III (Area B), No.1016 Tianlin

Road, Minhang District, Shanghai 200233, China

EUT Description: 5G Sub-6 GHz LGA Module

Model No.: RG650V-NA
Trade Mark: QUECTEL

FCC ID: XMR2024RG650VNA **Standards:** 47 CFR Part 2.1091


FCC KDB 447498 D01 v06

Date of Receipt: 2024/02/09 **Date of Issue:** 2024/06/07

Test Result: PASS*

* In the configuration tested, the EUT complied with the standards specified above.

Authorized Signature:



Well Wei Wireless Laboratory Manager



Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at http://www.sgs.com/en/Terms-and-Conditions.spx.and, conditions for Electronic Documents at http://www.sgs.com/en/Terms-and-Conditions/Terms-e-Document.aspx.http://www.sgs.com/en/Terms-and-Conditions/Terms-e-Document.aspx.http://www.sgs.com/en/Terms-and-Conditions/Terms-e-Document.aspx.http://www.sgs.com/en/Terms-and-Conditions/Terms-e-Document.aspx.http://www.sgs.com/en/Terms-and-Conditions/Terms-e-Document.aspx.http://www.sgs.com/en/Terms-and-Conditions/Terms-e-Document.aspx.http://www.sgs.com/en/Terms-and-Conditions/Terms-e-Document.aspx.http://www.sgs.com/en/Terms-and-Conditions/Terms-e-Document.aspx.<a href="http://www.sgs.com/en/Terms-and-Conditions/Terms-and-Condition

South of No. 6 Plant, No. 1, Runsheng Road, Suzhou Industrial Park, Suzhou Area, China (Jiangsu) Pilot Free Trade Zone 中国 - 苏州 - 中国(江苏)自由贸易试验区苏州片区苏州工业园区海胜路1号的6号厂房南部 邮编: 215000 t (86-512) 62992980 t (86-512) 62992980



Report No.: SUCR240100001704

Rev.: 01 Page: 2 of 12

1 Version

Revision Record									
Version	Chapter	Date	Modifier	Remark					
01		2024/06/07		Original					

Prepared By	(Nick Hu) / Test Engineer
Checked By	Stone Gu) / Reviewer



Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at http://www.sgs.com/en/Terms-and-Conditions.aspx and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at http://www.sgs.com/en/Terms-and-Conditions/Terms-e-Document.aspx. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document one one exore exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company, Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 30 days only.

Attention: To check the authenticity of testing /inspection report & certificate, please contact us at telephone: (86-755) 8307 1443, or email: CN. Doccheck@ass.com"

South of No. 6 Plant, No. 1, Runsheng Read, Suzhou Industrial Park, Suzhou Area, China (Jiangsu) Ploti Free Trade Zone 215000 中国 - 苏州 - 中国(江苏)自由贸易试验区苏州广区苏州工业园区湖胜路1号的6号厂房南部 邮编: 215000

t (86–512) 62992980 t (86–512) 62992980



Report No.: SUCR240100001704

Rev.: 01 Page: 3 of 12

Contents

1	Ver	sion	2
		neral Information	
		Client Information Test Facility	
	2.3	General Description of EUT	
3	RF	Exposure Evaluation	8
		RF Exposure Compliance Requirement	
		.1 Limits	
	_	.2 Test Procedure	_
	3.1.	.3 EUT RF Exposure Evaluation	9
	3.1.	.4 Exposure calculations for multiple sources	12



Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printe overleaf, available on request or accessible at https://www.sgs.com/en/Ferms-and-Conditions.aspx.aaf, for electronic format documents subject to Terms and Conditions for Electronic Documents at <a href="https://www.sgs.com/en/Ferms-and-Conditions/Ferms-a-Document.aspx.adf. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document advised that information contained hereon reflects the Company's findings at the time of intervention only and within the limitst Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to transaction from exercising all their rights and obligations under the transaction document does not exonerate parties to transaction from exercising all their rights and obligations under the transaction document of the summer transportance of the summer comment cannot be reproduce except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content of appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 30 days only.

South of No. 6 Plant, No. 1, Runshang Road, Suzhou Industrial Park, Suzhou Area, China (Jiangsu) Plot Free Trade Zone 215000 中国 - 苏州 - 中国(江苏)自由贸易试验区苏州广区苏州工业园区湖胜路1号的6号厂房南部 邮编: 215000 t (86–512) 62992980 t (86–512) 62992980



Report No.: SUCR240100001704

Rev.: 01 4 of 12 Page:

2 **General Information**

2.1 Client Information

Applicant:	Quectel Wireless Solutions Co., Ltd.
Address of Applicant:	Building 5, Shanghai Business Park Phase III (Area B), No.1016 Tianlin Road, Minhang District, Shanghai 200233, China
Manufacturer:	Quectel Wireless Solutions Co., Ltd.
Address of Manufacturer:	Building 5, Shanghai Business Park Phase III (Area B), No.1016 Tianlin Road, Minhang District, Shanghai 200233, China

2.2 Test Facility

The test facility is recognized, certified, or accredited by the following organizations:

• A2LA (Certificate No. 6336.01)

SGS-CSTC STANDARDS TECHNICAL SERVICES (SUZHOU) CO., LTD. is accredited by the American Association for Laboratory Accreditation(A2LA). Certificate No. 6336.01.

• Innovation, Science and Economic Development Canada

SGS-CSTC STANDARDS TECHNICAL SERVICES (SUZHOU) CO., LTD. has been recognized by ISED as an accredited testing laboratory.

CAB identifier: CN0120.

IC#: 27594.

• FCC -Designation Number: CN1312

SGS-CSTC STANDARDS TECHNICAL SERVICES (SUZHOU) CO., LTD. has been recognized as an

accredited testing laboratory. Designation Number: CN1312.

Test Firm Registration Number: 717327





Report No.: SUCR240100001704

Rev.: 01 Page: 5 of 12

2.3 General Description of EUT

EUT Description:	5G Sub-6 GHz LC											
Model No.:	RG650V-NA											
Trade Mark:	QUECTEL											
Hardware Version:	R1.0											
Software Version:		RG650VNA01AAR01A02G8G										
Power Supply:	12V											
Antenna Type:	External Antenna											
	UL 2*2 MIMO:											
	NR Band n2; NR	Band n5; NR Band r	n7; NR Band n25; NR l	Band n38;								
Feature:	NR Band n41; NF	R Band n48; NR Ban	d n66; NR Band n70; I	NR Band n71;								
	NR Band n77; NF	R Band n78;										
	Class 2:											
		E Band 41; LTE Ban										
Power Class:		NR Band n2; NR Band n5; NR Band n7; NR Band n25; NR Band n66;										
1 owor class.	NR Band n71;											
	Class 1.5: UL 2*2 MIMO: NR Band n38; NR Band n41; NR Band n77; NR Band n78;											
	LTE Band 2:	1.6dBi	LTE Band 4:	1.2dBi								
	LTE Band 5:	0.7dBi	LTE Band 7:	2.7dBi								
	LTE Band 12:	0.5dBi	LTE Band 13:	0.2dBi								
	LTE Band 14:	0.1dBi	LTE Band 17:	0.5dBi								
	LTE Band 25:	1.7dBi	LTE Band 26:	0.7dBi								
	LTE Band 30:	-5.7dBi	LTE Band 38:	2.4dB								
	LTE Band 41:	2.7dBi	LTE Band 42:	-2.01dBi								
	LTE Band 43:	-7.1dBi	LTE Band 48:	-6.12dBi								
Antenna Gain:	LTE Band 66:	1.4dBi	LTE Band 71:	1.22dBi								
	LTE CA_2C:	1.6dBi	LTE CA_7C:	2.7dBi								
	LTE CA_12B:	0.5dBi	LTE CA_38C:	2.4dBi								
	LTE CA_41C:	2.7dBi	LTE CA_42C:	-2.01dBi								
	LTE CA_43C:	-7.1dBi	LTE CA_48C:	-6.12dBi								
	LTE CA_66C:	1.4dBi	LTE CA_66B:	1.4dBi								
	LTE CA_5B:	0.7dBi	LTE CA_48B:	-6.12dBi								
	NR Band n2:	1.6dBi	NR Band n5:	0.7dBi								
	NR Band n7:	2.7dBi	NR Band n12:	0.5dBi								



Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printe overleaf, available on request or accessible at http://www.sgs.com/en/Terms-and-Conditions.apx and, for electronic formard documents subject to Terms and Conditions for Electronic Documents at http://www.sgs.com/en/Terms-and-Conditions/Terms-en-Document.aspx Attention is drawn to the limitation of liability, indemnification and jurisdiction issued seffined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduce except in full, without prior written approval of the Company, Any unauthorized alteration, forgery or falsification of the content of appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) are refunded for 30 days only.

South of No. 6 Plant, No. 1, Runshang Road, Suchou Industrial Park, Suzhou Area, China (Jiangsu) Plot Free Trade Zone 215000 中国 - 苏州 - 中国(江苏)自由贸易试验区苏州片区苏州工业园区润胜路(号的6号厂房南部 邮编: 215000

t (86–512) 62992980 www.sg t (86–512) 62992980 sgs.chir



Report No.: SUCR240100001704

Rev.: 01 Page: 6 of 12

		0	
NR Band n13:	0.2dBi	NR Band n14:	0.1dBi
NR Band n25:	1.7dBi	NR Band n26:	0.7dBi
NR Band n30:	-5.7dBi	NR Band n38:	2.4dBi
NR Band n41:	2.7dBi	NR Band n48:	-6.12dBi
NR Band n66:	1.4dBi	NR Band n70:	1.3dBi
NR Band n71:	1.22dBi	NR Band n77:	-0.64dBi
NR Band n78:	-0.64dBi		

LTE CA:

2C; 7C; 12B; 38C; 41C; 42C; 43C; 48C; 48B; 5B; 66B; 66C;

12A-25A; 12A-30A; 12A-66A; 13A-66A; 14A-30A; 14A-66A; 25A-26A;

2A-12A; 2A-13A; 2A-14A; 2A-17A; 2A-30A; 2A-4A; 2A-5A; 2A-66A;

2A-71A; 2A-7A; 30A-66A; 4A-12A; 4A-13A; 4A-17A; 4A-30A; 4A-5A;

4A-71A; 4A-7A; 5A-25A; 5A-30A; 5A-66A; 5A-7A; 7A-12A; 7A-13A;

7A-26A; 7A-66A; 2A-26A; 7A-71A; 25A-66A; 7A-25A;

ENDC:

DC 13A n66A; DC 5A n2A; DC 14A n2A; DC 30A n2A; DC 2A n5A; DC_12A_n5A; DC_30A_n5A; DC_66A_n5A; DC_2A_n12A; DC_30A_n12A; DC_66A_n12A; DC_2A_n14A; DC_30A_n14A; DC_66A_n14A; DC_2A_n30A; DC 5A n30A; DC 12A n30A; DC 14A n30A; DC 66A n30A; DC 2A n66A; DC 5A n66A; DC 12A n66A; DC 14A n66A; DC 30A n66A; DC 12A n2A; DC 71A n2A; DC 71A n66A; DC 2A n71A; DC_66A_n71A; DC_66A_n25A; DC_66A_n41A; DC_26A_n41A; DC_7A_n78A; DC 38A n78A; DC 5A n78A; DC 7A n5A; DC 66A n78A; DC 2A n78A; DC 5A n71A; DC 7A n71A; DC 12A n71A; DC 12A n78A; DC 13A n71A; DC_5A_n7A; DC_12A_n7A; DC_66A_n7A; DC_5A_n41A; DC_71A_n7A; DC 7A n12A; DC 13A n2A; DC 48A n5A; DC 48A n66A; DC 7A n66A; DC 13A n78A; DC 41A n77A; DC 41A n78A; DC 4A n41A; DC 66A n38A; DC_2A_n38A; DC_12A_n38A; DC_4A_n38A; DC_5A_n38A; DC_4A_n78A; DC 12A n25A; DC 7A n77A; DC 71A n78A; DC 71A n38A; DC 13A n7A; DC 12A n41A; DC 2A n7A; DC 7A n2A; DC 2A n77A; DC 5A n77A; DC_13A_n77A; DC_66A_n77A; DC_12A_n77A; DC_14A_n77A; DC_30A_n77A; DC_26A_n78A; DC_71A_n41A; DC_4A_n2A; DC_7A_n25A; DC_7A_n25A; DC_5A_n25A; DC_5A_n25A; DC_5A_n12A; DC_71A_n12A; DC_4A_n7A; DC 4A n7A; DC 25A n78A; DC 25A n77A; DC 48A n71A; DC 48A n12A; DC 71A n77A; DC 48A n2A; DC 14A n5A; DC 71A n5A; DC 7A n26A;

NR CA:

n25A-n41A; n41A-n71A; n66A-n78A; n7A-n77A; n2A-n77A; n5A-n77A; n66A-n77A; n30A-n77A; n30A-n77A; n30A-n77A; n5A-n48A; n71A-n77A; n12A-n77A;



Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at http://www.sgs.com/en/Terms-and-Conditions/Terms-en/Counditions/T

South of No. 6 Plant, No. 1, Runsheng Road, Suzhou Industrial Park, Suzhou Area, China (Jiangsu) Pilot Free Trade Zone 中国 - 苏州 - 中国(江苏)自由贸易试验区苏州片区苏州工业园区润胜路1号的6号厂房南部 邮编: 215000 t (86–512) 62992980 w t (86–512) 62992980 s



Report No.: SUCR240100001704

Rev.: Page: 7 of 12

n14A-n77A; n71A-n78A; n2A-n78A; n25A-n78A; n38A-n66A; n25A-n48A; n25A-n77A; n25A-n38A; n2A-n41A; n12A-n41A; n12A-n78A; n13A-n77A; n5A-n41A; n12A-n48A; n70A-n78A; n41A-n70A; n26A-n78A; n26A-n77A;

The antenna gain are derived from the gain information report provided by the manufacturer.

Remark:

As above information is provided and confirmed by the applicant. SGS is not liable to the accuracy, suitability, reliability or/and integrity of the information.



Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service prints overleaf, available on request or accessible at http://www.sgs.com/en/Terms-and-Conditions.aspx and, for electronic format document subject to Terms and Conditions for Electronic Documents at http://www.sgs.com/en/Terms-and-Conditions/Terms-e-Document.aspx Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits Client's instructions, if any. The Company's sole responsibility is to its Client and this document oson to exonerate parties to transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduce except in full, without prior written approval of the Company, Any unauthorized alteration, forgery or falsification of the content: appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) are remained for 30 days only.

**Attention: To check the authenticity of testing /inspection report & certificate, please contact us at telephone: (86-755) 8307 144

South of No. 6 Plant, No. 1, Runsheng Road, Suzhou Industrial Park, Suzhou Area, China (Jiangsu) Pilot Free Trade Zone 215000 中国・苏州・中国(江苏)自由贸易试验区苏州片区苏州工业园区润胜路1号的6号厂房南部 邮编: 215000 t (86-512) 62992980 t (86-512) 62992980



Report No.: SUCR240100001704

Rev.: 01 Page: 8 of 12

3 RF Exposure Evaluation

3.1 RF Exposure Compliance Requirement

3.1.1 Limits

Frequency range (MHz)	Electric field strength (V/m)	Magnetic field strength (A/m)	Power density (mW/cm2)	Averaging time (minutes)						
	(A) Limits for Occup	oational/Controlled Expo	sures							
0.3-3.0	0.3-3.0 614 1.63 *(100)									
3.0-30	1842/f	4.89/f	*(900/f2)	6						
30-300	61.4	0.163	1.0	6						
300-1500	1	1	f/300	6						
1500-100,000	/	/	5	6						
	(B) Limits for General P	opulation/Uncontrolled I	Exposure							
0.3-1.34	614	1.63	*(100)	30						
1.34-30	824/f	2.19/f	*(180/f2)	30						
30-300	27.5	0.073	0.2	30						
300-1500	1	1	f/1500	30						
1500-100,000		1	1.0	30						

F=frequency in MHz

RF exposure compliance will need to be determined with respect to 1.1307(c) and (d) of the FCC rules. The emissions should be within the limits at 300kHz in Table 1 of 1.1310(use the 300kHz limits for 150kHz:614V/m,1.63A/m).

Friis Formula

Friis transmission formula: $Pd = (Pout*G)/(4*Pi*R^2)$

Where

Pd = power density in mW/cm2

Pout = output power to antenna in mW

G = gain of antenna in linear scale

Pi = 3.1416

R = distance between observation point and center of the radiator in cm

Pd id the limit of MPE, 1 mW/cm2. If we know the maximum gain of the antenna and the total power input to the antenna, through the calculation, we will know the distance r where the MPE limit is reached.



Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at http://www.sgs.com/en/Terms-and-Conditions.aspx and Conditions for Electronic Documents at http://www.sgs.com/en/Terms-and-Conditions/Terms-e-Document.aspx. Attention is drawn to the limitation of liability, indemification and jurisdiction issues define therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forger or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) are retained for 30 days only.

South of No. 6 Pfart, No. 1, Runsheng Read, Suchou Industrial Park, Suchou Area, China (langsu) Pilot Free Trade Zone 215000 中国 - 苏州 - 中国(江苏)自由贸易试验区苏州片区苏州工业园区润胜路1号的6号厂房南部 邮编: 215000 t (86-512) 62992980 t (86-512) 62992980

^{*=}Plane-wave equivalent power density



Report No.: SUCR240100001704

Rev.: 01 Page: 9 of 12

3.1.2 Test Procedure

Software provided by client enabled the EUT to transmit data at lowest, middle and highest channel individually

3.1.3 EUT RF Exposure Evaluation

Output Power Into Antenna & RF Exposure Evaluation Distance:

This confirmed that the device comply with MPE limit.

Operating Band	Frequency (MHz)	Antenna Gain (dBi)	MIMO Directional gain	Max Conducted Power (dBm)	EIRP(ERP) (dBm)	EIRP(ERP) Limit (dBm)	Power Density at R = 20 cm (mW/cm2)	Limit (mW/cm2)	Gain according to EIRP(ERP) (dBi)	Gain according to Pd (dBi)		conclusion
LTE Band 2/LTE CA_2C	1850.7	1.60	NA	25.00	26.60	33.00	0.0909	1.0000	8.00	12.01	8.00	Pass
LTE Band 4	1710.7	1.20	NA	25.00	26.20	30.00	0.0829	1.0000	5.00	12.01	5.00	Pass
LTE Band 5/LTE CA_5B	824.7	0.70	NA	25.00	23.55	38.45	0.0739	0.5498	15.60	9.41	9.41	Pass
LTE Band 7/LTE CA_7C	2502.5	2.70	NA	25.00	27.70	33.00	0.1171	1.0000	8.00	12.01	8.00	Pass
LTE Band 12/LTE CA_12B	699.7	0.50	NA	25.00	23.35	34.77	0.0706	0.4665	11.92	8.70	8.70	Pass
LTE Band 13	779.5	0.20	NA	25.00	23.05	34.77	0.0659	0.5197	11.92	9.16	9.16	Pass
LTE Band 14	790.5	0.10	NA	25.00	22.95	34.77	0.0644	0.5270	11.92	9.23	9.23	Pass
LTE Band 17	706.5	0.50	NA	25.00	23.35	34.77	0.0706	0.4710	11.92	8.74	8.74	Pass
LTE Band 25	1850.7	1.70	NA	25.00	26.70	33.00	0.0931	1.0000	8.00	12.01	8.00	Pass
LTE Band 26(814-824)	814.7	0.70	NA	25.00	23.55	NA	0.0739	0.5431	NA	9.36	9.36	Pass
LTE Band 26(824-849)	824.7	0.70	NA	25.00	23.55	38.45	0.0739	0.5498	15.60	9.41	9.41	Pass
LTE Band 30	2307.5	-5.70	NA	24.00	18.30	23.98	0.0135	1.0000	-0.02	13.01	-0.02	Pass
LTE Band 38	2572.5	2.40	NA	28.00	30.40	33.00	0.2181	1.0000	5.00	9.01	5.00	Pass
LTE CA_38C	2572.5	2.40	NA	25.00	27.40	33.00	0.1093	1.0000	8.00	12.01	8.00	Pass
LTE Band 41	2498.5	2.70	NA	28.00	30.70	33.00	0.2337	1.0000	5.00	9.01	5.00	Pass
LTE CA_41C	2498.5	2.70	NA	25.00	27.70	33.00	0.1171	1.0000	8.00	12.01	8.00	Pass
LTE Band 42(3450-3550)	3452.5	-2.01	NA	28.00	25.99	30.00	0.0790	1.0000	2.00	9.01	2.00	Pass
LTE CA_42C	3452.5	-2.01	NA	25.00	22.99	30.00	0.0396	1.0000	5.00	12.01	5.00	Pass
LTE Band 43(3700-3800)	3702.5	-7.10	NA	28.00	20.90	30.00	0.0245	1.0000	2.00	9.01	2.00	Pass
LTE CA_43C	3702.5	-7.10	NA	25.00	17.90	30.00	0.0123	1.0000	5.00	12.01	5.00	Pass
LTE Band 48/LTE CA_48C/LTE CA_48B	3552.5	-6.12	NA	25.00	18.88	23.00	0.0154	1.0000	-2.00	12.01	-2.00	Pass
LTE Band 66/LTE CA_66B/LTE CA_66C	1710.7	1.40	NA	25.00	26.40	30.00	0.0868	1.0000	5.00	12.01	5.00	Pass
LTE Band 71	665.5	1.22	NA	25.00	24.07	34.77	0.0833	0.4437	11.92	8.48	8.48	Pass



Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printe overleaf, available on request or accessible at http://www.sgs.com/en/Terms.and-Conditions.apx and, for electronic formard documents subject to Terms and Conditions for Electronic Documents at http://www.sgs.com/en/Terms-and-Conditions/Terms-en-Document.aspx Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduce except in full, without prior written approval of the Company, Any unauthorized alteration, forgery or falsification of the contents or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) are retained for 30 days only.

South of No. 6 Pfart, No. 1, Runsheng Read, Suchou Industrial Park, Suchou Area, China (langsu) Pilot Free Trade Zone 215000 中国 - 苏州 - 中国(江苏)自由贸易试验区苏州片区苏州工业园区润胜路1号的6号厂房南部 邮编: 215000 t (86-512) 62992980 t (86-512) 62992980



Report No.: SUCR240100001704

Rev.: 01 Page: 10 of 12

Operating Band	Frequency (MHz)	Antenna Gain (dBi)	MIMO Directional gain	Max Conducted Power (dBm)	EIRP(ERP) (dBm)	EIRP(ERP) Limit (dBm)	Power Density at R = 20 cm (mW/cm2)	Limit (mW/cm2)	Gain according to EIRP(ERP) (dBi)	Gain according to Pd (dBi)	Max Gain Allowed (dBi)	conclusion
NR Band n2	1852.5	1.60	NA	25.00	26.60	33.00	0.0909	1.0000	8.00	12.01	8.00	Pass
NR Band n2(MIMO)	1852.5	1.60	1.60	28.00	29.60	33.00	0.1814	1.0000	5.00	9.01	5.00	Pass
NR Band n5	826.5	0.70	NA	25.00	23.55	38.45	0.0739	0.5510	15.60	9.42	9.42	Pass
NR Band n5(MIMO)	826.5	0.70	0.70	28.00	26.55	38.45	0.1475	0.5510	12.60	6.42	6.42	Pass
NR Band n7	2502.5	2.70	NA	25.00	27.70	33.00	0.1171	1.0000	8.00	12.01	8.00	Pass
NR Band n7(MIMO)	2502.5	2.70	2.70	28.00	30.70	33.00	0.2337	1.0000	5.00	9.01	5.00	Pass
NR Band n12	701.5	0.50	NA	25.00	23.35	34.77	0.0706	0.4677	11.92	8.71	8.71	Pass
NR Band n13	779.5	0.20	NA	25.00	23.05	34.77	0.0659	0.5197	11.92	9.16	9.16	Pass
NR Band n14	790.5	0.10	NA	25.00	22.95	34.77	0.0644	0.5270	11.92	9.23	9.23	Pass
NR Band n25	1852.5	1.70	NA	25.00	26.70	33.00	0.0931	1.0000	8.00	12.01	8.00	Pass
NR Band n25(MIMO)	1852.5	1.70	1.70	28.00	29.70	33.00	0.0351	1.0000	5.00	9.01	5.00	Pass
NR Band n26(814-824)	816.5	0.70	NA	25.00	23.55	NA	0.0739	0.5443	NA	9.37	9.37	Pass
NR Band n26(824-849)	826.5	0.70	NA NA	25.00	23.55	38.45	0.0739	0.5510	15.60	9.42	9.42	Pass
NR Band n30	2307.5	-5.70	NA NA	24.00	18.30	23.98	0.0135	1.0000	-0.02	13.01	-0.02	Pass
NR Band n38	2575.0	2.40	NA NA	28.00	30.40	33.00	0.0100	1.0000	5.00	9.01	5.00	Pass
NR Band n38(MIMO)	2575.0	2.40	2.40	30.00	32.40	33.00	0.3457	1.0000	3.00	7.01	3.00	Pass
NR Band n41	2501.0	2.70	NA	28.00	30.70	33.00	0.2337	1.0000	5.00	9.01	5.00	Pass
NR Band n41(MIMO)	2501.0	2.70	2.70	30.00	32.70	33.00	0.2337	1.0000	3.00	7.01	3.00	Pass
NR Band n48	3555.0	-6.12	NA	25.00	18.88	23.00	0.3703	1.0000	-2.00	12.01	-2.00	Pass
NR Band n48(MIMO)	3555.0	-6.12	-6.12	25.00	18.88	23.00	0.0154	1.0000	-2.00	12.01	-2.00	Pass
NR Band n46(MIMO)	1712.5	1.40	-0.12 NA	25.00	26.40	30.00	0.0154			12.01	5.00	Pass
		1.40	1.40	28.00	29.40			1.0000	5.00 2.00		2.00	
NR Band n66(MIMO)	1712.5					30.00	0.1733	1.0000		9.01		Pass
NR Band n70	1697.5	1.30	NA 1.00	25.00	26.30	30.00	0.0849	1.0000	5.00	12.01	5.00	Pass
NR Band n70(MIMO)	1697.5	1.30	1.30	25.00	26.30	30.00	0.0849	1.0000	5.00	12.01	5.00	Pass
NR Band n71	665.5	1.22	NA	25.00	24.07	34.77	0.0833	0.4437	11.92	8.48	8.48	Pass
NR Band n71(MIMO)	665.5	1.22	1.22	28.00	27.07	34.77	0.1662	0.4437	8.92	5.48	5.48	Pass
NR Band n77 (3450-3550)	3455.0	-0.64	NA	28.00	27.36	30.00	0.1083	1.0000	2.00	9.01	2.00	Pass
NR Band n77 (3450-3550)(MIMO)	3455.0	-0.64	-0.64	30.00	29.36	30.00	0.1717	1.0000	0.00	7.01	0.00	Pass
NR Band n77 (3700-3980)	3705.0	-0.64	NA	28.00	27.36	30.00	0.1083	1.0000	2.00	9.01	2.00	Pass
NR Band n77 (3700-3980)(MIMO)	3705.0	-0.64	-0.64	30.00	29.36	30.00	0.1717	1.0000	0.00	7.01	0.00	Pass
NR Band n78 (3450-3550)	3455.0	-0.64	NA	28.00	27.36	30.00	0.1083	1.0000	2.00	9.01	2.00	Pass
NR Band n78 (3450-3550)(MIMO)	3455.0	-0.64	-0.64	30.00	29.36	30.00	0.1717	1.0000	0.00	7.01	0.00	Pass
NR Band n78 (3700-3800)	3705.0	-0.64	NA	28.00	27.36	30.00	0.1083	1.0000	2.00	9.01	2.00	Pass
NR Band n78 (3700-3800)(MIMO)	3705.0	-0.64	-0.64	30.00	29.36	30.00	0.1717	1.0000	0.00	7.01	0.00	Pass
Bluetooth	2402.0	5.00	NA	23.00	28.00	NA	0.1255	1.0000	NA	NA	NA	NA
WLAN2.4GHz	2412.0	5.00	NA	23.00	28.00	NA	0.1255	1.0000	NA	NA	NA	NA
WLAN5GHz	5180.0	5.00	NA	23.00	28.00	NA	0.1255	1.0000	NA	NA	NA	NA

Note:

- 1.This MPE analysis is applicable to any collocated transmitters with transmit power for WLAN is less than or equal to 28dBm and for Bluetooth is less than or equal to 28dBm.
- 2.A maximum antenna gain of 5dBi for WLAN/BT has been assumed for all collocated antennas.



Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at http://www.sgs.com/en/Terms-and-Conditions.aspx and Conditions for Electronic Documents at http://www.sgs.com/en/Terms-and-Conditions/Terms-e-Document.aspx. Attention is drawn to the limitation of liability, indemification and jurisdiction issues define therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forger or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) are retained for 30 days only.

South of No. 6 Pfart, No. 1, Runsheng Read, Suchou Industrial Park, Suchou Area, China (langsu) Pilot Free Trade Zone 215000 中国 - 苏州 - 中国(江苏)自由贸易试验区苏州片区苏州工业园区润胜路1号的6号厂房南部 邮编: 215000 t (86-512) 62992980 t (86-512) 62992980



Report No.: SUCR240100001704

Rev.: 01 Page: 11 of 12

Due to the EUT support NR ENDC and CA

Both LTE and NR/LTE band can transmit simultaneously, the formula of the calculated the MPE is:

$$\sum_{i=1}^{n} \frac{S_{E_{i}}(dutyfactor)}{MPE_{E_{i}}} < 1$$

NOTE The corresponding MEs must be expressed in terms of power density in the above summation Therefore, the worst-case (NR CA_n41A-n71A) situation is 0.3705+0.3746=0.7451, which is less than "1", this confirmed that the device comply with MPE limit.



Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printe overleaf, available on request or accessible at https://www.sgs.com/en/Ferms-and-Conditions.aspx.aaf, for electronic format documents subject to Terms and Conditions for Electronic Documents at <a href="https://www.sgs.com/en/Ferms-and-Conditions/Ferms-a-Document.aspx.adf. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document advised that information contained hereon reflects the Company's findings at the time of intervention only and within the limitst Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to transaction from exercising all their rights and obligations under the transaction document does not exonerate parties to transaction from exercising all their rights and obligations under the transaction document of the summer transportance of the summer comment cannot be reproduce except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content of appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 30 days only.

South of No. 6 Pfart, No. 1, Runsheng Road, Suchou Industria Park, Suchou Area, China (Jiangsu) Pilot Free Trade Zone 215000 中国 - 苏州 - 中国(江苏)自由贸易试验区苏州片区苏州工业园区消胜路1号的6号厂房南部 邮编: 215000 t (86–512) 62992980 www.sgsgroup.com.cn t (86–512) 62992980 sgs.china@sgs.com



Report No.: SUCR240100001704

Rev.: 01 Page: 12 of 12

3.1.4 Exposure calculations for multiple sources

In order to ensure compliance with the MPE for a controlled environment, the sum of the ratios of the power density to the corresponding MPE should not exceed unity. That is

$$\sum_{i=1}^{n} \frac{S_i}{MPE_i} \le 1$$

The product also has multiple transmitters The Simultaneous Transmission Possibilities are as below:

Simultaneous Tx Combination	Configuration			
1	WWAN + WiFi 2.4G + WiFi 5G + Bluetooth			

No.	Mode	Power Density (mW/cm²)	MPE Limit (mW/cm ²)	Result Ratio	Total Ratio	Limit	Result
	NR Band n71(MIMO)*	0.1662	0.4437	0.3746			Dage
1	Bluetooth	0.1255	1.0000	0.1255	0.7511	1.0000	
'	WiFi 2.4G	0.1255	1.0000	0.1255	0.7511	1.0000	Pass
	WiFi 5G	0.1255	1.0000	0.1255			

Remark*: This WWAN Band was recalculated on worst Band.

Note: Considering the WWAN module collocation with the WLAN and Bluetooth transmitter of the EIRP performance listed in the table above, the aggregated (power density /limit) is smaller than 1, and MPE of 3 collocated transmitters is compliant.

---End of Report---



Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at http://www.sgs.com/en/Terms-and-Conditions.aspx and Conditions for Electronic Documents at http://www.sgs.com/en/Terms-and-Conditions/Terms-e-Document.aspx. Attention is drawn to the limitation of liability, indemification and jurisdiction issues define therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forger or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) are retained for 30 days only.

South of No. 6 Plant, No. 1, Runsheng Read, Suzhou Industrial Park, Suzhou Area, China (Jiangsu) Pilot Free Trade Zone 215000 中国 - 苏州 - 中国(江苏)自由贸易试验区苏州片区苏州工业园区消胜路1号的6号厂房南部 邮编: 215000

215000 t (86–512) 62992980

t (86-512) 62992980