













Min emission bandwidth


Test Result B4


TestMode	Antenna	Freq(MHz)	6dB EBW [MHz]	FL[MHz]	FH[MHz]	Limit[MHz]	Verdict
11A	Ant1	5745	15.45	5737.27	5752.73	0.5	PASS
		5785	16.05	5776.83	5792.88	0.5	PASS
		5825	15.49	5817.23	5832.73	0.5	PASS
11AC20SISO	Ant1	5745	15.15	5737.44	5752.59	0.5	PASS
		5785	13.82	5777.50	5791.32	0.5	PASS
		5825	16.48	5816.64	5833.13	0.5	PASS
11AC40SISO	Ant1	5755	35.52	5737.11	5772.63	0.5	PASS
		5795	35.33	5777.26	5812.59	0.5	PASS
11AC80SISO	Ant1	5775	75.16	5737.46	5812.62	0.5	PASS





Test Graphs B4











Maximum power spectral density

Test Result


TestMode	Antenna	Freq(MHz)	Result [dBm/MHz]	Limit[dBm/MHz]	Verdict
11A	Ant1	5180	5.40	≤11.00	PASS
		5220	5.00	≤11.00	PASS
		5240	5.50	≤11.00	PASS
		5260	5.38	≤11.00	PASS
		5300	5.65	≤11.00	PASS
		5320	5.39	≤11.00	PASS
		5500	5.40	≤11.00	PASS
		5580	5.02	≤11.00	PASS
		5700	5.67	≤11.00	PASS
		5720_UNII-2C	5.82	≤11.00	PASS
		5720_UNII-3	1.49	≤30.00	PASS
		5745	3.24	≤30.00	PASS
		5785	3.09	≤30.00	PASS
		5825	2.58	≤30.00	PASS
11AC20SISO	Ant1	5180	4.99	≤11.00	PASS
		5220	4.56	≤11.00	PASS
		5240	5.10	≤11.00	PASS
		5260	4.85	≤11.00	PASS
		5300	5.14	≤11.00	PASS
		5320	4.94	≤11.00	PASS
		5500	4.79	≤11.00	PASS
		5580	4.42	≤11.00	PASS
		5700	5.07	≤11.00	PASS
		5720_UNII-2C	5.22	≤11.00	PASS
		5720_UNII-3	0.99	≤30.00	PASS
		5745	2.52	≤30.00	PASS
		5785	2.41	≤30.00	PASS
		5825	1.90	≤30.00	PASS
11AC40SISO	Ant1	5190	-0.07	≤11.00	PASS
		5230	2.64	≤11.00	PASS
		5270	2.80	≤11.00	PASS
		5310	0.02	≤11.00	PASS
		5510	0.97	≤11.00	PASS
		5550	2.57	≤11.00	PASS
		5670	2.98	≤11.00	PASS
		5710_UNII-2C	3.06	≤11.00	PASS
		5710_UNII-3	-1.59	≤30.00	PASS
		5755	0.34	≤30.00	PASS
		5795	0.12	≤30.00	PASS
11AC80SISO	Ant1	5210	-3.27	≤11.00	PASS
		5290	-5.09	≤11.00	PASS
		5530	-4.16	≤11.00	PASS
		5610	-1.82	≤11.00	PASS
		5690_UNII-2C	-3.37	≤11.00	PASS
		5690_UNII-3	-7.45	≤30.00	PASS
		5775	-3.89	≤30.00	PASS


Note: 1.The Result and Limit Unit is dBm/500 kHz in the band 5.725–5.85 GHz.


2.The Duty Cycle Factor and is compensated in the graph.





Test Graphs





































































Appendix B. AC Conducted Emission Test Results





Test Engineer :	Amos	Temperature :	25.3~26.2°C
		Relative Humidity :	38~40%
Test Voltage :	120Vac / 60Hz	Phase :	Neutral
Remark :	All emissions not reported here are more than 10 dB below the prescribed limit.		



	Freq	Level	Over	Limit	Read	LISN	Cable	
	MHz	dBuV	Limit	Line	Level	Factor	Loss	Remark
			dB	dBuV	dBuV	dB	dB	
1	0.190	35.64	-28.38	64.02	25.10	0.13	10.41	QP
2	0.190	20.84	-33.18	54.02	10.30	0.13	10.41	Average
3	0.371	38.46	-20.01	58.47	28.30	-0.13	10.29	QP
4	0.371	30.46	-18.01	48.47	20.30	-0.13	10.29	Average
5	0.449	36.80	-20.09	56.89	26.69	-0.14	10.25	QP
6	0.449	28.90	-17.99	46.89	18.79	-0.14	10.25	Average
7	0.518	36.36	-19.64	56.00	26.30	-0.15	10.21	QP
8	0.518	25.16	-20.84	46.00	15.10	-0.15	10.21	Average
9	0.665	34.69	-21.31	56.00	24.70	-0.16	10.15	QP
10	0.665	25.09	-20.91	46.00	15.10	-0.16	10.15	Average
11 *	1.289	38.50	-17.50	56.00	28.59	-0.18	10.09	QP
12	1.289	28.40	-17.60	46.00	18.49	-0.18	10.09	Average

Note:

1. $\text{Level(dB}\mu\text{V)} = \text{Read Level(dB}\mu\text{V)} + \text{LISN Factor(dB)} + \text{Cable Loss(dB)}$
2. $\text{Over Limit(dB)} = \text{Level(dB}\mu\text{V)} - \text{Limit Line(dB}\mu\text{V)}$



Appendix C Radiated Spurious Emission Test Data

Test Engineer :	Koi Ji	Relative Humidity :	51~53%
		Temperature :	25.2~ 26.5°C

Radiated Spurious Emission Test Modes

Mode	Band	Band (GHz)	Modulation	Channel	Frequency	Data Rate	RU	Remark
Mode 1	U-NII-1	5.15-5.25	802.11a	36	5180	6Mbps	-	-
Mode 2	U-NII-1	5.15-5.25	802.11a	44	5220	6Mbps	-	-
Mode 3	U-NII-1	5.15-5.25	802.11a	48	5240	6Mbps	-	-
Mode 4	U-NII-1	5.15-5.25	802.11ac VHT20	36	5180	MCS0	-	-
Mode 5	U-NII-1	5.15-5.25	802.11ac VHT20	44	5220	MCS0	-	-
Mode 6	U-NII-1	5.15-5.25	802.11ac VHT20	48	5240	MCS0	-	-
Mode 7	U-NII-1	5.15-5.25	802.11ac VHT40	38	5190	MCS0	-	-
Mode 8	U-NII-1	5.15-5.25	802.11ac VHT40	46	5230	MCS0	-	-
Mode 9	U-NII-1	5.15-5.25	802.11ac VHT80	42	5210	MCS0	-	-
Mode 10	U-NII-2A	5.25-5.35	802.11a	52	5260	6Mbps	-	-
Mode 11	U-NII-2A	5.25-5.35	802.11a	60	5300	6Mbps	-	-
Mode 12	U-NII-2A	5.25-5.35	802.11a	64	5320	6Mbps	-	-
Mode 13	U-NII-2A	5.25-5.35	802.11ac VHT20	52	5260	MCS0	-	-
Mode 14	U-NII-2A	5.25-5.35	802.11ac VHT20	60	5300	MCS0	-	-
Mode 15	U-NII-2A	5.25-5.35	802.11ac VHT20	64	5320	MCS0	-	-
Mode 16	U-NII-2A	5.25-5.35	802.11ac VHT40	54	5270	MCS0	-	-
Mode 17	U-NII-2A	5.25-5.35	802.11ac VHT40	62	5310	MCS0	-	-
Mode 18	U-NII-2A	5.25-5.35	802.11ac VHT80	58	5290	MCS0	-	-
Mode 19	U-NII-2C	5.47-5.725	802.11a	100	5500	6Mbps	-	-
Mode 20	U-NII-2C	5.47-5.725	802.11a	116	5580	6Mbps	-	-
Mode 21	U-NII-2C	5.47-5.725	802.11a	140	5700	6Mbps	-	-
Mode 22	U-NII-2C	5.47-5.725	802.11ac VHT20	100	5500	MCS0	-	-
Mode 23	U-NII-2C	5.47-5.725	802.11ac VHT20	116	5580	MCS0	-	-
Mode 24	U-NII-2C	5.47-5.725	802.11ac VHT20	140	5700	MCS0	-	-
Mode 25	U-NII-2C	5.47-5.725	802.11ac VHT40	102	5510	MCS0	-	-
Mode 26	U-NII-2C	5.47-5.725	802.11ac VHT40	110	5550	MCS0	-	-
Mode 27	U-NII-2C	5.47-5.725	802.11ac VHT80	106	5530	MCS0	-	-
Mode 28	U-NII-2C	5.47-5.725	802.11ac VHT80	122	5610	MCS0	-	-
Mode 29	U-NII-2C	5.47-5.725	802.11ac VHT80	134	5670	MCS0	-	-
Mode 30	U-NII-2C	5.47-5.725	802.11a	144	5720	6Mbps	-	-
Mode 31	U-NII-3	5.725-5.85	802.11a	149	5745	6Mbps	-	-
Mode 32	U-NII-3	5.725-5.85	802.11a	157	5785	6Mbps	-	-
Mode 33	U-NII-3	5.725-5.85	802.11a	165	5825	6Mbps	-	-
Mode 34	U-NII-3	5.725-5.85	802.11ac VHT20	149	5745	MCS0	-	-
Mode 35	U-NII-3	5.725-5.85	802.11ac VHT20	157	5785	MCS0	-	-
Mode 36	U-NII-3	5.725-5.85	802.11ac VHT20	165	5825	MCS0	-	-
Mode 37	U-NII-2C	5.47-5.725	802.11ac VHT40	142	5710	MCS0	-	-
Mode 38	U-NII-3	5.725-5.85	802.11ac VHT40	151	5755	MCS0	-	-
Mode 39	U-NII-3	5.725-5.85	802.11ac VHT40	159	5795	MCS0	-	-



Mode 40	U-NII-2C	5.47-5.725	802.11ac VHT80	138	5690	MCS0	-	-
Mode 41	U-NII-3	5.725-5.85	802.11ac VHT80	155	5775	MCS0	-	-

Summary of each worse mode

Mode	Modulation	Ch.	Freq. (MHz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Pol.	Peak Avg.	Result	Remark
1	802.11a	36	5149.85	47.34	54.00	-6.66	V	AVERAGE	Pass	Band Edge
1	802.11a	36	15540.00	36.16	54.00	-17.84	H	AVERAGE	Pass	Harmonic
2	802.11a	44	-	-	-	-	-	-	-	Band Edge
2	802.11a	44	10440.00	45.03	68.20	-23.17	H	PEAK	Pass	Harmonic
3	802.11a	48	-	-	-	-	-	-	-	Band Edge
3	802.11a	48	15720.00	36.81	54.00	-17.19	V	AVERAGE	Pass	Harmonic
4	802.11ac VHT20	36	5149.95	47.90	54.00	-6.10	V	AVERAGE	Pass	Band Edge
4	802.11ac VHT20	36	10360.00	56.18	68.20	-12.02	V	PEAK	Pass	Harmonic
5	802.11ac VHT20	44	-	-	-	-	-	-	-	Band Edge
5	802.11ac VHT20	44	15660.00	36.12	54.00	-17.88	V	AVERAGE	Pass	Harmonic
6	802.11ac VHT20	48	-	-	-	-	-	-	-	Band Edge
6	802.11ac VHT20	48	15720.00	36.79	54.00	-17.21	V	AVERAGE	Pass	Harmonic
7	802.11ac VHT40	38	5150.00	47.59	54.00	-6.41	V	AVERAGE	Pass	Band Edge
7	802.11ac VHT40	38	15570.00	37.49	54.00	-16.51	V	AVERAGE	Pass	Harmonic
8	802.11ac VHT40	46	5100.25	46.53	54.00	-7.47	H	AVERAGE	Pass	Band Edge
8	802.11ac VHT40	46	15690.00	36.30	54.00	-17.70	V	AVERAGE	Pass	Harmonic
9	802.11ac VHT80	42	5149.37	47.90	54.00	-6.10	V	AVERAGE	Pass	Band Edge
9	802.11ac VHT80	42	15630.00	37.87	54.00	-16.13	V	AVERAGE	Pass	Harmonic
10	802.11a	52	-	-	-	-	-	-	-	Band Edge
10	802.11a	52	15780.00	37.01	54.00	-16.99	V	AVERAGE	Pass	Harmonic
11	802.11a	60	-	-	-	-	-	-	-	Band Edge
11	802.11a	60	15900.00	36.67	54.00	-17.33	V	AVERAGE	Pass	Harmonic
12	802.11a	64	5350.05	46.69	54.00	-7.31	V	AVERAGE	Pass	Band Edge
12	802.11a	64	10640.00	41.64	54.00	-12.36	V	AVERAGE	Pass	Harmonic
13	802.11ac VHT20	52	-	-	-	-	-	-	-	Band Edge
13	802.11ac VHT20	52	7013.33	52.93	68.20	-15.27	V	PEAK	Pass	Harmonic
14	802.11ac VHT20	60	-	-	-	-	-	-	-	Band Edge
14	802.11ac VHT20	60	7066.67	52.90	68.20	-15.30	V	PEAK	Pass	Harmonic
15	802.11ac VHT20	64	5350.00	46.13	54.00	-7.87	V	AVERAGE	Pass	Band Edge
15	802.11ac VHT20	64	7093.33	52.09	68.20	-16.11	V	PEAK	Pass	Harmonic
16	802.11ac VHT40	54	5043.07	47.00	54.00	-7.00	H	AVERAGE	Pass	Band Edge
16	802.11ac VHT40	54	7093.00	51.02	68.20	-17.18	V	PEAK	Pass	Harmonic
17	802.11ac VHT40	62	5350.05	47.83	54.00	-6.17	V	AVERAGE	Pass	Band Edge
17	802.11ac VHT40	62	7079.82	52.25	68.20	-15.95	V	PEAK	Pass	Harmonic
18	802.11ac VHT80	58	5352.65	47.53	54.00	-6.47	V	AVERAGE	Pass	Band Edge
18	802.11ac VHT80	58	7053.16	53.14	68.20	-15.06	V	PEAK	Pass	Harmonic
19	802.11a	100	5459.85	46.43	54.00	-7.57	V	AVERAGE	Pass	Band Edge
19	802.11a	100	7333.33	49.81	54.00	-4.19	V	AVERAGE	Pass	Harmonic
20	802.11a	116	-	-	-	-	-	-	-	Band Edge
20	802.11a	116	7440.00	51.87	54.00	-2.13	V	AVERAGE	Pass	Harmonic



21	802.11a	140	5725.04	60.28	68.20	-7.92	V	PEAK	Pass	Band Edge
21	802.11a	140	7598.10	50.83	54.00	-3.17	V	AVERAGE	Pass	Harmonic
22	802.11ac VHT20	100	5449.13	46.38	54.00	-7.62	V	AVERAGE	Pass	Band Edge
22	802.11ac VHT20	100	7333.33	49.87	54.00	-4.13	V	AVERAGE	Pass	Harmonic
23	802.11ac VHT20	116	-	-	-	-	-	-	-	Band Edge
23	802.11ac VHT20	116	7440.00	50.10	54.00	-3.90	V	AVERAGE	Pass	Harmonic
24	802.11ac VHT20	140	5725.60	59.92	68.20	-8.28	V	PEAK	Pass	Band Edge
24	802.11ac VHT20	140	7598.10	50.92	54.00	-3.08	V	AVERAGE	Pass	Harmonic
25	802.11ac VHT40	102	5460.00	47.95	54.00	-6.05	V	AVERAGE	Pass	Band Edge
25	802.11ac VHT40	102	7346.67	49.65	54.00	-4.35	V	AVERAGE	Pass	Harmonic
26	802.11ac VHT40	110	-	-	-	-	-	-	-	Band Edge
26	802.11ac VHT40	110	7400.00	48.98	54.00	-5.02	V	AVERAGE	Pass	Harmonic
27	802.11ac VHT80	106	5458.41	47.81	54.00	-6.19	V	AVERAGE	Pass	Band Edge
27	802.11ac VHT80	106	7373.33	49.44	54.00	-4.56	V	AVERAGE	Pass	Harmonic
28	802.11ac VHT80	122	5454.57	46.79	54.00	-7.21	H	AVERAGE	Pass	Band Edge
28	802.11ac VHT80	122	7480.00	50.73	54.00	-3.27	V	AVERAGE	Pass	Harmonic
29	802.11ac VHT80	134	5745.28	61.62	68.20	-6.58	V	PEAK	Pass	Band Edge
29	802.11ac VHT80	134	7560.00	52.20	54.00	-1.80	V	AVERAGE	Pass	Harmonic
30	802.11a	144	-	-	-	-	-	-	-	Band Edge
30	802.11a	144	7626.65	52.98	54.00	-1.02	V	AVERAGE	Pass	Harmonic
31	802.11a	149	5632.80	57.41	68.20	-10.79	V	PEAK	Pass	Band Edge
31	802.11a	149	7659.98	52.24	54.00	-1.76	V	AVERAGE	Pass	Harmonic
32	802.11a	157	-	-	-	-	-	-	-	Band Edge
32	802.11a	157	7713.31	53.11	54.00	-0.89	V	AVERAGE	Pass	Harmonic
33	802.11a	165	5965.20	57.33	68.20	-10.87	V	PEAK	Pass	Band Edge
33	802.11a	165	7766.67	55.96	68.20	-12.24	V	PEAK	Pass	Harmonic
34	802.11ac VHT20	149	5647.60	57.80	68.20	-10.40	H	PEAK	Pass	Band Edge
34	802.11ac VHT20	149	7659.98	52.28	54.00	-1.72	V	AVERAGE	Pass	Harmonic
35	802.11ac VHT20	157	-	-	-	-	-	-	-	Band Edge
35	802.11ac VHT20	157	7713.31	52.99	54.00	-1.01	V	AVERAGE	Pass	Harmonic
36	802.11ac VHT20	165	5988.80	57.61	68.20	-10.59	V	PEAK	Pass	Band Edge
36	802.11ac VHT20	165	11650.00	41.99	54.00	-12.01	V	AVERAGE	Pass	Harmonic
37	802.11ac VHT40	142	-	-	-	-	-	-	-	Band Edge
37	802.11ac VHT40	142	7613.31	53.06	54.00	-0.94	V	AVERAGE	Pass	Harmonic
38	802.11ac VHT40	151	5939.28	57.92	68.20	-10.28	H	PEAK	Pass	Band Edge
38	802.11ac VHT40	151	7673.31	52.70	54.00	-1.30	V	AVERAGE	Pass	Harmonic
39	802.11ac VHT40	159	5638.80	58.51	68.20	-9.69	H	PEAK	Pass	Band Edge
39	802.11ac VHT40	159	7726.65	52.88	54.00	-1.12	V	AVERAGE	Pass	Harmonic
40	802.11ac VHT80	138	-	-	-	-	-	-	-	Band Edge
40	802.11ac VHT80	138	7586.67	53.07	54.00	-0.93	V	AVERAGE	Pass	Harmonic
41	802.11ac VHT80	155	5943.20	58.51	68.20	-9.69	V	PEAK	Pass	Band Edge
41	802.11ac VHT80	155	7699.98	52.92	54.00	-1.08	V	AVERAGE	Pass	Harmonic



Co-location





Radiated Spurious Emission Test Modes

Mode	Band	Band (GHz)	Modulation	Channel	Frequency	Data Rate	RU	Remark
Mode 43	2400-2483.5	2400-2483.5	Bluetooth-LE_GSKF	39	2480	1Mbps	-	-
	U-NII-3	5.725-5.85	802.11a	157	5785	6Mbps	-	-
Mode 44	U-NII-3	5.725-5.85	802.11a	157	5785	6Mbps	-	-
	Part 27M LTE Band 7- BW 20M							





Summary of each worse mode

Mode	Modulation	Ch.	Freq. (MHz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Pol.	Peak Avg.	Result	Remark
43	Bluetooth-LE_GSKF	39	2484.34	39.44	54.00	-14.56	V	AVERAGE	Pass	Band Edge
	Bluetooth-LE_GSKF	39	4960.00	40.25	74.00	-33.75	V	PEAK	Pass	Harmonic
	802.11a	157	5639.20	52.89	68.20	-15.31	V	PEAK	Pass	Band Edge
	802.11a	157	7713.53	52.91	54.00	-1.09	V	Average	Pass	Harmonic
44	802.11a	157	5630.00	51.59	68.20	-16.61	H	PEAK	Pass	Band Edge
	802.11a	157	7713.14	50.90	54.00	-3.10	V	AVERAGE	Pass	Harmonic





Mode	1																																																																																																		
	Band Edge																																																																																																		
	U-NII-1_5.15-5.25_802.11a_CH36_5180MHz																																																																																																		
ANT	1																																																																																																		
Pol.	Horizontal						Fundamental																																																																																												
Peak																																																																																																			
	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5180.65</td><td>56.95</td><td>74.00</td><td>-17.05</td><td>40.45</td><td>34.26</td><td>12.46</td><td>30.22</td><td>0.00</td><td>112</td><td>301</td><td>PEAK</td></tr></table>							Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5180.65	56.95	74.00	-17.05	40.45	34.26	12.46	30.22	0.00	112	301	PEAK	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5180.00</td><td>96.42</td><td>-----</td><td>-----</td><td>79.84</td><td>34.22</td><td>12.55</td><td>30.19</td><td>0.00</td><td>112</td><td>301</td><td>PEAK</td></tr></table>							Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5180.00	96.42	-----	-----	79.84	34.22	12.55	30.19	0.00	112	301
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																											
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark																																																																																										
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																									
1	5180.65	56.95	74.00	-17.05	40.45	34.26	12.46	30.22	0.00	112	301	PEAK																																																																																							
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																											
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark																																																																																										
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																									
1	5180.00	96.42	-----	-----	79.84	34.22	12.55	30.19	0.00	112	301	PEAK																																																																																							
Avg																																																																																																			
	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5183.75</td><td>46.34</td><td>54.00</td><td>-7.66</td><td>29.83</td><td>34.28</td><td>12.45</td><td>30.22</td><td>0.00</td><td>112</td><td>301</td><td>AVERAGE</td></tr></table>							Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5183.75	46.34	54.00	-7.66	29.83	34.28	12.45	30.22	0.00	112	301	AVERAGE	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5180.00</td><td>88.03</td><td>-----</td><td>-----</td><td>71.45</td><td>34.22</td><td>12.55</td><td>30.19</td><td>0.00</td><td>112</td><td>301</td><td>AVERAGE</td></tr></table>							Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5180.00	88.03	-----	-----	71.45	34.22	12.55	30.19	0.00	112	301
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																											
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark																																																																																										
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																									
1	5183.75	46.34	54.00	-7.66	29.83	34.28	12.45	30.22	0.00	112	301	AVERAGE																																																																																							
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																											
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark																																																																																										
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																									
1	5180.00	88.03	-----	-----	71.45	34.22	12.55	30.19	0.00	112	301	AVERAGE																																																																																							



Mode	1																																																																																																	
	Band Edge																																																																																																	
	U-NII-1_5.15-5.25_802.11a_CH36_5180MHz																																																																																																	
ANT	1																																																																																																	
Pol.	Vertical						Fundamental																																																																																											
Peak																																																																																																		
	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5114.15</td><td>57.37</td><td>74.00</td><td>-16.63</td><td>40.88</td><td>34.24</td><td>12.47</td><td>30.22</td><td>0.00</td><td>259</td><td>0 PEAK</td></tr></table>							Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1	5114.15	57.37	74.00	-16.63	40.88	34.24	12.47	30.22	0.00	259	0 PEAK	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5180.00</td><td>105.88</td><td>-----</td><td>-----</td><td>89.30</td><td>34.22</td><td>12.55</td><td>30.19</td><td>0.00</td><td>259</td><td>0 PEAK</td></tr></table>							Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1	5180.00	105.88	-----	-----	89.30	34.22	12.55	30.19	0.00	259	0 PEAK
		Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																								
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																																																																										
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																																								
1	5114.15	57.37	74.00	-16.63	40.88	34.24	12.47	30.22	0.00	259	0 PEAK																																																																																							
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																									
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																																																																										
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																																								
1	5180.00	105.88	-----	-----	89.30	34.22	12.55	30.19	0.00	259	0 PEAK																																																																																							
Avg																																																																																																		
	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5149.85</td><td>47.34</td><td>54.00</td><td>-6.66</td><td>30.93</td><td>34.10</td><td>12.51</td><td>30.20</td><td>0.00</td><td>259</td><td>0 AVERAGE</td></tr></table>							Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1	5149.85	47.34	54.00	-6.66	30.93	34.10	12.51	30.20	0.00	259	0 AVERAGE	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5180.00</td><td>97.19</td><td>-----</td><td>-----</td><td>80.61</td><td>34.22</td><td>12.55</td><td>30.19</td><td>0.00</td><td>259</td><td>0 AVERAGE</td></tr></table>							Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1	5180.00	97.19	-----	-----	80.61	34.22	12.55	30.19	0.00	259	0 AVERAGE
		Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																								
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																																																																										
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																																								
1	5149.85	47.34	54.00	-6.66	30.93	34.10	12.51	30.20	0.00	259	0 AVERAGE																																																																																							
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																									
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																																																																										
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																																								
1	5180.00	97.19	-----	-----	80.61	34.22	12.55	30.19	0.00	259	0 AVERAGE																																																																																							





Mode	1																																																																																																																																												
	Harmonic																																																																																																																																												
	U-NII-1_5.15-5.25_802.11a_CH36_5180MHz																																																																																																																																												
ANT	1																																																																																																																																												
Pol.	Horizontal						Vertical																																																																																																																																						
Peak Avg																																																																																																																																													
	<table><tr><th colspan="2"></th><th colspan="2">Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th rowspan="2">Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th></th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th><th></th></tr><tr><td>1 10360.00</td><td>45.56</td><td>68.20</td><td>-22.64</td><td>55.99</td><td>37.46</td><td>17.56</td><td>65.45</td><td>0.00</td><td>--</td><td>--</td><td>PEAK</td></tr><tr><td>2 15540.00</td><td>46.07</td><td>74.00</td><td>-27.93</td><td>48.77</td><td>40.04</td><td>21.56</td><td>64.30</td><td>0.00</td><td>300</td><td>360</td><td>PEAK</td></tr><tr><td>3 15540.00</td><td>36.16</td><td>54.00</td><td>-17.84</td><td>38.84</td><td>40.05</td><td>21.57</td><td>64.30</td><td>0.00</td><td>300</td><td>360</td><td>AVERAGE</td></tr></table>								Limit		Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor			MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg		1 10360.00	45.56	68.20	-22.64	55.99	37.46	17.56	65.45	0.00	--	--	PEAK	2 15540.00	46.07	74.00	-27.93	48.77	40.04	21.56	64.30	0.00	300	360	PEAK	3 15540.00	36.16	54.00	-17.84	38.84	40.05	21.57	64.30	0.00	300	360	AVERAGE	<table><tr><th colspan="2"></th><th colspan="2">Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th rowspan="2">Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th></th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th><th></th></tr><tr><td>1 10360.00</td><td>44.95</td><td>68.20</td><td>-23.25</td><td>55.38</td><td>37.46</td><td>17.56</td><td>65.45</td><td>0.00</td><td>--</td><td>--</td><td>PEAK</td></tr><tr><td>2 15540.00</td><td>45.51</td><td>74.00</td><td>-28.49</td><td>48.21</td><td>40.04</td><td>21.56</td><td>64.30</td><td>0.00</td><td>--</td><td>--</td><td>PEAK</td></tr></table>								Limit		Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor			MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg		1 10360.00	44.95	68.20	-23.25	55.38	37.46	17.56	65.45	0.00	--	--	PEAK	2 15540.00	45.51	74.00	-28.49	48.21	40.04	21.56	64.30	0.00	--	--
		Limit		Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																																																																		
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																																																																																																																					
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																																																																																			
1 10360.00	45.56	68.20	-22.64	55.99	37.46	17.56	65.45	0.00	--	--	PEAK																																																																																																																																		
2 15540.00	46.07	74.00	-27.93	48.77	40.04	21.56	64.30	0.00	300	360	PEAK																																																																																																																																		
3 15540.00	36.16	54.00	-17.84	38.84	40.05	21.57	64.30	0.00	300	360	AVERAGE																																																																																																																																		
		Limit		Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																																																																		
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																																																																																																																					
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																																																																																			
1 10360.00	44.95	68.20	-23.25	55.38	37.46	17.56	65.45	0.00	--	--	PEAK																																																																																																																																		
2 15540.00	45.51	74.00	-28.49	48.21	40.04	21.56	64.30	0.00	--	--	PEAK																																																																																																																																		







Mode	2																																																																																																																																
	Harmonic																																																																																																																																
	U-NII-1_5.15-5.25_802.11a_CH44_5220MHz																																																																																																																																
ANT	1																																																																																																																																
Pol.	Horizontal						Vertical																																																																																																																										
Peak Avg																																																																																																																																	
	<table><tr><th colspan="2"></th><th colspan="2">Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th rowspan="2">Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th></th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th><th></th></tr><tr><td>1</td><td>10440.00</td><td>45.03</td><td>68.20</td><td>-23.17</td><td>55.22</td><td>37.54</td><td>17.62</td><td>65.35</td><td>0.00</td><td>--</td><td>-- PEAK</td></tr><tr><td>2</td><td>15660.00</td><td>45.61</td><td>74.00</td><td>-28.39</td><td>48.13</td><td>40.16</td><td>21.66</td><td>64.34</td><td>0.00</td><td>--</td><td>-- PEAK</td></tr></table>								Limit		Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor			MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg		1	10440.00	45.03	68.20	-23.17	55.22	37.54	17.62	65.35	0.00	--	-- PEAK	2	15660.00	45.61	74.00	-28.39	48.13	40.16	21.66	64.34	0.00	--	-- PEAK	<table><tr><th colspan="2"></th><th colspan="2">Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th rowspan="2">Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th></th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th><th></th></tr><tr><td>1</td><td>10440.00</td><td>44.07</td><td>68.20</td><td>-24.13</td><td>54.26</td><td>37.54</td><td>17.62</td><td>65.35</td><td>0.00</td><td>--</td><td>-- PEAK</td></tr><tr><td>2</td><td>15660.00</td><td>45.87</td><td>74.00</td><td>-28.13</td><td>48.39</td><td>40.16</td><td>21.66</td><td>64.34</td><td>0.00</td><td>--</td><td>-- PEAK</td></tr></table>							Limit		Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor			MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg		1	10440.00	44.07	68.20	-24.13	54.26	37.54	17.62	65.35	0.00	--	-- PEAK	2	15660.00	45.87	74.00	-28.13	48.39	40.16	21.66	64.34	0.00	--	-- PEAK
			Limit		Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																																																					
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																																																																																																									
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																																																																							
1	10440.00	45.03	68.20	-23.17	55.22	37.54	17.62	65.35	0.00	--	-- PEAK																																																																																																																						
2	15660.00	45.61	74.00	-28.39	48.13	40.16	21.66	64.34	0.00	--	-- PEAK																																																																																																																						
		Limit		Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																																																						
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																																																																																																									
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																																																																							
1	10440.00	44.07	68.20	-24.13	54.26	37.54	17.62	65.35	0.00	--	-- PEAK																																																																																																																						
2	15660.00	45.87	74.00	-28.13	48.39	40.16	21.66	64.34	0.00	--	-- PEAK																																																																																																																						







Mode	3																																																																																																																																						
	Harmonic																																																																																																																																						
	U-NII-1_5.15-5.25_802.11a_CH48_5240MHz																																																																																																																																						
ANT	1																																																																																																																																						
Pol.	Horizontal	Vertical																																																																																																																																					
Peak																																																																																																																																							
	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line Margin</th><th>Level</th><th>Factor</th><th>Loss Factor</th><th>Factor</th><th></th><th></th><th>Remark</th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1 10480.00</td><td>46.69</td><td>68.20</td><td>-21.51</td><td>56.77</td><td>37.58</td><td>17.65</td><td>65.31</td><td>0.00</td><td>--</td><td>--</td><td>PEAK</td></tr><tr><td>2 15720.00</td><td>46.63</td><td>74.00</td><td>-27.37</td><td>49.02</td><td>40.26</td><td>21.71</td><td>64.36</td><td>0.00</td><td>300</td><td>360</td><td>PEAK</td></tr><tr><td>3 15720.00</td><td>36.75</td><td>54.00</td><td>-17.25</td><td>39.10</td><td>40.29</td><td>21.72</td><td>64.36</td><td>0.00</td><td>300</td><td>360</td><td>AVERAGE</td></tr></table>		Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line Margin	Level	Factor	Loss Factor	Factor			Remark	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1 10480.00	46.69	68.20	-21.51	56.77	37.58	17.65	65.31	0.00	--	--	PEAK	2 15720.00	46.63	74.00	-27.37	49.02	40.26	21.71	64.36	0.00	300	360	PEAK	3 15720.00	36.75	54.00	-17.25	39.10	40.29	21.72	64.36	0.00	300	360	AVERAGE	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line Margin</th><th>Level</th><th>Factor</th><th>Loss Factor</th><th>Factor</th><th></th><th></th><th>Remark</th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1 10480.00</td><td>45.26</td><td>68.20</td><td>-22.94</td><td>55.34</td><td>37.58</td><td>17.65</td><td>65.31</td><td>0.00</td><td>--</td><td>--</td><td>PEAK</td></tr><tr><td>2 15720.00</td><td>46.60</td><td>74.00</td><td>-27.40</td><td>48.99</td><td>40.26</td><td>21.71</td><td>64.36</td><td>0.00</td><td>100</td><td>360</td><td>PEAK</td></tr><tr><td>3 15720.00</td><td>36.81</td><td>54.00</td><td>-17.19</td><td>39.18</td><td>40.28</td><td>21.71</td><td>64.36</td><td>0.00</td><td>100</td><td>360</td><td>AVERAGE</td></tr></table>		Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line Margin	Level	Factor	Loss Factor	Factor			Remark	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1 10480.00	45.26	68.20	-22.94	55.34	37.58	17.65	65.31	0.00	--	--	PEAK	2 15720.00	46.60	74.00	-27.40	48.99	40.26	21.71	64.36	0.00	100	360	PEAK	3 15720.00	36.81	54.00	-17.19	39.18	40.28	21.71	64.36	0.00	100	360
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																																																															
Freq	Level	Line Margin	Level	Factor	Loss Factor	Factor			Remark																																																																																																																														
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																																																																													
1 10480.00	46.69	68.20	-21.51	56.77	37.58	17.65	65.31	0.00	--	--	PEAK																																																																																																																												
2 15720.00	46.63	74.00	-27.37	49.02	40.26	21.71	64.36	0.00	300	360	PEAK																																																																																																																												
3 15720.00	36.75	54.00	-17.25	39.10	40.29	21.72	64.36	0.00	300	360	AVERAGE																																																																																																																												
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																																																															
Freq	Level	Line Margin	Level	Factor	Loss Factor	Factor			Remark																																																																																																																														
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																																																																													
1 10480.00	45.26	68.20	-22.94	55.34	37.58	17.65	65.31	0.00	--	--	PEAK																																																																																																																												
2 15720.00	46.60	74.00	-27.40	48.99	40.26	21.71	64.36	0.00	100	360	PEAK																																																																																																																												
3 15720.00	36.81	54.00	-17.19	39.18	40.28	21.71	64.36	0.00	100	360	AVERAGE																																																																																																																												
Avg																																																																																																																																							





Mode	4																																																																																																				
	Band Edge																																																																																																				
	U-NII-1_5.15-5.25_802.11ac VHT20_CH36_5180MHz																																																																																																				
ANT	1																																																																																																				
Pol.	Horizontal						Fundamental																																																																																														
Peak																																																																																																					
	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th></th><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5119.55</td><td>57.35</td><td>74.00</td><td>-16.65</td><td>40.88</td><td>34.22</td><td>12.47</td><td>30.22</td><td>0.00</td><td>100</td><td>304</td><td>PEAK</td></tr></table>							Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor			MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5119.55	57.35	74.00	-16.65	40.88	34.22	12.47	30.22	0.00	100	304	PEAK	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th></th><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5180.00</td><td>95.69</td><td>-----</td><td>-----</td><td>79.11</td><td>34.22</td><td>12.55</td><td>30.19</td><td>0.00</td><td>100</td><td>304</td><td>PEAK</td></tr></table>							Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor			MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5180.00	95.69	-----	-----	79.11	34.22	12.55	30.19	0.00	100	304
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																												
	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																																																																												
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																											
1	5119.55	57.35	74.00	-16.65	40.88	34.22	12.47	30.22	0.00	100	304	PEAK																																																																																									
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																												
	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																																																																												
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																											
1	5180.00	95.69	-----	-----	79.11	34.22	12.55	30.19	0.00	100	304	PEAK																																																																																									
Avg																																																																																																					
	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th></th><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5104.85</td><td>46.43</td><td>54.00</td><td>-7.57</td><td>29.91</td><td>34.28</td><td>12.46</td><td>30.22</td><td>0.00</td><td>100</td><td>304</td><td>AVERAGE</td></tr></table>							Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor			MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5104.85	46.43	54.00	-7.57	29.91	34.28	12.46	30.22	0.00	100	304	AVERAGE	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th></th><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5180.00</td><td>87.42</td><td>-----</td><td>-----</td><td>70.84</td><td>34.22</td><td>12.55</td><td>30.19</td><td>0.00</td><td>100</td><td>304</td><td>AVERAGE</td></tr></table>							Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor			MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5180.00	87.42	-----	-----	70.84	34.22	12.55	30.19	0.00	100	304
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																												
	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																																																																												
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																											
1	5104.85	46.43	54.00	-7.57	29.91	34.28	12.46	30.22	0.00	100	304	AVERAGE																																																																																									
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																												
	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																																																																												
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																											
1	5180.00	87.42	-----	-----	70.84	34.22	12.55	30.19	0.00	100	304	AVERAGE																																																																																									





Mode	4																																																																																																		
	Band Edge																																																																																																		
	U-NII-1_5.15-5.25_802.11ac VHT20_CH36_5180MHz																																																																																																		
ANT	1																																																																																																		
Pol.	Vertical						Fundamental																																																																																												
Peak																																																																																																			
	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5147.55</td><td>58.36</td><td>74.00</td><td>-15.64</td><td>41.94</td><td>34.11</td><td>12.51</td><td>30.20</td><td>0.00</td><td>280</td><td>195</td><td>PEAK</td></tr></table>							Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor			MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5147.55	58.36	74.00	-15.64	41.94	34.11	12.51	30.20	0.00	280	195	PEAK	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5180.00</td><td>106.73</td><td>-----</td><td>-----</td><td>90.15</td><td>34.22</td><td>12.55</td><td>30.19</td><td>0.00</td><td>280</td><td>195</td><td>PEAK</td></tr></table>							Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor			MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5180.00	106.73	-----	-----	90.15	34.22	12.55	30.19	0.00	280	195
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																										
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																																																																											
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																									
1	5147.55	58.36	74.00	-15.64	41.94	34.11	12.51	30.20	0.00	280	195	PEAK																																																																																							
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																										
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																																																																											
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																									
1	5180.00	106.73	-----	-----	90.15	34.22	12.55	30.19	0.00	280	195	PEAK																																																																																							
Avg																																																																																																			
	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5149.95</td><td>47.90</td><td>54.00</td><td>-6.10</td><td>31.49</td><td>34.10</td><td>12.51</td><td>30.20</td><td>0.00</td><td>280</td><td>195</td><td>AVERAGE</td></tr></table>							Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor			MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5149.95	47.90	54.00	-6.10	31.49	34.10	12.51	30.20	0.00	280	195	AVERAGE	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5180.00</td><td>98.60</td><td>-----</td><td>-----</td><td>82.02</td><td>34.22</td><td>12.55</td><td>30.19</td><td>0.00</td><td>280</td><td>195</td><td>AVERAGE</td></tr></table>							Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor			MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5180.00	98.60	-----	-----	82.02	34.22	12.55	30.19	0.00	280	195
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																										
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																																																																											
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																									
1	5149.95	47.90	54.00	-6.10	31.49	34.10	12.51	30.20	0.00	280	195	AVERAGE																																																																																							
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																										
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																																																																											
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																									
1	5180.00	98.60	-----	-----	82.02	34.22	12.55	30.19	0.00	280	195	AVERAGE																																																																																							



Mode	4																																																																																																																																		
	Harmonic																																																																																																																																		
	U-NII-1_5.15-5.25_802.11ac VHT20_CH36_5180MHz																																																																																																																																		
ANT	1																																																																																																																																		
Pol.	Horizontal	Vertical																																																																																																																																	
Peak																																																																																																																																			
	<table><tr><th colspan="2"></th><th colspan="2">Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th rowspan="2">Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th></th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th><th></th></tr><tr><td>1 10360.00</td><td>45.28</td><td>68.20</td><td>-22.92</td><td>55.71</td><td>37.46</td><td>17.56</td><td>65.45</td><td>0.00</td><td>--</td><td>--</td><td>PEAK</td></tr><tr><td>2 15540.00</td><td>46.46</td><td>74.00</td><td>-27.54</td><td>49.16</td><td>40.04</td><td>21.56</td><td>64.30</td><td>0.00</td><td>300</td><td>360</td><td>PEAK</td></tr><tr><td>3 15540.00</td><td>36.00</td><td>54.00</td><td>-18.00</td><td>38.68</td><td>40.05</td><td>21.57</td><td>64.30</td><td>0.00</td><td>300</td><td>360</td><td>AVERAGE</td></tr></table>			Limit		Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor			MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg		1 10360.00	45.28	68.20	-22.92	55.71	37.46	17.56	65.45	0.00	--	--	PEAK	2 15540.00	46.46	74.00	-27.54	49.16	40.04	21.56	64.30	0.00	300	360	PEAK	3 15540.00	36.00	54.00	-18.00	38.68	40.05	21.57	64.30	0.00	300	360	AVERAGE	<table><tr><th colspan="2"></th><th colspan="2">Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th rowspan="2">Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th></th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th><th></th></tr><tr><td>1 10360.00</td><td>56.18</td><td>68.20</td><td>-12.02</td><td>66.61</td><td>37.46</td><td>17.56</td><td>65.45</td><td>0.00</td><td>300</td><td>308</td><td>PEAK</td></tr><tr><td>2 15540.00</td><td>45.65</td><td>74.00</td><td>-28.35</td><td>48.35</td><td>40.04</td><td>21.56</td><td>64.30</td><td>0.00</td><td>--</td><td>--</td><td>PEAK</td></tr></table>			Limit		Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor			MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg		1 10360.00	56.18	68.20	-12.02	66.61	37.46	17.56	65.45	0.00	300	308	PEAK	2 15540.00	45.65	74.00	-28.35	48.35	40.04	21.56	64.30	0.00	--	--
		Limit		Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																																																								
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																																																																																																											
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																																																																									
1 10360.00	45.28	68.20	-22.92	55.71	37.46	17.56	65.45	0.00	--	--	PEAK																																																																																																																								
2 15540.00	46.46	74.00	-27.54	49.16	40.04	21.56	64.30	0.00	300	360	PEAK																																																																																																																								
3 15540.00	36.00	54.00	-18.00	38.68	40.05	21.57	64.30	0.00	300	360	AVERAGE																																																																																																																								
		Limit		Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																																																								
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																																																																																																											
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																																																																									
1 10360.00	56.18	68.20	-12.02	66.61	37.46	17.56	65.45	0.00	300	308	PEAK																																																																																																																								
2 15540.00	45.65	74.00	-28.35	48.35	40.04	21.56	64.30	0.00	--	--	PEAK																																																																																																																								
Avg																																																																																																																																			







Mode	5																																																																																																																																												
	Harmonic																																																																																																																																												
	U-NII-1_5.15-5.25_802.11ac VHT20_CH44_5220MHz																																																																																																																																												
ANT	1																																																																																																																																												
Pol.	Horizontal						Vertical																																																																																																																																						
Peak Avg																																																																																																																																													
	<table><tr><th colspan="2"></th><th colspan="2">Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th rowspan="2">Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th></th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th><th></th></tr><tr><td>1</td><td>10440.00</td><td>45.09</td><td>68.20</td><td>-23.11</td><td>55.28</td><td>37.54</td><td>17.62</td><td>65.35</td><td>0.00</td><td>--</td><td>-- PEAK</td></tr><tr><td>2</td><td>15660.00</td><td>45.49</td><td>74.00</td><td>-28.51</td><td>48.01</td><td>40.16</td><td>21.66</td><td>64.34</td><td>0.00</td><td>--</td><td>-- PEAK</td></tr></table>								Limit		Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor			MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg		1	10440.00	45.09	68.20	-23.11	55.28	37.54	17.62	65.35	0.00	--	-- PEAK	2	15660.00	45.49	74.00	-28.51	48.01	40.16	21.66	64.34	0.00	--	-- PEAK	<table><tr><th colspan="2"></th><th colspan="2">Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th rowspan="2">Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th></th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th><th></th></tr><tr><td>1</td><td>10440.00</td><td>44.37</td><td>68.20</td><td>-23.83</td><td>54.56</td><td>37.54</td><td>17.62</td><td>65.35</td><td>0.00</td><td>--</td><td>-- PEAK</td></tr><tr><td>2</td><td>15660.00</td><td>46.08</td><td>74.00</td><td>-27.92</td><td>48.60</td><td>40.16</td><td>21.66</td><td>64.34</td><td>0.00</td><td>100</td><td>360 PEAK</td></tr><tr><td>3</td><td>15660.00</td><td>36.12</td><td>54.00</td><td>-17.88</td><td>38.66</td><td>40.15</td><td>21.65</td><td>64.34</td><td>0.00</td><td>100</td><td>360 AVERAGE</td></tr></table>								Limit		Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor			MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg		1	10440.00	44.37	68.20	-23.83	54.56	37.54	17.62	65.35	0.00	--	-- PEAK	2	15660.00	46.08	74.00	-27.92	48.60	40.16	21.66	64.34	0.00	100	360 PEAK	3	15660.00	36.12	54.00	-17.88	38.66	40.15	21.65	64.34	0.00	100
		Limit		Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																																																																		
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																																																																																																																					
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																																																																																			
1	10440.00	45.09	68.20	-23.11	55.28	37.54	17.62	65.35	0.00	--	-- PEAK																																																																																																																																		
2	15660.00	45.49	74.00	-28.51	48.01	40.16	21.66	64.34	0.00	--	-- PEAK																																																																																																																																		
		Limit		Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																																																																		
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																																																																																																																					
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																																																																																			
1	10440.00	44.37	68.20	-23.83	54.56	37.54	17.62	65.35	0.00	--	-- PEAK																																																																																																																																		
2	15660.00	46.08	74.00	-27.92	48.60	40.16	21.66	64.34	0.00	100	360 PEAK																																																																																																																																		
3	15660.00	36.12	54.00	-17.88	38.66	40.15	21.65	64.34	0.00	100	360 AVERAGE																																																																																																																																		





Mode	6																																																																																																																								
	Harmonic																																																																																																																								
	U-NII-1_5.15-5.25_802.11ac VHT20_CH48_5240MHz																																																																																																																								
ANT	1																																																																																																																								
Pol.	Horizontal	Vertical																																																																																																																							
Peak Avg																																																																																																																									
	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line Margin</th><th>Level</th><th>Factor</th><th>Loss Factor</th><th>Factor</th><th></th><th></th><th>Remark</th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1 10480.00</td><td>46.17</td><td>68.20</td><td>-22.03</td><td>56.25</td><td>37.58</td><td>17.65</td><td>65.31</td><td>0.00</td><td>-- -- PEAK</td></tr><tr><td>2 15720.00</td><td>46.33</td><td>74.00</td><td>-27.67</td><td>48.72</td><td>40.26</td><td>21.71</td><td>64.36</td><td>0.00</td><td>300 360 PEAK</td></tr><tr><td>3 15720.00</td><td>36.77</td><td>54.00</td><td>-17.23</td><td>39.12</td><td>40.29</td><td>21.72</td><td>64.36</td><td>0.00</td><td>300 360 AVERAGE</td></tr></table>		Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line Margin	Level	Factor	Loss Factor	Factor			Remark	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1 10480.00	46.17	68.20	-22.03	56.25	37.58	17.65	65.31	0.00	-- -- PEAK	2 15720.00	46.33	74.00	-27.67	48.72	40.26	21.71	64.36	0.00	300 360 PEAK	3 15720.00	36.77	54.00	-17.23	39.12	40.29	21.72	64.36	0.00	300 360 AVERAGE	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line Margin</th><th>Level</th><th>Factor</th><th>Loss Factor</th><th>Factor</th><th></th><th></th><th>Remark</th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1 10480.00</td><td>44.64</td><td>68.20</td><td>-23.56</td><td>54.72</td><td>37.58</td><td>17.65</td><td>65.31</td><td>0.00</td><td>-- -- PEAK</td></tr><tr><td>2 15720.00</td><td>46.10</td><td>74.00</td><td>-27.90</td><td>48.49</td><td>40.26</td><td>21.71</td><td>64.36</td><td>0.00</td><td>100 360 PEAK</td></tr><tr><td>3 15720.00</td><td>36.79</td><td>54.00</td><td>-17.21</td><td>39.14</td><td>40.29</td><td>21.72</td><td>64.36</td><td>0.00</td><td>100 360 AVERAGE</td></tr></table>		Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line Margin	Level	Factor	Loss Factor	Factor			Remark	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1 10480.00	44.64	68.20	-23.56	54.72	37.58	17.65	65.31	0.00	-- -- PEAK	2 15720.00	46.10	74.00	-27.90	48.49	40.26	21.71	64.36	0.00	100 360 PEAK	3 15720.00	36.79	54.00	-17.21	39.14	40.29	21.72	64.36	0.00
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																																																	
Freq	Level	Line Margin	Level	Factor	Loss Factor	Factor			Remark																																																																																																																
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																																
1 10480.00	46.17	68.20	-22.03	56.25	37.58	17.65	65.31	0.00	-- -- PEAK																																																																																																																
2 15720.00	46.33	74.00	-27.67	48.72	40.26	21.71	64.36	0.00	300 360 PEAK																																																																																																																
3 15720.00	36.77	54.00	-17.23	39.12	40.29	21.72	64.36	0.00	300 360 AVERAGE																																																																																																																
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																																																	
Freq	Level	Line Margin	Level	Factor	Loss Factor	Factor			Remark																																																																																																																
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																																
1 10480.00	44.64	68.20	-23.56	54.72	37.58	17.65	65.31	0.00	-- -- PEAK																																																																																																																
2 15720.00	46.10	74.00	-27.90	48.49	40.26	21.71	64.36	0.00	100 360 PEAK																																																																																																																
3 15720.00	36.79	54.00	-17.21	39.14	40.29	21.72	64.36	0.00	100 360 AVERAGE																																																																																																																







Mode	7																																																																																																														
	Band Edge - L																																																																																																														
	U-NII-1_5.15-5.25_802.11ac VHT40_CH38_5190MHz																																																																																																														
ANT	1																																																																																																														
Pol.	Horizontal						Fundamental																																																																																																								
Peak																																																																																																															
	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5100.89</td><td>57.38</td><td>74.00</td><td>-16.62</td><td>40.85</td><td>34.30</td><td>12.45</td><td>30.22</td><td>0.00</td><td>124</td><td>324</td><td>PEAK</td></tr></table>													Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5100.89	57.38	74.00	-16.62	40.85	34.30	12.45	30.22	0.00	124	324	PEAK	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5190.00</td><td>86.50</td><td>-----</td><td>-----</td><td>69.86</td><td>34.26</td><td>12.56</td><td>30.18</td><td>0.00</td><td>124</td><td>324</td><td>PEAK</td></tr></table>													Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5190.00	86.50	-----	-----	69.86	34.26	12.56	30.18	0.00	124	324
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																																							
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark																																																																																																						
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																					
1	5100.89	57.38	74.00	-16.62	40.85	34.30	12.45	30.22	0.00	124	324	PEAK																																																																																																			
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																																							
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark																																																																																																						
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																					
1	5190.00	86.50	-----	-----	69.86	34.26	12.56	30.18	0.00	124	324	PEAK																																																																																																			
Avg																																																																																																															
	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5102.81</td><td>46.50</td><td>54.00</td><td>-7.50</td><td>29.98</td><td>34.29</td><td>12.45</td><td>30.22</td><td>0.00</td><td>124</td><td>324</td><td>AVERAGE</td></tr></table>													Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5102.81	46.50	54.00	-7.50	29.98	34.29	12.45	30.22	0.00	124	324	AVERAGE	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5190.00</td><td>80.44</td><td>-----</td><td>-----</td><td>63.80</td><td>34.26</td><td>12.56</td><td>30.18</td><td>0.00</td><td>124</td><td>324</td><td>AVERAGE</td></tr></table>													Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5190.00	80.44	-----	-----	63.80	34.26	12.56	30.18	0.00	124	324
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																																							
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark																																																																																																						
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																					
1	5102.81	46.50	54.00	-7.50	29.98	34.29	12.45	30.22	0.00	124	324	AVERAGE																																																																																																			
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																																							
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark																																																																																																						
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																					
1	5190.00	80.44	-----	-----	63.80	34.26	12.56	30.18	0.00	124	324	AVERAGE																																																																																																			





Mode	7																																																							
	Band Edge - R																																																							
	U-NII-1_5.15-5.25_802.11ac VHT40_CH38_5190MHz																																																							
ANT	1																																																							
Pol.	Horizontal						Fundamental																																																	
Peak	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5377.79</td><td>55.78</td><td>74.00</td><td>-18.22</td><td>38.39</td><td>34.51</td><td>12.98</td><td>30.10</td><td>0.00</td><td>124</td><td>324</td><td>PEAK</td></tr></table>							Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5377.79	55.78	74.00	-18.22	38.39	34.51	12.98	30.10	0.00	124	324	PEAK	Blank					
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark																																															
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																														
1	5377.79	55.78	74.00	-18.22	38.39	34.51	12.98	30.10	0.00	124	324	PEAK																																												
Avg	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5448.53</td><td>45.84</td><td>54.00</td><td>-8.16</td><td>28.25</td><td>34.60</td><td>13.06</td><td>30.07</td><td>0.00</td><td>124</td><td>324</td><td>AVERAGE</td></tr></table>							Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5448.53	45.84	54.00	-8.16	28.25	34.60	13.06	30.07	0.00	124	324	AVERAGE	Blank					
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark																																															
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																														
1	5448.53	45.84	54.00	-8.16	28.25	34.60	13.06	30.07	0.00	124	324	AVERAGE																																												



Mode	7																																																						
	Band Edge - L																																																						
	U-NII-1_5.15-5.25_802.11ac VHT40_CH38_5190MHz																																																						
ANT	1																																																						
Pol.	Vertical																																																						
Peak																																																							
	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th colspan="2">Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th></th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5139.77</td><td>57.80</td><td>74.00</td><td>-16.20</td><td>41.37</td><td>34.14</td><td>12.50</td><td>30.21</td><td>0.00</td><td>286 199 PEAK</td></tr></table>												Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor			MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1	5139.77	57.80	74.00	-16.20	41.37	34.14	12.50	30.21	0.00	286 199 PEAK
		Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																													
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																															
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																													
1	5139.77	57.80	74.00	-16.20	41.37	34.14	12.50	30.21	0.00	286 199 PEAK																																													
Fundamental																																																							
	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th colspan="2">Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th></th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5190.00</td><td>101.72</td><td>-----</td><td>-----</td><td>85.08</td><td>34.26</td><td>12.56</td><td>30.18</td><td>0.00</td><td>286 199 PEAK</td></tr></table>												Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor			MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1	5190.00	101.72	-----	-----	85.08	34.26	12.56	30.18	0.00	286 199 PEAK
		Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																													
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																															
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																													
1	5190.00	101.72	-----	-----	85.08	34.26	12.56	30.18	0.00	286 199 PEAK																																													
Avg																																																							
	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th colspan="2">Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th></th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5150.00</td><td>47.59</td><td>54.00</td><td>-6.41</td><td>31.18</td><td>34.10</td><td>12.51</td><td>30.20</td><td>0.00</td><td>286 199 AVERAGE</td></tr></table>												Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor			MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1	5150.00	47.59	54.00	-6.41	31.18	34.10	12.51	30.20	0.00	286 199 AVERAGE
		Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																													
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																															
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																													
1	5150.00	47.59	54.00	-6.41	31.18	34.10	12.51	30.20	0.00	286 199 AVERAGE																																													
Avg																																																							
	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th colspan="2">Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th></th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5190.00</td><td>80.19</td><td>-----</td><td>-----</td><td>63.51</td><td>34.29</td><td>12.57</td><td>30.18</td><td>0.00</td><td>286 199 AVERAGE</td></tr></table>												Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor			MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1	5190.00	80.19	-----	-----	63.51	34.29	12.57	30.18	0.00	286 199 AVERAGE
		Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																													
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																															
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																													
1	5190.00	80.19	-----	-----	63.51	34.29	12.57	30.18	0.00	286 199 AVERAGE																																													







Mode	7																																													
	Band Edge - R																																													
	U-NII-1_5.15-5.25_802.11ac VHT40_CH38_5190MHz																																													
ANT	1																																													
Pol.	Vertical	Fundamental																																												
Peak	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5427.20</td><td>55.50</td><td>74.00</td><td>-18.50</td><td>37.93</td><td>34.60</td><td>13.05</td><td>30.08</td><td>0.00</td><td>286</td><td>199</td><td>PEAK</td></tr></table>		Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5427.20	55.50	74.00	-18.50	37.93	34.60	13.05	30.08	0.00	286	199	PEAK	Blank
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																						
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark																																					
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																				
1	5427.20	55.50	74.00	-18.50	37.93	34.60	13.05	30.08	0.00	286	199	PEAK																																		
Avg	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5451.77</td><td>45.82</td><td>54.00</td><td>-8.18</td><td>28.23</td><td>34.60</td><td>13.06</td><td>30.07</td><td>0.00</td><td>286</td><td>199</td><td>AVERAGE</td></tr></table>		Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5451.77	45.82	54.00	-8.18	28.23	34.60	13.06	30.07	0.00	286	199	AVERAGE	Blank
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																						
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark																																					
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																				
1	5451.77	45.82	54.00	-8.18	28.23	34.60	13.06	30.07	0.00	286	199	AVERAGE																																		





Mode	7																																																																																																																									
	Harmonic																																																																																																																									
	U-NII-1_5.15-5.25_802.11ac VHT40_CH38_5190MHz																																																																																																																									
ANT	1																																																																																																																									
Pol.	Horizontal	Vertical																																																																																																																								
Peak Avg	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line Margin</th><th>Level Factor</th><th>Loss Factor</th><th>Factor</th><th>Factor</th><th></th><th></th><th></th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1 10380.00</td><td>44.36</td><td>68.20</td><td>-23.84</td><td>54.73</td><td>37.48</td><td>17.57</td><td>65.42</td><td>0.00</td><td>--</td></tr><tr><td>2 15570.00</td><td>46.60</td><td>74.00</td><td>-27.40</td><td>49.26</td><td>40.07</td><td>21.58</td><td>64.31</td><td>0.00</td><td>100 0 PEAK</td></tr><tr><td>3 15570.00</td><td>37.15</td><td>54.00</td><td>-16.85</td><td>39.79</td><td>40.08</td><td>21.59</td><td>64.31</td><td>0.00</td><td>100 0 AVERAGE</td></tr></table>		Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line Margin	Level Factor	Loss Factor	Factor	Factor				MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1 10380.00	44.36	68.20	-23.84	54.73	37.48	17.57	65.42	0.00	--	2 15570.00	46.60	74.00	-27.40	49.26	40.07	21.58	64.31	0.00	100 0 PEAK	3 15570.00	37.15	54.00	-16.85	39.79	40.08	21.59	64.31	0.00	100 0 AVERAGE	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line Margin</th><th>Level Factor</th><th>Loss Factor</th><th>Factor</th><th>Factor</th><th></th><th></th><th></th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th></tr><tr><td>1 10380.00</td><td>44.38</td><td>68.20</td><td>-23.82</td><td>54.75</td><td>37.48</td><td>17.57</td><td>65.42</td><td>0.00</td><td>--</td></tr><tr><td>2 15570.00</td><td>46.68</td><td>74.00</td><td>-27.32</td><td>49.34</td><td>40.07</td><td>21.58</td><td>64.31</td><td>0.00</td><td>300 0 PEAK</td></tr><tr><td>3 15570.00</td><td>37.49</td><td>54.00</td><td>-16.51</td><td>40.11</td><td>40.09</td><td>21.60</td><td>64.31</td><td>0.00</td><td>300 0 AVERAGE</td></tr></table>		Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line Margin	Level Factor	Loss Factor	Factor	Factor				MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	1 10380.00	44.38	68.20	-23.82	54.75	37.48	17.57	65.42	0.00	--	2 15570.00	46.68	74.00	-27.32	49.34	40.07	21.58	64.31	0.00	300 0 PEAK	3 15570.00	37.49	54.00	-16.51	40.11	40.09	21.60	64.31	0.00	300 0 AVERAGE
		Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																																																
Freq	Level	Line Margin	Level Factor	Loss Factor	Factor	Factor																																																																																																																				
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																																	
1 10380.00	44.36	68.20	-23.84	54.73	37.48	17.57	65.42	0.00	--																																																																																																																	
2 15570.00	46.60	74.00	-27.40	49.26	40.07	21.58	64.31	0.00	100 0 PEAK																																																																																																																	
3 15570.00	37.15	54.00	-16.85	39.79	40.08	21.59	64.31	0.00	100 0 AVERAGE																																																																																																																	
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																																																	
Freq	Level	Line Margin	Level Factor	Loss Factor	Factor	Factor																																																																																																																				
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm																																																																																																																	
1 10380.00	44.38	68.20	-23.82	54.75	37.48	17.57	65.42	0.00	--																																																																																																																	
2 15570.00	46.68	74.00	-27.32	49.34	40.07	21.58	64.31	0.00	300 0 PEAK																																																																																																																	
3 15570.00	37.49	54.00	-16.51	40.11	40.09	21.60	64.31	0.00	300 0 AVERAGE																																																																																																																	







Mode	8																																																																																															
	Band Edge - L																																																																																															
	U-NII-1_5.15-5.25_802.11ac VHT40_CH46_5230MHz																																																																																															
ANT	1																																																																																															
Pol.	Horizontal						Fundamental																																																																																									
Peak																																																																																																
	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th></th><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5104.73</td><td>57.18</td><td>74.00</td><td>-16.82</td><td>40.66</td><td>34.28</td><td>12.46</td><td>30.22</td><td>0.00</td><td>300 191 PEAK</td></tr></table>							Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos			Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5104.73	57.18	74.00	-16.82	40.66	34.28	12.46	30.22	0.00	300 191 PEAK	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th></th><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5230.00</td><td>86.01</td><td>-----</td><td>-----</td><td>69.20</td><td>34.35</td><td>12.63</td><td>30.17</td><td>0.00</td><td>300 191 PEAK</td></tr></table>						Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos			Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5230.00	86.01	-----	-----	69.20	34.35	12.63	30.17	0.00
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																								
	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark																																																																																						
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																						
1	5104.73	57.18	74.00	-16.82	40.66	34.28	12.46	30.22	0.00	300 191 PEAK																																																																																						
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																								
	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark																																																																																						
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																						
1	5230.00	86.01	-----	-----	69.20	34.35	12.63	30.17	0.00	300 191 PEAK																																																																																						
Avg																																																																																																
	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th></th><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5100.25</td><td>46.53</td><td>54.00</td><td>-7.47</td><td>30.00</td><td>34.30</td><td>12.45</td><td>30.22</td><td>0.00</td><td>300 191 AVERAGE</td></tr></table>							Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos			Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5100.25	46.53	54.00	-7.47	30.00	34.30	12.45	30.22	0.00	300 191 AVERAGE	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th></th><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5230.00</td><td>76.62</td><td>-----</td><td>-----</td><td>59.81</td><td>34.35</td><td>12.63</td><td>30.17</td><td>0.00</td><td>300 191 AVERAGE</td></tr></table>						Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos			Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5230.00	76.62	-----	-----	59.81	34.35	12.63	30.17	0.00
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																								
	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark																																																																																						
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																						
1	5100.25	46.53	54.00	-7.47	30.00	34.30	12.45	30.22	0.00	300 191 AVERAGE																																																																																						
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																								
	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark																																																																																						
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																						
1	5230.00	76.62	-----	-----	59.81	34.35	12.63	30.17	0.00	300 191 AVERAGE																																																																																						





Mode	8																																																							
	Band Edge - R																																																							
	U-NII-1_5.15-5.25_802.11ac VHT40_CH46_5230MHz																																																							
ANT	1																																																							
Pol.	Horizontal						Fundamental																																																	
Peak	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5399.74</td><td>55.88</td><td>74.00</td><td>-18.12</td><td>38.34</td><td>34.60</td><td>13.03</td><td>30.09</td><td>0.00</td><td>300</td><td>191</td><td>PEAK</td></tr></table>							Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5399.74	55.88	74.00	-18.12	38.34	34.60	13.03	30.09	0.00	300	191	PEAK	Blank					
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark																																															
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																														
1	5399.74	55.88	74.00	-18.12	38.34	34.60	13.03	30.09	0.00	300	191	PEAK																																												
Avg	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5395.24</td><td>45.33</td><td>54.00</td><td>-8.67</td><td>27.83</td><td>34.58</td><td>13.02</td><td>30.10</td><td>0.00</td><td>300</td><td>191</td><td>AVERAGE</td></tr></table>							Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5395.24	45.33	54.00	-8.67	27.83	34.58	13.02	30.10	0.00	300	191	AVERAGE	Blank					
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark																																															
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																														
1	5395.24	45.33	54.00	-8.67	27.83	34.58	13.02	30.10	0.00	300	191	AVERAGE																																												





Mode	8																																																																																																		
	Band Edge - L																																																																																																		
	U-NII-1_5.15-5.25_802.11ac VHT40_CH46_5230MHz																																																																																																		
ANT	1																																																																																																		
Pol.	Vertical						Fundamental																																																																																												
Peak																																																																																																			
	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5103.29</td><td>56.95</td><td>74.00</td><td>-17.05</td><td>40.43</td><td>34.29</td><td>12.45</td><td>30.22</td><td>0.00</td><td>300</td><td>182</td><td>PEAK</td></tr></table>							Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor			MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5103.29	56.95	74.00	-17.05	40.43	34.29	12.45	30.22	0.00	300	182	PEAK	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5230.00</td><td>102.36</td><td>-----</td><td>-----</td><td>85.57</td><td>34.34</td><td>12.62</td><td>30.17</td><td>0.00</td><td>300</td><td>182</td><td>PEAK</td></tr></table>							Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor			MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5230.00	102.36	-----	-----	85.57	34.34	12.62	30.17	0.00	300	182
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																										
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																																																																											
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																									
1	5103.29	56.95	74.00	-17.05	40.43	34.29	12.45	30.22	0.00	300	182	PEAK																																																																																							
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																										
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																																																																											
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																									
1	5230.00	102.36	-----	-----	85.57	34.34	12.62	30.17	0.00	300	182	PEAK																																																																																							
Avg																																																																																																			
	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5100.57</td><td>46.52</td><td>54.00</td><td>-7.48</td><td>29.99</td><td>34.30</td><td>12.45</td><td>30.22</td><td>0.00</td><td>300</td><td>182</td><td>AVERAGE</td></tr></table>							Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor			MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5100.57	46.52	54.00	-7.48	29.99	34.30	12.45	30.22	0.00	300	182	AVERAGE	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5230.00</td><td>93.11</td><td>-----</td><td>-----</td><td>76.30</td><td>34.35</td><td>12.63</td><td>30.17</td><td>0.00</td><td>300</td><td>182</td><td>AVERAGE</td></tr></table>							Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor			MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5230.00	93.11	-----	-----	76.30	34.35	12.63	30.17	0.00	300	182
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																										
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																																																																											
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																									
1	5100.57	46.52	54.00	-7.48	29.99	34.30	12.45	30.22	0.00	300	182	AVERAGE																																																																																							
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																										
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																																																																											
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																									
1	5230.00	93.11	-----	-----	76.30	34.35	12.63	30.17	0.00	300	182	AVERAGE																																																																																							



Mode	8																																																							
	Band Edge - R																																																							
	U-NII-1_5.15-5.25_802.11ac VHT40_CH46_5230MHz																																																							
ANT	1																																																							
Pol.	Vertical						Fundamental																																																	
Peak	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5376.52</td><td>55.66</td><td>74.00</td><td>-18.34</td><td>38.27</td><td>34.51</td><td>12.98</td><td>30.10</td><td>0.00</td><td>300</td><td>182</td><td>PEAK</td></tr></table>							Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5376.52	55.66	74.00	-18.34	38.27	34.51	12.98	30.10	0.00	300	182	PEAK	Blank					
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark																																															
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																														
1	5376.52	55.66	74.00	-18.34	38.27	34.51	12.98	30.10	0.00	300	182	PEAK																																												
Avg	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5397.76</td><td>45.33</td><td>54.00</td><td>-8.67</td><td>27.82</td><td>34.59</td><td>13.02</td><td>30.10</td><td>0.00</td><td>300</td><td>182</td><td>AVERAGE</td></tr></table>							Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5397.76	45.33	54.00	-8.67	27.82	34.59	13.02	30.10	0.00	300	182	AVERAGE	Blank					
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark																																															
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																														
1	5397.76	45.33	54.00	-8.67	27.82	34.59	13.02	30.10	0.00	300	182	AVERAGE																																												





Mode	8																																																																																																																																		
	Harmonic																																																																																																																																		
	U-NII-1_5.15-5.25_802.11ac VHT40_CH46_5230MHz																																																																																																																																		
ANT	1																																																																																																																																		
Pol.	Horizontal	Vertical																																																																																																																																	
Peak Avg																																																																																																																																			
	<table><tr><th colspan="2"></th><th colspan="2">Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th rowspan="2">Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th></th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th><th></th></tr><tr><td>1</td><td>10460.00</td><td>45.22</td><td>68.20</td><td>-22.98</td><td>55.35</td><td>37.56</td><td>17.64</td><td>65.33</td><td>0.00</td><td>--</td><td>-- PEAK</td></tr><tr><td>2</td><td>15690.00</td><td>45.88</td><td>74.00</td><td>-28.12</td><td>48.36</td><td>40.19</td><td>21.68</td><td>64.35</td><td>0.00</td><td>--</td><td>-- PEAK</td></tr></table>			Limit		Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor			MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg		1	10460.00	45.22	68.20	-22.98	55.35	37.56	17.64	65.33	0.00	--	-- PEAK	2	15690.00	45.88	74.00	-28.12	48.36	40.19	21.68	64.35	0.00	--	-- PEAK	<table><tr><th colspan="2"></th><th colspan="2">Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th rowspan="2">Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th></th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th><th></th></tr><tr><td>1</td><td>10460.00</td><td>44.47</td><td>68.20</td><td>-23.73</td><td>54.60</td><td>37.56</td><td>17.64</td><td>65.33</td><td>0.00</td><td>--</td><td>-- PEAK</td></tr><tr><td>2</td><td>15690.00</td><td>46.41</td><td>74.00</td><td>-27.59</td><td>48.89</td><td>40.19</td><td>21.68</td><td>64.35</td><td>0.00</td><td>100</td><td>360 PEAK</td></tr><tr><td>3</td><td>15690.00</td><td>36.30</td><td>54.00</td><td>-17.70</td><td>38.72</td><td>40.23</td><td>21.70</td><td>64.35</td><td>0.00</td><td>100</td><td>360 AVERAGE</td></tr></table>			Limit		Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor			MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg		1	10460.00	44.47	68.20	-23.73	54.60	37.56	17.64	65.33	0.00	--	-- PEAK	2	15690.00	46.41	74.00	-27.59	48.89	40.19	21.68	64.35	0.00	100	360 PEAK	3	15690.00	36.30	54.00	-17.70	38.72	40.23	21.70	64.35	0.00	100
		Limit		Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																																																								
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																																																																																																											
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																																																																									
1	10460.00	45.22	68.20	-22.98	55.35	37.56	17.64	65.33	0.00	--	-- PEAK																																																																																																																								
2	15690.00	45.88	74.00	-28.12	48.36	40.19	21.68	64.35	0.00	--	-- PEAK																																																																																																																								
		Limit		Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																																																								
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																																																																																																											
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																																																																									
1	10460.00	44.47	68.20	-23.73	54.60	37.56	17.64	65.33	0.00	--	-- PEAK																																																																																																																								
2	15690.00	46.41	74.00	-27.59	48.89	40.19	21.68	64.35	0.00	100	360 PEAK																																																																																																																								
3	15690.00	36.30	54.00	-17.70	38.72	40.23	21.70	64.35	0.00	100	360 AVERAGE																																																																																																																								







Mode	9																																																																																					
	Band Edge - L																																																																																					
	U-NII-1_5.15-5.25_802.11ac VHT80_CH42_5210MHz																																																																																					
ANT	1																																																																																					
Pol.	Horizontal	Fundamental																																																																																				
Peak	Horizontal Peak Spectrum Plot showing Level (dBuV/m) vs Frequency (MHz) from 5100 to 5260 MHz. The blue trace shows a peak at 5121.21 MHz. The red limit line is at 65.0 dBuV/m. The label 'U-NII-1-U-NII-2A-U-NII-2C' is present. <table><thead><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th>Remark</th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>5121.21</td><td>57.60</td><td>74.00</td><td>-16.40</td><td>41.12</td><td>34.22</td><td>12.48</td><td>30.22</td><td>0.00</td><td>111 323 PEAK</td></tr></tbody></table>		Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1	5121.21	57.60	74.00	-16.40	41.12	34.22	12.48	30.22	0.00	111 323 PEAK	Fundamental Peak Spectrum Plot showing Level (dBuV/m) vs Frequency (MHz) from 1000 to 7000 MHz. The blue trace shows a peak at 5210.00 MHz. The red limit line is at 65.0 dBuV/m. The label 'U-NII-1-U-NII-2A-U-NII-2C' is present. <table><thead><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th>Remark</th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>5210.00</td><td>87.34</td><td>-----</td><td>-----</td><td>70.58</td><td>34.33</td><td>12.60</td><td>30.17</td><td>0.00</td><td>111 323 PEAK</td></tr></tbody></table>		Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1	5210.00	87.34	-----	-----	70.58	34.33	12.60	30.17	0.00	111 323 PEAK
		Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																													
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark																																																																													
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																												
1	5121.21	57.60	74.00	-16.40	41.12	34.22	12.48	30.22	0.00	111 323 PEAK																																																																												
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																														
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark																																																																													
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																												
1	5210.00	87.34	-----	-----	70.58	34.33	12.60	30.17	0.00	111 323 PEAK																																																																												
Avg	Horizontal Average Spectrum Plot showing Level (dBuV/m) vs Frequency (MHz) from 5100 to 5260 MHz. The blue trace shows a peak at 5142.81 MHz. The red limit line is at 65.0 dBuV/m. The label 'U-NII-1-U-NII-2A-U-NII-2C(AVG)' is present. <table><thead><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th>Remark</th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>5142.81</td><td>47.21</td><td>54.00</td><td>-6.79</td><td>30.79</td><td>34.13</td><td>12.50</td><td>30.21</td><td>0.00</td><td>111 323 AVERAGE</td></tr></tbody></table>		Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1	5142.81	47.21	54.00	-6.79	30.79	34.13	12.50	30.21	0.00	111 323 AVERAGE	Fundamental Average Spectrum Plot showing Level (dBuV/m) vs Frequency (MHz) from 1000 to 7000 MHz. The blue trace shows a peak at 5210.00 MHz. The red limit line is at 65.0 dBuV/m. The label 'U-NII-1-U-NII-2A-U-NII-2C(AVG)' is present. <table><thead><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th>Remark</th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>5210.00</td><td>79.08</td><td>-----</td><td>-----</td><td>62.32</td><td>34.33</td><td>12.60</td><td>30.17</td><td>0.00</td><td>111 323 AVERAGE</td></tr></tbody></table>		Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1	5210.00	79.08	-----	-----	62.32	34.33	12.60	30.17	0.00	111 323 AVERAGE
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																														
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark																																																																													
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																												
1	5142.81	47.21	54.00	-6.79	30.79	34.13	12.50	30.21	0.00	111 323 AVERAGE																																																																												
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																														
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark																																																																													
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																												
1	5210.00	79.08	-----	-----	62.32	34.33	12.60	30.17	0.00	111 323 AVERAGE																																																																												





Mode	9																																																							
	Band Edge - R																																																							
	U-NII-1_5.15-5.25_802.11ac VHT80_CH42_5210MHz																																																							
ANT	1																																																							
Pol.	Horizontal						Fundamental																																																	
Peak	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5371.84</td><td>55.56</td><td>74.00</td><td>-18.44</td><td>38.21</td><td>34.49</td><td>12.97</td><td>30.11</td><td>0.00</td><td>111</td><td>323</td><td>PEAK</td></tr></table>							Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5371.84	55.56	74.00	-18.44	38.21	34.49	12.97	30.11	0.00	111	323	PEAK	Blank					
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark																																															
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																														
1	5371.84	55.56	74.00	-18.44	38.21	34.49	12.97	30.11	0.00	111	323	PEAK																																												
Avg	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5364.46</td><td>46.00</td><td>54.00</td><td>-8.00</td><td>28.70</td><td>34.46</td><td>12.95</td><td>30.11</td><td>0.00</td><td>111</td><td>323</td><td>AVERAGE</td></tr></table>							Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5364.46	46.00	54.00	-8.00	28.70	34.46	12.95	30.11	0.00	111	323	AVERAGE	Blank					
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark																																															
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																														
1	5364.46	46.00	54.00	-8.00	28.70	34.46	12.95	30.11	0.00	111	323	AVERAGE																																												



Mode	9																																																																																																												
	Band Edge - L																																																																																																												
	U-NII-1_5.15-5.25_802.11ac VHT80_CH42_5210MHz																																																																																																												
ANT	1																																																																																																												
Pol.	Vertical						Fundamental																																																																																																						
Peak																																																																																																													
	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5149.53</td><td>59.72</td><td>74.00</td><td>-14.28</td><td>43.31</td><td>34.10</td><td>12.51</td><td>30.20</td><td>0.00</td><td>252</td><td>0 PEAK</td></tr></table>													Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5149.53	59.72	74.00	-14.28	43.31	34.10	12.51	30.20	0.00	252	0 PEAK	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5210.00</td><td>96.22</td><td>-----</td><td>-----</td><td>79.46</td><td>34.33</td><td>12.60</td><td>30.17</td><td>0.00</td><td>252</td><td>0 PEAK</td></tr></table>													Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5210.00	96.22	-----	-----	79.46	34.33	12.60	30.17	0.00	252
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																																					
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark																																																																																																				
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																			
1	5149.53	59.72	74.00	-14.28	43.31	34.10	12.51	30.20	0.00	252	0 PEAK																																																																																																		
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																																					
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark																																																																																																				
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																			
1	5210.00	96.22	-----	-----	79.46	34.33	12.60	30.17	0.00	252	0 PEAK																																																																																																		
Avg																																																																																																													
	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5149.37</td><td>47.90</td><td>54.00</td><td>-6.10</td><td>31.49</td><td>34.10</td><td>12.51</td><td>30.20</td><td>0.00</td><td>252</td><td>0 AVERAGE</td></tr></table>													Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5149.37	47.90	54.00	-6.10	31.49	34.10	12.51	30.20	0.00	252	0 AVERAGE	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5210.00</td><td>87.05</td><td>-----</td><td>-----</td><td>70.29</td><td>34.33</td><td>12.60</td><td>30.17</td><td>0.00</td><td>252</td><td>0 AVERAGE</td></tr></table>													Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5210.00	87.05	-----	-----	70.29	34.33	12.60	30.17	0.00	252
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																																					
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark																																																																																																				
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																			
1	5149.37	47.90	54.00	-6.10	31.49	34.10	12.51	30.20	0.00	252	0 AVERAGE																																																																																																		
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																																					
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark																																																																																																				
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																			
1	5210.00	87.05	-----	-----	70.29	34.33	12.60	30.17	0.00	252	0 AVERAGE																																																																																																		





Mode	9																																																					
	Band Edge - R																																																					
	U-NII-1_5.15-5.25_802.11ac VHT80_CH42_5210MHz																																																					
ANT	1																																																					
Pol.	Vertical						Fundamental																																															
Peak	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5393.80</td><td>56.37</td><td>74.00</td><td>-17.63</td><td>38.87</td><td>34.58</td><td>13.02</td><td>30.10</td><td>0.00</td><td>252</td><td>0 PEAK</td></tr></table>							Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5393.80	56.37	74.00	-17.63	38.87	34.58	13.02	30.10	0.00	252	0 PEAK	Blank				
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																														
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark																																													
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																												
1	5393.80	56.37	74.00	-17.63	38.87	34.58	13.02	30.10	0.00	252	0 PEAK																																											
Avg	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5391.64</td><td>46.30</td><td>54.00</td><td>-7.70</td><td>28.82</td><td>34.57</td><td>13.01</td><td>30.10</td><td>0.00</td><td>252</td><td>0 AVERAGE</td></tr></table>							Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5391.64	46.30	54.00	-7.70	28.82	34.57	13.01	30.10	0.00	252	0 AVERAGE	Blank				
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																														
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark																																													
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																												
1	5391.64	46.30	54.00	-7.70	28.82	34.57	13.01	30.10	0.00	252	0 AVERAGE																																											



Mode	9																																																																																																																																				
	Harmonic																																																																																																																																				
	U-NII-1_5.15-5.25_802.11ac VHT80_CH42_5210MHz																																																																																																																																				
ANT	1																																																																																																																																				
Pol.	Horizontal						Vertical																																																																																																																														
Peak Avg																																																																																																																																					
	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>10420.00</td><td>43.82</td><td>68.20</td><td>-24.38</td><td>54.08</td><td>37.52</td><td>17.60</td><td>65.38</td><td>0.00</td><td>--</td><td>PEAK</td></tr><tr><td>2</td><td>15630.00</td><td>45.83</td><td>74.00</td><td>-28.17</td><td>48.40</td><td>40.13</td><td>21.63</td><td>64.33</td><td>0.00</td><td>--</td><td>PEAK</td></tr></table>							Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	10420.00	43.82	68.20	-24.38	54.08	37.52	17.60	65.38	0.00	--	PEAK	2	15630.00	45.83	74.00	-28.17	48.40	40.13	21.63	64.33	0.00	--	PEAK	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>10420.00</td><td>43.93</td><td>68.20</td><td>-24.27</td><td>54.19</td><td>37.52</td><td>17.60</td><td>65.38</td><td>0.00</td><td>--</td><td>PEAK</td></tr><tr><td>2</td><td>15630.00</td><td>46.10</td><td>74.00</td><td>-27.90</td><td>48.67</td><td>40.13</td><td>21.63</td><td>64.33</td><td>0.00</td><td>300</td><td>0 PEAK</td></tr><tr><td>3</td><td>15630.00</td><td>37.87</td><td>54.00</td><td>-16.13</td><td>40.49</td><td>40.10</td><td>21.60</td><td>64.32</td><td>0.00</td><td>300</td><td>0 AVERAGE</td></tr></table>							Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	10420.00	43.93	68.20	-24.27	54.19	37.52	17.60	65.38	0.00	--	PEAK	2	15630.00	46.10	74.00	-27.90	48.67	40.13	21.63	64.33	0.00	300	0 PEAK	3	15630.00	37.87	54.00	-16.13	40.49	40.10	21.60	64.32	0.00	300
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																																																													
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark																																																																																																																												
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																																											
1	10420.00	43.82	68.20	-24.38	54.08	37.52	17.60	65.38	0.00	--	PEAK																																																																																																																										
2	15630.00	45.83	74.00	-28.17	48.40	40.13	21.63	64.33	0.00	--	PEAK																																																																																																																										
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																																																													
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark																																																																																																																												
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																																											
1	10420.00	43.93	68.20	-24.27	54.19	37.52	17.60	65.38	0.00	--	PEAK																																																																																																																										
2	15630.00	46.10	74.00	-27.90	48.67	40.13	21.63	64.33	0.00	300	0 PEAK																																																																																																																										
3	15630.00	37.87	54.00	-16.13	40.49	40.10	21.60	64.32	0.00	300	0 AVERAGE																																																																																																																										







Mode	10																																																																																																																																																																				
	Harmonic																																																																																																																																																																				
	U-NII-2A_5.25-5.35_802.11a_CH52_5260MHz																																																																																																																																																																				
ANT	1																																																																																																																																																																				
Pol.	Horizontal						Vertical																																																																																																																																																														
Peak Avg																																																																																																																																																																					
	<table><tr><th colspan="2"></th><th colspan="2">Limit</th><th colspan="2">Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th rowspan="2">Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th></th><th></th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th><th></th></tr><tr><td>1</td><td>10520.00</td><td>44.89</td><td>68.20</td><td>-23.31</td><td>54.86</td><td>37.60</td><td>17.69</td><td>65.26</td><td>0.00</td><td>--</td><td>--</td><td>PEAK</td></tr><tr><td>2</td><td>15780.00</td><td>46.06</td><td>74.00</td><td>-27.94</td><td>48.24</td><td>40.44</td><td>21.76</td><td>64.38</td><td>0.00</td><td>100</td><td>0</td><td>PEAK</td></tr><tr><td>3</td><td>15780.00</td><td>36.47</td><td>54.00</td><td>-17.53</td><td>38.68</td><td>40.41</td><td>21.75</td><td>64.37</td><td>0.00</td><td>100</td><td>0</td><td>AVERAGE</td></tr></table>								Limit		Read		Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor				MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	dB	cm	deg		1	10520.00	44.89	68.20	-23.31	54.86	37.60	17.69	65.26	0.00	--	--	PEAK	2	15780.00	46.06	74.00	-27.94	48.24	40.44	21.76	64.38	0.00	100	0	PEAK	3	15780.00	36.47	54.00	-17.53	38.68	40.41	21.75	64.37	0.00	100	0	AVERAGE	<table><tr><th colspan="2"></th><th colspan="2">Limit</th><th colspan="2">Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th rowspan="2">Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th></th><th></th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th><th></th></tr><tr><td>1</td><td>10520.00</td><td>46.18</td><td>68.20</td><td>-22.02</td><td>56.15</td><td>37.60</td><td>17.69</td><td>65.26</td><td>0.00</td><td>--</td><td>--</td><td>PEAK</td></tr><tr><td>2</td><td>15780.00</td><td>47.20</td><td>74.00</td><td>-26.80</td><td>49.38</td><td>40.44</td><td>21.76</td><td>64.38</td><td>0.00</td><td>300</td><td>0</td><td>PEAK</td></tr><tr><td>3</td><td>15780.00</td><td>37.01</td><td>54.00</td><td>-16.99</td><td>39.21</td><td>40.42</td><td>21.75</td><td>64.37</td><td>0.00</td><td>300</td><td>0</td><td>AVERAGE</td></tr></table>								Limit		Read		Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor				MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	dB	cm	deg		1	10520.00	46.18	68.20	-22.02	56.15	37.60	17.69	65.26	0.00	--	--	PEAK	2	15780.00	47.20	74.00	-26.80	49.38	40.44	21.76	64.38	0.00	300	0	PEAK	3	15780.00	37.01	54.00	-16.99	39.21	40.42	21.75	64.37	0.00	300	0
		Limit		Read		Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																																																																																									
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																																																																																																																																													
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	dB	cm	deg																																																																																																																																																										
1	10520.00	44.89	68.20	-23.31	54.86	37.60	17.69	65.26	0.00	--	--	PEAK																																																																																																																																																									
2	15780.00	46.06	74.00	-27.94	48.24	40.44	21.76	64.38	0.00	100	0	PEAK																																																																																																																																																									
3	15780.00	36.47	54.00	-17.53	38.68	40.41	21.75	64.37	0.00	100	0	AVERAGE																																																																																																																																																									
		Limit		Read		Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																																																																																									
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																																																																																																																																													
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	dB	cm	deg																																																																																																																																																										
1	10520.00	46.18	68.20	-22.02	56.15	37.60	17.69	65.26	0.00	--	--	PEAK																																																																																																																																																									
2	15780.00	47.20	74.00	-26.80	49.38	40.44	21.76	64.38	0.00	300	0	PEAK																																																																																																																																																									
3	15780.00	37.01	54.00	-16.99	39.21	40.42	21.75	64.37	0.00	300	0	AVERAGE																																																																																																																																																									



Mode	11																																																																																																																								
	Harmonic																																																																																																																								
	U-NII-2A_5.25-5.35_802.11a_CH60_5300MHz																																																																																																																								
ANT	1																																																																																																																								
Pol.	Horizontal	Vertical																																																																																																																							
Peak Avg																																																																																																																									
	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line Margin</th><th>Level</th><th>Factor</th><th>Loss Factor</th><th>Factor</th><th></th><th></th><th>Remark</th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1 10600.00</td><td>43.84</td><td>68.20</td><td>-24.36</td><td>53.66</td><td>37.60</td><td>17.75</td><td>65.17</td><td>0.00</td><td>-- -- PEAK</td></tr><tr><td>2 15900.00</td><td>46.78</td><td>74.00</td><td>-27.22</td><td>48.94</td><td>40.40</td><td>21.86</td><td>64.42</td><td>0.00</td><td>100 0 PEAK</td></tr><tr><td>3 15900.00</td><td>36.30</td><td>54.00</td><td>-17.70</td><td>38.46</td><td>40.40</td><td>21.86</td><td>64.42</td><td>0.00</td><td>100 0 AVERAGE</td></tr></table>		Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line Margin	Level	Factor	Loss Factor	Factor			Remark	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1 10600.00	43.84	68.20	-24.36	53.66	37.60	17.75	65.17	0.00	-- -- PEAK	2 15900.00	46.78	74.00	-27.22	48.94	40.40	21.86	64.42	0.00	100 0 PEAK	3 15900.00	36.30	54.00	-17.70	38.46	40.40	21.86	64.42	0.00	100 0 AVERAGE	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line Margin</th><th>Level</th><th>Factor</th><th>Loss Factor</th><th>Factor</th><th></th><th></th><th>Remark</th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1 10600.00</td><td>45.22</td><td>68.20</td><td>-22.98</td><td>55.04</td><td>37.60</td><td>17.75</td><td>65.17</td><td>0.00</td><td>-- -- PEAK</td></tr><tr><td>2 15900.00</td><td>46.22</td><td>74.00</td><td>-27.78</td><td>48.38</td><td>40.40</td><td>21.86</td><td>64.42</td><td>0.00</td><td>300 0 PEAK</td></tr><tr><td>3 15900.00</td><td>36.67</td><td>54.00</td><td>-17.33</td><td>38.82</td><td>40.41</td><td>21.85</td><td>64.41</td><td>0.00</td><td>300 0 AVERAGE</td></tr></table>		Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line Margin	Level	Factor	Loss Factor	Factor			Remark	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1 10600.00	45.22	68.20	-22.98	55.04	37.60	17.75	65.17	0.00	-- -- PEAK	2 15900.00	46.22	74.00	-27.78	48.38	40.40	21.86	64.42	0.00	300 0 PEAK	3 15900.00	36.67	54.00	-17.33	38.82	40.41	21.85	64.41	0.00
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																																																	
Freq	Level	Line Margin	Level	Factor	Loss Factor	Factor			Remark																																																																																																																
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																																
1 10600.00	43.84	68.20	-24.36	53.66	37.60	17.75	65.17	0.00	-- -- PEAK																																																																																																																
2 15900.00	46.78	74.00	-27.22	48.94	40.40	21.86	64.42	0.00	100 0 PEAK																																																																																																																
3 15900.00	36.30	54.00	-17.70	38.46	40.40	21.86	64.42	0.00	100 0 AVERAGE																																																																																																																
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																																																	
Freq	Level	Line Margin	Level	Factor	Loss Factor	Factor			Remark																																																																																																																
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																																
1 10600.00	45.22	68.20	-22.98	55.04	37.60	17.75	65.17	0.00	-- -- PEAK																																																																																																																
2 15900.00	46.22	74.00	-27.78	48.38	40.40	21.86	64.42	0.00	300 0 PEAK																																																																																																																
3 15900.00	36.67	54.00	-17.33	38.82	40.41	21.85	64.41	0.00	300 0 AVERAGE																																																																																																																



Mode	12																																																																																																		
	Band Edge																																																																																																		
	U-NII-2A_5.25-5.35_802.11a_CH64_5320MHz																																																																																																		
ANT	1																																																																																																		
Pol.	Horizontal						Fundamental																																																																																												
Peak																																																																																																			
	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5377.95</td><td>56.30</td><td>74.00</td><td>-17.70</td><td>38.91</td><td>34.51</td><td>12.98</td><td>30.10</td><td>0.00</td><td>101</td><td>305</td><td>PEAK</td></tr></table>							Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5377.95	56.30	74.00	-17.70	38.91	34.51	12.98	30.10	0.00	101	305	PEAK	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5320.00</td><td>97.99</td><td>-----</td><td>-----</td><td>80.89</td><td>34.40</td><td>12.83</td><td>30.13</td><td>0.00</td><td>101</td><td>305</td><td>PEAK</td></tr></table>							Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5320.00	97.99	-----	-----	80.89	34.40	12.83	30.13	0.00	101	305
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																											
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark																																																																																										
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																									
1	5377.95	56.30	74.00	-17.70	38.91	34.51	12.98	30.10	0.00	101	305	PEAK																																																																																							
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																											
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark																																																																																										
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																									
1	5320.00	97.99	-----	-----	80.89	34.40	12.83	30.13	0.00	101	305	PEAK																																																																																							
Avg																																																																																																			
	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5399.35</td><td>45.49</td><td>54.00</td><td>-8.51</td><td>27.95</td><td>34.60</td><td>13.03</td><td>30.09</td><td>0.00</td><td>101</td><td>305</td><td>AVERAGE</td></tr></table>							Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5399.35	45.49	54.00	-8.51	27.95	34.60	13.03	30.09	0.00	101	305	AVERAGE	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5320.00</td><td>89.68</td><td>-----</td><td>-----</td><td>72.57</td><td>34.40</td><td>12.84</td><td>30.13</td><td>0.00</td><td>101</td><td>305</td><td>AVERAGE</td></tr></table>							Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5320.00	89.68	-----	-----	72.57	34.40	12.84	30.13	0.00	101	305
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																											
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark																																																																																										
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																									
1	5399.35	45.49	54.00	-8.51	27.95	34.60	13.03	30.09	0.00	101	305	AVERAGE																																																																																							
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																											
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark																																																																																										
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																									
1	5320.00	89.68	-----	-----	72.57	34.40	12.84	30.13	0.00	101	305	AVERAGE																																																																																							



Mode	12																																																																																																	
	Band Edge																																																																																																	
	U-NII-2A_5.25-5.35_802.11a_CH64_5320MHz																																																																																																	
ANT	1																																																																																																	
Pol.	Vertical						Fundamental																																																																																											
Peak	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5352.45</td><td>56.91</td><td>74.00</td><td>-17.09</td><td>39.69</td><td>34.41</td><td>12.92</td><td>30.11</td><td>0.00</td><td>287</td><td>0 PEAK</td></tr></table>							Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5352.45	56.91	74.00	-17.09	39.69	34.41	12.92	30.11	0.00	287	0 PEAK	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5320.00</td><td>105.00</td><td>-----</td><td>-----</td><td>88.69</td><td>34.40</td><td>12.84</td><td>30.13</td><td>0.00</td><td>287</td><td>0 PEAK</td></tr></table>							Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5320.00	105.00	-----	-----	88.69	34.40	12.84	30.13	0.00	287	0 PEAK
		Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																									
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark																																																																																									
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																								
1	5352.45	56.91	74.00	-17.09	39.69	34.41	12.92	30.11	0.00	287	0 PEAK																																																																																							
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																										
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark																																																																																									
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																								
1	5320.00	105.00	-----	-----	88.69	34.40	12.84	30.13	0.00	287	0 PEAK																																																																																							
Avg	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5350.05</td><td>46.69</td><td>54.00</td><td>-7.31</td><td>29.49</td><td>34.40</td><td>12.92</td><td>30.12</td><td>0.00</td><td>287</td><td>0 AVERAGE</td></tr></table>							Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5350.05	46.69	54.00	-7.31	29.49	34.40	12.92	30.12	0.00	287	0 AVERAGE	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5320.00</td><td>97.71</td><td>-----</td><td>-----</td><td>88.60</td><td>34.40</td><td>12.84</td><td>30.13</td><td>0.00</td><td>287</td><td>0 AVERAGE</td></tr></table>							Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5320.00	97.71	-----	-----	88.60	34.40	12.84	30.13	0.00	287	0 AVERAGE
		Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																									
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark																																																																																									
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																								
1	5350.05	46.69	54.00	-7.31	29.49	34.40	12.92	30.12	0.00	287	0 AVERAGE																																																																																							
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																										
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark																																																																																									
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																								
1	5320.00	97.71	-----	-----	88.60	34.40	12.84	30.13	0.00	287	0 AVERAGE																																																																																							



Mode	12																																																																																																																																																																																																											
	Harmonic																																																																																																																																																																																																											
	U-NII-2A_5.25-5.35_802.11a_CH64_5320MHz																																																																																																																																																																																																											
ANT	1																																																																																																																																																																																																											
Pol.	Horizontal						Vertical																																																																																																																																																																																																					
Peak Avg																																																																																																																																																																																																												
	<table><tr><th colspan="2"></th><th colspan="2">Limit</th><th colspan="2">Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th rowspan="2">Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th></th><th></th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th><th></th></tr><tr><td>1 7091.56</td><td>43.32</td><td>68.20</td><td>-24.88</td><td>57.52</td><td>35.77</td><td>14.53</td><td>64.50</td><td>0.00</td><td>--</td><td>--</td><td>--</td><td>PEAK</td></tr><tr><td>2 10640.00</td><td>44.43</td><td>74.00</td><td>-29.57</td><td>54.13</td><td>37.64</td><td>17.78</td><td>65.12</td><td>0.00</td><td>--</td><td>--</td><td>--</td><td>PEAK</td></tr><tr><td>3 15960.00</td><td>46.22</td><td>74.00</td><td>-27.78</td><td>48.23</td><td>40.52</td><td>21.91</td><td>64.44</td><td>0.00</td><td>100</td><td>0</td><td>0</td><td>PEAK</td></tr><tr><td>4 15960.00</td><td>36.35</td><td>54.00</td><td>-17.65</td><td>38.34</td><td>40.54</td><td>21.91</td><td>64.44</td><td>0.00</td><td>100</td><td>0</td><td>0</td><td>AVERAGE</td></tr></table>								Limit		Read		Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor				MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	dB	cm	deg		1 7091.56	43.32	68.20	-24.88	57.52	35.77	14.53	64.50	0.00	--	--	--	PEAK	2 10640.00	44.43	74.00	-29.57	54.13	37.64	17.78	65.12	0.00	--	--	--	PEAK	3 15960.00	46.22	74.00	-27.78	48.23	40.52	21.91	64.44	0.00	100	0	0	PEAK	4 15960.00	36.35	54.00	-17.65	38.34	40.54	21.91	64.44	0.00	100	0	0	AVERAGE	<table><tr><th colspan="2"></th><th colspan="2">Limit</th><th colspan="2">Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th rowspan="2">Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th></th><th></th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th><th></th></tr><tr><td>1 7091.56</td><td>43.41</td><td>68.20</td><td>-24.79</td><td>57.61</td><td>35.77</td><td>14.53</td><td>64.50</td><td>0.00</td><td>--</td><td>--</td><td>--</td><td>PEAK</td></tr><tr><td>2 10640.00</td><td>51.12</td><td>74.00</td><td>-22.88</td><td>60.82</td><td>37.64</td><td>17.78</td><td>65.12</td><td>0.00</td><td>300</td><td>125</td><td>125</td><td>PEAK</td></tr><tr><td>3 10640.00</td><td>41.64</td><td>54.00</td><td>-12.36</td><td>51.34</td><td>37.64</td><td>17.78</td><td>65.12</td><td>0.00</td><td>300</td><td>125</td><td>125</td><td>AVERAGE</td></tr><tr><td>4 15960.00</td><td>46.73</td><td>74.00</td><td>-27.27</td><td>48.74</td><td>40.52</td><td>21.91</td><td>64.44</td><td>0.00</td><td>300</td><td>125</td><td>125</td><td>PEAK</td></tr><tr><td>5 15960.00</td><td>36.75</td><td>54.00</td><td>-17.25</td><td>38.74</td><td>40.54</td><td>21.91</td><td>64.44</td><td>0.00</td><td>300</td><td>125</td><td>125</td><td>AVERAGE</td></tr></table>								Limit		Read		Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor				MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	dB	cm	deg		1 7091.56	43.41	68.20	-24.79	57.61	35.77	14.53	64.50	0.00	--	--	--	PEAK	2 10640.00	51.12	74.00	-22.88	60.82	37.64	17.78	65.12	0.00	300	125	125	PEAK	3 10640.00	41.64	54.00	-12.36	51.34	37.64	17.78	65.12	0.00	300	125	125	AVERAGE	4 15960.00	46.73	74.00	-27.27	48.74	40.52	21.91	64.44	0.00	300	125	125	PEAK	5 15960.00	36.75	54.00	-17.25	38.74	40.54	21.91	64.44	0.00	300	125	125
		Limit		Read		Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																																																																																																																																
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																																																																																																																																																																																				
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	dB	cm	deg																																																																																																																																																																																																	
1 7091.56	43.32	68.20	-24.88	57.52	35.77	14.53	64.50	0.00	--	--	--	PEAK																																																																																																																																																																																																
2 10640.00	44.43	74.00	-29.57	54.13	37.64	17.78	65.12	0.00	--	--	--	PEAK																																																																																																																																																																																																
3 15960.00	46.22	74.00	-27.78	48.23	40.52	21.91	64.44	0.00	100	0	0	PEAK																																																																																																																																																																																																
4 15960.00	36.35	54.00	-17.65	38.34	40.54	21.91	64.44	0.00	100	0	0	AVERAGE																																																																																																																																																																																																
		Limit		Read		Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																																																																																																																																
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																																																																																																																																																																																				
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	dB	cm	deg																																																																																																																																																																																																	
1 7091.56	43.41	68.20	-24.79	57.61	35.77	14.53	64.50	0.00	--	--	--	PEAK																																																																																																																																																																																																
2 10640.00	51.12	74.00	-22.88	60.82	37.64	17.78	65.12	0.00	300	125	125	PEAK																																																																																																																																																																																																
3 10640.00	41.64	54.00	-12.36	51.34	37.64	17.78	65.12	0.00	300	125	125	AVERAGE																																																																																																																																																																																																
4 15960.00	46.73	74.00	-27.27	48.74	40.52	21.91	64.44	0.00	300	125	125	PEAK																																																																																																																																																																																																
5 15960.00	36.75	54.00	-17.25	38.74	40.54	21.91	64.44	0.00	300	125	125	AVERAGE																																																																																																																																																																																																







Mode	13																																																																																																																																																																																														
	Harmonic																																																																																																																																																																																														
	U-NII-2A_5.25-5.35_802.11ac VHT20_CH52_5260MHz																																																																																																																																																																																														
ANT	1																																																																																																																																																																																														
Pol.	Horizontal						Vertical																																																																																																																																																																																								
Peak Avg																																																																																																																																																																																															
	<table><tr><th colspan="2"></th><th colspan="2">Limit</th><th colspan="2">Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th rowspan="2">Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th></th><th></th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th><th></th></tr><tr><td>1</td><td>7013.33</td><td>43.29</td><td>68.20</td><td>-24.91</td><td>57.56</td><td>35.53</td><td>14.46</td><td>64.26</td><td>0.00</td><td>--</td><td>--</td><td>PEAK</td></tr><tr><td>2</td><td>10520.00</td><td>44.18</td><td>68.20</td><td>-24.02</td><td>54.15</td><td>37.60</td><td>17.69</td><td>65.26</td><td>0.00</td><td>--</td><td>--</td><td>PEAK</td></tr><tr><td>3</td><td>15780.00</td><td>46.85</td><td>74.00</td><td>-27.15</td><td>49.03</td><td>40.44</td><td>21.76</td><td>64.38</td><td>0.00</td><td>100</td><td>360</td><td>PEAK</td></tr><tr><td>4</td><td>15780.00</td><td>36.67</td><td>54.00</td><td>-17.33</td><td>38.88</td><td>40.41</td><td>21.75</td><td>64.37</td><td>0.00</td><td>100</td><td>360</td><td>AVERAGE</td></tr></table>								Limit		Read		Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor				MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	dB	cm	deg		1	7013.33	43.29	68.20	-24.91	57.56	35.53	14.46	64.26	0.00	--	--	PEAK	2	10520.00	44.18	68.20	-24.02	54.15	37.60	17.69	65.26	0.00	--	--	PEAK	3	15780.00	46.85	74.00	-27.15	49.03	40.44	21.76	64.38	0.00	100	360	PEAK	4	15780.00	36.67	54.00	-17.33	38.88	40.41	21.75	64.37	0.00	100	360	AVERAGE	<table><tr><th colspan="2"></th><th colspan="2">Limit</th><th colspan="2">Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th rowspan="2">Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th></th><th></th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th><th></th></tr><tr><td>1</td><td>7013.33</td><td>52.93</td><td>68.20</td><td>-15.27</td><td>67.20</td><td>35.53</td><td>14.46</td><td>64.26</td><td>0.00</td><td>294</td><td>331</td><td>PEAK</td></tr><tr><td>2</td><td>10520.00</td><td>47.30</td><td>68.20</td><td>-20.90</td><td>57.27</td><td>37.60</td><td>17.69</td><td>65.26</td><td>0.00</td><td>--</td><td>--</td><td>PEAK</td></tr><tr><td>3</td><td>15780.00</td><td>47.22</td><td>74.00</td><td>-26.78</td><td>49.40</td><td>40.44</td><td>21.76</td><td>64.38</td><td>0.00</td><td>294</td><td>331</td><td>PEAK</td></tr><tr><td>4</td><td>15780.00</td><td>36.85</td><td>54.00</td><td>-17.15</td><td>39.06</td><td>40.41</td><td>21.75</td><td>64.37</td><td>0.00</td><td>294</td><td>331</td><td>AVERAGE</td></tr></table>								Limit		Read		Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor				MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	dB	cm	deg		1	7013.33	52.93	68.20	-15.27	67.20	35.53	14.46	64.26	0.00	294	331	PEAK	2	10520.00	47.30	68.20	-20.90	57.27	37.60	17.69	65.26	0.00	--	--	PEAK	3	15780.00	47.22	74.00	-26.78	49.40	40.44	21.76	64.38	0.00	294	331	PEAK	4	15780.00	36.85	54.00	-17.15	39.06	40.41	21.75	64.37	0.00	294	331
		Limit		Read		Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																																																																																																																			
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																																																																																																																																																																							
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	dB	cm	deg																																																																																																																																																																																				
1	7013.33	43.29	68.20	-24.91	57.56	35.53	14.46	64.26	0.00	--	--	PEAK																																																																																																																																																																																			
2	10520.00	44.18	68.20	-24.02	54.15	37.60	17.69	65.26	0.00	--	--	PEAK																																																																																																																																																																																			
3	15780.00	46.85	74.00	-27.15	49.03	40.44	21.76	64.38	0.00	100	360	PEAK																																																																																																																																																																																			
4	15780.00	36.67	54.00	-17.33	38.88	40.41	21.75	64.37	0.00	100	360	AVERAGE																																																																																																																																																																																			
		Limit		Read		Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																																																																																																																			
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																																																																																																																																																																							
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	dB	cm	deg																																																																																																																																																																																				
1	7013.33	52.93	68.20	-15.27	67.20	35.53	14.46	64.26	0.00	294	331	PEAK																																																																																																																																																																																			
2	10520.00	47.30	68.20	-20.90	57.27	37.60	17.69	65.26	0.00	--	--	PEAK																																																																																																																																																																																			
3	15780.00	47.22	74.00	-26.78	49.40	40.44	21.76	64.38	0.00	294	331	PEAK																																																																																																																																																																																			
4	15780.00	36.85	54.00	-17.15	39.06	40.41	21.75	64.37	0.00	294	331	AVERAGE																																																																																																																																																																																			







		14																																																																																																																																																																		
Mode		Harmonic																																																																																																																																																																		
		U-NII-2A_5.25-5.35_802.11ac VHT20_CH60_5300MHz																																																																																																																																																																		
ANT		1																																																																																																																																																																		
Pol.		Horizontal																																																																																																																																																																		
Peak	Avg																																																																																																																																																																			
		<table><tr><th colspan="2"></th><th colspan="2">Limit</th><th colspan="2">Read</th><th colspan="2">Ant</th><th colspan="2">Cable</th><th colspan="2">Preamp</th><th colspan="2">Aux</th><th colspan="2">APos</th><th colspan="2">TPos</th><th rowspan="6">Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th>Factor</th><th>Factor</th><th>Factor</th><th>cm</th><th>deg</th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>dB</th><th>dB</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th><th colspan="3" rowspan="4"></th></tr><tr><td>1</td><td>7066.67</td><td>42.74</td><td>68.20</td><td>-25.46</td><td>56.98</td><td>35.67</td><td>14.51</td><td>64.42</td><td>0.00</td><td>--</td><td>--</td><td>PEAK</td><td colspan="6"></td></tr><tr><td>2</td><td>10600.00</td><td>43.91</td><td>68.20</td><td>-24.29</td><td>53.73</td><td>37.60</td><td>17.75</td><td>65.17</td><td>0.00</td><td>--</td><td>--</td><td>PEAK</td><td colspan="6"></td></tr><tr><td>3</td><td>15900.00</td><td>45.98</td><td>74.00</td><td>-28.02</td><td>48.14</td><td>40.40</td><td>21.86</td><td>64.42</td><td>0.00</td><td>--</td><td>--</td><td>PEAK</td><td colspan="6"></td></tr></table>																		Limit		Read		Ant		Cable		Preamp		Aux		APos		TPos		Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Loss	Factor	Factor	Factor	Factor	Factor	cm	deg	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	dB	dB	dB	dB	dB	cm	deg				1	7066.67	42.74	68.20	-25.46	56.98	35.67	14.51	64.42	0.00	--	--	PEAK							2	10600.00	43.91	68.20	-24.29	53.73	37.60	17.75	65.17	0.00	--	--	PEAK							3	15900.00	45.98	74.00	-28.02	48.14	40.40	21.86	64.42	0.00	--	--	PEAK																																										
		Limit		Read		Ant		Cable		Preamp		Aux		APos		TPos		Remark																																																																																																																																																		
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Loss	Factor	Factor	Factor	Factor	Factor	cm	deg																																																																																																																																																					
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	dB	dB	dB	dB	dB	cm	deg																																																																																																																																																					
1	7066.67	42.74	68.20	-25.46	56.98	35.67	14.51	64.42	0.00	--	--	PEAK																																																																																																																																																								
2	10600.00	43.91	68.20	-24.29	53.73	37.60	17.75	65.17	0.00	--	--	PEAK																																																																																																																																																								
3	15900.00	45.98	74.00	-28.02	48.14	40.40	21.86	64.42	0.00	--	--	PEAK																																																																																																																																																								
		Vertical																																																																																																																																																																		
Peak	Avg																																																																																																																																																																			
		<table><tr><th colspan="2"></th><th colspan="2">Limit</th><th colspan="2">Read</th><th colspan="2">Ant</th><th colspan="2">Cable</th><th colspan="2">Preamp</th><th colspan="2">Aux</th><th colspan="2">APos</th><th colspan="2">TPos</th><th rowspan="6">Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th>Factor</th><th>Factor</th><th>Factor</th><th>cm</th><th>deg</th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>dB</th><th>dB</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th><th colspan="3" rowspan="4"></th></tr><tr><td>1</td><td>7066.67</td><td>52.90</td><td>68.20</td><td>-15.30</td><td>67.14</td><td>35.67</td><td>14.51</td><td>64.42</td><td>0.00</td><td>286</td><td>300</td><td>PEAK</td><td colspan="6"></td></tr><tr><td>2</td><td>10600.00</td><td>46.78</td><td>68.20</td><td>-21.42</td><td>56.60</td><td>37.60</td><td>17.75</td><td>65.17</td><td>0.00</td><td>286</td><td>300</td><td>PEAK</td><td colspan="6"></td></tr><tr><td>3</td><td>10600.00</td><td>37.60</td><td>54.00</td><td>-16.40</td><td>47.42</td><td>37.60</td><td>17.75</td><td>65.17</td><td>0.00</td><td>286</td><td>300</td><td>AVERAGE</td><td colspan="6"></td></tr><tr><td>4</td><td>15900.00</td><td>46.74</td><td>74.00</td><td>-27.26</td><td>48.90</td><td>40.40</td><td>21.86</td><td>64.42</td><td>0.00</td><td>286</td><td>300</td><td>PEAK</td><td colspan="6"></td></tr><tr><td>5</td><td>15900.00</td><td>36.57</td><td>54.00</td><td>-17.43</td><td>38.73</td><td>40.40</td><td>21.86</td><td>64.42</td><td>0.00</td><td>286</td><td>300</td><td>AVERAGE</td><td colspan="6"></td></tr></table>																		Limit		Read		Ant		Cable		Preamp		Aux		APos		TPos		Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Loss	Factor	Factor	Factor	Factor	Factor	cm	deg	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	dB	dB	dB	dB	dB	cm	deg				1	7066.67	52.90	68.20	-15.30	67.14	35.67	14.51	64.42	0.00	286	300	PEAK							2	10600.00	46.78	68.20	-21.42	56.60	37.60	17.75	65.17	0.00	286	300	PEAK							3	10600.00	37.60	54.00	-16.40	47.42	37.60	17.75	65.17	0.00	286	300	AVERAGE							4	15900.00	46.74	74.00	-27.26	48.90	40.40	21.86	64.42	0.00	286	300	PEAK							5	15900.00	36.57	54.00	-17.43	38.73	40.40	21.86	64.42	0.00	286	300	AVERAGE				
		Limit		Read		Ant		Cable		Preamp		Aux		APos		TPos		Remark																																																																																																																																																		
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Loss	Factor	Factor	Factor	Factor	Factor	cm	deg																																																																																																																																																					
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	dB	dB	dB	dB	dB	cm	deg																																																																																																																																																					
1	7066.67	52.90	68.20	-15.30	67.14	35.67	14.51	64.42	0.00	286	300	PEAK																																																																																																																																																								
2	10600.00	46.78	68.20	-21.42	56.60	37.60	17.75	65.17	0.00	286	300	PEAK																																																																																																																																																								
3	10600.00	37.60	54.00	-16.40	47.42	37.60	17.75	65.17	0.00	286	300	AVERAGE																																																																																																																																																								
4	15900.00	46.74	74.00	-27.26	48.90	40.40	21.86	64.42	0.00	286	300	PEAK																																																																																																																																																								
5	15900.00	36.57	54.00	-17.43	38.73	40.40	21.86	64.42	0.00	286	300	AVERAGE																																																																																																																																																								





Mode	15																																																																																																						
	Band Edge																																																																																																						
	U-NII-2A_5.25-5.35_802.11ac VHT20_CH64_5320MHz																																																																																																						
ANT	1																																																																																																						
Pol.	Horizontal						Fundamental																																																																																																
Peak																																																																																																							
	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th></th><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5306.35</td><td>55.71</td><td>74.00</td><td>-18.29</td><td>38.26</td><td>34.55</td><td>13.00</td><td>30.10</td><td>0.00</td><td>101</td><td>306</td><td>PEAK</td></tr></table>							Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor			MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1	5306.35	55.71	74.00	-18.29	38.26	34.55	13.00	30.10	0.00	101	306	PEAK	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th></th><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5320.00</td><td>97.16</td><td>-----</td><td>-----</td><td>80.06</td><td>34.40</td><td>12.83</td><td>30.13</td><td>0.00</td><td>101</td><td>306</td><td>PEAK</td></tr></table>							Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor			MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1	5320.00	97.16	-----	-----	80.06	34.40	12.83	30.13	0.00	101	306
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																														
	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																																																																														
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																																												
1	5306.35	55.71	74.00	-18.29	38.26	34.55	13.00	30.10	0.00	101	306	PEAK																																																																																											
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																														
	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																																																																														
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																																												
1	5320.00	97.16	-----	-----	80.06	34.40	12.83	30.13	0.00	101	306	PEAK																																																																																											
Avg																																																																																																							
	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th></th><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5309.05</td><td>45.48</td><td>54.00</td><td>-8.52</td><td>27.94</td><td>34.60</td><td>13.03</td><td>30.09</td><td>0.00</td><td>101</td><td>306</td><td>AVERAGE</td></tr></table>							Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor			MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1	5309.05	45.48	54.00	-8.52	27.94	34.60	13.03	30.09	0.00	101	306	AVERAGE	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th></th><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5320.00</td><td>89.24</td><td>-----</td><td>-----</td><td>72.13</td><td>34.40</td><td>12.84</td><td>30.13</td><td>0.00</td><td>101</td><td>306</td><td>AVERAGE</td></tr></table>							Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor			MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1	5320.00	89.24	-----	-----	72.13	34.40	12.84	30.13	0.00	101	306
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																														
	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																																																																														
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																																												
1	5309.05	45.48	54.00	-8.52	27.94	34.60	13.03	30.09	0.00	101	306	AVERAGE																																																																																											
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																														
	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																																																																														
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																																												
1	5320.00	89.24	-----	-----	72.13	34.40	12.84	30.13	0.00	101	306	AVERAGE																																																																																											







Mode	15																																																																																																	
	Band Edge																																																																																																	
	U-NII-2A_5.25-5.35_802.11ac VHT20_CH64_5320MHz																																																																																																	
ANT	1																																																																																																	
Pol.	Vertical						Fundamental																																																																																											
Peak																																																																																																		
	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th></th><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5357.05</td><td>56.31</td><td>74.00</td><td>-17.69</td><td>39.06</td><td>34.43</td><td>12.93</td><td>30.11</td><td>0.00</td><td>300</td><td>213 PEAK</td></tr></table>							Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos			Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5357.05	56.31	74.00	-17.69	39.06	34.43	12.93	30.11	0.00	300	213 PEAK	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th></th><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5320.00</td><td>105.01</td><td>-----</td><td>-----</td><td>87.90</td><td>34.40</td><td>12.84</td><td>30.13</td><td>0.00</td><td>300</td><td>213 PEAK</td></tr></table>						Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos			Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5320.00	105.01	-----	-----	87.90	34.40	12.84	30.13	0.00	300
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																										
	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark																																																																																								
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																								
1	5357.05	56.31	74.00	-17.69	39.06	34.43	12.93	30.11	0.00	300	213 PEAK																																																																																							
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																										
	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark																																																																																								
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																								
1	5320.00	105.01	-----	-----	87.90	34.40	12.84	30.13	0.00	300	213 PEAK																																																																																							
Avg																																																																																																		
	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th></th><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5350.00</td><td>46.13</td><td>54.00</td><td>-7.87</td><td>28.94</td><td>34.40</td><td>12.91</td><td>30.12</td><td>0.00</td><td>300</td><td>213 AVERAGE</td></tr></table>							Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos			Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5350.00	46.13	54.00	-7.87	28.94	34.40	12.91	30.12	0.00	300	213 AVERAGE	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th></th><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5320.00</td><td>97.01</td><td>-----</td><td>-----</td><td>79.90</td><td>34.40</td><td>12.84</td><td>30.13</td><td>0.00</td><td>300</td><td>213 AVERAGE</td></tr></table>						Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos			Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5320.00	97.01	-----	-----	79.90	34.40	12.84	30.13	0.00	300
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																										
	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark																																																																																								
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																								
1	5350.00	46.13	54.00	-7.87	28.94	34.40	12.91	30.12	0.00	300	213 AVERAGE																																																																																							
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																										
	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark																																																																																								
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																								
1	5320.00	97.01	-----	-----	79.90	34.40	12.84	30.13	0.00	300	213 AVERAGE																																																																																							





Mode	15																																																																																																																																																								
	Harmonic																																																																																																																																																								
	U-NII-2A_5.25-5.35_802.11ac VHT20_CH64_5320MHz																																																																																																																																																								
ANT	1																																																																																																																																																								
Pol.	Horizontal	Vertical																																																																																																																																																							
Peak Avg	 <table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line Margin</th><th>Level</th><th>Factor</th><th>Loss Factor</th><th>Factor</th><th></th><th></th><th></th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1 7093.33</td><td>43.29</td><td>68.20</td><td>-24.91</td><td>57.50</td><td>35.77</td><td>14.53</td><td>64.51</td><td>0.00</td><td>-- -- PEAK</td></tr><tr><td>2 10640.00</td><td>44.50</td><td>74.00</td><td>-29.50</td><td>54.20</td><td>37.64</td><td>17.78</td><td>65.12</td><td>0.00</td><td>-- -- PEAK</td></tr><tr><td>3 15960.00</td><td>47.08</td><td>74.00</td><td>-26.92</td><td>49.09</td><td>40.52</td><td>21.91</td><td>64.44</td><td>0.00</td><td>100 360 PEAK</td></tr><tr><td>4 15960.00</td><td>36.37</td><td>54.00</td><td>-17.63</td><td>38.36</td><td>40.54</td><td>21.91</td><td>64.44</td><td>0.00</td><td>100 360 AVERAGE</td></tr></table>		Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line Margin	Level	Factor	Loss Factor	Factor				MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1 7093.33	43.29	68.20	-24.91	57.50	35.77	14.53	64.51	0.00	-- -- PEAK	2 10640.00	44.50	74.00	-29.50	54.20	37.64	17.78	65.12	0.00	-- -- PEAK	3 15960.00	47.08	74.00	-26.92	49.09	40.52	21.91	64.44	0.00	100 360 PEAK	4 15960.00	36.37	54.00	-17.63	38.36	40.54	21.91	64.44	0.00	100 360 AVERAGE	 <table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line Margin</th><th>Level</th><th>Factor</th><th>Loss Factor</th><th>Factor</th><th></th><th></th><th></th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1 7093.33</td><td>52.09</td><td>68.20</td><td>-16.11</td><td>66.30</td><td>35.77</td><td>14.53</td><td>64.51</td><td>0.00</td><td>300 303 PEAK</td></tr><tr><td>2 10640.00</td><td>47.51</td><td>74.00</td><td>-26.49</td><td>57.21</td><td>37.64</td><td>17.78</td><td>65.12</td><td>0.00</td><td>300 303 PEAK</td></tr><tr><td>3 10640.00</td><td>37.47</td><td>54.00</td><td>-16.53</td><td>47.17</td><td>37.64</td><td>17.78</td><td>65.12</td><td>0.00</td><td>300 303 AVERAGE</td></tr><tr><td>4 15960.00</td><td>46.88</td><td>74.00</td><td>-27.12</td><td>48.89</td><td>40.52</td><td>21.91</td><td>64.44</td><td>0.00</td><td>300 303 PEAK</td></tr><tr><td>5 15960.00</td><td>36.63</td><td>54.00</td><td>-17.37</td><td>38.64</td><td>40.52</td><td>21.91</td><td>64.44</td><td>0.00</td><td>300 303 AVERAGE</td></tr></table>		Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line Margin	Level	Factor	Loss Factor	Factor				MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1 7093.33	52.09	68.20	-16.11	66.30	35.77	14.53	64.51	0.00	300 303 PEAK	2 10640.00	47.51	74.00	-26.49	57.21	37.64	17.78	65.12	0.00	300 303 PEAK	3 10640.00	37.47	54.00	-16.53	47.17	37.64	17.78	65.12	0.00	300 303 AVERAGE	4 15960.00	46.88	74.00	-27.12	48.89	40.52	21.91	64.44	0.00	300 303 PEAK	5 15960.00	36.63	54.00	-17.37	38.64	40.52	21.91	64.44	0.00	300 303 AVERAGE
		Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																																																																															
Freq	Level	Line Margin	Level	Factor	Loss Factor	Factor																																																																																																																																																			
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																																																																
1 7093.33	43.29	68.20	-24.91	57.50	35.77	14.53	64.51	0.00	-- -- PEAK																																																																																																																																																
2 10640.00	44.50	74.00	-29.50	54.20	37.64	17.78	65.12	0.00	-- -- PEAK																																																																																																																																																
3 15960.00	47.08	74.00	-26.92	49.09	40.52	21.91	64.44	0.00	100 360 PEAK																																																																																																																																																
4 15960.00	36.37	54.00	-17.63	38.36	40.54	21.91	64.44	0.00	100 360 AVERAGE																																																																																																																																																
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																																																																																
Freq	Level	Line Margin	Level	Factor	Loss Factor	Factor																																																																																																																																																			
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																																																																																															
1 7093.33	52.09	68.20	-16.11	66.30	35.77	14.53	64.51	0.00	300 303 PEAK																																																																																																																																																
2 10640.00	47.51	74.00	-26.49	57.21	37.64	17.78	65.12	0.00	300 303 PEAK																																																																																																																																																
3 10640.00	37.47	54.00	-16.53	47.17	37.64	17.78	65.12	0.00	300 303 AVERAGE																																																																																																																																																
4 15960.00	46.88	74.00	-27.12	48.89	40.52	21.91	64.44	0.00	300 303 PEAK																																																																																																																																																
5 15960.00	36.63	54.00	-17.37	38.64	40.52	21.91	64.44	0.00	300 303 AVERAGE																																																																																																																																																



Mode	16																																																																																																		
	Band Edge - L																																																																																																		
	U-NII-2A_5.25-5.35_802.11ac VHT40_CH54_5270MHz																																																																																																		
ANT	1																																																																																																		
Pol.	Horizontal						Fundamental																																																																																												
Peak																																																																																																			
	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5022.28</td><td>58.29</td><td>74.00</td><td>-15.71</td><td>42.05</td><td>34.14</td><td>12.36</td><td>30.26</td><td>0.00</td><td>101</td><td>306</td><td>PEAK</td></tr></table>							Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5022.28	58.29	74.00	-15.71	42.05	34.14	12.36	30.26	0.00	101	306	PEAK	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5270.00</td><td>96.31</td><td>-----</td><td>-----</td><td>79.34</td><td>34.40</td><td>12.72</td><td>30.15</td><td>0.00</td><td>101</td><td>306</td><td>PEAK</td></tr></table>							Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5270.00	96.31	-----	-----	79.34	34.40	12.72	30.15	0.00	101	306
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																											
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark																																																																																										
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																									
1	5022.28	58.29	74.00	-15.71	42.05	34.14	12.36	30.26	0.00	101	306	PEAK																																																																																							
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																											
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark																																																																																										
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																									
1	5270.00	96.31	-----	-----	79.34	34.40	12.72	30.15	0.00	101	306	PEAK																																																																																							
Avg																																																																																																			
	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5043.07</td><td>47.00</td><td>54.00</td><td>-7.00</td><td>30.68</td><td>34.19</td><td>12.38</td><td>30.25</td><td>0.00</td><td>101</td><td>306</td><td>AVERAGE</td></tr></table>							Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5043.07	47.00	54.00	-7.00	30.68	34.19	12.38	30.25	0.00	101	306	AVERAGE	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5270.00</td><td>88.64</td><td>-----</td><td>-----</td><td>71.66</td><td>34.40</td><td>12.73</td><td>30.15</td><td>0.00</td><td>101</td><td>306</td><td>AVERAGE</td></tr></table>							Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5270.00	88.64	-----	-----	71.66	34.40	12.73	30.15	0.00	101	306
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																											
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark																																																																																										
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																									
1	5043.07	47.00	54.00	-7.00	30.68	34.19	12.38	30.25	0.00	101	306	AVERAGE																																																																																							
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																											
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark																																																																																										
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																									
1	5270.00	88.64	-----	-----	71.66	34.40	12.73	30.15	0.00	101	306	AVERAGE																																																																																							





Mode	16																																																							
	Band Edge - R																																																							
	U-NII-2A_5.25-5.35_802.11ac VHT40_CH54_5270MHz																																																							
ANT	1																																																							
Pol.	Horizontal						Fundamental																																																	
Peak	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5408.80</td><td>56.05</td><td>74.00</td><td>-17.95</td><td>38.50</td><td>34.60</td><td>13.04</td><td>30.09</td><td>0.00</td><td>101</td><td>306</td><td>PEAK</td></tr></table>							Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5408.80	56.05	74.00	-17.95	38.50	34.60	13.04	30.09	0.00	101	306	PEAK	Blank					
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark																																															
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																														
1	5408.80	56.05	74.00	-17.95	38.50	34.60	13.04	30.09	0.00	101	306	PEAK																																												
Avg	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5452.69</td><td>46.28</td><td>54.00</td><td>-7.72</td><td>28.70</td><td>34.59</td><td>13.06</td><td>30.07</td><td>0.00</td><td>101</td><td>306</td><td>AVERAGE</td></tr></table>							Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5452.69	46.28	54.00	-7.72	28.70	34.59	13.06	30.07	0.00	101	306	AVERAGE	Blank					
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark																																															
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																														
1	5452.69	46.28	54.00	-7.72	28.70	34.59	13.06	30.07	0.00	101	306	AVERAGE																																												





Mode	16																																																																																																																						
	Band Edge - L																																																																																																																						
	U-NII-2A_5.25-5.35_802.11ac VHT40_CH54_5270MHz																																																																																																																						
ANT	1																																																																																																																						
Pol.	Vertical						Fundamental																																																																																																																
Peak																																																																																																																							
	<table><thead><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th colspan="3">Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th></th><th></th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th><th></th></tr></thead><tbody><tr><td>1</td><td>5047.12</td><td>58.63</td><td>74.00</td><td>-15.37</td><td>42.30</td><td>34.19</td><td>12.39</td><td>30.25</td><td>0.00</td><td>266</td><td>0 PEAK</td></tr></tbody></table>													Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark			Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor				MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg		1	5047.12	58.63	74.00	-15.37	42.30	34.19	12.39	30.25	0.00	266	0 PEAK	<table><thead><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th colspan="3">Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th></th><th></th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th><th></th></tr></thead><tbody><tr><td>1</td><td>5270.00</td><td>105.18</td><td>-----</td><td>-----</td><td>88.21</td><td>34.40</td><td>12.72</td><td>30.15</td><td>0.00</td><td>266</td><td>0 PEAK</td></tr></tbody></table>													Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark			Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor				MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg		1	5270.00	105.18	-----	-----	88.21	34.40	12.72	30.15	0.00	266
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																																														
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																																																																																															
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																																																													
1	5047.12	58.63	74.00	-15.37	42.30	34.19	12.39	30.25	0.00	266	0 PEAK																																																																																																												
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																																														
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																																																																																															
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																																																													
1	5270.00	105.18	-----	-----	88.21	34.40	12.72	30.15	0.00	266	0 PEAK																																																																																																												
Avg																																																																																																																							
	<table><thead><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th colspan="3">Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th></th><th></th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th><th></th></tr></thead><tbody><tr><td>1</td><td>5075.47</td><td>46.96</td><td>54.00</td><td>-7.04</td><td>30.53</td><td>34.25</td><td>12.42</td><td>30.24</td><td>0.00</td><td>266</td><td>0 AVERAGE</td></tr></tbody></table>													Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark			Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor				MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg		1	5075.47	46.96	54.00	-7.04	30.53	34.25	12.42	30.24	0.00	266	0 AVERAGE	<table><thead><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th colspan="3">Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th></th><th></th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th><th></th></tr></thead><tbody><tr><td>1</td><td>5270.00</td><td>96.68</td><td>-----</td><td>-----</td><td>79.71</td><td>34.40</td><td>12.72</td><td>30.15</td><td>0.00</td><td>266</td><td>0 AVERAGE</td></tr></tbody></table>													Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark			Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor				MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg		1	5270.00	96.68	-----	-----	79.71	34.40	12.72	30.15	0.00	266
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																																														
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																																																																																															
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																																																													
1	5075.47	46.96	54.00	-7.04	30.53	34.25	12.42	30.24	0.00	266	0 AVERAGE																																																																																																												
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																																														
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																																																																																															
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																																																													
1	5270.00	96.68	-----	-----	79.71	34.40	12.72	30.15	0.00	266	0 AVERAGE																																																																																																												







Mode	16																																																								
	Band Edge - R																																																								
	U-NII-2A_5.25-5.35_802.11ac VHT40_CH54_5270MHz																																																								
ANT	1																																																								
Pol.	Vertical						Fundamental																																																		
Peak	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th><th></th></tr><tr><td>1</td><td>5366.81</td><td>57.45</td><td>74.00</td><td>-16.55</td><td>40.14</td><td>34.47</td><td>12.95</td><td>30.11</td><td>0.00</td><td>266</td><td>0</td><td>PEAK</td></tr></table>							Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg		1	5366.81	57.45	74.00	-16.55	40.14	34.47	12.95	30.11	0.00	266	0	PEAK	Blank					
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																																	
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																															
1	5366.81	57.45	74.00	-16.55	40.14	34.47	12.95	30.11	0.00	266	0	PEAK																																													
Avg	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th><th></th></tr><tr><td>1</td><td>5350.00</td><td>46.56</td><td>54.00</td><td>-7.44</td><td>29.36</td><td>34.40</td><td>12.92</td><td>30.12</td><td>0.00</td><td>266</td><td>0</td><td>AVERAGE</td></tr></table>							Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg		1	5350.00	46.56	54.00	-7.44	29.36	34.40	12.92	30.12	0.00	266	0	AVERAGE	Blank					
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																																	
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																															
1	5350.00	46.56	54.00	-7.44	29.36	34.40	12.92	30.12	0.00	266	0	AVERAGE																																													



Mode	16																																																																																																																																																		
	Harmonic																																																																																																																																																		
	U-NII-2A_5.25-5.35_802.11ac VHT40_CH54_5270MHz																																																																																																																																																		
ANT	1																																																																																																																																																		
Pol.	Horizontal	Vertical																																																																																																																																																	
Peak Avg																																																																																																																																																			
	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line Margin</th><th>Level</th><th>Factor</th><th>Loss Factor</th><th>Factor</th><th></th><th></th><th>Remark</th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1 7093.00</td><td>42.62</td><td>68.20</td><td>-25.58</td><td>56.82</td><td>35.77</td><td>14.53</td><td>64.50</td><td>0.00</td><td>--</td><td>--</td><td>PEAK</td></tr><tr><td>2 10540.00</td><td>45.10</td><td>68.20</td><td>-23.10</td><td>55.04</td><td>37.60</td><td>17.70</td><td>65.24</td><td>0.00</td><td>--</td><td>--</td><td>PEAK</td></tr><tr><td>3 15810.00</td><td>45.84</td><td>74.00</td><td>-28.16</td><td>47.96</td><td>40.49</td><td>21.78</td><td>64.39</td><td>0.00</td><td>--</td><td>--</td><td>PEAK</td></tr></table>		Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line Margin	Level	Factor	Loss Factor	Factor			Remark	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1 7093.00	42.62	68.20	-25.58	56.82	35.77	14.53	64.50	0.00	--	--	PEAK	2 10540.00	45.10	68.20	-23.10	55.04	37.60	17.70	65.24	0.00	--	--	PEAK	3 15810.00	45.84	74.00	-28.16	47.96	40.49	21.78	64.39	0.00	--	--	PEAK	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line Margin</th><th>Level</th><th>Factor</th><th>Loss Factor</th><th>Factor</th><th></th><th></th><th>Remark</th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1 7093.00</td><td>51.02</td><td>68.20</td><td>-17.18</td><td>65.22</td><td>35.77</td><td>14.53</td><td>64.50</td><td>0.00</td><td>300</td><td>302</td><td>PEAK</td></tr><tr><td>2 10540.00</td><td>44.47</td><td>68.20</td><td>-23.73</td><td>54.41</td><td>37.60</td><td>17.70</td><td>65.24</td><td>0.00</td><td>--</td><td>--</td><td>PEAK</td></tr><tr><td>3 15810.00</td><td>46.10</td><td>74.00</td><td>-27.90</td><td>48.22</td><td>40.49</td><td>21.78</td><td>64.39</td><td>0.00</td><td>300</td><td>302</td><td>PEAK</td></tr><tr><td>4 15810.00</td><td>36.57</td><td>54.00</td><td>-17.43</td><td>38.70</td><td>40.48</td><td>21.77</td><td>64.38</td><td>0.00</td><td>300</td><td>302</td><td>AVERAGE</td></tr></table>		Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line Margin	Level	Factor	Loss Factor	Factor			Remark	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1 7093.00	51.02	68.20	-17.18	65.22	35.77	14.53	64.50	0.00	300	302	PEAK	2 10540.00	44.47	68.20	-23.73	54.41	37.60	17.70	65.24	0.00	--	--	PEAK	3 15810.00	46.10	74.00	-27.90	48.22	40.49	21.78	64.39	0.00	300	302	PEAK	4 15810.00	36.57	54.00	-17.43	38.70	40.48	21.77	64.38	0.00	300	302
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																																																																											
Freq	Level	Line Margin	Level	Factor	Loss Factor	Factor			Remark																																																																																																																																										
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																																																																																									
1 7093.00	42.62	68.20	-25.58	56.82	35.77	14.53	64.50	0.00	--	--	PEAK																																																																																																																																								
2 10540.00	45.10	68.20	-23.10	55.04	37.60	17.70	65.24	0.00	--	--	PEAK																																																																																																																																								
3 15810.00	45.84	74.00	-28.16	47.96	40.49	21.78	64.39	0.00	--	--	PEAK																																																																																																																																								
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																																																																											
Freq	Level	Line Margin	Level	Factor	Loss Factor	Factor			Remark																																																																																																																																										
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																																																																																									
1 7093.00	51.02	68.20	-17.18	65.22	35.77	14.53	64.50	0.00	300	302	PEAK																																																																																																																																								
2 10540.00	44.47	68.20	-23.73	54.41	37.60	17.70	65.24	0.00	--	--	PEAK																																																																																																																																								
3 15810.00	46.10	74.00	-27.90	48.22	40.49	21.78	64.39	0.00	300	302	PEAK																																																																																																																																								
4 15810.00	36.57	54.00	-17.43	38.70	40.48	21.77	64.38	0.00	300	302	AVERAGE																																																																																																																																								







Mode	17																																																																																																		
	Band Edge - L																																																																																																		
	U-NII-2A_5.25-5.35_802.11ac VHT40_CH62_5310MHz																																																																																																		
ANT	1																																																																																																		
Pol.	Horizontal						Fundamental																																																																																												
Peak																																																																																																			
	<table><thead><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>5117.85</td><td>57.20</td><td>74.00</td><td>-16.80</td><td>40.72</td><td>34.23</td><td>12.47</td><td>30.22</td><td>0.00</td><td>100</td><td>306</td><td>PEAK</td></tr></tbody></table>							Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5117.85	57.20	74.00	-16.80	40.72	34.23	12.47	30.22	0.00	100	306	PEAK	<table><thead><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>5310.00</td><td>91.22</td><td>-----</td><td>-----</td><td>74.12</td><td>34.40</td><td>12.83</td><td>30.13</td><td>0.00</td><td>100</td><td>306</td><td>PEAK</td></tr></tbody></table>							Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5310.00	91.22	-----	-----	74.12	34.40	12.83	30.13	0.00	100	306
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																											
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark																																																																																										
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																									
1	5117.85	57.20	74.00	-16.80	40.72	34.23	12.47	30.22	0.00	100	306	PEAK																																																																																							
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																											
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark																																																																																										
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																									
1	5310.00	91.22	-----	-----	74.12	34.40	12.83	30.13	0.00	100	306	PEAK																																																																																							
Avg																																																																																																			
	<table><thead><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>5101.53</td><td>46.77</td><td>54.00</td><td>-7.23</td><td>30.25</td><td>34.29</td><td>12.45</td><td>30.22</td><td>0.00</td><td>100</td><td>306</td><td>AVERAGE</td></tr></tbody></table>							Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5101.53	46.77	54.00	-7.23	30.25	34.29	12.45	30.22	0.00	100	306	AVERAGE	<table><thead><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>5310.00</td><td>81.97</td><td>-----</td><td>-----</td><td>64.87</td><td>34.40</td><td>12.83</td><td>30.13</td><td>0.00</td><td>100</td><td>306</td><td>AVERAGE</td></tr></tbody></table>							Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5310.00	81.97	-----	-----	64.87	34.40	12.83	30.13	0.00	100	306
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																											
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark																																																																																										
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																									
1	5101.53	46.77	54.00	-7.23	30.25	34.29	12.45	30.22	0.00	100	306	AVERAGE																																																																																							
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																											
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark																																																																																										
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																									
1	5310.00	81.97	-----	-----	64.87	34.40	12.83	30.13	0.00	100	306	AVERAGE																																																																																							



Mode	17																																													
	Band Edge - R																																													
	U-NII-2A_5.25-5.35_802.11ac VHT40_CH62_5310MHz																																													
ANT	1																																													
Pol.	Horizontal	Fundamental																																												
Peak	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5378.75</td><td>55.91</td><td>74.00</td><td>-18.09</td><td>38.51</td><td>34.52</td><td>12.98</td><td>30.10</td><td>0.00</td><td>100</td><td>306</td><td>PEAK</td></tr></table>		Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5378.75	55.91	74.00	-18.09	38.51	34.52	12.98	30.10	0.00	100	306	PEAK	Blank
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																						
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark																																					
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																				
1	5378.75	55.91	74.00	-18.09	38.51	34.52	12.98	30.10	0.00	100	306	PEAK																																		
Avg	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5395.55</td><td>45.81</td><td>54.00</td><td>-8.19</td><td>28.31</td><td>34.58</td><td>13.02</td><td>30.10</td><td>0.00</td><td>100</td><td>306</td><td>AVERAGE</td></tr></table>		Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5395.55	45.81	54.00	-8.19	28.31	34.58	13.02	30.10	0.00	100	306	AVERAGE	Blank
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																						
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark																																					
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																				
1	5395.55	45.81	54.00	-8.19	28.31	34.58	13.02	30.10	0.00	100	306	AVERAGE																																		



Mode	17																																																																																															
	Band Edge - L																																																																																															
	U-NII-2A_5.25-5.35_802.11ac VHT40_CH62_5310MHz																																																																																															
ANT	1																																																																																															
Pol.	Vertical						Fundamental																																																																																									
Peak																																																																																																
	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line Margin</th><th>Level Factor</th><th>Loss Factor</th><th>Loss Factor</th><th>Factor</th><th></th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5143.77</td><td>56.48</td><td>74.00</td><td>-17.52</td><td>40.07</td><td>34.12</td><td>12.50</td><td>30.21</td><td>0.00</td><td>260</td><td>0 PEAK</td></tr></table>							Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line Margin	Level Factor	Loss Factor	Loss Factor	Factor			Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5143.77	56.48	74.00	-17.52	40.07	34.12	12.50	30.21	0.00	260	0 PEAK	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line Margin</th><th>Level Factor</th><th>Loss Factor</th><th>Loss Factor</th><th>Factor</th><th></th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5310.00</td><td>98.56</td><td>-----</td><td>-----</td><td>81.49</td><td>34.40</td><td>12.81</td><td>30.14</td><td>0.00</td><td>260</td><td>0 PEAK</td></tr></table>						Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line Margin	Level Factor	Loss Factor	Loss Factor	Factor			Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5310.00	98.56	-----	-----	81.49	34.40	12.81	30.14	0.00	260
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																								
Freq	Level	Line Margin	Level Factor	Loss Factor	Loss Factor	Factor			Remark																																																																																							
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																						
1	5143.77	56.48	74.00	-17.52	40.07	34.12	12.50	30.21	0.00	260	0 PEAK																																																																																					
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																								
Freq	Level	Line Margin	Level Factor	Loss Factor	Loss Factor	Factor			Remark																																																																																							
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																						
1	5310.00	98.56	-----	-----	81.49	34.40	12.81	30.14	0.00	260	0 PEAK																																																																																					
Avg																																																																																																
	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line Margin</th><th>Level Factor</th><th>Loss Factor</th><th>Loss Factor</th><th>Factor</th><th></th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5102.01</td><td>46.91</td><td>54.00</td><td>-7.09</td><td>30.39</td><td>34.29</td><td>12.45</td><td>30.22</td><td>0.00</td><td>260</td><td>0 AVERAGE</td></tr></table>							Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line Margin	Level Factor	Loss Factor	Loss Factor	Factor			Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5102.01	46.91	54.00	-7.09	30.39	34.29	12.45	30.22	0.00	260	0 AVERAGE	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line Margin</th><th>Level Factor</th><th>Loss Factor</th><th>Loss Factor</th><th>Factor</th><th></th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5310.00</td><td>89.86</td><td>-----</td><td>-----</td><td>72.79</td><td>34.40</td><td>12.81</td><td>30.14</td><td>0.00</td><td>260</td><td>0 AVERAGE</td></tr></table>						Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line Margin	Level Factor	Loss Factor	Loss Factor	Factor			Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5310.00	89.86	-----	-----	72.79	34.40	12.81	30.14	0.00	260
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																								
Freq	Level	Line Margin	Level Factor	Loss Factor	Loss Factor	Factor			Remark																																																																																							
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																						
1	5102.01	46.91	54.00	-7.09	30.39	34.29	12.45	30.22	0.00	260	0 AVERAGE																																																																																					
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																								
Freq	Level	Line Margin	Level Factor	Loss Factor	Loss Factor	Factor			Remark																																																																																							
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																						
1	5310.00	89.86	-----	-----	72.79	34.40	12.81	30.14	0.00	260	0 AVERAGE																																																																																					