









Mode	17																																																					
	Band Edge - R																																																					
	U-NII-2A_5.25-5.35_802.11ac VHT40_CH62_5310MHz																																																					
ANT	1																																																					
Pol.	Vertical						Fundamental																																															
Peak	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5350.25</td><td>57.46</td><td>74.00</td><td>-16.54</td><td>40.26</td><td>34.40</td><td>12.92</td><td>30.12</td><td>0.00</td><td>260</td><td>0 PEAK</td></tr></table>							Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5350.25	57.46	74.00	-16.54	40.26	34.40	12.92	30.12	0.00	260	0 PEAK	Blank				
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																														
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark																																													
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																												
1	5350.25	57.46	74.00	-16.54	40.26	34.40	12.92	30.12	0.00	260	0 PEAK																																											
Avg	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5350.05</td><td>47.83</td><td>54.00</td><td>-6.17</td><td>30.63</td><td>34.40</td><td>12.92</td><td>30.12</td><td>0.00</td><td>260</td><td>0 AVERAGE</td></tr></table>							Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5350.05	47.83	54.00	-6.17	30.63	34.40	12.92	30.12	0.00	260	0 AVERAGE	Blank				
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																														
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark																																													
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																												
1	5350.05	47.83	54.00	-6.17	30.63	34.40	12.92	30.12	0.00	260	0 AVERAGE																																											





Mode	17																																																																																																																																																							
	Harmonic																																																																																																																																																							
	U-NII-2A_5.25-5.35_802.11ac VHT40_CH62_5310MHz																																																																																																																																																							
ANT	1																																																																																																																																																							
Pol.	Horizontal						Vertical																																																																																																																																																	
Peak Avg																																																																																																																																																								
	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line Margin</th><th>Level</th><th>Factor</th><th>Loss Factor</th><th>Factor</th><th></th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>7079.82</td><td>42.98</td><td>68.20</td><td>-25.22</td><td>57.20</td><td>35.72</td><td>14.52</td><td>64.46</td><td>0.00</td><td>--</td><td>--</td><td>PEAK</td></tr><tr><td>2</td><td>10620.00</td><td>44.21</td><td>74.00</td><td>-29.79</td><td>53.96</td><td>37.62</td><td>17.77</td><td>65.14</td><td>0.00</td><td>--</td><td>--</td><td>PEAK</td></tr><tr><td>3</td><td>15930.00</td><td>45.62</td><td>74.00</td><td>-28.38</td><td>47.71</td><td>40.46</td><td>21.88</td><td>64.43</td><td>0.00</td><td>--</td><td>--</td><td>PEAK</td></tr></table>							Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line Margin	Level	Factor	Loss Factor	Factor			Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	7079.82	42.98	68.20	-25.22	57.20	35.72	14.52	64.46	0.00	--	--	PEAK	2	10620.00	44.21	74.00	-29.79	53.96	37.62	17.77	65.14	0.00	--	--	PEAK	3	15930.00	45.62	74.00	-28.38	47.71	40.46	21.88	64.43	0.00	--	--	PEAK	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line Margin</th><th>Level</th><th>Factor</th><th>Loss Factor</th><th>Factor</th><th></th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>7079.82</td><td>52.25</td><td>68.20</td><td>-15.95</td><td>66.47</td><td>35.72</td><td>14.52</td><td>64.46</td><td>0.00</td><td>288</td><td>300</td><td>PEAK</td></tr><tr><td>2</td><td>10620.00</td><td>44.93</td><td>74.00</td><td>-29.07</td><td>54.68</td><td>37.62</td><td>17.77</td><td>65.14</td><td>0.00</td><td>--</td><td>--</td><td>PEAK</td></tr><tr><td>3</td><td>15930.00</td><td>45.75</td><td>74.00</td><td>-28.25</td><td>47.84</td><td>40.46</td><td>21.88</td><td>64.43</td><td>0.00</td><td>--</td><td>--</td><td>PEAK</td></tr></table>							Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line Margin	Level	Factor	Loss Factor	Factor			Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1	7079.82	52.25	68.20	-15.95	66.47	35.72	14.52	64.46	0.00	288	300	PEAK	2	10620.00	44.93	74.00	-29.07	54.68	37.62	17.77	65.14	0.00	--	--	PEAK	3	15930.00	45.75	74.00	-28.25	47.84	40.46	21.88	64.43	0.00	--	--
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																																																																																
Freq	Level	Line Margin	Level	Factor	Loss Factor	Factor			Remark																																																																																																																																															
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																																																														
1	7079.82	42.98	68.20	-25.22	57.20	35.72	14.52	64.46	0.00	--	--	PEAK																																																																																																																																												
2	10620.00	44.21	74.00	-29.79	53.96	37.62	17.77	65.14	0.00	--	--	PEAK																																																																																																																																												
3	15930.00	45.62	74.00	-28.38	47.71	40.46	21.88	64.43	0.00	--	--	PEAK																																																																																																																																												
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																																																																																
Freq	Level	Line Margin	Level	Factor	Loss Factor	Factor			Remark																																																																																																																																															
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																																																																																													
1	7079.82	52.25	68.20	-15.95	66.47	35.72	14.52	64.46	0.00	288	300	PEAK																																																																																																																																												
2	10620.00	44.93	74.00	-29.07	54.68	37.62	17.77	65.14	0.00	--	--	PEAK																																																																																																																																												
3	15930.00	45.75	74.00	-28.25	47.84	40.46	21.88	64.43	0.00	--	--	PEAK																																																																																																																																												







Mode	18																																																																																																		
	Band Edge - L																																																																																																		
	U-NII-2A_5.25-5.35_802.11ac VHT80_CH58_5290MHz																																																																																																		
ANT	1																																																																																																		
Pol.	Horizontal						Fundamental																																																																																												
Peak																																																																																																			
	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line Margin</th><th>Level Factor</th><th>Loss Factor</th><th>Loss Factor</th><th>Factor</th><th></th><th></th><th></th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5144.41</td><td>57.25</td><td>74.00</td><td>-16.75</td><td>40.84</td><td>34.12</td><td>12.50</td><td>30.21</td><td>0.00</td><td>100</td><td>305</td><td>PEAK</td></tr></table>							Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line Margin	Level Factor	Loss Factor	Loss Factor	Factor					MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5144.41	57.25	74.00	-16.75	40.84	34.12	12.50	30.21	0.00	100	305	PEAK	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line Margin</th><th>Level Factor</th><th>Loss Factor</th><th>Loss Factor</th><th>Factor</th><th></th><th></th><th></th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5290.00</td><td>85.12</td><td>-----</td><td>-----</td><td>68.08</td><td>34.40</td><td>12.78</td><td>30.14</td><td>0.00</td><td>100</td><td>305</td><td>PEAK</td></tr></table>							Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line Margin	Level Factor	Loss Factor	Loss Factor	Factor					MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5290.00	85.12	-----	-----	68.08	34.40	12.78	30.14	0.00	100	305
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																										
Freq	Level	Line Margin	Level Factor	Loss Factor	Loss Factor	Factor																																																																																													
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																									
1	5144.41	57.25	74.00	-16.75	40.84	34.12	12.50	30.21	0.00	100	305	PEAK																																																																																							
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																										
Freq	Level	Line Margin	Level Factor	Loss Factor	Loss Factor	Factor																																																																																													
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																									
1	5290.00	85.12	-----	-----	68.08	34.40	12.78	30.14	0.00	100	305	PEAK																																																																																							
Avg																																																																																																			
	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line Margin</th><th>Level Factor</th><th>Loss Factor</th><th>Loss Factor</th><th>Factor</th><th></th><th></th><th></th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5101.69</td><td>47.16</td><td>54.00</td><td>-6.84</td><td>30.64</td><td>34.29</td><td>12.45</td><td>30.22</td><td>0.00</td><td>100</td><td>305</td><td>AVERAGE</td></tr></table>							Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line Margin	Level Factor	Loss Factor	Loss Factor	Factor					MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5101.69	47.16	54.00	-6.84	30.64	34.29	12.45	30.22	0.00	100	305	AVERAGE	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line Margin</th><th>Level Factor</th><th>Loss Factor</th><th>Loss Factor</th><th>Factor</th><th></th><th></th><th></th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5290.00</td><td>76.14</td><td>-----</td><td>-----</td><td>59.10</td><td>34.40</td><td>12.78</td><td>30.14</td><td>0.00</td><td>100</td><td>305</td><td>AVERAGE</td></tr></table>							Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line Margin	Level Factor	Loss Factor	Loss Factor	Factor					MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5290.00	76.14	-----	-----	59.10	34.40	12.78	30.14	0.00	100	305
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																										
Freq	Level	Line Margin	Level Factor	Loss Factor	Loss Factor	Factor																																																																																													
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																									
1	5101.69	47.16	54.00	-6.84	30.64	34.29	12.45	30.22	0.00	100	305	AVERAGE																																																																																							
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																										
Freq	Level	Line Margin	Level Factor	Loss Factor	Loss Factor	Factor																																																																																													
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																									
1	5290.00	76.14	-----	-----	59.10	34.40	12.78	30.14	0.00	100	305	AVERAGE																																																																																							





Mode	18																																													
	Band Edge - R																																													
	U-NII-2A_5.25-5.35_802.11ac VHT80_CH58_5290MHz																																													
ANT	1																																													
Pol.	Horizontal	Fundamental																																												
Peak	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5378.25</td><td>55.92</td><td>74.00</td><td>-18.08</td><td>38.53</td><td>34.51</td><td>12.98</td><td>30.10</td><td>0.00</td><td>100</td><td>305</td><td>PEAK</td></tr></table>		Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5378.25	55.92	74.00	-18.08	38.53	34.51	12.98	30.10	0.00	100	305	PEAK	Blank
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																						
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark																																					
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																				
1	5378.25	55.92	74.00	-18.08	38.53	34.51	12.98	30.10	0.00	100	305	PEAK																																		
Avg	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5381.25</td><td>46.38</td><td>54.00</td><td>-7.62</td><td>28.96</td><td>34.53</td><td>12.99</td><td>30.10</td><td>0.00</td><td>100</td><td>305</td><td>AVERAGE</td></tr></table>		Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5381.25	46.38	54.00	-7.62	28.96	34.53	12.99	30.10	0.00	100	305	AVERAGE	Blank
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																						
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark																																					
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																				
1	5381.25	46.38	54.00	-7.62	28.96	34.53	12.99	30.10	0.00	100	305	AVERAGE																																		



Mode	18																																																																																														
	Band Edge - L																																																																																														
	U-NII-2A_5.25-5.35_802.11ac VHT80_CH58_5290MHz																																																																																														
ANT	1																																																																																														
Pol.	Vertical					Fundamental																																																																																									
Peak																																																																																															
	<table><thead><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>5110.65</td><td>57.98</td><td>74.00</td><td>-16.02</td><td>41.48</td><td>34.26</td><td>12.46</td><td>30.22</td><td>0.00</td><td>278</td><td>0 PEAK</td></tr></tbody></table>						Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1	5110.65	57.98	74.00	-16.02	41.48	34.26	12.46	30.22	0.00	278	0 PEAK	<table><thead><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>5290.00</td><td>92.66</td><td>-----</td><td>-----</td><td>75.65</td><td>34.40</td><td>12.76</td><td>30.15</td><td>0.00</td><td>278</td><td>0 PEAK</td></tr></tbody></table>						Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1	5290.00	92.66	-----	-----	75.65	34.40	12.76	30.15	0.00	278
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																						
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																																																																							
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																																					
1	5110.65	57.98	74.00	-16.02	41.48	34.26	12.46	30.22	0.00	278	0 PEAK																																																																																				
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																						
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																																																																							
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																																					
1	5290.00	92.66	-----	-----	75.65	34.40	12.76	30.15	0.00	278	0 PEAK																																																																																				
Avg																																																																																															
	<table><thead><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>5110.97</td><td>47.29</td><td>54.00</td><td>-6.71</td><td>30.79</td><td>34.26</td><td>12.46</td><td>30.22</td><td>0.00</td><td>278</td><td>0 AVERAGE</td></tr></tbody></table>						Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1	5110.97	47.29	54.00	-6.71	30.79	34.26	12.46	30.22	0.00	278	0 AVERAGE	<table><thead><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>5290.00</td><td>84.97</td><td>-----</td><td>-----</td><td>67.93</td><td>34.40</td><td>12.78</td><td>30.14</td><td>0.00</td><td>278</td><td>0 AVERAGE</td></tr></tbody></table>						Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1	5290.00	84.97	-----	-----	67.93	34.40	12.78	30.14	0.00	278
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																						
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																																																																							
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																																					
1	5110.97	47.29	54.00	-6.71	30.79	34.26	12.46	30.22	0.00	278	0 AVERAGE																																																																																				
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																						
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																																																																							
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																																					
1	5290.00	84.97	-----	-----	67.93	34.40	12.78	30.14	0.00	278	0 AVERAGE																																																																																				







Mode	18																																												
	Band Edge - R																																												
	U-NII-2A_5.25-5.35_802.11ac VHT80_CH58_5290MHz																																												
ANT	1																																												
Pol.	Vertical	Fundamental																																											
Peak	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5364.25</td><td>56.30</td><td>74.00</td><td>-17.70</td><td>39.00</td><td>34.46</td><td>12.95</td><td>30.11</td><td>0.00</td><td>278</td><td>0 PEAK</td></tr></table>		Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5364.25	56.30	74.00	-17.70	39.00	34.46	12.95	30.11	0.00	278	0 PEAK	Blank
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																					
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark																																				
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																			
1	5364.25	56.30	74.00	-17.70	39.00	34.46	12.95	30.11	0.00	278	0 PEAK																																		
Avg	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5352.65</td><td>47.53</td><td>54.00</td><td>-6.47</td><td>30.31</td><td>34.41</td><td>12.92</td><td>30.11</td><td>0.00</td><td>278</td><td>0 AVERAGE</td></tr></table>		Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5352.65	47.53	54.00	-6.47	30.31	34.41	12.92	30.11	0.00	278	0 AVERAGE	Blank
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																					
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark																																				
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																			
1	5352.65	47.53	54.00	-6.47	30.31	34.41	12.92	30.11	0.00	278	0 AVERAGE																																		



Mode	18																																																																																																																								
	Harmonic																																																																																																																								
	U-NII-2A_5.25-5.35_802.11ac VHT80_CH58_5290MHz																																																																																																																								
ANT	1																																																																																																																								
Pol.	Horizontal	Vertical																																																																																																																							
Peak Avg																																																																																																																									
	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line Margin</th><th>Level</th><th>Factor</th><th>Loss Factor</th><th>Factor</th><th></th><th></th><th>Remark</th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1 7053.16</td><td>44.51</td><td>68.20 -23.69</td><td>58.78</td><td>35.61</td><td>14.50</td><td>64.38</td><td>0.00</td><td>--</td><td>-- PEAK</td></tr><tr><td>2 10580.00</td><td>43.89</td><td>68.20 -24.31</td><td>53.74</td><td>37.60</td><td>17.74</td><td>65.19</td><td>0.00</td><td>--</td><td>-- PEAK</td></tr><tr><td>3 15870.00</td><td>45.65</td><td>74.00 -28.35</td><td>47.80</td><td>40.43</td><td>21.83</td><td>64.41</td><td>0.00</td><td>--</td><td>-- PEAK</td></tr></table>		Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line Margin	Level	Factor	Loss Factor	Factor			Remark	MHz	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1 7053.16	44.51	68.20 -23.69	58.78	35.61	14.50	64.38	0.00	--	-- PEAK	2 10580.00	43.89	68.20 -24.31	53.74	37.60	17.74	65.19	0.00	--	-- PEAK	3 15870.00	45.65	74.00 -28.35	47.80	40.43	21.83	64.41	0.00	--	-- PEAK	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line Margin</th><th>Level</th><th>Factor</th><th>Loss Factor</th><th>Factor</th><th></th><th></th><th>Remark</th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1 7053.16</td><td>53.14</td><td>68.20 -15.06</td><td>67.41</td><td>35.61</td><td>14.50</td><td>64.38</td><td>0.00</td><td>286</td><td>299 PEAK</td></tr><tr><td>2 10580.00</td><td>43.96</td><td>68.20 -24.24</td><td>53.81</td><td>37.60</td><td>17.74</td><td>65.19</td><td>0.00</td><td>--</td><td>-- PEAK</td></tr><tr><td>3 15870.00</td><td>45.93</td><td>74.00 -28.07</td><td>48.08</td><td>40.43</td><td>21.83</td><td>64.41</td><td>0.00</td><td>--</td><td>-- PEAK</td></tr></table>		Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line Margin	Level	Factor	Loss Factor	Factor			Remark	MHz	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1 7053.16	53.14	68.20 -15.06	67.41	35.61	14.50	64.38	0.00	286	299 PEAK	2 10580.00	43.96	68.20 -24.24	53.81	37.60	17.74	65.19	0.00	--	-- PEAK	3 15870.00	45.93	74.00 -28.07	48.08	40.43	21.83	64.41	0.00	--
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																																																	
Freq	Level	Line Margin	Level	Factor	Loss Factor	Factor			Remark																																																																																																																
MHz	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																																																																
1 7053.16	44.51	68.20 -23.69	58.78	35.61	14.50	64.38	0.00	--	-- PEAK																																																																																																																
2 10580.00	43.89	68.20 -24.31	53.74	37.60	17.74	65.19	0.00	--	-- PEAK																																																																																																																
3 15870.00	45.65	74.00 -28.35	47.80	40.43	21.83	64.41	0.00	--	-- PEAK																																																																																																																
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																																																	
Freq	Level	Line Margin	Level	Factor	Loss Factor	Factor			Remark																																																																																																																
MHz	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																																																																
1 7053.16	53.14	68.20 -15.06	67.41	35.61	14.50	64.38	0.00	286	299 PEAK																																																																																																																
2 10580.00	43.96	68.20 -24.24	53.81	37.60	17.74	65.19	0.00	--	-- PEAK																																																																																																																
3 15870.00	45.93	74.00 -28.07	48.08	40.43	21.83	64.41	0.00	--	-- PEAK																																																																																																																





Mode	19																																																																																																															
	Band Edge																																																																																																															
	U-NII-2C_5.47-5.725_802.11a_CH100_5500MHz																																																																																																															
ANT	1																																																																																																															
Pol.	Horizontal						Fundamental																																																																																																									
Peak																																																																																																																
	<table><thead><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>5395.05</td><td>56.16</td><td>74.00</td><td>-17.84</td><td>38.66</td><td>34.58</td><td>13.02</td><td>30.10</td><td>0.00</td><td>100</td><td>303</td><td>PEAK</td></tr><tr><td>2</td><td>5462.89</td><td>56.62</td><td>68.20</td><td>-11.58</td><td>39.05</td><td>34.57</td><td>13.07</td><td>30.07</td><td>0.00</td><td>100</td><td>303</td><td>PEAK</td></tr></tbody></table>							Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5395.05	56.16	74.00	-17.84	38.66	34.58	13.02	30.10	0.00	100	303	PEAK	2	5462.89	56.62	68.20	-11.58	39.05	34.57	13.07	30.07	0.00	100	303	PEAK	<table><thead><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>5500.00</td><td>94.21</td><td>-----</td><td>-----</td><td>76.66</td><td>34.51</td><td>13.09</td><td>30.05</td><td>0.00</td><td>100</td><td>303</td><td>PEAK</td></tr></tbody></table>							Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5500.00	94.21	-----	-----	76.66	34.51	13.09	30.05	0.00	100	303
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																																								
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark																																																																																																							
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																						
1	5395.05	56.16	74.00	-17.84	38.66	34.58	13.02	30.10	0.00	100	303	PEAK																																																																																																				
2	5462.89	56.62	68.20	-11.58	39.05	34.57	13.07	30.07	0.00	100	303	PEAK																																																																																																				
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																																								
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark																																																																																																							
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																						
1	5500.00	94.21	-----	-----	76.66	34.51	13.09	30.05	0.00	100	303	PEAK																																																																																																				
Avg																																																																																																																
	<table><thead><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>5455.21</td><td>45.93</td><td>54.00</td><td>-8.07</td><td>28.35</td><td>34.59</td><td>13.06</td><td>30.07</td><td>0.00</td><td>100</td><td>303</td><td>AVERAGE</td></tr></tbody></table>							Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5455.21	45.93	54.00	-8.07	28.35	34.59	13.06	30.07	0.00	100	303	AVERAGE	<table><thead><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>5500.00</td><td>85.71</td><td>-----</td><td>-----</td><td>68.16</td><td>34.51</td><td>13.09</td><td>30.05</td><td>0.00</td><td>100</td><td>303</td><td>AVERAGE</td></tr></tbody></table>							Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5500.00	85.71	-----	-----	68.16	34.51	13.09	30.05	0.00	100	303	AVERAGE												
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																																								
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark																																																																																																							
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																						
1	5455.21	45.93	54.00	-8.07	28.35	34.59	13.06	30.07	0.00	100	303	AVERAGE																																																																																																				
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																																								
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark																																																																																																							
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																						
1	5500.00	85.71	-----	-----	68.16	34.51	13.09	30.05	0.00	100	303	AVERAGE																																																																																																				





Mode	19																																																																																																															
	Band Edge																																																																																																															
	U-NII-2C_5.47-5.725_802.11a_CH100_5500MHz																																																																																																															
ANT	1																																																																																																															
Pol.	Vertical						Fundamental																																																																																																									
Peak																																																																																																																
	<table><thead><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>5441.29</td><td>56.55</td><td>74.00</td><td>-17.45</td><td>38.98</td><td>34.60</td><td>13.05</td><td>30.08</td><td>0.00</td><td>278</td><td>181</td><td>PEAK</td></tr><tr><td>2</td><td>5463.69</td><td>56.23</td><td>68.20</td><td>-11.97</td><td>38.66</td><td>34.57</td><td>13.07</td><td>30.07</td><td>0.00</td><td>278</td><td>181</td><td>PEAK</td></tr></tbody></table>							Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5441.29	56.55	74.00	-17.45	38.98	34.60	13.05	30.08	0.00	278	181	PEAK	2	5463.69	56.23	68.20	-11.97	38.66	34.57	13.07	30.07	0.00	278	181	PEAK	<table><thead><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>5500.00</td><td>106.21</td><td>-----</td><td>-----</td><td>88.66</td><td>34.52</td><td>13.08</td><td>30.05</td><td>0.00</td><td>278</td><td>181</td><td>PEAK</td></tr></tbody></table>							Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5500.00	106.21	-----	-----	88.66	34.52	13.08	30.05	0.00	278	181
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																																								
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark																																																																																																							
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																						
1	5441.29	56.55	74.00	-17.45	38.98	34.60	13.05	30.08	0.00	278	181	PEAK																																																																																																				
2	5463.69	56.23	68.20	-11.97	38.66	34.57	13.07	30.07	0.00	278	181	PEAK																																																																																																				
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																																								
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark																																																																																																							
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																						
1	5500.00	106.21	-----	-----	88.66	34.52	13.08	30.05	0.00	278	181	PEAK																																																																																																				
Avg																																																																																																																
	<table><thead><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>5459.85</td><td>46.43</td><td>54.00</td><td>-7.57</td><td>28.85</td><td>34.58</td><td>13.07</td><td>30.07</td><td>0.00</td><td>278</td><td>181</td><td>AVERAGE</td></tr></tbody></table>							Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5459.85	46.43	54.00	-7.57	28.85	34.58	13.07	30.07	0.00	278	181	AVERAGE	<table><thead><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>5500.00</td><td>98.22</td><td>-----</td><td>-----</td><td>88.67</td><td>34.51</td><td>13.09</td><td>30.05</td><td>0.00</td><td>278</td><td>181</td><td>AVERAGE</td></tr></tbody></table>							Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5500.00	98.22	-----	-----	88.67	34.51	13.09	30.05	0.00	278	181	AVERAGE												
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																																								
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark																																																																																																							
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																						
1	5459.85	46.43	54.00	-7.57	28.85	34.58	13.07	30.07	0.00	278	181	AVERAGE																																																																																																				
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																																								
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark																																																																																																							
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																						
1	5500.00	98.22	-----	-----	88.67	34.51	13.09	30.05	0.00	278	181	AVERAGE																																																																																																				






Mode	19																																																																																																																																
	Harmonic																																																																																																																																
	U-NII-2C_5.47-5.725_802.11a_CH100_5500MHz																																																																																																																																
ANT	1																																																																																																																																
Pol.	Horizontal					Vertical																																																																																																																											
Peak Avg																																																																																																																																	
	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line Margin</th><th>Level Factor</th><th>Loss Factor</th><th>Factor</th><th>Factor</th><th></th><th></th><th></th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1 7333.33</td><td>46.61</td><td>74.00</td><td>-27.39</td><td>61.39</td><td>35.73</td><td>14.73</td><td>65.24</td><td>0.00</td><td>300 0 PEAK</td></tr><tr><td>2 7333.33</td><td>42.47</td><td>54.00</td><td>-11.53</td><td>57.25</td><td>35.73</td><td>14.73</td><td>65.24</td><td>0.00</td><td>300 0 AVERAGE</td></tr><tr><td>3 11000.00</td><td>45.04</td><td>74.00</td><td>-28.96</td><td>53.86</td><td>37.00</td><td>18.00</td><td>64.70</td><td>0.00</td><td>-- -- PEAK</td></tr></table>						Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line Margin	Level Factor	Loss Factor	Factor	Factor				MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1 7333.33	46.61	74.00	-27.39	61.39	35.73	14.73	65.24	0.00	300 0 PEAK	2 7333.33	42.47	54.00	-11.53	57.25	35.73	14.73	65.24	0.00	300 0 AVERAGE	3 11000.00	45.04	74.00	-28.96	53.86	37.00	18.00	64.70	0.00	-- -- PEAK	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line Margin</th><th>Level Factor</th><th>Loss Factor</th><th>Factor</th><th>Factor</th><th></th><th></th><th></th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1 7333.33</td><td>51.47</td><td>74.00</td><td>-22.53</td><td>66.25</td><td>35.73</td><td>14.73</td><td>65.24</td><td>0.00</td><td>300 280 PEAK</td></tr><tr><td>2 7333.33</td><td>49.81</td><td>54.00</td><td>-4.19</td><td>64.59</td><td>35.73</td><td>14.73</td><td>65.24</td><td>0.00</td><td>300 280 AVERAGE</td></tr><tr><td>3 11000.00</td><td>45.82</td><td>74.00</td><td>-28.18</td><td>54.64</td><td>37.00</td><td>18.00</td><td>64.70</td><td>0.00</td><td>-- -- PEAK</td></tr></table>						Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line Margin	Level Factor	Loss Factor	Factor	Factor				MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1 7333.33	51.47	74.00	-22.53	66.25	35.73	14.73	65.24	0.00	300 280 PEAK	2 7333.33	49.81	54.00	-4.19	64.59	35.73	14.73	65.24	0.00	300 280 AVERAGE	3 11000.00	45.82	74.00	-28.18	54.64	37.00	18.00	64.70	0.00
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																																																								
Freq	Level	Line Margin	Level Factor	Loss Factor	Factor	Factor																																																																																																																											
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																																								
1 7333.33	46.61	74.00	-27.39	61.39	35.73	14.73	65.24	0.00	300 0 PEAK																																																																																																																								
2 7333.33	42.47	54.00	-11.53	57.25	35.73	14.73	65.24	0.00	300 0 AVERAGE																																																																																																																								
3 11000.00	45.04	74.00	-28.96	53.86	37.00	18.00	64.70	0.00	-- -- PEAK																																																																																																																								
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																																																								
Freq	Level	Line Margin	Level Factor	Loss Factor	Factor	Factor																																																																																																																											
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																																								
1 7333.33	51.47	74.00	-22.53	66.25	35.73	14.73	65.24	0.00	300 280 PEAK																																																																																																																								
2 7333.33	49.81	54.00	-4.19	64.59	35.73	14.73	65.24	0.00	300 280 AVERAGE																																																																																																																								
3 11000.00	45.82	74.00	-28.18	54.64	37.00	18.00	64.70	0.00	-- -- PEAK																																																																																																																								






Mode	20																																																																																																																																																																				
	Harmonic																																																																																																																																																																				
	U-NII-2C_5.47-5.725_802.11a_CH116_5580MHz																																																																																																																																																																				
ANT	1																																																																																																																																																																				
Pol.	Horizontal						Vertical																																																																																																																																																														
Peak Avg																																																																																																																																																																					
	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>7440.00</td><td>49.93</td><td>74.00</td><td>-24.07</td><td>64.78</td><td>35.00</td><td>14.92</td><td>65.57</td><td>0.00</td><td>383</td><td>42</td><td>PEAK</td></tr><tr><td>2</td><td>7440.00</td><td>47.45</td><td>54.00</td><td>-6.55</td><td>62.30</td><td>35.00</td><td>14.92</td><td>65.57</td><td>0.00</td><td>383</td><td>42</td><td>AVERAGE</td></tr><tr><td>3</td><td>11160.00</td><td>47.33</td><td>74.00</td><td>-26.67</td><td>55.68</td><td>37.96</td><td>18.20</td><td>64.51</td><td>0.00</td><td>383</td><td>42</td><td>PEAK</td></tr><tr><td>4</td><td>11160.00</td><td>36.66</td><td>54.00</td><td>-17.34</td><td>45.01</td><td>37.96</td><td>18.20</td><td>64.51</td><td>0.00</td><td>383</td><td>42</td><td>AVERAGE</td></tr></table>							Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	7440.00	49.93	74.00	-24.07	64.78	35.00	14.92	65.57	0.00	383	42	PEAK	2	7440.00	47.45	54.00	-6.55	62.30	35.00	14.92	65.57	0.00	383	42	AVERAGE	3	11160.00	47.33	74.00	-26.67	55.68	37.96	18.20	64.51	0.00	383	42	PEAK	4	11160.00	36.66	54.00	-17.34	45.01	37.96	18.20	64.51	0.00	383	42	AVERAGE	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>7440.00</td><td>53.26</td><td>74.00</td><td>-20.74</td><td>68.11</td><td>35.00</td><td>14.92</td><td>65.57</td><td>0.00</td><td>301</td><td>287</td><td>PEAK</td></tr><tr><td>2</td><td>7440.00</td><td>51.87</td><td>54.00</td><td>-2.13</td><td>66.72</td><td>35.00</td><td>14.92</td><td>65.57</td><td>0.00</td><td>301</td><td>287</td><td>AVERAGE</td></tr><tr><td>3</td><td>11160.00</td><td>45.62</td><td>74.00</td><td>-28.38</td><td>53.97</td><td>37.96</td><td>18.20</td><td>64.51</td><td>0.00</td><td>--</td><td>--</td><td>PEAK</td></tr></table>							Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	7440.00	53.26	74.00	-20.74	68.11	35.00	14.92	65.57	0.00	301	287	PEAK	2	7440.00	51.87	54.00	-2.13	66.72	35.00	14.92	65.57	0.00	301	287	AVERAGE	3	11160.00	45.62	74.00	-28.38	53.97	37.96	18.20	64.51	0.00	--	--	PEAK
		Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																																																																																												
	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark																																																																																																																																																											
		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																																																																										
1	7440.00	49.93	74.00	-24.07	64.78	35.00	14.92	65.57	0.00	383	42	PEAK																																																																																																																																																									
2	7440.00	47.45	54.00	-6.55	62.30	35.00	14.92	65.57	0.00	383	42	AVERAGE																																																																																																																																																									
3	11160.00	47.33	74.00	-26.67	55.68	37.96	18.20	64.51	0.00	383	42	PEAK																																																																																																																																																									
4	11160.00	36.66	54.00	-17.34	45.01	37.96	18.20	64.51	0.00	383	42	AVERAGE																																																																																																																																																									
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																																																																																													
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark																																																																																																																																																												
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																																																																											
1	7440.00	53.26	74.00	-20.74	68.11	35.00	14.92	65.57	0.00	301	287	PEAK																																																																																																																																																									
2	7440.00	51.87	54.00	-2.13	66.72	35.00	14.92	65.57	0.00	301	287	AVERAGE																																																																																																																																																									
3	11160.00	45.62	74.00	-28.38	53.97	37.96	18.20	64.51	0.00	--	--	PEAK																																																																																																																																																									



Mode	21																																																																																																
	Band Edge																																																																																																
	U-NII-2C_5.47-5.725_802.11a_CH140_5700MHz																																																																																																
ANT	1																																																																																																
Pol.	Horizontal						Fundamental																																																																																										
Peak																																																																																																	
	<table><thead><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>5759.76</td><td>57.43</td><td>68.20</td><td>-10.77</td><td>38.79</td><td>34.72</td><td>14.12</td><td>30.20</td><td>0.00</td><td>278</td><td>75 PEAK</td></tr></tbody></table>							Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5759.76	57.43	68.20	-10.77	38.79	34.72	14.12	30.20	0.00	278	75 PEAK	<table><thead><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>5700.00</td><td>97.22</td><td>-----</td><td>-----</td><td>78.95</td><td>34.60</td><td>13.77</td><td>30.10</td><td>0.00</td><td>278</td><td>75 PEAK</td></tr></tbody></table>							Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5700.00	97.22	-----	-----	78.95	34.60	13.77	30.10	0.00	278
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																									
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark																																																																																								
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																							
1	5759.76	57.43	68.20	-10.77	38.79	34.72	14.12	30.20	0.00	278	75 PEAK																																																																																						
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																									
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark																																																																																								
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																							
1	5700.00	97.22	-----	-----	78.95	34.60	13.77	30.10	0.00	278	75 PEAK																																																																																						
Avg	Blank																																																																																																
							<table><thead><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>5700.00</td><td>88.60</td><td>-----</td><td>-----</td><td>70.36</td><td>34.60</td><td>13.73</td><td>30.09</td><td>0.00</td><td>278</td><td>75 AVERAGE</td></tr></tbody></table>							Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5700.00	88.60	-----	-----	70.36	34.60	13.73	30.09	0.00	278	75 AVERAGE																																										
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																									
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark																																																																																								
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																							
1	5700.00	88.60	-----	-----	70.36	34.60	13.73	30.09	0.00	278	75 AVERAGE																																																																																						







Mode	21																																																																																																		
	Band Edge																																																																																																		
	U-NII-2C_5.47-5.725_802.11a_CH140_5700MHz																																																																																																		
ANT	1																																																																																																		
Pol.	Vertical						Fundamental																																																																																												
Peak																																																																																																			
	<table><thead><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>5725.04</td><td>60.28</td><td>68.20</td><td>-7.92</td><td>41.86</td><td>34.65</td><td>13.91</td><td>30.14</td><td>0.00</td><td>301</td><td>113</td><td>PEAK</td></tr></tbody></table>							Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5725.04	60.28	68.20	-7.92	41.86	34.65	13.91	30.14	0.00	301	113	PEAK	<table><thead><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>5700.00</td><td>105.81</td><td>-----</td><td>-----</td><td>87.57</td><td>34.60</td><td>13.73</td><td>30.09</td><td>0.00</td><td>301</td><td>113</td><td>PEAK</td></tr></tbody></table>							Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5700.00	105.81	-----	-----	87.57	34.60	13.73	30.09	0.00	301	113
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																											
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark																																																																																										
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																									
1	5725.04	60.28	68.20	-7.92	41.86	34.65	13.91	30.14	0.00	301	113	PEAK																																																																																							
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																											
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark																																																																																										
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																									
1	5700.00	105.81	-----	-----	87.57	34.60	13.73	30.09	0.00	301	113	PEAK																																																																																							
Avg	Blank																																																																																																		
							<table><thead><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>5700.00</td><td>97.48</td><td>-----</td><td>-----</td><td>79.24</td><td>34.60</td><td>13.73</td><td>30.09</td><td>0.00</td><td>301</td><td>113</td><td>AVERAGE</td></tr></tbody></table>							Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5700.00	97.48	-----	-----	79.24	34.60	13.73	30.09	0.00	301	113	AVERAGE																																											
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																											
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark																																																																																										
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																									
1	5700.00	97.48	-----	-----	79.24	34.60	13.73	30.09	0.00	301	113	AVERAGE																																																																																							







Mode	21																																																																																																																																																																								
	Harmonic																																																																																																																																																																								
	U-NII-2C_5.47-5.725_802.11a_CH140_5700MHz																																																																																																																																																																								
ANT	1																																																																																																																																																																								
Pol.	Horizontal	Vertical																																																																																																																																																																							
Peak Avg	<table><tr><th colspan="2"></th><th colspan="2">Limit</th><th colspan="2">Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th rowspan="2">Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th></th><th></th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th><th></th></tr><tr><td>1</td><td>7598.10</td><td>42.56</td><td>74.00</td><td>-31.44</td><td>58.01</td><td>35.70</td><td>14.76</td><td>65.91</td><td>0.00</td><td>--</td><td>--</td><td>PEAK</td></tr><tr><td>2</td><td>11400.00</td><td>46.17</td><td>74.00</td><td>-27.83</td><td>53.90</td><td>38.00</td><td>18.50</td><td>64.23</td><td>0.00</td><td>100</td><td>0</td><td>PEAK</td></tr><tr><td>3</td><td>11400.00</td><td>36.29</td><td>54.00</td><td>-17.71</td><td>44.00</td><td>38.00</td><td>18.51</td><td>64.22</td><td>0.00</td><td>100</td><td>0</td><td>AVERAGE</td></tr></table>			Limit		Read		Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor				MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	dB	cm	deg		1	7598.10	42.56	74.00	-31.44	58.01	35.70	14.76	65.91	0.00	--	--	PEAK	2	11400.00	46.17	74.00	-27.83	53.90	38.00	18.50	64.23	0.00	100	0	PEAK	3	11400.00	36.29	54.00	-17.71	44.00	38.00	18.51	64.22	0.00	100	0	AVERAGE	<table><tr><th colspan="2"></th><th colspan="2">Limit</th><th colspan="2">Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th rowspan="2">Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th></th><th></th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th><th></th></tr><tr><td>1</td><td>7598.10</td><td>52.69</td><td>74.00</td><td>-21.31</td><td>68.14</td><td>35.70</td><td>14.76</td><td>65.91</td><td>0.00</td><td>300</td><td>0</td><td>PEAK</td></tr><tr><td>2</td><td>7598.10</td><td>50.83</td><td>54.00</td><td>-3.17</td><td>66.28</td><td>35.70</td><td>14.76</td><td>65.91</td><td>0.00</td><td>300</td><td>0</td><td>AVERAGE</td></tr><tr><td>3</td><td>11400.00</td><td>46.04</td><td>74.00</td><td>-27.96</td><td>53.77</td><td>38.00</td><td>18.50</td><td>64.23</td><td>0.00</td><td>300</td><td>0</td><td>PEAK</td></tr><tr><td>4</td><td>11400.00</td><td>36.49</td><td>54.00</td><td>-17.51</td><td>44.20</td><td>38.00</td><td>18.51</td><td>64.22</td><td>0.00</td><td>300</td><td>0</td><td>AVERAGE</td></tr></table>			Limit		Read		Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor				MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	dB	cm	deg		1	7598.10	52.69	74.00	-21.31	68.14	35.70	14.76	65.91	0.00	300	0	PEAK	2	7598.10	50.83	54.00	-3.17	66.28	35.70	14.76	65.91	0.00	300	0	AVERAGE	3	11400.00	46.04	74.00	-27.96	53.77	38.00	18.50	64.23	0.00	300	0	PEAK	4	11400.00	36.49	54.00	-17.51	44.20	38.00	18.51	64.22	0.00	300	0	AVERAGE
			Limit		Read		Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																																																																																												
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																																																																																																																																																	
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	dB	cm	deg																																																																																																																																																														
1	7598.10	42.56	74.00	-31.44	58.01	35.70	14.76	65.91	0.00	--	--	PEAK																																																																																																																																																													
2	11400.00	46.17	74.00	-27.83	53.90	38.00	18.50	64.23	0.00	100	0	PEAK																																																																																																																																																													
3	11400.00	36.29	54.00	-17.71	44.00	38.00	18.51	64.22	0.00	100	0	AVERAGE																																																																																																																																																													
		Limit		Read		Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																																																																																													
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																																																																																																																																																	
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	dB	cm	deg																																																																																																																																																														
1	7598.10	52.69	74.00	-21.31	68.14	35.70	14.76	65.91	0.00	300	0	PEAK																																																																																																																																																													
2	7598.10	50.83	54.00	-3.17	66.28	35.70	14.76	65.91	0.00	300	0	AVERAGE																																																																																																																																																													
3	11400.00	46.04	74.00	-27.96	53.77	38.00	18.50	64.23	0.00	300	0	PEAK																																																																																																																																																													
4	11400.00	36.49	54.00	-17.51	44.20	38.00	18.51	64.22	0.00	300	0	AVERAGE																																																																																																																																																													



Mode	22																																																																																																															
	Band Edge																																																																																																															
	U-NII-2C_5.47-5.725_802.11ac VHT20_CH100_5500MHz																																																																																																															
ANT	1																																																																																																															
Pol.	Horizontal						Fundamental																																																																																																									
Peak																																																																																																																
	<table><thead><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>5436.01</td><td>56.42</td><td>74.00</td><td>-17.58</td><td>38.85</td><td>34.60</td><td>13.05</td><td>30.08</td><td>0.00</td><td>265</td><td>321</td><td>PEAK</td></tr><tr><td>2</td><td>5467.53</td><td>55.58</td><td>68.20</td><td>-12.62</td><td>38.01</td><td>34.56</td><td>13.07</td><td>30.06</td><td>0.00</td><td>265</td><td>321</td><td>PEAK</td></tr></tbody></table>							Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dB/m	dB	dB	dB	cm	deg	1	5436.01	56.42	74.00	-17.58	38.85	34.60	13.05	30.08	0.00	265	321	PEAK	2	5467.53	55.58	68.20	-12.62	38.01	34.56	13.07	30.06	0.00	265	321	PEAK	<table><thead><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>5500.00</td><td>97.12</td><td>-----</td><td>-----</td><td>79.57</td><td>34.51</td><td>13.09</td><td>30.05</td><td>0.00</td><td>265</td><td>321</td><td>PEAK</td></tr></tbody></table>							Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dB/m	dB	dB	dB	cm	deg	1	5500.00	97.12	-----	-----	79.57	34.51	13.09	30.05	0.00	265	321
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																																								
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark																																																																																																							
	MHz	dBuV/m	dBuV/m	dB	dB/m	dB	dB	dB	cm	deg																																																																																																						
1	5436.01	56.42	74.00	-17.58	38.85	34.60	13.05	30.08	0.00	265	321	PEAK																																																																																																				
2	5467.53	55.58	68.20	-12.62	38.01	34.56	13.07	30.06	0.00	265	321	PEAK																																																																																																				
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																																								
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark																																																																																																							
	MHz	dBuV/m	dBuV/m	dB	dB/m	dB	dB	dB	cm	deg																																																																																																						
1	5500.00	97.12	-----	-----	79.57	34.51	13.09	30.05	0.00	265	321	PEAK																																																																																																				
Avg																																																																																																																
	<table><thead><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>5453.61</td><td>45.89</td><td>54.00</td><td>-8.11</td><td>28.31</td><td>34.59</td><td>13.06</td><td>30.07</td><td>0.00</td><td>265</td><td>321</td><td>AVERAGE</td></tr></tbody></table>							Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dB/m	dB	dB	dB	cm	deg	1	5453.61	45.89	54.00	-8.11	28.31	34.59	13.06	30.07	0.00	265	321	AVERAGE	<table><thead><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>5500.00</td><td>87.88</td><td>-----</td><td>-----</td><td>70.33</td><td>34.51</td><td>13.09</td><td>30.05</td><td>0.00</td><td>265</td><td>321</td><td>AVERAGE</td></tr></tbody></table>							Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dB/m	dB	dB	dB	cm	deg	1	5500.00	87.88	-----	-----	70.33	34.51	13.09	30.05	0.00	265	321	AVERAGE												
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																																								
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark																																																																																																							
	MHz	dBuV/m	dBuV/m	dB	dB/m	dB	dB	dB	cm	deg																																																																																																						
1	5453.61	45.89	54.00	-8.11	28.31	34.59	13.06	30.07	0.00	265	321	AVERAGE																																																																																																				
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																																								
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark																																																																																																							
	MHz	dBuV/m	dBuV/m	dB	dB/m	dB	dB	dB	cm	deg																																																																																																						
1	5500.00	87.88	-----	-----	70.33	34.51	13.09	30.05	0.00	265	321	AVERAGE																																																																																																				



Mode	22																																																																																																															
	Band Edge																																																																																																															
	U-NII-2C_5.47-5.725_802.11ac VHT20_CH100_5500MHz																																																																																																															
ANT	1																																																																																																															
Pol.	Vertical						Fundamental																																																																																																									
Peak																																																																																																																
	<table><thead><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>5390.25</td><td>56.07</td><td>74.00</td><td>-17.93</td><td>38.60</td><td>34.56</td><td>13.01</td><td>30.10</td><td>0.00</td><td>274</td><td>180</td><td>PEAK</td></tr><tr><td>2</td><td>5469.61</td><td>57.46</td><td>68.20</td><td>-10.74</td><td>39.89</td><td>34.56</td><td>13.07</td><td>30.06</td><td>0.00</td><td>274</td><td>180</td><td>PEAK</td></tr></tbody></table>							Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5390.25	56.07	74.00	-17.93	38.60	34.56	13.01	30.10	0.00	274	180	PEAK	2	5469.61	57.46	68.20	-10.74	39.89	34.56	13.07	30.06	0.00	274	180	PEAK	<table><thead><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>5500.00</td><td>105.94</td><td>-----</td><td>-----</td><td>88.39</td><td>34.51</td><td>13.09</td><td>30.05</td><td>0.00</td><td>274</td><td>180</td><td>PEAK</td></tr></tbody></table>							Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5500.00	105.94	-----	-----	88.39	34.51	13.09	30.05	0.00	274	180
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																																								
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark																																																																																																							
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																						
1	5390.25	56.07	74.00	-17.93	38.60	34.56	13.01	30.10	0.00	274	180	PEAK																																																																																																				
2	5469.61	57.46	68.20	-10.74	39.89	34.56	13.07	30.06	0.00	274	180	PEAK																																																																																																				
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																																								
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark																																																																																																							
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																						
1	5500.00	105.94	-----	-----	88.39	34.51	13.09	30.05	0.00	274	180	PEAK																																																																																																				
Avg																																																																																																																
	<table><thead><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>5449.13</td><td>46.38</td><td>54.00</td><td>-7.62</td><td>28.79</td><td>34.60</td><td>13.06</td><td>30.07</td><td>0.00</td><td>274</td><td>180</td><td>AVERAGE</td></tr></tbody></table>							Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5449.13	46.38	54.00	-7.62	28.79	34.60	13.06	30.07	0.00	274	180	AVERAGE	<table><thead><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>5500.00</td><td>97.87</td><td>-----</td><td>-----</td><td>88.32</td><td>34.51</td><td>13.09</td><td>30.05</td><td>0.00</td><td>274</td><td>180</td><td>AVERAGE</td></tr></tbody></table>							Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5500.00	97.87	-----	-----	88.32	34.51	13.09	30.05	0.00	274	180	AVERAGE												
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																																								
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark																																																																																																							
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																						
1	5449.13	46.38	54.00	-7.62	28.79	34.60	13.06	30.07	0.00	274	180	AVERAGE																																																																																																				
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																																								
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark																																																																																																							
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																						
1	5500.00	97.87	-----	-----	88.32	34.51	13.09	30.05	0.00	274	180	AVERAGE																																																																																																				






Mode	22																																																																																																																																												
	Harmonic																																																																																																																																												
	U-NII-2C_5.47-5.725_802.11ac VHT20_CH100_5500MHz																																																																																																																																												
ANT	1																																																																																																																																												
Pol.	Horizontal						Vertical																																																																																																																																						
Peak Avg																																																																																																																																													
	<table><tr><th colspan="2"></th><th colspan="2">Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th rowspan="2">Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th></th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th><th></th></tr><tr><td>1</td><td>7333.33</td><td>41.46</td><td>74.00</td><td>-32.54</td><td>56.24</td><td>35.73</td><td>14.73</td><td>65.24</td><td>0.00</td><td>--</td><td>PEAK</td></tr><tr><td>2</td><td>11000.00</td><td>45.19</td><td>74.00</td><td>-28.81</td><td>54.01</td><td>37.00</td><td>18.00</td><td>64.70</td><td>0.00</td><td>--</td><td>PEAK</td></tr></table>								Limit		Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor			MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg		1	7333.33	41.46	74.00	-32.54	56.24	35.73	14.73	65.24	0.00	--	PEAK	2	11000.00	45.19	74.00	-28.81	54.01	37.00	18.00	64.70	0.00	--	PEAK	<table><tr><th colspan="2"></th><th colspan="2">Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th rowspan="2">Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th></th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th><th></th></tr><tr><td>1</td><td>7333.33</td><td>51.85</td><td>74.00</td><td>-22.15</td><td>66.63</td><td>35.73</td><td>14.73</td><td>65.24</td><td>0.00</td><td>300</td><td>280 PEAK</td></tr><tr><td>2</td><td>7333.33</td><td>49.87</td><td>54.00</td><td>-4.13</td><td>64.65</td><td>35.73</td><td>14.73</td><td>65.24</td><td>0.00</td><td>300</td><td>280 AVERAGE</td></tr><tr><td>3</td><td>11000.00</td><td>44.95</td><td>74.00</td><td>-29.05</td><td>53.77</td><td>37.00</td><td>18.00</td><td>64.70</td><td>0.00</td><td>--</td><td>PEAK</td></tr></table>								Limit		Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor			MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg		1	7333.33	51.85	74.00	-22.15	66.63	35.73	14.73	65.24	0.00	300	280 PEAK	2	7333.33	49.87	54.00	-4.13	64.65	35.73	14.73	65.24	0.00	300	280 AVERAGE	3	11000.00	44.95	74.00	-29.05	53.77	37.00	18.00	64.70	0.00	--
		Limit		Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																																																																		
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																																																																																																																					
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																																																																																			
1	7333.33	41.46	74.00	-32.54	56.24	35.73	14.73	65.24	0.00	--	PEAK																																																																																																																																		
2	11000.00	45.19	74.00	-28.81	54.01	37.00	18.00	64.70	0.00	--	PEAK																																																																																																																																		
		Limit		Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																																																																		
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																																																																																																																					
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																																																																																			
1	7333.33	51.85	74.00	-22.15	66.63	35.73	14.73	65.24	0.00	300	280 PEAK																																																																																																																																		
2	7333.33	49.87	54.00	-4.13	64.65	35.73	14.73	65.24	0.00	300	280 AVERAGE																																																																																																																																		
3	11000.00	44.95	74.00	-29.05	53.77	37.00	18.00	64.70	0.00	--	PEAK																																																																																																																																		






Mode	23																																																																																																																																																																																																																																																																																								
	Harmonic																																																																																																																																																																																																																																																																																								
	U-NII-2C_5.47-5.725_802.11ac VHT20_CH116_5580MHz																																																																																																																																																																																																																																																																																								
ANT	1																																																																																																																																																																																																																																																																																								
Pol.	Horizontal	Vertical																																																																																																																																																																																																																																																																																							
Peak Avg																																																																																																																																																																																																																																																																																									
	<table><tr><th colspan="2"></th><th colspan="2">Limit</th><th colspan="2">Read</th><th colspan="2">Ant</th><th colspan="2">Cable</th><th colspan="2">Preamp</th><th colspan="2">Aux</th><th colspan="2">APos</th><th colspan="2">TPos</th><th colspan="2"></th></tr><tr><th colspan="2">Freq</th><th>Level</th><th>Line Margin</th><th>Level</th><th>Factor</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th>Factor</th><th>Factor</th><th>Factor</th><th>cm</th><th>deg</th><th colspan="2"></th><th colspan="2">Remark</th></tr><tr><th colspan="2">MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>dB</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th><th colspan="2" rowspan="5"></th><th colspan="2" rowspan="5"></th></tr><tr><td>1</td><td>7440.00</td><td>50.30</td><td>74.00</td><td>-23.70</td><td>65.15</td><td>35.00</td><td>14.92</td><td>65.57</td><td>0.00</td><td>400</td><td>50</td><td>PEAK</td><td colspan="7"></td></tr><tr><td>2</td><td>7440.00</td><td>48.13</td><td>54.00</td><td>-5.87</td><td>62.98</td><td>35.00</td><td>14.92</td><td>65.57</td><td>0.00</td><td>400</td><td>50</td><td>AVERAGE</td><td colspan="7"></td></tr><tr><td>3</td><td>11160.00</td><td>46.60</td><td>74.00</td><td>-27.40</td><td>54.95</td><td>37.96</td><td>18.20</td><td>64.51</td><td>0.00</td><td>400</td><td>50</td><td>PEAK</td><td colspan="7"></td></tr><tr><td>4</td><td>11160.00</td><td>38.67</td><td>54.00</td><td>-15.33</td><td>47.02</td><td>37.96</td><td>18.20</td><td>64.51</td><td>0.00</td><td>400</td><td>50</td><td>AVERAGE</td><td colspan="7"></td></tr></table>			Limit		Read		Ant		Cable		Preamp		Aux		APos		TPos				Freq		Level	Line Margin	Level	Factor	Level	Factor	Loss	Factor	Factor	Factor	Factor	Factor	cm	deg			Remark		MHz		dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	dB	dB	dB	dB	cm	deg					1	7440.00	50.30	74.00	-23.70	65.15	35.00	14.92	65.57	0.00	400	50	PEAK								2	7440.00	48.13	54.00	-5.87	62.98	35.00	14.92	65.57	0.00	400	50	AVERAGE								3	11160.00	46.60	74.00	-27.40	54.95	37.96	18.20	64.51	0.00	400	50	PEAK								4	11160.00	38.67	54.00	-15.33	47.02	37.96	18.20	64.51	0.00	400	50	AVERAGE								<table><tr><th colspan="2"></th><th colspan="2">Limit</th><th colspan="2">Read</th><th colspan="2">Ant</th><th colspan="2">Cable</th><th colspan="2">Preamp</th><th colspan="2">Aux</th><th colspan="2">APos</th><th colspan="2">TPos</th><th colspan="2"></th></tr><tr><th colspan="2">Freq</th><th>Level</th><th>Line Margin</th><th>Level</th><th>Factor</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th>Factor</th><th>Factor</th><th>Factor</th><th>cm</th><th>deg</th><th colspan="2"></th><th colspan="2">Remark</th></tr><tr><th colspan="2">MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>dB</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th><th colspan="2" rowspan="5"></th><th colspan="2" rowspan="5"></th></tr><tr><td>1</td><td>7440.00</td><td>51.88</td><td>74.00</td><td>-22.12</td><td>66.73</td><td>35.00</td><td>14.92</td><td>65.57</td><td>0.00</td><td>300</td><td>129</td><td>PEAK</td><td colspan="7"></td></tr><tr><td>2</td><td>7440.00</td><td>50.10</td><td>54.00</td><td>-3.90</td><td>64.95</td><td>35.00</td><td>14.92</td><td>65.57</td><td>0.00</td><td>300</td><td>129</td><td>AVERAGE</td><td colspan="7"></td></tr><tr><td>3</td><td>11160.00</td><td>47.25</td><td>74.00</td><td>-26.75</td><td>55.60</td><td>37.96</td><td>18.20</td><td>64.51</td><td>0.00</td><td>300</td><td>129</td><td>PEAK</td><td colspan="7"></td></tr><tr><td>4</td><td>11160.00</td><td>39.94</td><td>54.00</td><td>-14.06</td><td>48.29</td><td>37.96</td><td>18.20</td><td>64.51</td><td>0.00</td><td>300</td><td>129</td><td>AVERAGE</td><td colspan="7"></td></tr></table>			Limit		Read		Ant		Cable		Preamp		Aux		APos		TPos				Freq		Level	Line Margin	Level	Factor	Level	Factor	Loss	Factor	Factor	Factor	Factor	Factor	cm	deg			Remark		MHz		dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	dB	dB	dB	dB	cm	deg					1	7440.00	51.88	74.00	-22.12	66.73	35.00	14.92	65.57	0.00	300	129	PEAK								2	7440.00	50.10	54.00	-3.90	64.95	35.00	14.92	65.57	0.00	300	129	AVERAGE								3	11160.00	47.25	74.00	-26.75	55.60	37.96	18.20	64.51	0.00	300	129	PEAK								4	11160.00	39.94	54.00	-14.06	48.29	37.96	18.20	64.51	0.00	300	129	AVERAGE						
		Limit		Read		Ant		Cable		Preamp		Aux		APos		TPos																																																																																																																																																																																																																																																																									
Freq		Level	Line Margin	Level	Factor	Level	Factor	Loss	Factor	Factor	Factor	Factor	Factor	cm	deg			Remark																																																																																																																																																																																																																																																																							
MHz		dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	dB	dB	dB	dB	cm	deg																																																																																																																																																																																																																																																																										
1	7440.00	50.30	74.00	-23.70	65.15	35.00	14.92	65.57	0.00	400	50	PEAK																																																																																																																																																																																																																																																																													
2	7440.00	48.13	54.00	-5.87	62.98	35.00	14.92	65.57	0.00	400	50	AVERAGE																																																																																																																																																																																																																																																																													
3	11160.00	46.60	74.00	-27.40	54.95	37.96	18.20	64.51	0.00	400	50	PEAK																																																																																																																																																																																																																																																																													
4	11160.00	38.67	54.00	-15.33	47.02	37.96	18.20	64.51	0.00	400	50	AVERAGE																																																																																																																																																																																																																																																																													
		Limit		Read		Ant		Cable		Preamp		Aux		APos		TPos																																																																																																																																																																																																																																																																									
Freq		Level	Line Margin	Level	Factor	Level	Factor	Loss	Factor	Factor	Factor	Factor	Factor	cm	deg			Remark																																																																																																																																																																																																																																																																							
MHz		dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	dB	dB	dB	dB	cm	deg																																																																																																																																																																																																																																																																										
1	7440.00	51.88	74.00	-22.12	66.73	35.00	14.92	65.57	0.00	300	129	PEAK																																																																																																																																																																																																																																																																													
2	7440.00	50.10	54.00	-3.90	64.95	35.00	14.92	65.57	0.00	300	129	AVERAGE																																																																																																																																																																																																																																																																													
3	11160.00	47.25	74.00	-26.75	55.60	37.96	18.20	64.51	0.00	300	129	PEAK																																																																																																																																																																																																																																																																													
4	11160.00	39.94	54.00	-14.06	48.29	37.96	18.20	64.51	0.00	300	129	AVERAGE																																																																																																																																																																																																																																																																													





Mode	24																																																																																																
	Band Edge																																																																																																
	U-NII-2C_5.47-5.725_802.11ac VHT20_CH140_5700MHz																																																																																																
ANT	1																																																																																																
Pol.	Horizontal						Fundamental																																																																																										
Peak																																																																																																	
	<table><thead><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>5746.72</td><td>57.67</td><td>68.20</td><td>-10.53</td><td>39.11</td><td>34.69</td><td>14.05</td><td>30.18</td><td>0.00</td><td>271</td><td>77 PEAK</td></tr></tbody></table>							Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5746.72	57.67	68.20	-10.53	39.11	34.69	14.05	30.18	0.00	271	77 PEAK	<table><thead><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>5700.00</td><td>97.07</td><td>-----</td><td>-----</td><td>78.83</td><td>34.60</td><td>13.73</td><td>30.09</td><td>0.00</td><td>271</td><td>77 PEAK</td></tr></tbody></table>							Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5700.00	97.07	-----	-----	78.83	34.60	13.73	30.09	0.00	271
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																									
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark																																																																																								
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																							
1	5746.72	57.67	68.20	-10.53	39.11	34.69	14.05	30.18	0.00	271	77 PEAK																																																																																						
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																									
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark																																																																																								
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																							
1	5700.00	97.07	-----	-----	78.83	34.60	13.73	30.09	0.00	271	77 PEAK																																																																																						
Avg	Blank																																																																																																
							<table><thead><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>5700.00</td><td>88.96</td><td>-----</td><td>-----</td><td>70.72</td><td>34.60</td><td>13.73</td><td>30.09</td><td>0.00</td><td>271</td><td>77 AVERAGE</td></tr></tbody></table>							Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5700.00	88.96	-----	-----	70.72	34.60	13.73	30.09	0.00	271	77 AVERAGE																																										
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																									
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark																																																																																								
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																							
1	5700.00	88.96	-----	-----	70.72	34.60	13.73	30.09	0.00	271	77 AVERAGE																																																																																						







Mode	24																																																																																																		
	Band Edge																																																																																																		
	U-NII-2C_5.47-5.725_802.11ac VHT20_CH140_5700MHz																																																																																																		
ANT	1																																																																																																		
Pol.	Vertical						Fundamental																																																																																												
Peak																																																																																																			
	<table><thead><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>5725.60</td><td>59.92</td><td>68.20</td><td>-8.28</td><td>41.49</td><td>34.65</td><td>13.92</td><td>30.14</td><td>0.00</td><td>300</td><td>112</td><td>PEAK</td></tr></tbody></table>							Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5725.60	59.92	68.20	-8.28	41.49	34.65	13.92	30.14	0.00	300	112	PEAK	<table><thead><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>5700.00</td><td>105.39</td><td>-----</td><td>-----</td><td>87.12</td><td>34.60</td><td>13.77</td><td>30.10</td><td>0.00</td><td>300</td><td>112</td><td>PEAK</td></tr></tbody></table>							Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5700.00	105.39	-----	-----	87.12	34.60	13.77	30.10	0.00	300	112
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																											
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark																																																																																										
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																									
1	5725.60	59.92	68.20	-8.28	41.49	34.65	13.92	30.14	0.00	300	112	PEAK																																																																																							
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																											
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark																																																																																										
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																									
1	5700.00	105.39	-----	-----	87.12	34.60	13.77	30.10	0.00	300	112	PEAK																																																																																							
Avg	Blank																																																																																																		
							<table><thead><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>5700.00</td><td>97.19</td><td>-----</td><td>-----</td><td>78.95</td><td>34.60</td><td>13.73</td><td>30.09</td><td>0.00</td><td>300</td><td>112</td><td>AVERAGE</td></tr></tbody></table>							Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5700.00	97.19	-----	-----	78.95	34.60	13.73	30.09	0.00	300	112	AVERAGE																																											
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																											
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark																																																																																										
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																									
1	5700.00	97.19	-----	-----	78.95	34.60	13.73	30.09	0.00	300	112	AVERAGE																																																																																							




Mode	24																																																																																																																																																						
	Harmonic																																																																																																																																																						
	U-NII-2C_5.47-5.725_802.11ac VHT20_CH140_5700MHz																																																																																																																																																						
ANT	1																																																																																																																																																						
Pol.	Horizontal						Vertical																																																																																																																																																
Peak Avg																																																																																																																																																							
	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>7598.10</td><td>43.33</td><td>74.00</td><td>-30.67</td><td>58.78</td><td>35.70</td><td>14.76</td><td>65.91</td><td>0.00</td><td>--</td><td>--</td><td>PEAK</td></tr><tr><td>2</td><td>11400.00</td><td>45.86</td><td>74.00</td><td>-28.14</td><td>53.59</td><td>38.00</td><td>18.50</td><td>64.23</td><td>0.00</td><td>--</td><td>--</td><td>PEAK</td></tr></table>							Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	7598.10	43.33	74.00	-30.67	58.78	35.70	14.76	65.91	0.00	--	--	PEAK	2	11400.00	45.86	74.00	-28.14	53.59	38.00	18.50	64.23	0.00	--	--	PEAK	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>7598.10</td><td>52.59</td><td>74.00</td><td>-21.41</td><td>68.04</td><td>35.70</td><td>14.76</td><td>65.91</td><td>0.00</td><td>300</td><td>0</td><td>PEAK</td></tr><tr><td>2</td><td>7598.10</td><td>50.92</td><td>54.00</td><td>-3.08</td><td>66.37</td><td>35.70</td><td>14.76</td><td>65.91</td><td>0.00</td><td>300</td><td>0</td><td>AVERAGE</td></tr><tr><td>3</td><td>11400.00</td><td>52.16</td><td>74.00</td><td>-21.84</td><td>59.89</td><td>38.00</td><td>18.50</td><td>64.23</td><td>0.00</td><td>335</td><td>233</td><td>PEAK</td></tr><tr><td>4</td><td>11400.00</td><td>40.74</td><td>54.00</td><td>-13.26</td><td>48.47</td><td>38.00</td><td>18.50</td><td>64.23</td><td>0.00</td><td>335</td><td>233</td><td>AVERAGE</td></tr></table>							Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	7598.10	52.59	74.00	-21.41	68.04	35.70	14.76	65.91	0.00	300	0	PEAK	2	7598.10	50.92	54.00	-3.08	66.37	35.70	14.76	65.91	0.00	300	0	AVERAGE	3	11400.00	52.16	74.00	-21.84	59.89	38.00	18.50	64.23	0.00	335	233	PEAK	4	11400.00	40.74	54.00	-13.26	48.47	38.00	18.50	64.23	0.00	335	233
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																																																																															
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark																																																																																																																																														
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																																																													
1	7598.10	43.33	74.00	-30.67	58.78	35.70	14.76	65.91	0.00	--	--	PEAK																																																																																																																																											
2	11400.00	45.86	74.00	-28.14	53.59	38.00	18.50	64.23	0.00	--	--	PEAK																																																																																																																																											
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																																																																															
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark																																																																																																																																														
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																																																													
1	7598.10	52.59	74.00	-21.41	68.04	35.70	14.76	65.91	0.00	300	0	PEAK																																																																																																																																											
2	7598.10	50.92	54.00	-3.08	66.37	35.70	14.76	65.91	0.00	300	0	AVERAGE																																																																																																																																											
3	11400.00	52.16	74.00	-21.84	59.89	38.00	18.50	64.23	0.00	335	233	PEAK																																																																																																																																											
4	11400.00	40.74	54.00	-13.26	48.47	38.00	18.50	64.23	0.00	335	233	AVERAGE																																																																																																																																											







Mode	25																																																																																																															
	Band Edge - L																																																																																																															
	U-NII-2C_5.47-5.725_802.11ac VHT40_CH102_5510MHz																																																																																																															
ANT	1																																																																																																															
Pol.	Horizontal						Fundamental																																																																																																									
Peak																																																																																																																
	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5456.01</td><td>56.04</td><td>74.00</td><td>-17.96</td><td>30.46</td><td>34.59</td><td>13.06</td><td>30.07</td><td>0.00</td><td>234</td><td>322</td><td>PEAK</td></tr><tr><td>2</td><td>5463.05</td><td>57.73</td><td>68.20</td><td>-10.47</td><td>40.16</td><td>34.57</td><td>13.07</td><td>30.07</td><td>0.00</td><td>234</td><td>322</td><td>PEAK</td></tr></table>							Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5456.01	56.04	74.00	-17.96	30.46	34.59	13.06	30.07	0.00	234	322	PEAK	2	5463.05	57.73	68.20	-10.47	40.16	34.57	13.07	30.07	0.00	234	322	PEAK	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5510.00</td><td>92.09</td><td>-----</td><td>-----</td><td>74.54</td><td>34.50</td><td>13.10</td><td>30.05</td><td>0.00</td><td>234</td><td>322</td><td>PEAK</td></tr></table>							Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5510.00	92.09	-----	-----	74.54	34.50	13.10	30.05	0.00	234	322
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																																								
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark																																																																																																							
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																						
1	5456.01	56.04	74.00	-17.96	30.46	34.59	13.06	30.07	0.00	234	322	PEAK																																																																																																				
2	5463.05	57.73	68.20	-10.47	40.16	34.57	13.07	30.07	0.00	234	322	PEAK																																																																																																				
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																																								
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark																																																																																																							
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																						
1	5510.00	92.09	-----	-----	74.54	34.50	13.10	30.05	0.00	234	322	PEAK																																																																																																				
Avg																																																																																																																
	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5459.68</td><td>46.43</td><td>54.00</td><td>-7.57</td><td>28.85</td><td>34.58</td><td>13.07</td><td>30.07</td><td>0.00</td><td>234</td><td>322</td><td>AVERAGE</td></tr></table>							Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5459.68	46.43	54.00	-7.57	28.85	34.58	13.07	30.07	0.00	234	322	AVERAGE	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5510.00</td><td>83.03</td><td>-----</td><td>-----</td><td>65.49</td><td>34.50</td><td>13.09</td><td>30.05</td><td>0.00</td><td>234</td><td>322</td><td>AVERAGE</td></tr></table>							Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5510.00	83.03	-----	-----	65.49	34.50	13.09	30.05	0.00	234	322	AVERAGE												
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																																								
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark																																																																																																							
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																						
1	5459.68	46.43	54.00	-7.57	28.85	34.58	13.07	30.07	0.00	234	322	AVERAGE																																																																																																				
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																																								
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark																																																																																																							
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																						
1	5510.00	83.03	-----	-----	65.49	34.50	13.09	30.05	0.00	234	322	AVERAGE																																																																																																				




Mode	25																																																																							
	Band Edge - R																																																																							
	U-NII-2C_5.47-5.725_802.11ac VHT40_CH102_5510MHz																																																																							
ANT	1																																																																							
Pol.	Horizontal	Fundamental																																																																						
Peak	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th></tr><tr><td>1</td><td>5752.88</td><td>57.34</td><td>68.20</td><td>-10.86</td><td>38.74</td><td>34.71</td><td>14.08</td><td>30.19</td><td>0.00</td></tr><tr><td></td><td></td><td></td><td></td><td></td><td></td><td></td><td></td><td></td><td>234</td></tr><tr><td></td><td></td><td></td><td></td><td></td><td></td><td></td><td></td><td></td><td>322</td></tr><tr><td></td><td></td><td></td><td></td><td></td><td></td><td></td><td></td><td></td><td>PEAK</td></tr></table>		Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	1	5752.88	57.34	68.20	-10.86	38.74	34.71	14.08	30.19	0.00										234										322										PEAK	Blank
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark																																																															
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm																																																															
1	5752.88	57.34	68.20	-10.86	38.74	34.71	14.08	30.19	0.00																																																															
									234																																																															
									322																																																															
									PEAK																																																															



		25																																																																				
Mode		Band Edge - L																																																																				
		U-NII-2C_5.47-5.725_802.11ac VHT40_CH102_5510MHz																																																																				
ANT		1																																																																				
Pol.		Fundamental																																																																				
Peak	Vertical																																																																					
	 <table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th colspan="3"></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th>Remark</th><th colspan="2"></th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th><th></th></tr><tr><td>1</td><td>5450.89</td><td>57.61</td><td>74.00</td><td>-16.39</td><td>40.02</td><td>34.60</td><td>13.06</td><td>30.07</td><td>0.00</td><td>300</td><td>176 PEAK</td></tr><tr><td>2</td><td>5465.61</td><td>61.57</td><td>68.20</td><td>-6.63</td><td>44.00</td><td>34.57</td><td>13.07</td><td>30.07</td><td>0.00</td><td>300</td><td>176 PEAK</td></tr></table>												Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos				Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark			MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg		1	5450.89	57.61	74.00	-16.39	40.02	34.60	13.06	30.07	0.00	300	176 PEAK	2	5465.61	61.57	68.20	-6.63	44.00	34.57	13.07	30.07	0.00	300
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																														
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark																																																													
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																												
1	5450.89	57.61	74.00	-16.39	40.02	34.60	13.06	30.07	0.00	300	176 PEAK																																																											
2	5465.61	61.57	68.20	-6.63	44.00	34.57	13.07	30.07	0.00	300	176 PEAK																																																											
Avg	Vertical																																																																					
	 <table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th colspan="3"></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th>Remark</th><th colspan="2"></th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th><th></th></tr><tr><td>1</td><td>5460.00</td><td>47.95</td><td>54.00</td><td>-6.05</td><td>30.37</td><td>34.58</td><td>13.07</td><td>30.07</td><td>0.00</td><td>300</td><td>176 AVERAGE</td></tr></table>												Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos				Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark			MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg		1	5460.00	47.95	54.00	-6.05	30.37	34.58	13.07	30.07	0.00	300	176 AVERAGE											
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																														
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark																																																													
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																												
1	5460.00	47.95	54.00	-6.05	30.37	34.58	13.07	30.07	0.00	300	176 AVERAGE																																																											
Peak	Fundamental																																																																					
	 <table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th colspan="3"></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th>Remark</th><th colspan="2"></th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th><th></th></tr><tr><td>1</td><td>5510.00</td><td>100.12</td><td>-----</td><td>-----</td><td>82.58</td><td>34.50</td><td>13.09</td><td>30.05</td><td>0.00</td><td>300</td><td>176 PEAK</td></tr></table>												Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos				Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark			MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg		1	5510.00	100.12	-----	-----	82.58	34.50	13.09	30.05	0.00	300	176 PEAK											
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																														
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark																																																													
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																												
1	5510.00	100.12	-----	-----	82.58	34.50	13.09	30.05	0.00	300	176 PEAK																																																											
Avg	Fundamental																																																																					
	 <table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th colspan="3"></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th>Remark</th><th colspan="2"></th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th><th></th></tr><tr><td>1</td><td>5510.00</td><td>92.22</td><td>-----</td><td>-----</td><td>74.67</td><td>34.50</td><td>13.10</td><td>30.05</td><td>0.00</td><td>300</td><td>176 AVERAGE</td></tr></table>												Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos				Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark			MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg		1	5510.00	92.22	-----	-----	74.67	34.50	13.10	30.05	0.00	300	176 AVERAGE											
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																														
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark																																																													
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																												
1	5510.00	92.22	-----	-----	74.67	34.50	13.10	30.05	0.00	300	176 AVERAGE																																																											



Mode	25																																																							
	Band Edge - R																																																							
	U-NII-2C_5.47-5.725_802.11ac VHT40_CH102_5510MHz																																																							
ANT	1																																																							
Pol.	Vertical						Fundamental																																																	
Peak	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5727.20</td><td>57.57</td><td>68.20</td><td>-10.63</td><td>39.13</td><td>34.65</td><td>13.93</td><td>30.14</td><td>0.00</td><td>300</td><td>176</td><td>PEAK</td></tr></table>							Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5727.20	57.57	68.20	-10.63	39.13	34.65	13.93	30.14	0.00	300	176	PEAK	Blank					
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark																																															
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																														
1	5727.20	57.57	68.20	-10.63	39.13	34.65	13.93	30.14	0.00	300	176	PEAK																																												







Mode	25																																																																																																																																																																																																								
	Harmonic																																																																																																																																																																																																								
	U-NII-2C_5.47-5.725_802.11ac VHT40_CH102_5510MHz																																																																																																																																																																																																								
ANT	1																																																																																																																																																																																																								
Pol.	Horizontal	Vertical																																																																																																																																																																																																							
Peak Avg																																																																																																																																																																																																									
	<table><tr><th colspan="2">Limit</th><th colspan="2">Read</th><th colspan="2">Ant</th><th colspan="2">Cable</th><th colspan="2">Preamp</th><th colspan="2">Aux</th><th colspan="2">APos</th><th colspan="2">TPos</th><th rowspan="3">Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th>Factor</th><th>Factor</th><th>Factor</th><th>cm</th><th>deg</th><th colspan="3"></th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th><th colspan="3"></th></tr><tr><td>1</td><td>7346.67</td><td>42.40</td><td>74.00</td><td>-31.60</td><td>57.23</td><td>35.71</td><td>14.74</td><td>65.28</td><td>0.00</td><td>--</td><td>--</td><td>--</td><td>--</td><td>288</td><td>292</td><td>PEAK</td></tr><tr><td>2</td><td>11020.00</td><td>45.33</td><td>74.00</td><td>-28.67</td><td>54.00</td><td>37.82</td><td>18.10</td><td>64.67</td><td>0.00</td><td>--</td><td>--</td><td>--</td><td>--</td><td>288</td><td>292</td><td>PEAK</td></tr></table>	Limit		Read		Ant		Cable		Preamp		Aux		APos		TPos		Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Factor	Factor	Factor	cm	deg				MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	dB	dB	dB	cm	deg				1	7346.67	42.40	74.00	-31.60	57.23	35.71	14.74	65.28	0.00	--	--	--	--	288	292	PEAK	2	11020.00	45.33	74.00	-28.67	54.00	37.82	18.10	64.67	0.00	--	--	--	--	288	292	PEAK	<table><tr><th colspan="2">Limit</th><th colspan="2">Read</th><th colspan="2">Ant</th><th colspan="2">Cable</th><th colspan="2">Preamp</th><th colspan="2">Aux</th><th colspan="2">APos</th><th colspan="2">TPos</th><th rowspan="3">Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th>Factor</th><th>Factor</th><th>Factor</th><th>cm</th><th>deg</th><th colspan="3"></th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th><th colspan="3"></th></tr><tr><td>1</td><td>7346.67</td><td>51.62</td><td>74.00</td><td>-22.38</td><td>66.45</td><td>35.71</td><td>14.74</td><td>65.28</td><td>0.00</td><td>288</td><td>292</td><td>PEAK</td><td colspan="3"></td></tr><tr><td>2</td><td>7346.67</td><td>49.65</td><td>54.00</td><td>-4.35</td><td>64.48</td><td>35.71</td><td>14.74</td><td>65.28</td><td>0.00</td><td>288</td><td>292</td><td>AVERAGE</td><td colspan="3"></td></tr><tr><td>3</td><td>11020.00</td><td>46.69</td><td>74.00</td><td>-27.31</td><td>55.44</td><td>37.82</td><td>18.10</td><td>64.67</td><td>0.00</td><td>288</td><td>292</td><td>PEAK</td><td colspan="3"></td></tr><tr><td>4</td><td>11020.00</td><td>37.46</td><td>54.00</td><td>-16.54</td><td>46.21</td><td>37.82</td><td>18.10</td><td>64.67</td><td>0.00</td><td>288</td><td>292</td><td>AVERAGE</td><td colspan="3"></td></tr></table>	Limit		Read		Ant		Cable		Preamp		Aux		APos		TPos		Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Factor	Factor	Factor	cm	deg				MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	dB	dB	dB	cm	deg				1	7346.67	51.62	74.00	-22.38	66.45	35.71	14.74	65.28	0.00	288	292	PEAK				2	7346.67	49.65	54.00	-4.35	64.48	35.71	14.74	65.28	0.00	288	292	AVERAGE				3	11020.00	46.69	74.00	-27.31	55.44	37.82	18.10	64.67	0.00	288	292	PEAK				4	11020.00	37.46	54.00	-16.54	46.21	37.82	18.10	64.67	0.00	288	292	AVERAGE		
Limit		Read		Ant		Cable		Preamp		Aux		APos		TPos		Remark																																																																																																																																																																																									
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Factor	Factor	Factor	cm	deg																																																																																																																																																																																												
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	dB	dB	dB	cm	deg																																																																																																																																																																																												
1	7346.67	42.40	74.00	-31.60	57.23	35.71	14.74	65.28	0.00	--	--	--	--	288	292	PEAK																																																																																																																																																																																									
2	11020.00	45.33	74.00	-28.67	54.00	37.82	18.10	64.67	0.00	--	--	--	--	288	292	PEAK																																																																																																																																																																																									
Limit		Read		Ant		Cable		Preamp		Aux		APos		TPos		Remark																																																																																																																																																																																									
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Factor	Factor	Factor	cm	deg																																																																																																																																																																																												
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	dB	dB	dB	cm	deg																																																																																																																																																																																												
1	7346.67	51.62	74.00	-22.38	66.45	35.71	14.74	65.28	0.00	288	292	PEAK																																																																																																																																																																																													
2	7346.67	49.65	54.00	-4.35	64.48	35.71	14.74	65.28	0.00	288	292	AVERAGE																																																																																																																																																																																													
3	11020.00	46.69	74.00	-27.31	55.44	37.82	18.10	64.67	0.00	288	292	PEAK																																																																																																																																																																																													
4	11020.00	37.46	54.00	-16.54	46.21	37.82	18.10	64.67	0.00	288	292	AVERAGE																																																																																																																																																																																													




Mode	26																																																																																																																																												
	Harmonic																																																																																																																																												
	U-NII-2C_5.47-5.725_802.11ac VHT40_CH110_5550MHz																																																																																																																																												
ANT	1																																																																																																																																												
Pol.	Horizontal						Vertical																																																																																																																																						
Peak Avg																																																																																																																																													
	<table><tr><th colspan="2"></th><th colspan="2">Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th rowspan="2">Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th></th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th><th></th></tr><tr><td>1</td><td>7400.00</td><td>42.58</td><td>74.00</td><td>-31.42</td><td>57.43</td><td>35.80</td><td>14.79</td><td>65.44</td><td>0.00</td><td>--</td><td>PEAK</td></tr><tr><td>2</td><td>11100.00</td><td>46.00</td><td>74.00</td><td>-28.00</td><td>54.52</td><td>37.90</td><td>18.16</td><td>64.58</td><td>0.00</td><td>--</td><td>PEAK</td></tr></table>								Limit		Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor			MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg		1	7400.00	42.58	74.00	-31.42	57.43	35.80	14.79	65.44	0.00	--	PEAK	2	11100.00	46.00	74.00	-28.00	54.52	37.90	18.16	64.58	0.00	--	PEAK	<table><tr><th colspan="2"></th><th colspan="2">Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th rowspan="2">Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th></th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th><th></th></tr><tr><td>1</td><td>7400.00</td><td>51.09</td><td>74.00</td><td>-22.91</td><td>65.94</td><td>35.80</td><td>14.79</td><td>65.44</td><td>0.00</td><td>300</td><td>287 PEAK</td></tr><tr><td>2</td><td>7400.00</td><td>48.98</td><td>54.00</td><td>-5.02</td><td>63.83</td><td>35.80</td><td>14.79</td><td>65.44</td><td>0.00</td><td>300</td><td>287 AVERAGE</td></tr><tr><td>3</td><td>11100.00</td><td>45.78</td><td>74.00</td><td>-28.22</td><td>54.30</td><td>37.90</td><td>18.16</td><td>64.58</td><td>0.00</td><td>--</td><td>PEAK</td></tr></table>							Limit		Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor			MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg		1	7400.00	51.09	74.00	-22.91	65.94	35.80	14.79	65.44	0.00	300	287 PEAK	2	7400.00	48.98	54.00	-5.02	63.83	35.80	14.79	65.44	0.00	300	287 AVERAGE	3	11100.00	45.78	74.00	-28.22	54.30	37.90	18.16	64.58	0.00	--	PEAK
			Limit		Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																																																																	
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																																																																																																																					
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																																																																																			
1	7400.00	42.58	74.00	-31.42	57.43	35.80	14.79	65.44	0.00	--	PEAK																																																																																																																																		
2	11100.00	46.00	74.00	-28.00	54.52	37.90	18.16	64.58	0.00	--	PEAK																																																																																																																																		
		Limit		Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																																																																		
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																																																																																																																					
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																																																																																			
1	7400.00	51.09	74.00	-22.91	65.94	35.80	14.79	65.44	0.00	300	287 PEAK																																																																																																																																		
2	7400.00	48.98	54.00	-5.02	63.83	35.80	14.79	65.44	0.00	300	287 AVERAGE																																																																																																																																		
3	11100.00	45.78	74.00	-28.22	54.30	37.90	18.16	64.58	0.00	--	PEAK																																																																																																																																		







Mode	27																																																																	
	Band Edge - L																																																																	
	U-NII-2C_5.47-5.725_802.11ac VHT80_CH106_5530MHz																																																																	
ANT	1																																																																	
Pol.	Horizontal						Fundamental																																																											
Peak																																																																		
	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5369.45</td><td>56.52</td><td>74.00</td><td>-17.48</td><td>39.19</td><td>34.48</td><td>12.96</td><td>30.11</td><td>0.00</td><td>282</td><td>65 PEAK</td></tr><tr><td>2</td><td>5464.65</td><td>56.23</td><td>68.20</td><td>-11.97</td><td>38.66</td><td>34.57</td><td>13.07</td><td>30.07</td><td>0.00</td><td>282</td><td>65 PEAK</td></tr></table>													Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5369.45	56.52	74.00	-17.48	39.19	34.48	12.96	30.11	0.00	282	65 PEAK	2	5464.65	56.23	68.20	-11.97	38.66	34.57	13.07	30.07	0.00	282
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																										
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark																																																									
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																								
1	5369.45	56.52	74.00	-17.48	39.19	34.48	12.96	30.11	0.00	282	65 PEAK																																																							
2	5464.65	56.23	68.20	-11.97	38.66	34.57	13.07	30.07	0.00	282	65 PEAK																																																							
Avg																																																																		
	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5448.49</td><td>46.71</td><td>54.00</td><td>-7.29</td><td>29.12</td><td>34.60</td><td>13.06</td><td>30.07</td><td>0.00</td><td>282</td><td>65 AVERAGE</td></tr></table>													Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5448.49	46.71	54.00	-7.29	29.12	34.60	13.06	30.07	0.00	282	65 AVERAGE											
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																										
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark																																																									
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																								
1	5448.49	46.71	54.00	-7.29	29.12	34.60	13.06	30.07	0.00	282	65 AVERAGE																																																							
Peak																																																																		
	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5530.00</td><td>82.90</td><td>-----</td><td>-----</td><td>65.35</td><td>34.50</td><td>13.10</td><td>30.05</td><td>0.00</td><td>282</td><td>65 PEAK</td></tr></table>													Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5530.00	82.90	-----	-----	65.35	34.50	13.10	30.05	0.00	282	65 PEAK											
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																										
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark																																																									
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																								
1	5530.00	82.90	-----	-----	65.35	34.50	13.10	30.05	0.00	282	65 PEAK																																																							
Avg																																																																		
	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5530.00</td><td>74.00</td><td>-----</td><td>-----</td><td>56.44</td><td>34.50</td><td>13.10</td><td>30.04</td><td>0.00</td><td>282</td><td>65 AVERAGE</td></tr></table>													Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5530.00	74.00	-----	-----	56.44	34.50	13.10	30.04	0.00	282	65 AVERAGE											
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																										
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark																																																									
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																								
1	5530.00	74.00	-----	-----	56.44	34.50	13.10	30.04	0.00	282	65 AVERAGE																																																							




Mode	27																																																							
	Band Edge - R																																																							
	U-NII-2C_5.47-5.725_802.11ac VHT80_CH106_5530MHz																																																							
ANT	1																																																							
Pol.	Horizontal						Fundamental																																																	
Peak	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5737.20</td><td>56.89</td><td>68.20</td><td>-11.31</td><td>38.39</td><td>34.67</td><td>13.99</td><td>30.16</td><td>0.00</td><td>282</td><td>65</td><td>PEAK</td></tr></table>							Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5737.20	56.89	68.20	-11.31	38.39	34.67	13.99	30.16	0.00	282	65	PEAK	Blank					
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark																																															
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																														
1	5737.20	56.89	68.20	-11.31	38.39	34.67	13.99	30.16	0.00	282	65	PEAK																																												



Mode	27																																																																																																	
	Band Edge - L																																																																																																	
	U-NII-2C_5.47-5.725_802.11ac VHT80_CH106_5530MHz																																																																																																	
ANT	1																																																																																																	
Pol.	Vertical						Fundamental																																																																																											
Peak																																																																																																		
		Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5449.93	56.71	74.00	-17.29	39.12	34.60	13.06	30.07	0.00	300	0 PEAK	2	5462.41	56.47	68.20	-11.73	38.89	34.58	13.07	30.07	0.00	300	0 PEAK	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5530.00</td><td>92.39</td><td>-----</td><td>-----</td><td>74.00</td><td>34.50</td><td>13.12</td><td>30.03</td><td>0.00</td><td>300</td><td>0 PEAK</td></tr></table>		Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5530.00	92.39	-----	-----	74.00	34.50	13.12	30.03	0.00	300
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																										
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark																																																																																									
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																								
1	5449.93	56.71	74.00	-17.29	39.12	34.60	13.06	30.07	0.00	300	0 PEAK																																																																																							
2	5462.41	56.47	68.20	-11.73	38.89	34.58	13.07	30.07	0.00	300	0 PEAK																																																																																							
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																										
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark																																																																																									
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																								
1	5530.00	92.39	-----	-----	74.00	34.50	13.12	30.03	0.00	300	0 PEAK																																																																																							
Avg																																																																																																		
		Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5458.41	47.81	54.00	-6.19	30.23	34.58	13.07	30.07	0.00	300	0 AVERAGE	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5530.00</td><td>83.69</td><td>-----</td><td>-----</td><td>66.12</td><td>34.50</td><td>13.11</td><td>30.04</td><td>0.00</td><td>300</td><td>0 AVERAGE</td></tr></table>		Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5530.00	83.69	-----	-----	66.12	34.50	13.11	30.04	0.00	300	0 AVERAGE											
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																										
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark																																																																																									
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																								
1	5458.41	47.81	54.00	-6.19	30.23	34.58	13.07	30.07	0.00	300	0 AVERAGE																																																																																							
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																										
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark																																																																																									
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																								
1	5530.00	83.69	-----	-----	66.12	34.50	13.11	30.04	0.00	300	0 AVERAGE																																																																																							







Mode	27																																													
	Band Edge - R																																													
	U-NII-2C_5.47-5.725_802.11ac VHT80_CH106_5530MHz																																													
ANT	1																																													
Pol.	Vertical	Fundamental																																												
Peak	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5726.64</td><td>57.35</td><td>68.20</td><td>-10.85</td><td>38.92</td><td>34.65</td><td>13.92</td><td>30.14</td><td>0.00</td><td>300</td><td>0</td><td>PEAK</td></tr></table>		Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5726.64	57.35	68.20	-10.85	38.92	34.65	13.92	30.14	0.00	300	0	PEAK	Blank
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																						
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark																																					
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																				
1	5726.64	57.35	68.20	-10.85	38.92	34.65	13.92	30.14	0.00	300	0	PEAK																																		




Mode	27																																																																																																																						
	Harmonic																																																																																																																						
	U-NII-2C_5.47-5.725_802.11ac VHT80_CH106_5530MHz																																																																																																																						
ANT	1																																																																																																																						
Pol.	Horizontal	Vertical																																																																																																																					
Peak Avg	<table><thead><tr><th></th><th>Freq</th><th>Level</th><th>Limit</th><th>Line Margin</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th><th></th></tr></thead><tbody><tr><td>1</td><td>7373.33</td><td>43.19</td><td>74.00</td><td>-30.81</td><td>58.24</td><td>35.75</td><td>14.56</td><td>65.36</td><td>0.00</td><td>--</td><td>--</td><td>PEAK</td></tr><tr><td>2</td><td>11060.00</td><td>45.69</td><td>74.00</td><td>-28.31</td><td>54.26</td><td>37.86</td><td>18.20</td><td>64.63</td><td>0.00</td><td>--</td><td>--</td><td>PEAK</td></tr></tbody></table>		Freq	Level	Limit	Line Margin	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg		1	7373.33	43.19	74.00	-30.81	58.24	35.75	14.56	65.36	0.00	--	--	PEAK	2	11060.00	45.69	74.00	-28.31	54.26	37.86	18.20	64.63	0.00	--	--	PEAK	<table><thead><tr><th></th><th>Freq</th><th>Level</th><th>Limit</th><th>Line Margin</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th><th></th></tr></thead><tbody><tr><td>1</td><td>7373.33</td><td>52.16</td><td>74.00</td><td>-21.84</td><td>67.21</td><td>35.75</td><td>14.56</td><td>65.36</td><td>0.00</td><td>285</td><td>101</td><td>PEAK</td></tr><tr><td>2</td><td>7373.33</td><td>49.44</td><td>54.00</td><td>-4.56</td><td>64.49</td><td>35.75</td><td>14.56</td><td>65.36</td><td>0.00</td><td>285</td><td>101</td><td>AVERAGE</td></tr><tr><td>3</td><td>11060.00</td><td>46.03</td><td>74.00</td><td>-27.97</td><td>54.60</td><td>37.86</td><td>18.20</td><td>64.63</td><td>0.00</td><td>--</td><td>--</td><td>PEAK</td></tr></tbody></table>		Freq	Level	Limit	Line Margin	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg		1	7373.33	52.16	74.00	-21.84	67.21	35.75	14.56	65.36	0.00	285	101	PEAK	2	7373.33	49.44	54.00	-4.56	64.49	35.75	14.56	65.36	0.00	285	101	AVERAGE	3	11060.00	46.03	74.00	-27.97	54.60	37.86	18.20	64.63	0.00	--	--	PEAK
		Freq	Level	Limit	Line Margin	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																																										
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																																																												
1	7373.33	43.19	74.00	-30.81	58.24	35.75	14.56	65.36	0.00	--	--	PEAK																																																																																																											
2	11060.00	45.69	74.00	-28.31	54.26	37.86	18.20	64.63	0.00	--	--	PEAK																																																																																																											
	Freq	Level	Limit	Line Margin	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																																											
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																																																												
1	7373.33	52.16	74.00	-21.84	67.21	35.75	14.56	65.36	0.00	285	101	PEAK																																																																																																											
2	7373.33	49.44	54.00	-4.56	64.49	35.75	14.56	65.36	0.00	285	101	AVERAGE																																																																																																											
3	11060.00	46.03	74.00	-27.97	54.60	37.86	18.20	64.63	0.00	--	--	PEAK																																																																																																											







Mode	28																																																																																																																
	Band Edge - L																																																																																																																
	U-NII-2C_5.47-5.725_802.11ac VHT80_CH122_5610MHz																																																																																																																
ANT	1																																																																																																																
Pol.	Horizontal						Fundamental																																																																																																										
Peak																																																																																																																	
	<table><thead><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>5436.97</td><td>56.43</td><td>74.00</td><td>-17.57</td><td>30.86</td><td>34.60</td><td>13.05</td><td>30.08</td><td>0.00</td><td>114</td><td>261</td><td>PEAK</td></tr><tr><td>2</td><td>5462.09</td><td>55.87</td><td>68.20</td><td>-12.33</td><td>30.29</td><td>34.58</td><td>13.07</td><td>30.07</td><td>0.00</td><td>114</td><td>261</td><td>PEAK</td></tr></tbody></table>							Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5436.97	56.43	74.00	-17.57	30.86	34.60	13.05	30.08	0.00	114	261	PEAK	2	5462.09	55.87	68.20	-12.33	30.29	34.58	13.07	30.07	0.00	114	261	PEAK	<table><thead><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>5610.00</td><td>89.58</td><td>-----</td><td>-----</td><td>71.80</td><td>34.53</td><td>13.25</td><td>30.00</td><td>0.00</td><td>114</td><td>261</td><td>PEAK</td></tr></tbody></table>							Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5610.00	89.58	-----	-----	71.80	34.53	13.25	30.00	0.00	114	261	PEAK
		Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																																								
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark																																																																																																								
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																							
1	5436.97	56.43	74.00	-17.57	30.86	34.60	13.05	30.08	0.00	114	261	PEAK																																																																																																					
2	5462.09	55.87	68.20	-12.33	30.29	34.58	13.07	30.07	0.00	114	261	PEAK																																																																																																					
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																																									
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark																																																																																																								
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																							
1	5610.00	89.58	-----	-----	71.80	34.53	13.25	30.00	0.00	114	261	PEAK																																																																																																					
Avg																																																																																																																	
	<table><thead><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>5454.57</td><td>46.79</td><td>54.00</td><td>-7.21</td><td>29.21</td><td>34.59</td><td>13.06</td><td>30.07</td><td>0.00</td><td>114</td><td>261</td><td>AVERAGE</td></tr></tbody></table>							Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5454.57	46.79	54.00	-7.21	29.21	34.59	13.06	30.07	0.00	114	261	AVERAGE	<table><thead><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>5610.00</td><td>82.06</td><td>-----</td><td>-----</td><td>64.32</td><td>34.52</td><td>13.22</td><td>30.00</td><td>0.00</td><td>114</td><td>261</td><td>AVERAGE</td></tr></tbody></table>							Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5610.00	82.06	-----	-----	64.32	34.52	13.22	30.00	0.00	114	261	AVERAGE													
		Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																																								
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark																																																																																																								
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																							
1	5454.57	46.79	54.00	-7.21	29.21	34.59	13.06	30.07	0.00	114	261	AVERAGE																																																																																																					
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																																									
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark																																																																																																								
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																							
1	5610.00	82.06	-----	-----	64.32	34.52	13.22	30.00	0.00	114	261	AVERAGE																																																																																																					




Mode	28																																																							
	Band Edge - R																																																							
	U-NII-2C_5.47-5.725_802.11ac VHT80_CH122_5610MHz																																																							
ANT	1																																																							
Pol.	Horizontal						Fundamental																																																	
Peak	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5754.64</td><td>57.72</td><td>68.20</td><td>-10.48</td><td>39.11</td><td>34.71</td><td>14.09</td><td>30.19</td><td>0.00</td><td>114</td><td>261</td><td>PEAK</td></tr></table>							Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5754.64	57.72	68.20	-10.48	39.11	34.71	14.09	30.19	0.00	114	261	PEAK	Blank					
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark																																															
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																														
1	5754.64	57.72	68.20	-10.48	39.11	34.71	14.09	30.19	0.00	114	261	PEAK																																												





Mode	28																																																																																																															
	Band Edge - L																																																																																																															
	U-NII-2C_5.47-5.725_802.11ac VHT80_CH122_5610MHz																																																																																																															
ANT	1																																																																																																															
Pol.	Vertical						Fundamental																																																																																																									
Peak																																																																																																																
	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5446.41</td><td>56.00</td><td>74.00</td><td>-18.00</td><td>38.41</td><td>34.60</td><td>13.06</td><td>30.07</td><td>0.00</td><td>278</td><td>168</td><td>PEAK</td></tr><tr><td>2</td><td>5461.93</td><td>55.53</td><td>68.20</td><td>-12.67</td><td>37.95</td><td>34.58</td><td>13.07</td><td>30.07</td><td>0.00</td><td>278</td><td>168</td><td>PEAK</td></tr></table>							Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5446.41	56.00	74.00	-18.00	38.41	34.60	13.06	30.07	0.00	278	168	PEAK	2	5461.93	55.53	68.20	-12.67	37.95	34.58	13.07	30.07	0.00	278	168	PEAK	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5610.00</td><td>100.05</td><td>-----</td><td>-----</td><td>82.31</td><td>34.52</td><td>13.22</td><td>30.00</td><td>0.00</td><td>278</td><td>168</td><td>PEAK</td></tr></table>							Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5610.00	100.05	-----	-----	82.31	34.52	13.22	30.00	0.00	278	168
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																																								
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark																																																																																																							
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																						
1	5446.41	56.00	74.00	-18.00	38.41	34.60	13.06	30.07	0.00	278	168	PEAK																																																																																																				
2	5461.93	55.53	68.20	-12.67	37.95	34.58	13.07	30.07	0.00	278	168	PEAK																																																																																																				
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																																								
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark																																																																																																							
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																						
1	5610.00	100.05	-----	-----	82.31	34.52	13.22	30.00	0.00	278	168	PEAK																																																																																																				
Avg																																																																																																																
	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5437.77</td><td>46.66</td><td>54.00</td><td>-7.34</td><td>29.09</td><td>34.60</td><td>13.05</td><td>30.08</td><td>0.00</td><td>278</td><td>168</td><td>AVERAGE</td></tr></table>							Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5437.77	46.66	54.00	-7.34	29.09	34.60	13.05	30.08	0.00	278	168	AVERAGE	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5610.00</td><td>92.26</td><td>-----</td><td>-----</td><td>74.52</td><td>34.52</td><td>13.22</td><td>30.00</td><td>0.00</td><td>278</td><td>168</td><td>AVERAGE</td></tr></table>							Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5610.00	92.26	-----	-----	74.52	34.52	13.22	30.00	0.00	278	168	AVERAGE												
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																																								
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark																																																																																																							
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																						
1	5437.77	46.66	54.00	-7.34	29.09	34.60	13.05	30.08	0.00	278	168	AVERAGE																																																																																																				
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																																								
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark																																																																																																							
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																						
1	5610.00	92.26	-----	-----	74.52	34.52	13.22	30.00	0.00	278	168	AVERAGE																																																																																																				







Mode	28																																													
	Band Edge - R																																													
	U-NII-2C_5.47-5.725_802.11ac VHT80_CH122_5610MHz																																													
ANT	1																																													
Pol.	Vertical	Fundamental																																												
Peak	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5744.16</td><td>57.46</td><td>68.20</td><td>-10.74</td><td>38.91</td><td>34.69</td><td>14.03</td><td>30.17</td><td>0.00</td><td>278</td><td>168</td><td>PEAK</td></tr></table>		Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5744.16	57.46	68.20	-10.74	38.91	34.69	14.03	30.17	0.00	278	168	PEAK	Blank
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																						
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark																																					
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																				
1	5744.16	57.46	68.20	-10.74	38.91	34.69	14.03	30.17	0.00	278	168	PEAK																																		



Mode	28																																																																																																																																										
	Harmonic																																																																																																																																										
	U-NII-2C_5.47-5.725_802.11ac VHT80_CH122_5610MHz																																																																																																																																										
ANT	1																																																																																																																																										
Pol.	Horizontal						Vertical																																																																																																																																				
Peak Avg																																																																																																																																											
	<table><thead><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th>Remark</th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>7480.00</td><td>42.60</td><td>74.00</td><td>-31.40</td><td>57.89</td><td>35.74</td><td>14.66</td><td>65.69</td><td>0.00</td><td>--</td><td>--</td><td>PEAK</td></tr><tr><td>2</td><td>11220.00</td><td>45.99</td><td>74.00</td><td>-28.01</td><td>54.11</td><td>37.98</td><td>18.34</td><td>64.44</td><td>0.00</td><td>--</td><td>--</td><td>PEAK</td></tr></tbody></table>							Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1	7480.00	42.60	74.00	-31.40	57.89	35.74	14.66	65.69	0.00	--	--	PEAK	2	11220.00	45.99	74.00	-28.01	54.11	37.98	18.34	64.44	0.00	--	--	PEAK	<table><thead><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th>Remark</th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>7480.00</td><td>52.47</td><td>74.00</td><td>-21.53</td><td>67.76</td><td>35.74</td><td>14.66</td><td>65.69</td><td>0.00</td><td>300</td><td>100</td><td>PEAK</td></tr><tr><td>2</td><td>7480.00</td><td>50.73</td><td>54.00</td><td>-3.27</td><td>66.02</td><td>35.74</td><td>14.66</td><td>65.69</td><td>0.00</td><td>300</td><td>100</td><td>AVERAGE</td></tr><tr><td>3</td><td>11220.00</td><td>46.98</td><td>74.00</td><td>-27.02</td><td>55.10</td><td>37.98</td><td>18.34</td><td>64.44</td><td>0.00</td><td>--</td><td>--</td><td>PEAK</td></tr></tbody></table>							Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1	7480.00	52.47	74.00	-21.53	67.76	35.74	14.66	65.69	0.00	300	100	PEAK	2	7480.00	50.73	54.00	-3.27	66.02	35.74	14.66	65.69	0.00	300	100	AVERAGE	3	11220.00	46.98	74.00	-27.02	55.10	37.98	18.34	64.44	0.00	--	--	PEAK
		Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																																																																		
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark																																																																																																																																		
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																																																																																	
1	7480.00	42.60	74.00	-31.40	57.89	35.74	14.66	65.69	0.00	--	--	PEAK																																																																																																																															
2	11220.00	45.99	74.00	-28.01	54.11	37.98	18.34	64.44	0.00	--	--	PEAK																																																																																																																															
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																																																																			
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark																																																																																																																																		
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																																																																																	
1	7480.00	52.47	74.00	-21.53	67.76	35.74	14.66	65.69	0.00	300	100	PEAK																																																																																																																															
2	7480.00	50.73	54.00	-3.27	66.02	35.74	14.66	65.69	0.00	300	100	AVERAGE																																																																																																																															
3	11220.00	46.98	74.00	-27.02	55.10	37.98	18.34	64.44	0.00	--	--	PEAK																																																																																																																															







Mode	29																																																																																																																
	Band Edge - L																																																																																																																
	U-NII-2C_5.47-5.725_802.11ac VHT80_CH134_5670MHz																																																																																																																
ANT	1																																																																																																																
Pol.	Horizontal						Fundamental																																																																																																										
Peak																																																																																																																	
	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5448.81</td><td>55.87</td><td>74.00</td><td>-18.13</td><td>38.28</td><td>34.60</td><td>13.06</td><td>30.07</td><td>0.00</td><td>100</td><td>261</td><td>PEAK</td></tr><tr><td>2</td><td>5467.05</td><td>55.81</td><td>68.20</td><td>-12.39</td><td>38.24</td><td>34.57</td><td>13.07</td><td>30.07</td><td>0.00</td><td>100</td><td>261</td><td>PEAK</td></tr></table>							Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5448.81	55.87	74.00	-18.13	38.28	34.60	13.06	30.07	0.00	100	261	PEAK	2	5467.05	55.81	68.20	-12.39	38.24	34.57	13.07	30.07	0.00	100	261	PEAK	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5670.00</td><td>86.52</td><td>-----</td><td>-----</td><td>68.43</td><td>34.60</td><td>13.51</td><td>30.02</td><td>0.00</td><td>100</td><td>261</td><td>PEAK</td></tr></table>							Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5670.00	86.52	-----	-----	68.43	34.60	13.51	30.02	0.00	100	261	PEAK
		Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																																								
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark																																																																																																								
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																							
1	5448.81	55.87	74.00	-18.13	38.28	34.60	13.06	30.07	0.00	100	261	PEAK																																																																																																					
2	5467.05	55.81	68.20	-12.39	38.24	34.57	13.07	30.07	0.00	100	261	PEAK																																																																																																					
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																																									
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark																																																																																																								
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																							
1	5670.00	86.52	-----	-----	68.43	34.60	13.51	30.02	0.00	100	261	PEAK																																																																																																					
Avg																																																																																																																	
	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5452.81</td><td>46.69</td><td>54.00</td><td>-7.31</td><td>29.11</td><td>34.59</td><td>13.06</td><td>30.07</td><td>0.00</td><td>100</td><td>261</td><td>AVERAGE</td></tr></table>							Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5452.81	46.69	54.00	-7.31	29.11	34.59	13.06	30.07	0.00	100	261	AVERAGE	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5670.00</td><td>77.82</td><td>-----</td><td>-----</td><td>59.73</td><td>34.60</td><td>13.51</td><td>30.02</td><td>0.00</td><td>100</td><td>261</td><td>AVERAGE</td></tr></table>							Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5670.00	77.82	-----	-----	59.73	34.60	13.51	30.02	0.00	100	261	AVERAGE													
		Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																																								
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark																																																																																																								
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																							
1	5452.81	46.69	54.00	-7.31	29.11	34.59	13.06	30.07	0.00	100	261	AVERAGE																																																																																																					
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																																									
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark																																																																																																								
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																							
1	5670.00	77.82	-----	-----	59.73	34.60	13.51	30.02	0.00	100	261	AVERAGE																																																																																																					



Mode	29																																																							
	Band Edge - R																																																							
	U-NII-2C_5.47-5.725_802.11ac VHT80_CH134_5670MHz																																																							
ANT	1																																																							
Pol.	Horizontal						Fundamental																																																	
Peak	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th>Remark</th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5740.64</td><td>57.85</td><td>68.20</td><td>-10.35</td><td>39.33</td><td>34.68</td><td>14.01</td><td>30.17</td><td>0.00</td><td>100</td><td>261</td><td>PEAK</td></tr></table>							Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1	5740.64	57.85	68.20	-10.35	39.33	34.68	14.01	30.17	0.00	100	261	PEAK	Blank					
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark																																															
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																														
1	5740.64	57.85	68.20	-10.35	39.33	34.68	14.01	30.17	0.00	100	261	PEAK																																												





Mode	29																																																																																																																
	Band Edge - L																																																																																																																
	U-NII-2C_5.47-5.725_802.11ac VHT80_CH134_5670MHz																																																																																																																
ANT	1																																																																																																																
Pol.	Vertical						Fundamental																																																																																																										
Peak																																																																																																																	
	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5375.53</td><td>56.13</td><td>74.00</td><td>-17.87</td><td>38.76</td><td>34.50</td><td>12.97</td><td>30.10</td><td>0.00</td><td>273</td><td>167</td><td>PEAK</td></tr><tr><td>2</td><td>5464.33</td><td>55.86</td><td>68.20</td><td>-12.34</td><td>38.29</td><td>34.57</td><td>13.07</td><td>30.07</td><td>0.00</td><td>273</td><td>167</td><td>PEAK</td></tr></table>							Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5375.53	56.13	74.00	-17.87	38.76	34.50	12.97	30.10	0.00	273	167	PEAK	2	5464.33	55.86	68.20	-12.34	38.29	34.57	13.07	30.07	0.00	273	167	PEAK	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5670.00</td><td>95.86</td><td>-----</td><td>-----</td><td>77.73</td><td>34.60</td><td>13.58</td><td>30.05</td><td>0.00</td><td>273</td><td>167</td><td>PEAK</td></tr></table>							Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5670.00	95.86	-----	-----	77.73	34.60	13.58	30.05	0.00	273	167	PEAK
		Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																																								
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark																																																																																																								
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																							
1	5375.53	56.13	74.00	-17.87	38.76	34.50	12.97	30.10	0.00	273	167	PEAK																																																																																																					
2	5464.33	55.86	68.20	-12.34	38.29	34.57	13.07	30.07	0.00	273	167	PEAK																																																																																																					
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																																									
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark																																																																																																								
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																							
1	5670.00	95.86	-----	-----	77.73	34.60	13.58	30.05	0.00	273	167	PEAK																																																																																																					
Avg																																																																																																																	
	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5453.45</td><td>46.64</td><td>54.00</td><td>-7.36</td><td>29.06</td><td>34.59</td><td>13.06</td><td>30.07</td><td>0.00</td><td>273</td><td>167</td><td>AVERAGE</td></tr></table>							Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5453.45	46.64	54.00	-7.36	29.06	34.59	13.06	30.07	0.00	273	167	AVERAGE	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5670.00</td><td>87.32</td><td>-----</td><td>-----</td><td>69.18</td><td>34.60</td><td>13.58</td><td>30.04</td><td>0.00</td><td>273</td><td>167</td><td>AVERAGE</td></tr></table>							Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5670.00	87.32	-----	-----	69.18	34.60	13.58	30.04	0.00	273	167	AVERAGE													
		Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																																								
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark																																																																																																								
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																							
1	5453.45	46.64	54.00	-7.36	29.06	34.59	13.06	30.07	0.00	273	167	AVERAGE																																																																																																					
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																																									
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark																																																																																																								
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																							
1	5670.00	87.32	-----	-----	69.18	34.60	13.58	30.04	0.00	273	167	AVERAGE																																																																																																					





Mode	29																																												
	Band Edge - R																																												
	U-NII-2C_5.47-5.725_802.11ac VHT80_CH134_5670MHz																																												
ANT	1																																												
Pol.	Vertical	Fundamental																																											
Peak	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5745.28</td><td>61.62</td><td>68.20</td><td>-6.58</td><td>43.07</td><td>34.69</td><td>14.04</td><td>30.18</td><td>0.00</td><td>273</td><td>167</td><td>PEAK</td></tr></table>		Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5745.28	61.62	68.20	-6.58	43.07	34.69	14.04	30.18	0.00	273	167	PEAK	Blank
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																					
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark																																				
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																			
1	5745.28	61.62	68.20	-6.58	43.07	34.69	14.04	30.18	0.00	273	167	PEAK																																	






Mode	29																																																																																
	Harmonic																																																																																
	U-NII-2C_5.47-5.725_802.11ac VHT80_CH134_5670MHz																																																																																
ANT	1																																																																																
Pol.	Horizontal																																																																																
Peak Avg																																																																																	
	<table><tr><th colspan="2"></th><th colspan="2">Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th rowspan="2">Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th></th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th><th></th></tr><tr><td>1</td><td>7560.00</td><td>42.56</td><td>74.00</td><td>-31.44</td><td>57.90</td><td>35.78</td><td>14.73</td><td>65.85</td><td>0.00</td><td>--</td><td>PEAK</td></tr><tr><td>2</td><td>11340.00</td><td>45.97</td><td>74.00</td><td>-28.03</td><td>53.88</td><td>37.94</td><td>18.45</td><td>64.30</td><td>0.00</td><td>--</td><td>PEAK</td></tr></table>													Limit		Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor			MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg		1	7560.00	42.56	74.00	-31.44	57.90	35.78	14.73	65.85	0.00	--	PEAK	2	11340.00	45.97	74.00	-28.03	53.88	37.94	18.45	64.30	0.00	--	PEAK											
			Limit		Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																					
	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																																																								
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																							
1	7560.00	42.56	74.00	-31.44	57.90	35.78	14.73	65.85	0.00	--	PEAK																																																																						
2	11340.00	45.97	74.00	-28.03	53.88	37.94	18.45	64.30	0.00	--	PEAK																																																																						
<table><tr><th colspan="2"></th><th colspan="2">Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th rowspan="2">Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th></th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th><th></th></tr><tr><td>1</td><td>7560.00</td><td>53.21</td><td>74.00</td><td>-20.79</td><td>68.55</td><td>35.78</td><td>14.73</td><td>65.85</td><td>0.00</td><td>298</td><td>101 PEAK</td></tr><tr><td>2</td><td>7560.00</td><td>52.20</td><td>54.00</td><td>-1.80</td><td>67.54</td><td>35.78</td><td>14.73</td><td>65.85</td><td>0.00</td><td>298</td><td>101 AVERAGE</td></tr><tr><td>3</td><td>11340.00</td><td>46.28</td><td>74.00</td><td>-27.72</td><td>54.19</td><td>37.94</td><td>18.45</td><td>64.30</td><td>0.00</td><td>--</td><td>PEAK</td></tr></table>													Limit		Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor			MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg		1	7560.00	53.21	74.00	-20.79	68.55	35.78	14.73	65.85	0.00	298	101 PEAK	2	7560.00	52.20	54.00	-1.80	67.54	35.78	14.73	65.85	0.00	298	101 AVERAGE	3	11340.00	46.28	74.00	-27.72	54.19	37.94	18.45	64.30	0.00	--	PEAK
		Limit		Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																						
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																																																									
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																							
1	7560.00	53.21	74.00	-20.79	68.55	35.78	14.73	65.85	0.00	298	101 PEAK																																																																						
2	7560.00	52.20	54.00	-1.80	67.54	35.78	14.73	65.85	0.00	298	101 AVERAGE																																																																						
3	11340.00	46.28	74.00	-27.72	54.19	37.94	18.45	64.30	0.00	--	PEAK																																																																						
<table><tr><th colspan="2"></th><th colspan="2">Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th rowspan="2">Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th></th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th><th></th></tr><tr><td>1</td><td>7560.00</td><td>53.21</td><td>74.00</td><td>-20.79</td><td>68.55</td><td>35.78</td><td>14.73</td><td>65.85</td><td>0.00</td><td>298</td><td>101 PEAK</td></tr><tr><td>2</td><td>7560.00</td><td>52.20</td><td>54.00</td><td>-1.80</td><td>67.54</td><td>35.78</td><td>14.73</td><td>65.85</td><td>0.00</td><td>298</td><td>101 AVERAGE</td></tr><tr><td>3</td><td>11340.00</td><td>46.28</td><td>74.00</td><td>-27.72</td><td>54.19</td><td>37.94</td><td>18.45</td><td>64.30</td><td>0.00</td><td>--</td><td>PEAK</td></tr></table>													Limit		Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor			MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg		1	7560.00	53.21	74.00	-20.79	68.55	35.78	14.73	65.85	0.00	298	101 PEAK	2	7560.00	52.20	54.00	-1.80	67.54	35.78	14.73	65.85	0.00	298	101 AVERAGE	3	11340.00	46.28	74.00	-27.72	54.19	37.94	18.45	64.30	0.00	--	PEAK
		Limit		Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																						
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																																																									
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																							
1	7560.00	53.21	74.00	-20.79	68.55	35.78	14.73	65.85	0.00	298	101 PEAK																																																																						
2	7560.00	52.20	54.00	-1.80	67.54	35.78	14.73	65.85	0.00	298	101 AVERAGE																																																																						
3	11340.00	46.28	74.00	-27.72	54.19	37.94	18.45	64.30	0.00	--	PEAK																																																																						








Mode	30																																																																																																																																																																	
	Harmonic																																																																																																																																																																	
	U-NII-2C_5.47-5.725_802.11a_CH144_5720MHz																																																																																																																																																																	
ANT	1																																																																																																																																																																	
Pol.	Horizontal	Vertical																																																																																																																																																																
Peak Avg																																																																																																																																																																		
	<table><tr><th colspan="2"></th><th colspan="2">Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th rowspan="2">Remark</th></tr><tr><th colspan="2">Freq</th><th>Level</th><th>Line Margin</th><th>Level</th><th>Factor</th><th>Loss Factor</th><th>Factor</th><th>Factor</th><th></th><th></th></tr><tr><th colspan="2">MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>7626.65</td><td>50.17</td><td>74.00</td><td>-23.83</td><td>65.48</td><td>35.86</td><td>14.79</td><td>65.96</td><td>0.00</td><td>300</td><td>143</td><td>PEAK</td></tr><tr><td>2</td><td>7626.65</td><td>47.74</td><td>54.00</td><td>-6.26</td><td>63.05</td><td>35.86</td><td>14.79</td><td>65.96</td><td>0.00</td><td>300</td><td>143</td><td>AVERAGE</td></tr><tr><td>3</td><td>11440.00</td><td>46.61</td><td>74.00</td><td>-27.39</td><td>54.25</td><td>38.00</td><td>18.54</td><td>64.18</td><td>0.00</td><td>--</td><td>--</td><td>PEAK</td></tr></table>			Limit		Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq		Level	Line Margin	Level	Factor	Loss Factor	Factor	Factor			MHz		dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1	7626.65	50.17	74.00	-23.83	65.48	35.86	14.79	65.96	0.00	300	143	PEAK	2	7626.65	47.74	54.00	-6.26	63.05	35.86	14.79	65.96	0.00	300	143	AVERAGE	3	11440.00	46.61	74.00	-27.39	54.25	38.00	18.54	64.18	0.00	--	--	PEAK	<table><tr><th colspan="2"></th><th colspan="2">Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th rowspan="2">Remark</th></tr><tr><th colspan="2">Freq</th><th>Level</th><th>Line Margin</th><th>Level</th><th>Factor</th><th>Loss Factor</th><th>Factor</th><th>Factor</th><th></th><th></th></tr><tr><th colspan="2">MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>7626.65</td><td>54.68</td><td>74.00</td><td>-19.32</td><td>69.99</td><td>35.86</td><td>14.79</td><td>65.96</td><td>0.00</td><td>294</td><td>194</td><td>PEAK</td></tr><tr><td>2</td><td>7626.65</td><td>52.98</td><td>54.00</td><td>-1.02</td><td>68.29</td><td>35.86</td><td>14.79</td><td>65.96</td><td>0.00</td><td>294</td><td>194</td><td>AVERAGE</td></tr><tr><td>3</td><td>11440.00</td><td>55.07</td><td>74.00</td><td>-18.93</td><td>62.71</td><td>38.00</td><td>18.54</td><td>64.18</td><td>0.00</td><td>340</td><td>54</td><td>PEAK</td></tr><tr><td>4</td><td>11440.00</td><td>44.97</td><td>54.00</td><td>-9.03</td><td>52.61</td><td>38.00</td><td>18.54</td><td>64.18</td><td>0.00</td><td>340</td><td>54</td><td>AVERAGE</td></tr></table>			Limit		Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq		Level	Line Margin	Level	Factor	Loss Factor	Factor	Factor			MHz		dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1	7626.65	54.68	74.00	-19.32	69.99	35.86	14.79	65.96	0.00	294	194	PEAK	2	7626.65	52.98	54.00	-1.02	68.29	35.86	14.79	65.96	0.00	294	194	AVERAGE	3	11440.00	55.07	74.00	-18.93	62.71	38.00	18.54	64.18	0.00	340	54	PEAK	4	11440.00	44.97	54.00	-9.03	52.61	38.00	18.54	64.18	0.00	340	54
		Limit		Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																																																																																							
Freq		Level	Line Margin	Level	Factor	Loss Factor	Factor	Factor																																																																																																																																																										
MHz		dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																																																																																																							
1	7626.65	50.17	74.00	-23.83	65.48	35.86	14.79	65.96	0.00	300	143	PEAK																																																																																																																																																						
2	7626.65	47.74	54.00	-6.26	63.05	35.86	14.79	65.96	0.00	300	143	AVERAGE																																																																																																																																																						
3	11440.00	46.61	74.00	-27.39	54.25	38.00	18.54	64.18	0.00	--	--	PEAK																																																																																																																																																						
		Limit		Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																																																																																							
Freq		Level	Line Margin	Level	Factor	Loss Factor	Factor	Factor																																																																																																																																																										
MHz		dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																																																																																																							
1	7626.65	54.68	74.00	-19.32	69.99	35.86	14.79	65.96	0.00	294	194	PEAK																																																																																																																																																						
2	7626.65	52.98	54.00	-1.02	68.29	35.86	14.79	65.96	0.00	294	194	AVERAGE																																																																																																																																																						
3	11440.00	55.07	74.00	-18.93	62.71	38.00	18.54	64.18	0.00	340	54	PEAK																																																																																																																																																						
4	11440.00	44.97	54.00	-9.03	52.61	38.00	18.54	64.18	0.00	340	54	AVERAGE																																																																																																																																																						



Mode	31																																																																																																																																										
	Band Edge																																																																																																																																										
	U-NII-3_5.725-5.85_802.11a_CH149_5745MHz																																																																																																																																										
ANT	1																																																																																																																																										
Pol.	Horizontal						Fundamental																																																																																																																																				
Peak																																																																																																																																											
	<table><thead><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>5625.60</td><td>56.77</td><td>68.20</td><td>-11.43</td><td>38.91</td><td>34.55</td><td>13.31</td><td>30.00</td><td>0.00</td><td>299</td><td>80</td><td>PEAK</td></tr><tr><td>2</td><td>5658.40</td><td>55.02</td><td>68.50</td><td>-13.48</td><td>36.97</td><td>34.60</td><td>13.46</td><td>30.01</td><td>0.00</td><td>299</td><td>80</td><td>PEAK</td></tr><tr><td>3</td><td>5700.40</td><td>54.27</td><td>105.41</td><td>-51.14</td><td>36.01</td><td>34.60</td><td>13.76</td><td>30.10</td><td>0.00</td><td>299</td><td>80</td><td>PEAK</td></tr><tr><td>4</td><td>5720.00</td><td>54.88</td><td>110.90</td><td>-56.02</td><td>36.49</td><td>34.64</td><td>13.88</td><td>30.13</td><td>0.00</td><td>299</td><td>80</td><td>PEAK</td></tr></tbody></table>							Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1	5625.60	56.77	68.20	-11.43	38.91	34.55	13.31	30.00	0.00	299	80	PEAK	2	5658.40	55.02	68.50	-13.48	36.97	34.60	13.46	30.01	0.00	299	80	PEAK	3	5700.40	54.27	105.41	-51.14	36.01	34.60	13.76	30.10	0.00	299	80	PEAK	4	5720.00	54.88	110.90	-56.02	36.49	34.64	13.88	30.13	0.00	299	80	PEAK	<table><thead><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>5745.00</td><td>97.09</td><td>-----</td><td>-----</td><td>78.54</td><td>34.69</td><td>14.04</td><td>30.18</td><td>0.00</td><td>299</td><td>80</td><td>PEAK</td></tr></tbody></table>							Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1	5745.00	97.09	-----	-----	78.54	34.69	14.04	30.18	0.00	299	80	PEAK
		Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																																																																	
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																																																																																																																			
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																																																																																	
1	5625.60	56.77	68.20	-11.43	38.91	34.55	13.31	30.00	0.00	299	80	PEAK																																																																																																																															
2	5658.40	55.02	68.50	-13.48	36.97	34.60	13.46	30.01	0.00	299	80	PEAK																																																																																																																															
3	5700.40	54.27	105.41	-51.14	36.01	34.60	13.76	30.10	0.00	299	80	PEAK																																																																																																																															
4	5720.00	54.88	110.90	-56.02	36.49	34.64	13.88	30.13	0.00	299	80	PEAK																																																																																																																															
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																																																																		
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																																																																																																																			
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																																																																																	
1	5745.00	97.09	-----	-----	78.54	34.69	14.04	30.18	0.00	299	80	PEAK																																																																																																																															
Avg	Blank																																																																																																																																										
							<table><thead><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>5745.00</td><td>89.22</td><td>-----</td><td>-----</td><td>70.67</td><td>34.69</td><td>14.04</td><td>30.18</td><td>0.00</td><td>299</td><td>80</td><td>AVERAGE</td></tr></tbody></table>							Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1	5745.00	89.22	-----	-----	70.67	34.69	14.04	30.18	0.00	299	80	AVERAGE																																																																																			
		Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																																																																	
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																																																																																																																			
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																																																																																	
1	5745.00	89.22	-----	-----	70.67	34.69	14.04	30.18	0.00	299	80	AVERAGE																																																																																																																															






Mode	31																																																																																																																																													
	Band Edge																																																																																																																																													
	U-NII-3_5.725-5.85_802.11a_CH149_5745MHz																																																																																																																																													
ANT	1																																																																																																																																													
Pol.	Vertical						Fundamental																																																																																																																																							
Peak																																																																																																																																														
	<table><thead><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th colspan="2">Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th></th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>5632.00</td><td>57.41</td><td>68.20</td><td>-10.79</td><td>39.48</td><td>34.57</td><td>13.35</td><td>29.99</td><td>0.00</td><td>328</td><td>113</td><td>PEAK</td></tr><tr><td>2</td><td>5658.00</td><td>54.37</td><td>68.20</td><td>-13.83</td><td>36.33</td><td>34.60</td><td>13.45</td><td>30.01</td><td>0.00</td><td>328</td><td>113</td><td>PEAK</td></tr><tr><td>3</td><td>5701.20</td><td>56.76</td><td>105.64</td><td>-48.88</td><td>38.49</td><td>34.60</td><td>13.77</td><td>30.10</td><td>0.00</td><td>328</td><td>113</td><td>PEAK</td></tr><tr><td>4</td><td>5720.80</td><td>61.74</td><td>112.72</td><td>-50.98</td><td>43.34</td><td>34.64</td><td>13.89</td><td>30.13</td><td>0.00</td><td>328</td><td>113</td><td>PEAK</td></tr></tbody></table>							Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor			MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1	5632.00	57.41	68.20	-10.79	39.48	34.57	13.35	29.99	0.00	328	113	PEAK	2	5658.00	54.37	68.20	-13.83	36.33	34.60	13.45	30.01	0.00	328	113	PEAK	3	5701.20	56.76	105.64	-48.88	38.49	34.60	13.77	30.10	0.00	328	113	PEAK	4	5720.80	61.74	112.72	-50.98	43.34	34.64	13.89	30.13	0.00	328	113	PEAK	<table><thead><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th colspan="2">Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th></th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>5745.00</td><td>102.88</td><td>-----</td><td>-----</td><td>84.29</td><td>34.70</td><td>14.08</td><td>30.19</td><td>0.00</td><td>328</td><td>113</td><td>PEAK</td></tr></tbody></table>						Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor			MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	dB	cm	deg	1	5745.00	102.88	-----	-----	84.29	34.70	14.08	30.19	0.00	328	113
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																																																																					
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																																																																																																																						
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																																																																																				
1	5632.00	57.41	68.20	-10.79	39.48	34.57	13.35	29.99	0.00	328	113	PEAK																																																																																																																																		
2	5658.00	54.37	68.20	-13.83	36.33	34.60	13.45	30.01	0.00	328	113	PEAK																																																																																																																																		
3	5701.20	56.76	105.64	-48.88	38.49	34.60	13.77	30.10	0.00	328	113	PEAK																																																																																																																																		
4	5720.80	61.74	112.72	-50.98	43.34	34.64	13.89	30.13	0.00	328	113	PEAK																																																																																																																																		
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																																																																					
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																																																																																																																						
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	dB	cm	deg																																																																																																																																			
1	5745.00	102.88	-----	-----	84.29	34.70	14.08	30.19	0.00	328	113	PEAK																																																																																																																																		
Avg	Blank																																																																																																																																													
							<table><thead><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th colspan="2">Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th></th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>5745.00</td><td>96.40</td><td>-----</td><td>-----</td><td>77.85</td><td>34.69</td><td>14.04</td><td>30.18</td><td>0.00</td><td>328</td><td>113</td><td>AVERAGE</td></tr></tbody></table>						Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor			MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	dB	cm	deg	1	5745.00	96.40	-----	-----	77.85	34.69	14.04	30.18	0.00	328	113	AVERAGE																																																																																				
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																																																																					
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																																																																																																																						
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	dB	cm	deg																																																																																																																																			
1	5745.00	96.40	-----	-----	77.85	34.69	14.04	30.18	0.00	328	113	AVERAGE																																																																																																																																		



Mode	31																																																																																																																																																																																	
	Harmonic																																																																																																																																																																																	
	U-NII-3_5.725-5.85_802.11a_CH149_5745MHZ																																																																																																																																																																																	
ANT	1																																																																																																																																																																																	
Pol.	Horizontal						Vertical																																																																																																																																																																											
Peak Avg																																																																																																																																																																																		
	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line Margin</th><th>Level</th><th>Factor</th><th>Loss Factor</th><th>Factor</th><th></th><th></th><th>Remark</th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>7668.00</td><td>47.56</td><td>74.00</td><td>-26.44</td><td>65.33</td><td>36.02</td><td>13.07</td><td>66.86</td><td>0.00</td><td>300</td><td>154</td><td>Peak</td></tr><tr><td>2</td><td>11490.00</td><td>44.91</td><td>74.00</td><td>-29.09</td><td>56.71</td><td>38.18</td><td>16.36</td><td>66.34</td><td>0.00</td><td>--</td><td>--</td><td>PEAK</td></tr><tr><td>3</td><td>17234.40</td><td>48.58</td><td>68.20</td><td>-19.62</td><td>51.68</td><td>41.03</td><td>20.16</td><td>64.29</td><td>0.00</td><td>--</td><td>--</td><td>Peak</td></tr></table>							Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line Margin	Level	Factor	Loss Factor	Factor			Remark	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1	7668.00	47.56	74.00	-26.44	65.33	36.02	13.07	66.86	0.00	300	154	Peak	2	11490.00	44.91	74.00	-29.09	56.71	38.18	16.36	66.34	0.00	--	--	PEAK	3	17234.40	48.58	68.20	-19.62	51.68	41.03	20.16	64.29	0.00	--	--	Peak	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line Margin</th><th>Level</th><th>Factor</th><th>Loss Factor</th><th>Factor</th><th></th><th></th><th>Remark</th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>7659.98</td><td>53.68</td><td>74.00</td><td>-20.32</td><td>71.45</td><td>36.02</td><td>13.07</td><td>66.86</td><td>0.00</td><td>321</td><td>204</td><td>PEAK</td></tr><tr><td>2</td><td>7659.98</td><td>52.24</td><td>54.00</td><td>-1.76</td><td>70.01</td><td>36.02</td><td>13.07</td><td>66.86</td><td>0.00</td><td>321</td><td>204</td><td>AVERAGE</td></tr><tr><td>3</td><td>11490.00</td><td>51.92</td><td>74.00</td><td>-22.08</td><td>63.72</td><td>38.18</td><td>16.36</td><td>66.34</td><td>0.00</td><td>300</td><td>60</td><td>PEAK</td></tr><tr><td>4</td><td>11490.00</td><td>41.59</td><td>54.00</td><td>-12.41</td><td>53.39</td><td>38.18</td><td>16.36</td><td>66.34</td><td>0.00</td><td>300</td><td>60</td><td>AVERAGE</td></tr><tr><td>5</td><td>17232.93</td><td>52.05</td><td>68.20</td><td>-16.15</td><td>55.15</td><td>41.03</td><td>20.16</td><td>64.29</td><td>0.00</td><td>--</td><td>--</td><td>Peak</td></tr></table>							Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line Margin	Level	Factor	Loss Factor	Factor			Remark	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1	7659.98	53.68	74.00	-20.32	71.45	36.02	13.07	66.86	0.00	321	204	PEAK	2	7659.98	52.24	54.00	-1.76	70.01	36.02	13.07	66.86	0.00	321	204	AVERAGE	3	11490.00	51.92	74.00	-22.08	63.72	38.18	16.36	66.34	0.00	300	60	PEAK	4	11490.00	41.59	54.00	-12.41	53.39	38.18	16.36	66.34	0.00	300	60	AVERAGE	5	17232.93	52.05	68.20	-16.15	55.15	41.03	20.16	64.29	0.00	--	--	Peak
		Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																																																																																																									
Freq	Level	Line Margin	Level	Factor	Loss Factor	Factor			Remark																																																																																																																																																																									
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																																																																																																																								
1	7668.00	47.56	74.00	-26.44	65.33	36.02	13.07	66.86	0.00	300	154	Peak																																																																																																																																																																						
2	11490.00	44.91	74.00	-29.09	56.71	38.18	16.36	66.34	0.00	--	--	PEAK																																																																																																																																																																						
3	17234.40	48.58	68.20	-19.62	51.68	41.03	20.16	64.29	0.00	--	--	Peak																																																																																																																																																																						
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																																																																																																										
Freq	Level	Line Margin	Level	Factor	Loss Factor	Factor			Remark																																																																																																																																																																									
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																																																																																																																								
1	7659.98	53.68	74.00	-20.32	71.45	36.02	13.07	66.86	0.00	321	204	PEAK																																																																																																																																																																						
2	7659.98	52.24	54.00	-1.76	70.01	36.02	13.07	66.86	0.00	321	204	AVERAGE																																																																																																																																																																						
3	11490.00	51.92	74.00	-22.08	63.72	38.18	16.36	66.34	0.00	300	60	PEAK																																																																																																																																																																						
4	11490.00	41.59	54.00	-12.41	53.39	38.18	16.36	66.34	0.00	300	60	AVERAGE																																																																																																																																																																						
5	17232.93	52.05	68.20	-16.15	55.15	41.03	20.16	64.29	0.00	--	--	Peak																																																																																																																																																																						






Mode	32																																																																																																																																						
	Harmonic																																																																																																																																						
	U-NII-3_5.725-5.85_802.11a_CH157_5785MHz																																																																																																																																						
ANT	1																																																																																																																																						
Pol.	Horizontal						Vertical																																																																																																																																
Peak Avg																																																																																																																																							
	<table><thead><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th>Remark</th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th><th></th></tr></thead><tbody><tr><td>1</td><td>7713.31</td><td>42.68</td><td>74.00</td><td>-31.32</td><td>68.32</td><td>36.13</td><td>13.12</td><td>66.89</td><td>0.00</td><td>--</td><td>-- PEAK</td></tr><tr><td>2</td><td>11570.00</td><td>44.41</td><td>74.00</td><td>-29.59</td><td>56.13</td><td>38.20</td><td>16.41</td><td>66.33</td><td>0.00</td><td>--</td><td>-- PEAK</td></tr></tbody></table>							Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg		1	7713.31	42.68	74.00	-31.32	68.32	36.13	13.12	66.89	0.00	--	-- PEAK	2	11570.00	44.41	74.00	-29.59	56.13	38.20	16.41	66.33	0.00	--	-- PEAK	<table><thead><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th>Remark</th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th><th></th></tr></thead><tbody><tr><td>1</td><td>7713.31</td><td>54.53</td><td>74.00</td><td>-19.47</td><td>72.17</td><td>36.13</td><td>13.12</td><td>66.89</td><td>0.00</td><td>300</td><td>203 PEAK</td></tr><tr><td>2</td><td>7713.31</td><td>53.11</td><td>54.00</td><td>-0.89</td><td>70.75</td><td>36.13</td><td>13.12</td><td>66.89</td><td>0.00</td><td>300</td><td>203 AVERAGE</td></tr><tr><td>3</td><td>11570.00</td><td>46.86</td><td>74.00</td><td>-27.14</td><td>58.58</td><td>38.20</td><td>16.41</td><td>66.33</td><td>0.00</td><td>--</td><td>-- PEAK</td></tr></tbody></table>							Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg		1	7713.31	54.53	74.00	-19.47	72.17	36.13	13.12	66.89	0.00	300	203 PEAK	2	7713.31	53.11	54.00	-0.89	70.75	36.13	13.12	66.89	0.00	300	203 AVERAGE	3	11570.00	46.86	74.00	-27.14	58.58	38.20	16.41	66.33	0.00	--
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																																																															
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark																																																																																																																														
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																																																																													
1	7713.31	42.68	74.00	-31.32	68.32	36.13	13.12	66.89	0.00	--	-- PEAK																																																																																																																												
2	11570.00	44.41	74.00	-29.59	56.13	38.20	16.41	66.33	0.00	--	-- PEAK																																																																																																																												
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																																																															
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark																																																																																																																														
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																																																																													
1	7713.31	54.53	74.00	-19.47	72.17	36.13	13.12	66.89	0.00	300	203 PEAK																																																																																																																												
2	7713.31	53.11	54.00	-0.89	70.75	36.13	13.12	66.89	0.00	300	203 AVERAGE																																																																																																																												
3	11570.00	46.86	74.00	-27.14	58.58	38.20	16.41	66.33	0.00	--	-- PEAK																																																																																																																												





Mode	33																																																																																																																																								
	Band Edge																																																																																																																																								
	U-NII-3_5.725-5.85_802.11a_CH165_5825MHz																																																																																																																																								
ANT	1																																																																																																																																								
Pol.	Horizontal						Fundamental																																																																																																																																		
Peak																																																																																																																																									
	<table><thead><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th></th><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>5854.00</td><td>55.01</td><td>111.36</td><td>-56.35</td><td>36.40</td><td>34.83</td><td>14.15</td><td>30.37</td><td>0.00</td><td>267</td><td>78 PEAK</td></tr><tr><td>2</td><td>5871.20</td><td>57.24</td><td>106.36</td><td>-49.12</td><td>38.61</td><td>34.93</td><td>14.08</td><td>30.38</td><td>0.00</td><td>267</td><td>78 PEAK</td></tr><tr><td>3</td><td>5924.00</td><td>55.25</td><td>68.35</td><td>-13.10</td><td>36.70</td><td>35.10</td><td>13.86</td><td>30.41</td><td>0.00</td><td>267</td><td>78 PEAK</td></tr><tr><td>4</td><td>5943.60</td><td>56.81</td><td>68.20</td><td>-11.39</td><td>38.34</td><td>35.10</td><td>13.78</td><td>30.41</td><td>0.00</td><td>267</td><td>78 PEAK</td></tr></tbody></table>							Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor			MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1	5854.00	55.01	111.36	-56.35	36.40	34.83	14.15	30.37	0.00	267	78 PEAK	2	5871.20	57.24	106.36	-49.12	38.61	34.93	14.08	30.38	0.00	267	78 PEAK	3	5924.00	55.25	68.35	-13.10	36.70	35.10	13.86	30.41	0.00	267	78 PEAK	4	5943.60	56.81	68.20	-11.39	38.34	35.10	13.78	30.41	0.00	267	78 PEAK	<table><thead><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th></th><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>5825.00</td><td>96.28</td><td>-----</td><td>-----</td><td>77.53</td><td>34.80</td><td>14.27</td><td>30.32</td><td>0.00</td><td>267</td><td>78 PEAK</td></tr></tbody></table>							Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor			MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1	5825.00	96.28	-----	-----	77.53	34.80	14.27	30.32	0.00	267
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																																																																
	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																																																																																																																
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																																																																														
1	5854.00	55.01	111.36	-56.35	36.40	34.83	14.15	30.37	0.00	267	78 PEAK																																																																																																																														
2	5871.20	57.24	106.36	-49.12	38.61	34.93	14.08	30.38	0.00	267	78 PEAK																																																																																																																														
3	5924.00	55.25	68.35	-13.10	36.70	35.10	13.86	30.41	0.00	267	78 PEAK																																																																																																																														
4	5943.60	56.81	68.20	-11.39	38.34	35.10	13.78	30.41	0.00	267	78 PEAK																																																																																																																														
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																																																																
	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																																																																																																																
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																																																																														
1	5825.00	96.28	-----	-----	77.53	34.80	14.27	30.32	0.00	267	78 PEAK																																																																																																																														
Avg	Blank																																																																																																																																								
							<table><thead><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th></th><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>5825.00</td><td>88.92</td><td>-----</td><td>-----</td><td>70.17</td><td>34.80</td><td>14.27</td><td>30.32</td><td>0.00</td><td>267</td><td>78 AVERAGE</td></tr></tbody></table>							Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor			MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1	5825.00	88.92	-----	-----	70.17	34.80	14.27	30.32	0.00	267	78 AVERAGE																																																																																
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																																																																
	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																																																																																																																
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																																																																														
1	5825.00	88.92	-----	-----	70.17	34.80	14.27	30.32	0.00	267	78 AVERAGE																																																																																																																														






Mode	33																																																																																																																																									
	Band Edge																																																																																																																																									
	U-NII-3_5.725-5.85_802.11a_CH165_5825MHz																																																																																																																																									
ANT	1																																																																																																																																									
Pol.	Vertical						Fundamental																																																																																																																																			
Peak																																																																																																																																										
	<table><thead><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th colspan="2">Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th></th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>5854.00</td><td>55.13</td><td>111.36</td><td>-56.23</td><td>36.52</td><td>34.83</td><td>14.15</td><td>30.37</td><td>0.00</td><td>304</td><td>113 PEAK</td></tr><tr><td>2</td><td>5874.40</td><td>56.46</td><td>105.47</td><td>-49.01</td><td>37.83</td><td>34.95</td><td>14.06</td><td>30.38</td><td>0.00</td><td>304</td><td>113 PEAK</td></tr><tr><td>3</td><td>5923.60</td><td>55.37</td><td>69.23</td><td>-13.86</td><td>36.81</td><td>35.10</td><td>13.86</td><td>30.40</td><td>0.00</td><td>304</td><td>113 PEAK</td></tr><tr><td>4</td><td>5965.20</td><td>57.33</td><td>68.20</td><td>-10.87</td><td>38.97</td><td>35.10</td><td>13.69</td><td>30.43</td><td>0.00</td><td>304</td><td>113 PEAK</td></tr></tbody></table>							Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor			MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1	5854.00	55.13	111.36	-56.23	36.52	34.83	14.15	30.37	0.00	304	113 PEAK	2	5874.40	56.46	105.47	-49.01	37.83	34.95	14.06	30.38	0.00	304	113 PEAK	3	5923.60	55.37	69.23	-13.86	36.81	35.10	13.86	30.40	0.00	304	113 PEAK	4	5965.20	57.33	68.20	-10.87	38.97	35.10	13.69	30.43	0.00	304	113 PEAK	<table><thead><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th colspan="2">Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th></th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>5825.00</td><td>102.71</td><td>-----</td><td>-----</td><td>83.99</td><td>34.80</td><td>14.25</td><td>30.33</td><td>0.00</td><td>304</td><td>113 PEAK</td></tr></tbody></table>						Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor			MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	dB	cm	deg	1	5825.00	102.71	-----	-----	83.99	34.80	14.25	30.33	0.00	304	113 PEAK
		Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																																																																
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																																																																																																																		
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																																																																																
1	5854.00	55.13	111.36	-56.23	36.52	34.83	14.15	30.37	0.00	304	113 PEAK																																																																																																																															
2	5874.40	56.46	105.47	-49.01	37.83	34.95	14.06	30.38	0.00	304	113 PEAK																																																																																																																															
3	5923.60	55.37	69.23	-13.86	36.81	35.10	13.86	30.40	0.00	304	113 PEAK																																																																																																																															
4	5965.20	57.33	68.20	-10.87	38.97	35.10	13.69	30.43	0.00	304	113 PEAK																																																																																																																															
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																																																																	
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																																																																																																																		
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	dB	cm	deg																																																																																																																															
1	5825.00	102.71	-----	-----	83.99	34.80	14.25	30.33	0.00	304	113 PEAK																																																																																																																															
Avg	Blank																																																																																																																																									
							<table><thead><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th colspan="2">Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th></th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>5825.00</td><td>95.78</td><td>-----</td><td>-----</td><td>77.03</td><td>34.80</td><td>14.27</td><td>30.32</td><td>0.00</td><td>304</td><td>113 AVERAGE</td></tr></tbody></table>						Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor			MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	dB	cm	deg	1	5825.00	95.78	-----	-----	77.03	34.80	14.27	30.32	0.00	304	113 AVERAGE																																																																																	
		Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																																																																
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																																																																																																																		
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	dB	cm	deg																																																																																																																															
1	5825.00	95.78	-----	-----	77.03	34.80	14.27	30.32	0.00	304	113 AVERAGE																																																																																																																															






Mode	33																																																																																																																													
	Harmonic																																																																																																																													
	U-NII-3_5.725-5.85_802.11a_CH165_5825MHz																																																																																																																													
ANT	1																																																																																																																													
Pol.	Horizontal						Vertical																																																																																																																							
Peak Avg																																																																																																																														
	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>7766.67</td><td>48.14</td><td>68.20</td><td>-20.06</td><td>63.57</td><td>35.83</td><td>14.93</td><td>66.19</td><td>0.00</td><td>--</td><td>--</td><td>PEAK</td></tr><tr><td>2</td><td>11650.00</td><td>46.03</td><td>74.00</td><td>-27.97</td><td>53.47</td><td>38.20</td><td>18.72</td><td>64.36</td><td>0.00</td><td>--</td><td>--</td><td>PEAK</td></tr></table>							Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	7766.67	48.14	68.20	-20.06	63.57	35.83	14.93	66.19	0.00	--	--	PEAK	2	11650.00	46.03	74.00	-27.97	53.47	38.20	18.72	64.36	0.00	--	--	PEAK	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>7766.67</td><td>55.96</td><td>68.20</td><td>-12.24</td><td>71.39</td><td>35.83</td><td>14.93</td><td>66.19</td><td>0.00</td><td>245</td><td>269</td><td>PEAK</td></tr><tr><td>2</td><td>11650.00</td><td>46.42</td><td>74.00</td><td>-27.58</td><td>53.86</td><td>38.20</td><td>18.72</td><td>64.36</td><td>0.00</td><td>--</td><td>--</td><td>PEAK</td></tr></table>							Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	7766.67	55.96	68.20	-12.24	71.39	35.83	14.93	66.19	0.00	245	269	PEAK	2	11650.00	46.42	74.00	-27.58	53.86	38.20	18.72	64.36	0.00	--	--	PEAK
		Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																																																					
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark																																																																																																																					
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																																				
1	7766.67	48.14	68.20	-20.06	63.57	35.83	14.93	66.19	0.00	--	--	PEAK																																																																																																																		
2	11650.00	46.03	74.00	-27.97	53.47	38.20	18.72	64.36	0.00	--	--	PEAK																																																																																																																		
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																																																						
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark																																																																																																																					
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																																				
1	7766.67	55.96	68.20	-12.24	71.39	35.83	14.93	66.19	0.00	245	269	PEAK																																																																																																																		
2	11650.00	46.42	74.00	-27.58	53.86	38.20	18.72	64.36	0.00	--	--	PEAK																																																																																																																		





Mode	34																																																																																																																																				
	Band Edge																																																																																																																																				
	U-NII-3_5.725-5.85_802.11ac VHT20_CH149_5745MHz																																																																																																																																				
ANT	1																																																																																																																																				
Pol.	Horizontal						Fundamental																																																																																																																														
Peak																																																																																																																																					
	<table><thead><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>5647.60</td><td>57.80</td><td>68.20</td><td>-10.40</td><td>39.76</td><td>34.60</td><td>13.44</td><td>30.00</td><td>0.00</td><td>301</td><td>79 PEAK</td></tr><tr><td>2</td><td>5650.40</td><td>55.19</td><td>68.50</td><td>-13.31</td><td>37.14</td><td>34.60</td><td>13.46</td><td>30.01</td><td>0.00</td><td>301</td><td>79 PEAK</td></tr><tr><td>3</td><td>5700.00</td><td>55.24</td><td>105.30</td><td>-50.06</td><td>36.98</td><td>34.60</td><td>13.76</td><td>30.10</td><td>0.00</td><td>301</td><td>79 PEAK</td></tr><tr><td>4</td><td>5720.40</td><td>56.99</td><td>111.81</td><td>-54.82</td><td>38.60</td><td>34.64</td><td>13.88</td><td>30.13</td><td>0.00</td><td>301</td><td>79 PEAK</td></tr></tbody></table>							Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1	5647.60	57.80	68.20	-10.40	39.76	34.60	13.44	30.00	0.00	301	79 PEAK	2	5650.40	55.19	68.50	-13.31	37.14	34.60	13.46	30.01	0.00	301	79 PEAK	3	5700.00	55.24	105.30	-50.06	36.98	34.60	13.76	30.10	0.00	301	79 PEAK	4	5720.40	56.99	111.81	-54.82	38.60	34.64	13.88	30.13	0.00	301	79 PEAK	<table><thead><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>5745.00</td><td>96.01</td><td>-----</td><td>-----</td><td>77.46</td><td>34.69</td><td>14.04</td><td>30.18</td><td>0.00</td><td>301</td><td>79 PEAK</td></tr></tbody></table>						Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1	5745.00	96.01	-----	-----	77.46	34.69	14.04	30.18	0.00	301	79 PEAK
		Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																																																											
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																																																																																																													
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																																																																											
1	5647.60	57.80	68.20	-10.40	39.76	34.60	13.44	30.00	0.00	301	79 PEAK																																																																																																																										
2	5650.40	55.19	68.50	-13.31	37.14	34.60	13.46	30.01	0.00	301	79 PEAK																																																																																																																										
3	5700.00	55.24	105.30	-50.06	36.98	34.60	13.76	30.10	0.00	301	79 PEAK																																																																																																																										
4	5720.40	56.99	111.81	-54.82	38.60	34.64	13.88	30.13	0.00	301	79 PEAK																																																																																																																										
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																																																												
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																																																																																																													
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																																																																											
1	5745.00	96.01	-----	-----	77.46	34.69	14.04	30.18	0.00	301	79 PEAK																																																																																																																										
Avg	Blank																																																																																																																																				
							<table><thead><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>5745.00</td><td>88.73</td><td>-----</td><td>-----</td><td>70.18</td><td>34.69</td><td>14.04</td><td>30.18</td><td>0.00</td><td>301</td><td>79 AVERAGE</td></tr></tbody></table>						Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1	5745.00	88.73	-----	-----	70.18	34.69	14.04	30.18	0.00	301	79 AVERAGE																																																																															
		Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																																																											
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																																																																																																													
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																																																																											
1	5745.00	88.73	-----	-----	70.18	34.69	14.04	30.18	0.00	301	79 AVERAGE																																																																																																																										





Mode	34																																																																																																																																						
	Band Edge																																																																																																																																						
	U-NII-3_5.725-5.85_802.11ac VHT20_CH149_5745MHz																																																																																																																																						
ANT	1																																																																																																																																						
Pol.	Vertical						Fundamental																																																																																																																																
Peak																																																																																																																																							
	<table><thead><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>5618.00</td><td>57.13</td><td>68.20</td><td>-11.07</td><td>39.33</td><td>34.54</td><td>13.26</td><td>30.00</td><td>0.00</td><td>313</td><td>112 PEAK</td></tr><tr><td>2</td><td>5651.20</td><td>56.71</td><td>69.09</td><td>-12.38</td><td>38.66</td><td>34.60</td><td>13.46</td><td>30.01</td><td>0.00</td><td>313</td><td>112 PEAK</td></tr><tr><td>3</td><td>5701.20</td><td>58.72</td><td>105.64</td><td>-46.92</td><td>40.45</td><td>34.60</td><td>13.77</td><td>30.10</td><td>0.00</td><td>313</td><td>112 PEAK</td></tr><tr><td>4</td><td>5722.00</td><td>68.77</td><td>115.46</td><td>-46.69</td><td>50.38</td><td>34.64</td><td>13.89</td><td>30.14</td><td>0.00</td><td>313</td><td>112 PEAK</td></tr></tbody></table>							Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor			MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5618.00	57.13	68.20	-11.07	39.33	34.54	13.26	30.00	0.00	313	112 PEAK	2	5651.20	56.71	69.09	-12.38	38.66	34.60	13.46	30.01	0.00	313	112 PEAK	3	5701.20	58.72	105.64	-46.92	40.45	34.60	13.77	30.10	0.00	313	112 PEAK	4	5722.00	68.77	115.46	-46.69	50.38	34.64	13.89	30.14	0.00	313	112 PEAK	<table><thead><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>5745.00</td><td>103.54</td><td>-----</td><td>-----</td><td>84.99</td><td>34.69</td><td>14.04</td><td>30.18</td><td>0.00</td><td>313</td><td>112 PEAK</td></tr></tbody></table>							Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor			MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1	5745.00	103.54	-----	-----	84.99	34.69	14.04	30.18	0.00	313	112 PEAK
		Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																																																													
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																																																																																																															
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																																													
1	5618.00	57.13	68.20	-11.07	39.33	34.54	13.26	30.00	0.00	313	112 PEAK																																																																																																																												
2	5651.20	56.71	69.09	-12.38	38.66	34.60	13.46	30.01	0.00	313	112 PEAK																																																																																																																												
3	5701.20	58.72	105.64	-46.92	40.45	34.60	13.77	30.10	0.00	313	112 PEAK																																																																																																																												
4	5722.00	68.77	115.46	-46.69	50.38	34.64	13.89	30.14	0.00	313	112 PEAK																																																																																																																												
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																																																														
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																																																																																																															
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																																																																												
1	5745.00	103.54	-----	-----	84.99	34.69	14.04	30.18	0.00	313	112 PEAK																																																																																																																												
Avg	Blank																																																																																																																																						
							<table><thead><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>5745.00</td><td>95.82</td><td>-----</td><td>-----</td><td>77.27</td><td>34.69</td><td>14.04</td><td>30.18</td><td>0.00</td><td>313</td><td>112 AVERAGE</td></tr></tbody></table>							Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor			MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1	5745.00	95.82	-----	-----	77.27	34.69	14.04	30.18	0.00	313	112 AVERAGE																																																																															
		Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																																																													
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																																																																																																															
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																																																																												
1	5745.00	95.82	-----	-----	77.27	34.69	14.04	30.18	0.00	313	112 AVERAGE																																																																																																																												






Mode	34																																																																																																																																																																																														
	Harmonic																																																																																																																																																																																														
	U-NII-3_5.725-5.85_802.11ac VHT20_CH149_5745MHz																																																																																																																																																																																														
ANT	1																																																																																																																																																																																														
Pol.	Horizontal						Vertical																																																																																																																																																																																								
Peak Avg																																																																																																																																																																																															
	<table><tr><th colspan="2"></th><th colspan="2">Limit</th><th colspan="2">Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th rowspan="2">Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th></th><th></th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th><th></th></tr><tr><td>1</td><td>7668.00</td><td>46.32</td><td>74.00</td><td>-27.68</td><td>64.09</td><td>36.02</td><td>13.07</td><td>66.86</td><td>0.00</td><td>--</td><td>--</td><td>Peak</td></tr><tr><td>2</td><td>11490.00</td><td>44.39</td><td>74.00</td><td>-29.61</td><td>56.19</td><td>38.18</td><td>16.36</td><td>66.34</td><td>0.00</td><td>--</td><td>--</td><td>PEAK</td></tr><tr><td>3</td><td>17235.00</td><td>48.54</td><td>68.20</td><td>-19.66</td><td>51.65</td><td>41.03</td><td>20.15</td><td>64.29</td><td>0.00</td><td>--</td><td>--</td><td>PEAK</td></tr></table>								Limit		Read		Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor				MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	dB	cm	deg		1	7668.00	46.32	74.00	-27.68	64.09	36.02	13.07	66.86	0.00	--	--	Peak	2	11490.00	44.39	74.00	-29.61	56.19	38.18	16.36	66.34	0.00	--	--	PEAK	3	17235.00	48.54	68.20	-19.66	51.65	41.03	20.15	64.29	0.00	--	--	PEAK	<table><tr><th colspan="2"></th><th colspan="2">Limit</th><th colspan="2">Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th rowspan="2">Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th></th><th></th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th><th></th></tr><tr><td>1</td><td>7659.98</td><td>53.79</td><td>74.00</td><td>-20.21</td><td>71.56</td><td>36.02</td><td>13.07</td><td>66.86</td><td>0.00</td><td>320</td><td>204</td><td>PEAK</td></tr><tr><td>2</td><td>7659.98</td><td>52.28</td><td>54.00</td><td>-1.72</td><td>70.05</td><td>36.02</td><td>13.07</td><td>66.86</td><td>0.00</td><td>320</td><td>204</td><td>AVERAGE</td></tr><tr><td>3</td><td>11488.73</td><td>48.92</td><td>74.00</td><td>-25.08</td><td>60.73</td><td>38.18</td><td>16.35</td><td>66.34</td><td>0.00</td><td>100</td><td>25</td><td>Peak</td></tr><tr><td>4</td><td>11488.73</td><td>43.56</td><td>54.00</td><td>-10.44</td><td>55.37</td><td>38.18</td><td>16.35</td><td>66.34</td><td>0.00</td><td>100</td><td>25</td><td>Average</td></tr><tr><td>5</td><td>17235.00</td><td>51.38</td><td>68.20</td><td>-16.82</td><td>54.48</td><td>41.04</td><td>20.16</td><td>64.30</td><td>0.00</td><td>--</td><td>--</td><td>PEAK</td></tr></table>								Limit		Read		Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor				MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	dB	cm	deg		1	7659.98	53.79	74.00	-20.21	71.56	36.02	13.07	66.86	0.00	320	204	PEAK	2	7659.98	52.28	54.00	-1.72	70.05	36.02	13.07	66.86	0.00	320	204	AVERAGE	3	11488.73	48.92	74.00	-25.08	60.73	38.18	16.35	66.34	0.00	100	25	Peak	4	11488.73	43.56	54.00	-10.44	55.37	38.18	16.35	66.34	0.00	100	25	Average	5	17235.00	51.38	68.20	-16.82	54.48	41.04	20.16	64.30	0.00	--	--
		Limit		Read		Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																																																																																																																			
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																																																																																																																																																																							
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	dB	cm	deg																																																																																																																																																																																				
1	7668.00	46.32	74.00	-27.68	64.09	36.02	13.07	66.86	0.00	--	--	Peak																																																																																																																																																																																			
2	11490.00	44.39	74.00	-29.61	56.19	38.18	16.36	66.34	0.00	--	--	PEAK																																																																																																																																																																																			
3	17235.00	48.54	68.20	-19.66	51.65	41.03	20.15	64.29	0.00	--	--	PEAK																																																																																																																																																																																			
		Limit		Read		Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																																																																																																																			
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																																																																																																																																																																							
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	dB	cm	deg																																																																																																																																																																																				
1	7659.98	53.79	74.00	-20.21	71.56	36.02	13.07	66.86	0.00	320	204	PEAK																																																																																																																																																																																			
2	7659.98	52.28	54.00	-1.72	70.05	36.02	13.07	66.86	0.00	320	204	AVERAGE																																																																																																																																																																																			
3	11488.73	48.92	74.00	-25.08	60.73	38.18	16.35	66.34	0.00	100	25	Peak																																																																																																																																																																																			
4	11488.73	43.56	54.00	-10.44	55.37	38.18	16.35	66.34	0.00	100	25	Average																																																																																																																																																																																			
5	17235.00	51.38	68.20	-16.82	54.48	41.04	20.16	64.30	0.00	--	--	PEAK																																																																																																																																																																																			






Mode	35																																																																																																																																																																																												
	Harmonic																																																																																																																																																																																												
	U-NII-3_5.725-5.85_802.11ac VHT20_CH157_5785MHz																																																																																																																																																																																												
ANT	1																																																																																																																																																																																												
Pol.	Horizontal						Vertical																																																																																																																																																																																						
Peak Avg																																																																																																																																																																																													
	<table><tr><th colspan="2"></th><th colspan="2">Limit</th><th colspan="2">Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th rowspan="2">Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th></th><th></th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th><th></th></tr><tr><td>1</td><td>7713.31</td><td>49.82</td><td>74.00</td><td>-24.18</td><td>67.46</td><td>36.13</td><td>13.12</td><td>66.89</td><td>0.00</td><td>357</td><td>152</td><td>PEAK</td></tr><tr><td>2</td><td>7713.31</td><td>47.19</td><td>54.00</td><td>-6.81</td><td>64.83</td><td>36.13</td><td>13.12</td><td>66.89</td><td>0.00</td><td>357</td><td>152</td><td>AVERAGE</td></tr><tr><td>3</td><td>11570.00</td><td>45.04</td><td>74.00</td><td>-28.96</td><td>56.76</td><td>38.20</td><td>16.41</td><td>66.33</td><td>0.00</td><td>--</td><td>--</td><td>PEAK</td></tr><tr><td>4</td><td>17355.00</td><td>51.75</td><td>68.20</td><td>-16.45</td><td>54.81</td><td>41.10</td><td>20.24</td><td>64.40</td><td>0.00</td><td>--</td><td>--</td><td>PEAK</td></tr></table>								Limit		Read		Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor				MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg		1	7713.31	49.82	74.00	-24.18	67.46	36.13	13.12	66.89	0.00	357	152	PEAK	2	7713.31	47.19	54.00	-6.81	64.83	36.13	13.12	66.89	0.00	357	152	AVERAGE	3	11570.00	45.04	74.00	-28.96	56.76	38.20	16.41	66.33	0.00	--	--	PEAK	4	17355.00	51.75	68.20	-16.45	54.81	41.10	20.24	64.40	0.00	--	--	PEAK	<table><tr><th colspan="2"></th><th colspan="2">Limit</th><th colspan="2">Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th rowspan="2">Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th></th><th></th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th><th></th></tr><tr><td>1</td><td>7713.31</td><td>54.31</td><td>74.00</td><td>-19.69</td><td>71.95</td><td>36.13</td><td>13.12</td><td>66.89</td><td>0.00</td><td>304</td><td>202</td><td>PEAK</td></tr><tr><td>2</td><td>7713.31</td><td>52.99</td><td>54.00</td><td>-1.01</td><td>70.63</td><td>36.13</td><td>13.12</td><td>66.89</td><td>0.00</td><td>304</td><td>202</td><td>AVERAGE</td></tr><tr><td>3</td><td>11570.00</td><td>45.42</td><td>74.00</td><td>-28.58</td><td>57.14</td><td>38.20</td><td>16.41</td><td>66.33</td><td>0.00</td><td>--</td><td>--</td><td>PEAK</td></tr><tr><td>4</td><td>17355.00</td><td>49.55</td><td>68.20</td><td>-18.65</td><td>52.62</td><td>41.10</td><td>20.24</td><td>64.41</td><td>0.00</td><td>--</td><td>--</td><td>PEAK</td></tr></table>								Limit		Read		Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor				MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg		1	7713.31	54.31	74.00	-19.69	71.95	36.13	13.12	66.89	0.00	304	202	PEAK	2	7713.31	52.99	54.00	-1.01	70.63	36.13	13.12	66.89	0.00	304	202	AVERAGE	3	11570.00	45.42	74.00	-28.58	57.14	38.20	16.41	66.33	0.00	--	--	PEAK	4	17355.00	49.55	68.20	-18.65	52.62	41.10	20.24	64.41	0.00	--	--
		Limit		Read		Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																																																																																																																	
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																																																																																																																																																																					
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																																																																																																																																			
1	7713.31	49.82	74.00	-24.18	67.46	36.13	13.12	66.89	0.00	357	152	PEAK																																																																																																																																																																																	
2	7713.31	47.19	54.00	-6.81	64.83	36.13	13.12	66.89	0.00	357	152	AVERAGE																																																																																																																																																																																	
3	11570.00	45.04	74.00	-28.96	56.76	38.20	16.41	66.33	0.00	--	--	PEAK																																																																																																																																																																																	
4	17355.00	51.75	68.20	-16.45	54.81	41.10	20.24	64.40	0.00	--	--	PEAK																																																																																																																																																																																	
		Limit		Read		Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																																																																																																																	
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																																																																																																																																																																					
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																																																																																																																																			
1	7713.31	54.31	74.00	-19.69	71.95	36.13	13.12	66.89	0.00	304	202	PEAK																																																																																																																																																																																	
2	7713.31	52.99	54.00	-1.01	70.63	36.13	13.12	66.89	0.00	304	202	AVERAGE																																																																																																																																																																																	
3	11570.00	45.42	74.00	-28.58	57.14	38.20	16.41	66.33	0.00	--	--	PEAK																																																																																																																																																																																	
4	17355.00	49.55	68.20	-18.65	52.62	41.10	20.24	64.41	0.00	--	--	PEAK																																																																																																																																																																																	





Mode	36																																																																																																																																				
	Band Edge																																																																																																																																				
	U-NII-3_5.725-5.85_802.11ac VHT20_CH165_5825MHz																																																																																																																																				
ANT	1																																																																																																																																				
Pol.	Horizontal						Fundamental																																																																																																																														
Peak																																																																																																																																					
	<table><thead><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>5853.60</td><td>50.75</td><td>114.09</td><td>-55.34</td><td>40.15</td><td>34.82</td><td>14.15</td><td>30.37</td><td>0.00</td><td>267</td><td>77 PEAK</td></tr><tr><td>2</td><td>5874.00</td><td>55.65</td><td>105.58</td><td>-49.93</td><td>37.02</td><td>34.94</td><td>14.07</td><td>30.38</td><td>0.00</td><td>267</td><td>77 PEAK</td></tr><tr><td>3</td><td>5923.20</td><td>57.03</td><td>69.53</td><td>-12.50</td><td>38.47</td><td>35.10</td><td>13.86</td><td>30.40</td><td>0.00</td><td>267</td><td>77 PEAK</td></tr><tr><td>4</td><td>5946.00</td><td>57.15</td><td>68.20</td><td>-11.05</td><td>38.70</td><td>35.10</td><td>13.77</td><td>30.42</td><td>0.00</td><td>267</td><td>77 PEAK</td></tr></tbody></table>							Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor			MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5853.60	50.75	114.09	-55.34	40.15	34.82	14.15	30.37	0.00	267	77 PEAK	2	5874.00	55.65	105.58	-49.93	37.02	34.94	14.07	30.38	0.00	267	77 PEAK	3	5923.20	57.03	69.53	-12.50	38.47	35.10	13.86	30.40	0.00	267	77 PEAK	4	5946.00	57.15	68.20	-11.05	38.70	35.10	13.77	30.42	0.00	267	77 PEAK	<table><thead><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>5825.00</td><td>97.28</td><td>-----</td><td>-----</td><td>78.53</td><td>34.80</td><td>14.27</td><td>30.32</td><td>0.00</td><td>267</td><td>77 PEAK</td></tr></tbody></table>						Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor			MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5825.00	97.28	-----	-----	78.53	34.80	14.27	30.32	0.00	267	77 PEAK
		Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																																																											
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																																																																																																													
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																																											
1	5853.60	50.75	114.09	-55.34	40.15	34.82	14.15	30.37	0.00	267	77 PEAK																																																																																																																										
2	5874.00	55.65	105.58	-49.93	37.02	34.94	14.07	30.38	0.00	267	77 PEAK																																																																																																																										
3	5923.20	57.03	69.53	-12.50	38.47	35.10	13.86	30.40	0.00	267	77 PEAK																																																																																																																										
4	5946.00	57.15	68.20	-11.05	38.70	35.10	13.77	30.42	0.00	267	77 PEAK																																																																																																																										
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																																																												
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																																																																																																													
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																																											
1	5825.00	97.28	-----	-----	78.53	34.80	14.27	30.32	0.00	267	77 PEAK																																																																																																																										
Avg	Blank																																																																																																																																				
							<table><thead><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>5825.00</td><td>88.43</td><td>-----</td><td>-----</td><td>69.68</td><td>34.80</td><td>14.27</td><td>30.32</td><td>0.00</td><td>267</td><td>77 AVERAGE</td></tr></tbody></table>						Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor			MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5825.00	88.43	-----	-----	69.68	34.80	14.27	30.32	0.00	267	77 AVERAGE																																																																															
		Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																																																											
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																																																																																																													
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																																											
1	5825.00	88.43	-----	-----	69.68	34.80	14.27	30.32	0.00	267	77 AVERAGE																																																																																																																										





Mode	36																																																																																																																																										
	Band Edge																																																																																																																																										
	U-NII-3_5.725-5.85_802.11ac VHT20_CH165_5825MHz																																																																																																																																										
ANT	1																																																																																																																																										
Pol.	Vertical						Fundamental																																																																																																																																				
Peak																																																																																																																																											
	<table><thead><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>5854.00</td><td>53.89</td><td>111.36</td><td>-57.47</td><td>35.28</td><td>34.83</td><td>14.15</td><td>30.37</td><td>0.00</td><td>302</td><td>112</td><td>PEAK</td></tr><tr><td>2</td><td>5870.40</td><td>57.34</td><td>106.59</td><td>-49.25</td><td>38.72</td><td>34.92</td><td>14.08</td><td>30.38</td><td>0.00</td><td>302</td><td>112</td><td>PEAK</td></tr><tr><td>3</td><td>5923.20</td><td>55.92</td><td>69.53</td><td>-13.61</td><td>37.36</td><td>35.10</td><td>13.86</td><td>30.40</td><td>0.00</td><td>302</td><td>112</td><td>PEAK</td></tr><tr><td>4</td><td>5988.00</td><td>57.61</td><td>68.20</td><td>-10.59</td><td>39.35</td><td>35.10</td><td>13.60</td><td>30.44</td><td>0.00</td><td>302</td><td>112</td><td>PEAK</td></tr></tbody></table>							Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1	5854.00	53.89	111.36	-57.47	35.28	34.83	14.15	30.37	0.00	302	112	PEAK	2	5870.40	57.34	106.59	-49.25	38.72	34.92	14.08	30.38	0.00	302	112	PEAK	3	5923.20	55.92	69.53	-13.61	37.36	35.10	13.86	30.40	0.00	302	112	PEAK	4	5988.00	57.61	68.20	-10.59	39.35	35.10	13.60	30.44	0.00	302	112	PEAK	<table><thead><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>5825.00</td><td>103.26</td><td>-----</td><td>-----</td><td>84.51</td><td>34.80</td><td>14.27</td><td>30.32</td><td>0.00</td><td>302</td><td>112</td><td>PEAK</td></tr></tbody></table>							Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1	5825.00	103.26	-----	-----	84.51	34.80	14.27	30.32	0.00	302	112	PEAK
		Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																																																																	
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																																																																																																																			
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																																																																																	
1	5854.00	53.89	111.36	-57.47	35.28	34.83	14.15	30.37	0.00	302	112	PEAK																																																																																																																															
2	5870.40	57.34	106.59	-49.25	38.72	34.92	14.08	30.38	0.00	302	112	PEAK																																																																																																																															
3	5923.20	55.92	69.53	-13.61	37.36	35.10	13.86	30.40	0.00	302	112	PEAK																																																																																																																															
4	5988.00	57.61	68.20	-10.59	39.35	35.10	13.60	30.44	0.00	302	112	PEAK																																																																																																																															
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																																																																		
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																																																																																																																			
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																																																																																	
1	5825.00	103.26	-----	-----	84.51	34.80	14.27	30.32	0.00	302	112	PEAK																																																																																																																															
Avg	Blank																																																																																																																																										
							<table><thead><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>5825.00</td><td>94.91</td><td>-----</td><td>-----</td><td>76.16</td><td>34.80</td><td>14.27</td><td>30.32</td><td>0.00</td><td>302</td><td>112</td><td>AVERAGE</td></tr></tbody></table>							Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1	5825.00	94.91	-----	-----	76.16	34.80	14.27	30.32	0.00	302	112	AVERAGE																																																																																			
		Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																																																																	
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																																																																																																																			
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																																																																																	
1	5825.00	94.91	-----	-----	76.16	34.80	14.27	30.32	0.00	302	112	AVERAGE																																																																																																																															






Mode	36																																																																																																																																												
	Harmonic																																																																																																																																												
	U-NII-3_5.725-5.85_802.11ac VHT20_CH165_5825MHz																																																																																																																																												
ANT	1																																																																																																																																												
Pol.	Horizontal						Vertical																																																																																																																																						
Peak Avg																																																																																																																																													
	<table><tr><th colspan="2"></th><th colspan="2">Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th rowspan="2">Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th></th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>7766.67</td><td>42.85</td><td>68.20</td><td>-25.35</td><td>58.28</td><td>35.83</td><td>14.93</td><td>66.19</td><td>0.00</td><td>--</td><td>-- PEAK</td></tr><tr><td>2</td><td>11650.00</td><td>46.41</td><td>74.00</td><td>-27.59</td><td>53.85</td><td>38.20</td><td>18.72</td><td>64.36</td><td>0.00</td><td>--</td><td>-- PEAK</td></tr></table>								Limit		Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor				MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1	7766.67	42.85	68.20	-25.35	58.28	35.83	14.93	66.19	0.00	--	-- PEAK	2	11650.00	46.41	74.00	-27.59	53.85	38.20	18.72	64.36	0.00	--	-- PEAK	<table><tr><th colspan="2"></th><th colspan="2">Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th rowspan="2">Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th></th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>7766.67</td><td>56.13</td><td>68.20</td><td>-12.07</td><td>71.56</td><td>35.83</td><td>14.93</td><td>66.19</td><td>0.00</td><td>246</td><td>269 PEAK</td></tr><tr><td>2</td><td>11650.00</td><td>52.91</td><td>74.00</td><td>-21.09</td><td>60.35</td><td>38.20</td><td>18.72</td><td>64.36</td><td>0.00</td><td>300</td><td>327 PEAK</td></tr><tr><td>3</td><td>11650.00</td><td>41.99</td><td>54.00</td><td>-12.01</td><td>49.43</td><td>38.20</td><td>18.72</td><td>64.36</td><td>0.00</td><td>300</td><td>327 AVERAGE</td></tr></table>								Limit		Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor				MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1	7766.67	56.13	68.20	-12.07	71.56	35.83	14.93	66.19	0.00	246	269 PEAK	2	11650.00	52.91	74.00	-21.09	60.35	38.20	18.72	64.36	0.00	300	327 PEAK	3	11650.00	41.99	54.00	-12.01	49.43	38.20	18.72	64.36	0.00	300
		Limit		Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																																																																		
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																																																																																																																					
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																																																																																		
1	7766.67	42.85	68.20	-25.35	58.28	35.83	14.93	66.19	0.00	--	-- PEAK																																																																																																																																		
2	11650.00	46.41	74.00	-27.59	53.85	38.20	18.72	64.36	0.00	--	-- PEAK																																																																																																																																		
		Limit		Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																																																																		
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																																																																																																																					
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																																																																																		
1	7766.67	56.13	68.20	-12.07	71.56	35.83	14.93	66.19	0.00	246	269 PEAK																																																																																																																																		
2	11650.00	52.91	74.00	-21.09	60.35	38.20	18.72	64.36	0.00	300	327 PEAK																																																																																																																																		
3	11650.00	41.99	54.00	-12.01	49.43	38.20	18.72	64.36	0.00	300	327 AVERAGE																																																																																																																																		




Mode	37																																																																																																																																																						
	Harmonic																																																																																																																																																						
	U-NII-2C_U-NII-2C_802.11ac VHT40_CH142_5710MHz																																																																																																																																																						
ANT	1																																																																																																																																																						
Pol.	Horizontal						Vertical																																																																																																																																																
Peak Avg																																																																																																																																																							
	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line Margin</th><th>Level</th><th>Factor</th><th>Loss Factor</th><th>Factor</th><th></th><th></th><th>Remark</th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>7613.33</td><td>42.76</td><td>74.00</td><td>-31.24</td><td>58.15</td><td>35.78</td><td>14.77</td><td>65.94</td><td>0.00</td><td>--</td><td>--</td><td>PEAK</td></tr><tr><td>2</td><td>11420.00</td><td>47.50</td><td>74.00</td><td>-26.50</td><td>55.18</td><td>38.00</td><td>18.52</td><td>64.20</td><td>0.00</td><td>100</td><td>0</td><td>PEAK</td></tr><tr><td>3</td><td>11420.00</td><td>37.42</td><td>54.00</td><td>-16.58</td><td>45.08</td><td>38.00</td><td>18.53</td><td>64.19</td><td>0.00</td><td>100</td><td>0</td><td>AVERAGE</td></tr></table>							Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line Margin	Level	Factor	Loss Factor	Factor			Remark	MHz	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1	7613.33	42.76	74.00	-31.24	58.15	35.78	14.77	65.94	0.00	--	--	PEAK	2	11420.00	47.50	74.00	-26.50	55.18	38.00	18.52	64.20	0.00	100	0	PEAK	3	11420.00	37.42	54.00	-16.58	45.08	38.00	18.53	64.19	0.00	100	0	AVERAGE	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line Margin</th><th>Level</th><th>Factor</th><th>Loss Factor</th><th>Factor</th><th></th><th></th><th>Remark</th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>7613.31</td><td>54.19</td><td>74.00</td><td>-19.81</td><td>69.58</td><td>35.78</td><td>14.77</td><td>65.94</td><td>0.00</td><td>304</td><td>201</td><td>PEAK</td></tr><tr><td>2</td><td>7613.31</td><td>53.06</td><td>54.00</td><td>-0.94</td><td>68.45</td><td>35.78</td><td>14.77</td><td>65.94</td><td>0.00</td><td>304</td><td>201</td><td>AVERAGE</td></tr><tr><td>3</td><td>11420.00</td><td>47.42</td><td>74.00</td><td>-26.58</td><td>55.10</td><td>38.00</td><td>18.52</td><td>64.20</td><td>0.00</td><td>--</td><td>--</td><td>PEAK</td></tr></table>							Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line Margin	Level	Factor	Loss Factor	Factor			Remark	MHz	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	dB	cm	deg	1	7613.31	54.19	74.00	-19.81	69.58	35.78	14.77	65.94	0.00	304	201	PEAK	2	7613.31	53.06	54.00	-0.94	68.45	35.78	14.77	65.94	0.00	304	201	AVERAGE	3	11420.00	47.42	74.00	-26.58	55.10	38.00	18.52	64.20	0.00	--	--	PEAK
		Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																																																																														
	Freq	Level	Line Margin	Level	Factor	Loss Factor	Factor			Remark																																																																																																																																													
MHz	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																																																																																														
1	7613.33	42.76	74.00	-31.24	58.15	35.78	14.77	65.94	0.00	--	--	PEAK																																																																																																																																											
2	11420.00	47.50	74.00	-26.50	55.18	38.00	18.52	64.20	0.00	100	0	PEAK																																																																																																																																											
3	11420.00	37.42	54.00	-16.58	45.08	38.00	18.53	64.19	0.00	100	0	AVERAGE																																																																																																																																											
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																																																																															
Freq	Level	Line Margin	Level	Factor	Loss Factor	Factor			Remark																																																																																																																																														
MHz	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	dB	cm	deg																																																																																																																																													
1	7613.31	54.19	74.00	-19.81	69.58	35.78	14.77	65.94	0.00	304	201	PEAK																																																																																																																																											
2	7613.31	53.06	54.00	-0.94	68.45	35.78	14.77	65.94	0.00	304	201	AVERAGE																																																																																																																																											
3	11420.00	47.42	74.00	-26.58	55.10	38.00	18.52	64.20	0.00	--	--	PEAK																																																																																																																																											



Mode	38																																																																																																																																								
	Band Edge - L																																																																																																																																								
	U-NII-3_5.725-5.85_802.11ac VHT40_CH151_5755MHz																																																																																																																																								
ANT	1																																																																																																																																								
Pol.	Horizontal						Fundamental																																																																																																																																		
Peak																																																																																																																																									
	<table><thead><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th colspan="2">Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th></th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>5605.09</td><td>57.10</td><td>68.20</td><td>-11.10</td><td>39.40</td><td>34.51</td><td>13.19</td><td>30.00</td><td>0.00</td><td>300</td><td>81 PEAK</td></tr><tr><td>2</td><td>5650.07</td><td>55.75</td><td>68.25</td><td>-12.50</td><td>37.70</td><td>34.60</td><td>13.46</td><td>30.01</td><td>0.00</td><td>300</td><td>81 PEAK</td></tr><tr><td>3</td><td>5714.86</td><td>63.20</td><td>109.46</td><td>-46.26</td><td>44.84</td><td>34.63</td><td>13.85</td><td>30.12</td><td>0.00</td><td>300</td><td>81 PEAK</td></tr><tr><td>4</td><td>5720.13</td><td>62.57</td><td>111.19</td><td>-48.62</td><td>44.18</td><td>34.64</td><td>13.88</td><td>30.13</td><td>0.00</td><td>300</td><td>81 PEAK</td></tr></tbody></table>							Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor				MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5605.09	57.10	68.20	-11.10	39.40	34.51	13.19	30.00	0.00	300	81 PEAK	2	5650.07	55.75	68.25	-12.50	37.70	34.60	13.46	30.01	0.00	300	81 PEAK	3	5714.86	63.20	109.46	-46.26	44.84	34.63	13.85	30.12	0.00	300	81 PEAK	4	5720.13	62.57	111.19	-48.62	44.18	34.64	13.88	30.13	0.00	300	81 PEAK	<table><thead><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th colspan="2">Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th></th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>5755.00</td><td>94.11</td><td>-----</td><td>-----</td><td>75.48</td><td>34.72</td><td>14.11</td><td>30.20</td><td>0.00</td><td>300</td><td>81 PEAK</td></tr></tbody></table>						Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor				MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5755.00	94.11	-----	-----	75.48	34.72	14.11	30.20	0.00	300	81 PEAK
		Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																																																															
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																																																																																																																	
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																																															
1	5605.09	57.10	68.20	-11.10	39.40	34.51	13.19	30.00	0.00	300	81 PEAK																																																																																																																														
2	5650.07	55.75	68.25	-12.50	37.70	34.60	13.46	30.01	0.00	300	81 PEAK																																																																																																																														
3	5714.86	63.20	109.46	-46.26	44.84	34.63	13.85	30.12	0.00	300	81 PEAK																																																																																																																														
4	5720.13	62.57	111.19	-48.62	44.18	34.64	13.88	30.13	0.00	300	81 PEAK																																																																																																																														
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																																																																
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																																																																																																																	
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																																															
1	5755.00	94.11	-----	-----	75.48	34.72	14.11	30.20	0.00	300	81 PEAK																																																																																																																														
Avg	Blank																																																																																																																																								
							<table><thead><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th colspan="2">Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th></th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>5755.00</td><td>86.23</td><td>-----</td><td>-----</td><td>67.64</td><td>34.70</td><td>14.08</td><td>30.19</td><td>0.00</td><td>300</td><td>81 AVERAGE</td></tr></tbody></table>						Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor				MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5755.00	86.23	-----	-----	67.64	34.70	14.08	30.19	0.00	300	81 AVERAGE																																																																																	
		Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																																																															
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																																																																																																																	
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																																															
1	5755.00	86.23	-----	-----	67.64	34.70	14.08	30.19	0.00	300	81 AVERAGE																																																																																																																														




Mode	38																																																																																
	Band Edge - R																																																																																
	U-NII-3_ 5.725-5.85_ 802.11ac VHT40_ CH151_ 5755MHz																																																																																
ANT	1																																																																																
Pol.	Horizontal	Fundamental																																																																															
Peak	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5854.45</td><td>56.29</td><td>112.15</td><td>-55.86</td><td>37.68</td><td>34.83</td><td>14.15</td><td>30.37</td><td>0.00</td><td>300</td><td>81 PEAK</td></tr><tr><td>2</td><td>5870.25</td><td>57.94</td><td>106.63</td><td>-48.69</td><td>39.32</td><td>34.92</td><td>14.08</td><td>30.38</td><td>0.00</td><td>300</td><td>81 PEAK</td></tr><tr><td>3</td><td>5921.34</td><td>56.64</td><td>70.91</td><td>-14.27</td><td>38.07</td><td>35.10</td><td>13.87</td><td>30.40</td><td>0.00</td><td>300</td><td>81 PEAK</td></tr><tr><td>4</td><td>5939.28</td><td>57.92</td><td>68.20</td><td>-10.28</td><td>39.43</td><td>35.10</td><td>13.88</td><td>30.41</td><td>0.00</td><td>300</td><td>81 PEAK</td></tr></table>		Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1	5854.45	56.29	112.15	-55.86	37.68	34.83	14.15	30.37	0.00	300	81 PEAK	2	5870.25	57.94	106.63	-48.69	39.32	34.92	14.08	30.38	0.00	300	81 PEAK	3	5921.34	56.64	70.91	-14.27	38.07	35.10	13.87	30.40	0.00	300	81 PEAK	4	5939.28	57.92	68.20	-10.28	39.43	35.10	13.88	30.41	0.00	300	81 PEAK	Blank
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																								
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																																																									
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																							
1	5854.45	56.29	112.15	-55.86	37.68	34.83	14.15	30.37	0.00	300	81 PEAK																																																																						
2	5870.25	57.94	106.63	-48.69	39.32	34.92	14.08	30.38	0.00	300	81 PEAK																																																																						
3	5921.34	56.64	70.91	-14.27	38.07	35.10	13.87	30.40	0.00	300	81 PEAK																																																																						
4	5939.28	57.92	68.20	-10.28	39.43	35.10	13.88	30.41	0.00	300	81 PEAK																																																																						





Mode	38																																																																																																																																								
	Band Edge - L																																																																																																																																								
	U-NII-3_5.725-5.85_802.11ac VHT40_CH151_5755MHz																																																																																																																																								
ANT	1																																																																																																																																								
Pol.	Vertical						Fundamental																																																																																																																																		
Peak																																																																																																																																									
	<table><thead><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th></th><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>5637.20</td><td>57.91</td><td>68.20</td><td>-10.29</td><td>39.95</td><td>34.57</td><td>13.38</td><td>29.99</td><td>0.00</td><td>326</td><td>112 PEAK</td></tr><tr><td>2</td><td>5650.38</td><td>56.29</td><td>68.48</td><td>-12.19</td><td>38.24</td><td>34.60</td><td>13.46</td><td>30.01</td><td>0.00</td><td>326</td><td>112 PEAK</td></tr><tr><td>3</td><td>5713.62</td><td>69.57</td><td>109.11</td><td>-39.54</td><td>51.22</td><td>34.63</td><td>13.84</td><td>30.12</td><td>0.00</td><td>326</td><td>112 PEAK</td></tr><tr><td>4</td><td>5721.21</td><td>72.06</td><td>113.66</td><td>-41.60</td><td>53.66</td><td>34.64</td><td>13.89</td><td>30.13</td><td>0.00</td><td>326</td><td>112 PEAK</td></tr></tbody></table>							Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor			MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1	5637.20	57.91	68.20	-10.29	39.95	34.57	13.38	29.99	0.00	326	112 PEAK	2	5650.38	56.29	68.48	-12.19	38.24	34.60	13.46	30.01	0.00	326	112 PEAK	3	5713.62	69.57	109.11	-39.54	51.22	34.63	13.84	30.12	0.00	326	112 PEAK	4	5721.21	72.06	113.66	-41.60	53.66	34.64	13.89	30.13	0.00	326	112 PEAK	<table><thead><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th></th><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>5755.00</td><td>102.70</td><td>-----</td><td>-----</td><td>84.07</td><td>34.72</td><td>14.11</td><td>30.20</td><td>0.00</td><td>326</td><td>112 PEAK</td></tr></tbody></table>						Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor			MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1	5755.00	102.70	-----	-----	84.07	34.72	14.11	30.20	0.00	326	112 PEAK
		Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																																																															
	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																																																																																																																
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																																																																														
1	5637.20	57.91	68.20	-10.29	39.95	34.57	13.38	29.99	0.00	326	112 PEAK																																																																																																																														
2	5650.38	56.29	68.48	-12.19	38.24	34.60	13.46	30.01	0.00	326	112 PEAK																																																																																																																														
3	5713.62	69.57	109.11	-39.54	51.22	34.63	13.84	30.12	0.00	326	112 PEAK																																																																																																																														
4	5721.21	72.06	113.66	-41.60	53.66	34.64	13.89	30.13	0.00	326	112 PEAK																																																																																																																														
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																																																																
	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																																																																																																																
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																																																																														
1	5755.00	102.70	-----	-----	84.07	34.72	14.11	30.20	0.00	326	112 PEAK																																																																																																																														
Avg																																																																																																																																									
	<table><thead><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th></th><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>5755.00</td><td>93.82</td><td>-----</td><td>-----</td><td>75.23</td><td>34.70</td><td>14.08</td><td>30.19</td><td>0.00</td><td>326</td><td>112 AVERAGE</td></tr></tbody></table>							Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor			MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1	5755.00	93.82	-----	-----	75.23	34.70	14.08	30.19	0.00	326	112 AVERAGE	<table><thead><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th></th><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>5755.00</td><td>93.82</td><td>-----</td><td>-----</td><td>75.23</td><td>34.70</td><td>14.08</td><td>30.19</td><td>0.00</td><td>326</td><td>112 AVERAGE</td></tr></tbody></table>						Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor			MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1	5755.00	93.82	-----	-----	75.23	34.70	14.08	30.19	0.00	326	112 AVERAGE																																				
		Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																																																															
	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																																																																																																																
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																																																																														
1	5755.00	93.82	-----	-----	75.23	34.70	14.08	30.19	0.00	326	112 AVERAGE																																																																																																																														
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																																																																
	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																																																																																																																
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																																																																														
1	5755.00	93.82	-----	-----	75.23	34.70	14.08	30.19	0.00	326	112 AVERAGE																																																																																																																														
	Blank																																																																																																																																								






Mode	38																																																																																														
	Band Edge - R																																																																																														
	U-NII-3_5.725-5.85_802.11ac VHT40_CH151_5755MHz																																																																																														
ANT	1																																																																																														
Pol.	Vertical						Fundamental																																																																																								
Peak	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5853.67</td><td>57.78</td><td>113.93</td><td>-56.15</td><td>39.18</td><td>34.82</td><td>14.15</td><td>30.37</td><td>0.00</td><td>326</td><td>112</td><td>PEAK</td></tr><tr><td>2</td><td>5874.34</td><td>57.09</td><td>105.48</td><td>-48.39</td><td>38.45</td><td>34.95</td><td>14.07</td><td>30.38</td><td>0.00</td><td>326</td><td>112</td><td>PEAK</td></tr><tr><td>3</td><td>5923.48</td><td>57.42</td><td>69.32</td><td>-11.90</td><td>38.86</td><td>35.10</td><td>13.86</td><td>30.40</td><td>0.00</td><td>326</td><td>112</td><td>PEAK</td></tr><tr><td>4</td><td>5941.03</td><td>57.42</td><td>68.20</td><td>-10.78</td><td>38.94</td><td>35.10</td><td>13.79</td><td>30.41</td><td>0.00</td><td>326</td><td>112</td><td>PEAK</td></tr></table>							Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1	5853.67	57.78	113.93	-56.15	39.18	34.82	14.15	30.37	0.00	326	112	PEAK	2	5874.34	57.09	105.48	-48.39	38.45	34.95	14.07	30.38	0.00	326	112	PEAK	3	5923.48	57.42	69.32	-11.90	38.86	35.10	13.86	30.40	0.00	326	112	PEAK	4	5941.03	57.42	68.20	-10.78	38.94	35.10	13.79	30.41	0.00	326	112	PEAK	Blank					
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																						
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																																																																							
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																																					
1	5853.67	57.78	113.93	-56.15	39.18	34.82	14.15	30.37	0.00	326	112	PEAK																																																																																			
2	5874.34	57.09	105.48	-48.39	38.45	34.95	14.07	30.38	0.00	326	112	PEAK																																																																																			
3	5923.48	57.42	69.32	-11.90	38.86	35.10	13.86	30.40	0.00	326	112	PEAK																																																																																			
4	5941.03	57.42	68.20	-10.78	38.94	35.10	13.79	30.41	0.00	326	112	PEAK																																																																																			




Mode	38																																																																																																																																																																																												
	Harmonic																																																																																																																																																																																												
	U-NII-3_5.725-5.85_802.11ac VHT40_CH151_5755MHz																																																																																																																																																																																												
ANT	1																																																																																																																																																																																												
Pol.	Horizontal											Vertical																																																																																																																																																																																	
Peak Avg																																																																																																																																																																																													
	<table><tr><th colspan="2"></th><th colspan="2">Limit</th><th colspan="2">Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th rowspan="2">Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th></th><th></th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th><th></th></tr><tr><td>1</td><td>7673.20</td><td>48.81</td><td>74.00</td><td>-25.19</td><td>66.55</td><td>36.05</td><td>13.08</td><td>66.87</td><td>0.00</td><td>300</td><td>142</td><td>Peak</td></tr><tr><td>2</td><td>7673.20</td><td>45.67</td><td>54.00</td><td>-8.33</td><td>63.41</td><td>36.05</td><td>13.08</td><td>66.87</td><td>0.00</td><td>300</td><td>142</td><td>Average</td></tr><tr><td>3</td><td>11510.00</td><td>44.88</td><td>74.00</td><td>-29.12</td><td>56.64</td><td>38.20</td><td>16.37</td><td>66.33</td><td>0.00</td><td>--</td><td>--</td><td>PEAK</td></tr><tr><td>4</td><td>17265.00</td><td>48.70</td><td>68.20</td><td>-19.50</td><td>51.78</td><td>41.05</td><td>20.17</td><td>64.30</td><td>0.00</td><td>--</td><td>--</td><td>PEAK</td></tr></table>													Limit		Read		Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor				MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg		1	7673.20	48.81	74.00	-25.19	66.55	36.05	13.08	66.87	0.00	300	142	Peak	2	7673.20	45.67	54.00	-8.33	63.41	36.05	13.08	66.87	0.00	300	142	Average	3	11510.00	44.88	74.00	-29.12	56.64	38.20	16.37	66.33	0.00	--	--	PEAK	4	17265.00	48.70	68.20	-19.50	51.78	41.05	20.17	64.30	0.00	--	--	PEAK	<table><tr><th colspan="2"></th><th colspan="2">Limit</th><th colspan="2">Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th rowspan="2">Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th></th><th></th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th><th></th></tr><tr><td>1</td><td>7673.31</td><td>54.38</td><td>74.00</td><td>-19.62</td><td>72.12</td><td>36.05</td><td>13.08</td><td>66.87</td><td>0.00</td><td>292</td><td>201</td><td>PEAK</td></tr><tr><td>2</td><td>7673.31</td><td>52.70</td><td>54.00</td><td>-1.30</td><td>70.44</td><td>36.05</td><td>13.08</td><td>66.87</td><td>0.00</td><td>292</td><td>201</td><td>AVERAGE</td></tr><tr><td>3</td><td>11510.00</td><td>45.62</td><td>74.00</td><td>-28.38</td><td>57.38</td><td>38.20</td><td>16.37</td><td>66.33</td><td>0.00</td><td>--</td><td>--</td><td>PEAK</td></tr><tr><td>4</td><td>17265.00</td><td>50.29</td><td>68.20</td><td>-17.91</td><td>53.37</td><td>41.07</td><td>20.18</td><td>64.33</td><td>0.00</td><td>--</td><td>--</td><td>PEAK</td></tr></table>			Limit		Read		Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor				MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg		1	7673.31	54.38	74.00	-19.62	72.12	36.05	13.08	66.87	0.00	292	201	PEAK	2	7673.31	52.70	54.00	-1.30	70.44	36.05	13.08	66.87	0.00	292	201	AVERAGE	3	11510.00	45.62	74.00	-28.38	57.38	38.20	16.37	66.33	0.00	--	--	PEAK	4	17265.00	50.29	68.20	-17.91	53.37	41.07	20.18	64.33	0.00	--	--
		Limit		Read		Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																																																																																																																	
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																																																																																																																																																																					
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																																																																																																																																			
1	7673.20	48.81	74.00	-25.19	66.55	36.05	13.08	66.87	0.00	300	142	Peak																																																																																																																																																																																	
2	7673.20	45.67	54.00	-8.33	63.41	36.05	13.08	66.87	0.00	300	142	Average																																																																																																																																																																																	
3	11510.00	44.88	74.00	-29.12	56.64	38.20	16.37	66.33	0.00	--	--	PEAK																																																																																																																																																																																	
4	17265.00	48.70	68.20	-19.50	51.78	41.05	20.17	64.30	0.00	--	--	PEAK																																																																																																																																																																																	
		Limit		Read		Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																																																																																																																	
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																																																																																																																																																																					
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																																																																																																																																			
1	7673.31	54.38	74.00	-19.62	72.12	36.05	13.08	66.87	0.00	292	201	PEAK																																																																																																																																																																																	
2	7673.31	52.70	54.00	-1.30	70.44	36.05	13.08	66.87	0.00	292	201	AVERAGE																																																																																																																																																																																	
3	11510.00	45.62	74.00	-28.38	57.38	38.20	16.37	66.33	0.00	--	--	PEAK																																																																																																																																																																																	
4	17265.00	50.29	68.20	-17.91	53.37	41.07	20.18	64.33	0.00	--	--	PEAK																																																																																																																																																																																	






Mode	39																																																																																																																		
	Band Edge - L																																																																																																																		
	U-NII-3_5.725-5.85_802.11ac VHT40_CH159_5795MHz																																																																																																																		
ANT	1																																																																																																																		
Pol.	Horizontal						Fundamental																																																																																																												
Peak																																																																																																																			
	<table><thead><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th colspan="2">Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>5638.80</td><td>58.51</td><td>68.20</td><td>-9.69</td><td>40.53</td><td>34.58</td><td>13.39</td><td>29.99</td><td>0.00</td><td>300</td><td>78 PEAK</td></tr><tr><td>2</td><td>5658.80</td><td>55.56</td><td>68.80</td><td>-13.24</td><td>37.51</td><td>34.60</td><td>13.46</td><td>30.01</td><td>0.00</td><td>300</td><td>78 PEAK</td></tr><tr><td>3</td><td>5781.60</td><td>55.39</td><td>105.75</td><td>-50.36</td><td>37.12</td><td>34.60</td><td>13.77</td><td>30.10</td><td>0.00</td><td>300</td><td>78 PEAK</td></tr><tr><td>4</td><td>5720.00</td><td>57.75</td><td>110.90</td><td>-53.15</td><td>39.36</td><td>34.64</td><td>13.88</td><td>30.13</td><td>0.00</td><td>300</td><td>78 PEAK</td></tr></tbody></table>							Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	cm	deg	1	5638.80	58.51	68.20	-9.69	40.53	34.58	13.39	29.99	0.00	300	78 PEAK	2	5658.80	55.56	68.80	-13.24	37.51	34.60	13.46	30.01	0.00	300	78 PEAK	3	5781.60	55.39	105.75	-50.36	37.12	34.60	13.77	30.10	0.00	300	78 PEAK	4	5720.00	57.75	110.90	-53.15	39.36	34.64	13.88	30.13	0.00	300	78 PEAK	<table><thead><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th colspan="2">Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>5795.00</td><td>95.30</td><td>-----</td><td>-----</td><td>76.40</td><td>34.80</td><td>14.37</td><td>30.27</td><td>0.00</td><td>300</td><td>78 PEAK</td></tr></tbody></table>						Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	cm	deg	1	5795.00	95.30	-----	-----	76.40	34.80	14.37	30.27	0.00	300	78 PEAK
		Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																																									
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	cm	deg																																																																																																									
1	5638.80	58.51	68.20	-9.69	40.53	34.58	13.39	29.99	0.00	300	78 PEAK																																																																																																								
2	5658.80	55.56	68.80	-13.24	37.51	34.60	13.46	30.01	0.00	300	78 PEAK																																																																																																								
3	5781.60	55.39	105.75	-50.36	37.12	34.60	13.77	30.10	0.00	300	78 PEAK																																																																																																								
4	5720.00	57.75	110.90	-53.15	39.36	34.64	13.88	30.13	0.00	300	78 PEAK																																																																																																								
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																																										
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	cm	deg																																																																																																									
1	5795.00	95.30	-----	-----	76.40	34.80	14.37	30.27	0.00	300	78 PEAK																																																																																																								
Avg	Blank																																																																																																																		
							<table><thead><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th colspan="2">Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>5795.00</td><td>86.38</td><td>-----</td><td>-----</td><td>67.48</td><td>34.80</td><td>14.37</td><td>30.27</td><td>0.00</td><td>300</td><td>78 AVERAGE</td></tr></tbody></table>						Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	cm	deg	1	5795.00	86.38	-----	-----	67.48	34.80	14.37	30.27	0.00	300	78 AVERAGE																																																																						
		Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																																									
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	cm	deg																																																																																																									
1	5795.00	86.38	-----	-----	67.48	34.80	14.37	30.27	0.00	300	78 AVERAGE																																																																																																								




Mode	39																																																																																				
	Band Edge - R																																																																																				
	U-NII-3_5.725-5.85_802.11ac VHT40_CH159_5795MHz																																																																																				
ANT	1																																																																																				
Pol.	Horizontal	Fundamental																																																																																			
Peak	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5854.00</td><td>54.91</td><td>111.36</td><td>-56.45</td><td>36.30</td><td>34.83</td><td>14.15</td><td>30.37</td><td>0.00</td><td>300</td><td>78</td><td>PEAK</td></tr><tr><td>2</td><td>5874.00</td><td>55.60</td><td>105.36</td><td>-49.76</td><td>36.97</td><td>34.95</td><td>14.06</td><td>30.38</td><td>0.00</td><td>300</td><td>78</td><td>PEAK</td></tr><tr><td>3</td><td>5924.00</td><td>56.94</td><td>68.94</td><td>-12.00</td><td>38.38</td><td>35.10</td><td>13.86</td><td>30.40</td><td>0.00</td><td>300</td><td>78</td><td>PEAK</td></tr><tr><td>4</td><td>5926.00</td><td>56.95</td><td>68.20</td><td>-11.25</td><td>38.41</td><td>35.10</td><td>13.85</td><td>30.41</td><td>0.00</td><td>300</td><td>78</td><td>PEAK</td></tr></table>		Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5854.00	54.91	111.36	-56.45	36.30	34.83	14.15	30.37	0.00	300	78	PEAK	2	5874.00	55.60	105.36	-49.76	36.97	34.95	14.06	30.38	0.00	300	78	PEAK	3	5924.00	56.94	68.94	-12.00	38.38	35.10	13.86	30.40	0.00	300	78	PEAK	4	5926.00	56.95	68.20	-11.25	38.41	35.10	13.85	30.41	0.00	300	78	PEAK	Blank
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																													
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark																																																																												
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																											
1	5854.00	54.91	111.36	-56.45	36.30	34.83	14.15	30.37	0.00	300	78	PEAK																																																																									
2	5874.00	55.60	105.36	-49.76	36.97	34.95	14.06	30.38	0.00	300	78	PEAK																																																																									
3	5924.00	56.94	68.94	-12.00	38.38	35.10	13.86	30.40	0.00	300	78	PEAK																																																																									
4	5926.00	56.95	68.20	-11.25	38.41	35.10	13.85	30.41	0.00	300	78	PEAK																																																																									





Mode	39																																																																																																																							
	Band Edge - L																																																																																																																							
	U-NII-3_5.725-5.85_802.11ac VHT40_CH159_5795MHz																																																																																																																							
ANT	1																																																																																																																							
Pol.	Vertical						Fundamental																																																																																																																	
Peak																																																																																																																								
	<table><thead><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th colspan="2">Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>5634.00</td><td>56.72</td><td>68.20</td><td>-11.48</td><td>38.78</td><td>34.57</td><td>13.36</td><td>29.99</td><td>0.00</td><td>321</td><td>113</td><td>PEAK</td></tr><tr><td>2</td><td>5658.80</td><td>55.31</td><td>68.80</td><td>-13.49</td><td>37.26</td><td>34.60</td><td>13.46</td><td>30.01</td><td>0.00</td><td>321</td><td>113</td><td>PEAK</td></tr><tr><td>3</td><td>5700.00</td><td>54.61</td><td>105.30</td><td>-50.69</td><td>36.35</td><td>34.60</td><td>13.76</td><td>30.10</td><td>0.00</td><td>321</td><td>113</td><td>PEAK</td></tr><tr><td>4</td><td>5720.00</td><td>56.90</td><td>110.90</td><td>-54.00</td><td>38.51</td><td>34.64</td><td>13.88</td><td>30.13</td><td>0.00</td><td>321</td><td>113</td><td>PEAK</td></tr></tbody></table>							Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	cm	deg	1	5634.00	56.72	68.20	-11.48	38.78	34.57	13.36	29.99	0.00	321	113	PEAK	2	5658.80	55.31	68.80	-13.49	37.26	34.60	13.46	30.01	0.00	321	113	PEAK	3	5700.00	54.61	105.30	-50.69	36.35	34.60	13.76	30.10	0.00	321	113	PEAK	4	5720.00	56.90	110.90	-54.00	38.51	34.64	13.88	30.13	0.00	321	113	PEAK	<table><thead><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th colspan="2">Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>5795.00</td><td>101.88</td><td>-----</td><td>-----</td><td>82.98</td><td>34.80</td><td>14.37</td><td>30.27</td><td>0.00</td><td>321</td><td>113</td><td>PEAK</td></tr></tbody></table>							Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	cm	deg	1	5795.00	101.88	-----	-----	82.98	34.80	14.37	30.27	0.00	321	113
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																																															
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	cm	deg																																																																																																														
1	5634.00	56.72	68.20	-11.48	38.78	34.57	13.36	29.99	0.00	321	113	PEAK																																																																																																												
2	5658.80	55.31	68.80	-13.49	37.26	34.60	13.46	30.01	0.00	321	113	PEAK																																																																																																												
3	5700.00	54.61	105.30	-50.69	36.35	34.60	13.76	30.10	0.00	321	113	PEAK																																																																																																												
4	5720.00	56.90	110.90	-54.00	38.51	34.64	13.88	30.13	0.00	321	113	PEAK																																																																																																												
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																																															
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	cm	deg																																																																																																														
1	5795.00	101.88	-----	-----	82.98	34.80	14.37	30.27	0.00	321	113	PEAK																																																																																																												
Avg	Blank																																																																																																																							
							<table><thead><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th colspan="2">Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>5795.00</td><td>93.18</td><td>-----</td><td>-----</td><td>74.28</td><td>34.80</td><td>14.37</td><td>30.27</td><td>0.00</td><td>321</td><td>113</td><td>AVERAGE</td></tr></tbody></table>							Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	cm	deg	1	5795.00	93.18	-----	-----	74.28	34.80	14.37	30.27	0.00	321	113	AVERAGE																																																																									
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																																															
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	cm	deg																																																																																																														
1	5795.00	93.18	-----	-----	74.28	34.80	14.37	30.27	0.00	321	113	AVERAGE																																																																																																												



Mode	39																																																																																														
	Band Edge - R																																																																																														
	U-NII-3_5.725-5.85_802.11ac VHT40_CH159_5795MHz																																																																																														
ANT	1																																																																																														
Pol.	Vertical						Fundamental																																																																																								
Peak	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5854.00</td><td>54.88</td><td>111.36</td><td>-56.48</td><td>36.27</td><td>34.83</td><td>14.15</td><td>30.37</td><td>0.00</td><td>321</td><td>113</td><td>PEAK</td></tr><tr><td>2</td><td>5874.00</td><td>55.72</td><td>105.36</td><td>-49.64</td><td>37.09</td><td>34.95</td><td>14.06</td><td>30.38</td><td>0.00</td><td>321</td><td>113</td><td>PEAK</td></tr><tr><td>3</td><td>5924.00</td><td>55.44</td><td>68.94</td><td>-13.50</td><td>36.88</td><td>35.10</td><td>13.86</td><td>30.40</td><td>0.00</td><td>321</td><td>113</td><td>PEAK</td></tr><tr><td>4</td><td>5960.00</td><td>58.00</td><td>68.20</td><td>-10.20</td><td>39.61</td><td>35.10</td><td>13.71</td><td>30.42</td><td>0.00</td><td>321</td><td>113</td><td>PEAK</td></tr></table>							Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1	5854.00	54.88	111.36	-56.48	36.27	34.83	14.15	30.37	0.00	321	113	PEAK	2	5874.00	55.72	105.36	-49.64	37.09	34.95	14.06	30.38	0.00	321	113	PEAK	3	5924.00	55.44	68.94	-13.50	36.88	35.10	13.86	30.40	0.00	321	113	PEAK	4	5960.00	58.00	68.20	-10.20	39.61	35.10	13.71	30.42	0.00	321	113	PEAK	Blank					
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																						
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																																																																							
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																																					
1	5854.00	54.88	111.36	-56.48	36.27	34.83	14.15	30.37	0.00	321	113	PEAK																																																																																			
2	5874.00	55.72	105.36	-49.64	37.09	34.95	14.06	30.38	0.00	321	113	PEAK																																																																																			
3	5924.00	55.44	68.94	-13.50	36.88	35.10	13.86	30.40	0.00	321	113	PEAK																																																																																			
4	5960.00	58.00	68.20	-10.20	39.61	35.10	13.71	30.42	0.00	321	113	PEAK																																																																																			






Mode	39																																																																																																																																												
	Harmonic																																																																																																																																												
	U-NII-3_5.725-5.85_802.11ac VHT40_CH159_5795MHz																																																																																																																																												
ANT	1																																																																																																																																												
Pol.	Horizontal	Vertical																																																																																																																																											
Peak Avg																																																																																																																																													
	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th>Remark</th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th></th></tr><tr><td>1 7726.73</td><td>47.60</td><td>74.00</td><td>-26.40</td><td>65.21</td><td>36.15</td><td>13.13</td><td>66.89</td><td>0.00</td><td>-- -- Peak</td></tr><tr><td>2 11590.00</td><td>44.97</td><td>74.00</td><td>-29.03</td><td>56.68</td><td>38.20</td><td>16.42</td><td>66.33</td><td>0.00</td><td>-- -- PEAK</td></tr><tr><td>3 17385.00</td><td>48.53</td><td>68.20</td><td>-19.67</td><td>51.60</td><td>41.10</td><td>20.26</td><td>64.43</td><td>0.00</td><td>-- -- PEAK</td></tr></table>		Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB		1 7726.73	47.60	74.00	-26.40	65.21	36.15	13.13	66.89	0.00	-- -- Peak	2 11590.00	44.97	74.00	-29.03	56.68	38.20	16.42	66.33	0.00	-- -- PEAK	3 17385.00	48.53	68.20	-19.67	51.60	41.10	20.26	64.43	0.00	-- -- PEAK	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th>Remark</th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th></th></tr><tr><td>1 7726.65</td><td>54.58</td><td>74.00</td><td>-19.42</td><td>72.19</td><td>36.15</td><td>13.13</td><td>66.89</td><td>0.00</td><td>300 202 PEAK</td></tr><tr><td>2 7726.65</td><td>52.88</td><td>54.00</td><td>-1.12</td><td>70.49</td><td>36.15</td><td>13.13</td><td>66.89</td><td>0.00</td><td>300 202 AVERAGE</td></tr><tr><td>3 11590.00</td><td>51.38</td><td>74.00</td><td>-22.62</td><td>63.09</td><td>38.20</td><td>16.42</td><td>66.33</td><td>0.00</td><td>326 67 PEAK</td></tr><tr><td>4 11590.00</td><td>41.56</td><td>54.00</td><td>-12.44</td><td>53.27</td><td>38.20</td><td>16.42</td><td>66.33</td><td>0.00</td><td>326 67 AVERAGE</td></tr><tr><td>5 17385.00</td><td>51.62</td><td>68.20</td><td>-16.58</td><td>54.69</td><td>41.10</td><td>20.26</td><td>64.43</td><td>0.00</td><td>-- -- PEAK</td></tr></table>		Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB		1 7726.65	54.58	74.00	-19.42	72.19	36.15	13.13	66.89	0.00	300 202 PEAK	2 7726.65	52.88	54.00	-1.12	70.49	36.15	13.13	66.89	0.00	300 202 AVERAGE	3 11590.00	51.38	74.00	-22.62	63.09	38.20	16.42	66.33	0.00	326 67 PEAK	4 11590.00	41.56	54.00	-12.44	53.27	38.20	16.42	66.33	0.00	326 67 AVERAGE	5 17385.00	51.62	68.20	-16.58	54.69	41.10	20.26	64.43	0.00
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																																																																					
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark																																																																																																																																				
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB																																																																																																																																					
1 7726.73	47.60	74.00	-26.40	65.21	36.15	13.13	66.89	0.00	-- -- Peak																																																																																																																																				
2 11590.00	44.97	74.00	-29.03	56.68	38.20	16.42	66.33	0.00	-- -- PEAK																																																																																																																																				
3 17385.00	48.53	68.20	-19.67	51.60	41.10	20.26	64.43	0.00	-- -- PEAK																																																																																																																																				
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																																																																					
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark																																																																																																																																				
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB																																																																																																																																					
1 7726.65	54.58	74.00	-19.42	72.19	36.15	13.13	66.89	0.00	300 202 PEAK																																																																																																																																				
2 7726.65	52.88	54.00	-1.12	70.49	36.15	13.13	66.89	0.00	300 202 AVERAGE																																																																																																																																				
3 11590.00	51.38	74.00	-22.62	63.09	38.20	16.42	66.33	0.00	326 67 PEAK																																																																																																																																				
4 11590.00	41.56	54.00	-12.44	53.27	38.20	16.42	66.33	0.00	326 67 AVERAGE																																																																																																																																				
5 17385.00	51.62	68.20	-16.58	54.69	41.10	20.26	64.43	0.00	-- -- PEAK																																																																																																																																				




Mode	40																																																																																																																									
	Harmonic																																																																																																																									
	U-NII-2C_U-NII-2C_802.11ac VHT80_CH138_5690MHz																																																																																																																									
ANT	1																																																																																																																									
Pol.	Horizontal						Vertical																																																																																																																			
Peak Avg																																																																																																																										
	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th>Remark</th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th></th></tr><tr><td>1</td><td>7586.67</td><td>43.09</td><td>74.00</td><td>-30.91</td><td>58.50</td><td>35.73</td><td>14.75</td><td>65.89</td><td>0.00 -- -- PEAK</td></tr><tr><td>2</td><td>11300.00</td><td>46.67</td><td>74.00</td><td>-27.33</td><td>54.46</td><td>37.98</td><td>18.48</td><td>64.25</td><td>0.00 -- -- PEAK</td></tr></table>							Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB		1	7586.67	43.09	74.00	-30.91	58.50	35.73	14.75	65.89	0.00 -- -- PEAK	2	11300.00	46.67	74.00	-27.33	54.46	37.98	18.48	64.25	0.00 -- -- PEAK	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th>Remark</th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th></th></tr><tr><td>1</td><td>7586.67</td><td>54.22</td><td>74.00</td><td>-19.78</td><td>69.63</td><td>35.73</td><td>14.75</td><td>65.89</td><td>0.00 296 100 PEAK</td></tr><tr><td>2</td><td>7586.67</td><td>53.07</td><td>54.00</td><td>-0.93</td><td>68.48</td><td>35.73</td><td>14.75</td><td>65.89</td><td>0.00 296 100 AVERAGE</td></tr><tr><td>3</td><td>11300.00</td><td>45.99</td><td>74.00</td><td>-28.01</td><td>53.78</td><td>37.98</td><td>18.48</td><td>64.25</td><td>0.00 -- -- PEAK</td></tr></table>							Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB		1	7586.67	54.22	74.00	-19.78	69.63	35.73	14.75	65.89	0.00 296 100 PEAK	2	7586.67	53.07	54.00	-0.93	68.48	35.73	14.75	65.89	0.00 296 100 AVERAGE	3	11300.00	45.99	74.00	-28.01	53.78	37.98	18.48	64.25	0.00 -- -- PEAK
		Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																																																	
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark																																																																																																																	
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB																																																																																																																		
1	7586.67	43.09	74.00	-30.91	58.50	35.73	14.75	65.89	0.00 -- -- PEAK																																																																																																																	
2	11300.00	46.67	74.00	-27.33	54.46	37.98	18.48	64.25	0.00 -- -- PEAK																																																																																																																	
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																																																		
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark																																																																																																																	
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB																																																																																																																		
1	7586.67	54.22	74.00	-19.78	69.63	35.73	14.75	65.89	0.00 296 100 PEAK																																																																																																																	
2	7586.67	53.07	54.00	-0.93	68.48	35.73	14.75	65.89	0.00 296 100 AVERAGE																																																																																																																	
3	11300.00	45.99	74.00	-28.01	53.78	37.98	18.48	64.25	0.00 -- -- PEAK																																																																																																																	






Mode	41																																																																																																																							
	Band Edge - L																																																																																																																							
	U-NII-3_5.725-5.85_802.11ac VHT80_CH155_5775MHz																																																																																																																							
ANT	1																																																																																																																							
Pol.	Horizontal					Fundamental																																																																																																																		
Peak																																																																																																																								
	<table><thead><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th></tr></thead><tbody><tr><td>1 5629.20</td><td>57.87</td><td>68.20</td><td>-10.33</td><td>39.97</td><td>34.56</td><td>13.33</td><td>29.99</td><td>0.00</td><td>275</td></tr><tr><td>2 5658.40</td><td>55.17</td><td>68.50</td><td>-13.33</td><td>37.12</td><td>34.60</td><td>13.46</td><td>30.01</td><td>0.00</td><td>275</td></tr><tr><td>3 5704.80</td><td>61.02</td><td>106.65</td><td>-45.63</td><td>42.72</td><td>34.61</td><td>13.79</td><td>30.10</td><td>0.00</td><td>275</td></tr><tr><td>4 5720.00</td><td>62.54</td><td>110.90</td><td>-48.36</td><td>44.15</td><td>34.64</td><td>13.88</td><td>30.13</td><td>0.00</td><td>275</td></tr></tbody></table>						Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	1 5629.20	57.87	68.20	-10.33	39.97	34.56	13.33	29.99	0.00	275	2 5658.40	55.17	68.50	-13.33	37.12	34.60	13.46	30.01	0.00	275	3 5704.80	61.02	106.65	-45.63	42.72	34.61	13.79	30.10	0.00	275	4 5720.00	62.54	110.90	-48.36	44.15	34.64	13.88	30.13	0.00	275	<table><thead><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th></tr></thead><tbody><tr><td>1 5775.00</td><td>90.84</td><td>-----</td><td>-----</td><td>72.13</td><td>34.74</td><td>14.19</td><td>30.22</td><td>0.00</td><td>275</td></tr></tbody></table>						Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	1 5775.00	90.84	-----	-----	72.13	34.74	14.19	30.22	0.00	275
		Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																																														
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																																																																																																
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm																																																																																																															
1 5629.20	57.87	68.20	-10.33	39.97	34.56	13.33	29.99	0.00	275																																																																																																															
2 5658.40	55.17	68.50	-13.33	37.12	34.60	13.46	30.01	0.00	275																																																																																																															
3 5704.80	61.02	106.65	-45.63	42.72	34.61	13.79	30.10	0.00	275																																																																																																															
4 5720.00	62.54	110.90	-48.36	44.15	34.64	13.88	30.13	0.00	275																																																																																																															
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																																															
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																																																																																																
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm																																																																																																															
1 5775.00	90.84	-----	-----	72.13	34.74	14.19	30.22	0.00	275																																																																																																															
Avg	Blank																																																																																																																							
						<table><thead><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th></tr></thead><tbody><tr><td>1 5775.00</td><td>82.44</td><td>-----</td><td>-----</td><td>63.73</td><td>34.74</td><td>14.19</td><td>30.22</td><td>0.00</td><td>275</td></tr></tbody></table>						Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	1 5775.00	82.44	-----	-----	63.73	34.74	14.19	30.22	0.00	275																																																																						
		Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																																														
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																																																																																																
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm																																																																																																															
1 5775.00	82.44	-----	-----	63.73	34.74	14.19	30.22	0.00	275																																																																																																															
					79 AVERAGE																																																																																																																			




Mode	41																																																																																													
	Band Edge - R																																																																																													
	U-NII-3_5.725-5.85_802.11ac VHT80_CH155_5775MHz																																																																																													
ANT	1																																																																																													
Pol.	Horizontal						Fundamental																																																																																							
Peak	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5854.00</td><td>55.04</td><td>111.36</td><td>-56.32</td><td>36.43</td><td>34.83</td><td>14.15</td><td>30.37</td><td>0.00</td><td>275</td><td>79</td><td>PEAK</td></tr><tr><td>2</td><td>5868.00</td><td>59.82</td><td>107.26</td><td>-47.44</td><td>41.20</td><td>34.91</td><td>14.09</td><td>30.38</td><td>0.00</td><td>275</td><td>79</td><td>PEAK</td></tr><tr><td>3</td><td>5924.40</td><td>55.70</td><td>68.64</td><td>-12.94</td><td>37.14</td><td>35.10</td><td>13.86</td><td>30.40</td><td>0.00</td><td>275</td><td>79</td><td>PEAK</td></tr><tr><td>4</td><td>5932.00</td><td>56.34</td><td>68.20</td><td>-11.86</td><td>37.82</td><td>35.10</td><td>13.83</td><td>30.41</td><td>0.00</td><td>275</td><td>79</td><td>PEAK</td></tr></table>							Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1	5854.00	55.04	111.36	-56.32	36.43	34.83	14.15	30.37	0.00	275	79	PEAK	2	5868.00	59.82	107.26	-47.44	41.20	34.91	14.09	30.38	0.00	275	79	PEAK	3	5924.40	55.70	68.64	-12.94	37.14	35.10	13.86	30.40	0.00	275	79	PEAK	4	5932.00	56.34	68.20	-11.86	37.82	35.10	13.83	30.41	0.00	275	79	PEAK	Blank				
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																					
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																																																																						
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																																				
1	5854.00	55.04	111.36	-56.32	36.43	34.83	14.15	30.37	0.00	275	79	PEAK																																																																																		
2	5868.00	59.82	107.26	-47.44	41.20	34.91	14.09	30.38	0.00	275	79	PEAK																																																																																		
3	5924.40	55.70	68.64	-12.94	37.14	35.10	13.86	30.40	0.00	275	79	PEAK																																																																																		
4	5932.00	56.34	68.20	-11.86	37.82	35.10	13.83	30.41	0.00	275	79	PEAK																																																																																		



Mode	41																																																																																																																																													
	Band Edge - L																																																																																																																																													
	U-NII-3_5.725-5.85_802.11ac VHT80_CH155_5775MHz																																																																																																																																													
ANT	1																																																																																																																																													
Pol.	Vertical						Fundamental																																																																																																																																							
Peak																																																																																																																																														
	<table><thead><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th colspan="2">Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th></th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>5631.60</td><td>57.44</td><td>68.20</td><td>-10.76</td><td>39.53</td><td>34.56</td><td>13.34</td><td>29.99</td><td>0.00</td><td>309</td><td>111</td><td>PEAK</td></tr><tr><td>2</td><td>5658.00</td><td>54.82</td><td>68.20</td><td>-13.38</td><td>36.78</td><td>34.60</td><td>13.45</td><td>30.01</td><td>0.00</td><td>309</td><td>111</td><td>PEAK</td></tr><tr><td>3</td><td>5706.00</td><td>69.50</td><td>106.98</td><td>-37.48</td><td>51.20</td><td>34.61</td><td>13.80</td><td>30.11</td><td>0.00</td><td>309</td><td>111</td><td>PEAK</td></tr><tr><td>4</td><td>5720.40</td><td>68.89</td><td>111.81</td><td>-42.92</td><td>50.50</td><td>34.64</td><td>13.88</td><td>30.13</td><td>0.00</td><td>309</td><td>111</td><td>PEAK</td></tr></tbody></table>							Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor			MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1	5631.60	57.44	68.20	-10.76	39.53	34.56	13.34	29.99	0.00	309	111	PEAK	2	5658.00	54.82	68.20	-13.38	36.78	34.60	13.45	30.01	0.00	309	111	PEAK	3	5706.00	69.50	106.98	-37.48	51.20	34.61	13.80	30.11	0.00	309	111	PEAK	4	5720.40	68.89	111.81	-42.92	50.50	34.64	13.88	30.13	0.00	309	111	PEAK	<table><thead><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th colspan="2">Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th></th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>5775.00</td><td>97.36</td><td>-----</td><td>-----</td><td>78.62</td><td>34.75</td><td>14.22</td><td>30.23</td><td>0.00</td><td>309</td><td>111</td><td>PEAK</td></tr></tbody></table>						Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor			MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	dB	cm	deg	1	5775.00	97.36	-----	-----	78.62	34.75	14.22	30.23	0.00	309	111
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																																																																					
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																																																																																																																						
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																																																																																				
1	5631.60	57.44	68.20	-10.76	39.53	34.56	13.34	29.99	0.00	309	111	PEAK																																																																																																																																		
2	5658.00	54.82	68.20	-13.38	36.78	34.60	13.45	30.01	0.00	309	111	PEAK																																																																																																																																		
3	5706.00	69.50	106.98	-37.48	51.20	34.61	13.80	30.11	0.00	309	111	PEAK																																																																																																																																		
4	5720.40	68.89	111.81	-42.92	50.50	34.64	13.88	30.13	0.00	309	111	PEAK																																																																																																																																		
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																																																																					
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																																																																																																																						
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	dB	cm	deg																																																																																																																																			
1	5775.00	97.36	-----	-----	78.62	34.75	14.22	30.23	0.00	309	111	PEAK																																																																																																																																		
Avg	Blank																																																																																																																																													
							<table><thead><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th colspan="2">Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th></th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>5775.00</td><td>89.77</td><td>-----</td><td>-----</td><td>71.06</td><td>34.74</td><td>14.19</td><td>30.22</td><td>0.00</td><td>309</td><td>111</td><td>AVERAGE</td></tr></tbody></table>						Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor			MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	dB	cm	deg	1	5775.00	89.77	-----	-----	71.06	34.74	14.19	30.22	0.00	309	111	AVERAGE																																																																																				
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																																																																					
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																																																																																																																						
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	dB	cm	deg																																																																																																																																			
1	5775.00	89.77	-----	-----	71.06	34.74	14.19	30.22	0.00	309	111	AVERAGE																																																																																																																																		







Mode	41																																																																																													
	Band Edge - R																																																																																													
	U-NII-3_5.725-5.85_802.11ac VHT80_CH155_5775MHz																																																																																													
ANT	1																																																																																													
Pol.	Vertical						Fundamental																																																																																							
Peak	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5854.80</td><td>60.35</td><td>111.36</td><td>-51.01</td><td>41.74</td><td>34.83</td><td>14.15</td><td>30.37</td><td>0.00</td><td>309</td><td>111</td><td>PEAK</td></tr><tr><td>2</td><td>5872.80</td><td>59.65</td><td>105.92</td><td>-46.27</td><td>41.02</td><td>34.94</td><td>14.07</td><td>30.38</td><td>0.00</td><td>309</td><td>111</td><td>PEAK</td></tr><tr><td>3</td><td>5922.80</td><td>56.26</td><td>69.83</td><td>-13.57</td><td>37.69</td><td>35.10</td><td>13.87</td><td>30.40</td><td>0.00</td><td>309</td><td>111</td><td>PEAK</td></tr><tr><td>4</td><td>5943.20</td><td>58.51</td><td>68.20</td><td>-9.69</td><td>40.04</td><td>35.10</td><td>13.78</td><td>30.41</td><td>0.00</td><td>309</td><td>111</td><td>PEAK</td></tr></table>							Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1	5854.80	60.35	111.36	-51.01	41.74	34.83	14.15	30.37	0.00	309	111	PEAK	2	5872.80	59.65	105.92	-46.27	41.02	34.94	14.07	30.38	0.00	309	111	PEAK	3	5922.80	56.26	69.83	-13.57	37.69	35.10	13.87	30.40	0.00	309	111	PEAK	4	5943.20	58.51	68.20	-9.69	40.04	35.10	13.78	30.41	0.00	309	111	PEAK	Blank				
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																					
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																																																																						
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																																				
1	5854.80	60.35	111.36	-51.01	41.74	34.83	14.15	30.37	0.00	309	111	PEAK																																																																																		
2	5872.80	59.65	105.92	-46.27	41.02	34.94	14.07	30.38	0.00	309	111	PEAK																																																																																		
3	5922.80	56.26	69.83	-13.57	37.69	35.10	13.87	30.40	0.00	309	111	PEAK																																																																																		
4	5943.20	58.51	68.20	-9.69	40.04	35.10	13.78	30.41	0.00	309	111	PEAK																																																																																		







Mode	41																																																																																							
	Harmonic																																																																																							
	U-NII-3_5.725-5.85_802.11ac VHT80_CH155_5775MHz																																																																																							
ANT	1																																																																																							
Pol.	Horizontal						Vertical																																																																																	
Peak Avg																																																																																								
	<table><tr><th colspan="2"></th><th colspan="2">Limit</th><th colspan="2">Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th rowspan="2">Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th></th><th></th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th><th></th></tr><tr><td>1</td><td>7700.33</td><td>47.69</td><td>74.00</td><td>-26.31</td><td>65.36</td><td>36.10</td><td>13.11</td><td>66.88</td><td>0.00</td><td>--</td><td>--</td><td>Peak</td></tr><tr><td>2</td><td>11550.00</td><td>44.73</td><td>74.00</td><td>-29.27</td><td>56.47</td><td>38.20</td><td>16.39</td><td>66.33</td><td>0.00</td><td>--</td><td>--</td><td>PEAK</td></tr><tr><td>3</td><td>17325.00</td><td>47.60</td><td>68.20</td><td>-20.60</td><td>50.65</td><td>41.10</td><td>20.21</td><td>64.36</td><td>0.00</td><td>--</td><td>--</td><td>PEAK</td></tr></table>														Limit		Read		Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor				MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	dB	cm	deg		1	7700.33	47.69	74.00	-26.31	65.36	36.10	13.11	66.88	0.00	--	--	Peak	2	11550.00	44.73	74.00	-29.27	56.47	38.20	16.39	66.33	0.00	--	--	PEAK	3	17325.00	47.60	68.20	-20.60	50.65	41.10	20.21	64.36	0.00	--	--
		Limit		Read		Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																												
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																																																																
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	dB	cm	deg																																																																													
1	7700.33	47.69	74.00	-26.31	65.36	36.10	13.11	66.88	0.00	--	--	Peak																																																																												
2	11550.00	44.73	74.00	-29.27	56.47	38.20	16.39	66.33	0.00	--	--	PEAK																																																																												
3	17325.00	47.60	68.20	-20.60	50.65	41.10	20.21	64.36	0.00	--	--	PEAK																																																																												





Co-location

		43																																																																																													
Mode		Band Edge																																																																																													
		2400-2483.5_2400-2483.5_Bluetooth-LE_GSKF_CH39_2480MHz																																																																																													
ANT		1																																																																																													
Pol.	Horizontal					Fundamental																																																																																									
Peak																																																																																															
	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line Margin</th><th>Level Factor</th><th>Loss Factor</th><th>Loss Factor</th><th>Factor</th><th></th><th></th><th></th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>2483.50</td><td>49.79</td><td>74.00</td><td>-24.21</td><td>40.91</td><td>32.47</td><td>7.26</td><td>36.85</td><td>6.00</td><td>100</td><td>193 PEAK</td></tr></table>						Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line Margin	Level Factor	Loss Factor	Loss Factor	Factor					MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	2483.50	49.79	74.00	-24.21	40.91	32.47	7.26	36.85	6.00	100	193 PEAK	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line Margin</th><th>Level Factor</th><th>Loss Factor</th><th>Loss Factor</th><th>Factor</th><th></th><th></th><th></th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>2480.00</td><td>92.78</td><td>-----</td><td>-----</td><td>83.93</td><td>32.46</td><td>7.25</td><td>36.86</td><td>6.00</td><td>100</td><td>193 PEAK</td></tr></table>						Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line Margin	Level Factor	Loss Factor	Loss Factor	Factor					MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	2480.00	92.78	-----	-----	83.93	32.46	7.25	36.86	6.00	100
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																						
Freq	Level	Line Margin	Level Factor	Loss Factor	Loss Factor	Factor																																																																																									
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																					
1	2483.50	49.79	74.00	-24.21	40.91	32.47	7.26	36.85	6.00	100	193 PEAK																																																																																				
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																						
Freq	Level	Line Margin	Level Factor	Loss Factor	Loss Factor	Factor																																																																																									
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																					
1	2480.00	92.78	-----	-----	83.93	32.46	7.25	36.86	6.00	100	193 PEAK																																																																																				
Avg																																																																																															
	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line Margin</th><th>Level Factor</th><th>Loss Factor</th><th>Loss Factor</th><th>Factor</th><th></th><th></th><th></th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>2483.46</td><td>39.30</td><td>54.00</td><td>-14.70</td><td>30.41</td><td>32.47</td><td>7.26</td><td>36.84</td><td>6.00</td><td>100</td><td>193 AVERAGE</td></tr></table>						Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line Margin	Level Factor	Loss Factor	Loss Factor	Factor					MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	2483.46	39.30	54.00	-14.70	30.41	32.47	7.26	36.84	6.00	100	193 AVERAGE	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line Margin</th><th>Level Factor</th><th>Loss Factor</th><th>Loss Factor</th><th>Factor</th><th></th><th></th><th></th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>2480.00</td><td>91.88</td><td>-----</td><td>-----</td><td>83.03</td><td>32.46</td><td>7.25</td><td>36.86</td><td>6.00</td><td>100</td><td>193 AVERAGE</td></tr></table>						Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line Margin	Level Factor	Loss Factor	Loss Factor	Factor					MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	2480.00	91.88	-----	-----	83.03	32.46	7.25	36.86	6.00	100
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																						
Freq	Level	Line Margin	Level Factor	Loss Factor	Loss Factor	Factor																																																																																									
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																					
1	2483.46	39.30	54.00	-14.70	30.41	32.47	7.26	36.84	6.00	100	193 AVERAGE																																																																																				
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																						
Freq	Level	Line Margin	Level Factor	Loss Factor	Loss Factor	Factor																																																																																									
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																					
1	2480.00	91.88	-----	-----	83.03	32.46	7.25	36.86	6.00	100	193 AVERAGE																																																																																				






Mode	43																																																																																																		
	Band Edge																																																																																																		
	2400-2483.5_2400-2483.5_Bluetooth-LE_GSKF_CH39_2480MHz																																																																																																		
ANT	1																																																																																																		
Pol.	Vertical						Fundamental																																																																																												
Peak																																																																																																			
	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>2483.62</td><td>52.71</td><td>74.00</td><td>-21.29</td><td>43.83</td><td>32.47</td><td>7.26</td><td>36.85</td><td>6.00</td><td>263</td><td>195</td><td>PEAK</td></tr></table>							Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	2483.62	52.71	74.00	-21.29	43.83	32.47	7.26	36.85	6.00	263	195	PEAK	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>2480.00</td><td>95.50</td><td>-----</td><td>-----</td><td>86.65</td><td>32.46</td><td>7.25</td><td>36.86</td><td>6.00</td><td>263</td><td>195</td><td>PEAK</td></tr></table>							Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	2480.00	95.50	-----	-----	86.65	32.46	7.25	36.86	6.00	263	195
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																											
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark																																																																																										
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																									
1	2483.62	52.71	74.00	-21.29	43.83	32.47	7.26	36.85	6.00	263	195	PEAK																																																																																							
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																											
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark																																																																																										
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																									
1	2480.00	95.50	-----	-----	86.65	32.46	7.25	36.86	6.00	263	195	PEAK																																																																																							
Avg																																																																																																			
	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>2484.34</td><td>39.44</td><td>54.00</td><td>-14.56</td><td>30.56</td><td>32.47</td><td>7.26</td><td>36.85</td><td>6.00</td><td>263</td><td>195</td><td>AVERAGE</td></tr></table>							Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	2484.34	39.44	54.00	-14.56	30.56	32.47	7.26	36.85	6.00	263	195	AVERAGE	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>2480.00</td><td>94.98</td><td>-----</td><td>-----</td><td>86.13</td><td>32.46</td><td>7.25</td><td>36.86</td><td>6.00</td><td>263</td><td>195</td><td>AVERAGE</td></tr></table>							Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	2480.00	94.98	-----	-----	86.13	32.46	7.25	36.86	6.00	263	195
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																											
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark																																																																																										
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																									
1	2484.34	39.44	54.00	-14.56	30.56	32.47	7.26	36.85	6.00	263	195	AVERAGE																																																																																							
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																											
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark																																																																																										
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																									
1	2480.00	94.98	-----	-----	86.13	32.46	7.25	36.86	6.00	263	195	AVERAGE																																																																																							




Mode	43																																																																																															
	Harmonic																																																																																															
	2400-2483.5_2400-2483.5_Bluetooth-LE_GSKF_CH39_2480MHz																																																																																															
ANT	1																																																																																															
Pol.	Horizontal						Vertical																																																																																									
Peak Avg																																																																																																
	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>4960.00</td><td>39.19</td><td>74.00</td><td>-34.81</td><td>60.16</td><td>34.22</td><td>10.40</td><td>65.59</td><td>0.00</td><td>--</td><td>PEAK</td></tr></table>							Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	4960.00	39.19	74.00	-34.81	60.16	34.22	10.40	65.59	0.00	--	PEAK	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>4960.00</td><td>40.25</td><td>74.00</td><td>-33.75</td><td>61.22</td><td>34.22</td><td>10.40</td><td>65.59</td><td>0.00</td><td>--</td><td>PEAK</td></tr></table>						Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	4960.00	40.25	74.00	-33.75	61.22	34.22	10.40	65.59	0.00	--
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																								
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark																																																																																							
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																						
1	4960.00	39.19	74.00	-34.81	60.16	34.22	10.40	65.59	0.00	--	PEAK																																																																																					
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																								
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark																																																																																							
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																						
1	4960.00	40.25	74.00	-33.75	61.22	34.22	10.40	65.59	0.00	--	PEAK																																																																																					







Mode	43																																																																																													
	Band Edge - L																																																																																													
	U-NII-3_5.725-5.85_802.11a_CH157_5785MHz																																																																																													
ANT	1																																																																																													
Pol.	Horizontal						Fundamental																																																																																							
Peak																																																																																														
	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5600.40</td><td>52.47</td><td>68.20</td><td>-15.73</td><td>42.66</td><td>34.83</td><td>11.00</td><td>36.02</td><td>0.00</td><td>313</td><td>133</td><td>PEAK</td></tr><tr><td>2</td><td>5654.40</td><td>51.39</td><td>71.48</td><td>-20.09</td><td>41.62</td><td>34.88</td><td>11.00</td><td>36.19</td><td>0.00</td><td>313</td><td>133</td><td>PEAK</td></tr><tr><td>3</td><td>5715.60</td><td>52.47</td><td>109.67</td><td>-57.20</td><td>43.52</td><td>34.94</td><td>11.16</td><td>37.15</td><td>0.00</td><td>313</td><td>133</td><td>PEAK</td></tr><tr><td>4</td><td>5721.20</td><td>49.84</td><td>113.64</td><td>-63.80</td><td>40.96</td><td>34.94</td><td>11.17</td><td>37.23</td><td>0.00</td><td>313</td><td>133</td><td>PEAK</td></tr></table>													Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5600.40	52.47	68.20	-15.73	42.66	34.83	11.00	36.02	0.00	313	133	PEAK	2	5654.40	51.39	71.48	-20.09	41.62	34.88	11.00	36.19	0.00	313	133	PEAK	3	5715.60	52.47	109.67	-57.20	43.52	34.94	11.16	37.15	0.00	313	133	PEAK	4	5721.20	49.84	113.64	-63.80	40.96	34.94	11.17	37.23	0.00	313	133
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																						
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark																																																																																					
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																				
1	5600.40	52.47	68.20	-15.73	42.66	34.83	11.00	36.02	0.00	313	133	PEAK																																																																																		
2	5654.40	51.39	71.48	-20.09	41.62	34.88	11.00	36.19	0.00	313	133	PEAK																																																																																		
3	5715.60	52.47	109.67	-57.20	43.52	34.94	11.16	37.15	0.00	313	133	PEAK																																																																																		
4	5721.20	49.84	113.64	-63.80	40.96	34.94	11.17	37.23	0.00	313	133	PEAK																																																																																		
Avg	Blank																																																																																													
	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>2482.00</td><td>83.47</td><td>-----</td><td>80.61</td><td>32.46</td><td>7.25</td><td>36.85</td><td>0.00</td><td>313</td><td>133</td><td>AVERAGE</td></tr><tr><td>2</td><td>5785.00</td><td>86.66</td><td>-----</td><td>78.67</td><td>35.01</td><td>11.26</td><td>38.28</td><td>0.00</td><td>313</td><td>133</td><td>AVERAGE</td></tr></table>													Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	2482.00	83.47	-----	80.61	32.46	7.25	36.85	0.00	313	133	AVERAGE	2	5785.00	86.66	-----	78.67	35.01	11.26	38.28	0.00	313	133	AVERAGE																											
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																						
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark																																																																																					
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																				
1	2482.00	83.47	-----	80.61	32.46	7.25	36.85	0.00	313	133	AVERAGE																																																																																			
2	5785.00	86.66	-----	78.67	35.01	11.26	38.28	0.00	313	133	AVERAGE																																																																																			




Mode	43																																																																																				
	Band Edge - R																																																																																				
	U-NII-3_5.725-5.85_802.11a_CH157_5785MHz																																																																																				
ANT	1																																																																																				
Pol.	Horizontal	Fundamental																																																																																			
Peak	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th>Remark</th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5850.00</td><td>53.75</td><td>120.48</td><td>-66.73</td><td>46.63</td><td>35.06</td><td>11.33</td><td>39.27</td><td>0.00</td><td>313</td><td>133</td><td>PEAK</td></tr><tr><td>2</td><td>5856.00</td><td>50.70</td><td>110.62</td><td>-59.92</td><td>43.62</td><td>35.07</td><td>11.34</td><td>39.33</td><td>0.00</td><td>313</td><td>133</td><td>PEAK</td></tr><tr><td>3</td><td>5910.40</td><td>51.95</td><td>79.00</td><td>-27.05</td><td>44.68</td><td>35.12</td><td>11.39</td><td>39.24</td><td>0.00</td><td>313</td><td>133</td><td>PEAK</td></tr><tr><td>4</td><td>5985.60</td><td>50.98</td><td>68.20</td><td>-17.22</td><td>43.45</td><td>35.19</td><td>11.46</td><td>39.12</td><td>0.00</td><td>313</td><td>133</td><td>PEAK</td></tr></table>		Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1	5850.00	53.75	120.48	-66.73	46.63	35.06	11.33	39.27	0.00	313	133	PEAK	2	5856.00	50.70	110.62	-59.92	43.62	35.07	11.34	39.33	0.00	313	133	PEAK	3	5910.40	51.95	79.00	-27.05	44.68	35.12	11.39	39.24	0.00	313	133	PEAK	4	5985.60	50.98	68.20	-17.22	43.45	35.19	11.46	39.12	0.00	313	133	PEAK	Blank
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																													
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark																																																																												
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																											
1	5850.00	53.75	120.48	-66.73	46.63	35.06	11.33	39.27	0.00	313	133	PEAK																																																																									
2	5856.00	50.70	110.62	-59.92	43.62	35.07	11.34	39.33	0.00	313	133	PEAK																																																																									
3	5910.40	51.95	79.00	-27.05	44.68	35.12	11.39	39.24	0.00	313	133	PEAK																																																																									
4	5985.60	50.98	68.20	-17.22	43.45	35.19	11.46	39.12	0.00	313	133	PEAK																																																																									



Mode	43																																																																																																																																																			
	Band Edge - L																																																																																																																																																			
	U-NII-3_5.725-5.85_802.11a_CH157_5785MHz																																																																																																																																																			
ANT	1																																																																																																																																																			
Pol.	Vertical						Fundamental																																																																																																																																													
Peak																																																																																																																																																				
	<table><thead><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>5639.20</td><td>52.89</td><td>68.20</td><td>-15.31</td><td>42.92</td><td>34.87</td><td>11.06</td><td>35.96</td><td>0.00</td><td>300</td><td>263</td><td>PEAK</td></tr><tr><td>2</td><td>5656.40</td><td>52.59</td><td>72.97</td><td>-20.38</td><td>42.85</td><td>34.88</td><td>11.08</td><td>36.22</td><td>0.00</td><td>300</td><td>263</td><td>PEAK</td></tr><tr><td>3</td><td>5711.20</td><td>56.62</td><td>108.44</td><td>-51.82</td><td>47.61</td><td>34.93</td><td>11.16</td><td>37.08</td><td>0.00</td><td>300</td><td>263</td><td>PEAK</td></tr><tr><td>4</td><td>5722.40</td><td>51.49</td><td>116.37</td><td>-64.88</td><td>42.63</td><td>34.94</td><td>11.17</td><td>37.25</td><td>0.00</td><td>300</td><td>263</td><td>PEAK</td></tr></tbody></table>							Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1	5639.20	52.89	68.20	-15.31	42.92	34.87	11.06	35.96	0.00	300	263	PEAK	2	5656.40	52.59	72.97	-20.38	42.85	34.88	11.08	36.22	0.00	300	263	PEAK	3	5711.20	56.62	108.44	-51.82	47.61	34.93	11.16	37.08	0.00	300	263	PEAK	4	5722.40	51.49	116.37	-64.88	42.63	34.94	11.17	37.25	0.00	300	263	PEAK	<table><thead><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>2482.00</td><td>92.84</td><td>-----</td><td>89.98</td><td>32.46</td><td>7.25</td><td>36.85</td><td>0.00</td><td>300</td><td>263</td><td>Peak</td></tr><tr><td>2</td><td>5785.00</td><td>102.33</td><td>-----</td><td>94.34</td><td>35.01</td><td>11.26</td><td>38.28</td><td>0.00</td><td>300</td><td>263</td><td>PEAK</td></tr></tbody></table>						Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1	2482.00	92.84	-----	89.98	32.46	7.25	36.85	0.00	300	263	Peak	2	5785.00	102.33	-----	94.34	35.01	11.26	38.28	0.00	300	263
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																																																																											
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																																																																																																																												
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																																																																																										
1	5639.20	52.89	68.20	-15.31	42.92	34.87	11.06	35.96	0.00	300	263	PEAK																																																																																																																																								
2	5656.40	52.59	72.97	-20.38	42.85	34.88	11.08	36.22	0.00	300	263	PEAK																																																																																																																																								
3	5711.20	56.62	108.44	-51.82	47.61	34.93	11.16	37.08	0.00	300	263	PEAK																																																																																																																																								
4	5722.40	51.49	116.37	-64.88	42.63	34.94	11.17	37.25	0.00	300	263	PEAK																																																																																																																																								
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																																																																											
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																																																																																																																												
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																																																																																										
1	2482.00	92.84	-----	89.98	32.46	7.25	36.85	0.00	300	263	Peak																																																																																																																																									
2	5785.00	102.33	-----	94.34	35.01	11.26	38.28	0.00	300	263	PEAK																																																																																																																																									
Avg																																																																																																																																																				
	<table><thead><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>2482.00</td><td>91.47</td><td>-----</td><td>88.61</td><td>32.46</td><td>7.25</td><td>36.85</td><td>0.00</td><td>300</td><td>263</td><td>AVERAGE</td></tr><tr><td>2</td><td>5785.00</td><td>91.98</td><td>-----</td><td>83.99</td><td>35.01</td><td>11.26</td><td>38.28</td><td>0.00</td><td>300</td><td>263</td><td>AVERAGE</td></tr></tbody></table>							Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1	2482.00	91.47	-----	88.61	32.46	7.25	36.85	0.00	300	263	AVERAGE	2	5785.00	91.98	-----	83.99	35.01	11.26	38.28	0.00	300	263	AVERAGE	<table><thead><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>2482.00</td><td>91.47</td><td>-----</td><td>88.61</td><td>32.46</td><td>7.25</td><td>36.85</td><td>0.00</td><td>300</td><td>263</td><td>AVERAGE</td></tr><tr><td>2</td><td>5785.00</td><td>91.98</td><td>-----</td><td>83.99</td><td>35.01</td><td>11.26</td><td>38.28</td><td>0.00</td><td>300</td><td>263</td><td>AVERAGE</td></tr></tbody></table>						Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1	2482.00	91.47	-----	88.61	32.46	7.25	36.85	0.00	300	263	AVERAGE	2	5785.00	91.98	-----	83.99	35.01	11.26	38.28	0.00	300	263	AVERAGE																											
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																																																																											
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																																																																																																																												
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																																																																																										
1	2482.00	91.47	-----	88.61	32.46	7.25	36.85	0.00	300	263	AVERAGE																																																																																																																																									
2	5785.00	91.98	-----	83.99	35.01	11.26	38.28	0.00	300	263	AVERAGE																																																																																																																																									
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																																																																											
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																																																																																																																												
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																																																																																										
1	2482.00	91.47	-----	88.61	32.46	7.25	36.85	0.00	300	263	AVERAGE																																																																																																																																									
2	5785.00	91.98	-----	83.99	35.01	11.26	38.28	0.00	300	263	AVERAGE																																																																																																																																									






Mode	43																																																																							
	Band Edge - R																																																																							
	U-NII-3_5.725-5.85_802.11a_CH157_5785MHz																																																																							
ANT	1																																																																							
Pol.	Vertical	Fundamental																																																																						
Peak	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th></th><th></th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1 5853.20</td><td>54.31</td><td>115.00</td><td>-60.69</td><td>47.21</td><td>35.07</td><td>11.33</td><td>39.30</td><td>0.00</td><td>300 263 Peak</td></tr><tr><td>2 5862.80</td><td>53.62</td><td>108.71</td><td>-55.09</td><td>46.52</td><td>35.08</td><td>11.34</td><td>39.32</td><td>0.00</td><td>300 263 PEAK</td></tr><tr><td>3 5883.20</td><td>50.59</td><td>99.19</td><td>-48.60</td><td>43.41</td><td>35.10</td><td>11.36</td><td>39.28</td><td>0.00</td><td>300 263 PEAK</td></tr><tr><td>4 5945.20</td><td>50.55</td><td>68.20</td><td>-17.65</td><td>43.16</td><td>35.15</td><td>11.42</td><td>39.18</td><td>0.00</td><td>300 263 PEAK</td></tr></table>		Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor			MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1 5853.20	54.31	115.00	-60.69	47.21	35.07	11.33	39.30	0.00	300 263 Peak	2 5862.80	53.62	108.71	-55.09	46.52	35.08	11.34	39.32	0.00	300 263 PEAK	3 5883.20	50.59	99.19	-48.60	43.41	35.10	11.36	39.28	0.00	300 263 PEAK	4 5945.20	50.55	68.20	-17.65	43.16	35.15	11.42	39.18	0.00	300 263 PEAK	Blank
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																															
Freq	Level	Line	Margin	Level	Factor	Loss	Factor																																																																	
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																															
1 5853.20	54.31	115.00	-60.69	47.21	35.07	11.33	39.30	0.00	300 263 Peak																																																															
2 5862.80	53.62	108.71	-55.09	46.52	35.08	11.34	39.32	0.00	300 263 PEAK																																																															
3 5883.20	50.59	99.19	-48.60	43.41	35.10	11.36	39.28	0.00	300 263 PEAK																																																															
4 5945.20	50.55	68.20	-17.65	43.16	35.15	11.42	39.18	0.00	300 263 PEAK																																																															




Mode	43																																																																																																																																																																																													
	Harmonic																																																																																																																																																																																													
	U-NII-3_5.725-5.85_802.11a_CH157_5785MHZ																																																																																																																																																																																													
ANT	1																																																																																																																																																																																													
Pol.	Horizontal						Vertical																																																																																																																																																																																							
Peak Avg																																																																																																																																																																																														
	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th>Remark</th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>7713.53</td><td>51.63</td><td>74.00</td><td>-22.37</td><td>69.27</td><td>36.13</td><td>13.12</td><td>66.89</td><td>0.00</td><td>348</td><td>231</td><td>Peak</td></tr><tr><td>2</td><td>7713.53</td><td>50.39</td><td>54.00</td><td>-3.61</td><td>68.03</td><td>36.13</td><td>13.12</td><td>66.89</td><td>0.00</td><td>348</td><td>231</td><td>Average</td></tr><tr><td>3</td><td>11570.00</td><td>45.44</td><td>74.00</td><td>-28.56</td><td>57.16</td><td>38.20</td><td>16.41</td><td>66.33</td><td>0.00</td><td>--</td><td>--</td><td>PEAK</td></tr></table>							Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1	7713.53	51.63	74.00	-22.37	69.27	36.13	13.12	66.89	0.00	348	231	Peak	2	7713.53	50.39	54.00	-3.61	68.03	36.13	13.12	66.89	0.00	348	231	Average	3	11570.00	45.44	74.00	-28.56	57.16	38.20	16.41	66.33	0.00	--	--	PEAK	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th>Remark</th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>7049.13</td><td>45.38</td><td>68.20</td><td>-22.82</td><td>62.87</td><td>35.60</td><td>12.52</td><td>65.61</td><td>0.00</td><td>--</td><td>--</td><td>Peak</td></tr><tr><td>2</td><td>7713.53</td><td>54.43</td><td>74.00</td><td>-19.57</td><td>72.07</td><td>36.13</td><td>13.12</td><td>66.89</td><td>0.00</td><td>272</td><td>94</td><td>Peak</td></tr><tr><td>3</td><td>7713.53</td><td>52.91</td><td>54.00</td><td>-1.09</td><td>70.55</td><td>36.13</td><td>13.12</td><td>66.89</td><td>0.00</td><td>272</td><td>94</td><td>Average</td></tr><tr><td>4</td><td>11570.00</td><td>47.40</td><td>74.00</td><td>-26.60</td><td>59.12</td><td>38.20</td><td>16.41</td><td>66.33</td><td>0.00</td><td>300</td><td>0</td><td>PEAK</td></tr><tr><td>5</td><td>11570.00</td><td>35.39</td><td>54.00</td><td>-18.61</td><td>47.11</td><td>38.20</td><td>16.41</td><td>66.33</td><td>0.00</td><td>300</td><td>0</td><td>AVERAGE</td></tr><tr><td>6</td><td>17355.00</td><td>48.84</td><td>68.20</td><td>-19.36</td><td>51.90</td><td>41.10</td><td>20.24</td><td>64.40</td><td>0.00</td><td>--</td><td>--</td><td>PEAK</td></tr></table>							Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1	7049.13	45.38	68.20	-22.82	62.87	35.60	12.52	65.61	0.00	--	--	Peak	2	7713.53	54.43	74.00	-19.57	72.07	36.13	13.12	66.89	0.00	272	94	Peak	3	7713.53	52.91	54.00	-1.09	70.55	36.13	13.12	66.89	0.00	272	94	Average	4	11570.00	47.40	74.00	-26.60	59.12	38.20	16.41	66.33	0.00	300	0	PEAK	5	11570.00	35.39	54.00	-18.61	47.11	38.20	16.41	66.33	0.00	300	0	AVERAGE	6	17355.00	48.84	68.20	-19.36	51.90	41.10	20.24	64.40	0.00	--	--
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																																																																																																																						
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark																																																																																																																																																																																					
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																																																																																																																																				
1	7713.53	51.63	74.00	-22.37	69.27	36.13	13.12	66.89	0.00	348	231	Peak																																																																																																																																																																																		
2	7713.53	50.39	54.00	-3.61	68.03	36.13	13.12	66.89	0.00	348	231	Average																																																																																																																																																																																		
3	11570.00	45.44	74.00	-28.56	57.16	38.20	16.41	66.33	0.00	--	--	PEAK																																																																																																																																																																																		
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																																																																																																																						
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark																																																																																																																																																																																					
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																																																																																																																																				
1	7049.13	45.38	68.20	-22.82	62.87	35.60	12.52	65.61	0.00	--	--	Peak																																																																																																																																																																																		
2	7713.53	54.43	74.00	-19.57	72.07	36.13	13.12	66.89	0.00	272	94	Peak																																																																																																																																																																																		
3	7713.53	52.91	54.00	-1.09	70.55	36.13	13.12	66.89	0.00	272	94	Average																																																																																																																																																																																		
4	11570.00	47.40	74.00	-26.60	59.12	38.20	16.41	66.33	0.00	300	0	PEAK																																																																																																																																																																																		
5	11570.00	35.39	54.00	-18.61	47.11	38.20	16.41	66.33	0.00	300	0	AVERAGE																																																																																																																																																																																		
6	17355.00	48.84	68.20	-19.36	51.90	41.10	20.24	64.40	0.00	--	--	PEAK																																																																																																																																																																																		






Mode	44																																																																																																																																																										
	Band Edge - L																																																																																																																																																										
	U-NII-3_5.725-5.85_802.11a_CH157_5785MHz																																																																																																																																																										
ANT	1																																																																																																																																																										
Pol.	Horizontal						Fundamental																																																																																																																																																				
Peak	 <table><thead><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th colspan="2"></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th>cm</th><th>deg</th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>5630.00</td><td>51.59</td><td>68.20</td><td>-16.61</td><td>41.66</td><td>34.86</td><td>11.04</td><td>35.97</td><td>0.00</td><td>300</td><td>136</td><td>PEAK</td></tr><tr><td>2</td><td>5651.60</td><td>51.73</td><td>69.39</td><td>-17.66</td><td>41.92</td><td>34.88</td><td>11.07</td><td>36.14</td><td>0.00</td><td>300</td><td>136</td><td>PEAK</td></tr><tr><td>3</td><td>5704.00</td><td>50.63</td><td>106.42</td><td>-55.79</td><td>41.51</td><td>34.93</td><td>11.15</td><td>36.96</td><td>0.00</td><td>300</td><td>136</td><td>PEAK</td></tr><tr><td>4</td><td>5720.40</td><td>49.07</td><td>111.81</td><td>-62.74</td><td>40.18</td><td>34.94</td><td>11.17</td><td>37.22</td><td>0.00</td><td>300</td><td>136</td><td>PEAK</td></tr></tbody></table>							Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos			Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	cm	deg	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1	5630.00	51.59	68.20	-16.61	41.66	34.86	11.04	35.97	0.00	300	136	PEAK	2	5651.60	51.73	69.39	-17.66	41.92	34.88	11.07	36.14	0.00	300	136	PEAK	3	5704.00	50.63	106.42	-55.79	41.51	34.93	11.15	36.96	0.00	300	136	PEAK	4	5720.40	49.07	111.81	-62.74	40.18	34.94	11.17	37.22	0.00	300	136	PEAK	 <table><thead><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th colspan="2"></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th>cm</th><th>deg</th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>2535.00</td><td>98.37</td><td>-----</td><td>95.37</td><td>32.43</td><td>7.34</td><td>36.77</td><td>0.00</td><td>300</td><td>136</td><td>PEAK</td></tr><tr><td>2</td><td>5785.00</td><td>98.37</td><td>68.20</td><td>30.17</td><td>95.38</td><td>32.45</td><td>7.32</td><td>36.78</td><td>0.00</td><td>300</td><td>136</td><td>PEAK</td></tr></tbody></table>							Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos			Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	cm	deg	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1	2535.00	98.37	-----	95.37	32.43	7.34	36.77	0.00	300	136	PEAK	2	5785.00	98.37	68.20	30.17	95.38	32.45	7.32	36.78	0.00	300	136	PEAK
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																																																																																			
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	cm	deg																																																																																																																																																	
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																																																																																																	
1	5630.00	51.59	68.20	-16.61	41.66	34.86	11.04	35.97	0.00	300	136	PEAK																																																																																																																																															
2	5651.60	51.73	69.39	-17.66	41.92	34.88	11.07	36.14	0.00	300	136	PEAK																																																																																																																																															
3	5704.00	50.63	106.42	-55.79	41.51	34.93	11.15	36.96	0.00	300	136	PEAK																																																																																																																																															
4	5720.40	49.07	111.81	-62.74	40.18	34.94	11.17	37.22	0.00	300	136	PEAK																																																																																																																																															
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																																																																																			
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	cm	deg																																																																																																																																																	
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																																																																																																	
1	2535.00	98.37	-----	95.37	32.43	7.34	36.77	0.00	300	136	PEAK																																																																																																																																																
2	5785.00	98.37	68.20	30.17	95.38	32.45	7.32	36.78	0.00	300	136	PEAK																																																																																																																																															
Avg	Blank						 <table><thead><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th colspan="2"></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th>cm</th><th>deg</th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>2535.00</td><td>89.55</td><td>-----</td><td>86.55</td><td>32.43</td><td>7.34</td><td>36.77</td><td>0.00</td><td>300</td><td>136</td><td>AVERAGE</td></tr><tr><td>2</td><td>5785.00</td><td>89.55</td><td>122.30</td><td>-32.75</td><td>81.52</td><td>35.00</td><td>11.26</td><td>38.23</td><td>0.00</td><td>300</td><td>136</td><td>AVERAGE</td></tr></tbody></table>							Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos			Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	cm	deg	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1	2535.00	89.55	-----	86.55	32.43	7.34	36.77	0.00	300	136	AVERAGE	2	5785.00	89.55	122.30	-32.75	81.52	35.00	11.26	38.23	0.00	300	136	AVERAGE																																																																																					
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																																																																																			
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	cm	deg																																																																																																																																																	
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																																																																																																	
1	2535.00	89.55	-----	86.55	32.43	7.34	36.77	0.00	300	136	AVERAGE																																																																																																																																																
2	5785.00	89.55	122.30	-32.75	81.52	35.00	11.26	38.23	0.00	300	136	AVERAGE																																																																																																																																															




Mode	44																																																																																				
	Band Edge - R																																																																																				
	U-NII-3_5.725-5.85_802.11a_CH157_5785MHz																																																																																				
ANT	1																																																																																				
Pol.	Horizontal	Fundamental																																																																																			
Peak	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5854.00</td><td>48.04</td><td>111.36</td><td>-62.52</td><td>41.76</td><td>35.07</td><td>11.34</td><td>39.33</td><td>0.00</td><td>300</td><td>136</td><td>PEAK</td></tr><tr><td>2</td><td>5874.00</td><td>47.57</td><td>105.36</td><td>-57.79</td><td>40.43</td><td>35.09</td><td>11.35</td><td>39.30</td><td>0.00</td><td>300</td><td>136</td><td>PEAK</td></tr><tr><td>3</td><td>5924.00</td><td>47.40</td><td>68.94</td><td>-21.54</td><td>40.09</td><td>35.13</td><td>11.40</td><td>39.22</td><td>0.00</td><td>300</td><td>136</td><td>PEAK</td></tr><tr><td>4</td><td>5925.60</td><td>50.24</td><td>68.20</td><td>-17.96</td><td>42.91</td><td>35.14</td><td>11.40</td><td>39.21</td><td>0.00</td><td>300</td><td>136</td><td>PEAK</td></tr></table>		Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1	5854.00	48.04	111.36	-62.52	41.76	35.07	11.34	39.33	0.00	300	136	PEAK	2	5874.00	47.57	105.36	-57.79	40.43	35.09	11.35	39.30	0.00	300	136	PEAK	3	5924.00	47.40	68.94	-21.54	40.09	35.13	11.40	39.22	0.00	300	136	PEAK	4	5925.60	50.24	68.20	-17.96	42.91	35.14	11.40	39.21	0.00	300	136	PEAK	Blank
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																												
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																																																													
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																											
1	5854.00	48.04	111.36	-62.52	41.76	35.07	11.34	39.33	0.00	300	136	PEAK																																																																									
2	5874.00	47.57	105.36	-57.79	40.43	35.09	11.35	39.30	0.00	300	136	PEAK																																																																									
3	5924.00	47.40	68.94	-21.54	40.09	35.13	11.40	39.22	0.00	300	136	PEAK																																																																									
4	5925.60	50.24	68.20	-17.96	42.91	35.14	11.40	39.21	0.00	300	136	PEAK																																																																									



Mode	44																																																																																																																																																					
	Band Edge - L																																																																																																																																																					
	U-NII-3_5.725-5.85_802.11a_CH157_5785MHz																																																																																																																																																					
ANT	1																																																																																																																																																					
Pol.	Vertical						Fundamental																																																																																																																																															
Peak																																																																																																																																																						
	<table><thead><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>5603.60</td><td>51.35</td><td>68.20</td><td>-16.85</td><td>41.52</td><td>34.83</td><td>11.01</td><td>36.01</td><td>0.00</td><td>300</td><td>197</td><td>PEAK</td></tr><tr><td>2</td><td>5650.00</td><td>48.73</td><td>68.20</td><td>-19.47</td><td>38.90</td><td>34.88</td><td>11.07</td><td>36.12</td><td>0.00</td><td>300</td><td>197</td><td>PEAK</td></tr><tr><td>3</td><td>5705.20</td><td>50.19</td><td>106.76</td><td>-56.57</td><td>41.09</td><td>34.93</td><td>11.15</td><td>36.98</td><td>0.00</td><td>300</td><td>197</td><td>PEAK</td></tr><tr><td>4</td><td>5720.80</td><td>50.29</td><td>112.72</td><td>-62.43</td><td>41.41</td><td>34.94</td><td>11.17</td><td>37.23</td><td>0.00</td><td>300</td><td>197</td><td>PEAK</td></tr></tbody></table>							Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1	5603.60	51.35	68.20	-16.85	41.52	34.83	11.01	36.01	0.00	300	197	PEAK	2	5650.00	48.73	68.20	-19.47	38.90	34.88	11.07	36.12	0.00	300	197	PEAK	3	5705.20	50.19	106.76	-56.57	41.09	34.93	11.15	36.98	0.00	300	197	PEAK	4	5720.80	50.29	112.72	-62.43	41.41	34.94	11.17	37.23	0.00	300	197	PEAK	<table><thead><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>2536.00</td><td>100.48</td><td>-----</td><td>97.48</td><td>32.43</td><td>7.34</td><td>36.77</td><td>0.00</td><td>300</td><td>197</td><td>PEAK</td></tr><tr><td>2</td><td>5785.00</td><td>104.44</td><td>122.30</td><td>-17.86</td><td>96.37</td><td>35.00</td><td>11.26</td><td>38.19</td><td>0.00</td><td>300</td><td>197</td><td>PEAK</td></tr></tbody></table>							Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1	2536.00	100.48	-----	97.48	32.43	7.34	36.77	0.00	300	197	PEAK	2	5785.00	104.44	122.30	-17.86	96.37	35.00	11.26	38.19	0.00	300	197
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																																																																													
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																																																																																																																														
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																																																																																												
1	5603.60	51.35	68.20	-16.85	41.52	34.83	11.01	36.01	0.00	300	197	PEAK																																																																																																																																										
2	5650.00	48.73	68.20	-19.47	38.90	34.88	11.07	36.12	0.00	300	197	PEAK																																																																																																																																										
3	5705.20	50.19	106.76	-56.57	41.09	34.93	11.15	36.98	0.00	300	197	PEAK																																																																																																																																										
4	5720.80	50.29	112.72	-62.43	41.41	34.94	11.17	37.23	0.00	300	197	PEAK																																																																																																																																										
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																																																																													
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																																																																																																																														
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																																																																																												
1	2536.00	100.48	-----	97.48	32.43	7.34	36.77	0.00	300	197	PEAK																																																																																																																																											
2	5785.00	104.44	122.30	-17.86	96.37	35.00	11.26	38.19	0.00	300	197	PEAK																																																																																																																																										
Avg	Blank																																																																																																																																																					
							<table><thead><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>2536.00</td><td>92.16</td><td>-----</td><td>89.16</td><td>32.43</td><td>7.34</td><td>36.77</td><td>0.00</td><td>300</td><td>197</td><td>AVERAGE</td></tr><tr><td>2</td><td>5785.00</td><td>95.62</td><td>122.30</td><td>-26.68</td><td>87.55</td><td>35.00</td><td>11.26</td><td>38.19</td><td>0.00</td><td>300</td><td>197</td><td>AVERAGE</td></tr></tbody></table>							Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1	2536.00	92.16	-----	89.16	32.43	7.34	36.77	0.00	300	197	AVERAGE	2	5785.00	95.62	122.30	-26.68	87.55	35.00	11.26	38.19	0.00	300	197	AVERAGE																																																																																		
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																																																																													
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																																																																																																																														
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																																																																																												
1	2536.00	92.16	-----	89.16	32.43	7.34	36.77	0.00	300	197	AVERAGE																																																																																																																																											
2	5785.00	95.62	122.30	-26.68	87.55	35.00	11.26	38.19	0.00	300	197	AVERAGE																																																																																																																																										



Mode	44																																																																																				
	Band Edge - R																																																																																				
	U-NII-3_5.725-5.85_802.11a_CH157_5785MHz																																																																																				
ANT	1																																																																																				
Pol.	Vertical	Fundamental																																																																																			
Peak	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th></tr><tr><th>MHz</th><th>dBuV/m</th><th>m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5854.80</td><td>47.48</td><td>111.36</td><td>-63.88</td><td>40.40</td><td>35.07</td><td>11.34</td><td>39.33</td><td>0.00</td><td>300</td><td>197</td><td>PEAK</td></tr><tr><td>2</td><td>5874.80</td><td>48.02</td><td>105.36</td><td>-57.34</td><td>40.88</td><td>35.09</td><td>11.35</td><td>39.30</td><td>0.00</td><td>300</td><td>197</td><td>PEAK</td></tr><tr><td>3</td><td>5924.80</td><td>47.27</td><td>68.35</td><td>-21.08</td><td>39.96</td><td>35.13</td><td>11.40</td><td>39.22</td><td>0.00</td><td>300</td><td>197</td><td>PEAK</td></tr><tr><td>4</td><td>5944.40</td><td>49.39</td><td>68.20</td><td>-18.81</td><td>42.00</td><td>35.15</td><td>11.42</td><td>39.18</td><td>0.00</td><td>300</td><td>197</td><td>PEAK</td></tr></table>		Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor		MHz	dBuV/m	m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5854.80	47.48	111.36	-63.88	40.40	35.07	11.34	39.33	0.00	300	197	PEAK	2	5874.80	48.02	105.36	-57.34	40.88	35.09	11.35	39.30	0.00	300	197	PEAK	3	5924.80	47.27	68.35	-21.08	39.96	35.13	11.40	39.22	0.00	300	197	PEAK	4	5944.40	49.39	68.20	-18.81	42.00	35.15	11.42	39.18	0.00	300	197	PEAK	Blank
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																												
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																																																													
MHz	dBuV/m	m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																											
1	5854.80	47.48	111.36	-63.88	40.40	35.07	11.34	39.33	0.00	300	197	PEAK																																																																									
2	5874.80	48.02	105.36	-57.34	40.88	35.09	11.35	39.30	0.00	300	197	PEAK																																																																									
3	5924.80	47.27	68.35	-21.08	39.96	35.13	11.40	39.22	0.00	300	197	PEAK																																																																									
4	5944.40	49.39	68.20	-18.81	42.00	35.15	11.42	39.18	0.00	300	197	PEAK																																																																									




Mode	44																																																																																													
	Harmonic																																																																																													
	U-NII-3_5.725-5.85_802.11a_CH157_5785MHz																																																																																													
ANT	1																																																																																													
Pol.	Horizontal											Vertical																																																																																		
Peak Avg																																																																																														
	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line Margin</th><th>Level Factor</th><th>Loss Factor</th><th>Factor</th><th>Factor</th><th></th><th></th><th>Remark</th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>7713.14</td><td>51.06</td><td>74.00</td><td>-22.94</td><td>68.70</td><td>36.13</td><td>13.12</td><td>66.89</td><td>0.00</td><td>359</td><td>235</td><td>PEAK</td></tr><tr><td>2</td><td>7713.14</td><td>48.24</td><td>54.00</td><td>-5.76</td><td>65.88</td><td>36.13</td><td>13.12</td><td>66.89</td><td>0.00</td><td>359</td><td>235</td><td>AVERAGE</td></tr><tr><td>3</td><td>11570.00</td><td>45.10</td><td>74.00</td><td>-28.90</td><td>56.82</td><td>38.20</td><td>16.41</td><td>66.33</td><td>0.00</td><td>--</td><td>--</td><td>PEAK</td></tr></table>														Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line Margin	Level Factor	Loss Factor	Factor	Factor			Remark	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	7713.14	51.06	74.00	-22.94	68.70	36.13	13.12	66.89	0.00	359	235	PEAK	2	7713.14	48.24	54.00	-5.76	65.88	36.13	13.12	66.89	0.00	359	235	AVERAGE	3	11570.00	45.10	74.00	-28.90	56.82	38.20	16.41	66.33	0.00	--	--	PEAK												
		Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																					
	Freq	Level	Line Margin	Level Factor	Loss Factor	Factor	Factor			Remark																																																																																				
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																				
1	7713.14	51.06	74.00	-22.94	68.70	36.13	13.12	66.89	0.00	359	235	PEAK																																																																																		
2	7713.14	48.24	54.00	-5.76	65.88	36.13	13.12	66.89	0.00	359	235	AVERAGE																																																																																		
3	11570.00	45.10	74.00	-28.90	56.82	38.20	16.41	66.33	0.00	--	--	PEAK																																																																																		
<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line Margin</th><th>Level Factor</th><th>Loss Factor</th><th>Factor</th><th>Factor</th><th></th><th></th><th>Remark</th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>7713.14</td><td>52.95</td><td>74.00</td><td>-21.05</td><td>70.59</td><td>36.13</td><td>13.12</td><td>66.89</td><td>0.00</td><td>271</td><td>177</td><td>PEAK</td></tr><tr><td>2</td><td>7713.14</td><td>50.90</td><td>54.00</td><td>-3.10</td><td>68.54</td><td>36.13</td><td>13.12</td><td>66.89</td><td>0.00</td><td>271</td><td>177</td><td>AVERAGE</td></tr><tr><td>3</td><td>11570.00</td><td>48.42</td><td>74.00</td><td>-25.58</td><td>60.14</td><td>38.20</td><td>16.41</td><td>66.33</td><td>0.00</td><td>271</td><td>177</td><td>PEAK</td></tr><tr><td>4</td><td>11570.00</td><td>38.55</td><td>54.00</td><td>-15.45</td><td>50.27</td><td>38.20</td><td>16.41</td><td>66.33</td><td>0.00</td><td>271</td><td>177</td><td>AVERAGE</td></tr></table>														Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line Margin	Level Factor	Loss Factor	Factor	Factor			Remark	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	7713.14	52.95	74.00	-21.05	70.59	36.13	13.12	66.89	0.00	271	177	PEAK	2	7713.14	50.90	54.00	-3.10	68.54	36.13	13.12	66.89	0.00	271	177	AVERAGE	3	11570.00	48.42	74.00	-25.58	60.14	38.20	16.41	66.33	0.00	271	177	PEAK	4	11570.00	38.55	54.00	-15.45	50.27	38.20	16.41	66.33	0.00	271	177	AVERAGE
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																						
Freq	Level	Line Margin	Level Factor	Loss Factor	Factor	Factor			Remark																																																																																					
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																					
1	7713.14	52.95	74.00	-21.05	70.59	36.13	13.12	66.89	0.00	271	177	PEAK																																																																																		
2	7713.14	50.90	54.00	-3.10	68.54	36.13	13.12	66.89	0.00	271	177	AVERAGE																																																																																		
3	11570.00	48.42	74.00	-25.58	60.14	38.20	16.41	66.33	0.00	271	177	PEAK																																																																																		
4	11570.00	38.55	54.00	-15.45	50.27	38.20	16.41	66.33	0.00	271	177	AVERAGE																																																																																		



Appendix D. Duty Cycle Plots

Band	Duty Cycle(%)	T(ms)	1/T(kHz)	VBW Setting
802.11a	97.94	2.065	0.484	0.51KHz
802.11ac VHT20	98.16	-	-	10HZ
802.11ac VHT40	96.32	0.949	1.053	1.1KHz
802.11ac VHT80	92.73	0.462	2.163	2.2KHz


802.11a



Date: 5.AUG.2024 16:40:52




802.11ac VHT20



Date: 5.AUG.2024 16:43:01


802.11ac VHT40



Date: 5.AUG.2024 16:45:54



802.11ac VHT80



Date: 5.AUG.2024 16:48:17