

Band2-9262-3-0.009~0.15MHz-PASS




Band2-9262-3-0.15~30MHz-PASS



Band2-9262-3-30~1000MHz-PASS




Band2-9262-3-1000~20000MHz-PASS



Band2-9262-4-0.009~0.15MHz-PASS




Band2-9262-4-0.15~30MHz-PASS




Band2-9262-4-30~1000MHz-PASS




Band2-9262-4-1000~20000MHz-PASS



Band2-9262-5-0.009~0.15MHz-PASS




Band2-9262-5-0.15~30MHz-PASS







Band2-9262-5-30~1000MHz-PASS




Band2-9262-5-1000~20000MHz-PASS




Band2-9400-1-0.009~0.15MHz-PASS




Band2-9400-1-0.15~30MHz-PASS




Band2-9400-1-30~1000MHz-PASS



Band2-9400-1-1000~20000MHz-PASS



Band2-9400-1-30~1000MHz-PASS



Band2-9400-1-1000~20000MHz-PASS




Band2-9400-2-0.009~0.15MHz-PASS




Band2-9400-2-0.15~30MHz-PASS

Band2-9400-2-30~1000MHz-PASS




Band2-9400-2-1000~20000MHz-PASS




Band2-9400-3-0.009~0.15MHz-PASS




Band2-9400-3-0.15~30MHz-PASS



Band2-9400-3-30~1000MHz-PASS



Band2-9400-3-1000~20000MHz-PASS




Band2-9400-4-0.009~0.15MHz-PASS




Band2-9400-4-0.15~30MHz-PASS



Band2-9400-4-30~1000MHz-PASS




Band2-9400-4-1000~20000MHz-PASS





Band2-9400-5-0.009~0.15MHz-PASS



Band2-9400-5-0.15~30MHz-PASS




Band2-9400-5-30~1000MHz-PASS



Band2-9400-5-1000~20000MHz-PASS




Band2-9538-1-0.009~0.15MHz-PASS



Band2-9538-1-0.15~30MHz-PASS



Band2-9538-1-30~1000MHz-PASS




Band2-9538-1-1000~20000MHz-PASS




Band2-9538-2-0.009~0.15MHz-PASS




Band2-9538-2-0.15~30MHz-PASS



Band2-9538-2-30~1000MHz-PASS




Band2-9538-2-1000~20000MHz-PASS



Band2-9538-3-0.009~0.15MHz-PASS




Band2-9538-3-0.15~30MHz-PASS




Band2-9538-3-30~1000MHz-PASS




Band2-9538-3-1000~20000MHz-PASS



Band2-9538-4-0.009~0.15MHz-PASS



Band2-9538-4-0.15~30MHz-PASS






Band2-9538-4-30~1000MHz-PASS



Band2-9538-4-1000~20000MHz-PASS




Band2-9538-5-0.009~0.15MHz-PASS



Band2-9538-5-0.15~30MHz-PASS



Band2-9538-5-30~1000MHz-PASS



Band2-9538-5-1000~20000MHz-PASS

Frequency Stability

Test Result

RMC

Voltage							
Band	Channel	Voltage (Vdc)	Temperature (°C)	Deviation (Hz)	Deviation (ppm)	Limit (ppm)	Verdict
Band2	9262	VN	NT	-6.22	-0.003358	±2.5	PASS
Band2	9262	VL	NT	-8.45	-0.004562	±2.5	PASS
Band2	9262	VH	NT	-14.42	-0.007784	±2.5	PASS
Band2	9400	VN	NT	-7.11	-0.003782	±2.5	PASS
Band2	9400	VL	NT	8.99	0.004782	±2.5	PASS
Band2	9400	VH	NT	-2.86	-0.001521	±2.5	PASS
Band2	9538	VN	NT	3.92	0.002055	±2.5	PASS
Band2	9538	VL	NT	2.52	0.001321	±2.5	PASS
Band2	9538	VH	NT	-1.15	-0.000603	±2.5	PASS

Temperature							
Band	Channel	Voltage (Vdc)	Temperature (°C)	Deviation (Hz)	Deviation (ppm)	Limit (ppm)	Verdict
Band2	9262	NV	-30	-11.71	-0.006322	±2.5	PASS
Band2	9262	NV	-20	-1.70	-0.000918	±2.5	PASS
Band2	9262	NV	-10	-11.16	-0.006025	±2.5	PASS
Band2	9262	NV	0	0.43	0.000232	±2.5	PASS
Band2	9262	NV	10	-5.43	-0.002931	±2.5	PASS
Band2	9262	NV	20	-4.03	-0.002176	±2.5	PASS
Band2	9262	NV	30	-4.00	-0.002159	±2.5	PASS
Band2	9262	NV	40	1.03	0.000556	±2.5	PASS
Band2	9262	NV	50	1.26	0.000680	±2.5	PASS
Band2	9400	NV	-30	-0.47	-0.000250	±2.5	PASS
Band2	9400	NV	-20	5.73	0.003048	±2.5	PASS
Band2	9400	NV	-10	2.39	0.001271	±2.5	PASS
Band2	9400	NV	0	-5.20	-0.002766	±2.5	PASS
Band2	9400	NV	10	4.10	0.002181	±2.5	PASS
Band2	9400	NV	20	-11.58	-0.006160	±2.5	PASS
Band2	9400	NV	30	-10.70	-0.005691	±2.5	PASS
Band2	9400	NV	40	-2.81	-0.001495	±2.5	PASS
Band2	9400	NV	50	-8.96	-0.004766	±2.5	PASS
Band2	9538	NV	-30	1.75	0.000917	±2.5	PASS
Band2	9538	NV	-20	10.02	0.005253	±2.5	PASS
Band2	9538	NV	-10	-1.48	-0.000776	±2.5	PASS
Band2	9538	NV	0	-7.90	-0.004141	±2.5	PASS

Band2	9538	NV	10	4.26	0.002233	±2.5	PASS
Band2	9538	NV	20	-5.79	-0.003035	±2.5	PASS
Band2	9538	NV	30	7.66	0.004016	±2.5	PASS
Band2	9538	NV	40	-11.16	-0.005850	±2.5	PASS
Band2	9538	NV	50	2.90	0.001520	±2.5	PASS

HSDPA

Voltage								
Band	Channel	SubTest	Voltage (Vdc)	Temperature (°C)	Deviation (Hz)	Deviation (ppm)	Limit (ppm)	Verdict
Band2	9262	1	VN	NT	-5.23	-0.002823	±2.5	PASS
Band2	9262	1	VL	NT	3.71	0.002003	±2.5	PASS
Band2	9262	1	VH	NT	-13.59	-0.007336	±2.5	PASS
Band2	9262	2	VN	NT	-3.56	-0.001922	±2.5	PASS
Band2	9262	2	VL	NT	7.86	0.004243	±2.5	PASS
Band2	9262	2	VH	NT	-1.34	-0.000723	±2.5	PASS
Band2	9262	3	VN	NT	2.11	0.001139	±2.5	PASS
Band2	9262	3	VL	NT	-5.92	-0.003196	±2.5	PASS
Band2	9262	3	VH	NT	-5.05	-0.002726	±2.5	PASS
Band2	9262	4	VN	NT	-0.43	-0.000232	±2.5	PASS
Band2	9262	4	VL	NT	-5.96	-0.003217	±2.5	PASS
Band2	9262	4	VH	NT	-5.57	-0.003007	±2.5	PASS
Band2	9400	1	VN	NT	-4.22	-0.002245	±2.5	PASS
Band2	9400	1	VL	NT	-10.44	-0.005553	±2.5	PASS
Band2	9400	1	VH	NT	0.92	0.000489	±2.5	PASS
Band2	9400	2	VN	NT	8.27	0.004399	±2.5	PASS
Band2	9400	2	VL	NT	2.31	0.001229	±2.5	PASS
Band2	9400	2	VH	NT	-7.00	-0.003723	±2.5	PASS
Band2	9400	3	VN	NT	-0.10	-0.000053	±2.5	PASS
Band2	9400	3	VL	NT	-6.86	-0.003649	±2.5	PASS
Band2	9400	3	VH	NT	-4.85	-0.002580	±2.5	PASS
Band2	9400	4	VN	NT	0.80	0.000426	±2.5	PASS
Band2	9400	4	VL	NT	-1.01	-0.000537	±2.5	PASS
Band2	9400	4	VH	NT	-5.13	-0.002729	±2.5	PASS
Band2	9538	1	VN	NT	4.37	0.002291	±2.5	PASS
Band2	9538	1	VL	NT	-7.40	-0.003879	±2.5	PASS
Band2	9538	1	VH	NT	-4.03	-0.002113	±2.5	PASS
Band2	9538	2	VN	NT	-10.59	-0.005551	±2.5	PASS
Band2	9538	2	VL	NT	-2.18	-0.001143	±2.5	PASS
Band2	9538	2	VH	NT	-4.89	-0.002563	±2.5	PASS
Band2	9538	3	VN	NT	-11.43	-0.005992	±2.5	PASS
Band2	9538	3	VL	NT	-7.78	-0.004078	±2.5	PASS
Band2	9538	3	VH	NT	-10.18	-0.005337	±2.5	PASS

Band2	9538	4	VN	NT	4.63	0.002427	±2.5	PASS
Band2	9538	4	VL	NT	-0.54	-0.000283	±2.5	PASS
Band2	9538	4	VH	NT	-7.42	-0.003890	±2.5	PASS

Temperature								
Band	Channel	SubTest	Voltage (Vdc)	Temperature (°C)	Deviation (Hz)	Deviation (ppm)	Limit (ppm)	Verdict
Band2	9262	1	NV	-30	-6.46	-0.003487	±2.5	PASS
Band2	9262	1	NV	-20	9.46	0.005107	±2.5	PASS
Band2	9262	1	NV	-10	3.77	0.002035	±2.5	PASS
Band2	9262	1	NV	0	-0.20	-0.000108	±2.5	PASS
Band2	9262	1	NV	10	-8.81	-0.004756	±2.5	PASS
Band2	9262	1	NV	20	-0.58	-0.000313	±2.5	PASS
Band2	9262	1	NV	30	0.20	0.000108	±2.5	PASS
Band2	9262	1	NV	40	-1.28	-0.000691	±2.5	PASS
Band2	9262	1	NV	50	-5.02	-0.002710	±2.5	PASS
Band2	9262	2	NV	-30	-1.81	-0.000977	±2.5	PASS
Band2	9262	2	NV	-20	2.00	0.001080	±2.5	PASS
Band2	9262	2	NV	-10	2.38	0.001285	±2.5	PASS
Band2	9262	2	NV	0	2.74	0.001479	±2.5	PASS
Band2	9262	2	NV	10	-7.30	-0.003941	±2.5	PASS
Band2	9262	2	NV	20	-3.95	-0.002132	±2.5	PASS
Band2	9262	2	NV	30	-2.12	-0.001144	±2.5	PASS
Band2	9262	2	NV	40	2.52	0.001360	±2.5	PASS
Band2	9262	2	NV	50	-3.01	-0.001625	±2.5	PASS
Band2	9262	3	NV	-30	0.77	0.000416	±2.5	PASS
Band2	9262	3	NV	-20	-2.91	-0.001571	±2.5	PASS
Band2	9262	3	NV	-10	11.14	0.006014	±2.5	PASS
Band2	9262	3	NV	0	-1.72	-0.000929	±2.5	PASS
Band2	9262	3	NV	10	-1.57	-0.000848	±2.5	PASS
Band2	9262	3	NV	20	-3.55	-0.001916	±2.5	PASS
Band2	9262	3	NV	30	6.60	0.003563	±2.5	PASS
Band2	9262	3	NV	40	-8.49	-0.004583	±2.5	PASS
Band2	9262	3	NV	50	-5.50	-0.002969	±2.5	PASS
Band2	9262	4	NV	-30	-5.34	-0.002883	±2.5	PASS
Band2	9262	4	NV	-20	-8.33	-0.004497	±2.5	PASS
Band2	9262	4	NV	-10	-5.97	-0.003223	±2.5	PASS
Band2	9262	4	NV	0	-3.48	-0.001879	±2.5	PASS
Band2	9262	4	NV	10	-4.35	-0.002348	±2.5	PASS
Band2	9262	4	NV	20	-2.35	-0.001269	±2.5	PASS
Band2	9262	4	NV	30	-12.30	-0.006640	±2.5	PASS
Band2	9262	4	NV	40	-1.19	-0.000642	±2.5	PASS

Band2	9262	4	NV	50	-0.33	-0.000178	±2.5	PASS
Band2	9400	1	NV	-30	-5.36	-0.002851	±2.5	PASS
Band2	9400	1	NV	-20	-0.04	-0.000021	±2.5	PASS
Band2	9400	1	NV	-10	-2.72	-0.001447	±2.5	PASS
Band2	9400	1	NV	0	-0.30	-0.000160	±2.5	PASS
Band2	9400	1	NV	10	-9.65	-0.005133	±2.5	PASS
Band2	9400	1	NV	20	-6.31	-0.003356	±2.5	PASS
Band2	9400	1	NV	30	0.49	0.000261	±2.5	PASS
Band2	9400	1	NV	40	-4.92	-0.002617	±2.5	PASS
Band2	9400	1	NV	50	-5.61	-0.002984	±2.5	PASS
Band2	9400	2	NV	-30	-9.23	-0.004910	±2.5	PASS
Band2	9400	2	NV	-20	-7.13	-0.003793	±2.5	PASS
Band2	9400	2	NV	-10	-3.45	-0.001835	±2.5	PASS
Band2	9400	2	NV	0	-3.73	-0.001984	±2.5	PASS
Band2	9400	2	NV	10	-3.01	-0.001601	±2.5	PASS
Band2	9400	2	NV	20	2.50	0.001330	±2.5	PASS
Band2	9400	2	NV	30	-1.96	-0.001043	±2.5	PASS
Band2	9400	2	NV	40	-9.40	-0.005000	±2.5	PASS
Band2	9400	2	NV	50	-5.28	-0.002809	±2.5	PASS
Band2	9400	3	NV	-30	-6.37	-0.003388	±2.5	PASS
Band2	9400	3	NV	-20	-1.53	-0.000814	±2.5	PASS
Band2	9400	3	NV	-10	-9.73	-0.005176	±2.5	PASS
Band2	9400	3	NV	0	-6.99	-0.003718	±2.5	PASS
Band2	9400	3	NV	10	-0.36	-0.000191	±2.5	PASS
Band2	9400	3	NV	20	-2.10	-0.001117	±2.5	PASS
Band2	9400	3	NV	30	-5.05	-0.002686	±2.5	PASS
Band2	9400	3	NV	40	-0.14	-0.000074	±2.5	PASS
Band2	9400	3	NV	50	-12.13	-0.006452	±2.5	PASS
Band2	9400	4	NV	-30	-14.14	-0.007521	±2.5	PASS
Band2	9400	4	NV	-20	-7.12	-0.003787	±2.5	PASS
Band2	9400	4	NV	-10	-1.96	-0.001043	±2.5	PASS
Band2	9400	4	NV	0	-0.22	-0.000117	±2.5	PASS
Band2	9400	4	NV	10	-5.52	-0.002936	±2.5	PASS
Band2	9400	4	NV	20	4.16	0.002213	±2.5	PASS
Band2	9400	4	NV	30	-5.34	-0.002840	±2.5	PASS
Band2	9400	4	NV	40	2.91	0.001548	±2.5	PASS
Band2	9400	4	NV	50	-2.27	-0.001207	±2.5	PASS
Band2	9538	1	NV	-30	-5.21	-0.002731	±2.5	PASS
Band2	9538	1	NV	-20	3.51	0.001840	±2.5	PASS
Band2	9538	1	NV	-10	-2.75	-0.001442	±2.5	PASS
Band2	9538	1	NV	0	-2.93	-0.001536	±2.5	PASS

Band2	9538	1	NV	10	-1.24	-0.000650	±2.5	PASS
Band2	9538	1	NV	20	4.24	0.002223	±2.5	PASS
Band2	9538	1	NV	30	4.08	0.002139	±2.5	PASS
Band2	9538	1	NV	40	-3.22	-0.001688	±2.5	PASS
Band2	9538	1	NV	50	-0.09	-0.000047	±2.5	PASS
Band2	9538	2	NV	-30	-1.30	-0.000681	±2.5	PASS
Band2	9538	2	NV	-20	-6.04	-0.003166	±2.5	PASS
Band2	9538	2	NV	-10	-0.91	-0.000477	±2.5	PASS
Band2	9538	2	NV	0	-6.53	-0.003423	±2.5	PASS
Band2	9538	2	NV	10	2.43	0.001274	±2.5	PASS
Band2	9538	2	NV	20	-4.68	-0.002453	±2.5	PASS
Band2	9538	2	NV	30	-6.61	-0.003465	±2.5	PASS
Band2	9538	2	NV	40	-1.45	-0.000760	±2.5	PASS
Band2	9538	2	NV	50	-14.05	-0.007365	±2.5	PASS
Band2	9538	3	NV	-30	2.25	0.001179	±2.5	PASS
Band2	9538	3	NV	-20	-3.04	-0.001594	±2.5	PASS
Band2	9538	3	NV	-10	-3.22	-0.001688	±2.5	PASS
Band2	9538	3	NV	0	-4.82	-0.002527	±2.5	PASS
Band2	9538	3	NV	10	-11.64	-0.006102	±2.5	PASS
Band2	9538	3	NV	20	-2.38	-0.001248	±2.5	PASS
Band2	9538	3	NV	30	-3.62	-0.001898	±2.5	PASS
Band2	9538	3	NV	40	-2.38	-0.001248	±2.5	PASS
Band2	9538	3	NV	50	-0.85	-0.000446	±2.5	PASS
Band2	9538	4	NV	-30	-2.47	-0.001295	±2.5	PASS
Band2	9538	4	NV	-20	-8.22	-0.004309	±2.5	PASS
Band2	9538	4	NV	-10	-2.06	-0.001080	±2.5	PASS
Band2	9538	4	NV	0	0.33	0.000173	±2.5	PASS
Band2	9538	4	NV	10	-13.80	-0.007234	±2.5	PASS
Band2	9538	4	NV	20	-5.07	-0.002658	±2.5	PASS
Band2	9538	4	NV	30	-0.60	-0.000315	±2.5	PASS
Band2	9538	4	NV	40	1.07	0.000561	±2.5	PASS
Band2	9538	4	NV	50	-0.12	-0.000063	±2.5	PASS

HSUPA

Voltage								
Band	Channel	SubTest	Voltage (Vdc)	Temperature (°C)	Deviation (Hz)	Deviation (ppm)	Limit (ppm)	Verdict
Band2	9262	1	VN	NT	-7.97	-0.004303	±2.5	PASS
Band2	9262	1	VL	NT	-10.77	-0.005814	±2.5	PASS
Band2	9262	1	VH	NT	-6.38	-0.003444	±2.5	PASS
Band2	9262	2	VN	NT	-1.65	-0.000891	±2.5	PASS
Band2	9262	2	VL	NT	1.03	0.000556	±2.5	PASS
Band2	9262	2	VH	NT	-8.76	-0.004729	±2.5	PASS

Band2	9262	3	VN	NT	2.89	0.001560	±2.5	PASS
Band2	9262	3	VL	NT	-6.43	-0.003471	±2.5	PASS
Band2	9262	3	VH	NT	2.76	0.001490	±2.5	PASS
Band2	9262	4	VN	NT	-12.40	-0.006694	±2.5	PASS
Band2	9262	4	VL	NT	-7.74	-0.004178	±2.5	PASS
Band2	9262	4	VH	NT	4.73	0.002553	±2.5	PASS
Band2	9262	5	VN	NT	0.44	0.000238	±2.5	PASS
Band2	9262	5	VL	NT	-4.80	-0.002591	±2.5	PASS
Band2	9262	5	VH	NT	0.33	0.000178	±2.5	PASS
Band2	9400	1	VN	NT	-6.29	-0.003346	±2.5	PASS
Band2	9400	1	VL	NT	-13.73	-0.007303	±2.5	PASS
Band2	9400	1	VH	NT	-13.94	-0.007415	±2.5	PASS
Band2	9400	2	VN	NT	1.58	0.000840	±2.5	PASS
Band2	9400	2	VL	NT	-6.56	-0.003489	±2.5	PASS
Band2	9400	2	VH	NT	-11.62	-0.006181	±2.5	PASS
Band2	9400	3	VN	NT	-7.70	-0.004096	±2.5	PASS
Band2	9400	3	VL	NT	-0.95	-0.000505	±2.5	PASS
Band2	9400	3	VH	NT	-3.33	-0.001771	±2.5	PASS
Band2	9400	4	VN	NT	1.11	0.000590	±2.5	PASS
Band2	9400	4	VL	NT	-0.28	-0.000149	±2.5	PASS
Band2	9400	4	VH	NT	-12.98	-0.006904	±2.5	PASS
Band2	9400	5	VN	NT	4.42	0.002351	±2.5	PASS
Band2	9400	5	VL	NT	-15.14	-0.008053	±2.5	PASS
Band2	9400	5	VH	NT	-0.33	-0.000176	±2.5	PASS
Band2	9538	1	VN	NT	-4.02	-0.002107	±2.5	PASS
Band2	9538	1	VL	NT	-3.66	-0.001919	±2.5	PASS
Band2	9538	1	VH	NT	-6.34	-0.003324	±2.5	PASS
Band2	9538	2	VN	NT	1.97	0.001033	±2.5	PASS
Band2	9538	2	VL	NT	-8.48	-0.004445	±2.5	PASS
Band2	9538	2	VH	NT	-4.61	-0.002417	±2.5	PASS
Band2	9538	3	VN	NT	-8.41	-0.004409	±2.5	PASS
Band2	9538	3	VL	NT	6.78	0.003554	±2.5	PASS
Band2	9538	3	VH	NT	-0.95	-0.000498	±2.5	PASS
Band2	9538	4	VN	NT	0.01	0.000005	±2.5	PASS
Band2	9538	4	VL	NT	-4.00	-0.002097	±2.5	PASS
Band2	9538	4	VH	NT	-1.45	-0.000760	±2.5	PASS
Band2	9538	5	VN	NT	-6.46	-0.003386	±2.5	PASS
Band2	9538	5	VL	NT	-3.55	-0.001861	±2.5	PASS
Band2	9538	5	VH	NT	-0.78	-0.000409	±2.5	PASS

Temperature

Band	Channel	SubTest	Voltage (Vdc)	Temperature (°C)	Deviation (Hz)	Deviation (ppm)	Limit (ppm)	Verdict
Band2	9262	1	NV	-30	-0.67	-0.000362	±2.5	PASS
Band2	9262	1	NV	-20	2.24	0.001209	±2.5	PASS
Band2	9262	1	NV	-10	-0.96	-0.000518	±2.5	PASS
Band2	9262	1	NV	0	-1.65	-0.000891	±2.5	PASS
Band2	9262	1	NV	10	7.23	0.003903	±2.5	PASS
Band2	9262	1	NV	20	-2.94	-0.001587	±2.5	PASS
Band2	9262	1	NV	30	1.42	0.000767	±2.5	PASS
Band2	9262	1	NV	40	-7.98	-0.004308	±2.5	PASS
Band2	9262	1	NV	50	-11.66	-0.006295	±2.5	PASS
Band2	9262	2	NV	-30	-3.17	-0.001711	±2.5	PASS
Band2	9262	2	NV	-20	-0.10	-0.000054	±2.5	PASS
Band2	9262	2	NV	-10	-1.33	-0.000718	±2.5	PASS
Band2	9262	2	NV	0	-9.50	-0.005128	±2.5	PASS
Band2	9262	2	NV	10	-7.95	-0.004292	±2.5	PASS
Band2	9262	2	NV	20	8.69	0.004691	±2.5	PASS
Band2	9262	2	NV	30	-8.80	-0.004751	±2.5	PASS
Band2	9262	2	NV	40	4.72	0.002548	±2.5	PASS
Band2	9262	2	NV	50	1.29	0.000696	±2.5	PASS
Band2	9262	3	NV	-30	-9.81	-0.005296	±2.5	PASS
Band2	9262	3	NV	-20	5.31	0.002867	±2.5	PASS
Band2	9262	3	NV	-10	-0.83	-0.000448	±2.5	PASS
Band2	9262	3	NV	0	-7.12	-0.003844	±2.5	PASS
Band2	9262	3	NV	10	4.09	0.002208	±2.5	PASS
Band2	9262	3	NV	20	1.79	0.000966	±2.5	PASS
Band2	9262	3	NV	30	-2.88	-0.001555	±2.5	PASS
Band2	9262	3	NV	40	4.18	0.002257	±2.5	PASS
Band2	9262	3	NV	50	-10.21	-0.005512	±2.5	PASS
Band2	9262	4	NV	-30	-0.88	-0.000475	±2.5	PASS
Band2	9262	4	NV	-20	-6.76	-0.003649	±2.5	PASS
Band2	9262	4	NV	-10	0.49	0.000265	±2.5	PASS
Band2	9262	4	NV	0	5.56	0.003002	±2.5	PASS
Band2	9262	4	NV	10	-1.22	-0.000659	±2.5	PASS
Band2	9262	4	NV	20	8.86	0.004783	±2.5	PASS
Band2	9262	4	NV	30	-0.70	-0.000378	±2.5	PASS
Band2	9262	4	NV	40	8.27	0.004464	±2.5	PASS
Band2	9262	4	NV	50	1.51	0.000815	±2.5	PASS
Band2	9262	5	NV	-30	7.24	0.003908	±2.5	PASS
Band2	9262	5	NV	-20	-5.43	-0.002931	±2.5	PASS
Band2	9262	5	NV	-10	10.02	0.005409	±2.5	PASS
Band2	9262	5	NV	0	0.68	0.000367	±2.5	PASS

Band2	9262	5	NV	10	-7.70	-0.004157	±2.5	PASS
Band2	9262	5	NV	20	9.54	0.005150	±2.5	PASS
Band2	9262	5	NV	30	-7.22	-0.003898	±2.5	PASS
Band2	9262	5	NV	40	-2.82	-0.001522	±2.5	PASS
Band2	9262	5	NV	50	4.84	0.002613	±2.5	PASS
Band2	9400	1	NV	-30	-1.49	-0.000793	±2.5	PASS
Band2	9400	1	NV	-20	-10.02	-0.005330	±2.5	PASS
Band2	9400	1	NV	-10	-11.37	-0.006048	±2.5	PASS
Band2	9400	1	NV	0	-6.29	-0.003346	±2.5	PASS
Band2	9400	1	NV	10	1.22	0.000649	±2.5	PASS
Band2	9400	1	NV	20	-2.73	-0.001452	±2.5	PASS
Band2	9400	1	NV	30	-6.13	-0.003261	±2.5	PASS
Band2	9400	1	NV	40	1.33	0.000707	±2.5	PASS
Band2	9400	1	NV	50	-14.72	-0.007830	±2.5	PASS
Band2	9400	2	NV	-30	-8.79	-0.004676	±2.5	PASS
Band2	9400	2	NV	-20	-6.03	-0.003207	±2.5	PASS
Band2	9400	2	NV	-10	-13.23	-0.007037	±2.5	PASS
Band2	9400	2	NV	0	-4.82	-0.002564	±2.5	PASS
Band2	9400	2	NV	10	-7.46	-0.003968	±2.5	PASS
Band2	9400	2	NV	20	-5.86	-0.003117	±2.5	PASS
Band2	9400	2	NV	30	-5.62	-0.002989	±2.5	PASS
Band2	9400	2	NV	40	-3.92	-0.002085	±2.5	PASS
Band2	9400	2	NV	50	-0.20	-0.000106	±2.5	PASS
Band2	9400	3	NV	-30	-11.33	-0.006027	±2.5	PASS
Band2	9400	3	NV	-20	-0.77	-0.000410	±2.5	PASS
Band2	9400	3	NV	-10	-11.34	-0.006032	±2.5	PASS
Band2	9400	3	NV	0	-2.72	-0.001447	±2.5	PASS
Band2	9400	3	NV	10	4.53	0.002410	±2.5	PASS
Band2	9400	3	NV	20	3.19	0.001697	±2.5	PASS
Band2	9400	3	NV	30	-1.71	-0.000910	±2.5	PASS
Band2	9400	3	NV	40	-9.08	-0.004830	±2.5	PASS
Band2	9400	3	NV	50	-2.25	-0.001197	±2.5	PASS
Band2	9400	4	NV	-30	-2.27	-0.001207	±2.5	PASS
Band2	9400	4	NV	-20	-0.55	-0.000293	±2.5	PASS
Band2	9400	4	NV	-10	-10.05	-0.005346	±2.5	PASS
Band2	9400	4	NV	0	-5.11	-0.002718	±2.5	PASS
Band2	9400	4	NV	10	5.23	0.002782	±2.5	PASS
Band2	9400	4	NV	20	-9.93	-0.005282	±2.5	PASS
Band2	9400	4	NV	30	-13.02	-0.006926	±2.5	PASS
Band2	9400	4	NV	40	0.88	0.000468	±2.5	PASS
Band2	9400	4	NV	50	-2.77	-0.001473	±2.5	PASS

Band2	9400	5	NV	-30	-9.28	-0.004936	±2.5	PASS
Band2	9400	5	NV	-20	-5.69	-0.003027	±2.5	PASS
Band2	9400	5	NV	-10	-8.17	-0.004346	±2.5	PASS
Band2	9400	5	NV	0	-0.27	-0.000144	±2.5	PASS
Band2	9400	5	NV	10	-10.35	-0.005505	±2.5	PASS
Band2	9400	5	NV	20	0.15	0.000080	±2.5	PASS
Band2	9400	5	NV	30	2.39	0.001271	±2.5	PASS
Band2	9400	5	NV	40	2.33	0.001239	±2.5	PASS
Band2	9400	5	NV	50	1.52	0.000809	±2.5	PASS
Band2	9538	1	NV	-30	5.84	0.003061	±2.5	PASS
Band2	9538	1	NV	-20	-2.21	-0.001159	±2.5	PASS
Band2	9538	1	NV	-10	5.60	0.002936	±2.5	PASS
Band2	9538	1	NV	0	-5.45	-0.002857	±2.5	PASS
Band2	9538	1	NV	10	-5.76	-0.003020	±2.5	PASS
Band2	9538	1	NV	20	3.89	0.002039	±2.5	PASS
Band2	9538	1	NV	30	1.81	0.000949	±2.5	PASS
Band2	9538	1	NV	40	-12.53	-0.006568	±2.5	PASS
Band2	9538	1	NV	50	1.08	0.000566	±2.5	PASS
Band2	9538	2	NV	-30	-1.13	-0.000592	±2.5	PASS
Band2	9538	2	NV	-20	-6.27	-0.003287	±2.5	PASS
Band2	9538	2	NV	-10	-7.03	-0.003685	±2.5	PASS
Band2	9538	2	NV	0	0.42	0.000220	±2.5	PASS
Band2	9538	2	NV	10	-9.55	-0.005006	±2.5	PASS
Band2	9538	2	NV	20	-11.38	-0.005966	±2.5	PASS
Band2	9538	2	NV	30	-0.73	-0.000383	±2.5	PASS
Band2	9538	2	NV	40	-6.74	-0.003533	±2.5	PASS
Band2	9538	2	NV	50	-0.09	-0.000047	±2.5	PASS
Band2	9538	3	NV	-30	-10.46	-0.005483	±2.5	PASS
Band2	9538	3	NV	-20	-5.48	-0.002873	±2.5	PASS
Band2	9538	3	NV	-10	-7.13	-0.003738	±2.5	PASS
Band2	9538	3	NV	0	1.53	0.000802	±2.5	PASS
Band2	9538	3	NV	10	-3.05	-0.001599	±2.5	PASS
Band2	9538	3	NV	20	-0.92	-0.000482	±2.5	PASS
Band2	9538	3	NV	30	2.86	0.001499	±2.5	PASS
Band2	9538	3	NV	40	-1.65	-0.000865	±2.5	PASS
Band2	9538	3	NV	50	0.71	0.000372	±2.5	PASS
Band2	9538	4	NV	-30	-3.50	-0.001835	±2.5	PASS
Band2	9538	4	NV	-20	-4.44	-0.002328	±2.5	PASS
Band2	9538	4	NV	-10	-4.70	-0.002464	±2.5	PASS
Band2	9538	4	NV	0	6.16	0.003229	±2.5	PASS
Band2	9538	4	NV	10	-10.28	-0.005389	±2.5	PASS

Band2	9538	4	NV	20	-3.53	-0.001850	±2.5	PASS
Band2	9538	4	NV	30	-1.04	-0.000545	±2.5	PASS
Band2	9538	4	NV	40	-6.65	-0.003486	±2.5	PASS
Band2	9538	4	NV	50	-10.70	-0.005609	±2.5	PASS
Band2	9538	5	NV	-30	-8.68	-0.004550	±2.5	PASS
Band2	9538	5	NV	-20	-10.42	-0.005462	±2.5	PASS
Band2	9538	5	NV	-10	-6.09	-0.003192	±2.5	PASS
Band2	9538	5	NV	0	1.91	0.001001	±2.5	PASS
Band2	9538	5	NV	10	-5.63	-0.002951	±2.5	PASS
Band2	9538	5	NV	20	-1.43	-0.000750	±2.5	PASS
Band2	9538	5	NV	30	-5.34	-0.002799	±2.5	PASS
Band2	9538	5	NV	40	-0.39	-0.000204	±2.5	PASS
Band2	9538	5	NV	50	3.16	0.001657	±2.5	PASS

----- THE END -----