






Band5-4182-1-30~1000MHz-PASS




Band5-4182-1-1000~10000MHz-PASS



Band5-4182-2-0.009~0.15MHz-PASS



Band5-4182-2-0.15~30MHz-PASS




Band5-4182-2-30~1000MHz-PASS




Band5-4182-2-1000~10000MHz-PASS



Band5-4182-3-0.009~0.15MHz-PASS




Band5-4182-3-0.15~30MHz-PASS




Band5-4182-3-30~1000MHz-PASS




Band5-4182-3-1000~10000MHz-PASS



Band5-4182-4-0.009~0.15MHz-PASS




Band5-4182-4-0.15~30MHz-PASS




Band5-4182-4-30~1000MHz-PASS



Band5-4182-4-1000~10000MHz-PASS




Band5-4233-1-0.009~0.15MHz-PASS




Band5-4233-1-0.15~30MHz-PASS










Band5-4233-1-30~1000MHz-PASS




Band5-4233-1-1000~10000MHz-PASS





Band5-4233-4-0.009~0.15MHz-PASS













Band5-4233-4-30~1000MHz-PASS


Band5-4233-4-0.15~30MHz-PASS



Band5-4233-4-1000~10000MHz-PASS




Band5-4132-3-0.009~0.15MHz-PASS




Band5-4132-3-0.15~30MHz-PASS




Band5-4132-3-30~1000MHz-PASS




Band5-4132-3-1000~10000MHz-PASS




Band5-4132-4-0.009~0.15MHz-PASS




Band5-4132-4-0.15~30MHz-PASS




Band5-4132-4-30~1000MHz-PASS




Band5-4132-4-1000~10000MHz-PASS




Band5-4132-5-0.009~0.15MHz-PASS




Band5-4132-5-0.15~30MHz-PASS






Band5-4132-5-30~1000MHz-PASS




Band5-4132-5-1000~10000MHz-PASS



Band5-4182-1-0.009~0.15MHz-PASS



Band5-4182-1-0.15~30MHz-PASS




Band5-4182-1-30~1000MHz-PASS




Band5-4182-1-1000~10000MHz-PASS




Band5-4182-2-0.009~0.15MHz-PASS




Band5-4182-2-0.15~30MHz-PASS




Band5-4182-2-30~1000MHz-PASS




Band5-4182-2-1000~10000MHz-PASS



Band5-4182-3-0.009~0.15MHz-PASS




Band5-4182-3-0.15~30MHz-PASS




Band5-4182-3-30~1000MHz-PASS



Band5-4182-3-1000~10000MHz-PASS




Band5-4182-4-0.009~0.15MHz-PASS




Band5-4182-4-0.15~30MHz-PASS



Band5-4182-4-30~1000MHz-PASS




Band5-4182-4-1000~10000MHz-PASS






Band5-4182-5-0.009~0.15MHz-PASS



Band5-4182-5-0.15~30MHz-PASS




Band5-4182-5-30~1000MHz-PASS




Band5-4182-5-1000~10000MHz-PASS



Band5-4233-1-0.009~0.15MHz-PASS




Band5-4233-1-0.15~30MHz-PASS




Band5-4233-1-30~1000MHz-PASS




Band5-4233-1-1000~10000MHz-PASS




Band5-4233-2-0.009~0.15MHz-PASS




Band5-4233-2-0.15~30MHz-PASS



Band5-4233-2-30~1000MHz-PASS



Band5-4233-2-1000~10000MHz-PASS




Band5-4233-3-0.009~0.15MHz-PASS



Band5-4233-3-0.15~30MHz-PASS




Band5-4233-3-30~1000MHz-PASS




Band5-4233-3-1000~10000MHz-PASS




Band5-4233-4-0.009~0.15MHz-PASS



Band5-4233-4-0.15~30MHz-PASS






Band5-4233-4-30~1000MHz-PASS




Band5-4233-4-1000~10000MHz-PASS



Band5-4233-5-0.009~0.15MHz-PASS



Band5-4233-5-0.15~30MHz-PASS



Band5-4233-5-30~1000MHz-PASS



Band5-4233-5-1000~10000MHz-PASS

Frequency Stability

Test Result

RMC

Voltage							
Band	Channel	Voltage (Vdc)	Temperature (°C)	Deviation (Hz)	Deviation (ppm)	Limit (ppm)	Verdict
Band5	4132	VN	NT	-4.56	-0.005518	±2.5	PASS
Band5	4132	VL	NT	-2.19	-0.002650	±2.5	PASS
Band5	4132	VH	NT	-4.83	-0.005845	±2.5	PASS
Band5	4182	VN	NT	-3.04	-0.003635	±2.5	PASS
Band5	4182	VL	NT	1.31	0.001566	±2.5	PASS
Band5	4182	VH	NT	-8.88	-0.010617	±2.5	PASS
Band5	4233	VN	NT	-7.62	-0.009001	±2.5	PASS
Band5	4233	VL	NT	-0.59	-0.000697	±2.5	PASS
Band5	4233	VH	NT	-8.64	-0.010206	±2.5	PASS

Temperature							
Band	Channel	Voltage (Vdc)	Temperature (°C)	Deviation (Hz)	Deviation (ppm)	Limit (ppm)	Verdict
Band5	4132	NV	-30	-0.97	-0.001174	±2.5	PASS
Band5	4132	NV	-20	-0.76	-0.000920	±2.5	PASS
Band5	4132	NV	-10	-3.94	-0.004768	±2.5	PASS
Band5	4132	NV	0	-2.54	-0.003074	±2.5	PASS
Band5	4132	NV	10	5.51	0.006667	±2.5	PASS
Band5	4132	NV	20	0.71	0.000859	±2.5	PASS
Band5	4132	NV	30	-1.09	-0.001319	±2.5	PASS
Band5	4132	NV	40	0.59	0.000714	±2.5	PASS
Band5	4132	NV	50	9.49	0.011484	±2.5	PASS
Band5	4182	NV	-30	-3.64	-0.004352	±2.5	PASS
Band5	4182	NV	-20	2.58	0.003085	±2.5	PASS
Band5	4182	NV	-10	-4.60	-0.005500	±2.5	PASS
Band5	4182	NV	0	-0.19	-0.000227	±2.5	PASS
Band5	4182	NV	10	-0.93	-0.001112	±2.5	PASS
Band5	4182	NV	20	-5.39	-0.006444	±2.5	PASS
Band5	4182	NV	30	3.53	0.004220	±2.5	PASS
Band5	4182	NV	40	-0.86	-0.001028	±2.5	PASS
Band5	4182	NV	50	-3.27	-0.003910	±2.5	PASS
Band5	4233	NV	-30	-0.97	-0.001146	±2.5	PASS
Band5	4233	NV	-20	2.16	0.002551	±2.5	PASS
Band5	4233	NV	-10	-0.65	-0.000768	±2.5	PASS
Band5	4233	NV	0	-3.71	-0.004382	±2.5	PASS

Band5	4233	NV	10	-8.84	-0.010442	±2.5	PASS
Band5	4233	NV	20	-6.04	-0.007134	±2.5	PASS
Band5	4233	NV	30	-1.07	-0.001264	±2.5	PASS
Band5	4233	NV	40	-5.11	-0.006036	±2.5	PASS
Band5	4233	NV	50	-2.66	-0.003142	±2.5	PASS

HSDPA

Voltage								
Band	Channel	SubTest	Voltage (Vdc)	Temperature (°C)	Deviation (Hz)	Deviation (ppm)	Limit (ppm)	Verdict
Band5	4132	1	VN	NT	-3.78	-0.004574	±2.5	PASS
Band5	4132	1	VL	NT	-8.02	-0.009705	±2.5	PASS
Band5	4132	1	VH	NT	-6.46	-0.007817	±2.5	PASS
Band5	4132	2	VN	NT	-9.67	-0.011701	±2.5	PASS
Band5	4132	2	VL	NT	-2.26	-0.002735	±2.5	PASS
Band5	4132	2	VH	NT	-2.34	-0.002832	±2.5	PASS
Band5	4132	3	VN	NT	-5.00	-0.006050	±2.5	PASS
Band5	4132	3	VL	NT	2.40	0.002904	±2.5	PASS
Band5	4132	3	VH	NT	-2.36	-0.002856	±2.5	PASS
Band5	4132	4	VN	NT	-9.23	-0.011169	±2.5	PASS
Band5	4132	4	VL	NT	1.33	0.001609	±2.5	PASS
Band5	4132	4	VH	NT	-0.99	-0.001198	±2.5	PASS
Band5	4182	1	VN	NT	-3.56	-0.004256	±2.5	PASS
Band5	4182	1	VL	NT	-6.93	-0.008286	±2.5	PASS
Band5	4182	1	VH	NT	-3.09	-0.003694	±2.5	PASS
Band5	4182	2	VN	NT	-1.76	-0.002104	±2.5	PASS
Band5	4182	2	VL	NT	-3.51	-0.004197	±2.5	PASS
Band5	4182	2	VH	NT	-3.85	-0.004603	±2.5	PASS
Band5	4182	3	VN	NT	-6.12	-0.007317	±2.5	PASS
Band5	4182	3	VL	NT	-3.51	-0.004197	±2.5	PASS
Band5	4182	3	VH	NT	-2.23	-0.002666	±2.5	PASS
Band5	4182	4	VN	NT	1.82	0.002176	±2.5	PASS
Band5	4182	4	VL	NT	3.21	0.003838	±2.5	PASS
Band5	4182	4	VH	NT	-1.89	-0.002260	±2.5	PASS
Band5	4233	1	VN	NT	-2.55	-0.003012	±2.5	PASS
Band5	4233	1	VL	NT	-3.28	-0.003874	±2.5	PASS
Band5	4233	1	VH	NT	-9.21	-0.010879	±2.5	PASS
Band5	4233	2	VN	NT	-5.94	-0.007016	±2.5	PASS
Band5	4233	2	VL	NT	-3.03	-0.003579	±2.5	PASS
Band5	4233	2	VH	NT	-3.54	-0.004181	±2.5	PASS
Band5	4233	3	VN	NT	-4.60	-0.005433	±2.5	PASS
Band5	4233	3	VL	NT	0.26	0.000307	±2.5	PASS
Band5	4233	3	VH	NT	-4.29	-0.005067	±2.5	PASS

Band5	4233	4	VN	NT	-12.73	-0.015037	±2.5	PASS
Band5	4233	4	VL	NT	-8.83	-0.010430	±2.5	PASS
Band5	4233	4	VH	NT	-3.20	-0.003780	±2.5	PASS

Temperature								
Band	Channel	SubTest	Voltage (Vdc)	Temperature (°C)	Deviation (Hz)	Deviation (ppm)	Limit (ppm)	Verdict
Band5	4132	1	NV	-30	-11.03	-0.013347	±2.5	PASS
Band5	4132	1	NV	-20	-7.76	-0.009390	±2.5	PASS
Band5	4132	1	NV	-10	-8.71	-0.010540	±2.5	PASS
Band5	4132	1	NV	0	-3.64	-0.004405	±2.5	PASS
Band5	4132	1	NV	10	-5.17	-0.006256	±2.5	PASS
Band5	4132	1	NV	20	-0.75	-0.000908	±2.5	PASS
Band5	4132	1	NV	30	-0.25	-0.000303	±2.5	PASS
Band5	4132	1	NV	40	-5.09	-0.006159	±2.5	PASS
Band5	4132	1	NV	50	0.55	0.000666	±2.5	PASS
Band5	4132	2	NV	-30	-3.63	-0.004393	±2.5	PASS
Band5	4132	2	NV	-20	1.83	0.002214	±2.5	PASS
Band5	4132	2	NV	-10	-3.89	-0.004707	±2.5	PASS
Band5	4132	2	NV	0	-0.23	-0.000278	±2.5	PASS
Band5	4132	2	NV	10	-5.59	-0.006764	±2.5	PASS
Band5	4132	2	NV	20	5.92	0.007164	±2.5	PASS
Band5	4132	2	NV	30	-3.90	-0.004719	±2.5	PASS
Band5	4132	2	NV	40	-5.57	-0.006740	±2.5	PASS
Band5	4132	2	NV	50	0.85	0.001029	±2.5	PASS
Band5	4132	3	NV	-30	1.38	0.001670	±2.5	PASS
Band5	4132	3	NV	-20	-0.61	-0.000738	±2.5	PASS
Band5	4132	3	NV	-10	1.33	0.001609	±2.5	PASS
Band5	4132	3	NV	0	-1.55	-0.001876	±2.5	PASS
Band5	4132	3	NV	10	-5.38	-0.006510	±2.5	PASS
Band5	4132	3	NV	20	-5.05	-0.006111	±2.5	PASS
Band5	4132	3	NV	30	3.87	0.004683	±2.5	PASS
Band5	4132	3	NV	40	5.08	0.006147	±2.5	PASS
Band5	4132	3	NV	50	-7.10	-0.008591	±2.5	PASS
Band5	4132	4	NV	-30	-3.92	-0.004743	±2.5	PASS
Band5	4132	4	NV	-20	-6.53	-0.007902	±2.5	PASS
Band5	4132	4	NV	-10	-3.44	-0.004163	±2.5	PASS
Band5	4132	4	NV	0	0.04	0.000048	±2.5	PASS
Band5	4132	4	NV	10	1.58	0.001912	±2.5	PASS
Band5	4132	4	NV	20	0.62	0.000750	±2.5	PASS
Band5	4132	4	NV	30	-3.15	-0.003812	±2.5	PASS
Band5	4132	4	NV	40	-3.16	-0.003824	±2.5	PASS

Band5	4132	4	NV	50	-2.69	-0.003255	±2.5	PASS
Band5	4182	1	NV	-30	0.17	0.000203	±2.5	PASS
Band5	4182	1	NV	-20	-2.60	-0.003109	±2.5	PASS
Band5	4182	1	NV	-10	4.37	0.005225	±2.5	PASS
Band5	4182	1	NV	0	-1.05	-0.001255	±2.5	PASS
Band5	4182	1	NV	10	-9.71	-0.011609	±2.5	PASS
Band5	4182	1	NV	20	-1.39	-0.001662	±2.5	PASS
Band5	4182	1	NV	30	4.99	0.005966	±2.5	PASS
Band5	4182	1	NV	40	2.29	0.002738	±2.5	PASS
Band5	4182	1	NV	50	-5.94	-0.007102	±2.5	PASS
Band5	4182	2	NV	-30	-1.61	-0.001925	±2.5	PASS
Band5	4182	2	NV	-20	-3.34	-0.003993	±2.5	PASS
Band5	4182	2	NV	-10	-8.41	-0.010055	±2.5	PASS
Band5	4182	2	NV	0	5.83	0.006970	±2.5	PASS
Band5	4182	2	NV	10	-5.10	-0.006098	±2.5	PASS
Band5	4182	2	NV	20	2.64	0.003156	±2.5	PASS
Band5	4182	2	NV	30	-5.61	-0.006707	±2.5	PASS
Band5	4182	2	NV	40	-0.18	-0.000215	±2.5	PASS
Band5	4182	2	NV	50	-3.71	-0.004436	±2.5	PASS
Band5	4182	3	NV	-30	-6.25	-0.007473	±2.5	PASS
Band5	4182	3	NV	-20	3.18	0.003802	±2.5	PASS
Band5	4182	3	NV	-10	-2.55	-0.003049	±2.5	PASS
Band5	4182	3	NV	0	-3.72	-0.004448	±2.5	PASS
Band5	4182	3	NV	10	-6.39	-0.007640	±2.5	PASS
Band5	4182	3	NV	20	-1.41	-0.001686	±2.5	PASS
Band5	4182	3	NV	30	-0.31	-0.000371	±2.5	PASS
Band5	4182	3	NV	40	-4.98	-0.005954	±2.5	PASS
Band5	4182	3	NV	50	5.42	0.006480	±2.5	PASS
Band5	4182	4	NV	-30	-6.05	-0.007233	±2.5	PASS
Band5	4182	4	NV	-20	-6.31	-0.007544	±2.5	PASS
Band5	4182	4	NV	-10	-2.70	-0.003228	±2.5	PASS
Band5	4182	4	NV	0	-0.48	-0.000574	±2.5	PASS
Band5	4182	4	NV	10	4.71	0.005631	±2.5	PASS
Band5	4182	4	NV	20	-4.61	-0.005512	±2.5	PASS
Band5	4182	4	NV	30	4.32	0.005165	±2.5	PASS
Band5	4182	4	NV	40	-4.38	-0.005237	±2.5	PASS
Band5	4182	4	NV	50	-1.49	-0.001781	±2.5	PASS
Band5	4233	1	NV	-30	-0.39	-0.000461	±2.5	PASS
Band5	4233	1	NV	-20	-3.60	-0.004252	±2.5	PASS
Band5	4233	1	NV	-10	1.94	0.002292	±2.5	PASS
Band5	4233	1	NV	0	-2.12	-0.002504	±2.5	PASS

Band5	4233	1	NV	10	-1.56	-0.001843	±2.5	PASS
Band5	4233	1	NV	20	-6.29	-0.007430	±2.5	PASS
Band5	4233	1	NV	30	2.28	0.002693	±2.5	PASS
Band5	4233	1	NV	40	2.87	0.003390	±2.5	PASS
Band5	4233	1	NV	50	2.27	0.002681	±2.5	PASS
Band5	4233	2	NV	-30	5.17	0.006107	±2.5	PASS
Band5	4233	2	NV	-20	2.55	0.003012	±2.5	PASS
Band5	4233	2	NV	-10	-5.98	-0.007064	±2.5	PASS
Band5	4233	2	NV	0	-1.74	-0.002055	±2.5	PASS
Band5	4233	2	NV	10	0.45	0.000532	±2.5	PASS
Band5	4233	2	NV	20	4.94	0.005835	±2.5	PASS
Band5	4233	2	NV	30	2.91	0.003437	±2.5	PASS
Band5	4233	2	NV	40	-2.61	-0.003083	±2.5	PASS
Band5	4233	2	NV	50	-1.75	-0.002067	±2.5	PASS
Band5	4233	3	NV	-30	-3.72	-0.004394	±2.5	PASS
Band5	4233	3	NV	-20	-8.24	-0.009733	±2.5	PASS
Band5	4233	3	NV	-10	-9.76	-0.011528	±2.5	PASS
Band5	4233	3	NV	0	3.79	0.004477	±2.5	PASS
Band5	4233	3	NV	10	-9.04	-0.010678	±2.5	PASS
Band5	4233	3	NV	20	-8.94	-0.010560	±2.5	PASS
Band5	4233	3	NV	30	5.54	0.006544	±2.5	PASS
Band5	4233	3	NV	40	-4.36	-0.005150	±2.5	PASS
Band5	4233	3	NV	50	-0.44	-0.000520	±2.5	PASS
Band5	4233	4	NV	-30	-4.04	-0.004772	±2.5	PASS
Band5	4233	4	NV	-20	-4.65	-0.005493	±2.5	PASS
Band5	4233	4	NV	-10	-9.37	-0.011068	±2.5	PASS
Band5	4233	4	NV	0	1.28	0.001512	±2.5	PASS
Band5	4233	4	NV	10	-4.05	-0.004784	±2.5	PASS
Band5	4233	4	NV	20	-7.42	-0.008764	±2.5	PASS
Band5	4233	4	NV	30	-11.13	-0.013147	±2.5	PASS
Band5	4233	4	NV	40	-5.92	-0.006993	±2.5	PASS
Band5	4233	4	NV	50	-5.06	-0.005977	±2.5	PASS

HSUPA

Voltage								
Band	Channel	SubTest	Voltage (Vdc)	Temperature (°C)	Deviation (Hz)	Deviation (ppm)	Limit (ppm)	Verdict
Band5	4132	1	VN	NT	-3.22	-0.003896	±2.5	PASS
Band5	4132	1	VL	NT	-5.57	-0.006740	±2.5	PASS
Band5	4132	1	VH	NT	-6.06	-0.007333	±2.5	PASS
Band5	4132	2	VN	NT	-4.75	-0.005748	±2.5	PASS
Band5	4132	2	VL	NT	-8.53	-0.010322	±2.5	PASS
Band5	4132	2	VH	NT	-2.54	-0.003074	±2.5	PASS

Band5	4132	3	VN	NT	-8.00	-0.009681	±2.5	PASS
Band5	4132	3	VL	NT	-6.11	-0.007394	±2.5	PASS
Band5	4132	3	VH	NT	-3.85	-0.004659	±2.5	PASS
Band5	4132	4	VN	NT	-7.68	-0.009293	±2.5	PASS
Band5	4132	4	VL	NT	-6.05	-0.007321	±2.5	PASS
Band5	4132	4	VH	NT	-7.29	-0.008821	±2.5	PASS
Band5	4132	5	VN	NT	-5.34	-0.006462	±2.5	PASS
Band5	4132	5	VL	NT	-3.39	-0.004102	±2.5	PASS
Band5	4132	5	VH	NT	-8.26	-0.009995	±2.5	PASS
Band5	4182	1	VN	NT	-2.07	-0.002475	±2.5	PASS
Band5	4182	1	VL	NT	2.41	0.002881	±2.5	PASS
Band5	4182	1	VH	NT	-9.22	-0.011023	±2.5	PASS
Band5	4182	2	VN	NT	-6.22	-0.007437	±2.5	PASS
Band5	4182	2	VL	NT	-11.32	-0.013534	±2.5	PASS
Band5	4182	2	VH	NT	-6.17	-0.007377	±2.5	PASS
Band5	4182	3	VN	NT	-2.43	-0.002905	±2.5	PASS
Band5	4182	3	VL	NT	-7.38	-0.008824	±2.5	PASS
Band5	4182	3	VH	NT	-12.14	-0.014515	±2.5	PASS
Band5	4182	4	VN	NT	-1.03	-0.001231	±2.5	PASS
Band5	4182	4	VL	NT	-9.17	-0.010964	±2.5	PASS
Band5	4182	4	VH	NT	-5.72	-0.006839	±2.5	PASS
Band5	4182	5	VN	NT	-8.07	-0.009648	±2.5	PASS
Band5	4182	5	VL	NT	2.29	0.002738	±2.5	PASS
Band5	4182	5	VH	NT	-7.72	-0.009230	±2.5	PASS
Band5	4233	1	VN	NT	-3.93	-0.004642	±2.5	PASS
Band5	4233	1	VL	NT	-3.39	-0.004004	±2.5	PASS
Band5	4233	1	VH	NT	-7.24	-0.008552	±2.5	PASS
Band5	4233	2	VN	NT	-11.57	-0.013666	±2.5	PASS
Band5	4233	2	VL	NT	-9.48	-0.011198	±2.5	PASS
Band5	4233	2	VH	NT	-7.47	-0.008824	±2.5	PASS
Band5	4233	3	VN	NT	0.08	0.000094	±2.5	PASS
Band5	4233	3	VL	NT	-4.54	-0.005363	±2.5	PASS
Band5	4233	3	VH	NT	-10.11	-0.011942	±2.5	PASS
Band5	4233	4	VN	NT	-12.97	-0.015320	±2.5	PASS
Band5	4233	4	VL	NT	-0.55	-0.000650	±2.5	PASS
Band5	4233	4	VH	NT	-9.42	-0.011127	±2.5	PASS
Band5	4233	5	VN	NT	-2.26	-0.002670	±2.5	PASS
Band5	4233	5	VL	NT	-8.05	-0.009509	±2.5	PASS
Band5	4233	5	VH	NT	1.57	0.001854	±2.5	PASS

Temperature

Band	Channel	SubTest	Voltage (Vdc)	Temperature (°C)	Deviation (Hz)	Deviation (ppm)	Limit (ppm)	Verdict
Band5	4132	1	NV	-30	-9.81	-0.011871	±2.5	PASS
Band5	4132	1	NV	-20	0.14	0.000169	±2.5	PASS
Band5	4132	1	NV	-10	0.06	0.000073	±2.5	PASS
Band5	4132	1	NV	0	-1.17	-0.001416	±2.5	PASS
Band5	4132	1	NV	10	-6.77	-0.008192	±2.5	PASS
Band5	4132	1	NV	20	-2.59	-0.003134	±2.5	PASS
Band5	4132	1	NV	30	0.16	0.000194	±2.5	PASS
Band5	4132	1	NV	40	-1.09	-0.001319	±2.5	PASS
Band5	4132	1	NV	50	-3.16	-0.003824	±2.5	PASS
Band5	4132	2	NV	-30	-13.36	-0.016167	±2.5	PASS
Band5	4132	2	NV	-20	-0.98	-0.001186	±2.5	PASS
Band5	4132	2	NV	-10	-4.53	-0.005482	±2.5	PASS
Band5	4132	2	NV	0	-6.06	-0.007333	±2.5	PASS
Band5	4132	2	NV	10	-0.52	-0.000629	±2.5	PASS
Band5	4132	2	NV	20	-6.26	-0.007575	±2.5	PASS
Band5	4132	2	NV	30	-3.23	-0.003909	±2.5	PASS
Band5	4132	2	NV	40	-2.88	-0.003485	±2.5	PASS
Band5	4132	2	NV	50	-4.84	-0.005857	±2.5	PASS
Band5	4132	3	NV	-30	-0.41	-0.000496	±2.5	PASS
Band5	4132	3	NV	-20	-4.41	-0.005336	±2.5	PASS
Band5	4132	3	NV	-10	-1.20	-0.001452	±2.5	PASS
Band5	4132	3	NV	0	-7.37	-0.008918	±2.5	PASS
Band5	4132	3	NV	10	-1.15	-0.001392	±2.5	PASS
Band5	4132	3	NV	20	-5.59	-0.006764	±2.5	PASS
Band5	4132	3	NV	30	1.22	0.001476	±2.5	PASS
Band5	4132	3	NV	40	-2.02	-0.002444	±2.5	PASS
Band5	4132	3	NV	50	-0.49	-0.000593	±2.5	PASS
Band5	4132	4	NV	-30	-8.64	-0.010455	±2.5	PASS
Band5	4132	4	NV	-20	-8.30	-0.010044	±2.5	PASS
Band5	4132	4	NV	-10	7.27	0.008797	±2.5	PASS
Band5	4132	4	NV	0	-3.14	-0.003800	±2.5	PASS
Band5	4132	4	NV	10	-7.11	-0.008604	±2.5	PASS
Band5	4132	4	NV	20	-8.84	-0.010697	±2.5	PASS
Band5	4132	4	NV	30	-2.38	-0.002880	±2.5	PASS
Band5	4132	4	NV	40	-6.24	-0.007551	±2.5	PASS
Band5	4132	4	NV	50	-2.08	-0.002517	±2.5	PASS
Band5	4132	5	NV	-30	-2.26	-0.002735	±2.5	PASS
Band5	4132	5	NV	-20	-3.99	-0.004828	±2.5	PASS
Band5	4132	5	NV	-10	-1.38	-0.001670	±2.5	PASS
Band5	4132	5	NV	0	-3.20	-0.003872	±2.5	PASS

Band5	4132	5	NV	10	-10.12	-0.012246	±2.5	PASS
Band5	4132	5	NV	20	-3.90	-0.004719	±2.5	PASS
Band5	4132	5	NV	30	-6.71	-0.008120	±2.5	PASS
Band5	4132	5	NV	40	1.91	0.002311	±2.5	PASS
Band5	4132	5	NV	50	-2.86	-0.003461	±2.5	PASS
Band5	4182	1	NV	-30	-4.71	-0.005631	±2.5	PASS
Band5	4182	1	NV	-20	-10.00	-0.011956	±2.5	PASS
Band5	4182	1	NV	-10	-6.42	-0.007676	±2.5	PASS
Band5	4182	1	NV	0	-2.91	-0.003479	±2.5	PASS
Band5	4182	1	NV	10	-5.34	-0.006385	±2.5	PASS
Band5	4182	1	NV	20	-7.46	-0.008919	±2.5	PASS
Band5	4182	1	NV	30	-2.14	-0.002559	±2.5	PASS
Band5	4182	1	NV	40	-10.18	-0.012171	±2.5	PASS
Band5	4182	1	NV	50	-8.02	-0.009589	±2.5	PASS
Band5	4182	2	NV	-30	0.58	0.000693	±2.5	PASS
Band5	4182	2	NV	-20	1.32	0.001578	±2.5	PASS
Band5	4182	2	NV	-10	-5.09	-0.006086	±2.5	PASS
Band5	4182	2	NV	0	-1.94	-0.002319	±2.5	PASS
Band5	4182	2	NV	10	3.77	0.004507	±2.5	PASS
Band5	4182	2	NV	20	2.91	0.003479	±2.5	PASS
Band5	4182	2	NV	30	-9.03	-0.010796	±2.5	PASS
Band5	4182	2	NV	40	-4.59	-0.005488	±2.5	PASS
Band5	4182	2	NV	50	-1.96	-0.002343	±2.5	PASS
Band5	4182	3	NV	-30	-2.07	-0.002475	±2.5	PASS
Band5	4182	3	NV	-20	-3.18	-0.003802	±2.5	PASS
Band5	4182	3	NV	-10	-2.99	-0.003575	±2.5	PASS
Band5	4182	3	NV	0	-7.24	-0.008656	±2.5	PASS
Band5	4182	3	NV	10	-5.94	-0.007102	±2.5	PASS
Band5	4182	3	NV	20	-4.32	-0.005165	±2.5	PASS
Band5	4182	3	NV	30	-3.45	-0.004125	±2.5	PASS
Band5	4182	3	NV	40	-1.80	-0.002152	±2.5	PASS
Band5	4182	3	NV	50	-1.52	-0.001817	±2.5	PASS
Band5	4182	4	NV	-30	-11.81	-0.014120	±2.5	PASS
Band5	4182	4	NV	-20	-8.68	-0.010378	±2.5	PASS
Band5	4182	4	NV	-10	-8.93	-0.010677	±2.5	PASS
Band5	4182	4	NV	0	-7.29	-0.008716	±2.5	PASS
Band5	4182	4	NV	10	-4.77	-0.005703	±2.5	PASS
Band5	4182	4	NV	20	-5.65	-0.006755	±2.5	PASS
Band5	4182	4	NV	30	4.04	0.004830	±2.5	PASS
Band5	4182	4	NV	40	-6.02	-0.007198	±2.5	PASS
Band5	4182	4	NV	50	-3.00	-0.003587	±2.5	PASS

Band5	4182	5	NV	-30	-2.19	-0.002618	±2.5	PASS
Band5	4182	5	NV	-20	-8.47	-0.010127	±2.5	PASS
Band5	4182	5	NV	-10	-11.34	-0.013558	±2.5	PASS
Band5	4182	5	NV	0	-0.79	-0.000945	±2.5	PASS
Band5	4182	5	NV	10	-3.85	-0.004603	±2.5	PASS
Band5	4182	5	NV	20	-4.01	-0.004794	±2.5	PASS
Band5	4182	5	NV	30	-4.66	-0.005571	±2.5	PASS
Band5	4182	5	NV	40	-9.60	-0.011478	±2.5	PASS
Band5	4182	5	NV	50	-8.43	-0.010079	±2.5	PASS
Band5	4233	1	NV	-30	-7.13	-0.008422	±2.5	PASS
Band5	4233	1	NV	-20	-4.17	-0.004926	±2.5	PASS
Band5	4233	1	NV	-10	-8.14	-0.009615	±2.5	PASS
Band5	4233	1	NV	0	-5.56	-0.006567	±2.5	PASS
Band5	4233	1	NV	10	-5.23	-0.006178	±2.5	PASS
Band5	4233	1	NV	20	-10.63	-0.012556	±2.5	PASS
Band5	4233	1	NV	30	2.92	0.003449	±2.5	PASS
Band5	4233	1	NV	40	-3.91	-0.004618	±2.5	PASS
Band5	4233	1	NV	50	2.87	0.003390	±2.5	PASS
Band5	4233	2	NV	-30	-5.78	-0.006827	±2.5	PASS
Band5	4233	2	NV	-20	-3.36	-0.003969	±2.5	PASS
Band5	4233	2	NV	-10	-6.09	-0.007193	±2.5	PASS
Band5	4233	2	NV	0	-3.74	-0.004418	±2.5	PASS
Band5	4233	2	NV	10	-7.48	-0.008835	±2.5	PASS
Band5	4233	2	NV	20	-0.61	-0.000721	±2.5	PASS
Band5	4233	2	NV	30	-7.27	-0.008587	±2.5	PASS
Band5	4233	2	NV	40	2.71	0.003201	±2.5	PASS
Band5	4233	2	NV	50	-6.48	-0.007654	±2.5	PASS
Band5	4233	3	NV	-30	-0.47	-0.000555	±2.5	PASS
Band5	4233	3	NV	-20	-0.47	-0.000555	±2.5	PASS
Band5	4233	3	NV	-10	3.42	0.004040	±2.5	PASS
Band5	4233	3	NV	0	1.14	0.001347	±2.5	PASS
Band5	4233	3	NV	10	2.51	0.002965	±2.5	PASS
Band5	4233	3	NV	20	4.83	0.005705	±2.5	PASS
Band5	4233	3	NV	30	-8.19	-0.009674	±2.5	PASS
Band5	4233	3	NV	40	-5.63	-0.006650	±2.5	PASS
Band5	4233	3	NV	50	1.85	0.002185	±2.5	PASS
Band5	4233	4	NV	-30	-2.33	-0.002752	±2.5	PASS
Band5	4233	4	NV	-20	-7.75	-0.009154	±2.5	PASS
Band5	4233	4	NV	-10	1.67	0.001973	±2.5	PASS
Band5	4233	4	NV	0	-10.70	-0.012639	±2.5	PASS
Band5	4233	4	NV	10	-2.81	-0.003319	±2.5	PASS

Band5	4233	4	NV	20	2.26	0.002670	±2.5	PASS
Band5	4233	4	NV	30	-3.34	-0.003945	±2.5	PASS
Band5	4233	4	NV	40	-5.94	-0.007016	±2.5	PASS
Band5	4233	4	NV	50	-1.92	-0.002268	±2.5	PASS
Band5	4233	5	NV	-30	-6.46	-0.007631	±2.5	PASS
Band5	4233	5	NV	-20	-2.39	-0.002823	±2.5	PASS
Band5	4233	5	NV	-10	-4.03	-0.004760	±2.5	PASS
Band5	4233	5	NV	0	-6.62	-0.007820	±2.5	PASS
Band5	4233	5	NV	10	-4.40	-0.005197	±2.5	PASS
Band5	4233	5	NV	20	-0.53	-0.000626	±2.5	PASS
Band5	4233	5	NV	30	-3.50	-0.004134	±2.5	PASS
Band5	4233	5	NV	40	-9.98	-0.011788	±2.5	PASS
Band5	4233	5	NV	50	-2.59	-0.003059	±2.5	PASS

----- THE END -----