

GSM

Data List								
Test Mode	Frequency [MHz]	Reading [dBm]	Level [dBm]	Factor [dB]	Limit [dBm]	Margin [dB]	Pol.	Det
GSM_850_CH190	110.805	-45.05	-52.33	-7.28	-13.00	39.33	V	PK
	1673.2	-56.01	-41.05	14.96	-13.00	28.05	V	PK
	2509.8	-61.95	-40.16	21.79	-13.00	27.16	H	PK
	3346.4	-56.50	-43.66	12.84	-13.00	30.66	H	PK
	4183	-58.07	-42.57	15.50	-13.00	29.57	V	PK
	5019.6	-59.91	-42.70	17.21	-13.00	29.70	V	PK
	5856.2	-60.12	-40.31	19.81	-13.00	27.31	H	PK
	6692.8	-59.75	-38.70	21.05	-13.00	25.70	H	PK
	7529.4	-61.18	-37.29	23.89	-13.00	24.29	H	PK
	8366	-66.77	-44.37	22.40	-13.00	31.37	V	PK
GSM_1900_CH661	85.8748	-42.16	-58.41	-16.25	-13.00	45.41	V	PK
	232.5946	-45.26	-61.63	-16.37	-13.00	48.63	V	PK
	3760	-59.16	-44.90	14.26	-13.00	31.90	V	PK
	5640	-59.80	-40.63	19.17	-13.00	27.63	V	PK
	7520	-61.51	-37.71	23.80	-13.00	24.71	V	PK
	9400	-66.63	-43.04	23.59	-13.00	30.04	V	PK
	11280	-65.74	-40.81	24.93	-13.00	27.81	V	PK
	13160	-67.14	-41.02	26.12	-13.00	28.02	V	PK
	15040	-68.27	-40.17	28.10	-13.00	27.17	H	PK
	16920	-67.98	-34.71	33.27	-13.00	21.71	V	PK

Note: (1)Level=Reading+Factor

(2)Margin=Limit-Level

(3)V=Vertical,H= Horizontal

WCDMA

Data List								
Test Mode	Frequency [MHz]	Reading [dBm]	Level [dBm]	Factor [dB]	Limit [dBm]	Margin [dB]	Pol.	Det
WCDMA_BII_5M_CH9400	119.972	-56.38	-59.17	-2.79	-13.00	46.17	V	PK
	243.6532	-56.25	-57.65	-1.40	-13.00	44.65	H	PK
	3758	-59.24	-44.97	14.27	-13.00	31.97	H	PK
	5637	-60.09	-41.52	18.57	-13.00	28.52	H	PK
	7516	-59.69	-35.99	23.70	-13.00	22.99	H	PK
	9395	-66.42	-42.94	23.48	-13.00	29.94	V	PK
	11274	-67.54	-42.66	24.88	-13.00	29.66	V	PK
	13153	-67.80	-41.67	26.13	-13.00	28.67	V	PK
	15032	-67.83	-39.47	28.36	-13.00	26.47	V	PK
	16911	-68.69	-35.60	33.09	-13.00	22.60	H	PK
WCDMA_BIV_5M_CH1413	35.9173	-53.52	-54.46	-0.94	-13.00	41.46	V	PK
	887.6684	-68.09	-59.64	8.45	-13.00	46.64	H	PK
	2132.2264	-49.13	-29.28	19.85	-13.00	16.28	V	PK
	3464	-51.48	-38.37	13.11	-13.00	25.37	H	PK
	5196	-60.25	-41.74	18.51	-13.00	28.74	H	PK
	6928	-59.82	-38.19	21.63	-13.00	25.19	H	PK
	8660	-64.22	-42.16	22.06	-13.00	29.16	H	PK
	10392	-66.78	-42.37	24.41	-13.00	29.37	H	PK
	12124	-67.27	-42.58	24.69	-13.00	29.58	H	PK
	13856	-67.60	-41.27	26.33	-13.00	28.27	H	PK
	15588	-67.53	-38.23	29.30	-13.00	25.23	H	PK
	17320	-67.40	-33.28	34.12	-13.00	20.28	V	PK
WCDMA_BV_5M_CH4182	109.5798	-61.19	-58.70	2.49	-13.00	45.70	V	PK
	1674	-58.47	-42.80	15.67	-13.00	29.80	H	PK
	2511	-59.14	-37.28	21.86	-13.00	24.28	H	PK
	3348	-58.56	-45.51	13.05	-13.00	32.51	V	PK
	4185	-59.45	-44.23	15.22	-13.00	31.23	V	PK
	5022	-59.93	-42.66	17.27	-13.00	29.66	H	PK

	5859	-59.87	-40.01	19.86	-13.00	27.01	H	PK
	6696	-60.66	-39.65	21.01	-13.00	26.65	H	PK
	7533	-61.02	-36.90	24.12	-13.00	23.90	H	PK
	8370	-67.02	-44.54	22.48	-13.00	31.54	V	PK

Note:(1)Level=Reading+Factor

(2)Margin=Limit-Level

(3)V=Vertical,H= Horizontal

LTE

Data List								
Test Mode	Frequency [MHz]	Reading [dBm]	Level [dBm]	Factor [dB]	Limit [dBm]	Margin [dB]	Pol.	Det
LTE_B2_5M_CH18625	110.065	-57.18	-54.52	2.66	-13.00	41.52	V	PK
	879.1746	-60.24	-51.39	8.85	-13.00	38.39	H	PK
	3704	-69.67	-55.36	14.31	-13.00	42.36	H	PK
	5556	-65.07	-45.80	19.27	-13.00	32.80	V	PK
	7408	-70.51	-47.40	23.11	-13.00	34.40	V	PK
	9260	-75.98	-53.62	22.36	-13.00	40.62	H	PK
	11112	-75.68	-50.74	24.94	-13.00	37.74	V	PK
	12964	-76.86	-50.43	26.43	-13.00	37.43	V	PK
	14806	-76.28	-48.53	27.75	-13.00	35.53	H	PK
	16668	-76.16	-43.87	32.29	-13.00	30.87	H	PK
LTE_B4_5M_CH20175	119.7699	-55.58	-58.07	-2.49	-13.00	45.07	V	PK
	242.051	-51.40	-53.68	-2.28	-13.00	40.68	H	PK
	3460	-56.63	-43.83	12.80	-13.00	30.83	V	PK
	5190	-70.20	-52.12	18.08	-13.00	39.12	V	PK
	6920	-70.31	-48.58	21.73	-13.00	35.58	V	PK
	8650	-74.58	-52.56	22.02	-13.00	39.56	H	PK
	10380	-75.68	-50.82	24.86	-13.00	37.82	V	PK
	12110	-76.63	-51.31	25.32	-13.00	38.31	V	PK
	13840	-76.19	-49.71	26.48	-13.00	36.71	V	PK
	15570	-76.80	-47.50	29.30	-13.00	34.50	H	PK
	17300	-76.81	-42.85	33.96	-13.00	29.85	V	PK
LTE_B5_5M_CH20425	111.0355	-58.29	-55.36	2.93	-13.00	42.36	V	PK
	1656	-74.12	-58.84	15.28	-13.00	45.84	H	PK
	2484	-75.59	-53.77	21.82	-13.00	40.77	V	PK
	3312	-68.95	-55.93	13.02	-13.00	42.93	V	PK
	4140	-69.62	-53.90	15.72	-13.00	40.90	V	PK
	4968	-70.49	-53.55	16.94	-13.00	40.55	H	PK
	5796	-70.09	-51.22	18.87	-13.00	38.22	H	PK

	6624	-70.08	-48.78	21.30	-13.00	35.78	H	PK
	7452	-70.49	-46.32	24.17	-13.00	33.32	V	PK
	8280	-75.56	-54.22	21.34	-13.00	41.22	V	PK
LTE_B7_5M_CH20775	111.5208	-60.40	-57.40	3.00	-25.00	32.40	V	PK
	879.1746	-73.82	-64.97	8.85	-25.00	39.97	H	PK
	5004	-70.14	-52.28	17.86	-25.00	27.28	V	PK
	7506	-70.68	-46.94	23.74	-25.00	21.94	H	PK
	10008	-74.97	-50.18	24.79	-25.00	25.18	V	PK
	12510	-72.85	-47.92	24.93	-25.00	22.92	H	PK
	15012	-75.99	-47.65	28.34	-25.00	22.65	V	PK
	17514	-76.50	-42.12	34.38	-25.00	17.12	H	PK
LTE_B66_5M_CH131997	112.4912	-60.97	-58.37	2.60	-13.00	45.37	V	PK
	880.1451	-74.05	-65.26	8.79	-13.00	52.26	H	PK
	3424	-56.74	-43.97	12.77	-13.00	30.97	V	PK
	5136	-67.00	-48.98	18.02	-13.00	35.98	V	PK
	6848	-69.63	-47.66	21.97	-13.00	34.66	H	PK
	8560	-74.08	-51.92	22.16	-13.00	38.92	H	PK
	10272	-76.18	-51.34	24.84	-13.00	38.34	V	PK
	11984	-76.00	-50.41	25.59	-13.00	37.41	V	PK
	13696	-76.22	-50.08	26.14	-13.00	37.08	H	PK
	15408	-76.55	-47.62	28.93	-13.00	34.62	H	PK
	17120	-77.43	-44.15	33.28	-13.00	31.15	H	PK

Note:(1)Level=Reading+Factor

(2)Margin=Limit-Level

(3)V=Vertical,H= Horizontal