

# Label and label location



**dashbon**

Product Name (品名/品名): Flicks Portable Projector / 便携式投影机  
Model (型号/型号): BK01DW45AW IC:8819A-BKDW45  
FCC ID: XN6-BKDW45  
Input (输入/输入): 19V===4.74A

This device complies with Part 15 of the FCC Rules. Operation is subject to the following two conditions : (1) this device may not cause harmful interference, and (2) this device must accept any interference received, including interference that may cause undesired operation.

製造商/制造商/Made in China  
CAN ICES-3 (B)/NMB-3(B) 達信邦科技股份有限公司/Dashbon, Inc.

5MM


208-XXXXX  
CMIIT ID: 2015DJ3622

FCC CE

65.00<sup>+0.5</sup><sub>-0.5</sub>

55.00<sup>+0.5</sup><sub>-0.5</sub>

3RD ANGLE PROJECTION



TOLERANCES	A	B	C	D	ANGLE
~16	0.05	0.1	0.2	0.4	±10°
16~63	0.1	0.2	0.4	0.6	±15°
63~150	0.15	0.25	0.5	0.8	±30°
150~250	0.2	0.3	0.6	1	±1°
250~500	0.4	0.6	0.8	1.5	±

顏色說明:



字: Pantone Cool Gray 8C

白色底




NOTE:

- IF TOLERANCE FOR EACH DIMENSIONS NOT SHOWN, REFER TO TABLE <B> TABLE FOR TOLERANCE.
- USE R=1.0MM FOR ALL RADII NOT SPECIFIED.
- UNACCEPTABLE CONDITIONS: FLASH, SHRINKAGE, DEFORMATION, AND/OR SPOTS.
- REPRESENTS REVISIONS OR NEW DIMENSIONS.
- REPRESENTS CRITICAL AREAS TO BE MEASURED. ALL OTHER DIMENSIONS ARE FOR REFERENCE.
- THE MOULD NUMBER: **NO**
- TEXTURE NUMBER: **NO**
- ALL SUBSTANCE NEED TO MEET THE **ROHS / REACH** REQUIREMENTS. DETAILS REFER TO ZYLUX'S PROCEDURE "QMI-P40-01".
- WILL USE ±0.05MM INNER DIAMETER FOR THE SCREW WHICH NOT SPECIFIED THE DETAILED DIMENSION.

E			
D			
C			
B	添加認證號碼	08.10-15	LIJUAN LIAO
A	PROTOTYPE-A4	06.15-15	PENGCHENG ZHU
ISS	CHANGE RECORDS	DATE	REVISER

TITLE.	PRODUCT-LABEL	REV	SHEET	MODEL.: CS-0000030AA	DATE: 06-15-2015	
		B	1/ 1			
METERIAL.	200#合成紙+光膜 +背壓克力膠	NO.	K1203-0006152	UNIT: MM	SCALE: 1:1	
COLOR.	見備注說明	DRAWER.:	PENGCHENG ZHU	APPROVAL.	CHECKED.	DESIGN.
Zylux Acoustic Corporation				POBBY	YONG WANG	PENGCHENG ZHU

3RD ANGLE PROJECTION



TOLERANCES	A	B	C	D	ANGLE
~16	0.05	0.1	0.2	0.4	±10'
16~63	0.1	0.2	0.4	0.6	±15'
63~150	0.15	0.25	0.5	0.8	±30'
150~250	0.2	0.3	0.6	1	±1'
250~500	0.4	0.6	0.8	1.5	±

顏色說明:



字: Pantone Cool Gray 8C

白色底



- NOTE :
- IF TOLERANCE FOR EACH DIMENSIONS NOT SHOWN, REFER TO TABLE <B> TABLE FOR TOLERANCE.
  - USE R=1.0MM FOR ALL RADII NOT SPECIFIED.
  - UNACCEPTABLE CONDITIONS: FLASH, SHRINKAGE, DEFORMATION, AND/OR SPOTS.
  - REPRESENTS REVISIONS OR NEW DIMENSIONS.
  - REPRESENTS CRITICAL AREAS TO BE MEASURED. ALL OTHER DIMENSIONS ARE FOR REFERENCE.
  - THE MOULD NUMBER: **NO**
  - TEXTURE NUMBER: **NO**
  - ALL SUBSTANCE NEED TO MEET THE **ROHS / REACH** REQUIREMENTS. DETAILS REFER TO ZYLUX'S PROCEDURE "QMI-P40-01".
  - WILL USE ±0.05MM INNER DIAMETER FOR THE SCREW WHICH NOT SPECIFIED THE DETAILED DIMENSION.

E			
D			
C			
B	添加認證號碼	08.10-15	LIJUAN LIAO
A	PROTOTYPE-A4	06.15-15	PENGCHENG ZHU
ISS	CHANGE RECORDS	DATE	REVISER

TITLE.	PRODUCT-LABEL	REV	SHEET	MODEL.: CS-0000030AA	DATE: 06-15-2015	
		B	1/ 1			
METERIAL.	200#合成紙+光膜 +背壓克力膠	NO.	K1203-0006152	UNIT: MM	SCALE: 1:1	
COLOR.	見備注說明	DRAWER.:	PENGCHENG ZHU	APPROVAL.	CHECKED.	DESIGN.
				POBBY	YONG WANG	PENGCHENG ZHU
<b>Zylux Acoustic Corporation</b>						

A


B

C

D

E

3RD ANGLE PROJECTION



TOLERANCES	A	B	C	D	ANGLE
~16	0.05	0.1	0.2	0.4	±10'
16~63	0.1	0.2	0.4	0.6	±15'
63~150	0.15	0.25	0.5	0.8	±30'
150~250	0.2	0.3	0.6	1	±1'
250~500	0.4	0.6	0.8	1.5	±

顏色說明:



字: Pantone Cool Gray 8C

白色底



5MM

55.00<sup>+0.5</sup><sub>-0.5</sub>

65.00<sup>+0.5</sup><sub>-0.5</sub>

- NOTE :
- IF TOLERANCE FOR EACH DIMENSIONS NOT SHOWN, REFER TO TABLE <B> TABLE FOR TOLERANCE.
  - USE R=1.0MM FOR ALL RADII NOT SPECIFIED.
  - UNACCEPTABLE CONDITIONS: FLASH, SHRINKAGE, DEFORMATION, AND/OR SPOTS.
  - REPRESENTS REVISIONS OR NEW DIMENSIONS.
  - REPRESENTS CRITICAL AREAS TO BE MEASURED. ALL OTHER DIMENSIONS ARE FOR REFERENCE.
  - THE MOULD NUMBER: **NO**
  - TEXTURE NUMBER: **NO**
  - ALL SUBSTANCE NEED TO MEET THE **ROHS / REACH** REQUIREMENTS. DETAILS REFER TO ZYLUX'S PROCEDURE "QMI-P40-01".
  - WILL USE ±0.05MM INNER DIAMETER FOR THE SCREW WHICH NOT SPECIFIED THE DETAILED DIMENSION.

E			
D			
C			
B	添加認證號碼	08.10-15	LIJUAN LIAO
A	PROTOTYPE-A4	06.15-15	PENGCHENG ZHU
ISS	CHANGE RECORDS	DATE	REVISER

TITLE.	PRODUCT-LABEL	REV	SHEET	MODEL.: CS-0000030AA	DATE: 06-15-2015	
		B	1/ 1			
METERIAL.	200#合成紙+光膜 +背壓克力膠	NO.	K1203-0006152	UNIT: MM	SCALE: 1:1	
COLOR.	見備注說明	DRAWER.:	PENGCHENG ZHU	APPROVAL.	CHECKED.	DESIGN.
Zylux Acoustic Corporation				POBBY	YONG WANG	PENGCHENG ZHU

5

5

4

4

3

3

2

2

1

1

A


B

C

D

E

3RD ANGLE PROJECTION



TOLERANCES	A	B	C	D	ANGLE
~16	0.05	0.1	0.2	0.4	±10°
16~63	0.1	0.2	0.4	0.6	±15°
63~150	0.15	0.25	0.5	0.8	±30°
150~250	0.2	0.3	0.6	1	±1°
250~500	0.4	0.6	0.8	1.5	±

顏色說明:



字: Pantone Cool Gray 8C

白色底



5MM

55.00<sup>+0.5</sup><sub>-0.5</sub>

65.00<sup>+0.5</sup><sub>-0.5</sub>

- NOTE :
- IF TOLERANCE FOR EACH DIMENSIONS NOT SHOWN, REFER TO TABLE <B> TABLE FOR TOLERANCE.
  - USE R=1.0MM FOR ALL RADII NOT SPECIFIED.
  - UNACCEPTABLE CONDITIONS: FLASH, SHRINKAGE, DEFORMATION, AND/OR SPOTS.
  - REPRESENTS REVISIONS OR NEW DIMENSIONS.
  - REPRESENTS CRITICAL AREAS TO BE MEASURED. ALL OTHER DIMENSIONS ARE FOR REFERENCE.
  - THE MOULD NUMBER: **NO**
  - TEXTURE NUMBER: **NO**
  - ALL SUBSTANCE NEED TO MEET THE **ROHS / REACH** REQUIREMENTS. DETAILS REFER TO ZYLUX'S PROCEDURE "QMI-P40-01".
  - WILL USE ±0.05MM INNER DIAMETER FOR THE SCREW WHICH NOT SPECIFIED THE DETAILED DIMENSION.

E			
D			
C			
B	添加認證號碼	08.10-15	LIJUAN LIAO
A	PROTOTYPE-A4	06.15-15	PENGCHENG ZHU
ISS	CHANGE RECORDS	DATE	REVISER

TITLE.	PRODUCT-LABEL	REV	SHEET	MODEL.: CS-0000030AA	DATE: 06-15-2015	
		B	1/ 1			
METERIAL.	200#合成紙+光膜 +背壓克力膠	NO.	K1203-0006152	UNIT: MM	SCALE: 1:1	
COLOR.	見備注說明	DRAWER.:	PENGCHENG ZHU	APPROVAL.	CHECKED.	DESIGN.
Zylux Acoustic Corporation				POBBY	YONG WANG	PENGCHENG ZHU

A


B

C

D

E

3RD ANGLE PROJECTION



TOLERANCES	A	B	C	D	ANGLE
~16	0.05	0.1	0.2	0.4	±10°
16~63	0.1	0.2	0.4	0.6	±15°
63~150	0.15	0.25	0.5	0.8	±30°
150~250	0.2	0.3	0.6	1	±1°
250~500	0.4	0.6	0.8	1.5	±

顏色說明:



字: Pantone Cool Gray 8C

白色底



5MM

55.00<sup>+0.5</sup><sub>-0.5</sub>

65.00<sup>+0.5</sup><sub>-0.5</sub>

- NOTE :
- IF TOLERANCE FOR EACH DIMENSIONS NOT SHOWN, REFER TO TABLE <B> TABLE FOR TOLERANCE.
  - USE R=1.0MM FOR ALL RADII NOT SPECIFIED.
  - UNACCEPTABLE CONDITIONS: FLASH, SHRINKAGE, DEFORMATION, AND/OR SPOTS.
  - REPRESENTS REVISIONS OR NEW DIMENSIONS.
  - REPRESENTS CRITICAL AREAS TO BE MEASURED. ALL OTHER DIMENSIONS ARE FOR REFERENCE.
  - THE MOULD NUMBER: **NO**
  - TEXTURE NUMBER: **NO**
  - ALL SUBSTANCE NEED TO MEET THE **ROHS / REACH** REQUIREMENTS. DETAILS REFER TO ZYLUX'S PROCEDURE "QMI-P40-01".
  - WILL USE ±0.05MM INNER DIAMETER FOR THE SCREW WHICH NOT SPECIFIED THE DETAILED DIMENSION.

E			
D			
C			
B	添加認證號碼	08.10-15	LIJUAN LIAO
A	PROTOTYPE-A4	06.15-15	PENGCHENG ZHU
ISS	CHANGE RECORDS	DATE	REVISER

TITLE.	PRODUCT-LABEL	REV	SHEET	MODEL.: CS-0000030AA	DATE: 06-15-2015	
		B	1/ 1			
METERIAL.	200#合成紙+光膜 +背壓克力膠	NO.	K1203-0006152	UNIT: MM	SCALE: 1:1	
COLOR.	見備注說明	DRAWER.:	PENGCHENG ZHU	APPROVAL.	CHECKED.	DESIGN.
Zylux Acoustic Corporation				POBBY	YONG WANG	PENGCHENG ZHU

A


B

C

D

E

3RD ANGLE PROJECTION



TOLERANCES	A	B	C	D	ANGLE
~16	0.05	0.1	0.2	0.4	±10°
16~63	0.1	0.2	0.4	0.6	±15°
63~150	0.15	0.25	0.5	0.8	±30°
150~250	0.2	0.3	0.6	1	±1°
250~500	0.4	0.6	0.8	1.5	±

顏色說明:



字: Pantone Cool Gray 8C

白色底



5MM

55.00<sup>+0.5</sup><sub>-0.5</sub>

65.00<sup>+0.5</sup><sub>-0.5</sub>

- NOTE :
- IF TOLERANCE FOR EACH DIMENSIONS NOT SHOWN, REFER TO TABLE <B> TABLE FOR TOLERANCE.
  - USE R=1.0MM FOR ALL RADII NOT SPECIFIED.
  - UNACCEPTABLE CONDITIONS: FLASH, SHRINKAGE, DEFORMATION, AND/OR SPOTS.
  - REPRESENTS REVISIONS OR NEW DIMENSIONS.
  - REPRESENTS CRITICAL AREAS TO BE MEASURED. ALL OTHER DIMENSIONS ARE FOR REFERENCE.
  - THE MOULD NUMBER: **NO**
  - TEXTURE NUMBER: **NO**
  - ALL SUBSTANCE NEED TO MEET THE **ROHS / REACH** REQUIREMENTS. DETAILS REFER TO ZYLUX'S PROCEDURE "QMI-P40-01".
  - WILL USE ±0.05MM INNER DIAMETER FOR THE SCREW WHICH NOT SPECIFIED THE DETAILED DIMENSION.

E			
D			
C			
B	添加認證號碼	08.10-15	LIJUAN LIAO
A	PROTOTYPE-A4	06.15-15	PENGCHENG ZHU
ISS	CHANGE RECORDS	DATE	REVISER

TITLE.	PRODUCT-LABEL	REV	SHEET	MODEL.: CS-0000031AA	DATE: 06-15-2015	
		B	1/ 1			
METERIAL.	200#合成紙+光膜 +背壓克力膠	NO.	K1203-0006217	UNIT: MM	SCALE: 1:1	
COLOR.	見備注說明	DRAWER.:	PENGCHENG ZHU	APPROVAL.	CHECKED.	DESIGN.
Zylux Acoustic Corporation				POBBY	YONG WANG	PENGCHENG ZHU

A


B

C

D

E

3RD ANGLE PROJECTION



TOLERANCES	A	B	C	D	ANGLE
~16	0.05	0.1	0.2	0.4	±10'
16~63	0.1	0.2	0.4	0.6	±15'
63~150	0.15	0.25	0.5	0.8	±30'
150~250	0.2	0.3	0.6	1	±1'
250~500	0.4	0.6	0.8	1.5	±

顏色說明:



字: Pantone Cool Gray 8C

白色底



5MM

55.00<sup>+0.5</sup><sub>-0.5</sub>

65.00<sup>+0.5</sup><sub>-0.5</sub>

- NOTE :
- IF TOLERANCE FOR EACH DIMENSIONS NOT SHOWN, REFER TO TABLE <B> TABLE FOR TOLERANCE.
  - USE R=1.0MM FOR ALL RADII NOT SPECIFIED.
  - UNACCEPTABLE CONDITIONS: FLASH, SHRINKAGE, DEFORMATION, AND/OR SPOTS.
  - REPRESENTS REVISIONS OR NEW DIMENSIONS.
  - REPRESENTS CRITICAL AREAS TO BE MEASURED. ALL OTHER DIMENSIONS ARE FOR REFERENCE.
  - THE MOULD NUMBER: **NO**
  - TEXTURE NUMBER: **NO**
  - ALL SUBSTANCE NEED TO MEET THE **ROHS / REACH** REQUIREMENTS. DETAILS REFER TO ZYLUX'S PROCEDURE "QMI-P40-01".
  - WILL USE ±0.05MM INNER DIAMETER FOR THE SCREW WHICH NOT SPECIFIED THE DETAILED DIMENSION.

E			
D			
C			
B	添加認證號碼	08.10-15	LIJUAN LIAO
A	PROTOTYPE-A4	06.15-15	PENGCHENG ZHU
ISS	CHANGE RECORDS	DATE	REVISER

TITLE.	PRODUCT-LABEL	REV	SHEET	MODEL.: CS-0000031AA	DATE: 06-15-2015	
		B	1/ 1			
METERIAL.	200#合成紙+光膜 +背壓克力膠	NO. K1203-0006217	APPROVAL.		CHECKED.	DESIGN.
			DRAWER.: PENGCHENG ZHU		POBBY	YONG WANG
<b>Zylux Acoustic Corporation</b>						

A

B


C

D

E



3RD ANGLE PROJECTION



TOLERANCES	A	B	C	D	ANGLE
~16	0.05	0.1	0.2	0.4	±10'
16~63	0.1	0.2	0.4	0.6	±15'
63~150	0.15	0.25	0.5	0.8	±30'
150~250	0.2	0.3	0.6	1	±1'
250~500	0.4	0.6	0.8	1.5	±

顏色說明:



字: Pantone Cool Gray 8C

白色底



5MM

55.00<sup>+0.5</sup><sub>-0.5</sub>

65.00<sup>+0.5</sup><sub>-0.5</sub>

NOTE :

- IF TOLERANCE FOR EACH DIMENSIONS NOT SHOWN, REFER TO TABLE <B> TABLE FOR TOLERANCE.
- USE R=1.0MM FOR ALL RADII NOT SPECIFIED.
- UNACCEPTABLE CONDITIONS: FLASH, SHRINKAGE, DEFORMATION, AND/OR SPOTS.
- REPRESENTS REVISIONS OR NEW DIMENSIONS.
- REPRESENTS CRITICAL AREAS TO BE MEASURED. ALL OTHER DIMENSIONS ARE FOR REFERENCE.
- THE MOULD NUMBER: **NO**
- TEXTURE NUMBER: **NO**
- ALL SUBSTANCE NEED TO MEET THE **ROHS / REACH** REQUIREMENTS. DETAILS REFER TO ZYLUX'S PROCEDURE "QMI-P40-01".
- WILL USE ±0.05MM INNER DIAMETER FOR THE SCREW WHICH NOT SPECIFIED THE DETAILED DIMENSION.

E			
D			
C			
B	添加認證號碼	08.10-15	LIJUAN LIAO
A	PROTOTYPE-A4	06.15-15	PENGCHENG ZHU
ISS	CHANGE RECORDS	DATE	REVISER

TITLE.	PRODUCT-LABEL	REV	SHEET	MODEL.: CS-0000031AA	DATE: 06-15-2015	
		B	1/ 1			
METERIAL.	200#合成紙+光膜 +背壓克力膠	NO.	K1203-0006217	UNIT: MM	SCALE: 1:1	
COLOR.	見備注說明	DRAWER.:	PENGCHENG ZHU	APPROVAL.	CHECKED.	DESIGN.
Zylux Acoustic Corporation				POBBY	YONG WANG	PENGCHENG ZHU

A


B

C

D

E

3RD ANGLE PROJECTION



TOLERANCES	A	B	C	D	ANGLE
~16	0.05	0.1	0.2	0.4	±10'
16~63	0.1	0.2	0.4	0.6	±15'
63~150	0.15	0.25	0.5	0.8	±30'
150~250	0.2	0.3	0.6	1	±1'
250~500	0.4	0.6	0.8	1.5	±

顏色說明:



字: Pantone Cool Gray 8C

白色底



5MM

55.00<sup>+0.5</sup><sub>-0.5</sub>


65.00<sup>+0.5</sup><sub>-0.5</sub>

- NOTE :
- IF TOLERANCE FOR EACH DIMENSIONS NOT SHOWN, REFER TO TABLE <B> TABLE FOR TOLERANCE.
  - USE R=1.0MM FOR ALL RADII NOT SPECIFIED.
  - UNACCEPTABLE CONDITIONS: FLASH, SHRINKAGE, DEFORMATION, AND/OR SPOTS.
  - REPRESENTS REVISIONS OR NEW DIMENSIONS.
  - REPRESENTS CRITICAL AREAS TO BE MEASURED. ALL OTHER DIMENSIONS ARE FOR REFERENCE.
  - THE MOULD NUMBER: **NO**
  - TEXTURE NUMBER: **NO**
  - ALL SUBSTANCE NEED TO MEET THE **ROHS / REACH** REQUIREMENTS. DETAILS REFER TO ZYLUX'S PROCEDURE "QMI-P40-01".
  - WILL USE ±0.05MM INNER DIAMETER FOR THE SCREW WHICH NOT SPECIFIED THE DETAILED DIMENSION.

E			
D			
C			
B	添加認證號碼	08.10-15	LIJUAN LIAO
A	PROTOTYPE-A4	06.15-15	PENGCHENG ZHU
ISS	CHANGE RECORDS	DATE	REVISER

TITLE.	PRODUCT-LABEL	REV	SHEET	MODEL.: CS-0000031AA	DATE: 06-15-2015	
		B	1/ 1			
METERIAL.	200#合成紙+光膜 +背壓克力膠	NO.	K1203-0006217	UNIT: MM	SCALE: 1:1	
COLOR.	見備注說明	DRAWER.:	PENGCHENG ZHU	APPROVAL.	CHECKED.	DESIGN.
				POBBY	YONG WANG	PENGCHENG ZHU
<b>Zylux Acoustic Corporation</b>						

3RD ANGLE PROJECTION



TOLERANCES	A	B	C	D	ANGLE
~16	0.05	0.1	0.2	0.4	±10°
16~63	0.1	0.2	0.4	0.6	±15°
63~150	0.15	0.25	0.5	0.8	±30°
150~250	0.2	0.3	0.6	1	±1°
250~500	0.4	0.6	0.8	1.5	±

顏色說明:



字: Pantone Cool Gray 8C

白色底

Product Name (品名/品名): Flicks Portable Projector / 便携式投影机  
 Model (型號/型号): BK02DW45AS IC:8819A-BKDW45  
 FCC ID: XN6-BKDW45  
 Input (輸入/輸入): 19V===4.74A  
 This device complies with Part 15 of the FCC Rules. Operation is subject to the following two conditions: (1) this device may not cause harmful interference, and (2) this device must accept any interference received, including interference that may cause undesired operation. 製造商/制造商/Made in China  
 CAN ICES-3 (B)/NMB-3(B) 達信邦科技股份有限公司/Dashbon, Inc.

5MM

55.00<sup>+0.5</sup><sub>-0.5</sub>

65.00<sup>+0.5</sup><sub>-0.5</sub>

- NOTE :
- IF TOLERANCE FOR EACH DIMENSIONS NOT SHOWN, REFER TO TABLE <B> TABLE FOR TOLERANCE.
  - USE R=1.0MM FOR ALL RADII NOT SPECIFIED.
  - UNACCEPTABLE CONDITIONS: FLASH, SHRINKAGE, DEFORMATION, AND/OR SPOTS.
  - REPRESENTS REVISIONS OR NEW DIMENSIONS.
  - REPRESENTS CRITICAL AREAS TO BE MEASURED. ALL OTHER DIMENSIONS ARE FOR REFERENCE.
  - THE MOULD NUMBER: **NO**
  - TEXTURE NUMBER: **NO**
  - ALL SUBSTANCE NEED TO MEET THE **ROHS / REACH** REQUIREMENTS. DETAILS REFER TO ZYLUX'S PROCEDURE "QMI-P40-01".
  - WILL USE ±0.05MM INNER DIAMETER FOR THE SCREW WHICH NOT SPECIFIED THE DETAILED DIMENSION.

E			
D			
C			
B	添加認證號碼	08.10-15	LIJUAN LIAO
A	PROTOTYPE-A4	06.15-15	PENGCHENG ZHU
ISS	CHANGE RECORDS	DATE	REVISER

TITLE.	PRODUCT-LABEL	REV	SHEET	MODEL.: CS-0000031AA	DATE: 06-15-2015	
		B	1/ 1			
METERIAL.	200#合成紙+光膜 +背壓克力膠	NO.	K1203-0006217	UNIT: MM	SCALE: 1:1	
COLOR.	見備注說明	DRAWER.:	PENGCHENG ZHU	APPROVAL.	CHECKED.	DESIGN.
Zylux Acoustic Corporation				POBBY	YONG WANG	PENGCHENG ZHU

A

B

C

D

E