



| TOLERANCES | A | B | C | D | ANGLE |
|------------|-------|-------|------|------|-------|
| ~16 | ±0.05 | ±0.1 | ±0.2 | ±0.4 | ± 10' |
| 16~63 | ±0.1 | ±0.2 | ±0.4 | ±0.6 | ± 15' |
| 63~150 | ±0.15 | ±0.25 | ±0.5 | ±0.8 | ± 30' |
| 150~250 | ±0.2 | ±0.3 | ±0.6 | ±1 | ± 1' |
| 250~500 | ±0.4 | ±0.6 | ±0.8 | ±1.5 | ± ' |



NOTE :

- IF TOLERANCE FOR EACH DIMENSIONS NOT SHOWN, REFER TO TABLE TABLE FOR TOLERANCE.
- USE $R=1.0 \text{ mm}$ FOR ALL RADII NOT SPECIFIED.
- UNACCEPTABLE CONDITIONS: FLASH, SHRINKAGE, DEFORMATION, AND/OR SPOTS.
- REPRESENTS REVISIONS OR NEW DIMENSIONS.
- REPRESENTS CRITICAL AREAS TO BE MEASURED. ALL OTHER DIMENSIONS ARE FOR REFERENCE.
- THE MOULD NUMBER: **NO**
- TEXTURE NUMBER: **NO**
- ALL SUBSTANCE NEED TO MEET THE **HALOGENFREE/ROHS/REACH/PRO65/VOC** REQUIREMENTS. DETAILS REFER TO ZYLUX'S PROCEDURE "QMI-P40-01".
- WILL USE $\pm 0.05 \text{ mm}$ INNER DIAMETER FOR THE SCREW WHICH NOT SPECIFIED THE DETAILED DIMENSION.

| | | | |
|-----|----------------|----------|-----------|
| E | | | |
| D | | | |
| C | | | |
| B | | | |
| A | PROTOTYPE-A4 | 2021/9/8 | LIANGQIAO |
| ISS | CHANGE RECORDS | DATE | REVISER |

| | | | | | |
|----------------------------------|--------------------|-------|----------------------|-----------------------|------------|
| TITLE. M512E-K6 Soundbar電源端標籤 | REV | SHEET | MODEL.: TS-0000108AA | DATE: 2021/9/8 | |
| | A | 1/1 | | PART NO.: 10615150241 | SCALE: 1:1 |
| MATERIAL. 100#合成紙+啞膜 亞克力膠 | NO. K1203-0009135 | | APPROVAL. | | CHECKED. |
| COLOR. 黑底白字 | DRAWER.: LIANGQIAO | | POBBY | YONG | LIANGQIAO |
| ZYLUX Acoustic Corporation | | | | | |

A

B


C

D

E




| TOLERANCES | A | B | C | D | ANGLE |
|------------|-------|-------|------|------|-------|
| ~16 | ±0.05 | ±0.1 | ±0.2 | ±0.4 | ± 10' |
| 16~63 | ±0.1 | ±0.2 | ±0.4 | ±0.6 | ± 15' |
| 63~150 | ±0.15 | ±0.25 | ±0.5 | ±0.8 | ± 30' |
| 150~250 | ±0.2 | ±0.3 | ±0.6 | ±1 | ± 1° |
| 250~500 | ±0.4 | ±0.6 | ±0.8 | ±1.5 | ± ° |



NOTE :

1. IF TOLERANCE FOR EACH DIMENSIONS NOT SHOWN, REFER TO TABLE TABLE FOR TOLERANCE.
2. USE R=1.0MM FOR ALL RADII NOT SPECIFIED.
3. UNACCEPTABLE CONDITIONS: FLASH, SHRINKAGE, DEFORMATION, AND/OR SPOTS.
4. □ REPRESENTS REVISIONS OR NEW DIMENSIONS.
5. ○ REPRESENTS CRITICAL AREAS TO BE MEASURED. ALL OTHER DIMENSIONS ARE FOR REFERENCE.
6. THE MOULD NUMBER: **NO**
7. TEXTURE NUMBER: **NO**
8. ALL SUBSTANCE NEED TO MEET THE **HALOGENFREE/ROHS/REACH/PRO65/VOC** REQUIREMENTS. DETAILS REFER TO ZYLUX'S PROCEDURE "QMI-P40-01".
9. WILL USE ±0.05MM INNER DIAMETER FOR THE SCREW WHICH NOT SPECIFIED THE DETAILED DIMENSION.

| | | | |
|-----|----------------|----------|-----------|
| E | | | |
| D | | | |
| C | | | |
| B | | | |
| A | PROTOTYPE-A4 | 2021/9/8 | LIANGQIAO |
| ISS | CHANGE RECORDS | DATE | REVISER |

| | | | | | |
|---|--------------------|-------|-----------------------|----------------|-----------|
| TITLE. M512E-K6 Soundbar網絡端標籤 | REV | SHEET | MODEL.: TS-0000108AA | DATE: 2021/9/8 | |
| | A | 1/1 | PART NO.: 10615150241 | SCALE: 1 : 1 | |
| MATERIAL. 100#合成紙+啞膜 亞克力膠 | NO. K1203-0009136 | | APPROVAL. | CHECKED. | DESIGN. |
| COLOR. 4C印刷 | DRAWER.: LIANGQIAO | | POBBY | YONG | LIANGQIAO |
|  ZYLUX Acoustic Corporation | | | | | |

