

## Fall Sensor – FS915CA

This Fall Sensor is designed for a user to push the button for help at any time. It can also automatically<sup>1</sup> activate an emergency alarm if it detects a fall in the event that the user is unable to trigger an alarm by pressing the button.

### A. Usage Recommendation

1. For best results, the Fall Sensor should rest at the center of the user's breastbone. Adjust the lanyard length using the sliding clasp so that the device rests as the center of the user's breastbone.
2. Wear the Fall Sensor on the outside of all articles of clothing.
3. Carefully place the Fall Sensor on a table or nightstand when you are not using it in order to avoid activating an alarm.
4. The Fall Sensor may be worn in the shower (IP45 rated).

### FCC Statement

This device complies with Part 15 of the FCC Rules. Operation is subject to the following two conditions:

- (1) This device may not cause harmful interference, and
- (2) This device must accept any interference received, including interference that may cause undesired operation.

### FCC Caution:

To assure continued compliance, any changes or modifications not expressly approved by the party responsible for compliance may void the user's authority to operate this equipment.

**NOTE:** This equipment has been tested and found to comply with the limits for a class B digital device, pursuant to Part 15 of the FCC Rules. These limits are designed to provide reasonable protection against harmful interference in a residential installation. This equipment generates uses and can radiate radio frequency energy and, if not installed and used in accordance with the instructions, may cause harmful interference to radio communications. However, there is no guarantee that interference will not occur in a particular installation. If this equipment does cause harmful interference to radio or television reception, which can be determined by turning the equipment off and on, the user is encouraged to try to correct the interference by one or more of the following measures:

- Reorient or relocate the receiving antenna.
- Increase the separation between the equipment and receiver.
- Connect the equipment into an outlet on a circuit different from that to which the receiver is connected.
- Consult the dealer or an experienced radio/TV technician for help.

**This device complies with Industry Canada licence-exempt RSS standard. Operation is subject to the following two conditions:**

- (1) this device may not cause interference, and (2) this device must accept any interference, including interference that may cause undesired operation of the device.**

**Le présent appareil est conforme aux CNR d'Industrie Canada applicables aux appareils radio exempts de licence.**

**L'exploitation est autorisée aux deux conditions suivantes : (1) l'appareil ne doit pas produire de brouillage, et (2) l'utilisateur de l'appareil doit accepter tout brouillage radioélectrique subi, même si le brouillage est susceptible d'en compromettre le fonctionnement.**

---

<sup>1</sup> Note: Fall Sensors do not detect 100% of falls. If you are able to do so, you should always press the button if you need help.