

Author

#### JODY-W1 Label and location

Topic JODY-W1 Label and location

UBX-18017439 Daniel Dietterle 15 June 2018

то Certification application reviewer

Copying, reproduction, modification or disclosure to third parties of this document or any part thereof is only permitted with the express written permission of u-blox. The information contained herein is provided "as is" and u-blox assumes no liability for its use. No warranty, either express or implied, is given, including but not limited, with respect to the accuracy, correctness, reliability and fitness for a particular purpose of the information. This document may be revised by u-blox at any time. For most recent documents, visit www.u-blox.com. Copyright© u-blox AG.

## 1 Scope

This document provides information on JODY-W1 series modules' label contents and location on the module. It is part of the equipment certification application issued to FCC and ISED.

# 2 FCC/ISED ID reference

Product name	Ordering Code(s)	FCC ID	ISED ID
JODY-W164-A	JODY-W164-03A	XPYJODYW164	8595A-JODYW164
JODY-W164-A	JODY-W164-07A	XPYJODYW164-07A	8595A-JODYW16407A

Table 1: FCC and ISED IDs for different models of JODY-W1 series modules

# 3 Label

### 3.1 Label specification

The labels of JODY-W1 series include important product information as described in this section. The data matrix code for automotive and professional grade variants of JODY-W1 series includes a serial number.

Figure 1 illustrates the sample label of the JODY-W1 series and includes: the u-blox logo, product name (model), type number, FCC and ISED certification number and date of unit production encoded YY/WW (year/week).





Figure 1: JODY-W1 series sample label

A detailed description of the label components are listed in Table 2.

Reference	Description
1	Text in bold font: MODEL: type number without the product version
2	Product version ("xxB-yy" for professional and "xxA-yy" for automotive grade)
3	Date of production encoded YY/WW (year/week)
4	FCC/ISED ID which the module has been listed with
5	Data Matrix with unique serial number of 19 alphanumeric symbols.  The 3 first symbols represent the unique module type no, the next 12 symbols represent the unique hexadecimal Bluetooth MAC address of the module in the format AABBCCDDEEFF, and the last 4 symbols represent the hardware and firmware version encoded HHFF.
6	u-blox logo, the red dot in the logo is also marking pin no 1

Table 2: JODY-W1 series label description

The model name, which is identical to the ordering code, used for product type approval is shown on the first line of the label. Table 3 provides the mapping of ordering code, label contents and FCC/ISED IDs. The marking "yy" in Reference 2 on the label is the minor product version and not relevant for certification.

Label marking				
Ordering code	Ref. 1 (Model:)	Ref. 2	FCC ID	ISED ID
JODY-W164-03A	JODY-W164	03А-уу	XPYJODYW164	8595A-JODYW164
JODY-W164-07A	JODY-W164	07A-yy	XPYJODYW164-07A	8595A-JODYW16407A

Table 3: Mapping of ordering code, label marking and FCC/ISED IDs.



#### 3.2 Product labels



Figure 2: JODY-W164-03A label

Figure 3: JODY-W164-07A label

### 4 Label location

The label is placed on top of the shield of the JODY-W1 series modules as shown below (certification IDs not printed on module prototypes, this is just to demonstrate the label location).



Figure 4: JODY-W164-03A label location



Figure 5: JODY-W164-07A label location