



Test Site:	96603-WG	Standard:	Part 15.407
Test Mode:	802.11ax HE40 5510 MHz		
Polarization:	Horizontal		
ReMark:			




ID	Frequency MHz	Reading dBuV	Correct Factor dB/m	Result dBuV/m	Limit dBuV/m	Margin dB	ReMark
1	5458.85	55.74	1.78	57.52	74.00	-16.48	PEAK
2	5460.00	54.54	1.79	56.33	74.00	-17.67	PEAK
3	5495.53	93.37	1.97	95.34	68.20	27.14	PEAK

Test Site:	96603-WG	Standard:	Part 15.407
Test Mode:	802.11ax HE40 5510 MHz		
Polarization:	Vertical		
ReMark:			




ID	Frequency MHz	Reading dBuV	Correct Factor dB/m	Result dBuV/m	Limit dBuV/m	Margin dB	ReMark
1	5459.33	58.49	1.79	60.28	74.00	-13.72	PEAK
2	5460.00	56.31	1.79	58.10	74.00	-15.90	PEAK
3	5466.28	59.76	1.82	61.58	68.20	-6.62	PEAK
4	5470.00	59.52	1.84	61.36	68.20	-6.84	PEAK
5	5514.96	101.49	2.03	103.52	68.20	35.32	PEAK

Test Site:	96603-WG	Standard:	Part 15.407
Test Mode:	802.11ax HE40 5670 MHz		
Polarization:	Horizontal		
ReMark:			




ID	Frequency MHz	Reading dBuV	Correct Factor dB/m	Result dBuV/m	Limit dBuV/m	Margin dB	ReMark
1	5653.47	97.85	2.52	100.37	68.20	32.17	PEAK
2	5725.00	55.53	2.92	58.45	68.20	-9.75	PEAK
3	5729.52	60.62	2.98	63.60	68.20	-4.60	PEAK

Test Site:	96603-WG	Standard:	Part 15.407
Test Mode:	802.11ax HE40 5670 MHz		
Polarization:	Vertical		
ReMark:			




ID	Frequency MHz	Reading dBuV	Correct Factor dB/m	Result dBuV/m	Limit dBuV/m	Margin dB	ReMark
1	5653.32	105.34	2.52	107.86	68.20	39.66	PEAK
2	5725.00	58.33	2.92	61.25	68.20	-6.95	PEAK
3	5731.11	62.40	2.99	65.39	68.20	-2.81	PEAK

Test Site:	96603-WG	Standard:	Part 15.407
Test Mode:	802.11ax HE40 5710 MHz		
Polarization:	Horizontal		
ReMark:			




ID	Frequency MHz	Reading dBuV	Correct Factor dB/m	Result dBuV/m	Limit dBuV/m	Margin dB	ReMark
1	5425.55	55.04	1.70	56.74	74.00	-17.26	PEAK
2	5460.00	52.90	1.79	54.69	74.00	-19.31	PEAK
3	5463.01	54.17	1.80	55.97	68.20	-12.23	PEAK
4	5470.00	53.94	1.84	55.78	68.20	-12.42	PEAK
5	5703.40	94.84	2.67	97.51	68.20	29.31	PEAK
6	5850.00	54.55	3.31	57.86	68.20	-10.34	PEAK
7	5872.60	55.99	3.27	59.26	68.20	-8.94	PEAK

Test Site:	96603-WG	Standard:	Part 15.407
Test Mode:	802.11ax HE40 5710 MHz		
Polarization:	Vertical		
ReMark:			




ID	Frequency MHz	Reading dBuV	Correct Factor dB/m	Result dBuV/m	Limit dBuV/m	Margin dB	ReMark
1	5370.60	55.28	1.41	56.69	74.00	-17.31	PEAK
2	5460.00	53.68	1.79	55.47	74.00	-18.53	PEAK
3	5463.64	55.16	1.80	56.96	68.20	-11.24	PEAK
4	5470.00	53.78	1.84	55.62	68.20	-12.58	PEAK
5	5695.28	101.25	2.62	103.87	68.20	35.67	PEAK
6	5850.00	54.78	3.31	58.09	68.20	-10.11	PEAK
7	5886.34	56.48	3.23	59.71	68.20	-8.49	PEAK

Test Site:	96603-WG	Standard:	Part 15.407
Test Mode:	802.11ax HE40 5755 MHz		
Polarization:	Horizontal		
ReMark:			



ID	Frequency MHz	Reading dBuV	Correct Factor dB/m	Result dBuV/m	Limit dBuV/m	Margin dB	ReMark
1	5607.12	55.79	2.40	58.19	68.20	-10.01	PEAK
2	5650.00	54.30	2.51	56.81	68.20	-11.39	PEAK
3	5700.00	55.08	2.63	57.71	105.20	-47.49	PEAK
4	5720.00	59.96	2.86	62.82	110.80	-47.98	PEAK
5	5725.00	59.74	2.92	62.66	150.00	-87.34	PEAK
6	5760.34	97.15	3.27	100.42	150.00	-49.58	PEAK


Test Site:	96603-WG	Standard:	Part 15.407
Test Mode:	802.11ax HE40 5755 MHz		
Polarization:	Vertical		
ReMark:			



ID	Frequency MHz	Reading dBuV	Correct Factor dB/m	Result dBuV/m	Limit dBuV/m	Margin dB	ReMark
1	5605.99	56.18	2.40	58.58	68.20	-9.62	PEAK
2	5650.00	54.53	2.51	57.04	68.20	-11.16	PEAK
3	5700.00	59.20	2.63	61.83	105.20	-43.37	PEAK
4	5720.00	65.23	2.86	68.09	110.80	-42.71	PEAK
5	5725.00	65.51	2.92	68.43	150.00	-81.57	PEAK
6	5771.58	103.16	3.34	106.50	150.00	-43.50	PEAK




Test Site:	96603-WG	Standard:	Part 15.407
Test Mode:	802.11ax HE40 5795 MHz		
Polarization:	Horizontal		
ReMark:			




ID	Frequency MHz	Reading dBuV	Correct Factor dB/m	Result dBuV/m	Limit dBuV/m	Margin dB	ReMark
1	5780.19	101.52	3.39	104.91	150.00	-45.09	PEAK
2	5850.00	64.33	3.31	67.64	122.20	-54.56	PEAK
3	5855.00	64.03	3.30	67.33	110.80	-43.47	PEAK
4	5875.00	59.59	3.26	62.85	105.20	-42.35	PEAK
5	5925.00	55.23	3.15	58.38	68.20	-9.82	PEAK
6	5942.78	56.27	3.11	59.38	68.20	-8.82	PEAK

Test Site:	96603-WG	Standard:	Part 15.407
Test Mode:	802.11ax HE40 5795 MHz		
Polarization:	Vertical		
ReMark:			




ID	Frequency MHz	Reading dBuV	Correct Factor dB/m	Result dBuV/m	Limit dBuV/m	Margin dB	ReMark
1	5780.19	106.14	3.39	109.53	150.00	-40.47	PEAK
2	5850.00	67.36	3.31	70.67	122.20	-51.53	PEAK
3	5855.00	65.31	3.30	68.61	110.80	-42.19	PEAK
4	5875.00	59.36	3.26	62.62	105.20	-42.58	PEAK
5	5925.00	54.24	3.15	57.39	68.20	-10.81	PEAK
6	5960.76	56.21	3.09	59.30	68.20	-8.90	PEAK

Test Site:	96603-WG	Standard:	Part 15.407
Test Mode:	802.11ax HE80 5210 MHz		
Polarization:	Horizontal		
ReMark:			




ID	Frequency MHz	Reading dBuV	Correct Factor dB/m	Result dBuV/m	Limit dBuV/m	Margin dB	ReMark
1	5143.08	57.51	1.65	59.16	74.00	-14.84	PEAK
2	5150.00	55.63	1.64	57.27	74.00	-16.73	PEAK
3	5204.58	91.64	1.75	93.39	68.20	25.19	PEAK

Test Site:	96603-WG	Standard:	Part 15.407
Test Mode:	802.11ax HE80 5210 MHz		
Polarization:	Vertical		
ReMark:			




ID	Frequency MHz	Reading dBuV	Correct Factor dB/m	Result dBuV/m	Limit dBuV/m	Margin dB	ReMark
1	5146.11	65.17	1.65	66.82	74.00	-7.18	PEAK
2	5150.00	65.95	1.64	67.59	74.00	-6.41	PEAK
3	5235.70	101.23	1.57	102.80	68.20	34.60	PEAK

Test Site:	96603-WG	Standard:	Part 15.407
Test Mode:	802.11ax HE80 5290 MHz		
Polarization:	Horizontal		
ReMark:			




ID	Frequency MHz	Reading dBuV	Correct Factor dB/m	Result dBuV/m	Limit dBuV/m	Margin dB	ReMark
1	5280.90	91.96	1.38	93.34	68.20	25.14	PEAK
2	5350.00	57.08	1.23	58.31	74.00	-15.69	PEAK
3	5355.94	58.31	1.29	59.60	74.00	-14.40	PEAK

Test Site:	96603-WG	Standard:	Part 15.407
Test Mode:	802.11ax HE80 5290 MHz		
Polarization:	Vertical		
ReMark:			




ID	Frequency MHz	Reading dBuV	Correct Factor dB/m	Result dBuV/m	Limit dBuV/m	Margin dB	ReMark
1	5258.36	99.47	1.47	100.94	68.20	32.74	PEAK
2	5350.00	64.32	1.23	65.55	74.00	-8.45	PEAK
3	5352.11	65.92	1.26	67.18	74.00	-6.82	PEAK

Test Site:	96603-WG	Standard:	Part 15.407
Test Mode:	802.11ax HE80 5530 MHz		
Polarization:	Horizontal		
ReMark:			



ID	Frequency MHz	Reading dBuV	Correct Factor dB/m	Result dBuV/m	Limit dBuV/m	Margin dB	ReMark
1	5448.06	57.76	1.72	59.48	74.00	-14.52	PEAK
2	5460.00	54.82	1.79	56.61	74.00	-17.39	PEAK
3	5460.29	56.34	1.79	58.13	68.20	-10.07	PEAK
4	5470.00	54.70	1.84	56.54	68.20	-11.66	PEAK
5	5515.19	90.79	2.04	92.83	68.20	24.63	PEAK


Test Site:	96603-WG	Standard:	Part 15.407
Test Mode:	802.11ax HE80 5530 MHz		
Polarization:	Vertical		
ReMark:			



ID	Frequency MHz	Reading dBuV	Correct Factor dB/m	Result dBuV/m	Limit dBuV/m	Margin dB	ReMark
1	5449.26	63.93	1.72	65.65	74.00	-8.35	PEAK
2	5460.00	61.69	1.79	63.48	74.00	-10.52	PEAK
3	5464.85	63.62	1.81	65.43	68.20	-2.77	PEAK
4	5470.00	61.27	1.84	63.11	68.20	-5.09	PEAK
5	5545.64	99.85	2.13	101.98	68.20	33.78	PEAK




Test Site:	96603-WG	Standard:	Part 15.407
Test Mode:	802.11ax HE80 5610 MHz		
Polarization:	Horizontal		
ReMark:			




ID	Frequency MHz	Reading dBuV	Correct Factor dB/m	Result dBuV/m	Limit dBuV/m	Margin dB	ReMark
1	5457.42	55.88	1.77	57.65	74.00	-16.35	PEAK
2	5460.00	54.16	1.79	55.95	74.00	-18.05	PEAK
3	5467.61	55.21	1.82	57.03	68.20	-11.17	PEAK
4	5470.00	54.42	1.84	56.26	68.20	-11.94	PEAK
5	5575.03	93.90	2.26	96.16	68.20	27.96	PEAK
6	5725.00	54.59	2.92	57.51	68.20	-10.69	PEAK
7	5734.24	55.80	3.03	58.83	68.20	-9.37	PEAK

Test Site:	96603-WG	Standard:	Part 15.407
Test Mode:	802.11ax HE80 5610 MHz		
Polarization:	Vertical		
ReMark:			




ID	Frequency MHz	Reading dBuV	Correct Factor dB/m	Result dBuV/m	Limit dBuV/m	Margin dB	ReMark
1	5457.42	57.94	1.77	59.71	74.00	-14.29	PEAK
2	5460.00	56.47	1.79	58.26	74.00	-15.74	PEAK
3	5463.79	59.80	1.81	61.62	68.20	-6.59	PEAK
4	5470.00	57.76	1.84	59.60	68.20	-8.60	PEAK
5	5575.03	102.58	2.26	104.84	68.20	36.64	PEAK
6	5725.00	54.92	2.92	57.85	68.20	-10.36	PEAK
7	5755.89	55.49	3.25	58.74	68.20	-9.46	PEAK

Test Site:	96603-WG	Standard:	Part 15.407
Test Mode:	802.11ax HE80 5690 MHz		
Polarization:	Horizontal		
ReMark:			




ID	Frequency MHz	Reading dBuV	Correct Factor dB/m	Result dBuV/m	Limit dBuV/m	Margin dB	ReMark
1	5431.79	55.05	1.71	56.76	74.00	-17.24	PEAK
2	5460.00	52.39	1.79	54.18	74.00	-19.82	PEAK
3	5461.14	54.31	1.79	56.10	68.20	-12.10	PEAK
4	5470.00	53.05	1.84	54.89	68.20	-13.31	PEAK
5	5681.54	90.84	2.58	93.42	68.20	25.22	PEAK
6	5850.00	53.67	3.31	56.98	68.20	-11.22	PEAK
7	5879.47	55.55	3.25	58.80	68.20	-9.40	PEAK

Test Site:	96603-WG	Standard:	Part 15.407
Test Mode:	802.11ax HE80 5690 MHz		
Polarization:	Vertical		
ReMark:			



ID	Frequency MHz	Reading dBuV	Correct Factor dB/m	Result dBuV/m	Limit dBuV/m	Margin dB	ReMark
1	5379.97	54.99	1.50	56.49	74.00	-17.51	PEAK
2	5460.00	52.67	1.79	54.46	74.00	-19.54	PEAK
3	5466.13	54.61	1.81	56.42	68.20	-11.78	PEAK
4	5470.00	53.15	1.84	54.99	68.20	-13.21	PEAK
5	5705.27	98.86	2.69	101.55	68.20	33.35	PEAK
6	5850.00	54.06	3.31	57.37	68.20	-10.83	PEAK
7	5871.98	55.54	3.27	58.81	68.20	-9.39	PEAK


Test Site:	96603-WG	Standard:	Part 15.407
Test Mode:	802.11ax HE80 5775 MHz		
Polarization:	Horizontal		
ReMark:			



Test Site:	96603-WG	Standard:	Part 15.407
Test Mode:	802.11ax HE80 5775 MHz		
Polarization:	Horizontal		
ReMark:			

ID	Frequency MHz	Reading dBuV	Correct Factor dB/m	Result dBuV/m	Limit dBuV/m	Margin dB	ReMark
1	5600.00	55.05	2.39	57.44	68.20	-10.76	PEAK
2	5650.00	53.02	2.51	55.53	68.20	-12.67	PEAK
3	5700.00	55.24	2.63	57.87	105.20	-47.33	PEAK
4	5720.00	55.32	2.86	58.18	110.80	-52.62	PEAK
5	5725.00	53.90	2.92	56.82	150.00	-93.18	PEAK
6	5793.68	86.97	3.46	90.43	150.00	-59.57	PEAK
7	5850.00	53.22	3.31	56.53	122.20	-65.67	PEAK
8	5855.00	54.17	3.30	57.47	110.80	-53.33	PEAK
9	5875.00	53.08	3.26	56.34	105.20	-48.86	PEAK
10	5925.00	52.86	3.15	56.01	68.20	-12.19	PEAK
11	5946.53	54.71	3.09	57.80	68.20	-10.40	PEAK

Test Site:	96603-WG	Standard:	Part 15.407
Test Mode:	802.11ax HE80 5775 MHz		
Polarization:	Vertical		
ReMark:			




Test Site:	96603-WG	Standard:	Part 15.407
Test Mode:	802.11ax HE80 5775 MHz		
Polarization:	Vertical		
ReMark:			

ID	Frequency MHz	Reading dBuV	Correct Factor dB/m	Result dBuV/m	Limit dBuV/m	Margin dB	ReMark
1	5633.34	59.82	2.47	62.29	68.20	-5.91	PEAK
2	5650.00	57.73	2.51	60.24	68.20	-7.96	PEAK
3	5700.00	62.86	2.63	65.49	105.20	-39.71	PEAK
4	5720.00	63.33	2.86	66.19	110.80	-44.61	PEAK
5	5725.00	63.82	2.92	66.74	150.00	-83.26	PEAK
6	5793.31	99.40	3.46	102.86	150.00	-47.14	PEAK
7	5850.00	60.98	3.31	64.29	122.20	-57.91	PEAK
8	5855.00	60.60	3.30	63.90	110.80	-46.90	PEAK
9	5875.00	59.54	3.26	62.80	105.20	-42.40	PEAK
10	5925.00	54.29	3.15	57.44	68.20	-10.76	PEAK
11	5957.77	55.37	3.08	58.45	68.20	-9.75	PEAK




Average

Test Site:	96603-WG	Standard:	Part 15.407
Test Mode:	802.11ax HE20 5180 MHz		
Polarization:	Horizontal		
ReMark:			




ID	Frequency MHz	Reading dBuV	Correct Factor dB/m	Result dBuV/m	Limit dBuV/m	Margin dB	ReMark
1	5150.00	44.56	1.64	46.20	54.00	-7.80	AVG

Test Site:	96603-WG	Standard:	Part 15.407
Test Mode:	802.11ax HE20 5180 MHz		
Polarization:	Vertical		
ReMark:			




ID	Frequency MHz	Reading dBuV	Correct Factor dB/m	Result dBuV/m	Limit dBuV/m	Margin dB	ReMark
1	5150.00	48.18	1.64	49.82	54.00	-4.18	AVG

Test Site:	96603-WG	Standard:	Part 15.407
Test Mode:	802.11ax HE20 5320 MHz		
Polarization:	Horizontal		
ReMark:			




ID	Frequency MHz	Reading dBuV	Correct Factor dB/m	Result dBuV/m	Limit dBuV/m	Margin dB	ReMark
1	5350.00	42.99	1.23	44.22	54.00	-9.78	AVG

Test Site:	96603-WG	Standard:	Part 15.407
Test Mode:	802.11ax HE20 5320 MHz		
Polarization:	Vertical		
ReMark:			




ID	Frequency MHz	Reading dBuV	Correct Factor dB/m	Result dBuV/m	Limit dBuV/m	Margin dB	ReMark
1	5350.00	43.46	1.23	44.69	54.00	-9.31	AVG
2	5351.15	43.47	1.25	44.72	54.00	-9.28	AVG

Test Site:	96603-WG	Standard:	Part 15.407
Test Mode:	802.11ax HE20 5500 MHz		
Polarization:	Horizontal		
ReMark:			




ID	Frequency MHz	Reading dBuV	Correct Factor dB/m	Result dBuV/m	Limit dBuV/m	Margin dB	ReMark
1	5458.37	42.35	1.77	44.12	54.00	-9.88	AVG
2	5460.00	42.30	1.79	44.09	54.00	-9.91	AVG

Test Site:	96603-WG	Standard:	Part 15.407
Test Mode:	802.11ax HE20 5500 MHz		
Polarization:	Vertical		
ReMark:			




ID	Frequency MHz	Reading dBuV	Correct Factor dB/m	Result dBuV/m	Limit dBuV/m	Margin dB	ReMark
1	5454.78	42.53	1.76	44.29	54.00	-9.71	AVG
2	5460.00	42.66	1.79	44.45	54.00	-9.55	AVG

Test Site:	96603-WG	Standard:	Part 15.407
Test Mode:	802.11ax HE40 5190 MHz		
Polarization:	Horizontal		
ReMark:			



ID	Frequency MHz	Reading dBuV	Correct Factor dB/m	Result dBuV/m	Limit dBuV/m	Margin dB	ReMark
1	5087.65	45.70	1.71	47.41	54.00	-6.59	AVG
2	5150.00	45.74	1.64	47.38	54.00	-6.62	AVG


Test Site:	96603-WG	Standard:	Part 15.407
Test Mode:	802.11ax HE40 5190 MHz		
Polarization:	Vertical		
ReMark:			



ID	Frequency MHz	Reading dBuV	Correct Factor dB/m	Result dBuV/m	Limit dBuV/m	Margin dB	ReMark
1	5150.00	49.98	1.64	51.62	54.00	-2.38	AVG




Test Site:	96603-WG	Standard:	Part 15.407
Test Mode:	802.11ax HE40 5310 MHz		
Polarization:	Horizontal		
ReMark:			




ID	Frequency MHz	Reading dBuV	Correct Factor dB/m	Result dBuV/m	Limit dBuV/m	Margin dB	ReMark
1	5350.00	44.80	1.23	46.03	54.00	-7.97	AVG

Test Site:	96603-WG	Standard:	Part 15.407
Test Mode:	802.11ax HE40 5310 MHz		
Polarization:	Vertical		
ReMark:			




ID	Frequency MHz	Reading dBuV	Correct Factor dB/m	Result dBuV/m	Limit dBuV/m	Margin dB	ReMark
1	5350.00	50.70	1.23	51.93	54.00	-2.07	AVG

Test Site:	96603-WG	Standard:	Part 15.407
Test Mode:	802.11ax HE40 5510 MHz		
Polarization:	Horizontal		
ReMark:			




ID	Frequency MHz	Reading dBuV	Correct Factor dB/m	Result dBuV/m	Limit dBuV/m	Margin dB	ReMark
1	5460.00	43.21	1.79	45.00	54.00	-9.00	AVG

Test Site:	96603-WG	Standard:	Part 15.407
Test Mode:	802.11ax HE40 5510 MHz		
Polarization:	Vertical		
ReMark:			




ID	Frequency MHz	Reading dBuV	Correct Factor dB/m	Result dBuV/m	Limit dBuV/m	Margin dB	ReMark
1	5460.00	44.77	1.79	46.56	54.00	-7.44	AVG

Test Site:	96603-WG	Standard:	Part 15.407
Test Mode:	802.11ax HE40 5710 MHz		
Polarization:	Vertical		
ReMark:			




ID	Frequency MHz	Reading dBuV	Correct Factor dB/m	Result dBuV/m	Limit dBuV/m	Margin dB	ReMark
1	5460.00	43.99	1.79	45.78	54.00	-8.22	AVG

Test Site:	96603-WG	Standard:	Part 15.407
Test Mode:	802.11ax HE40 5710 MHz		
Polarization:	Horizontal		
ReMark:			




ID	Frequency MHz	Reading dBuV	Correct Factor dB/m	Result dBuV/m	Limit dBuV/m	Margin dB	ReMark
1	5460.00	44.07	1.79	45.86	54.00	-8.14	AVG

Test Site:	96603-WG	Standard:	Part 15.407
Test Mode:	802.11ax HE80 5210 MHz		
Polarization:	Horizontal		
ReMark:			



ID	Frequency MHz	Reading dBuV	Correct Factor dB/m	Result dBuV/m	Limit dBuV/m	Margin dB	ReMark
1	5150.00	46.33	1.64	47.97	54.00	-6.03	AVG


Test Site:	96603-WG	Standard:	Part 15.407
Test Mode:	802.11ax HE80 5210 MHz		
Polarization:	Vertical		
ReMark:			



ID	Frequency MHz	Reading dBuV	Correct Factor dB/m	Result dBuV/m	Limit dBuV/m	Margin dB	ReMark
1	5150.00	49.79	1.64	51.43	54.00	-2.57	AVG




Test Site:	96603-WG	Standard:	Part 15.407
Test Mode:	802.11ax HE80 5290 MHz		
Polarization:	Horizontal		
ReMark:			




ID	Frequency MHz	Reading dBuV	Correct Factor dB/m	Result dBuV/m	Limit dBuV/m	Margin dB	ReMark
1	5350.00	45.59	1.23	46.82	54.00	-7.18	AVG

Test Site:	96603-WG	Standard:	Part 15.407
Test Mode:	802.11ax HE80 5290 MHz		
Polarization:	Vertical		
ReMark:			




ID	Frequency MHz	Reading dBuV	Correct Factor dB/m	Result dBuV/m	Limit dBuV/m	Margin dB	ReMark
1	5350.00	50.59	1.23	51.82	54.00	-2.18	AVG

Test Site:	96603-WG	Standard:	Part 15.407
Test Mode:	802.11ax HE80 5530 MHz		
Polarization:	Horizontal		
ReMark:			




ID	Frequency MHz	Reading dBuV	Correct Factor dB/m	Result dBuV/m	Limit dBuV/m	Margin dB	ReMark
1	5460.00	44.78	1.79	46.57	54.00	-7.43	AVG

Test Site:	96603-WG	Standard:	Part 15.407
Test Mode:	802.11ax HE80 5530 MHz		
Polarization:	Vertical		
ReMark:			




ID	Frequency MHz	Reading dBuV	Correct Factor dB/m	Result dBuV/m	Limit dBuV/m	Margin dB	ReMark
1	5460.00	49.62	1.79	51.41	54.00	-2.59	AVG

Test Site:	96603-WG	Standard:	Part 15.407
Test Mode:	802.11ax HE80 5610 MHz		
Polarization:	Horizontal		
ReMark:			




ID	Frequency MHz	Reading dBuV	Correct Factor dB/m	Result dBuV/m	Limit dBuV/m	Margin dB	ReMark
1	5460.00	44.40	1.79	46.19	54.00	-7.81	AVG

Test Site:	96603-WG	Standard:	Part 15.407
Test Mode:	802.11ax HE80 5610 MHz		
Polarization:	Vertical		
ReMark:			




ID	Frequency MHz	Reading dBuV	Correct Factor dB/m	Result dBuV/m	Limit dBuV/m	Margin dB	ReMark
1	5460.00	45.55	1.79	47.34	54.00	-6.66	AVG

Test Site:	96603-WG	Standard:	Part 15.407
Test Mode:	802.11ax HE80 5690 MHz		
Polarization:	Horizontal		
ReMark:			



ID	Frequency MHz	Reading dBuV	Correct Factor dB/m	Result dBuV/m	Limit dBuV/m	Margin dB	ReMark
1	5460.00	43.66	1.79	45.45	54.00	-8.55	AVG

Test Site:	96603-WG	Standard:	Part 15.407
Test Mode:	802.11ax HE80 5690 MHz		
Polarization:	Vertical		
ReMark:			




ID	Frequency MHz	Reading dBuV	Correct Factor dB/m	Result dBuV/m	Limit dBuV/m	Margin dB	ReMark
1	5460.00	43.80	1.79	45.59	54.00	-8.41	AVG



Antenna model number: custom


Below 1 GHz

Test Site:	96603-WG	Standard:	Part 15.407
Test Mode:	Transmit mode		
Polarization:	Horizontal		
Remark:			



ID	Frequency MHz	Reading dBuV	Correct Factor dB/m	Result dBuV/m	Limit dBuV/m	Margin dB	Remark
1	51.34	43.85	-12.13	31.72	40.00	-8.28	PEAK
2	124.09	52.23	-14.07	38.16	43.50	-5.34	PEAK
3	372.41	44.08	-9.65	34.43	46.00	-11.57	PEAK
4	672.14	40.15	-3.68	36.47	46.00	-9.53	PEAK
5	935.98	38.37	-0.12	38.25	46.00	-7.75	PEAK
6	984.48	37.18	-0.30	36.88	54.00	-17.12	PEAK

Test Site:	96603-WG	Standard:	Part 15.407
Test Mode:	Transmit mode		
Polarization:	Vertical		
Remark:			




ID	Frequency MHz	Reading dBuV	Correct Factor dB/m	Result dBuV/m	Limit dBuV/m	Margin dB	Remark
1	30.97	48.80	-13.57	35.23	40.00	-4.78	PEAK
2	156.10	50.72	-12.06	38.66	43.50	-4.85	PEAK
3	364.65	46.86	-10.06	36.81	46.00	-9.20	PEAK
4	688.63	35.56	-3.61	31.95	46.00	-14.05	PEAK
5	935.98	36.64	-0.12	36.52	46.00	-9.48	PEAK
6	984.48	33.87	-0.30	33.57	54.00	-20.43	PEAK

Harmonic


Above 1 GHz

Test Site:	96603-WG	Standard:	Part 15.407
Test Mode:	802.11ax HE20 5180 MHz		
Polarization:	Horizontal		
ReMark:			




ID	Frequency MHz	Reading dBuV	Correct Factor dB/m	Result dBuV/m	Limit dBuV/m	Margin dB	ReMark
1	10360.00	42.43	7.13	49.56	68.20	-18.64	PEAK
2	15540.00	43.54	8.98	52.52	74.00	-21.48	PEAK
3	15540.00	31.55	8.98	40.53	54.00	-13.47	AVG

Test Site:	96603-WG	Standard:	Part 15.407
Test Mode:	802.11ax HE20 5180 MHz		
Polarization:	Vertical		
ReMark:			




ID	Frequency MHz	Reading dBuV	Correct Factor dB/m	Result dBuV/m	Limit dBuV/m	Margin dB	ReMark
1	10360.00	41.15	7.13	48.28	68.20	-19.92	PEAK
2	15540.00	32.87	8.98	41.85	54.00	-12.15	AVG
3	15540.00	42.25	8.98	51.23	74.00	-22.77	PEAK

Test Site:	96603-WG	Standard:	Part 15.407
Test Mode:	802.11ax HE20 5200 MHz		
Polarization:	Horizontal		
ReMark:			




ID	Frequency MHz	Reading dBuV	Correct Factor dB/m	Result dBuV/m	Limit dBuV/m	Margin dB	ReMark
1	10400.00	40.34	7.33	47.67	68.20	-20.53	PEAK
2	15600.00	43.77	8.98	52.75	74.00	-21.25	PEAK
3	15600.00	31.59	8.98	40.57	54.00	-13.43	AVG

Test Site:	96603-WG	Standard:	Part 15.407
Test Mode:	802.11ax HE20 5200 MHz		
Polarization:	Vertical		
ReMark:			




ID	Frequency MHz	Reading dBuV	Correct Factor dB/m	Result dBuV/m	Limit dBuV/m	Margin dB	ReMark
1	10400.00	42.56	7.33	49.89	68.20	-18.31	PEAK
2	15600.00	44.30	8.98	53.28	74.00	-20.72	PEAK
3	15600.00	32.91	8.98	41.89	54.00	-12.11	AVG

Test Site:	96603-WG	Standard:	Part 15.407
Test Mode:	802.11ax HE20 5240 MHz		
Polarization:	Horizontal		
ReMark:			



ID	Frequency MHz	Reading dBuV	Correct Factor dB/m	Result dBuV/m	Limit dBuV/m	Margin dB	ReMark
1	10480.00	41.31	7.36	48.67	68.20	-19.53	PEAK
2	15720.00	43.20	9.10	52.30	74.00	-21.70	PEAK
3	15720.00	31.47	9.10	40.57	54.00	-13.43	AVG


Test Site:	96603-WG	Standard:	Part 15.407
Test Mode:	802.11ax HE20 5240 MHz		
Polarization:	Vertical		
ReMark:			



ID	Frequency MHz	Reading dBuV	Correct Factor dB/m	Result dBuV/m	Limit dBuV/m	Margin dB	ReMark
1	10480.00	41.42	7.36	48.78	68.20	-19.42	PEAK
2	15720.00	43.35	9.10	52.45	74.00	-21.55	PEAK
3	15720.00	32.68	9.10	41.78	54.00	-12.22	AVG




Test Site:	96603-WG	Standard:	Part 15.407
Test Mode:	802.11ax HE20 5260 MHz		
Polarization:	Horizontal		
ReMark:			




ID	Frequency MHz	Reading dBuV	Correct Factor dB/m	Result dBuV/m	Limit dBuV/m	Margin dB	ReMark
1	10520.00	41.85	7.37	49.22	68.20	-18.98	PEAK
2	15780.00	42.52	9.41	51.93	74.00	-22.07	PEAK
3	15780.00	31.10	9.41	40.51	54.00	-13.49	AVG

Test Site:	96603-WG	Standard:	Part 15.407
Test Mode:	802.11ax HE20 5260 MHz		
Polarization:	Vertical		
ReMark:			




ID	Frequency MHz	Reading dBuV	Correct Factor dB/m	Result dBuV/m	Limit dBuV/m	Margin dB	ReMark
1	10520.00	40.62	7.37	47.99	68.20	-20.21	PEAK
2	15780.00	44.35	9.41	53.76	74.00	-20.24	PEAK
3	15780.00	32.43	9.41	41.84	54.00	-12.16	AVG

Test Site:	96603-WG	Standard:	Part 15.407
Test Mode:	802.11ax HE20 5280 MHz		
Polarization:	Horizontal		
ReMark:			




ID	Frequency MHz	Reading dBuV	Correct Factor dB/m	Result dBuV/m	Limit dBuV/m	Margin dB	ReMark
1	10560.00	42.74	7.36	50.10	68.20	-18.10	PEAK
2	15840.00	42.40	9.47	51.87	74.00	-22.13	PEAK
3	15840.00	31.11	9.47	40.58	54.00	-13.42	AVG

Test Site:	96603-WG	Standard:	Part 15.407
Test Mode:	802.11ax HE20 5280 MHz		
Polarization:	Vertical		
ReMark:			




ID	Frequency MHz	Reading dBuV	Correct Factor dB/m	Result dBuV/m	Limit dBuV/m	Margin dB	ReMark
1	10560.00	41.86	7.36	49.22	68.20	-18.98	PEAK
2	15840.00	43.24	9.47	52.71	74.00	-21.29	PEAK
3	15840.00	32.30	9.47	41.77	54.00	-12.23	AVG

Test Site:	96603-WG	Standard:	Part 15.407
Test Mode:	802.11ax HE20 5320 MHz		
Polarization:	Horizontal		
ReMark:			




ID	Frequency MHz	Reading dBuV	Correct Factor dB/m	Result dBuV/m	Limit dBuV/m	Margin dB	ReMark
1	10640.00	40.73	7.33	48.06	74.00	-25.94	PEAK
2	15960.00	42.59	9.56	52.15	74.00	-21.85	PEAK
3	15960.00	31.00	9.56	40.56	54.00	-13.44	AVG

Test Site:	96603-WG	Standard:	Part 15.407
Test Mode:	802.11ax HE20 5320 MHz		
Polarization:	Vertical		
ReMark:			




ID	Frequency MHz	Reading dBuV	Correct Factor dB/m	Result dBuV/m	Limit dBuV/m	Margin dB	ReMark
1	10640.00	42.10	7.33	49.43	74.00	-24.57	PEAK
2	15960.00	43.87	9.56	53.43	74.00	-20.57	PEAK
3	15960.00	32.20	9.56	41.76	54.00	-12.24	AVG

Test Site:	96603-WG	Standard:	Part 15.407
Test Mode:	802.11ax HE20 5500 MHz		
Polarization:	Horizontal		
ReMark:			



ID	Frequency MHz	Reading dBuV	Correct Factor dB/m	Result dBuV/m	Limit dBuV/m	Margin dB	ReMark
1	11000.00	40.90	7.11	48.01	74.00	-25.99	PEAK
2	16500.00	43.31	9.15	52.46	68.20	-15.74	PEAK


Test Site:	96603-WG	Standard:	Part 15.407
Test Mode:	802.11ax HE20 5500 MHz		
Polarization:	Vertical		
ReMark:			



ID	Frequency MHz	Reading dBuV	Correct Factor dB/m	Result dBuV/m	Limit dBuV/m	Margin dB	ReMark
1	11000.00	41.84	7.11	48.95	74.00	-25.05	PEAK
2	16500.00	43.68	9.15	52.83	68.20	-15.37	PEAK




Test Site:	96603-WG	Standard:	Part 15.407
Test Mode:	802.11ax HE20 5560 MHz		
Polarization:	Horizontal		
ReMark:			




ID	Frequency MHz	Reading dBuV	Correct Factor dB/m	Result dBuV/m	Limit dBuV/m	Margin dB	ReMark
1	11120.00	41.27	7.44	48.71	74.00	-25.29	PEAK
2	16680.00	44.10	8.77	52.87	68.20	-15.33	PEAK

Test Site:	96603-WG	Standard:	Part 15.407
Test Mode:	802.11ax HE20 5560 MHz		
Polarization:	44,46,48		
ReMark:			




ID	Frequency MHz	Reading dBuV	Correct Factor dB/m	Result dBuV/m	Limit dBuV/m	Margin dB	ReMark
1	11120.00	42.39	7.44	49.83	74.00	-24.17	PEAK
2	16680.00	43.80	8.77	52.57	68.20	-15.63	PEAK

Test Site:	96603-WG	Standard:	Part 15.407
Test Mode:	802.11ax HE20 5700 MHz		
Polarization:	Horizontal		
ReMark:			




ID	Frequency MHz	Reading dBuV	Correct Factor dB/m	Result dBuV/m	Limit dBuV/m	Margin dB	ReMark
1	11400.00	40.91	7.74	48.65	74.00	-25.35	PEAK
2	17100.00	43.96	7.36	51.32	68.20	-16.88	PEAK

Test Site:	96603-WG	Standard:	Part 15.407
Test Mode:	802.11ax HE20 5700 MHz		
Polarization:	Vertical		
ReMark:			




ID	Frequency MHz	Reading dBuV	Correct Factor dB/m	Result dBuV/m	Limit dBuV/m	Margin dB	ReMark
1	11400.00	42.02	7.74	49.76	74.00	-24.24	PEAK
2	17100.00	44.55	7.36	51.92	68.20	-16.29	PEAK

Test Site:	96603-WG	Standard:	Part 15.407
Test Mode:	802.11ax HE20 5720 MHz		
Polarization:	Horizontal		
ReMark:			




ID	Frequency MHz	Reading dBuV	Correct Factor dB/m	Result dBuV/m	Limit dBuV/m	Margin dB	ReMark
1	11440.00	41.54	7.66	49.20	74.00	-24.80	PEAK
2	17160.00	44.50	7.40	51.90	68.20	-16.30	PEAK

Test Site:	96603-WG	Standard:	Part 15.407
Test Mode:	802.11ax HE20 5720 MHz		
Polarization:	Vertical		
ReMark:			




ID	Frequency MHz	Reading dBuV	Correct Factor dB/m	Result dBuV/m	Limit dBuV/m	Margin dB	ReMark
1	11440.00	42.87	7.66	50.53	74.00	-23.47	PEAK
2	17160.00	46.60	7.40	54.00	68.20	-14.20	PEAK

Test Site:	96603-WG	Standard:	Part 15.407
Test Mode:	802.11ax HE20 5745 MHz		
Polarization:	Horizontal		
ReMark:			



ID	Frequency MHz	Reading dBuV	Correct Factor dB/m	Result dBuV/m	Limit dBuV/m	Margin dB	ReMark
1	11490.00	42.80	7.55	50.35	74.00	-23.65	PEAK
2	17235.00	45.11	7.39	52.50	68.20	-15.70	PEAK


Test Site:	96603-WG	Standard:	Part 15.407
Test Mode:	802.11ax HE20 5745 MHz		
Polarization:	Vertical		
ReMark:			



ID	Frequency MHz	Reading dBuV	Correct Factor dB/m	Result dBuV/m	Limit dBuV/m	Margin dB	ReMark
1	11490.00	42.18	7.55	49.73	74.00	-24.27	PEAK
2	17235.00	45.34	7.39	52.73	68.20	-15.47	PEAK




Test Site:	96603-WG	Standard:	Part 15.407
Test Mode:	802.11ax HE20 5785 MHz		
Polarization:	Horizontal		
ReMark:			




ID	Frequency MHz	Reading dBuV	Correct Factor dB/m	Result dBuV/m	Limit dBuV/m	Margin dB	ReMark
1	11570.00	42.45	7.67	50.12	74.00	-23.88	PEAK
2	17355.00	46.14	7.22	53.36	68.20	-14.84	PEAK

Test Site:	96603-WG	Standard:	Part 15.407
Test Mode:	802.11ax HE20 5785 MHz		
Polarization:	Vertical		
ReMark:			




ID	Frequency MHz	Reading dBuV	Correct Factor dB/m	Result dBuV/m	Limit dBuV/m	Margin dB	ReMark
1	11570.00	41.93	7.67	49.61	74.00	-24.40	PEAK
2	17355.00	45.62	7.22	52.84	68.20	-15.36	PEAK

Test Site:	96603-WG	Standard:	Part 15.407
Test Mode:	802.11ax HE20 5825 MHz		
Polarization:	Horizontal		
ReMark:			




ID	Frequency MHz	Reading dBuV	Correct Factor dB/m	Result dBuV/m	Limit dBuV/m	Margin dB	ReMark
1	11570.00	42.45	7.67	50.12	74.00	-23.88	PEAK
2	17355.00	46.14	7.22	53.36	68.20	-14.84	PEAK

Test Site:	96603-WG	Standard:	Part 15.407
Test Mode:	802.11ax HE20 5825 MHz		
Polarization:	Vertical		
ReMark:			




ID	Frequency MHz	Reading dBuV	Correct Factor dB/m	Result dBuV/m	Limit dBuV/m	Margin dB	ReMark
1	11570.00	41.93	7.67	49.61	74.00	-24.40	PEAK
2	17355.00	45.62	7.22	52.84	68.20	-15.36	PEAK

Test Site:	96603-WG	Standard:	Part 15.407
Test Mode:	802.11ax HE40 5190 MHz		
Polarization:	Horizontal		
ReMark:			




ID	Frequency MHz	Reading dBuV	Correct Factor dB/m	Result dBuV/m	Limit dBuV/m	Margin dB	ReMark
1	10380.00	42.02	7.22	49.24	68.20	-18.96	PEAK
2	15570.00	43.01	8.98	51.99	74.00	-22.01	PEAK
3	15570.00	31.56	8.98	40.54	54.00	-13.46	AVG

Test Site:	96603-WG	Standard:	Part 15.407
Test Mode:	802.11ax HE40 5190 MHz		
Polarization:	Vertical		
ReMark:			




ID	Frequency MHz	Reading dBuV	Correct Factor dB/m	Result dBuV/m	Limit dBuV/m	Margin dB	ReMark
1	10380.00	42.98	7.22	50.20	68.20	-18.00	PEAK
2	15570.00	32.81	8.98	41.79	54.00	-12.21	AVG
3	15570.00	45.07	8.98	54.05	74.00	-19.95	PEAK

Test Site:	96603-WG	Standard:	Part 15.407
Test Mode:	802.11ax HE40 5230 MHz		
Polarization:	Horizontal		
ReMark:			



ID	Frequency MHz	Reading dBuV	Correct Factor dB/m	Result dBuV/m	Limit dBuV/m	Margin dB	ReMark
1	10460.00	40.14	7.35	47.49	68.20	-20.71	PEAK
2	15690.00	44.22	9.00	53.22	74.00	-20.78	PEAK
3	15690.00	31.52	9.00	40.52	54.00	-13.48	AVG


Test Site:	96603-WG	Standard:	Part 15.407
Test Mode:	802.11ax HE40 5230 MHz		
Polarization:	Vertical		
ReMark:			



ID	Frequency MHz	Reading dBuV	Correct Factor dB/m	Result dBuV/m	Limit dBuV/m	Margin dB	ReMark
1	10460.00	40.86	7.35	48.21	68.20	-19.99	PEAK
2	15690.00	44.04	9.00	53.04	74.00	-20.96	PEAK
3	15690.00	32.33	9.00	41.33	54.00	-12.67	AVG




Test Site:	96603-WG	Standard:	Part 15.407
Test Mode:	802.11ax HE40 5270 MHz		
Polarization:	Horizontal		
ReMark:			




ID	Frequency MHz	Reading dBuV	Correct Factor dB/m	Result dBuV/m	Limit dBuV/m	Margin dB	ReMark
1	10540.00	40.60	7.36	47.96	68.20	-20.24	PEAK
2	15810.00	42.60	9.50	52.10	74.00	-21.90	PEAK
3	15810.00	31.01	9.50	40.51	54.00	-13.49	AVG

Test Site:	96603-WG	Standard:	Part 15.407
Test Mode:	802.11ax HE40 5270 MHz		
Polarization:	Vertical		
ReMark:			




ID	Frequency MHz	Reading dBuV	Correct Factor dB/m	Result dBuV/m	Limit dBuV/m	Margin dB	ReMark
1	10540.00	41.90	7.36	49.26	68.20	-18.94	PEAK
2	15810.00	45.10	9.50	54.60	74.00	-19.40	PEAK
3	15810.00	31.85	9.50	41.35	54.00	-12.65	AVG

Test Site:	96603-WG	Standard:	Part 15.407
Test Mode:	802.11ax HE40 5310 MHz		
Polarization:	Horizontal		
ReMark:			




ID	Frequency MHz	Reading dBuV	Correct Factor dB/m	Result dBuV/m	Limit dBuV/m	Margin dB	ReMark
1	10620.00	42.06	7.34	49.40	74.00	-24.60	PEAK
2	15930.00	43.56	9.48	53.04	74.00	-20.96	PEAK
3	15930.00	31.05	9.48	40.53	54.00	-13.47	AVG

Test Site:	96603-WG	Standard:	Part 15.407
Test Mode:	802.11ax HE40 5310 MHz		
Polarization:	Vertical		
ReMark:			




ID	Frequency MHz	Reading dBuV	Correct Factor dB/m	Result dBuV/m	Limit dBuV/m	Margin dB	ReMark
1	10620.00	41.82	7.34	49.16	74.00	-24.84	PEAK
2	15930.00	31.88	9.48	41.36	54.00	-12.64	AVG
3	15930.00	43.83	9.48	53.31	74.00	-20.69	PEAK

Test Site:	96603-WG	Standard:	Part 15.407
Test Mode:	802.11ax HE40 5510 MHz		
Polarization:	Horizontal		
ReMark:			




ID	Frequency MHz	Reading dBuV	Correct Factor dB/m	Result dBuV/m	Limit dBuV/m	Margin dB	ReMark
1	11020.00	41.38	7.16	48.54	74.00	-25.46	PEAK
2	16530.00	41.96	9.12	51.08	68.20	-17.12	PEAK

Test Site:	96603-WG	Standard:	Part 15.407
Test Mode:	802.11ax HE40 5510 MHz		
Polarization:	Vertical		
ReMark:			




ID	Frequency MHz	Reading dBuV	Correct Factor dB/m	Result dBuV/m	Limit dBuV/m	Margin dB	ReMark
1	11020.00	41.73	7.16	48.89	74.00	-25.11	PEAK
2	16530.00	43.83	9.12	52.95	68.20	-15.25	PEAK

Test Site:	96603-WG	Standard:	Part 15.407
Test Mode:	802.11ax HE40 5550 MHz		
Polarization:	Horizontal		
ReMark:			



ID	Frequency MHz	Reading dBuV	Correct Factor dB/m	Result dBuV/m	Limit dBuV/m	Margin dB	ReMark
1	11100.00	41.27	7.35	48.62	74.00	-25.38	PEAK
2	16650.00	43.45	8.87	52.32	68.20	-15.88	PEAK


Test Site:	96603-WG	Standard:	Part 15.407
Test Mode:	802.11ax HE40 5550 MHz		
Polarization:	Vertical		
ReMark:			



ID	Frequency MHz	Reading dBuV	Correct Factor dB/m	Result dBuV/m	Limit dBuV/m	Margin dB	ReMark
1	11100.00	40.29	7.35	47.64	74.00	-26.36	PEAK
2	16650.00	44.51	8.87	53.38	68.20	-14.82	PEAK




Test Site:	96603-WG	Standard:	Part 15.407
Test Mode:	802.11ax HE40 5670 MHz		
Polarization:	Horizontal		
ReMark:			




ID	Frequency MHz	Reading dBuV	Correct Factor dB/m	Result dBuV/m	Limit dBuV/m	Margin dB	ReMark
1	11340.00	41.39	7.60	48.99	74.00	-25.01	PEAK
2	17010.00	42.79	7.31	50.10	68.20	-18.10	PEAK

Test Site:	96603-WG	Standard:	Part 15.407
Test Mode:	802.11ax HE40 5670 MHz		
Polarization:	Vertical		
ReMark:			




ID	Frequency MHz	Reading dBuV	Correct Factor dB/m	Result dBuV/m	Limit dBuV/m	Margin dB	ReMark
1	11340.00	41.20	7.60	48.80	74.00	-25.20	PEAK
2	17010.00	43.87	7.31	51.18	68.20	-17.02	PEAK

Test Site:	96603-WG	Standard:	Part 15.407
Test Mode:	802.11ax HE40 5710 MHz		
Polarization:	Horizontal		
ReMark:			




ID	Frequency MHz	Reading dBuV	Correct Factor dB/m	Result dBuV/m	Limit dBuV/m	Margin dB	ReMark
1	11420.00	41.69	7.71	49.40	74.00	-24.60	PEAK
2	17130.00	44.58	7.39	51.97	68.20	-16.23	PEAK

Test Site:	96603-WG	Standard:	Part 15.407
Test Mode:	802.11ax HE40 5710 MHz		
Polarization:	Vertical		
ReMark:			




ID	Frequency MHz	Reading dBuV	Correct Factor dB/m	Result dBuV/m	Limit dBuV/m	Margin dB	ReMark
1	11420.00	40.89	7.71	48.60	74.00	-25.40	PEAK
2	17130.00	44.63	7.39	52.02	68.20	-16.18	PEAK

Test Site:	96603-WG	Standard:	Part 15.407
Test Mode:	802.11ax HE40 5755 MHz		
Polarization:	Horizontal		
ReMark:			




ID	Frequency MHz	Reading dBuV	Correct Factor dB/m	Result dBuV/m	Limit dBuV/m	Margin dB	ReMark
1	11510.00	41.39	7.55	48.94	74.00	-25.06	PEAK
2	17265.00	44.20	7.36	51.56	68.20	-16.64	PEAK

Test Site:	96603-WG	Standard:	Part 15.407
Test Mode:	802.11ax HE40 5755 MHz		
Polarization:	Vertical		
ReMark:			




ID	Frequency MHz	Reading dBuV	Correct Factor dB/m	Result dBuV/m	Limit dBuV/m	Margin dB	ReMark
1	11510.00	40.97	7.55	48.52	74.00	-25.48	PEAK
2	17265.00	45.22	7.36	52.58	68.20	-15.62	PEAK

Test Site:	96603-WG	Standard:	Part 15.407
Test Mode:	802.11ax HE40 5795 MHz		
Polarization:	Horizontal		
ReMark:			



ID	Frequency MHz	Reading dBuV	Correct Factor dB/m	Result dBuV/m	Limit dBuV/m	Margin dB	ReMark
1	11590.00	41.83	7.70	49.53	74.00	-24.47	PEAK
2	17385.00	47.08	7.18	54.26	68.20	-13.94	PEAK


Test Site:	96603-WG	Standard:	Part 15.407
Test Mode:	802.11ax HE40 5795 MHz		
Polarization:	Vertical		
ReMark:			



ID	Frequency MHz	Reading dBuV	Correct Factor dB/m	Result dBuV/m	Limit dBuV/m	Margin dB	ReMark
1	11590.00	41.83	7.70	49.53	74.00	-24.47	PEAK
2	17385.00	47.08	7.18	54.26	68.20	-13.94	PEAK




Test Site:	96603-WG	Standard:	Part 15.407
Test Mode:	802.11ax HE80 5210 MHz		
Polarization:	Horizontal		
ReMark:			




ID	Frequency MHz	Reading dBuV	Correct Factor dB/m	Result dBuV/m	Limit dBuV/m	Margin dB	ReMark
1	10420.00	41.98	7.34	49.32	68.20	-18.88	PEAK
2	15630.00	45.33	8.99	54.32	74.00	-19.68	PEAK
3	15630.00	31.60	8.99	40.59	54.00	-13.41	AVG

Test Site:	96603-WG	Standard:	Part 15.407
Test Mode:	802.11ax HE80 5210 MHz		
Polarization:	Vertical		
ReMark:			




ID	Frequency MHz	Reading dBuV	Correct Factor dB/m	Result dBuV/m	Limit dBuV/m	Margin dB	ReMark
1	10420.00	42.06	7.34	49.40	68.20	-18.80	PEAK
2	15630.00	44.08	8.99	53.07	74.00	-20.93	PEAK
3	15630.00	31.94	8.99	40.93	54.00	-13.07	AVG

Test Site:	96603-WG	Standard:	Part 15.407
Test Mode:	802.11ax HE80 5290 MHz		
Polarization:	Horizontal		
ReMark:			




ID	Frequency MHz	Reading dBuV	Correct Factor dB/m	Result dBuV/m	Limit dBuV/m	Margin dB	ReMark
1	10580.00	41.42	7.35	48.77	68.20	-19.43	PEAK
2	15870.00	44.02	9.43	53.45	74.00	-20.55	PEAK
3	15870.00	31.11	9.43	40.54	54.00	-13.46	AVG

Test Site:	96603-WG	Standard:	Part 15.407
Test Mode:	802.11ax HE80 5290 MHz		
Polarization:	Vertical		
ReMark:			




ID	Frequency MHz	Reading dBuV	Correct Factor dB/m	Result dBuV/m	Limit dBuV/m	Margin dB	ReMark
1	10580.00	41.80	7.35	49.15	68.20	-19.05	PEAK
2	15870.00	31.42	9.43	40.85	54.00	-13.15	AVG
3	15870.00	44.46	9.43	53.89	74.00	-20.11	PEAK

Test Site:	96603-WG	Standard:	Part 15.407
Test Mode:	802.11ax HE80 5530 MHz		
Polarization:	Horizontal		
ReMark:			




ID	Frequency MHz	Reading dBuV	Correct Factor dB/m	Result dBuV/m	Limit dBuV/m	Margin dB	ReMark
1	11060.00	41.91	7.25	49.16	74.00	-24.84	PEAK
2	16590.00	42.66	9.06	51.72	68.20	-16.48	PEAK

Test Site:	96603-WG	Standard:	Part 15.407
Test Mode:	802.11ax HE80 5530 MHz		
Polarization:	Vertical		
ReMark:			




ID	Frequency MHz	Reading dBuV	Correct Factor dB/m	Result dBuV/m	Limit dBuV/m	Margin dB	ReMark
1	11060.00	42.39	7.25	49.64	74.00	-24.36	PEAK
2	16590.00	43.73	9.06	52.79	68.20	-15.41	PEAK

Test Site:	96603-WG	Standard:	Part 15.407
Test Mode:	802.11ax HE80 5610 MHz		
Polarization:	Horizontal		
ReMark:			



ID	Frequency MHz	Reading dBuV	Correct Factor dB/m	Result dBuV/m	Limit dBuV/m	Margin dB	ReMark
1	11220.00	42.23	7.73	49.96	74.00	-24.04	PEAK
2	16830.00	44.86	8.22	53.08	68.20	-15.12	PEAK


Test Site:	96603-WG	Standard:	Part 15.407
Test Mode:	802.11ax HE80 5610 MHz		
Polarization:	Vertical		
ReMark:			



ID	Frequency MHz	Reading dBuV	Correct Factor dB/m	Result dBuV/m	Limit dBuV/m	Margin dB	ReMark
1	11220.00	42.06	7.73	49.79	74.00	-24.21	PEAK
2	16830.00	44.95	8.22	53.17	68.20	-15.03	PEAK




Test Site:	96603-WG	Standard:	Part 15.407
Test Mode:	802.11ax HE80 5690 MHz		
Polarization:	Horizontal		
ReMark:			




ID	Frequency MHz	Reading dBuV	Correct Factor dB/m	Result dBuV/m	Limit dBuV/m	Margin dB	ReMark
1	11380.00	41.09	7.69	48.78	74.00	-25.22	PEAK
2	17070.00	43.23	7.34	50.57	68.20	-17.63	PEAK

Test Site:	96603-WG	Standard:	Part 15.407
Test Mode:	802.11ax HE80 5690 MHz		
Polarization:	Vertical		
ReMark:			




ID	Frequency MHz	Reading dBuV	Correct Factor dB/m	Result dBuV/m	Limit dBuV/m	Margin dB	ReMark
1	11380.00	41.45	7.69	49.14	74.00	-24.86	PEAK
2	17070.00	44.53	7.34	51.87	68.20	-16.33	PEAK

Test Site:	96603-WG	Standard:	Part 15.407
Test Mode:	802.11ax HE80 5775 MHz		
Polarization:	Horizontal		
ReMark:			



ID	Frequency MHz	Reading dBuV	Correct Factor dB/m	Result dBuV/m	Limit dBuV/m	Margin dB	ReMark
1	11550.00	43.13	7.63	50.76	74.00	-23.24	PEAK
2	17325.00	45.25	7.29	52.54	68.20	-15.66	PEAK

Test Site:	96603-WG	Standard:	Part 15.407
Test Mode:	802.11ax HE80 5775 MHz		
Polarization:	Vertical		
ReMark:			




ID	Frequency MHz	Reading dBuV	Correct Factor dB/m	Result dBuV/m	Limit dBuV/m	Margin dB	ReMark
1	11550.00	41.35	7.63	48.98	74.00	-25.02	PEAK
2	17325.00	45.71	7.29	53.00	68.20	-15.20	PEAK

**Band Edge**


Peak
------

Test Site:	96603-wg	Standard:	Part 15.407
Test Mode:	802.11ax HE20 5180 MHz		
Polarization:	Horizontal		
ReMark:			




ID	Frequency MHz	Reading dBuV	Correct Factor dB/m	Result dBuV/m	Limit dBuV/m	Margin dB	ReMark
1	5146.87	66.00	1.65	67.65	74.00	-6.35	PEAK
2	5150.00	63.55	1.64	65.19	74.00	-8.81	PEAK
3	5180.00	104.96	1.73	106.69	68.20	38.49	PEAK

Test Site:	96603-wg	Standard:	Part 15.407
Test Mode:	802.11ax HE20 5180 MHz		
Polarization:	Vertical		
ReMark:			




ID	Frequency MHz	Reading dBuV	Correct Factor dB/m	Result dBuV/m	Limit dBuV/m	Margin dB	ReMark
1	5149.15	59.44	1.64	61.08	74.00	-12.92	PEAK
2	5150.00	58.20	1.64	59.84	74.00	-14.16	PEAK
3	5178.00	102.43	1.73	104.16	68.20	35.96	PEAK

Test Site:	96603-wg	Standard:	Part 15.407
Test Mode:	802.11ax HE20 5320 MHz		
Polarization:	Horizontal		
ReMark:			



ID	Frequency MHz	Reading dBuV	Correct Factor dB/m	Result dBuV/m	Limit dBuV/m	Margin dB	ReMark
1	5317.10	109.52	1.28	110.80	68.20	42.60	PEAK
2	5350.00	64.90	1.23	66.13	74.00	-7.87	PEAK
3	5354.75	64.64	1.28	65.92	74.00	-8.08	PEAK


Test Site:	96603-wg	Standard:	Part 15.407
Test Mode:	802.11ax HE20 5320 MHz		
Polarization:	Vertical		
ReMark:			



ID	Frequency MHz	Reading dBuV	Correct Factor dB/m	Result dBuV/m	Limit dBuV/m	Margin dB	ReMark
1	5321.90	106.10	1.27	107.37	68.20	39.17	PEAK
2	5350.00	61.44	1.23	62.67	74.00	-11.33	PEAK
3	5353.07	61.27	1.26	62.53	74.00	-11.47	PEAK




Test Site:	96603-wg	Standard:	Part 15.407
Test Mode:	802.11ax HE20 5500 MHz		
Polarization:	Horizontal		
ReMark:			




ID	Frequency MHz	Reading dBuV	Correct Factor dB/m	Result dBuV/m	Limit dBuV/m	Margin dB	ReMark
1	5458.37	59.80	1.77	61.57	74.00	-12.43	PEAK
2	5460.00	59.11	1.79	60.90	74.00	-13.10	PEAK
3	5467.24	62.33	1.82	64.15	68.20	-4.05	PEAK
4	5470.00	60.31	1.84	62.15	68.20	-6.05	PEAK
5	5496.73	109.64	1.98	111.62	68.20	43.42	PEAK

Test Site:	96603-wg	Standard:	Part 15.407
Test Mode:	802.11ax HE20 5500 MHz		
Polarization:	Vertical		
ReMark:			




ID	Frequency MHz	Reading dBuV	Correct Factor dB/m	Result dBuV/m	Limit dBuV/m	Margin dB	ReMark
1	5459.09	58.52	1.78	60.30	74.00	-13.70	PEAK
2	5460.00	55.83	1.79	57.62	74.00	-16.38	PEAK
3	5467.72	61.43	1.82	63.25	68.20	-4.95	PEAK
4	5470.00	56.26	1.84	58.10	68.20	-10.10	PEAK
5	5492.66	105.75	1.95	107.70	68.20	39.50	PEAK

Test Site:	96603-WG	Standard:	Part 15.407
Test Mode:	802.11ax HE20 5700 MHz		
Polarization:	Horizontal		
ReMark:			




ID	Frequency MHz	Reading dBuV	Correct Factor dB/m	Result dBuV/m	Limit dBuV/m	Margin dB	ReMark
1	5692.00	103.79	2.61	106.40	68.20	38.20	PEAK
2	5725.00	51.72	2.92	54.64	68.20	-13.56	PEAK
3	5760.80	55.64	3.27	58.91	68.20	-9.29	PEAK

Test Site:	96603-WG	Standard:	Part 15.407
Test Mode:	802.11ax HE20 5700 MHz		
Polarization:	Vertical		
ReMark:			




ID	Frequency MHz	Reading dBuV	Correct Factor dB/m	Result dBuV/m	Limit dBuV/m	Margin dB	ReMark
1	5702.72	97.81	2.66	100.47	68.20	32.27	PEAK
2	5725.00	51.80	2.92	54.72	68.20	-13.48	PEAK
3	5727.78	54.78	2.96	57.74	68.20	-10.46	PEAK

Test Site:	96603-WG	Standard:	Part 15.407
Test Mode:	802.11ax HE20 5720 MHz		
Polarization:	Horizontal		
ReMark:			



ID	Frequency MHz	Reading dBuV	Correct Factor dB/m	Result dBuV/m	Limit dBuV/m	Margin dB	ReMark
1	5401.20	51.88	1.67	53.55	74.00	-20.45	PEAK
2	5460.00	48.89	1.79	50.68	74.00	-23.32	PEAK
3	5464.89	51.99	1.81	53.80	68.20	-14.40	PEAK
4	5470.00	49.72	1.84	51.56	68.20	-16.64	PEAK
5	5727.75	92.93	2.96	95.89	68.20	27.69	PEAK
6	5850.00	49.07	3.31	52.38	68.20	-15.82	PEAK
7	5942.53	51.57	3.11	54.68	68.20	-13.52	PEAK

Test Site:	96603-WG	Standard:	Part 15.407
Test Mode:	802.11ax HE20 5720 MHz		
Polarization:	Horizontal		
ReMark:	Vertical		



ID	Frequency MHz	Reading dBuV	Correct Factor dB/m	Result dBuV/m	Limit dBuV/m	Margin dB	ReMark
1	5435.54	51.52	1.71	53.23	74.00	-20.77	PEAK
2	5460.00	48.17	1.79	49.96	74.00	-24.04	PEAK
3	5463.01	50.40	1.80	52.20	68.20	-16.00	PEAK
4	5470.00	48.77	1.84	50.61	68.20	-17.59	PEAK
5	5728.37	90.74	2.96	93.70	68.20	25.50	PEAK
6	5850.00	48.71	3.31	52.02	68.20	-16.18	PEAK
7	5873.85	51.44	3.26	54.70	68.20	-13.50	PEAK