



Test Site:	96603-WG	Standard:	Part 15.407
Test Mode:	802.11ax HE20 5745 MHz		
Polarization:	Horizontal		
ReMark:			




ID	Frequency MHz	Reading dBuV	Correct Factor dB/m	Result dBuV/m	Limit dBuV/m	Margin dB	ReMark
1	5638.21	53.26	2.48	55.74	68.20	-12.46	PEAK
2	5650.00	50.59	2.51	53.10	68.20	-15.10	PEAK
3	5700.00	51.76	2.63	54.39	105.20	-50.81	PEAK
4	5720.00	60.80	2.86	63.66	110.80	-47.14	PEAK
5	5725.00	68.15	2.92	71.07	150.00	-78.93	PEAK
6	5742.73	102.19	3.13	105.32	150.00	-44.68	PEAK

Test Site:	96603-WG	Standard:	Part 15.407
Test Mode:	802.11ax HE20 5745 MHz		
Polarization:	Vertical		
ReMark:			




ID	Frequency MHz	Reading dBuV	Correct Factor dB/m	Result dBuV/m	Limit dBuV/m	Margin dB	ReMark
1	5636.34	51.91	2.47	54.38	68.20	-13.82	PEAK
2	5650.00	48.84	2.51	51.35	68.20	-16.85	PEAK
3	5700.00	49.17	2.63	51.80	105.20	-53.40	PEAK
4	5720.00	54.07	2.86	56.93	110.80	-53.87	PEAK
5	5725.00	57.57	2.92	60.49	150.00	-89.51	PEAK
6	5743.86	95.75	3.14	98.89	150.00	-51.11	PEAK

Test Site:	96603-WG	Standard:	Part 15.407
Test Mode:	802.11ax HE20 5825 MHz		
Polarization:	Horizontal		
ReMark:			




ID	Frequency MHz	Reading dBuV	Correct Factor dB/m	Result dBuV/m	Limit dBuV/m	Margin dB	ReMark
1	5827.77	102.35	3.39	105.74	150.00	-44.26	PEAK
2	5850.00	62.60	3.31	65.91	122.20	-56.29	PEAK
3	5855.00	58.06	3.30	61.36	110.80	-49.44	PEAK
4	5875.00	49.59	3.26	52.85	105.20	-52.35	PEAK
5	5925.00	49.75	3.15	52.90	68.20	-15.30	PEAK
6	5931.92	52.56	3.13	55.69	68.20	-12.51	PEAK

Test Site:	96603-WG	Standard:	Part 15.407
Test Mode:	802.11ax HE20 5825 MHz		
Polarization:	Vertical		
ReMark:			




ID	Frequency MHz	Reading dBuV	Correct Factor dB/m	Result dBuV/m	Limit dBuV/m	Margin dB	ReMark
1	5816.91	98.42	3.44	101.86	150.00	-48.14	PEAK
2	5850.00	58.05	3.31	61.36	122.20	-60.84	PEAK
3	5855.00	54.15	3.30	57.45	110.80	-53.35	PEAK
4	5875.00	50.52	3.26	53.78	105.20	-51.42	PEAK
5	5925.00	49.95	3.15	53.10	68.20	-15.10	PEAK
6	5964.14	51.28	3.08	54.36	68.20	-13.84	PEAK

Test Site:	96603-WG	Standard:	Part 15.407
Test Mode:	802.11ax HE40 5190 MHz		
Polarization:	Horizontal		
ReMark:			




ID	Frequency MHz	Reading dBuV	Correct Factor dB/m	Result dBuV/m	Limit dBuV/m	Margin dB	ReMark
1	5145.35	60.46	1.65	62.11	74.00	-11.89	PEAK
2	5150.00	57.99	1.64	59.63	74.00	-14.37	PEAK
3	5187.11	101.31	1.74	103.05	68.20	34.85	PEAK

Test Site:	96603-WG	Standard:	Part 15.407
Test Mode:	802.11ax HE40 5190 MHz		
Polarization:	Vertical		
ReMark:			




ID	Frequency MHz	Reading dBuV	Correct Factor dB/m	Result dBuV/m	Limit dBuV/m	Margin dB	ReMark
1	5140.80	56.42	1.66	58.08	74.00	-15.92	PEAK
2	5150.00	54.74	1.64	56.38	74.00	-17.62	PEAK
3	5195.46	94.42	1.77	96.19	68.20	27.99	PEAK

Test Site:	96603-WG	Standard:	Part 15.407
Test Mode:	802.11ax HE40 5310 MHz		
Polarization:	Horizontal		
ReMark:			




ID	Frequency MHz	Reading dBuV	Correct Factor dB/m	Result dBuV/m	Limit dBuV/m	Margin dB	ReMark
1	5315.90	101.37	1.28	102.65	68.20	34.45	PEAK
2	5350.00	48.92	1.23	50.15	74.00	-23.85	PEAK
3	5353.07	55.18	1.26	56.44	74.00	-17.57	PEAK

Test Site:	96603-WG	Standard:	Part 15.407
Test Mode:	802.11ax HE40 5310 MHz		
Polarization:	Vertical		
ReMark:			




ID	Frequency MHz	Reading dBuV	Correct Factor dB/m	Result dBuV/m	Limit dBuV/m	Margin dB	ReMark
1	5324.06	95.43	1.26	96.69	68.20	28.49	PEAK
2	5350.00	49.30	1.23	50.53	74.00	-23.47	PEAK
3	5353.07	52.27	1.26	53.53	74.00	-20.47	PEAK

Test Site:	96603-WG	Standard:	Part 15.407
Test Mode:	802.11ax HE40 5510 MHz		
Polarization:	Horizontal		
ReMark:			




ID	Frequency MHz	Reading dBuV	Correct Factor dB/m	Result dBuV/m	Limit dBuV/m	Margin dB	ReMark
1	5457.41	50.99	1.77	52.76	74.00	-21.24	PEAK
2	5460.00	47.86	1.79	49.65	74.00	-24.35	PEAK
3	5468.92	51.63	1.84	53.47	68.20	-14.73	PEAK
4	5470.00	50.84	1.84	52.68	68.20	-15.52	PEAK
5	5525.98	99.59	2.07	101.66	68.20	33.46	PEAK

Test Site:	96603-WG	Standard:	Part 15.407
Test Mode:	802.11ax HE40 5510 MHz		
Polarization:	Vertical		
ReMark:			




ID	Frequency MHz	Reading dBuV	Correct Factor dB/m	Result dBuV/m	Limit dBuV/m	Margin dB	ReMark
1	5380.93	47.64	1.51	49.15	74.00	-24.85	PEAK
2	5460.00	45.85	1.79	47.64	74.00	-26.36	PEAK
3	5468.44	47.90	1.83	49.73	68.20	-18.47	PEAK
4	5469.40	48.53	1.84	50.37	68.20	-17.83	PEAK
5	5504.41	93.34	2.00	95.34	68.20	27.14	PEAK

Test Site:	96603-WG	Standard:	Part 15.407
Test Mode:	802.11ax HE40 5670 MHz		
Polarization:	Horizontal		
ReMark:			




ID	Frequency MHz	Reading dBuV	Correct Factor dB/m	Result dBuV/m	Limit dBuV/m	Margin dB	ReMark
1	5676.21	106.94	2.57	109.51	68.20	41.31	PEAK
2	5725.00	57.32	2.92	60.24	68.20	-7.96	PEAK
3	5735.60	60.00	3.05	63.05	68.20	-5.15	PEAK

Test Site:	96603-WG	Standard:	Part 15.407
Test Mode:	802.11ax HE40 5670 MHz		
Polarization:	Vertical		
ReMark:			




ID	Frequency MHz	Reading dBuV	Correct Factor dB/m	Result dBuV/m	Limit dBuV/m	Margin dB	ReMark
1	5655.78	99.67	2.52	102.19	68.20	33.99	PEAK
2	5725.00	50.25	2.92	53.17	68.20	-15.03	PEAK
3	5725.89	54.03	2.93	56.96	68.20	-11.24	PEAK

Test Site:	96603-WG	Standard:	Part 15.407
Test Mode:	802.11ax HE40 5510 MHz		
Polarization:	Horizontal		
ReMark:			




ID	Frequency MHz	Reading dBuV	Correct Factor dB/m	Result dBuV/m	Limit dBuV/m	Margin dB	ReMark
1	5435.54	47.94	1.71	49.65	74.00	-24.35	PEAK
2	5460.00	46.21	1.79	48.00	74.00	-26.00	PEAK
3	5465.51	48.05	1.81	49.86	68.20	-18.34	PEAK
4	5470.00	44.95	1.84	46.79	68.20	-21.41	PEAK
5	5702.77	101.92	2.66	104.58	68.20	36.38	PEAK
6	5850.00	46.37	3.31	49.68	68.20	-18.52	PEAK
7	5868.23	48.70	3.28	51.98	68.20	-16.22	PEAK

Test Site:	96603-WG	Standard:	Part 15.407
Test Mode:	802.11ax HE40 5710 MHz		
Polarization:	Vertical		
ReMark:			




ID	Frequency MHz	Reading dBuV	Correct Factor dB/m	Result dBuV/m	Limit dBuV/m	Margin dB	ReMark
1	5422.43	47.43	1.69	49.12	74.00	-24.88	PEAK
2	5460.00	46.18	1.79	47.97	74.00	-26.03	PEAK
3	5466.13	45.68	1.81	47.49	68.20	-20.71	PEAK
4	5470.00	45.72	1.84	47.56	68.20	-20.64	PEAK
5	5707.14	94.99	2.71	97.70	68.20	29.50	PEAK
6	5850.00	46.32	3.31	49.63	68.20	-18.57	PEAK
7	5877.60	48.77	3.25	52.02	68.20	-16.18	PEAK

Test Site:	96603-WG	Standard:	Part 15.407
Test Mode:	802.11ax HE40 5755 MHz		
Polarization:	Horizontal		
ReMark:			




ID	Frequency MHz	Reading dBuV	Correct Factor dB/m	Result dBuV/m	Limit dBuV/m	Margin dB	ReMark
1	5648.70	48.53	2.50	51.03	68.20	-17.17	PEAK
2	5650.00	47.24	2.51	49.75	68.20	-18.45	PEAK
3	5700.00	52.80	2.63	55.43	105.20	-49.77	PEAK
4	5720.00	60.93	2.86	63.79	110.80	-47.01	PEAK
5	5725.00	60.90	2.92	63.82	150.00	-86.18	PEAK
6	5751.35	102.57	3.23	105.80	150.00	-44.20	PEAK

Test Site:	96603-WG	Standard:	Part 15.407
Test Mode:	802.11ax HE40 5755 MHz		
Polarization:	Vertical		
ReMark:			




ID	Frequency MHz	Reading dBuV	Correct Factor dB/m	Result dBuV/m	Limit dBuV/m	Margin dB	ReMark
1	5624.73	48.20	2.45	50.65	68.20	-17.55	PEAK
2	5650.00	46.30	2.51	48.81	68.20	-19.39	PEAK
3	5700.00	48.36	2.63	50.99	105.20	-54.21	PEAK
4	5720.00	52.55	2.86	55.41	110.80	-55.39	PEAK
5	5725.00	54.60	2.92	57.52	150.00	-92.48	PEAK
6	5759.97	97.02	3.27	100.29	150.00	-49.71	PEAK

Test Site:	96603-WG	Standard:	Part 15.407
Test Mode:	802.11ax HE40 5795 MHz		
Polarization:	Horizontal		
ReMark:			




ID	Frequency MHz	Reading dBuV	Correct Factor dB/m	Result dBuV/m	Limit dBuV/m	Margin dB	ReMark
1	5793.68	105.69	3.46	109.15	150.00	-40.85	PEAK
2	5850.00	60.43	3.31	63.74	122.20	-58.46	PEAK
3	5855.00	55.40	3.30	58.70	110.80	-52.10	PEAK
4	5875.00	49.20	3.26	52.46	105.20	-52.74	PEAK
5	5925.00	46.72	3.15	49.87	68.20	-18.33	PEAK
6	5953.27	48.58	3.09	51.67	68.20	-16.53	PEAK

Test Site:	96603-WG	Standard:	Part 15.407
Test Mode:	802.11ax HE40 5795 MHz		
Polarization:	Vertical		
ReMark:			




ID	Frequency MHz	Reading dBuV	Correct Factor dB/m	Result dBuV/m	Limit dBuV/m	Margin dB	ReMark
1	5798.93	98.11	3.50	101.61	150.00	-48.39	PEAK
2	5850.00	50.16	3.31	53.47	122.20	-68.73	PEAK
3	5855.00	49.19	3.30	52.49	110.80	-58.31	PEAK
4	5875.00	45.58	3.26	48.84	105.20	-56.36	PEAK
5	5925.00	46.29	3.15	49.44	68.20	-18.76	PEAK
6	5946.15	49.05	3.10	52.15	68.20	-16.05	PEAK

Test Site:	96603-WG	Standard:	Part 15.407
Test Mode:	802.11ax HE80 5210 MHz		
Polarization:	Horizontal		
ReMark:			




ID	Frequency MHz	Reading dBuV	Correct Factor dB/m	Result dBuV/m	Limit dBuV/m	Margin dB	ReMark
1	5133.21	58.98	1.67	60.65	74.00	-13.35	PEAK
2	5150.00	56.52	1.64	58.16	74.00	-15.84	PEAK
3	5228.11	96.74	1.61	98.35	68.20	30.15	PEAK

Test Site:	96603-WG	Standard:	Part 15.407
Test Mode:	802.11ax HE80 5210 MHz		
Polarization:	Vertical		
ReMark:			




ID	Frequency MHz	Reading dBuV	Correct Factor dB/m	Result dBuV/m	Limit dBuV/m	Margin dB	ReMark
1	5140.80	53.28	1.66	54.94	74.00	-19.06	PEAK
2	5150.00	51.53	1.64	53.17	74.00	-20.83	PEAK
3	5211.41	91.75	1.71	93.46	68.20	25.26	PEAK

Test Site:	96603-WG	Standard:	Part 15.407
Test Mode:	802.11ax HE80 5290 MHz		
Polarization:	Horizontal		
ReMark:			




ID	Frequency MHz	Reading dBuV	Correct Factor dB/m	Result dBuV/m	Limit dBuV/m	Margin dB	ReMark
1	5275.38	101.08	1.40	102.48	68.20	34.28	PEAK
2	5350.00	62.87	1.23	64.10	74.00	-9.90	PEAK
3	5369.13	65.70	1.40	67.10	74.00	-6.90	PEAK

Test Site:	96603-WG	Standard:	Part 15.407
Test Mode:	802.11ax HE80 5290 MHz		
Polarization:	Vertical		
ReMark:			




ID	Frequency MHz	Reading dBuV	Correct Factor dB/m	Result dBuV/m	Limit dBuV/m	Margin dB	ReMark
1	5319.02	96.74	1.27	98.01	68.20	29.81	PEAK
2	5350.00	57.23	1.23	58.46	74.00	-15.54	PEAK
3	5361.46	59.14	1.34	60.48	74.00	-13.52	PEAK

Test Site:	96603-WG	Standard:	Part 15.407
Test Mode:	802.11ax HE80 5530 MHz		
Polarization:	Horizontal		
ReMark:			




ID	Frequency MHz	Reading dBuV	Correct Factor dB/m	Result dBuV/m	Limit dBuV/m	Margin dB	ReMark
1	5436.79	59.20	1.71	60.91	74.00	-13.09	PEAK
2	5460.00	57.48	1.79	59.27	74.00	-14.73	PEAK
3	5461.97	59.09	1.80	60.89	68.20	-7.31	PEAK
4	5470.00	57.54	1.84	59.38	68.20	-8.82	PEAK
5	5558.83	99.80	2.19	101.99	68.20	33.79	PEAK

Test Site:	96603-WG	Standard:	Part 15.407
Test Mode:	802.11ax HE80 5530 MHz		
Polarization:	Vertical		
ReMark:			




ID	Frequency MHz	Reading dBuV	Correct Factor dB/m	Result dBuV/m	Limit dBuV/m	Margin dB	ReMark
1	5436.31	56.20	1.71	57.92	74.00	-16.09	PEAK
2	5460.00	52.85	1.79	54.64	74.00	-19.36	PEAK
3	5467.72	55.36	1.82	57.18	68.20	-11.02	PEAK
4	5470.00	53.20	1.84	55.04	68.20	-13.16	PEAK
5	5555.71	94.10	2.17	96.27	68.20	28.07	PEAK

Test Site:	96603-WG	Standard:	Part 15.407
Test Mode:	802.11ax HE80 5610 MHz		
Polarization:	Horizontal		
ReMark:			




ID	Frequency MHz	Reading dBuV	Correct Factor dB/m	Result dBuV/m	Limit dBuV/m	Margin dB	ReMark
1	5454.02	56.18	1.76	57.94	74.00	-16.06	PEAK
2	5460.00	56.23	1.79	58.02	74.00	-15.98	PEAK
3	5462.51	56.49	1.80	58.29	68.20	-9.91	PEAK
4	5470.00	56.66	1.84	58.50	68.20	-9.70	PEAK
5	5604.75	103.70	2.40	106.10	68.20	37.90	PEAK
6	5725.00	56.16	2.92	59.08	68.20	-9.12	PEAK
7	5728.30	57.55	2.96	60.51	68.20	-7.69	PEAK

Test Site:	96603-WG	Standard:	Part 15.407
Test Mode:	802.11ax HE80 5610 MHz		
Polarization:	Vertical		
ReMark:			



ID	Frequency MHz	Reading dBuV	Correct Factor dB/m	Result dBuV/m	Limit dBuV/m	Margin dB	ReMark
1	5450.62	51.74	1.74	53.48	74.00	-20.52	PEAK
2	5460.00	52.19	1.79	53.98	74.00	-20.02	PEAK
3	5468.46	56.82	1.83	58.65	68.20	-9.55	PEAK
4	5470.00	51.06	1.84	52.90	68.20	-15.30	PEAK
5	5601.77	96.50	2.39	98.89	68.20	30.69	PEAK
6	5725.00	50.59	2.92	53.51	68.20	-14.69	PEAK
7	5754.20	51.48	3.24	54.72	68.20	-13.48	PEAK


Test Site:	96603-WG	Standard:	Part 15.407
Test Mode:	802.11ax HE80 5775 MHz		
Polarization:	Horizontal		
ReMark:			



Test Site:	96603-WG	Standard:	Part 15.407
Test Mode:	802.11ax HE80 5775 MHz		
Polarization:	Horizontal		
ReMark:			

ID	Frequency MHz	Reading dBuV	Correct Factor dB/m	Result dBuV/m	Limit dBuV/m	Margin dB	ReMark
1	5647.58	63.41	2.50	65.91	68.20	-2.29	PEAK
2	5650.00	61.48	2.51	63.99	68.20	-4.21	PEAK
3	5700.00	64.64	2.63	67.27	105.20	-37.93	PEAK
4	5720.00	64.71	2.86	67.57	110.80	-43.23	PEAK
5	5725.00	65.32	2.92	68.24	150.00	-81.76	PEAK
6	5760.34	102.11	3.27	105.38	150.00	-44.62	PEAK
7	5850.00	61.45	3.31	64.76	122.20	-57.44	PEAK
8	5855.00	60.74	3.30	64.04	110.80	-46.76	PEAK
9	5875.00	58.56	3.26	61.82	105.20	-43.38	PEAK
10	5925.00	50.65	3.15	53.80	68.20	-14.40	PEAK
11	5929.30	52.56	3.14	55.70	68.20	-12.50	PEAK

Test Site:	96603-WG	Standard:	Part 15.407
Test Mode:	802.11ax HE80 5775 MHz		
Polarization:	Vertical		
ReMark:			




Test Site:	96603-WG	Standard:	Part 15.407
Test Mode:	802.11ax HE80 5775 MHz		
Polarization:	Vertical		
ReMark:			

ID	Frequency MHz	Reading dBuV	Correct Factor dB/m	Result dBuV/m	Limit dBuV/m	Margin dB	ReMark
1	5648.33	56.92	2.50	59.42	68.20	-8.78	PEAK
2	5650.00	54.83	2.51	57.34	68.20	-10.86	PEAK
3	5700.00	58.49	2.63	61.12	105.20	-44.08	PEAK
4	5720.00	58.30	2.86	61.16	110.80	-49.64	PEAK
5	5725.00	58.21	2.92	61.13	150.00	-88.87	PEAK
6	5760.71	95.95	3.27	99.22	150.00	-50.78	PEAK
7	5850.00	54.03	3.31	57.34	122.20	-64.86	PEAK
8	5855.00	52.77	3.30	56.07	110.80	-54.73	PEAK
9	5875.00	51.62	3.26	54.88	105.20	-50.32	PEAK
10	5925.00	48.48	3.15	51.63	68.20	-16.57	PEAK
11	5940.16	50.22	3.11	53.33	68.20	-14.87	PEAK


Average

Test Site:	96603-wg	Standard:	Part 15.407
Test Mode:	802.11ax HE20 5180 MHz		
Polarization:	Horizontal		
ReMark:			




ID	Frequency MHz	Reading dBuV	Correct Factor dB/m	Result dBuV/m	Limit dBuV/m	Margin dB	ReMark
1	5150.00	44.86	1.64	46.50	54.00	-7.50	AVG

Test Site:	96603-wg	Standard:	Part 15.407
Test Mode:	802.11ax HE20 5180 MHz		
Polarization:	Vertical		
ReMark:			




ID	Frequency MHz	Reading dBuV	Correct Factor dB/m	Result dBuV/m	Limit dBuV/m	Margin dB	ReMark
1	5150.00	40.78	1.64	42.42	54.00	-11.58	AVG

Test Site:	96603-wg	Standard:	Part 15.407
Test Mode:	802.11ax HE20 5320 MHz		
Polarization:	Horizontal		
ReMark:			




ID	Frequency MHz	Reading dBuV	Correct Factor dB/m	Result dBuV/m	Limit dBuV/m	Margin dB	ReMark
1	5350.00	42.72	1.23	43.95	54.00	-10.05	AVG

Test Site:	96603-wg	Standard:	Part 15.407
Test Mode:	802.11ax HE20 5320 MHz		
Polarization:	Vertical		
ReMark:			




ID	Frequency MHz	Reading dBuV	Correct Factor dB/m	Result dBuV/m	Limit dBuV/m	Margin dB	ReMark
1	5350.00	40.56	1.23	41.79	54.00	-12.21	AVG

Test Site:	96603-wg	Standard:	Part 15.407
Test Mode:	802.11ax HE20 5500 MHz		
Polarization:	Horizontal		
ReMark:			




ID	Frequency MHz	Reading dBuV	Correct Factor dB/m	Result dBuV/m	Limit dBuV/m	Margin dB	ReMark
1	5460.00	39.94	1.79	41.73	54.00	-12.27	AVG

Test Site:	96603-wg	Standard:	Part 15.407
Test Mode:	802.11ax HE20 5500 MHz		
Polarization:	Vertical		
ReMark:			




ID	Frequency MHz	Reading dBuV	Correct Factor dB/m	Result dBuV/m	Limit dBuV/m	Margin dB	ReMark
1	5460.00	38.76	1.79	40.55	54.00	-13.45	AVG

Test Site:	96603-WG	Standard:	Part 15.407
Test Mode:	802.11ax HE20 5720 MHz		
Polarization:	Horizontal		
ReMark:			




ID	Frequency MHz	Reading dBuV	Correct Factor dB/m	Result dBuV/m	Limit dBuV/m	Margin dB	ReMark
1	5406.19	39.80	1.68	41.48	54.00	-12.52	AVG
2	5460.00	39.32	1.79	41.11	54.00	-12.89	AVG

Test Site:	96603-WG	Standard:	Part 15.407
Test Mode:	802.11ax HE20 5720 MHz		
Polarization:	Vertical		
ReMark:			




ID	Frequency MHz	Reading dBuV	Correct Factor dB/m	Result dBuV/m	Limit dBuV/m	Margin dB	ReMark
1	5380.59	39.93	1.50	41.43	54.00	-12.57	AVG
2	5460.00	39.35	1.79	41.14	54.00	-12.86	AVG

Test Site:	96603-WG	Standard:	Part 15.407
Test Mode:	802.11ax HE40 5190 MHz		
Polarization:	Vertical		
ReMark:			




ID	Frequency MHz	Reading dBuV	Correct Factor dB/m	Result dBuV/m	Limit dBuV/m	Margin dB	ReMark
1	5150.00	44.41	1.64	46.05	54.00	-7.95	AVG

Test Site:	96603-WG	Standard:	Part 15.407
Test Mode:	802.11ax HE40 5190 MHz		
Polarization:	Vertical		
ReMark:			




ID	Frequency MHz	Reading dBuV	Correct Factor dB/m	Result dBuV/m	Limit dBuV/m	Margin dB	ReMark
1	5150.00	39.74	1.64	41.38	54.00	-12.62	AVG

Test Site:	96603-WG	Standard:	Part 15.407
Test Mode:	802.11ax HE40 5310 MHz		
Polarization:	Horizontal		
ReMark:			




ID	Frequency MHz	Reading dBuV	Correct Factor dB/m	Result dBuV/m	Limit dBuV/m	Margin dB	ReMark
1	5350.00	41.79	1.23	43.02	54.00	-10.98	AVG

Test Site:	96603-WG	Standard:	Part 15.407
Test Mode:	802.11ax HE40 5310 MHz		
Polarization:	Vertical		
ReMark:			




ID	Frequency MHz	Reading dBuV	Correct Factor dB/m	Result dBuV/m	Limit dBuV/m	Margin dB	ReMark
1	5350.00	38.02	1.23	39.25	54.00	-14.75	AVG

Test Site:	96603-WG	Standard:	Part 15.407
Test Mode:	802.11ax HE40 5510 MHz		
Polarization:	Horizontal		
ReMark:			




ID	Frequency MHz	Reading dBuV	Correct Factor dB/m	Result dBuV/m	Limit dBuV/m	Margin dB	ReMark
1	5460.00	38.08	1.79	39.87	54.00	-14.13	AVG

Test Site:	96603-WG	Standard:	Part 15.407
Test Mode:	802.11ax HE40 5510 MHz		
Polarization:	Vertical		
ReMark:			




ID	Frequency MHz	Reading dBuV	Correct Factor dB/m	Result dBuV/m	Limit dBuV/m	Margin dB	ReMark
1	5460.00	36.14	1.79	37.93	54.00	-16.07	AVG

Test Site:	96603-WG	Standard:	Part 15.407
Test Mode:	802.11ax HE40 5710 MHz		
Polarization:	Horizontal		
ReMark:			




ID	Frequency MHz	Reading dBuV	Correct Factor dB/m	Result dBuV/m	Limit dBuV/m	Margin dB	ReMark
1	5460.00	35.31	1.79	37.10	54.00	-16.90	AVG

Test Site:	96603-WG	Standard:	Part 15.407
Test Mode:	802.11ax HE40 5710 MHz		
Polarization:	Vertical		
ReMark:			




ID	Frequency MHz	Reading dBuV	Correct Factor dB/m	Result dBuV/m	Limit dBuV/m	Margin dB	ReMark
1	5460.00	35.33	1.79	37.12	54.00	-16.88	AVG

Test Site:	96603-WG	Standard:	Part 15.407
Test Mode:	802.11ax HE80 5210 MHz		
Polarization:	Horizontal		
ReMark:			




ID	Frequency MHz	Reading dBuV	Correct Factor dB/m	Result dBuV/m	Limit dBuV/m	Margin dB	ReMark
1	5145.35	44.68	1.65	46.33	54.00	-7.67	AVG
2	5150.00	44.11	1.64	45.75	54.00	-8.25	AVG

Test Site:	96603-WG	Standard:	Part 15.407
Test Mode:	802.11ax HE80 5210 MHz		
Polarization:	Vertical		
ReMark:			




ID	Frequency MHz	Reading dBuV	Correct Factor dB/m	Result dBuV/m	Limit dBuV/m	Margin dB	ReMark
1	5145.35	40.78	1.65	42.43	54.00	-11.57	AVG
2	5150.00	40.42	1.64	42.06	54.00	-11.94	AVG

Test Site:	96603-WG	Standard:	Part 15.407
Test Site:	96603-WG	Standard:	Part 15.407
Test Mode:	802.11ax HE80 5290 MHz		
Polarization:	Horizontal		
ReMark:			




ID	Frequency MHz	Reading dBuV	Correct Factor dB/m	Result dBuV/m	Limit dBuV/m	Margin dB	ReMark
1	5350.00	47.16	1.23	48.39	54.00	-5.61	AVG

Test Site:	96603-WG	Standard:	Part 15.407
Test Mode:	802.11ax HE80 5290 MHz		
Polarization:	Vertical		
ReMark:			




ID	Frequency MHz	Reading dBuV	Correct Factor dB/m	Result dBuV/m	Limit dBuV/m	Margin dB	ReMark
1	5350.00	44.13	1.23	45.36	54.00	-8.64	AVG

Test Site:	96603-WG	Standard:	Part 15.407
Test Mode:	802.11ax HE80 5530 MHz		
Polarization:	Horizontal		
ReMark:			




ID	Frequency MHz	Reading dBuV	Correct Factor dB/m	Result dBuV/m	Limit dBuV/m	Margin dB	ReMark
1	5455.49	44.85	1.76	46.61	54.00	-7.39	AVG
2	5460.00	44.82	1.79	46.61	54.00	-7.39	AVG

Test Site:	96603-WG	Standard:	Part 15.407
Test Mode:	802.11ax HE80 5530 MHz		
Polarization:	Vertical		
ReMark:			




ID	Frequency MHz	Reading dBuV	Correct Factor dB/m	Result dBuV/m	Limit dBuV/m	Margin dB	ReMark
1	5445.42	40.91	1.72	42.63	54.00	-11.37	AVG
2	5460.00	40.77	1.79	42.56	54.00	-11.44	AVG

Test Site:	96603-WG	Standard:	Part 15.407
Test Mode:	802.11ax HE80 5610 MHz		
Polarization:	Horizontal		
ReMark:			



ID	Frequency MHz	Reading dBuV	Correct Factor dB/m	Result dBuV/m	Limit dBuV/m	Margin dB	ReMark
1	5456.57	40.63	1.77	42.40	54.00	-11.60	AVG
2	5460.00	40.20	1.79	41.99	54.00	-12.01	AVG

Test Site:	96603-WG	Standard:	Part 15.407
Test Mode:	802.11ax HE80 5610 MHz		
Polarization:	Vertical		
ReMark:			



ID	Frequency MHz	Reading dBuV	Correct Factor dB/m	Result dBuV/m	Limit dBuV/m	Margin dB	ReMark
1	5456.14	38.29	1.76	40.05	54.00	-13.95	AVG
2	5460.00	38.06	1.79	39.85	54.00	-14.15	AVG

5.3. Conducted Test Results

Duty cycle

Reference Appendix A / Appendix B

Maximum Conducted Output Power Measurement

Reference Appendix A

Maximum Conducted Output Power Measurement

Reference Appendix A

26 dB RF Bandwidth Measurement & 99 % Occupied Bandwidth Measurement

Reference Appendix A / Appendix B

6 dB RF Bandwidth Measurement

Reference Appendix A / Appendix B

Maximum Power Spectral Density Measurement

Reference Appendix A / Appendix B

---END---