

## **Request for Modular/Limited Modular Approval**

Date: July 15, 2020

Subject:	Manufacturer's Declaration for	$\boxtimes$ -	· Modular Approval	□ ·	- Split Modular Ap
					T' ' 10 1' M

 $\Box$  - Limited Modular Approval  $\Box$  - Limited Split Modular Approval

proval

Confidentiality Request for: XPYUBX19KM01

8 Basic Requirements – FCC Part 15.212(a)(1)					
	For Items Marked "NO(*)", the Limited Module Description Must be Filled Out on the Following Pages           Modular Approval Requirement         Requirement Met				
1.	<b>Modular Approval Requirement</b> The modular transmitter must have its own RF shielding. This is intended to ensure that the module does not have to rely upon the shielding provided by the device into which it is installed in order for all modular transmitter emissions to comply with FCC limits. It is also intended to prevent coupling between the RF circuitry of the module and any wires or circuits in the device into which the module is installed. Such coupling may result in non-compliant operation. The physical crystal and tuning capacitors may be located external to the shielded radio elements. 15.212(a)(1)(i)	Kequire	ment Met		
	Details: <example a="" all="" and="" antenna="" board="" circuit="" components="" connector="" contains="" covers="" metal="" module="" next="" of="" rf="" shield="" the="" to="" top="" which="" –=""></example>	ry. The shield	l is located on		
2.	The modular transmitter must have buffered modulation/data inputs (if such inputs are provided) to ensure that the module will comply with FCC requirements under conditions of excessive data rates or over-modulation. 15.212(a)(1)(ii)	🛛 - YES	□ - NO(*)		
Details: <example application="" as="" buffered="" circuit="" data="" described="" description="" in="" is="" modulation="" operational="" provided="" the="" to="" with="" –=""></example>					
3.	The modular transmitter must have its own power supply regulation on the module. This is intended to ensure that the module will comply with FCC requirements regardless of the design of the power supplying circuitry in the device into which the module is installed. 15.212(a)(1)(iii)	🛛 - YES	□ - NO(*)		
	Details: <example contains="" its="" module="" own="" please="" power="" refer="" regulation.="" schematic<="" supply="" th="" the="" to="" –=""><th>filed with this</th><th>s application&gt;</th></example>	filed with this	s application>		
4.	The modular transmitter must comply with the antenna and transmission system requirements of §§ 15.203, 15.204(b), 15.204(c), 15.212(a), and 2.929(b). The antenna must either be permanently attached or employ a "unique" antenna coupler (at all connections between the module and the antenna, including the cable). The "professional installation" provision of § 15.203 is not applicable to modules but can apply to limited modular approvals under paragraph 15.212(b). 15.212(a)(1)(iv)	🛛 - YES	□ - NO(*)		
Details: <example a="" an="" and="" antenna="" antennas="" application="" approved="" be="" connector="" connector.="" connects="" considered="" device="" found="" in="" is="" its="" list="" manual="" may="" module="" non-standard="" of="" provided="" tested="" the="" this="" to="" ufl="" users="" using="" which="" with="" –=""></example>					
5.	The modular transmitter must be tested in a stand-alone configuration, i.e., the module must not be inside another device during testing. This is intended to demonstrate that the module is capable of complying with Part 15 emission limits regardless of the device into which it is eventually installed. Unless the transmitter module will be battery powered, it must comply with the AC line conducted requirements found in Section 15.207. AC or DC power lines and data input/output lines connected to the module must not contain ferrites, unless they will be marketed with the module (see Section 15.27(a)). The length of these lines shall be length typical of actual use or, if that length is unknown, at least 10 centimeters to insure that there is no coupling between the case of the module and supporting equipment. Any accessories, peripherals, or support equipment connected to the module during testing shall be unmodified or commercially available (see Section 15.31(i)). 15.212(a)(1)(v)	⊠ - YES	□ - NO(*)		
Details: <example application="" as="" filed="" in="" module="" photographs="" setup="" shown="" stand-alone="" test="" tested="" the="" this="" was="" with="" –=""></example>					



Modular Approval Requirement	Be	uirement Met	
<ol> <li>The modular transmitter must be labeled with its own FCC ID number, KDB Publication 784748).</li> </ol>			
If using a permanently affixed label with its own FCC ID number, if the the module is installed inside another device, then the outside of the devinstalled must also display a label referring to the enclosed module. This such as the following: "Contains Transmitter Module FCC ID: XYZMO XYZMODEL1." Any similar wording that expresses the same meaning either provide such a label, an example of which must be included in the authorization, or, must provide adequate instructions along with the more quipment. In the latter case, a copy of these instructions must be included.	ice into which the module is s exterior label can use wording DEL1" or "Contains FCC ID: may be used. The Grantee may e application for equipment dule which explain this	ES 🗆 - NO(*)	
If the modular transmitter uses an electronic display of the FCC identifi must be readily accessible and visible on the modular transmitter or on installed. If the module is installed inside another device, then the outsid module is installed must display a label referring to the enclosed modul wording such as the following: "Contains FCC certified transmitter mod that expresses the same meaning may be used. The user manual must in access the electronic display. A copy of these instructions must be inclu- equipment authorization. 15.212(a)(1)(vi)	he device in which it is le of the device into which the e. This exterior label can use hule(s)." Any similar wording clude instructions on how to		
Details: <example .filed="" a="" application.="" are="" as="" exhibit="" filed="" host="" in="" installation="" instructions="" is="" label="" labeling="" manual="" module="" on="" shown="" specific="" the="" there="" this="" with="" –=""></example>			
7. The modular transmitter must comply with all specific rule or operating transmitter, including all the conditions provided in the integration instro of these instructions must be included in the application for equipment a there are very strict operational and timing requirements that must be m authorized for operation under Section 15.231. For instance, data transm operation under Section 15.231(e), in which case there are separate field requirements. Compliance with these requirements must be assured. 15	uctions by the grantee. A copy outhorization. For example, et before a transmitter is hission is prohibited, except for I strength level and timing	ES 🗆 - NO(*)	
Details: <example 15c="" application.="" are="" complies="" fcc="" filed="" in="" installation="" installer="" instructions="" manual="" module="" oem="" part="" provided="" requirements.="" the="" this="" to="" with="" –=""></example>			
8. The modular transmitter must comply with any applicable RF exposure FCC Rules in Sections 2.1091, 2.1093 and specific Sections of Part 15, 15.253(f) and 15.255(g), require that Unlicensed PCS, UNII and millim routine environmental evaluation for RF Exposure to demonstrate comp spectrum transmitters operating under Section 15.247 are required to ad in accordance with Section 15.247(b)(4). Modular transmitters approven 15, when necessary, may also need to address certain RF Exposure cond specific installation and operating instructions for users, installers and o compliance. 15.212(a)(1)(viii)	including 15.319(i), 15.407(f), eter wave devices perform liance. In addition, spread dress RF Exposure compliance l under other Sections of Part cerns, typically by providing	ES 🗆 - NO(*)	
Details: <example application.="" as="" exclusion="" exposure="" filed="" in="" information="" levels="" meets="" module="" portable="" rf="" shown="" the="" this="" with="" –=""></example>			



## Limited Module Description – When Applicable

\* If a module does NOT meet one or more of the above 8 requirements, the applicant may request Limited Modular Approval (LMA). This Limited Modular Approval (LMA) is applied with the understanding that the applicant will demonstrate and will retain control over the final installation of the device, such that compliance of the end product is always assured. The operating condition(s) for the LMA; the module is only approved for use when installed in devices produced by grantee. A description regarding how control of the end product, into which the module will be installed, will be maintained by the applicant/manufacturer, such that full compliance of the end product is always ensured should be provided here.

Details: <example - N/A>

Software Considerations – KDB 594280 / KDB 442812 (One of the following 2 items must be applied)			
Requirement	Requirement Met		
<ol> <li>For <u>non-Software Defined Radio</u> transmitter modules where software is used to ensure compliance of the device, technical description must be provided about how such control is implemented to ensure prevention of third-party modification; see KDB Publication 594280.</li> </ol>	Provided in Separate Cover Letter	🖾 - N/A	
Details: <example a="" adjusted="" application.="" as="" be="" by="" can="" cover="" described="" device="" end="" filed="" firmware="" in="" letter="" modified="" not="" of="" or="" separate="" the="" this="" user="" with="" –=""></example>			
<ol> <li>For <u>Software Defined Radio (SDR)</u> devices, transmitter module applications must provide a software security description; see KDB Publication 442812.</li> </ol>	Provided in Separate Cover Letter	🖾 - N/A	
Details: <example -n="" a=""></example>			

Split Modular Requirements				
Requirement	Provided in Manual			
<ol> <li>For split modular transmitters, specific descriptions for secure communications between front-end and control sections, including authentication and restrictions on third-party modifications; also, instructions to third-party integrators on how control is maintained.</li> </ol>	Provided in Separate Cover Letter	🛛 - N/A		
Details: <example a="" n="" –=""></example>				



OEM Integration Manual Guidance – KDB 996369 D03 Section 2					
Clear and Spe	Clear and Specific Instructions Describing the Conditions, Limitations, and Procedures				
for third-parties to use and/or integrate the module into a host device.					
Requirement					
•		□ - No,			
		If No, and LMA applies, the applicant ca	in optionally choose to not		
		make the following detailed info public.			
Is this module intended for		to be basic integration instructions for			
sale to third parties?	🖾 - YES	information below must still be inclu	e included in the operational s to keep this info confidential,		
I		description. If the applicant wishes to k			
		this will require a separate statement co			
		<u>module is not for sale to third parties and that integration</u> <u>instructions are internal confidential documents.</u>			
Itom	s required to be in the man	ual – See KDB 996369 D03, Section 2	ential documents.		
		formation to be in the installation manual.	Modular transmitter		
		all these items indicating clearly when the			
		Not Applicable". Also if a module is limit			
		structions may not need to be detailed and			
		t this should include a cover letter as cited	above.		
1. List of applicable FCC rules. K					
	ated to the transmitter.		-		
2. Summarize the specific operatio					
		oss, reduction of power for point to point			
3. Limited Module Procedures. KE	onal installation info		-		
		es to verify the host meets the necessary			
limiting condition		es to verify the nost meets the necessary			
	b When RE exposure evaluation is necessary state how control will be maintained such				
	s ensured, such as Class II fo		the left are provided in		
4. Trace antenna designs. KDB 99			the Modular Integration Guide (or UM) for Full		
		nectors, isolation requirements, tests for	Modular Approval (MA)		
		lures for ensuring compliance. If	or LMA.		
	confidential, the method used to keep confidential must be identified and information provided in the operational description.				
5. RF exposure considerations. KD			□ - An LMA applies		
		w host manufacturers to use the module.	and is approved ONLY		
a. Clearly and explicitly state conditions that allow host manufacturers to use the module. Two types of instructions are necessary: first to the host manufacturer to define for use by the grantee in					
conditions (mobile, portable – xx cm from body) and second additional text needed to be their own products, and					
provided to the end user in the host product manuals.					
6. Antennas. KDB 996369 D03, Se			3 <sup>rd</sup> parties as provided in		
a. List of antennas included in the application and all applicable professional installer instructions when applicable. The antenna list shall also identify the entenne tunes. Therefore the					
instructions when applicable. The antenna list shall also identify the antenna types					
(monopole, PIFA, dipole, etc – note that "omni-directional" is not considered a type)       information shown to the         7. Label and compliance information. KDB 996369 D03, Section 2.8       left is found in the					
a. Advice to host integrators that they need to provide a physical or e-label stating theory of operation.					
"Contains FCC ID: " with their finished product					
8. Information on test modes and additional testing requirements. KDB 996369 D03, Section 2.9					
a. Test modes that should be taken into consideration by host integrators including					
clarifications necessary for stand-alone and simultaneous configurations.					
b. Provide information on how to configure test modes for evaluation					
9. Additional testing, Part 15 Subpart B disclaimer. KDB 996369 D03, Section 2.10					

Sincerely,

By: Senior Project Manager\_\_\_\_\_(Signature Title<sup>1</sup>)

\_\_\_\_Patrick Lomax\_\_\_\_ (Print name)

<sup>&</sup>lt;sup>1</sup> - Must be signed by applicant contact given for applicant on the FCC site, or by the authorized agent if an appropriate authorized agent letter has been provided. Letters should be placed on appropriate letterhead.