







<p>Host Solder Board-Component View 4</p>	 <p>A photograph of a host solder board component, labeled '4'. The component is a green printed circuit board (PCB) assembly with various electronic components, including a microcontroller, memory chips, and connectors. It is placed on a blue textured surface next to a black ruler with white markings. The ruler shows measurements in millimeters, with the component spanning approximately 100 mm in length. The text 'GEOSATIS' and 'SECURING PEOPLE' is visible on the board.</p>
<p>Host Solder Board-Component View 5</p>	 <p>A photograph of a host solder board component, labeled '5'. The component is a small, yellow rectangular battery with two wires (red and black) extending from one end. It is placed on a blue textured surface next to a black ruler with white markings. The ruler shows measurements in millimeters, with the component spanning approximately 20 mm in length. The text 'YES6118C 3.7V' and '2021-04-10th' is visible on the battery.</p>

<p>Host Solder Board-Component View 6</p>	 <p>A photograph showing a host solder board component, labeled '6', placed on a blue textured surface. The component is a small circuit board with a central chip and various components, connected to a flexible ribbon cable. Two gold-colored solder pads are visible on the board. A black ruler is positioned vertically on the left side of the component, showing measurements in millimeters. The ruler markings are 10, 20, 30, 40, 50, 60, 70, 80, 90, 100, 110, 120, 130, 140, 150, 160, 170, 180, 190, 200, 210, 220, 230, 240, 250, 260, 270, 280, 290, 300, 310, 320, 330, 340, 350, 360, 370, 380, 390, 400, 410, 420, 430, 440, 450, 460, 470, 480, 490, 500, 510, 520, 530, 540, 550, 560, 570, 580, 590, 600, 610, 620, 630, 640, 650, 660, 670, 680, 690, 700, 710, 720, 730, 740, 750, 760, 770, 780, 790, 800, 810, 820, 830, 840, 850, 860, 870, 880, 890, 900, 910, 920, 930, 940, 950, 960, 970, 980, 990, 1000. The component is approximately 100mm long and 20mm wide.</p>
<p>Host Solder Board-Component View 7</p>	 <p>A photograph showing a host solder board component, labeled '7', placed on a blue textured surface. The component is a small circuit board with a central chip and various components, connected to a flexible ribbon cable. Two gold-colored solder pads are visible on the board. A black ruler is positioned vertically on the left side of the component, showing measurements in millimeters. The ruler markings are 10, 20, 30, 40, 50, 60, 70, 80, 90, 100, 110, 120, 130, 140, 150, 160, 170, 180, 190, 200, 210, 220, 230, 240, 250, 260, 270, 280, 290, 300, 310, 320, 330, 340, 350, 360, 370, 380, 390, 400, 410, 420, 430, 440, 450, 460, 470, 480, 490, 500, 510, 520, 530, 540, 550, 560, 570, 580, 590, 600, 610, 620, 630, 640, 650, 660, 670, 680, 690, 700, 710, 720, 730, 740, 750, 760, 770, 780, 790, 800, 810, 820, 830, 840, 850, 860, 870, 880, 890, 900, 910, 920, 930, 940, 950, 960, 970, 980, 990, 1000. The component is approximately 100mm long and 20mm wide.</p>

<p style="text-align: center;">Host Solder Board-Component View 8</p>	
<p style="text-align: center;">Antenna View</p>	 <p>BLE Antenna</p> <p>LTE CAT M-1 Antenna</p>

***** END OF REPORT *****