



**FRONT VIEW**

ECOLINK INTELLIGENT TECHNOLOGY, INC.

CLEARSKY SMART BRIDGE

MODEL: CSB-HK02

FCC SUBPART B AND C; RSS-GEN and RSS-247 – RADIATED EMISSIONS – 30 MHz to 1000 MHz

**PHOTOGRAPH SHOWING THE EUT CONFIGURATION  
FOR MAXIMUM EMISSIONS**




**REAR VIEW**

ECOLINK INTELLIGENT TECHNOLOGY, INC.  
CLEARSKY SMART BRIDGE  
MODEL: CSB-HK02

FCC SUBPART B AND C; RSS-GEN and RSS-247 – RADIATED EMISSIONS – 30 MHz to 1000 MHz

**PHOTOGRAPH SHOWING THE EUT CONFIGURATION  
FOR MAXIMUM EMISSIONS**




**FRONT VIEW**

ECOLINK INTELLIGENT TECHNOLOGY, INC.  
CLEARSKY SMART BRIDGE  
MODEL: CSB-HK02

FCC SUBPART B AND C; RSS-GEN and RSS-247 – RADIATED EMISSIONS – ABOVE 1 GHz

**PHOTOGRAPH SHOWING THE EUT CONFIGURATION  
FOR MAXIMUM EMISSIONS**



**REAR VIEW**

ECOLINK INTELLIGENT TECHNOLOGY, INC.  
CLEARSKY SMART BRIDGE  
MODEL: CSB-HK02

FCC SUBPART B AND C; RSS-GEN and RSS-247 – RADIATED EMISSIONS – ABOVE 1 GHz

**PHOTOGRAPH SHOWING THE EUT CONFIGURATION  
FOR MAXIMUM EMISSIONS**



**FRONT VIEW**

ECOLINK INTELLIGENT TECHNOLOGY, INC.

CLEARSKY SMART BRIDGE

MODEL: CSB-HK02

FCC SUBPART B AND C; and RSS-GEN – CONDUCTED EMISSIONS

**PHOTOGRAPH SHOWING THE EUT CONFIGURATION  
FOR MAXIMUM EMISSIONS**



**REAR VIEW**

ECOLINK INTELLIGENT TECHNOLOGY, INC.  
CLEARSKY SMART BRIDGE  
MODEL: CSB-HK02

FCC SUBPART B AND C; and RSS-GEN – CONDUCTED EMISSIONS

**PHOTOGRAPH SHOWING THE EUT CONFIGURATION  
FOR MAXIMUM EMISSIONS**