



HCT CO., LTD.

PRODUCT COMPLIANCE DIVISION  
SAN 136-1, AMI-RI, BUBAL-EUP, ICHEON-SI, KYOUNGKI-DO, 467-701, KOREA  
TEL : +82 31 639 8518 FAX : +82 31 639 8525 [www.hct.co.kr](http://www.hct.co.kr)

**CERTIFICATE OF COMPLIANCE**  
**FCC PART 27 Certification**

**Applicant Name:**

SeAH Networks Co., Ltd.  
9F, IT Venture Tower East Wing 78 Karak-Dong,  
Songpa-Gu, Seoul, Korea(138-950)

**Date of Issue:** January 6, 2010

**Test Site/Location:**

HCT, San 136-1 Ami-ri, Bubal-eup, Icheon-si,  
Kyungki-do, Korea

**Test Report No.:** HCTR1001FR03


**FCC ID** : **XQERAS1041**

**APPLICANT** : **SeAH Networks Co., Ltd.**


EUT Type : Mobile WiMAX Radio Access System  
Manufacturer : SeAH Networks Co., Ltd.  
Model name : RAS1041  
Frequency of Operation : 2496 MHz ~ 2690 MHz  
FCC Rule Part(s) : FCC Part 27m.  
Test Procedure(s) : ANSI/TIA-603-C-2004  
Application Type : Original Equipment  
Data of issue : January 6, 2010

**Engineering Statement:**

The measurements shown in this report were made in accordance with the procedures indicated, and the emissions from this equipment were found to be within the limits applicable. I assume full responsibility for the accuracy and completeness of these measurements, and for the qualifications of all persons taking them. It is further stated that upon the basis of the measurements made, the equipment tested is capable of operation in accordance with the requirements of FCC Part 27 of the FCC Rules under normal use and maintenance.



**Report prepared by**  
**: Chang Seok Choi**  
**Test engineer of RF Team**



**Approved by**  
**: Sang Jun Lee**  
**Manager of RF Team**

|                                 |                                |                                               |                       |                                                  |
|---------------------------------|--------------------------------|-----------------------------------------------|-----------------------|--------------------------------------------------|
| FCC PT.27<br>TEST REPORT        | FCC CERTIFICATION REPORT       |                                               |                       | <a href="http://www.hct.co.kr">www.hct.co.kr</a> |
| Test Report No.<br>HCTR1001FR03 | Test Dates:<br>January 6, 2010 | EUT Type:<br>Mobile WiMAX Radio Access System | FCC ID:<br>XQERAS1041 | Page 1 of 95                                     |

# C O N T E N T S

|                                                                    |    |
|--------------------------------------------------------------------|----|
| 1. GENERAL INFORMATION .....                                       | 4  |
| 1.1. CLIENT INFORMATION .....                                      | 4  |
| 1.2. PRODUCT INFORMATION .....                                     | 4  |
| 1.3. OPERATING DESCRIPTION OF EUT .....                            | 5  |
| 2. TEST SUMMARY .....                                              | 6  |
| 2.1. STANDARDS .....                                               | 6  |
| 2.2. MODE OF OPERATION DURING THE TEST .....                       | 6  |
| 3. STANDARDS ENVIRONMENTAL TEST CONDITIONS .....                   | 7  |
| 4. TEST EQUIPMENT .....                                            | 8  |
| 5. CONDUCTED OUTPUT POWER.....                                     | 9  |
| 5.1. Applicable Standard .....                                     | 9  |
| 5.2. Test Equipment List and Details .....                         | 9  |
| 5.3. Test Procedure.....                                           | 9  |
| 5.3.1. Environmental Conditions: .....                             | 10 |
| 5.4. Test Result .....                                             | 10 |
| 5.4.1. Test Data at Output Port 0 .....                            | 11 |
| 5.4.2. Test Data at Output Port 1 .....                            | 11 |
| 5.4.3. Combined Test Data at Output Port.....                      | 12 |
| 5.4.4. Plot Data for Output 0 (Conducted Output Power) .....       | 13 |
| 5.4.5. Plot Data for Output 1 (Conducted Output Power) .....       | 18 |
| 5.4.6. Combined Plot Data for output(Conducted Output Power) ..... | 23 |
| 6. OCCUPIED BANDWIDTH .....                                        | 28 |
| 6.1. Applicable Standard .....                                     | 28 |
| 6.2. Test Equipment List and Details .....                         | 28 |
| 6.3. Test Procedure.....                                           | 28 |
| 6.3.1. Environmental Conditions: .....                             | 29 |
| 6.4. Test Result .....                                             | 29 |
| 6.4.1. Test Data at Output Port 0 .....                            | 30 |
| 6.4.2. Test Data at Output Port 1 .....                            | 30 |
| 6.4.3. Combined Test Data at Output Port.....                      | 31 |
| 6.4.4. Plot Data for Output 0 .....                                | 32 |
| 6.4.5. Plot Data for Output 1 .....                                | 37 |
| 6.4.6. Combined Test Plot at Output Port.....                      | 42 |

|                                 |                                |                                               |                       |                                                  |
|---------------------------------|--------------------------------|-----------------------------------------------|-----------------------|--------------------------------------------------|
| HCT PT.27<br>TEST REPORT        | FCC CERTIFICATION REPORT       |                                               |                       | <a href="http://www.hct.co.kr">www.hct.co.kr</a> |
| Test Report No.<br>HCTR1001FR03 | Test Dates:<br>January 6, 2010 | EUT Type:<br>Mobile WiMAX Radio Access System | FCC ID:<br>XQERAS1041 | Page 2 of 95                                     |

|                                                                          |           |
|--------------------------------------------------------------------------|-----------|
| <b>7. BAND EDGES .....</b>                                               | <b>47</b> |
| 7.1. Applicable Standard .....                                           | 47        |
| 7.2. Test Equipment List and Details .....                               | 47        |
| 7.3. Test Procedure.....                                                 | 47        |
| 7.3.1. Environmental Conditions.....                                     | 48        |
| 7.4. Test Result .....                                                   | 48        |
| 7.4.1. Test data at Output 0 .....                                       | 49        |
| 7.4.2. Test data at Output 1 .....                                       | 49        |
| 7.4.3. Combined Test data at Output .....                                | 49        |
| 7.4.4. Plot Data at Output 0 .....                                       | 50        |
| 7.4.5. Plot Data at Output 1 .....                                       | 53        |
| 7.4.6. Combined Plot Data at Output .....                                | 56        |
| <b>8. SPURIOUS EMISSION AT ANTENNA TERMINAL .....</b>                    | <b>59</b> |
| 8.1. Applicable Standard.....                                            | 59        |
| 8.2. Test Equipment List and Details .....                               | 59        |
| 8.3. Test Procedure.....                                                 | 59        |
| 8.3.1 Environmental Conditions: .....                                    | 59        |
| 8.4. Test Result .....                                                   | 59        |
| 8.4.1. Plot Data at Output 0 .....                                       | 60        |
| 8.4.2. Plot Data at Output 1 .....                                       | 69        |
| 8.4.3. Combined Plot Data at Output .....                                | 78        |
| <b>9. RADIATED SPURIOUS EMISSION .....</b>                               | <b>87</b> |
| 9.1 Applicable Standard.....                                             | 87        |
| 9.2 Test Equipment List and Details .....                                | 87        |
| 9.3 Test Procedure.....                                                  | 88        |
| 9.3.1 Radiated Spurious Emissions Test Setup .....                       | 88        |
| 9.3.2 Environmental Conditions: .....                                    | 88        |
| 9.4 Test Result .....                                                    | 89        |
| <b>10. FREQUENCY STABILITY .....</b>                                     | <b>90</b> |
| 10.1 Applicable Standard .....                                           | 90        |
| 10.2 Test Equipment List and Details .....                               | 90        |
| 10.3 Test Procedure.....                                                 | 90        |
| 10.3.1. Environmental conditions .....                                   | 90        |
| 10.4. Test Result .....                                                  | 90        |
| 10.4.1. Frequency Stability over Temperature and Voltage variation ..... | 91        |
| <b>11. RF EXPOSURE STATEMENT .....</b>                                   | <b>94</b> |

|                                 |                                |                                               |                       |                                                  |
|---------------------------------|--------------------------------|-----------------------------------------------|-----------------------|--------------------------------------------------|
| HCT PT.27<br>TEST REPORT        | FCC CERTIFICATION REPORT       |                                               |                       | <a href="http://www.hct.co.kr">www.hct.co.kr</a> |
| Test Report No.<br>HCTR1001FR03 | Test Dates:<br>January 6, 2010 | EUT Type:<br>Mobile WiMAX Radio Access System | FCC ID:<br>XQERAS1041 | Page 3 of 95                                     |

## 1. GENERAL INFORMATION

### 1.1. CLIENT INFORMATION

|                       |                                                                                           |
|-----------------------|-------------------------------------------------------------------------------------------|
| <b>Company</b>        | <b>SeAH Networks Co., Ltd.</b>                                                            |
| <b>Contact Point</b>  | <b>9F, IT Venture Tower East Wing 78 Karak-Dong,<br/>Songpa-Gu, Seoul, Korea(138-950)</b> |
| <b>Contact person</b> | <b>Name: Kyung Soo Lee<br/>Phone #: +82-2-2142-0881<br/>Fax #: +82-2-2142-0808</b>        |

### 1.2. PRODUCT INFORMATION

|                      |                                      |
|----------------------|--------------------------------------|
| EUT TYPE             | Mobile WiMAX Radio Access System     |
| EMISSION DESIGNATOR  | 9M14G7D (QPSK), 9M14W7D(16QAM/64QAM) |
| OPERATING FREQUENCY  | 2496MHz ~ 2690MHz                    |
| TX OUTPUT POWER      | 200 mW/Branch                        |
| CHANNEL BANDWIDTH    | 10 MHz                               |
| MODULATION TYPE      | OFDMA (QPSK, 16QAM, 64QAM)           |
| MAX CAPACITY         | 1 FA/Omni                            |
| SYSTEM INPUT VOLTAGE | DC 12 V                              |

### 1.3. OPERATING DESCRIPTION OF EUT

RAS1041 system is the system base station of Mobile WiMAX which supports Base band call processing, ACR interoperability and interface, RF signal processing over the air from the MS(Mobile Station) in a single unit.

RAS1041 is a base station that supports system profile mp05 (Formerly 3A:2.5GHz/10MHz) of WiMAX Forum.

RAS1041 is a single indoor type system that can load 1FA/Omni Mobile WiMAX Channel in a single building and process hardware such as Network Interface, Digital, and RF. RAS1041 is light and compact in size for simple installation within a building. Patch Antenna for MIMO Service is placed at the front cover of RAS1041 and RF emits 200mW + 200mW.

RAS1041 was designed not for units but for a single building and used dependable equipments to secure Mobile WiMAX service without any system replacement.

RAS1041 is designed to utilize 1FA/Omni Service to the fullest and provides easy indoortype network configuration, increased capacity and affordable price range to provide basic network synchronization function.

Supports IEEE 802.16e-2005 Cor2/D3 standard

Has NWG system profile C structure of WiMAX Forum and supports R6 standard interface including GRE as interface between ACR and RAS

Supports WiMAX PHY/MAC Wave 1 and MIMO (2Tx/2Rx) feature of Wave 2

Provides filtering function to eliminate noise and small Power Amplifier to emit (200m) Watt per channel

Has configuration structure to support maximum of 1FA/Omni

|                                 |                                |                                               |                       |                                                  |
|---------------------------------|--------------------------------|-----------------------------------------------|-----------------------|--------------------------------------------------|
| HCT PT.27<br>TEST REPORT        | FCC CERTIFICATION REPORT       |                                               |                       | <a href="http://www.hct.co.kr">www.hct.co.kr</a> |
| Test Report No.<br>HCTR1001FR03 | Test Dates:<br>January 6, 2010 | EUT Type:<br>Mobile WiMAX Radio Access System | FCC ID:<br>XQERAS1041 | Page 5 of 95                                     |

## 2. TEST SUMMARY

### 2.1. STANDARDS

The following tests were conducted on a sample of the equipment for the purpose of demonstrating compliance With

#### **FCC Part 27**

| SECTION             | TEST ITEMS                                     | RESULTS   |
|---------------------|------------------------------------------------|-----------|
| 2.1046, 27.50(h)    | Conducted Output Power                         | Compliant |
| 2.1049, 27.53(m)    | Occupied Bandwidth                             | Compliant |
| 2.1051, 27.53(m)    | Spurious Emissions at Antenna Terminals        | Compliant |
| 2.1051, 27.53(m)    | Band edge                                      | Compliant |
| 2.1053, 27.53(m)    | Spurious Radiated Emissions.                   | Compliant |
| 2.1055(a)(1), 27.54 | Frequency Stability over Temperature variation | Compliant |
| 2.1055(d), 27.54    | Frequency stability over Voltage variation     | Compliant |

### 2.2. MODE OF OPERATION DURING THE TEST

The EUT was operated in a manner representative of the typical usage of the equipment.

During all testing, system components were manipulated within the confines of typical usage to maximize each emission. All Modulation (QPSK, 16QAM, and 64QAM) modes and different data rates were tested, and the worst data was recorded in this test report.

The device does not supply antenna(s) with the system, so the dummy loads were connected to the RF output ports for radiated spurious emission testing.

### 3. STANDARDS ENVIRONMENTAL TEST CONDITIONS

|                    |                       |
|--------------------|-----------------------|
| Temperature :      | + 15 °C to + 35 °C    |
| Relative humidity: | 30 % to 60 %          |
| Air pressure       | 860 mbar to 1060 mbar |

#### 4. TEST EQUIPMENT

| Manufacturer          | Model / Equipment                       | Serial No.  | Calibration Due |
|-----------------------|-----------------------------------------|-------------|-----------------|
| Schwarzbeck           | BBHA 9120D / Double Ridged Horn Antenna | 296         | 09/23/2010      |
| Schwarzbeck           | BBHA 9120D / Double Ridged Horn Antenna | 147         | 03/26/2010      |
| Schwarzbeck           | VULB 9160 / TRILOG Antenna              | 9160-3150   | 12/18/2010      |
| Schwarzbeck           | VULB 9160 / TRILOG Antenna              | 3125        | 05/06/2011      |
| HD                    | MA240 / Antenna Position Tower          | 556         | N/A             |
| EMCO                  | 1050 / Turn Table                       | 114         | N/A             |
| HD GmbH               | HD 100 / Controller                     | 13          | N/A             |
| HD GmbH               | KMS 560 / SlideBar                      | 12          | N/A             |
| MITEQ                 | AMF-60-0010 1800-35-20P                 | 1200937     | 05/20/2010      |
| Schwarzbeck           | BBHA9170 / SHF-EHF Horn Antenna         | BBHA9170342 | 03/20/2011      |
| R&S                   | ESI40 / EMI TEST Receiver               | 831564/003  | 10/30/2010      |
| Wainwright Instrument | WHF3.3/18G-10EF / High Pass Filter      | 1           | 06/29/2010      |
| Agilent               | 6674A / DC Power Supply                 | 3501A00901  | 05/14/2010      |
| Agilent               | 8498A / Attenuator                      | 51161       | 04/14/2010      |
| Agilent               | 8498A / Attenuator                      | 51162       | 12/24/2009      |
| WEINSCHEL             | 67-30-33 / Attenuator                   | BU5347      | 01/13/2010      |
| WEINSCHEL             | 67-30-33 / Attenuator                   | BR0530      | 02/03/2010      |
| WEINSCHEL             | AF117A-69-43 / STEP ATTENUATOR          | 20623       | 02/06/2010      |
| WEINSCHEL             | AF117A-69-43 / STEP ATTENUATOR          | 21207       | 01/13/2010      |
| Agilent               | N9020A / MXA Signal Analyzer            | US46220219  | 02/19/2010      |

## 5. CONDUCTED OUTPUT POWER

### 5.1. Applicable Standard

According to FCC §2.1046 & 27.5(h)


1) *Main, booster and base stations.* (i) The maximum EIRP of a main, booster or base station shall not exceed  $33 \text{ dBW} + 10\log(X/Y) \text{ dBW}$ , where X is the actual channel width in MHz and Y is either 6 MHz if prior to transition or the station is in the MBS following transition or 5.5 MHz if the station is in the LBS and UBS following transition, except as provided in paragraph (h)(1)(ii) of this section.

### 5.2. Test Equipment List and Details

| Manufacturer | Model / Equipment              | Serial No. | Calibration Due |
|--------------|--------------------------------|------------|-----------------|
| Agilent      | 6674A / DC Power Supply        | 3501A00901 | 05/14/2010      |
| Agilent      | 8498A / Attenuator             | 51161      | 04/14/2010      |
| Agilent      | 8498A / Attenuator             | 51162      | 12/24/2009      |
| WEINSCHL     | 67-30-33 / Attenuator          | BU5347     | 01/13/2010      |
| WEINSCHL     | 67-30-33 / Attenuator          | BR0530     | 02/03/2010      |
| WEINSCHL     | AF117A-69-43 / STEP ATTENUATOR | 20623      | 02/06/2010      |
| WEINSCHL     | AF117A-69-43 / STEP ATTENUATOR | 21207      | 01/13/2010      |
| Agilent      | N9020A / MXA Signal Analyzer   | US46220219 | 02/19/2010      |

### 5.3. Test Procedure

The RF output of the transmitter was connected to the input of the spectrum analyzer through sufficient attenuation.



According to FCC §2.1046 (A), for transmitters other than single sideband, independent sideband and controlled carrier radiotelephone, power output shall be measured at the RF output terminals when the transmitter is adjusted in accordance with the tune-up procedure to give the values of current and voltage on the circuit elements specified in § 2.1033(c). The electrical characteristics of the radio frequency load attached to the output terminals when this test is made shall be stated.

- 1) The radio frequency load attached to the EUT antenna terminal was 50 Ohm. The loss of the cables the test system is calibrated to correct the reading.
- 2) The spectrum analyzer was set to RMS Detector function and Maximum hold mode.
- 3) The resolution bandwidth of the spectrum analyzer was comparable to the emission bandwidth.
- 4) PAR is measured by using CCDF function of Spectrum Analyzer. Info BW is equal to EUT's emission bandwidth.

#### 5.3.1. Environmental Conditions:

|                    |       |
|--------------------|-------|
| Temperature:       | 22 °C |
| Relative Humidity: | 37 %  |

#### 5.4. Test Result

: PASS

|                                 |                                |                                               |                       |                                                  |
|---------------------------------|--------------------------------|-----------------------------------------------|-----------------------|--------------------------------------------------|
| HCT PT.27<br>TEST REPORT        | FCC CERTIFICATION REPORT       |                                               |                       | <a href="http://www.hct.co.kr">www.hct.co.kr</a> |
| Test Report No.<br>HCTR1001FR03 | Test Dates:<br>January 6, 2010 | EUT Type:<br>Mobile WiMAX Radio Access System | FCC ID:<br>XQERAS1041 | Page 10 of 95                                    |

## 5.4.1. Test Data at Output Port 0


| Modulation | Channel | Frequency | Measured Output Power |      |
|------------|---------|-----------|-----------------------|------|
|            |         |           | dBm                   | W    |
| QPSK       | Low     | 2508.5    | 23.16                 | 0.21 |
|            | Middle  | 2608.0    | 23.17                 | 0.21 |
|            | High    | 2683.5    | 22.61                 | 0.18 |
| 16QAM      | Low     | 2508.5    | 22.91                 | 0.20 |
|            | Middle  | 2608.0    | 22.37                 | 0.17 |
|            | High    | 2683.5    | 21.80                 | 0.15 |
| 64QAM      | Low     | 2508.5    | 22.89                 | 0.19 |
|            | Middle  | 2608.0    | 22.74                 | 0.19 |
|            | High    | 2683.5    | 22.27                 | 0.17 |

## 5.4.2. Test Data at Output Port 1

| Modulation | Channel | Frequency | Measured Output Power |      |
|------------|---------|-----------|-----------------------|------|
|            |         |           | dBm                   | W    |
| QPSK       | Low     | 2508.5    | 22.96                 | 0.20 |
|            | Middle  | 2608.0    | 23.02                 | 0.20 |
|            | High    | 2683.5    | 23.09                 | 0.20 |
| 16QAM      | Low     | 2508.5    | 21.99                 | 0.16 |
|            | Middle  | 2608.0    | 22.33                 | 0.17 |
|            | High    | 2683.5    | 22.41                 | 0.17 |
| 64QAM      | Low     | 2508.5    | 22.70                 | 0.19 |
|            | Middle  | 2608.0    | 23.02                 | 0.20 |
|            | High    | 2683.5    | 22.84                 | 0.19 |

#### 5.4.3. Combined Test Data at Output Port


| Modulation | Channel | Frequency | Measured Output Power |      |
|------------|---------|-----------|-----------------------|------|
|            |         |           | dBm                   | W    |
| QPSK       | Low     | 2508.5    | 26.09                 | 0.41 |
|            | Middle  | 2608.0    | 25.90                 | 0.39 |
|            | High    | 2683.5    | 26.11                 | 0.41 |
| 16QAM      | Low     | 2508.5    | 25.39                 | 0.35 |
|            | Middle  | 2608.0    | 25.44                 | 0.35 |
|            | High    | 2683.5    | 25.33                 | 0.34 |
| 64QAM      | Low     | 2508.5    | 25.61                 | 0.36 |
|            | Middle  | 2608.0    | 25.77                 | 0.38 |
|            | High    | 2683.5    | 26.21                 | 0.42 |




[Combine test diagram]

## .4.4. Plot Data for Output 0 (Conducted Output Power)

### (QPSK Low Channel)




### (QPSK Middle Channel)




|                                 |                                |                                               |                       |                                                  |
|---------------------------------|--------------------------------|-----------------------------------------------|-----------------------|--------------------------------------------------|
| HCT PT.27<br>TEST REPORT        | FCC CERTIFICATION REPORT       |                                               |                       | <a href="http://www.hct.co.kr">www.hct.co.kr</a> |
| Test Report No.<br>HCTR1001FR03 | Test Dates:<br>January 6, 2010 | EUT Type:<br>Mobile WiMAX Radio Access System | FCC ID:<br>XQERAS1041 | Page 13 of 95                                    |

## (QPSK High Channel)




## (16QAM Low Channel)




|                                 |                                |                                               |                       |                                                  |
|---------------------------------|--------------------------------|-----------------------------------------------|-----------------------|--------------------------------------------------|
| HCT PT.27<br>TEST REPORT        | FCC CERTIFICATION REPORT       |                                               |                       | <a href="http://www.hct.co.kr">www.hct.co.kr</a> |
| Test Report No.<br>HCTR1001FR03 | Test Dates:<br>January 6, 2010 | EUT Type:<br>Mobile WiMAX Radio Access System | FCC ID:<br>XQERAS1041 | Page 14 of 95                                    |

## (16QAM Middle Channel)




## (16QAM High Channel)




|                                 |                                |                                               |                       |                                                  |
|---------------------------------|--------------------------------|-----------------------------------------------|-----------------------|--------------------------------------------------|
| HCT PT.27<br>TEST REPORT        | FCC CERTIFICATION REPORT       |                                               |                       | <a href="http://www.hct.co.kr">www.hct.co.kr</a> |
| Test Report No.<br>HCTR1001FR03 | Test Dates:<br>January 6, 2010 | EUT Type:<br>Mobile WiMAX Radio Access System | FCC ID:<br>XQERAS1041 | Page 15 of 95                                    |

## (64QAM Low Channel)




## (64QAM Middle Channel)




|                                 |                                |                                               |                       |                                                  |
|---------------------------------|--------------------------------|-----------------------------------------------|-----------------------|--------------------------------------------------|
| HCT PT.27<br>TEST REPORT        | FCC CERTIFICATION REPORT       |                                               |                       | <a href="http://www.hct.co.kr">www.hct.co.kr</a> |
| Test Report No.<br>HCTR1001FR03 | Test Dates:<br>January 6, 2010 | EUT Type:<br>Mobile WiMAX Radio Access System | FCC ID:<br>XQERAS1041 | Page 16 of 95                                    |

## (64QAM High Channel)




|                                 |                                |                                               |                       |                                                  |
|---------------------------------|--------------------------------|-----------------------------------------------|-----------------------|--------------------------------------------------|
| HCT PT.27<br>TEST REPORT        | FCC CERTIFICATION REPORT       |                                               |                       | <a href="http://www.hct.co.kr">www.hct.co.kr</a> |
| Test Report No.<br>HCTR1001FR03 | Test Dates:<br>January 6, 2010 | EUT Type:<br>Mobile WiMAX Radio Access System | FCC ID:<br>XQERAS1041 | Page 17 of 95                                    |

**(QPSK Low Channel)**




|                                 |                                |                                               |                       |                                                  |
|---------------------------------|--------------------------------|-----------------------------------------------|-----------------------|--------------------------------------------------|
| HCT PT.27<br>TEST REPORT        | FCC CERTIFICATION REPORT       |                                               |                       | <a href="http://www.hct.co.kr">www.hct.co.kr</a> |
| Test Report No.<br>HCTR1001FR03 | Test Dates:<br>January 6, 2010 | EUT Type:<br>Mobile WiMAX Radio Access System | FCC ID:<br>XOERAS1041 | Page 18 of 95                                    |

## (QPSK High Channel)




## (16QAM Low Channel)




|                                 |                                |                                               |                       |                                                  |
|---------------------------------|--------------------------------|-----------------------------------------------|-----------------------|--------------------------------------------------|
| HCT PT.27<br>TEST REPORT        | FCC CERTIFICATION REPORT       |                                               |                       | <a href="http://www.hct.co.kr">www.hct.co.kr</a> |
| Test Report No.<br>HCTR1001FR03 | Test Dates:<br>January 6, 2010 | EUT Type:<br>Mobile WiMAX Radio Access System | FCC ID:<br>XQERAS1041 | Page 19 of 95                                    |

## (16QAM Middle Channel)




## (16QAM High Channel)




|                                 |                                |                                               |                       |                                                  |
|---------------------------------|--------------------------------|-----------------------------------------------|-----------------------|--------------------------------------------------|
| HCT PT.27<br>TEST REPORT        | FCC CERTIFICATION REPORT       |                                               |                       | <a href="http://www.hct.co.kr">www.hct.co.kr</a> |
| Test Report No.<br>HCTR1001FR03 | Test Dates:<br>January 6, 2010 | EUT Type:<br>Mobile WiMAX Radio Access System | FCC ID:<br>XQERAS1041 | Page 20 of 95                                    |

## (64QAM Low Channel)




## (64QAM Middle Channel)



|                                 |                                |                                               |                       |                                                  |
|---------------------------------|--------------------------------|-----------------------------------------------|-----------------------|--------------------------------------------------|
| HCT PT.27<br>TEST REPORT        | FCC CERTIFICATION REPORT       |                                               |                       | <a href="http://www.hct.co.kr">www.hct.co.kr</a> |
| Test Report No.<br>HCTR1001FR03 | Test Dates:<br>January 6, 2010 | EUT Type:<br>Mobile WiMAX Radio Access System | FCC ID:<br>XQERAS1041 | Page 21 of 95                                    |


### (64QAM High Channel)




|                                 |                                |                                               |                       |                                                  |
|---------------------------------|--------------------------------|-----------------------------------------------|-----------------------|--------------------------------------------------|
| HCT PT.27<br>TEST REPORT        | FCC CERTIFICATION REPORT       |                                               |                       | <a href="http://www.hct.co.kr">www.hct.co.kr</a> |
| Test Report No.<br>HCTR1001FR03 | Test Dates:<br>January 6, 2010 | EUT Type:<br>Mobile WiMAX Radio Access System | FCC ID:<br>XQERAS1041 | Page 22 of 95                                    |

#### 5.4.6. Combined Plot Data for output(Conducted Output Power)

##### (QPSK Low Channel)




##### (QPSK Middle Channel)




|                                 |                                |                                               |                       |                                                  |
|---------------------------------|--------------------------------|-----------------------------------------------|-----------------------|--------------------------------------------------|
| HCT PT.27<br>TEST REPORT        | FCC CERTIFICATION REPORT       |                                               |                       | <a href="http://www.hct.co.kr">www.hct.co.kr</a> |
| Test Report No.<br>HCTR1001FR03 | Test Dates:<br>January 6, 2010 | EUT Type:<br>Mobile WiMAX Radio Access System | FCC ID:<br>XQERAS1041 | Page 23 of 95                                    |

## (QPSK High Channel)




## (16QAM Low Channel)




|                                 |                                |                                               |                       |                                                  |
|---------------------------------|--------------------------------|-----------------------------------------------|-----------------------|--------------------------------------------------|
| HCT PT.27<br>TEST REPORT        | FCC CERTIFICATION REPORT       |                                               |                       | <a href="http://www.hct.co.kr">www.hct.co.kr</a> |
| Test Report No.<br>HCTR1001FR03 | Test Dates:<br>January 6, 2010 | EUT Type:<br>Mobile WiMAX Radio Access System | FCC ID:<br>XQERAS1041 | Page 24 of 95                                    |

## (16QAM Middle Channel)




## (16QAM High Channel)




|                                 |                                |                                               |                       |                                                  |
|---------------------------------|--------------------------------|-----------------------------------------------|-----------------------|--------------------------------------------------|
| HCT PT.27<br>TEST REPORT        | FCC CERTIFICATION REPORT       |                                               |                       | <a href="http://www.hct.co.kr">www.hct.co.kr</a> |
| Test Report No.<br>HCTR1001FR03 | Test Dates:<br>January 6, 2010 | EUT Type:<br>Mobile WiMAX Radio Access System | FCC ID:<br>XQERAS1041 | Page 25 of 95                                    |

## (64QAM Low Channel)




## (64QAM Middle Channel)



|                                 |                                |                                               |                       |                                                  |
|---------------------------------|--------------------------------|-----------------------------------------------|-----------------------|--------------------------------------------------|
| HCT PT.27<br>TEST REPORT        | FCC CERTIFICATION REPORT       |                                               |                       | <a href="http://www.hct.co.kr">www.hct.co.kr</a> |
| Test Report No.<br>HCTR1001FR03 | Test Dates:<br>January 6, 2010 | EUT Type:<br>Mobile WiMAX Radio Access System | FCC ID:<br>XQERAS1041 | Page 26 of 95                                    |

### (64QAM High Channel)



|                                 |                                |                                               |                       |                                                  |
|---------------------------------|--------------------------------|-----------------------------------------------|-----------------------|--------------------------------------------------|
| HCT PT.27<br>TEST REPORT        | FCC CERTIFICATION REPORT       |                                               |                       | <a href="http://www.hct.co.kr">www.hct.co.kr</a> |
| Test Report No.<br>HCTR1001FR03 | Test Dates:<br>January 6, 2010 | EUT Type:<br>Mobile WiMAX Radio Access System | FCC ID:<br>XQERAS1041 | Page 27 of 95                                    |

## 6. OCCUPIED BANDWIDTH

### 6.1. Applicable Standard

Requirements: CFR 47, Section 27.53(m)(6) Measurement procedure. Compliance with these rules is based on the use of measurement instrumentation employing a resolution bandwidth of 1 MHz or greater. However, in the 1 MHz bands immediately outside and adjacent to the frequency block a resolution bandwidth of at least one percent of the emission bandwidth of the fundamental emission of the transmitter may be employed. A narrower resolution bandwidth is permitted in all cases to improve measurement accuracy provided the measured power is integrated over the full required measurement bandwidth ( *i.e.* 1 MHz or 1 percent of emission bandwidth, as specified). The emission bandwidth is defined as the width of the signal between two points, one below the carrier center frequency and one above the carrier center frequency, outside of which all emissions are attenuated at least 26 dB below the transmitter power. With respect to television operations, measurements must be made of the separate visual and aural operating powers at sufficiently frequent intervals to ensure compliance with the rules.


### 6.2. Test Equipment List and Details

| Manufacturer | Model / Equipment              | Serial No. | Calibration Due |
|--------------|--------------------------------|------------|-----------------|
| Agilent      | 6674A / DC Power Supply        | 3501A00901 | 05/14/2010      |
| Agilent      | 8498A / Attenuator             | 51161      | 04/14/2010      |
| Agilent      | 8498A / Attenuator             | 51162      | 12/24/2009      |
| WEINSCHEL    | 67-30-33 / Attenuator          | BU5347     | 01/13/2010      |
| WEINSCHEL    | 67-30-33 / Attenuator          | BR0530     | 02/03/2010      |
| WEINSCHEL    | AF117A-69-43 / STEP ATTENUATOR | 20623      | 02/06/2010      |
| WEINSCHEL    | AF117A-69-43 / STEP ATTENUATOR | 21207      | 01/13/2010      |
| Agilent      | N9020A / MXA Signal Analyzer   | US46220219 | 02/19/2010      |

### 6.3. Test Procedure

The RF output of the transmitter was connected to the input of the spectrum analyzer through sufficient attenuation.

|                                 |                                |                                               |                       |                                                  |
|---------------------------------|--------------------------------|-----------------------------------------------|-----------------------|--------------------------------------------------|
| HCT PT.27<br>TEST REPORT        | FCC CERTIFICATION REPORT       |                                               |                       | <a href="http://www.hct.co.kr">www.hct.co.kr</a> |
| Test Report No.<br>HCTR1001FR03 | Test Dates:<br>January 6, 2010 | EUT Type:<br>Mobile WiMAX Radio Access System | FCC ID:<br>XQERAS1041 | Page 28 of 95                                    |



The EUT was connected to a spectrum analyser enabled with an occupied bandwidth function via its antenna port. Measurements were performed to determine the occupied bandwidth in accordance with FCC Part 2.1049. The occupied bandwidth was measured from the fundamental emission at the bottom, middle and top channels. The occupied bandwidth was measured using the built in occupied bandwidth function of the spectrum analyser. It was set to measure the bandwidth where 99% of the signal power was contained. The analyser automatically configures the measurement bandwidths to make an accurate measurement based on the channel bandwidth and channel spacing of the EUT.

#### 6.3.1. Environmental Conditions:

|                    |       |
|--------------------|-------|
| Temperature:       | 25 °C |
| Relative Humidity: | 39 %  |

#### 6.4. Test Result

: PASS

|                                 |                                |                                               |                       |                                                  |
|---------------------------------|--------------------------------|-----------------------------------------------|-----------------------|--------------------------------------------------|
| HCT PT.27<br>TEST REPORT        | FCC CERTIFICATION REPORT       |                                               |                       | <a href="http://www.hct.co.kr">www.hct.co.kr</a> |
| Test Report No.<br>HCTR1001FR03 | Test Dates:<br>January 6, 2010 | EUT Type:<br>Mobile WiMAX Radio Access System | FCC ID:<br>XQERAS1041 | Page 29 of 95                                    |

## 6.4.1. Test Data at Output Port 0

| Modulation | Channel | Frequency | Measured Bandwidth |       |
|------------|---------|-----------|--------------------|-------|
|            |         |           | 99 %               | 26 dB |
| QPSK       | Low     | 2508.5    | 9.14               | 9.376 |
|            | Middle  | 2608.0    | 9.14               | 9.371 |
|            | High    | 2683.5    | 9.14               | 9.370 |
| 16QAM      | Low     | 2508.5    | 9.13               | 9.318 |
|            | Middle  | 2608.0    | 9.13               | 9.322 |
|            | High    | 2683.5    | 9.14               | 9.322 |
| 64QAM      | Low     | 2508.5    | 9.02               | 9.356 |
|            | Middle  | 2608.0    | 9.01               | 9.360 |
|            | High    | 2683.5    | 9.02               | 9.355 |

## 6.4.2. Test Data at Output Port 1

| Modulation | Channel | Frequency | Measured Bandwidth |       |
|------------|---------|-----------|--------------------|-------|
|            |         |           | 99 %               | 26 dB |
| QPSK       | Low     | 2508.5    | 9.14               | 9.374 |
|            | Middle  | 2608.0    | 9.14               | 9.373 |
|            | High    | 2683.5    | 9.14               | 9.372 |
| 16QAM      | Low     | 2508.5    | 9.14               | 9.317 |
|            | Middle  | 2608.0    | 9.14               | 9.318 |
|            | High    | 2683.5    | 9.14               | 9.318 |
|            | Low     | 2508.5    | 9.00               | 9.352 |

|                                 |                                |                                               |                       |                                                  |
|---------------------------------|--------------------------------|-----------------------------------------------|-----------------------|--------------------------------------------------|
| HCT PT.27<br>TEST REPORT        | FCC CERTIFICATION REPORT       |                                               |                       | <a href="http://www.hct.co.kr">www.hct.co.kr</a> |
| Test Report No.<br>HCTR1001FR03 | Test Dates:<br>January 6, 2010 | EUT Type:<br>Mobile WiMAX Radio Access System | FCC ID:<br>XQERAS1041 | Page 30 of 95                                    |


|       |        |        |      |       |
|-------|--------|--------|------|-------|
| 64QAM | Middle | 2608.0 | 9.00 | 9.355 |
|       | High   | 2683.5 | 9.01 | 9.355 |

## 6.4.3. Combined Test Data at Output Port


| Modulation | Channel | Frequency | Measured Bandwidth |       |
|------------|---------|-----------|--------------------|-------|
|            |         |           | 99 %               | 26 dB |
| QPSK       | Low     | 2508.5    | 9.00               | 9.310 |
|            | Middle  | 2608.0    | 9.07               | 9.353 |
|            | High    | 2683.5    | 9.16               | 9.358 |
| 16QAM      | Low     | 2508.5    | 8.91               | 9.287 |
|            | Middle  | 2608.0    | 9.10               | 9.312 |
|            | High    | 2683.5    | 9.12               | 9.304 |
| 64QAM      | Low     | 2508.5    | 8.93               | 9.297 |
|            | Middle  | 2608.0    | 9.03               | 9.359 |
|            | High    | 2683.5    | 9.04               | 9.348 |

## 6.4.4. Plot Data for Output 0

### (QPSK Low Channel)




### (QPSK Middle Channel)




|                                 |                                |                                               |                       |                                                  |
|---------------------------------|--------------------------------|-----------------------------------------------|-----------------------|--------------------------------------------------|
| HCT PT.27<br>TEST REPORT        | FCC CERTIFICATION REPORT       |                                               |                       | <a href="http://www.hct.co.kr">www.hct.co.kr</a> |
| Test Report No.<br>HCTR1001FR03 | Test Dates:<br>January 6, 2010 | EUT Type:<br>Mobile WiMAX Radio Access System | FCC ID:<br>XQERAS1041 | Page 32 of 95                                    |

## (QPSK High Channel)




## (16QAM Low Channel)




|                                 |                                |                                               |                       |                                                  |
|---------------------------------|--------------------------------|-----------------------------------------------|-----------------------|--------------------------------------------------|
| HCT PT.27<br>TEST REPORT        | FCC CERTIFICATION REPORT       |                                               |                       | <a href="http://www.hct.co.kr">www.hct.co.kr</a> |
| Test Report No.<br>HCTR1001FR03 | Test Dates:<br>January 6, 2010 | EUT Type:<br>Mobile WiMAX Radio Access System | FCC ID:<br>XQERAS1041 | Page 33 of 95                                    |

## (16QAM Middle Channel)




## (16QAM High Channel)




|                                 |                                |                                               |                       |                                                  |
|---------------------------------|--------------------------------|-----------------------------------------------|-----------------------|--------------------------------------------------|
| HCT PT.27<br>TEST REPORT        | FCC CERTIFICATION REPORT       |                                               |                       | <a href="http://www.hct.co.kr">www.hct.co.kr</a> |
| Test Report No.<br>HCTR1001FR03 | Test Dates:<br>January 6, 2010 | EUT Type:<br>Mobile WiMAX Radio Access System | FCC ID:<br>XQERAS1041 | Page 34 of 95                                    |

## (64QAM Low Channel)




## (64QAM Middle Channel)



|                                 |                                |                                               |                       |                                                  |
|---------------------------------|--------------------------------|-----------------------------------------------|-----------------------|--------------------------------------------------|
| HCT PT.27<br>TEST REPORT        | FCC CERTIFICATION REPORT       |                                               |                       | <a href="http://www.hct.co.kr">www.hct.co.kr</a> |
| Test Report No.<br>HCTR1001FR03 | Test Dates:<br>January 6, 2010 | EUT Type:<br>Mobile WiMAX Radio Access System | FCC ID:<br>XQERAS1041 | Page 35 of 95                                    |


## (64QAM High Channel)




|                                 |                                |                                               |                       |                                                  |
|---------------------------------|--------------------------------|-----------------------------------------------|-----------------------|--------------------------------------------------|
| HCT PT.27<br>TEST REPORT        | FCC CERTIFICATION REPORT       |                                               |                       | <a href="http://www.hct.co.kr">www.hct.co.kr</a> |
| Test Report No.<br>HCTR1001FR03 | Test Dates:<br>January 6, 2010 | EUT Type:<br>Mobile WiMAX Radio Access System | FCC ID:<br>XQERAS1041 | Page 36 of 95                                    |

### 6.4.5. Plot Data for Output 1

#### (QPSK Low Channel)




#### (QPSK Middle Channel)




|                                 |                                |                                               |                       |                                                  |
|---------------------------------|--------------------------------|-----------------------------------------------|-----------------------|--------------------------------------------------|
| HCT PT.27<br>TEST REPORT        | FCC CERTIFICATION REPORT       |                                               |                       | <a href="http://www.hct.co.kr">www.hct.co.kr</a> |
| Test Report No.<br>HCTR1001FR03 | Test Dates:<br>January 6, 2010 | EUT Type:<br>Mobile WiMAX Radio Access System | FCC ID:<br>XQERAS1041 | Page 37 of 95                                    |

## (QPSK High Channel)




## (16QAM Low Channel)




|                                 |                                |                                               |                       |                                                  |
|---------------------------------|--------------------------------|-----------------------------------------------|-----------------------|--------------------------------------------------|
| HCT PT.27<br>TEST REPORT        | FCC CERTIFICATION REPORT       |                                               |                       | <a href="http://www.hct.co.kr">www.hct.co.kr</a> |
| Test Report No.<br>HCTR1001FR03 | Test Dates:<br>January 6, 2010 | EUT Type:<br>Mobile WiMAX Radio Access System | FCC ID:<br>XQERAS1041 | Page 38 of 95                                    |

## (16QAM Middle Channel)




## (16QAM High Channel)




|                                 |                                |                                               |                       |                                                  |
|---------------------------------|--------------------------------|-----------------------------------------------|-----------------------|--------------------------------------------------|
| HCT PT.27<br>TEST REPORT        | FCC CERTIFICATION REPORT       |                                               |                       | <a href="http://www.hct.co.kr">www.hct.co.kr</a> |
| Test Report No.<br>HCTR1001FR03 | Test Dates:<br>January 6, 2010 | EUT Type:<br>Mobile WiMAX Radio Access System | FCC ID:<br>XQERAS1041 | Page 39 of 95                                    |

## (64QAM Low Channel)




## (64QAM Middle Channel)



|                                 |                                |                                               |                       |                                                  |
|---------------------------------|--------------------------------|-----------------------------------------------|-----------------------|--------------------------------------------------|
| HCT PT.27<br>TEST REPORT        | FCC CERTIFICATION REPORT       |                                               |                       | <a href="http://www.hct.co.kr">www.hct.co.kr</a> |
| Test Report No.<br>HCTR1001FR03 | Test Dates:<br>January 6, 2010 | EUT Type:<br>Mobile WiMAX Radio Access System | FCC ID:<br>XQERAS1041 | Page 40 of 95                                    |


**(64QAM High Channel)**




|                                 |                                |                                               |                       |                                                  |
|---------------------------------|--------------------------------|-----------------------------------------------|-----------------------|--------------------------------------------------|
| HCT PT.27<br>TEST REPORT        | FCC CERTIFICATION REPORT       |                                               |                       | <a href="http://www.hct.co.kr">www.hct.co.kr</a> |
| Test Report No.<br>HCTR1001FR03 | Test Dates:<br>January 6, 2010 | EUT Type:<br>Mobile WiMAX Radio Access System | FCC ID:<br>XQERAS1041 | Page 41 of 95                                    |

## 6.4.6. Combined Test Plot at Output Port

### (QPSK Low Channel)




### (QPSK Middle Channel)




|                                 |                                |                                               |                       |                                                  |
|---------------------------------|--------------------------------|-----------------------------------------------|-----------------------|--------------------------------------------------|
| HCT PT.27<br>TEST REPORT        | FCC CERTIFICATION REPORT       |                                               |                       | <a href="http://www.hct.co.kr">www.hct.co.kr</a> |
| Test Report No.<br>HCTR1001FR03 | Test Dates:<br>January 6, 2010 | EUT Type:<br>Mobile WiMAX Radio Access System | FCC ID:<br>XQERAS1041 | Page 42 of 95                                    |

## (QPSK High Channel)




## (16QAM Low Channel)




|                                 |                                |                                               |                       |                                                  |
|---------------------------------|--------------------------------|-----------------------------------------------|-----------------------|--------------------------------------------------|
| HCT PT.27<br>TEST REPORT        | FCC CERTIFICATION REPORT       |                                               |                       | <a href="http://www.hct.co.kr">www.hct.co.kr</a> |
| Test Report No.<br>HCTR1001FR03 | Test Dates:<br>January 6, 2010 | EUT Type:<br>Mobile WiMAX Radio Access System | FCC ID:<br>XQERAS1041 | Page 43 of 95                                    |

## (16QAM Middle Channel)




## (16QAM High Channel)




|                                 |                                |                                               |                       |                                                  |
|---------------------------------|--------------------------------|-----------------------------------------------|-----------------------|--------------------------------------------------|
| HCT PT.27<br>TEST REPORT        | FCC CERTIFICATION REPORT       |                                               |                       | <a href="http://www.hct.co.kr">www.hct.co.kr</a> |
| Test Report No.<br>HCTR1001FR03 | Test Dates:<br>January 6, 2010 | EUT Type:<br>Mobile WiMAX Radio Access System | FCC ID:<br>XQERAS1041 | Page 44 of 95                                    |


## (64QAM Low Channel)



## (64QAM Middle Channel)



## (64QAM High Channel)



|                                 |                                |                                               |                       |                                                  |
|---------------------------------|--------------------------------|-----------------------------------------------|-----------------------|--------------------------------------------------|
| HCT PT.27<br>TEST REPORT        | FCC CERTIFICATION REPORT       |                                               |                       | <a href="http://www.hct.co.kr">www.hct.co.kr</a> |
| Test Report No.<br>HCTR1001FR03 | Test Dates:<br>January 6, 2010 | EUT Type:<br>Mobile WiMAX Radio Access System | FCC ID:<br>XQERAS1041 | Page 46 of 95                                    |